

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B7_5MHz_EIRP

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	12.68	2.58	15.26	<=33.01	Pass
			13	12.99	2.58	15.57	<=33.01	Pass
			24	12.66	2.58	15.24	<=33.01	Pass
		12	0	11.49	2.58	14.07	<=33.01	Pass
			6	11.45	2.58	14.03	<=33.01	Pass
			13	11.53	2.58	14.11	<=33.01	Pass
		25	0	11.47	2.58	14.05	<=33.01	Pass
	2535	1	0	12.7	2.58	15.28	<=33.01	Pass
			13	12.29	2.58	14.87	<=33.01	Pass
			24	12.15	2.58	14.73	<=33.01	Pass
		12	0	11.37	2.58	13.95	<=33.01	Pass
			6	11.26	2.58	13.84	<=33.01	Pass
			13	11.08	2.58	13.66	<=33.01	Pass
		25	0	11.25	2.58	13.83	<=33.01	Pass
	2567.5	1	0	12.69	2.58	15.27	<=33.01	Pass
			13	12.76	2.58	15.34	<=33.01	Pass
			24	12.47	2.58	15.05	<=33.01	Pass
		12	0	11.61	2.58	14.19	<=33.01	Pass
			6	11.47	2.58	14.05	<=33.01	Pass
			13	11.5	2.58	14.08	<=33.01	Pass
		25	0	11.48	2.58	14.06	<=33.01	Pass
16QAM	2502.5	1	0	11.7	2.58	14.28	<=33.01	Pass
			13	12.13	2.58	14.71	<=33.01	Pass
			24	12.18	2.58	14.76	<=33.01	Pass
		12	0	10.54	2.58	13.12	<=33.01	Pass
			6	10.45	2.58	13.03	<=33.01	Pass
			13	10.8	2.58	13.38	<=33.01	Pass
		25	0	10.91	2.58	13.49	<=33.01	Pass
	2535	1	0	12.14	2.58	14.72	<=33.01	Pass
			13	12.02	2.58	14.6	<=33.01	Pass
			24	11.78	2.58	14.36	<=33.01	Pass
		12	0	10.38	2.58	12.96	<=33.01	Pass
			6	10.98	2.58	13.56	<=33.01	Pass
			13	10.25	2.58	12.83	<=33.01	Pass
		25	0	10.34	2.58	12.92	<=33.01	Pass
	2567.5	1	0	11.87	2.58	14.45	<=33.01	Pass
			13	11.91	2.58	14.49	<=33.01	Pass
			24	12.16	2.58	14.74	<=33.01	Pass
		12	0	10.7	2.58	13.28	<=33.01	Pass
			6	10.66	2.58	13.24	<=33.01	Pass
			13	10.77	2.58	13.35	<=33.01	Pass
		25	0	11.1	2.58	13.68	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B7_10MHz_EIRP

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	12.51	2.58	15.09	<=33.01	Pass
			25	12.49	2.58	15.07	<=33.01	Pass
			49	12.54	2.58	15.12	<=33.01	Pass
		25	0	11.46	2.58	14.04	<=33.01	Pass
			13	11.49	2.58	14.07	<=33.01	Pass
			25	11.46	2.58	14.04	<=33.01	Pass
		50	0	11.37	2.58	13.95	<=33.01	Pass
	2535	1	0	12.57	2.58	15.15	<=33.01	Pass
			25	12.5	2.58	15.08	<=33.01	Pass
			49	12.35	2.58	14.93	<=33.01	Pass
		25	0	11.27	2.58	13.85	<=33.01	Pass
			13	11.2	2.58	13.78	<=33.01	Pass
			25	11.22	2.58	13.8	<=33.01	Pass
		50	0	11.26	2.58	13.84	<=33.01	Pass
	2565	1	0	12.34	2.58	14.92	<=33.01	Pass
			25	13.17	2.58	15.75	<=33.01	Pass
			49	12.58	2.58	15.16	<=33.01	Pass
		25	0	11.39	2.58	13.97	<=33.01	Pass
			13	11.38	2.58	13.96	<=33.01	Pass
			25	11.5	2.58	14.08	<=33.01	Pass
		50	0	11.4	2.58	13.98	<=33.01	Pass
16QAM	2505	1	0	12.02	2.58	14.6	<=33.01	Pass
			25	12.2	2.58	14.78	<=33.01	Pass
			49	12.21	2.58	14.79	<=33.01	Pass
		25	0	10.6	2.58	13.18	<=33.01	Pass
			13	10.87	2.58	13.45	<=33.01	Pass
			25	10.78	2.58	13.36	<=33.01	Pass
		50	0	10.53	2.58	13.11	<=33.01	Pass
	2535	1	0	11.29	2.58	13.87	<=33.01	Pass
			25	11.22	2.58	13.8	<=33.01	Pass
			49	11.16	2.58	13.74	<=33.01	Pass
		25	0	10.62	2.58	13.2	<=33.01	Pass
			13	10.53	2.58	13.11	<=33.01	Pass
			25	10.39	2.58	12.97	<=33.01	Pass
		50	0	10.79	2.58	13.37	<=33.01	Pass
	2565	1	0	11.84	2.58	14.42	<=33.01	Pass
			25	12.2	2.58	14.78	<=33.01	Pass
			49	12.39	2.58	14.97	<=33.01	Pass
		25	0	10.42	2.58	13	<=33.01	Pass
			13	10.65	2.58	13.23	<=33.01	Pass
			25	10.47	2.58	13.05	<=33.01	Pass
		50	0	10.63	2.58	13.21	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B7_15MHz_EIRP

Band: 7 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	12.48	2.58	15.06	<=33.01	Pass
			38	12.43	2.58	15.01	<=33.01	Pass
			74	12.51	2.58	15.09	<=33.01	Pass
		36	0	11.41	2.58	13.99	<=33.01	Pass
			18	11.56	2.58	14.14	<=33.01	Pass
			39	11.51	2.58	14.09	<=33.01	Pass
		75	0	11.37	2.58	13.95	<=33.01	Pass
	2535	1	0	12.62	2.58	15.2	<=33.01	Pass
			38	12.46	2.58	15.04	<=33.01	Pass
			74	12.28	2.58	14.86	<=33.01	Pass
		36	0	11.38	2.58	13.96	<=33.01	Pass
			18	11.28	2.58	13.86	<=33.01	Pass
			39	11.1	2.58	13.68	<=33.01	Pass
		75	0	11.25	2.58	13.83	<=33.01	Pass
	2562.5	1	0	12.2	2.58	14.78	<=33.01	Pass
			38	12.47	2.58	15.05	<=33.01	Pass
			74	12.71	2.58	15.29	<=33.01	Pass
		36	0	11.33	2.58	13.91	<=33.01	Pass
			18	11.3	2.58	13.88	<=33.01	Pass
			39	11.52	2.58	14.1	<=33.01	Pass
		75	0	11.36	2.58	13.94	<=33.01	Pass
16QAM	2507.5	1	0	12.23	2.58	14.81	<=33.01	Pass
			38	12.24	2.58	14.82	<=33.01	Pass
			74	12.49	2.58	15.07	<=33.01	Pass
		36	0	10.53	2.58	13.11	<=33.01	Pass
			18	10.39	2.58	12.97	<=33.01	Pass
			39	11.4	2.58	13.98	<=33.01	Pass
		75	0	10.62	2.58	13.2	<=33.01	Pass
	2535	1	0	12	2.58	14.58	<=33.01	Pass
			38	11.93	2.58	14.51	<=33.01	Pass
			74	11.8	2.58	14.38	<=33.01	Pass
		36	0	10.37	2.58	12.95	<=33.01	Pass
			18	11.13	2.58	13.71	<=33.01	Pass
			39	10.15	2.58	12.73	<=33.01	Pass
		75	0	10.45	2.58	13.03	<=33.01	Pass
	2562.5	1	0	12.1	2.58	14.68	<=33.01	Pass
			38	11.96	2.58	14.54	<=33.01	Pass
			74	11.99	2.58	14.57	<=33.01	Pass
		36	0	10.47	2.58	13.05	<=33.01	Pass
			18	10.58	2.58	13.16	<=33.01	Pass
			39	10.71	2.58	13.29	<=33.01	Pass
		75	0	11.62	2.58	14.2	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B7_20MHz_EIRP

Band: 7 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	12.64	2.58	15.22	<=33.01	Pass
			50	12.62	2.58	15.2	<=33.01	Pass
			99	12.61	2.58	15.19	<=33.01	Pass
		50	0	11.43	2.58	14.01	<=33.01	Pass
			25	11.6	2.58	14.18	<=33.01	Pass
			50	11.45	2.58	14.03	<=33.01	Pass
		100	0	11.6	2.58	14.18	<=33.01	Pass
	2535	1	0	12.78	2.58	15.36	<=33.01	Pass
			50	12.16	2.58	14.74	<=33.01	Pass
			99	12.59	2.58	15.17	<=33.01	Pass
		50	0	11.71	2.58	14.29	<=33.01	Pass
			25	11.14	2.58	13.72	<=33.01	Pass
			50	11.18	2.58	13.76	<=33.01	Pass
		100	0	11.69	2.58	14.27	<=33.01	Pass
	2560	1	0	12.09	2.58	14.67	<=33.01	Pass
			50	12.5	2.58	15.08	<=33.01	Pass
			99	12.81	2.58	15.39	<=33.01	Pass
		50	0	11.09	2.58	13.67	<=33.01	Pass
			25	11.33	2.58	13.91	<=33.01	Pass
			50	11.43	2.58	14.01	<=33.01	Pass
		100	0	11.3	2.58	13.88	<=33.01	Pass
16QAM	2510	1	0	12.31	2.58	14.89	<=33.01	Pass
			50	12.31	2.58	14.89	<=33.01	Pass
			99	12.48	2.58	15.06	<=33.01	Pass
		50	0	10.7	2.58	13.28	<=33.01	Pass
			25	10.63	2.58	13.21	<=33.01	Pass
			50	10.59	2.58	13.17	<=33.01	Pass
		100	0	10.61	2.58	13.19	<=33.01	Pass
	2535	1	0	12.19	2.58	14.77	<=33.01	Pass
			50	12.44	2.58	15.02	<=33.01	Pass
			99	12.29	2.58	14.87	<=33.01	Pass
		50	0	10.51	2.58	13.09	<=33.01	Pass
			25	10.44	2.58	13.02	<=33.01	Pass
			50	10.28	2.58	12.86	<=33.01	Pass
		100	0	10.43	2.58	13.01	<=33.01	Pass
	2560	1	0	12.47	2.58	15.05	<=33.01	Pass
			50	12.25	2.58	14.83	<=33.01	Pass
			99	12.28	2.58	14.86	<=33.01	Pass
		50	0	10.29	2.58	12.87	<=33.01	Pass
			25	10.49	2.58	13.07	<=33.01	Pass
			50	10.49	2.58	13.07	<=33.01	Pass
		100	0	10.38	2.58	12.96	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain



2. Frequency Stability

2.1 Test Result

2.1.1 B7_10MHz

Band: 7 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2535	50	0	20	LV	6.700	0.0026	-2.5 to 2.5	Pass
					NV	22.800	0.0090	-2.5 to 2.5	Pass
					HV	49.000	0.0193	-2.5 to 2.5	Pass
				-30	NV	23.200	0.0092	-2.5 to 2.5	Pass
				-20	NV	37.200	0.0147	-2.5 to 2.5	Pass
				-10	NV	43.100	0.0170	-2.5 to 2.5	Pass
				0	NV	40.700	0.0161	-2.5 to 2.5	Pass
				10	NV	36.500	0.0144	-2.5 to 2.5	Pass
				30	NV	28.000	0.0110	-2.5 to 2.5	Pass
				40	NV	30.800	0.0121	-2.5 to 2.5	Pass
				50	NV	28.500	0.0112	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band7_OBW


Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2535	25	0	4.563	/	Pass
	16QAM	2535	25	0	4.564	/	Pass
10	QPSK	2535	50	0	9.097	/	Pass
	16QAM	2535	50	0	9.051	/	Pass
15	QPSK	2535	75	0	13.619	/	Pass
	16QAM	2535	75	0	13.649	/	Pass
20	QPSK	2535	100	0	18.221	/	Pass
	16QAM	2535	100	0	18.249	/	Pass

3.1.2 Band7_XDB


Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2535	25	0	5.732	/	Pass
	16QAM	2535	25	0	5.796	/	Pass
10	QPSK	2535	50	0	10.392	/	Pass
	16QAM	2535	50	0	10.246	/	Pass
15	QPSK	2535	75	0	15.726	/	Pass
	16QAM	2535	75	0	15.778	/	Pass
20	QPSK	2535	100	0	20.391	/	Pass
	16QAM	2535	100	0	20.644	/	Pass

3.2 Test Graph


3.2.1 Band7_OBW




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_MCH_2535MHz_RB_100_0_NTNV




3.2.2 Band7_XDB




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV



Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_100_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B7_20MHz

Band: 7 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	100	0	5.65	<=13	Pass
16QAM	2535	100	0	6.28	<=13	Pass

4.2 Test Graph

4.2.1 B7_20MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2567.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2565	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.3 B7_15MHz

Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2562.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass




5.1.4 B7_20MHz


Band: 7 / Bandwidth: 20MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2510	1	0	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2560	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

5.2 Test Graph


5.2.1 B7_5MHz




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV



Band7_5MHz_QPSK_LCH_2502.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_LCH_2502.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.660	-50.89	-25	Pass
2490.5	2496	1	CHP	2	2496.000	-36.27	-13	Pass
2496	2499	1	CHP	3	2498.500	-31.54	-10	Pass
2499	2500	0.115	CHP	4	2499.980	-29.68	-10	Pass
2500	2505	0.115	CHP	/	/	/	/	/


Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV



Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2565	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.005	-27.97	-10	Pass
2571	2575	1	CHP	2	2571.500	-30.44	-10	Pass
2575	2576	1	CHP	3	2575.005	-42.63	-13	Pass
2576	2580	1	CHP	4	2576.005	-44.55	-25	Pass

Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2565	2570	0.115	CHP	/	/	/	/	/
2570	2571	0.115	CHP	1	2570.010	-28.53	-10	Pass
2571	2575	1	CHP	2	2571.510	-27.04	-10	Pass
2575	2576	1	CHP	3	2575.005	-36.97	-13	Pass
2576	2580	1	CHP	4	2576.205	-37.94	-25	Pass


5.2.2 B7_10MHz




Band7_10MHz_QPSK_LCH_2505MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_1_0_NTNV



Band7_10MHz_QPSK_LCH_2505MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.825	-45.96	-25	Pass
2490.5	2496	1	CHP	2	2495.750	-34.58	-13	Pass
2496	2499	1	CHP	3	2498.500	-32.77	-10	Pass
2499	2500	0.208	CHP	4	2499.975	-34.99	-10	Pass
2500	2510	0.208	CHP	/	/	/	/	/


Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV



Band7_10MHz_QPSK_HCH_2565MHz_RB_1_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2560	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.005	-32.32	-10	Pass
2571	2575	1	CHP	2	2571.500	-33.77	-10	Pass
2575	2580.392	1	CHP	3	2577.985	-42.21	-13	Pass
2580.392	2585	1	CHP	4	2580.395	-53.44	-25	Pass

Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2560	2570	0.208	CHP	/	/	/	/	/
2570	2571	0.208	CHP	1	2570.025	-30.60	-10	Pass
2571	2575	1	CHP	2	2571.500	-28.08	-10	Pass
2575	2580.392	1	CHP	3	2575.150	-31.87	-13	Pass
2580.392	2585	1	CHP	4	2580.525	-42.01	-25	Pass


5.2.3 B7_15MHz




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_1_0_NTNV



Band7_15MHz_QPSK_LCH_2507.5MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.490	-38.39	-25	Pass
2490.5	2496	1	CHP	2	2495.980	-35.28	-13	Pass
2496	2499	1	CHP	3	2497.720	-33.58	-10	Pass
2499	2500	0.315	CHP	4	2499.130	-35.28	-10	Pass
2500	2515	0.315	CHP	/	/	/	/	/


Band7_15MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_0_NTNV



Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2555	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.005	-34.77	-10	Pass
2571	2575	1	CHP	2	2571.500	-34.67	-10	Pass
2575	2585.726	1	CHP	3	2575.480	-38.29	-13	Pass
2585.726	2590	1	CHP	4	2585.765	-55.03	-25	Pass

Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2555	2570	0.315	CHP	/	/	/	/	/
2570	2571	0.315	CHP	1	2570.050	-31.52	-10	Pass
2571	2575	1	CHP	2	2571.870	-28.98	-10	Pass
2575	2585.726	1	CHP	3	2575.195	-31.40	-13	Pass
2585.726	2590	1	CHP	4	2585.730	-49.48	-25	Pass


5.2.4 B7_20MHz




Band7_20MHz_QPSK_LCH_2510MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_1_0_NTNV



Band7_20MHz_QPSK_LCH_2510MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.110	-36.48	-25	Pass
2490.5	2496	1	CHP	2	2495.990	-35.35	-13	Pass
2496	2499	1	CHP	3	2497.845	-34.06	-10	Pass
2499	2500	0.408	CHP	4	2499.770	-36.35	-10	Pass
2500	2520	0.408	CHP	/	/	/	/	/


Band7_20MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_1_0_NTNV



Band7_20MHz_QPSK_HCH_2560MHz_RB_1_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2550	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.005	-38.17	-10	Pass
2571	2575	1	CHP	2	2571.500	-35.43	-10	Pass
2575	2590.391	1	CHP	3	2577.455	-37.34	-13	Pass
2590.391	2595	1	CHP	4	2590.395	-55.26	-25	Pass

Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2550	2570	0.408	CHP	/	/	/	/	/
2570	2571	0.408	CHP	1	2570.025	-31.75	-10	Pass
2571	2575	1	CHP	2	2571.690	-29.36	-10	Pass
2575	2590.391	1	CHP	3	2575.200	-30.94	-13	Pass
2590.391	2595	1	CHP	4	2590.635	-53.56	-25	Pass