







6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz Straddle 6.425-6.525GHz_TX

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4443G	1.43	7.0858G	-44.69	-38.57	-6.12	1
6.4491G	2.23	7.0842G	-40.38	-37.77	-2.61	2
6.4459G	2.51	7.081G	-40.76	-37.39	-3.37	3
6.4795G	2.17	7.0794G	-41.70	-37.73	-3.97	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz Straddle 6.525-6.875GHz_TX

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7114G	2.04	7.2442G	-42.72	-37.96	-4.76	1
6.6986G	1.47	7.2394G	-42.73	-38.43	-4.30	2
6.7898G	1.67	7.2458G	-43.33	-38.33	-5.00	3
6.8441G	1.73	7.2426G	-43.29	-38.27	-5.02	4





Beamforming mode

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	5.9361G	-16.21	5.9779G	-60.16	-56.21	-3.95	1
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.39881G	-11.18	6.4922G	-57.19	-51.18	-6.01	2
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.36902G	-6.67	6.5086G	-53.85	-46.67	-7.18	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.15543G	-3.66	6.429G	-50.44	-43.66	-6.78	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.1659G	2.79	6.1018G	-17.98	-17.22	-0.76	4
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.517G	-14.12	6.4801G	-59.42	-54.12	-5.30	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.47421G	-10.80	6.4236G	-57.15	-50.80	-6.35	2
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.55859G	-7.31	6.4222G	-53.94	-47.16	-6.78	2
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.47943G	-4.57	6.9026G	-50.72	-44.57	-6.15	2
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.27G	2.05	6.2602G	-21.23	-17.98	-3.25	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.8788G	-13.95	6.9202G	-58.68	-53.95	-4.73	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.82662G	-10.99	6.9376G	-56.46	-50.99	-5.47	2
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.85941G	-8.08	7.0098G	-52.81	-48.08	-4.73	2
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.68978G	-3.68	7.0058G	-49.66	-43.68	-5.98	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.59G	2.53	6.5802G	-20.84	-17.48	-3.36	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	7.10761G	-18.15	7.1605G	-58.68	-58.15	-0.53	2
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	7.07781G	-11.45	7.009G	-56.16	-51.45	-4.71	2
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.99503G	-8.06	7.185G	-53.02	-48.06	-4.96	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	7.00898G	-5.09	7.3842G	-50.02	-45.09	-4.93	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5935MHz	Pass	5.9361G	-16.21	5.9779G	-60.16	-56.21	-3.95	1
5935MHz	Pass	5.94419G	-14.41	5.9759G	-60.16	-54.41	-5.75	2
5935MHz	Pass	5.9358G	-15.85	5.9753G	-60.25	-55.85	-4.40	3
5935MHz	Pass	5.9368G	-16.15	5.9779G	-60.25	-56.15	-4.10	4
5955MHz	Pass	5.96259G	-13.42	5.9956G	-60.11	-53.42	-6.69	1
5955MHz	Pass	5.9528G	-13.58	5.9891G	-60.16	-53.58	-6.58	2
5955MHz	Pass	5.96109G	-12.82	5.9946G	-60.21	-52.82	-7.39	3
5955MHz	Pass	5.96219G	-13.23	5.988G	-60.20	-53.23	-6.97	4
6175MHz	Pass	6.1708G	-13.86	6.2111G	-59.93	-53.86	-6.07	1
6175MHz	Pass	6.1762G	-13.57	6.2124G	-59.99	-53.57	-6.42	2
6175MHz	Pass	6.16751G	-12.62	6.2157G	-59.99	-52.62	-7.37	3
6175MHz	Pass	6.1731G	-11.41	6.2101G	-59.95	-51.41	-8.54	4
6415MHz	Pass	6.4162G	-11.98	6.4576G	-59.52	-51.98	-7.54	1
6415MHz	Pass	6.4117G	-13.96	6.4538G	-59.50	-53.96	-5.54	2
6415MHz	Pass	6.40581G	-12.81	6.4595G	-59.56	-52.81	-6.75	3
6415MHz	Pass	6.4182G	-12.26	6.4475G	-59.39	-52.26	-7.13	4
6435MHz	Pass	6.42971G	-12.61	6.4772G	-59.26	-52.61	-6.65	1
6435MHz	Pass	6.4359G	-13.19	6.4786G	-59.35	-53.19	-6.16	2
6435MHz	Pass	6.44139G	-10.77	6.4741G	-59.24	-50.77	-8.47	3
6435MHz	Pass	6.44199G	-10.85	6.4708G	-59.25	-50.85	-8.40	4
6475MHz	Pass	6.4768G	-11.00	6.5088G	-59.22	-51.00	-8.22	1
6475MHz	Pass	6.47G	-13.20	6.5078G	-59.31	-53.20	-6.11	2
6475MHz	Pass	6.48009G	-11.86	6.5092G	-59.10	-51.86	-7.24	3
6475MHz	Pass	6.48059G	-11.70	6.5088G	-59.22	-51.70	-7.52	4
6515MHz	Pass	6.50751G	-13.81	6.4699G	-59.45	-53.81	-5.64	1
6515MHz	Pass	6.517G	-14.12	6.4801G	-59.42	-54.12	-5.30	2
6515MHz	Pass	6.5112G	-13.05	6.4809G	-59.32	-53.05	-6.27	3
6515MHz	Pass	6.5198G	-13.14	6.4759G	-59.39	-53.14	-6.25	4
6535MHz	Pass	6.5321G	-13.32	6.4954G	-59.28	-53.32	-5.96	1
6535MHz	Pass	6.54019G	-13.56	6.4968G	-59.32	-53.56	-5.76	2
6535MHz	Pass	6.52751G	-11.97	6.5008G	-58.92	-51.97	-6.95	3
6535MHz	Pass	6.52641G	-12.50	6.4991G	-59.17	-52.50	-6.67	4
6715MHz	Pass	6.72219G	-11.36	6.7485G	-60.17	-51.36	-8.81	1
6715MHz	Pass	6.70661G	-11.29	6.7644G	-60.23	-51.29	-8.94	2
6715MHz	Pass	6.72239G	-11.48	6.7513G	-60.11	-51.48	-8.63	3
6715MHz	Pass	6.72249G	-11.48	6.7596G	-60.23	-51.48	-8.75	4
6855MHz	Pass	6.8512G	-12.38	6.9009G	-58.79	-52.38	-6.41	1
6855MHz	Pass	6.84621G	-12.78	6.8964G	-58.84	-52.78	-6.06	2
6855MHz	Pass	6.84931G	-12.01	6.9044G	-58.67	-52.01	-6.66	3
6855MHz	Pass	6.86359G	-11.86	6.8941G	-58.84	-51.86	-6.98	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.86881G	-12.98	6.9217G	-58.70	-52.98	-5.72	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6875MHz Straddle 6.525-6.875GHz	Pass	6.8788G	-13.95	6.9202G	-58.68	-53.95	-4.73	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.88G	-13.02	6.9131G	-58.68	-53.02	-5.66	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8737G	-12.56	6.9222G	-58.57	-52.56	-6.01	4
6895MHz	Pass	6.90129G	-14.34	6.9419G	-58.36	-54.34	-4.02	1
6895MHz	Pass	6.90349G	-14.62	6.944G	-58.49	-54.62	-3.87	2
6895MHz	Pass	6.8928G	-13.44	6.9355G	-58.50	-53.44	-5.06	3
6895MHz	Pass	6.90299G	-13.53	6.9282G	-58.60	-53.53	-5.07	4
7015MHz	Pass	7.012G	-14.65	6.9774G	-58.27	-54.65	-3.62	1
7015MHz	Pass	7.0186G	-14.53	6.9819G	-58.32	-54.53	-3.79	2
7015MHz	Pass	7.02189G	-12.45	6.9761G	-58.26	-52.45	-5.81	3
7015MHz	Pass	7.02179G	-14.21	6.982G	-58.29	-54.21	-4.08	4
7095MHz	Pass	7.08821G	-14.11	7.1389G	-59.10	-54.11	-4.99	1
7095MHz	Pass	7.091G	-14.51	7.1428G	-58.98	-54.51	-4.47	2
7095MHz	Pass	7.10119G	-12.91	7.1301G	-59.05	-52.91	-6.14	3
7095MHz	Pass	7.10089G	-14.43	7.133G	-58.91	-54.43	-4.48	4
7115MHz	Pass	7.1145G	-17.82	7.1605G	-58.84	-57.82	-1.02	1
7115MHz	Pass	7.10761G	-18.15	7.1605G	-58.68	-58.15	-0.53	2
7115MHz	Pass	7.1185G	-17.42	7.1621G	-58.63	-57.42	-1.21	3
7115MHz	Pass	7.12149G	-17.55	7.163G	-58.80	-57.55	-1.25	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97139G	-10.75	6.0264G	-57.74	-50.75	-6.99	1
5965MHz	Pass	5.95121G	-10.67	6.0262G	-57.70	-50.56	-7.14	2
5965MHz	Pass	5.98018G	-10.98	6.0366G	-57.84	-50.98	-6.86	3
5965MHz	Pass	5.98258G	-11.11	6.0274G	-57.94	-51.11	-6.83	4
6165MHz	Pass	6.18018G	-9.94	6.2496G	-57.64	-49.94	-7.70	1
6165MHz	Pass	6.17599G	-10.91	6.2392G	-57.75	-50.91	-6.84	2
6165MHz	Pass	6.15841G	-9.99	6.226G	-57.42	-49.99	-7.43	3
6165MHz	Pass	6.17199G	-10.58	6.2264G	-57.70	-50.58	-7.12	4
6405MHz	Pass	6.39621G	-10.09	6.4972G	-57.16	-50.09	-7.07	1
6405MHz	Pass	6.39881G	-11.18	6.4922G	-57.19	-51.18	-6.01	2
6405MHz	Pass	6.39241G	-9.85	6.4662G	-57.03	-49.85	-7.18	3
6405MHz	Pass	6.39281G	-9.62	6.466G	-56.91	-49.62	-7.29	4
6445MHz	Pass	6.45139G	-9.10	6.5068G	-56.79	-49.10	-7.69	1
6445MHz	Pass	6.4412G	-9.84	6.5064G	-56.78	-49.84	-6.94	2
6445MHz	Pass	6.42942G	-9.60	6.5062G	-56.78	-49.60	-7.18	3
6445MHz	Pass	6.45099G	-9.03	6.3838G	-56.85	-49.03	-7.82	4
6485MHz	Pass	6.489G	-10.07	6.4238G	-57.15	-50.07	-7.08	1
6485MHz	Pass	6.47421G	-10.80	6.4236G	-57.15	-50.80	-6.35	2
6485MHz	Pass	6.4822G	-9.37	6.4228G	-57.15	-49.37	-7.78	3
6485MHz	Pass	6.4826G	-9.44	6.4236G	-56.92	-49.44	-7.48	4
6525MHz Straddle 6.425-6.525GHz	Pass	6.5222G	-9.25	6.4632G	-57.03	-49.25	-7.78	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.53459G	-10.20	6.463G	-57.08	-50.20	-6.88	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6525MHz Straddle 6.425-6.525GHz	Pass	6.50842G	-9.43	6.4632G	-57.01	-49.43	-7.58	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.53099G	-9.28	6.4632G	-56.87	-49.28	-7.59	4
6565MHz	Pass	6.54702G	-9.29	6.5036G	-56.93	-49.29	-7.64	1
6565MHz	Pass	6.57179G	-11.35	6.5036G	-57.01	-51.35	-5.66	2
6565MHz	Pass	6.54722G	-10.06	6.5034G	-57.02	-50.06	-6.96	3
6565MHz	Pass	6.55861G	-10.37	6.5038G	-57.07	-50.37	-6.70	4
6725MHz	Pass	6.73599G	-10.12	6.8158G	-57.52	-50.12	-7.40	1
6725MHz	Pass	6.71221G	-10.58	6.823G	-57.56	-50.58	-6.98	2
6725MHz	Pass	6.74278G	-9.98	6.8174G	-57.49	-49.98	-7.51	3
6725MHz	Pass	6.74298G	-9.50	6.7862G	-57.47	-49.50	-7.97	4
6845MHz	Pass	6.85879G	-10.15	6.9392G	-56.36	-50.15	-6.21	1
6845MHz	Pass	6.82662G	-10.99	6.9376G	-56.46	-50.99	-5.47	2
6845MHz	Pass	6.83001G	-8.72	6.9314G	-56.36	-48.72	-7.64	3
6845MHz	Pass	6.85879G	-9.66	6.9442G	-56.12	-49.66	-6.46	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.87261G	-9.71	6.9678G	-56.02	-49.71	-6.31	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.89599G	-9.64	6.981G	-56.13	-49.64	-6.49	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.87341G	-9.08	6.9722G	-56.04	-49.08	-6.96	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.8898G	-8.81	6.9464G	-56.04	-48.81	-7.23	4
6925MHz	Pass	6.93179G	-9.30	6.986G	-55.75	-49.30	-6.45	1
6925MHz	Pass	6.93999G	-9.37	6.9862G	-55.99	-49.37	-6.62	2
6925MHz	Pass	6.91681G	-9.62	7.0034G	-55.99	-49.62	-6.37	3
6925MHz	Pass	6.93099G	-10.36	6.9926G	-55.99	-50.36	-5.63	4
7005MHz	Pass	7.0088G	-11.40	6.9412G	-56.41	-51.40	-5.01	1
7005MHz	Pass	7.01399G	-11.55	6.9438G	-56.42	-51.55	-4.87	2
7005MHz	Pass	7.01299G	-10.30	6.9434G	-56.26	-50.30	-5.96	3
7005MHz	Pass	7.01999G	-10.87	6.9432G	-56.33	-50.87	-5.46	4
7085MHz	Pass	7.07141G	-10.47	7.0042G	-56.09	-50.47	-5.62	1
7085MHz	Pass	7.07781G	-11.45	7.009G	-56.16	-51.45	-4.71	2
7085MHz	Pass	7.0816G	-10.10	7.0004G	-56.11	-50.10	-6.01	3
7085MHz	Pass	7.09099G	-10.55	6.9932G	-56.00	-50.55	-5.45	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01457G	-7.51	6.107G	-54.78	-47.51	-7.27	1
5985MHz	Pass	5.99499G	-7.21	6.109G	-54.90	-47.21	-7.69	2
5985MHz	Pass	5.97541G	-6.85	6.1074G	-54.71	-46.85	-7.86	3
5985MHz	Pass	6.02296G	-6.93	6.1798G	-54.75	-46.93	-7.82	4
6145MHz	Pass	6.18256G	-5.22	6.2674G	-54.15	-45.22	-8.93	1
6145MHz	Pass	6.15739G	-5.62	6.2966G	-54.28	-45.62	-8.66	2
6145MHz	Pass	6.13141G	-6.25	6.2678G	-54.06	-46.25	-7.81	3
6145MHz	Pass	6.12262G	-5.37	6.2678G	-53.89	-45.27	-8.62	4
6385MHz	Pass	6.389G	-5.31	6.509G	-53.84	-45.31	-8.53	1
6385MHz	Pass	6.37141G	-6.63	6.5094G	-53.95	-46.63	-7.32	2
6385MHz	Pass	6.40298G	-5.95	6.509G	-53.79	-45.95	-7.84	3



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.36902G	-6.67	6.5086G	-53.85	-46.67	-7.18	4
6465MHz	Pass	6.50256G	-5.32	6.343G	-53.68	-45.10	-8.58	1
6465MHz	Pass	6.43583G	-6.77	6.3426G	-54.09	-46.77	-7.32	2
6465MHz	Pass	6.45981G	-5.85	6.3414G	-53.89	-45.85	-8.04	3
6465MHz	Pass	6.48058G	-4.79	6.3046G	-53.74	-44.79	-8.95	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.58256G	-6.48	6.4226G	-53.73	-46.43	-7.30	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.55859G	-7.31	6.4222G	-53.94	-47.16	-6.78	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.5482G	-6.32	6.419G	-53.85	-46.32	-7.53	3
6545MHz Straddle 6.425-6.525GHz	Pass	6.5498G	-5.70	6.385G	-53.69	-45.70	-7.99	4
6625MHz	Pass	6.63539G	-6.42	6.503G	-53.51	-46.42	-7.09	1
6625MHz	Pass	6.61341G	-7.72	6.5034G	-53.70	-47.72	-5.98	2
6625MHz	Pass	6.63619G	-6.38	6.501G	-53.76	-46.38	-7.38	3
6625MHz	Pass	6.63619G	-6.44	6.4646G	-53.46	-46.44	-7.02	4
6705MHz	Pass	6.69261G	-5.55	6.9034G	-53.40	-45.55	-7.85	1
6705MHz	Pass	6.68862G	-6.26	6.8918G	-53.53	-46.26	-7.27	2
6705MHz	Pass	6.7006G	-5.46	6.8862G	-53.37	-45.46	-7.91	3
6705MHz	Pass	6.71179G	-5.27	6.865G	-53.15	-45.27	-7.88	4
6785MHz	Pass	6.79179G	-6.05	6.9698G	-52.84	-46.05	-6.79	1
6785MHz	Pass	6.76662G	-5.83	6.9774G	-52.89	-45.83	-7.06	2
6785MHz	Pass	6.79859G	-5.35	6.9722G	-52.83	-45.35	-7.48	3
6785MHz	Pass	6.81217G	-6.15	6.945G	-52.41	-46.15	-6.26	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.83423G	-6.34	6.9902G	-52.73	-46.34	-6.39	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.85941G	-8.08	7.0098G	-52.81	-48.08	-4.73	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.83743G	-6.94	7.0042G	-52.75	-46.94	-5.81	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.83543G	-6.83	6.9926G	-52.81	-46.83	-5.98	4
6945MHz	Pass	6.92782G	-6.90	7.1322G	-53.87	-46.90	-6.97	1
6945MHz	Pass	6.95659G	-7.54	7.139G	-53.91	-47.54	-6.37	2
6945MHz	Pass	6.93061G	-8.44	7.1434G	-53.94	-48.44	-5.50	3
6945MHz	Pass	6.92862G	-8.13	7.1438G	-53.83	-48.13	-5.70	4
7025MHz	Pass	7.01341G	-8.05	7.2098G	-53.34	-48.05	-5.29	1
7025MHz	Pass	7.03619G	-8.02	7.2198G	-53.33	-48.02	-5.31	2
7025MHz	Pass	7.01621G	-8.30	7.2046G	-53.37	-48.30	-5.07	3
7025MHz	Pass	6.99503G	-8.06	7.185G	-53.02	-48.06	-4.96	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.03939G	-2.27	6.2682G	-50.74	-41.93	-8.81	1
6025MHz	Pass	6.10172G	-1.98	6.2682G	-50.21	-41.98	-8.23	2
6025MHz	Pass	6.08334G	-1.59	6.2698G	-50.79	-41.48	-9.31	3
6025MHz	Pass	6.04818G	-3.29	6.269G	-50.76	-43.07	-7.69	4
6185MHz	Pass	6.15543G	-3.66	6.429G	-50.44	-43.66	-6.78	1
6185MHz	Pass	6.20818G	-2.98	6.4298G	-50.91	-42.98	-7.93	2
6185MHz	Pass	6.15863G	-2.40	6.4282G	-50.51	-42.18	-8.33	3
6185MHz	Pass	6.12346G	-3.85	6.429G	-50.54	-43.74	-6.80	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.32182G	-3.28	6.5882G	-51.55	-43.28	-8.27	1
6345MHz	Pass	6.28186G	-3.10	6.0986G	-51.49	-42.88	-8.61	2
6345MHz	Pass	6.37377G	-2.76	6.1018G	-51.06	-42.65	-8.41	3
6345MHz	Pass	6.35859G	-2.63	6.101G	-51.43	-42.52	-8.91	4
6505MHz Straddle 6.425-6.525GHz	Pass	6.53137G	-3.63	6.901G	-50.69	-43.63	-7.06	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.47943G	-4.57	6.9026G	-50.72	-44.57	-6.15	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.42828G	-3.15	6.9026G	-50.72	-43.15	-7.57	3
6505MHz Straddle 6.425-6.525GHz	Pass	6.44666G	-2.13	6.901G	-50.58	-42.13	-8.45	4
6665MHz	Pass	6.58908G	-3.50	6.9082G	-49.61	-43.28	-6.33	1
6665MHz	Pass	6.74092G	-3.04	7.0066G	-49.77	-43.04	-6.73	2
6665MHz	Pass	6.58908G	-2.40	6.9082G	-49.23	-42.18	-7.05	3
6665MHz	Pass	6.68978G	-3.68	7.0058G	-49.66	-43.68	-5.98	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.84898G	-1.79	7.2098G	-50.26	-41.79	-8.47	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.76586G	-2.30	7.2226G	-50.35	-42.30	-8.05	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.80342G	-2.69	7.2218G	-50.35	-42.69	-7.66	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.85217G	-1.60	7.2202G	-50.20	-41.60	-8.60	4
6985MHz	Pass	6.95783G	-4.58	7.2306G	-50.01	-44.58	-5.43	1
6985MHz	Pass	7.00898G	-5.09	7.3842G	-50.02	-45.09	-4.93	2
6985MHz	Pass	7.06092G	-2.52	7.3786G	-50.06	-42.52	-7.54	3
6985MHz	Pass	7.06012G	-2.49	7.2282G	-49.94	-42.49	-7.45	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.2121G	2.81	6.2698G	-23.62	-17.20	-6.42	1
6105MHz	Pass	6.2441G	2.89	6.2698G	-20.54	-17.12	-3.42	2
6105MHz	Pass	6.2089G	3.89	6.905G	-46.55	-36.11	-10.44	3
6105MHz	Pass	6.1705G	2.56	6.9018G	-46.47	-37.44	-9.03	4
6265MHz	Pass	6.1915G	1.74	7.0074G	-45.93	-38.26	-7.67	1
6265MHz	Pass	6.2362G	2.34	6.761G	-45.33	-37.66	-7.67	2
6265MHz	Pass	6.4057G	2.98	7.0042G	-45.89	-37.02	-8.87	3
6265MHz	Pass	6.1659G	2.79	6.1018G	-17.98	-17.22	-0.76	4
6425MHz Straddle 6.425-6.525GHz	Pass	6.3179G	2.53	7.0058G	-45.66	-37.47	-8.19	1
6425MHz Straddle 6.425-6.525GHz	Pass	6.27G	2.05	6.2602G	-21.23	-17.98	-3.25	2
6425MHz Straddle 6.425-6.525GHz	Pass	6.3115G	2.26	7.009G	-45.71	-37.74	-7.97	3
6425MHz Straddle 6.425-6.525GHz	Pass	6.3291G	3.29	7.0074G	-45.51	-36.71	-8.80	4
6585MHz Straddle 6.425-6.525GHz	Pass	6.4411G	2.27	6.4202G	-21.43	-17.76	-3.67	1
6585MHz Straddle 6.425-6.525GHz	Pass	6.4491G	1.85	7.0778G	-41.51	-37.93	-3.58	2
6585MHz Straddle 6.425-6.525GHz	Pass	6.6825G	3.00	7.081G	-44.72	-37.00	-7.72	3
6585MHz Straddle 6.425-6.525GHz	Pass	6.5386G	1.83	7.0778G	-45.62	-38.17	-7.45	4
6745MHz Straddle 6.525-6.875GHz	Pass	6.8968G	3.07	7.241G	-44.68	-36.93	-7.75	1
6745MHz Straddle 6.525-6.875GHz	Pass	6.59G	2.53	6.5802G	-20.84	-17.48	-3.36	2
6745MHz Straddle 6.525-6.875GHz	Pass	6.8761G	2.00	7.4938G	-45.08	-38.00	-7.08	3
6745MHz Straddle 6.525-6.875GHz	Pass	6.697G	3.15	7.489G	-45.07	-36.85	-8.22	4
6905MHz Straddle 6.525-6.875GHz	Pass	7.0473G	2.02	7.489G	-45.01	-37.98	-7.03	1






Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6905MHz Straddle 6.525-6.875GHz	Pass	6.8091G	0.89	7.4026G	-44.70	-39.11	-5.59	2
6905MHz Straddle 6.525-6.875GHz	Pass	6.8586G	1.42	7.497G	-45.05	-38.58	-6.47	3
6905MHz Straddle 6.525-6.875GHz	Pass	6.953G	2.10	7.4938G	-44.97	-37.90	-7.07	4













6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86881G	-12.98	6.9217G	-58.70	-52.98	-5.72	1
6.8788G	-13.95	6.9202G	-58.68	-53.95	-4.73	2
6.88G	-13.02	6.9131G	-58.68	-53.02	-5.66	3
6.8737G	-12.56	6.9222G	-58.57	-52.56	-6.01	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Port 1


Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90129G	-14.34	6.9419G	-58.36	-54.34	-4.02	1
6.90349G	-14.62	6.944G	-58.49	-54.62	-3.87	2
6.8928G	-13.44	6.9355G	-58.50	-53.44	-5.06	3
6.90299G	-13.53	6.9282G	-58.60	-53.53	-5.07	4







5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6165MHz_TX

CF (Hz)
6.165G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.18018G	-9.94	6.2496G	-57.64	-49.94	-7.70	1
6.17599G	-10.91	6.2392G	-57.75	-50.91	-6.84	2
6.15841G	-9.99	6.226G	-57.42	-49.99	-7.43	3
6.17199G	-10.58	6.2264G	-57.70	-50.58	-7.12	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS




Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39621G	-10.09	6.4972G	-57.16	-50.09	-7.07	1
6.39881G	-11.18	6.4922G	-57.19	-51.18	-6.01	2
6.39241G	-9.85	6.4662G	-57.03	-49.85	-7.18	3
6.39281G	-9.62	6.466G	-56.91	-49.62	-7.29	4





6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

CF (Hz)
6.525G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5222G	-9.25	6.4632G	-57.03	-49.25	-7.78	1
6.53459G	-10.20	6.463G	-57.08	-50.20	-6.88	2
6.50842G	-9.43	6.4632G	-57.01	-49.43	-7.58	3
6.53099G	-9.28	6.4632G	-56.87	-49.28	-7.59	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54702G	-9.29	6.5036G	-56.93	-49.29	-7.64	1
6.57179G	-11.35	6.5036G	-57.01	-51.35	-5.66	2
6.54722G	-10.06	6.5034G	-57.02	-50.06	-6.96	3
6.55861G	-10.37	6.5038G	-57.07	-50.37	-6.70	4



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6725MHz_TX

CF (Hz)
6.725G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.73599G	-10.12	6.8158G	-57.52	-50.12	-7.40	1
6.71221G	-10.58	6.823G	-57.56	-50.58	-6.98	2
6.74278G	-9.98	6.8174G	-57.49	-49.98	-7.51	3
6.74298G	-9.50	6.7862G	-57.47	-49.50	-7.97	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85879G	-10.15	6.9392G	-56.36	-50.15	-6.21	1
6.82662G	-10.99	6.9376G	-56.46	-50.99	-5.47	2
6.83001G	-8.72	6.9314G	-56.36	-48.72	-7.64	3
6.85879G	-9.66	6.9442G	-56.12	-49.66	-6.46	4



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK


6885MHz Straddle 6.525-6.875GHz_TX



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


MASK


6925MHz_TX



















6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01341G	-8.05	7.2098G	-53.34	-48.05	-5.29	1
7.03619G	-8.02	7.2198G	-53.33	-48.02	-5.31	2
7.01621G	-8.30	7.2046G	-53.37	-48.30	-5.07	3
6.99503G	-8.06	7.185G	-53.02	-48.06	-4.96	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.03939G	-2.27	6.2682G	-50.74	-41.93	-8.81	1
6.10172G	-1.98	6.2682G	-50.21	-41.98	-8.23	2
6.08334G	-1.59	6.2698G	-50.79	-41.48	-9.31	3
6.04818G	-3.29	6.269G	-50.76	-43.07	-7.69	4



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32182G	-3.28	6.5882G	-51.55	-43.28	-8.27	1
6.28186G	-3.10	6.0986G	-51.49	-42.88	-8.61	2
6.37377G	-2.76	6.1018G	-51.06	-42.65	-8.41	3
6.35859G	-2.63	6.101G	-51.43	-42.52	-8.91	4



6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK


6505MHz Straddle 6.425-6.525GHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX







5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2121G	2.81	6.2698G	-23.62	-17.20	-6.42	1
6.2441G	2.89	6.2698G	-20.54	-17.12	-3.42	2
6.2089G	3.89	6.905G	-46.55	-36.11	-10.44	3
6.1705G	2.56	6.9018G	-46.47	-37.44	-9.03	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M



VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1915G	1.74	7.0074G	-45.93	-38.26	-7.67	1
6.2362G	2.34	6.761G	-45.33	-37.66	-7.67	2
6.4057G	2.98	7.0042G	-45.89	-37.02	-8.87	3
6.1659G	2.79	6.1018G	-17.98	-17.22	-0.76	4







Frequency: 6475 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-4.94	-4.54	-5.02	-5.03
T20°CVmin	-5.10	-4.88	-5.33	-4.97
T40°CVnom	-9.27	-9.05	-9.36	-9.48
T30°CVnom	-7.41	-7.27	-7.04	-7.75
T20°CVnom	-5.41	-5.12	-4.82	-5.60
T10°CVnom	1.85	2.32	1.84	1.81
T0°CVnom	4.63	5.08	4.87	4.59
Vnom [V]: 120		Vmax [V]: 138		Vmin [V]: 102
Tnom [°C]: 20		Tmax [°C]: 40		Tmin [°C]: 0

Frequency: 7015 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-4.56	-4.61	-4.85	-4.12
T20°CVmin	-4.70	-4.56	-4.71	-4.60
T40°CVnom	-8.55	-8.20	-8.80	-8.46
T30°CVnom	-6.84	-6.71	-6.52	-6.46
T20°CVnom	-4.99	-4.97	-4.51	-4.62
T10°CVnom	1.71	1.83	1.61	1.57
T0°CVnom	4.28	4.59	4.67	4.23
Vnom [V]: 120		Vmax [V]: 138		Vmin [V]: 102
Tnom [°C]: 20		Tmax [°C]: 40		Tmin [°C]: 0

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain With path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT20	5	6195	6194	-61.38	3.04	-64.42	-62	Ceased
				-63.48	3.04	-66.52	-62	Minimal
				-81.38	3.04	-84.42	-62	Normal
	6	6475	6474	-60.98	2.32	-63.3	-62	Ceased
				-64.18	2.32	-66.5	-62	Minimal
				-80.98	2.32	-83.3	-62	Normal
	7	6695	6694	-60.34	2.46	-62.8	-62	Ceased
				-63.14	2.46	-65.6	-62	Minimal
				-80.34	2.46	-82.8	-62	Normal
	8	6995	6994	-61.27	3.34	-64.61	-62	Ceased
				-63.57	3.34	-66.91	-62	Minimal
				-81.27	3.34	-84.61	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain with path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT320	5	6105	6260	-60.2	3.04	-63.24	-62	Ceased
				-62.3	3.04	-65.34	-62	Minimal
				-80.2	3.04	-83.24	-62	Normal
	5 / 6 / 7	6425	6270	-60.13	2.32	-62.45	-62	Ceased
				-61.73	2.32	-64.05	-62	Minimal
				-79.73	2.32	-82.05	-62	Normal
	7 / 8	6905	7060	-59.74	2.46	-62.2	-62	Ceased
				-61.24	2.46	-63.7	-62	Minimal
				-79.74	2.46	-82.2	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)




Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
be EHT20	5	6195	6194	-61.38	-64.42	V	V	V	V	V	V	V	V	V	V	100	90
	6	6475	6474	-60.98	-63.3	V	V	V	V	V	V	V	V	V	V	100	90
	7	6695	6694	-60.34	-62.8	V	V	V	V	V	V	V	V	V	V	100	90
	8	6995	6994	-61.27	-64.61	V	V	V	V	V	V	V	V	V	V	100	90

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)	
be EHT320	5	6105	5950	-60.24	-63.28	V	V	V	V	V	V	V	V	X	V	90	90	
			6100	-61.16	-64.2	V	V	V	V	V	V	V	V	V	V	V	100	90
			6260	-60.2	-63.24	V	V	V	V	V	V	V	V	V	V	V	100	90
	5 / 6 / 7	6425	6270	-60.13	-62.45	V	V	V	V	V	V	V	V	X	V	V	90	90
			6420	-60.31	-62.63	V	V	V	V	V	V	V	V	V	V	V	100	90
			6580	-60.22	-62.54	V	V	V	V	V	X	V	V	V	V	V	90	90
	7 / 8	6905	6750	-60.22	-62.68	V	V	V	V	V	V	V	V	V	V	V	100	90
			6900	-59.75	-62.21	V	V	V	V	V	V	V	V	X	V	V	90	90
			7060	-59.74	-62.2	V	V	V	V	V	V	V	V	V	X	V	90	90

Test plot of Incumbent signal


BW: 20 MHz / Frequency: 6194 MHz




BW: 20 MHz / Frequency: 6474 MHz




BW: 20 MHz / Frequency: 6694 MHz




BW: 20 MHz / Frequency: 6994 MHz




BW: 320 MHz / Frequency: 5950 MHz




BW: 320 MHz / Frequency: 6100 MHz



BW: 320 MHz / Frequency: 6260 MHz



BW: 320 MHz / Frequency: 6270 MHz




BW: 320 MHz / Frequency: 6420 MHz




BW: 320 MHz / Frequency: 6580 MHz




BW: 320 MHz / Frequency: 6750 MHz



BW: 320 MHz / Frequency: 6900 MHz



BW: 320 MHz / Frequency: 7060 MHz



Test plot of Contention Based Protocol EUT Normal transmission

BW: 20 MHz / Frequency: 6194 MHz



BW: 20 MHz / Frequency: 6474 MHz




BW: 20 MHz / Frequency: 6694 MHz




BW: 20 MHz / Frequency: 6994 MHz



BW: 320 MHz / Frequency: 6260 MHz



BW: 320 MHz / Frequency: 6270 MHz



BW: 320 MHz / Frequency: 7060 MHz



EUT Minimal transmission

BW: 20 MHz / Frequency: 6194 MHz



BW: 20 MHz / Frequency: 6474 MHz

