

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	23.82	PASS
Band2	1.4	18607	1	#Mid	QPSK	23.89	PASS
Band2	1.4	18607	1	#Max	QPSK	23.89	PASS
Band2	1.4	18607	3	#0	QPSK	23.79	PASS
Band2	1.4	18607	3	#Max	QPSK	23.78	PASS
Band2	1.4	18607	6	#0	QPSK	22.73	PASS
Band2	1.4	18607	1	#0	QAM16	22.94	PASS
Band2	1.4	18607	1	#Mid	QAM16	23.00	PASS
Band2	1.4	18607	1	#Max	QAM16	22.98	PASS
Band2	1.4	18607	3	#0	QAM16	22.66	PASS
Band2	1.4	18607	3	#Max	QAM16	22.71	PASS
Band2	1.4	18607	6	#0	QAM16	21.86	PASS
Band2	1.4	18900	1	#0	QPSK	23.64	PASS
Band2	1.4	18900	1	#Mid	QPSK	23.61	PASS
Band2	1.4	18900	1	#Max	QPSK	23.60	PASS
Band2	1.4	18900	3	#0	QPSK	23.85	PASS
Band2	1.4	18900	3	#Max	QPSK	23.83	PASS
Band2	1.4	18900	6	#0	QPSK	22.84	PASS
Band2	1.4	18900	1	#0	QAM16	23.36	PASS
Band2	1.4	18900	1	#Mid	QAM16	23.36	PASS
Band2	1.4	18900	1	#Max	QAM16	23.50	PASS
Band2	1.4	18900	3	#0	QAM16	22.83	PASS
Band2	1.4	18900	3	#Max	QAM16	22.84	PASS
Band2	1.4	18900	6	#0	QAM16	21.96	PASS
Band2	1.4	19193	1	#0	QPSK	23.68	PASS
Band2	1.4	19193	1	#Mid	QPSK	23.65	PASS
Band2	1.4	19193	1	#Max	QPSK	23.63	PASS
Band2	1.4	19193	3	#0	QPSK	23.76	PASS
Band2	1.4	19193	3	#Max	QPSK	23.80	PASS
Band2	1.4	19193	6	#0	QPSK	22.72	PASS
Band2	1.4	19193	1	#0	QAM16	22.39	PASS
Band2	1.4	19193	1	#Mid	QAM16	22.41	PASS
Band2	1.4	19193	1	#Max	QAM16	22.44	PASS
Band2	1.4	19193	3	#0	QAM16	22.80	PASS
Band2	1.4	19193	3	#Max	QAM16	22.78	PASS
Band2	1.4	19193	6	#0	QAM16	22.02	PASS
Band2	3	18615	1	#0	QPSK	23.68	PASS
Band2	3	18615	1	#Mid	QPSK	23.69	PASS
Band2	3	18615	1	#Max	QPSK	23.73	PASS
Band2	3	18615	8	#0	QPSK	22.83	PASS
Band2	3	18615	8	#Max	QPSK	22.83	PASS

Band2	3	18615	15	#0	QPSK	22.84	PASS
Band2	3	18615	1	#0	QAM16	22.74	PASS
Band2	3	18615	1	#Mid	QAM16	22.70	PASS
Band2	3	18615	1	#Max	QAM16	22.70	PASS
Band2	3	18615	8	#0	QAM16	21.98	PASS
Band2	3	18615	8	#Max	QAM16	21.98	PASS
Band2	3	18615	15	#0	QAM16	21.79	PASS
Band2	3	18900	1	#0	QPSK	23.69	PASS
Band2	3	18900	1	#Mid	QPSK	23.63	PASS
Band2	3	18900	1	#Max	QPSK	23.69	PASS
Band2	3	18900	8	#0	QPSK	22.75	PASS
Band2	3	18900	8	#Max	QPSK	22.77	PASS
Band2	3	18900	15	#0	QPSK	22.76	PASS
Band2	3	18900	1	#0	QAM16	23.40	PASS
Band2	3	18900	1	#Mid	QAM16	23.38	PASS
Band2	3	18900	1	#Max	QAM16	23.42	PASS
Band2	3	18900	8	#0	QAM16	21.92	PASS
Band2	3	18900	8	#Max	QAM16	21.94	PASS
Band2	3	18900	15	#0	QAM16	21.88	PASS
Band2	3	19185	1	#0	QPSK	23.79	PASS
Band2	3	19185	1	#Mid	QPSK	23.80	PASS
Band2	3	19185	1	#Max	QPSK	23.76	PASS
Band2	3	19185	8	#0	QPSK	22.71	PASS
Band2	3	19185	8	#Max	QPSK	22.71	PASS
Band2	3	19185	15	#0	QPSK	22.82	PASS
Band2	3	19185	1	#0	QAM16	22.20	PASS
Band2	3	19185	1	#Mid	QAM16	22.14	PASS
Band2	3	19185	1	#Max	QAM16	22.15	PASS
Band2	3	19185	8	#0	QAM16	22.02	PASS
Band2	3	19185	8	#Max	QAM16	21.97	PASS
Band2	3	19185	15	#0	QAM16	21.89	PASS
Band2	5	18625	1	#0	QPSK	23.70	PASS
Band2	5	18625	1	#Mid	QPSK	23.66	PASS
Band2	5	18625	1	#Max	QPSK	23.67	PASS
Band2	5	18625	12	#0	QPSK	22.88	PASS
Band2	5	18625	12	#Max	QPSK	22.86	PASS
Band2	5	18625	25	#0	QPSK	22.87	PASS
Band2	5	18625	1	#0	QAM16	22.80	PASS
Band2	5	18625	1	#Mid	QAM16	22.66	PASS
Band2	5	18625	1	#Max	QAM16	22.84	PASS
Band2	5	18625	12	#0	QAM16	21.81	PASS
Band2	5	18625	12	#Max	QAM16	21.81	PASS
Band2	5	18625	25	#0	QAM16	21.78	PASS
Band2	5	18900	1	#0	QPSK	23.62	PASS

Band2	5	18900	1	#Mid	QPSK	23.66	PASS
Band2	5	18900	1	#Max	QPSK	23.67	PASS
Band2	5	18900	12	#0	QPSK	22.73	PASS
Band2	5	18900	12	#Max	QPSK	22.79	PASS
Band2	5	18900	25	#0	QPSK	22.77	PASS
Band2	5	18900	1	#0	QAM16	22.43	PASS
Band2	5	18900	1	#Mid	QAM16	22.43	PASS
Band2	5	18900	1	#Max	QAM16	22.41	PASS
Band2	5	18900	12	#0	QAM16	21.83	PASS
Band2	5	18900	12	#Max	QAM16	21.81	PASS
Band2	5	18900	25	#0	QAM16	21.93	PASS
Band2	5	19175	1	#0	QPSK	23.77	PASS
Band2	5	19175	1	#Mid	QPSK	23.85	PASS
Band2	5	19175	1	#Max	QPSK	23.85	PASS
Band2	5	19175	12	#0	QPSK	22.78	PASS
Band2	5	19175	12	#Max	QPSK	22.79	PASS
Band2	5	19175	25	#0	QPSK	22.71	PASS
Band2	5	19175	1	#0	QAM16	22.99	PASS
Band2	5	19175	1	#Mid	QAM16	22.81	PASS
Band2	5	19175	1	#Max	QAM16	22.92	PASS
Band2	5	19175	12	#0	QAM16	21.79	PASS
Band2	5	19175	12	#Max	QAM16	21.80	PASS
Band2	5	19175	25	#0	QAM16	21.86	PASS
Band2	10	18650	1	#0	QPSK	23.70	PASS
Band2	10	18650	1	#Mid	QPSK	23.76	PASS
Band2	10	18650	1	#Max	QPSK	23.77	PASS
Band2	10	18650	25	#0	QPSK	22.80	PASS
Band2	10	18650	25	#Max	QPSK	22.86	PASS
Band2	10	18650	50	#0	QPSK	22.86	PASS
Band2	10	18650	1	#0	QAM16	22.85	PASS
Band2	10	18650	1	#Mid	QAM16	22.86	PASS
Band2	10	18650	1	#Max	QAM16	22.86	PASS
Band2	10	18650	25	#0	QAM16	21.97	PASS
Band2	10	18650	25	#Max	QAM16	21.95	PASS
Band2	10	18650	50	#0	QAM16	21.90	PASS
Band2	10	18900	1	#0	QPSK	23.81	PASS
Band2	10	18900	1	#Mid	QPSK	23.87	PASS
Band2	10	18900	1	#Max	QPSK	23.89	PASS
Band2	10	18900	25	#0	QPSK	22.75	PASS
Band2	10	18900	25	#Max	QPSK	22.78	PASS
Band2	10	18900	50	#0	QPSK	22.75	PASS
Band2	10	18900	1	#0	QAM16	22.98	PASS
Band2	10	18900	1	#Mid	QAM16	22.92	PASS
Band2	10	18900	1	#Max	QAM16	22.97	PASS

Band2	10	18900	25	#0	QAM16	22.00	PASS
Band2	10	18900	25	#Max	QAM16	22.01	PASS
Band2	10	18900	50	#0	QAM16	21.94	PASS
Band2	10	19150	1	#0	QPSK	23.88	PASS
Band2	10	19150	1	#Mid	QPSK	23.78	PASS
Band2	10	19150	1	#Max	QPSK	23.86	PASS
Band2	10	19150	25	#0	QPSK	22.85	PASS
Band2	10	19150	25	#Max	QPSK	22.82	PASS
Band2	10	19150	50	#0	QPSK	22.72	PASS
Band2	10	19150	1	#0	QAM16	22.24	PASS
Band2	10	19150	1	#Mid	QAM16	22.16	PASS
Band2	10	19150	1	#Max	QAM16	22.15	PASS
Band2	10	19150	25	#0	QAM16	21.96	PASS
Band2	10	19150	25	#Max	QAM16	21.95	PASS
Band2	10	19150	50	#0	QAM16	21.83	PASS
Band2	15	18675	1	#0	QPSK	23.68	PASS
Band2	15	18675	1	#Mid	QPSK	23.73	PASS
Band2	15	18675	1	#Max	QPSK	23.79	PASS
Band2	15	18675	36	#0	QPSK	22.90	PASS
Band2	15	18675	36	#Max	QPSK	22.85	PASS
Band2	15	18675	75	#0	QPSK	22.75	PASS
Band2	15	18675	1	#0	QAM16	22.84	PASS
Band2	15	18675	1	#Mid	QAM16	22.79	PASS
Band2	15	18675	1	#Max	QAM16	22.82	PASS
Band2	15	18675	36	#0	QAM16	21.91	PASS
Band2	15	18675	36	#Max	QAM16	21.90	PASS
Band2	15	18675	75	#0	QAM16	22.02	PASS
Band2	15	18900	1	#0	QPSK	23.66	PASS
Band2	15	18900	1	#Mid	QPSK	23.63	PASS
Band2	15	18900	1	#Max	QPSK	23.67	PASS
Band2	15	18900	36	#0	QPSK	22.78	PASS
Band2	15	18900	36	#Max	QPSK	22.75	PASS
Band2	15	18900	75	#0	QPSK	22.75	PASS
Band2	15	18900	1	#0	QAM16	22.79	PASS
Band2	15	18900	1	#Mid	QAM16	22.88	PASS
Band2	15	18900	1	#Max	QAM16	22.77	PASS
Band2	15	18900	36	#0	QAM16	21.90	PASS
Band2	15	18900	36	#Max	QAM16	21.81	PASS
Band2	15	18900	75	#0	QAM16	21.89	PASS
Band2	15	19125	1	#0	QPSK	23.85	PASS
Band2	15	19125	1	#Mid	QPSK	23.83	PASS
Band2	15	19125	1	#Max	QPSK	23.79	PASS
Band2	15	19125	36	#0	QPSK	22.87	PASS
Band2	15	19125	36	#Max	QPSK	22.67	PASS

Band2	15	19125	75	#0	QPSK	22.88	PASS
Band2	15	19125	1	#0	QAM16	23.00	PASS
Band2	15	19125	1	#Mid	QAM16	22.92	PASS
Band2	15	19125	1	#Max	QAM16	22.90	PASS
Band2	15	19125	36	#0	QAM16	21.97	PASS
Band2	15	19125	36	#Max	QAM16	21.93	PASS
Band2	15	19125	75	#0	QAM16	21.84	PASS
Band2	20	18700	1	#0	QPSK	23.83	PASS
Band2	20	18700	1	#Mid	QPSK	23.83	PASS
Band2	20	18700	1	#Max	QPSK	23.77	PASS
Band2	20	18700	50	#0	QPSK	22.85	PASS
Band2	20	18700	50	#Max	QPSK	22.78	PASS
Band2	20	18700	100	#0	QPSK	22.77	PASS
Band2	20	18700	1	#0	QAM16	22.75	PASS
Band2	20	18700	1	#Mid	QAM16	22.75	PASS
Band2	20	18700	1	#Max	QAM16	22.70	PASS
Band2	20	18700	50	#0	QAM16	21.98	PASS
Band2	20	18700	50	#Max	QAM16	21.93	PASS
Band2	20	18700	100	#0	QAM16	21.94	PASS
Band2	20	18900	1	#0	QPSK	23.88	PASS
Band2	20	18900	1	#Mid	QPSK	23.88	PASS
Band2	20	18900	1	#Max	QPSK	23.94	PASS
Band2	20	18900	50	#0	QPSK	22.87	PASS
Band2	20	18900	50	#Max	QPSK	22.76	PASS
Band2	20	18900	100	#0	QPSK	22.85	PASS
Band2	20	18900	1	#0	QAM16	22.45	PASS
Band2	20	18900	1	#Mid	QAM16	22.41	PASS
Band2	20	18900	1	#Max	QAM16	22.46	PASS
Band2	20	18900	50	#0	QAM16	21.89	PASS
Band2	20	18900	50	#Max	QAM16	21.88	PASS
Band2	20	18900	100	#0	QAM16	21.85	PASS
Band2	20	19100	1	#0	QPSK	23.94	PASS
Band2	20	19100	1	#Mid	QPSK	23.95	PASS
Band2	20	19100	1	#Max	QPSK	23.88	PASS
Band2	20	19100	50	#0	QPSK	22.94	PASS
Band2	20	19100	50	#Max	QPSK	22.79	PASS
Band2	20	19100	100	#0	QPSK	22.85	PASS
Band2	20	19100	1	#0	QAM16	22.86	PASS
Band2	20	19100	1	#Mid	QAM16	22.82	PASS
Band2	20	19100	1	#Max	QAM16	22.80	PASS
Band2	20	19100	50	#0	QAM16	21.98	PASS
Band2	20	19100	50	#Max	QAM16	21.94	PASS
Band2	20	19100	100	#0	QAM16	21.98	PASS
Band4	1.4	19957	1	#0	QPSK	23.61	PASS

Band4	1.4	19957	1	#Mid	QPSK	23.56	PASS
Band4	1.4	19957	1	#Max	QPSK	23.59	PASS
Band4	1.4	19957	3	#0	QPSK	23.59	PASS
Band4	1.4	19957	3	#Max	QPSK	23.59	PASS
Band4	1.4	19957	6	#0	QPSK	22.46	PASS
Band4	1.4	19957	1	#0	QAM16	23.32	PASS
Band4	1.4	19957	1	#Mid	QAM16	23.33	PASS
Band4	1.4	19957	1	#Max	QAM16	23.35	PASS
Band4	1.4	19957	3	#0	QAM16	22.50	PASS
Band4	1.4	19957	3	#Max	QAM16	22.52	PASS
Band4	1.4	19957	6	#0	QAM16	21.91	PASS
Band4	1.4	20175	1	#0	QPSK	23.53	PASS
Band4	1.4	20175	1	#Mid	QPSK	23.57	PASS
Band4	1.4	20175	1	#Max	QPSK	23.53	PASS
Band4	1.4	20175	3	#0	QPSK	23.60	PASS
Band4	1.4	20175	3	#Max	QPSK	23.52	PASS
Band4	1.4	20175	6	#0	QPSK	22.64	PASS
Band4	1.4	20175	1	#0	QAM16	23.29	PASS
Band4	1.4	20175	1	#Mid	QAM16	23.31	PASS
Band4	1.4	20175	1	#Max	QAM16	23.30	PASS
Band4	1.4	20175	3	#0	QAM16	22.45	PASS
Band4	1.4	20175	3	#Max	QAM16	22.48	PASS
Band4	1.4	20175	6	#0	QAM16	21.66	PASS
Band4	1.4	20393	1	#0	QPSK	23.79	PASS
Band4	1.4	20393	1	#Mid	QPSK	23.75	PASS
Band4	1.4	20393	1	#Max	QPSK	23.71	PASS
Band4	1.4	20393	3	#0	QPSK	23.65	PASS
Band4	1.4	20393	3	#Max	QPSK	23.61	PASS
Band4	1.4	20393	6	#0	QPSK	22.53	PASS
Band4	1.4	20393	1	#0	QAM16	22.48	PASS
Band4	1.4	20393	1	#Mid	QAM16	22.48	PASS
Band4	1.4	20393	1	#Max	QAM16	22.45	PASS
Band4	1.4	20393	3	#0	QAM16	22.53	PASS
Band4	1.4	20393	3	#Max	QAM16	22.57	PASS
Band4	1.4	20393	6	#0	QAM16	21.86	PASS
Band4	3	19965	1	#0	QPSK	23.52	PASS
Band4	3	19965	1	#Mid	QPSK	23.49	PASS
Band4	3	19965	1	#Max	QPSK	23.54	PASS
Band4	3	19965	8	#0	QPSK	22.55	PASS
Band4	3	19965	8	#Max	QPSK	22.68	PASS
Band4	3	19965	15	#0	QPSK	22.63	PASS
Band4	3	19965	1	#0	QAM16	22.56	PASS
Band4	3	19965	1	#Mid	QAM16	22.52	PASS
Band4	3	19965	1	#Max	QAM16	22.64	PASS

Band4	3	19965	8	#0	QAM16	21.82	PASS
Band4	3	19965	8	#Max	QAM16	21.89	PASS
Band4	3	19965	15	#0	QAM16	21.64	PASS
Band4	3	20175	1	#0	QPSK	23.61	PASS
Band4	3	20175	1	#Mid	QPSK	23.59	PASS
Band4	3	20175	1	#Max	QPSK	23.56	PASS
Band4	3	20175	8	#0	QPSK	22.59	PASS
Band4	3	20175	8	#Max	QPSK	22.56	PASS
Band4	3	20175	15	#0	QPSK	22.63	PASS
Band4	3	20175	1	#0	QAM16	23.34	PASS
Band4	3	20175	1	#Mid	QAM16	23.31	PASS
Band4	3	20175	1	#Max	QAM16	23.33	PASS
Band4	3	20175	8	#0	QAM16	21.80	PASS
Band4	3	20175	8	#Max	QAM16	21.74	PASS
Band4	3	20175	15	#0	QAM16	21.69	PASS
Band4	3	20385	1	#0	QPSK	23.83	PASS
Band4	3	20385	1	#Mid	QPSK	23.76	PASS
Band4	3	20385	1	#Max	QPSK	23.86	PASS
Band4	3	20385	8	#0	QPSK	22.61	PASS
Band4	3	20385	8	#Max	QPSK	22.58	PASS
Band4	3	20385	15	#0	QPSK	22.65	PASS
Band4	3	20385	1	#0	QAM16	22.53	PASS
Band4	3	20385	1	#Mid	QAM16	22.53	PASS
Band4	3	20385	1	#Max	QAM16	22.47	PASS
Band4	3	20385	8	#0	QAM16	21.88	PASS
Band4	3	20385	8	#Max	QAM16	21.81	PASS
Band4	3	20385	15	#0	QAM16	21.70	PASS
Band4	5	19975	1	#0	QPSK	23.54	PASS
Band4	5	19975	1	#Mid	QPSK	23.50	PASS
Band4	5	19975	1	#Max	QPSK	23.52	PASS
Band4	5	19975	12	#0	QPSK	22.60	PASS
Band4	5	19975	12	#Max	QPSK	22.59	PASS
Band4	5	19975	25	#0	QPSK	22.59	PASS
Band4	5	19975	1	#0	QAM16	22.19	PASS
Band4	5	19975	1	#Mid	QAM16	22.23	PASS
Band4	5	19975	1	#Max	QAM16	22.19	PASS
Band4	5	19975	12	#0	QAM16	21.66	PASS
Band4	5	19975	12	#Max	QAM16	21.61	PASS
Band4	5	19975	25	#0	QAM16	21.73	PASS
Band4	5	20175	1	#0	QPSK	23.69	PASS
Band4	5	20175	1	#Mid	QPSK	23.61	PASS
Band4	5	20175	1	#Max	QPSK	23.68	PASS
Band4	5	20175	12	#0	QPSK	22.62	PASS
Band4	5	20175	12	#Max	QPSK	22.59	PASS

Band4	5	20175	25	#0	QPSK	22.61	PASS
Band4	5	20175	1	#0	QAM16	22.75	PASS
Band4	5	20175	1	#Mid	QAM16	22.70	PASS
Band4	5	20175	1	#Max	QAM16	22.71	PASS
Band4	5	20175	12	#0	QAM16	21.63	PASS
Band4	5	20175	12	#Max	QAM16	21.57	PASS
Band4	5	20175	25	#0	QAM16	21.58	PASS
Band4	5	20375	1	#0	QPSK	23.48	PASS
Band4	5	20375	1	#Mid	QPSK	23.45	PASS
Band4	5	20375	1	#Max	QPSK	23.49	PASS
Band4	5	20375	12	#0	QPSK	22.64	PASS
Band4	5	20375	12	#Max	QPSK	22.60	PASS
Band4	5	20375	25	#0	QPSK	22.70	PASS
Band4	5	20375	1	#0	QAM16	22.43	PASS
Band4	5	20375	1	#Mid	QAM16	22.46	PASS
Band4	5	20375	1	#Max	QAM16	22.46	PASS
Band4	5	20375	12	#0	QAM16	21.61	PASS
Band4	5	20375	12	#Max	QAM16	21.71	PASS
Band4	5	20375	25	#0	QAM16	21.62	PASS
Band4	10	20000	1	#0	QPSK	23.62	PASS
Band4	10	20000	1	#Mid	QPSK	23.57	PASS
Band4	10	20000	1	#Max	QPSK	23.59	PASS
Band4	10	20000	25	#0	QPSK	22.57	PASS
Band4	10	20000	25	#Max	QPSK	22.64	PASS
Band4	10	20000	50	#0	QPSK	22.64	PASS
Band4	10	20000	1	#0	QAM16	23.00	PASS
Band4	10	20000	1	#Mid	QAM16	23.00	PASS
Band4	10	20000	1	#Max	QAM16	23.00	PASS
Band4	10	20000	25	#0	QAM16	21.69	PASS
Band4	10	20000	25	#Max	QAM16	21.70	PASS
Band4	10	20000	50	#0	QAM16	21.74	PASS
Band4	10	20175	1	#0	QPSK	23.65	PASS
Band4	10	20175	1	#Mid	QPSK	23.58	PASS
Band4	10	20175	1	#Max	QPSK	23.59	PASS
Band4	10	20175	25	#0	QPSK	22.63	PASS
Band4	10	20175	25	#Max	QPSK	22.55	PASS
Band4	10	20175	50	#0	QPSK	22.61	PASS
Band4	10	20175	1	#0	QAM16	21.90	PASS
Band4	10	20175	1	#Mid	QAM16	21.90	PASS
Band4	10	20175	1	#Max	QAM16	21.97	PASS
Band4	10	20175	25	#0	QAM16	21.71	PASS
Band4	10	20175	25	#Max	QAM16	21.70	PASS
Band4	10	20175	50	#0	QAM16	21.64	PASS
Band4	10	20350	1	#0	QPSK	23.51	PASS

Band4	10	20350	1	#Mid	QPSK	23.53	PASS
Band4	10	20350	1	#Max	QPSK	23.59	PASS
Band4	10	20350	25	#0	QPSK	22.51	PASS
Band4	10	20350	25	#Max	QPSK	22.55	PASS
Band4	10	20350	50	#0	QPSK	22.64	PASS
Band4	10	20350	1	#0	QAM16	22.47	PASS
Band4	10	20350	1	#Mid	QAM16	22.52	PASS
Band4	10	20350	1	#Max	QAM16	22.52	PASS
Band4	10	20350	25	#0	QAM16	21.69	PASS
Band4	10	20350	25	#Max	QAM16	21.67	PASS
Band4	10	20350	50	#0	QAM16	21.75	PASS
Band4	15	20025	1	#0	QPSK	23.48	PASS
Band4	15	20025	1	#Mid	QPSK	23.40	PASS
Band4	15	20025	1	#Max	QPSK	23.47	PASS
Band4	15	20025	36	#0	QPSK	22.51	PASS
Band4	15	20025	36	#Max	QPSK	22.56	PASS
Band4	15	20025	75	#0	QPSK	22.61	PASS
Band4	15	20025	1	#0	QAM16	22.42	PASS
Band4	15	20025	1	#Mid	QAM16	22.43	PASS
Band4	15	20025	1	#Max	QAM16	22.47	PASS
Band4	15	20025	36	#0	QAM16	21.75	PASS
Band4	15	20025	36	#Max	QAM16	21.71	PASS
Band4	15	20025	75	#0	QAM16	21.77	PASS
Band4	15	20175	1	#0	QPSK	23.44	PASS
Band4	15	20175	1	#Mid	QPSK	23.48	PASS
Band4	15	20175	1	#Max	QPSK	23.47	PASS
Band4	15	20175	36	#0	QPSK	22.59	PASS
Band4	15	20175	36	#Max	QPSK	22.55	PASS
Band4	15	20175	75	#0	QPSK	22.55	PASS
Band4	15	20175	1	#0	QAM16	22.56	PASS
Band4	15	20175	1	#Mid	QAM16	22.55	PASS
Band4	15	20175	1	#Max	QAM16	22.49	PASS
Band4	15	20175	36	#0	QAM16	21.79	PASS
Band4	15	20175	36	#Max	QAM16	21.71	PASS
Band4	15	20175	75	#0	QAM16	21.74	PASS
Band4	15	20325	1	#0	QPSK	23.58	PASS
Band4	15	20325	1	#Mid	QPSK	23.61	PASS
Band4	15	20325	1	#Max	QPSK	23.63	PASS
Band4	15	20325	36	#0	QPSK	22.59	PASS
Band4	15	20325	36	#Max	QPSK	22.56	PASS
Band4	15	20325	75	#0	QPSK	22.57	PASS
Band4	15	20325	1	#0	QAM16	23.06	PASS
Band4	15	20325	1	#Mid	QAM16	23.12	PASS
Band4	15	20325	1	#Max	QAM16	23.12	PASS

Band4	15	20325	36	#0	QAM16	21.61	PASS
Band4	15	20325	36	#Max	QAM16	21.71	PASS
Band4	15	20325	75	#0	QAM16	21.70	PASS
Band4	20	20050	1	#0	QPSK	23.54	PASS
Band4	20	20050	1	#Mid	QPSK	23.63	PASS
Band4	20	20050	1	#Max	QPSK	23.73	PASS
Band4	20	20050	50	#0	QPSK	22.53	PASS
Band4	20	20050	50	#Max	QPSK	22.62	PASS
Band4	20	20050	100	#0	QPSK	22.62	PASS
Band4	20	20050	1	#0	QAM16	22.68	PASS
Band4	20	20050	1	#Mid	QAM16	22.67	PASS
Band4	20	20050	1	#Max	QAM16	22.91	PASS
Band4	20	20050	50	#0	QAM16	21.85	PASS
Band4	20	20050	50	#Max	QAM16	21.80	PASS
Band4	20	20050	100	#0	QAM16	21.66	PASS
Band4	20	20175	1	#0	QPSK	23.65	PASS
Band4	20	20175	1	#Mid	QPSK	23.55	PASS
Band4	20	20175	1	#Max	QPSK	23.60	PASS
Band4	20	20175	50	#0	QPSK	22.65	PASS
Band4	20	20175	50	#Max	QPSK	22.55	PASS
Band4	20	20175	100	#0	QPSK	22.57	PASS
Band4	20	20175	1	#0	QAM16	22.60	PASS
Band4	20	20175	1	#Mid	QAM16	22.59	PASS
Band4	20	20175	1	#Max	QAM16	22.59	PASS
Band4	20	20175	50	#0	QAM16	21.77	PASS
Band4	20	20175	50	#Max	QAM16	21.68	PASS
Band4	20	20175	100	#0	QAM16	21.65	PASS
Band4	20	20300	1	#0	QPSK	23.73	PASS
Band4	20	20300	1	#Mid	QPSK	23.65	PASS
Band4	20	20300	1	#Max	QPSK	23.75	PASS
Band4	20	20300	50	#0	QPSK	22.47	PASS
Band4	20	20300	50	#Max	QPSK	22.62	PASS
Band4	20	20300	100	#0	QPSK	22.46	PASS
Band4	20	20300	1	#0	QAM16	22.36	PASS
Band4	20	20300	1	#Mid	QAM16	22.40	PASS
Band4	20	20300	1	#Max	QAM16	22.46	PASS
Band4	20	20300	50	#0	QAM16	21.66	PASS
Band4	20	20300	50	#Max	QAM16	21.72	PASS
Band4	20	20300	100	#0	QAM16	21.63	PASS
Band7	5	20775	1	#0	QPSK	24.14	PASS
Band7	5	20775	1	#Mid	QPSK	24.16	PASS
Band7	5	20775	1	#Max	QPSK	24.19	PASS
Band7	5	20775	12	#0	QPSK	23.29	PASS
Band7	5	20775	12	#Max	QPSK	23.13	PASS

Band7	5	20775	25	#0	QPSK	23.10	PASS
Band7	5	20775	1	#0	QAM16	22.87	PASS
Band7	5	20775	1	#Mid	QAM16	22.94	PASS
Band7	5	20775	1	#Max	QAM16	22.94	PASS
Band7	5	20775	12	#0	QAM16	22.23	PASS
Band7	5	20775	12	#Max	QAM16	22.16	PASS
Band7	5	20775	25	#0	QAM16	22.25	PASS
Band7	5	21100	1	#0	QPSK	24.12	PASS
Band7	5	21100	1	#Mid	QPSK	24.18	PASS
Band7	5	21100	1	#Max	QPSK	24.13	PASS
Band7	5	21100	12	#0	QPSK	23.34	PASS
Band7	5	21100	12	#Max	QPSK	23.23	PASS
Band7	5	21100	25	#0	QPSK	23.30	PASS
Band7	5	21100	1	#0	QAM16	23.11	PASS
Band7	5	21100	1	#Mid	QAM16	23.15	PASS
Band7	5	21100	1	#Max	QAM16	23.17	PASS
Band7	5	21100	12	#0	QAM16	22.29	PASS
Band7	5	21100	12	#Max	QAM16	22.31	PASS
Band7	5	21100	25	#0	QAM16	22.19	PASS
Band7	5	21425	1	#0	QPSK	24.26	PASS
Band7	5	21425	1	#Mid	QPSK	24.26	PASS
Band7	5	21425	1	#Max	QPSK	24.13	PASS
Band7	5	21425	12	#0	QPSK	23.30	PASS
Band7	5	21425	12	#Max	QPSK	23.30	PASS
Band7	5	21425	25	#0	QPSK	23.29	PASS
Band7	5	21425	1	#0	QAM16	23.03	PASS
Band7	5	21425	1	#Mid	QAM16	23.09	PASS
Band7	5	21425	1	#Max	QAM16	23.11	PASS
Band7	5	21425	12	#0	QAM16	22.32	PASS
Band7	5	21425	12	#Max	QAM16	22.33	PASS
Band7	5	21425	25	#0	QAM16	22.53	PASS
Band7	10	20800	1	#0	QPSK	24.11	PASS
Band7	10	20800	1	#Mid	QPSK	24.18	PASS
Band7	10	20800	1	#Max	QPSK	24.19	PASS
Band7	10	20800	25	#0	QPSK	23.28	PASS
Band7	10	20800	25	#Max	QPSK	23.24	PASS
Band7	10	20800	50	#0	QPSK	23.27	PASS
Band7	10	20800	1	#0	QAM16	23.33	PASS
Band7	10	20800	1	#Mid	QAM16	23.40	PASS
Band7	10	20800	1	#Max	QAM16	23.35	PASS
Band7	10	20800	25	#0	QAM16	22.37	PASS
Band7	10	20800	25	#Max	QAM16	22.42	PASS
Band7	10	20800	50	#0	QAM16	22.29	PASS
Band7	10	21100	1	#0	QPSK	24.35	PASS

Band7	10	21100	1	#Mid	QPSK	24.29	PASS
Band7	10	21100	1	#Max	QPSK	24.37	PASS
Band7	10	21100	25	#0	QPSK	23.30	PASS
Band7	10	21100	25	#Max	QPSK	23.36	PASS
Band7	10	21100	50	#0	QPSK	23.33	PASS
Band7	10	21100	1	#0	QAM16	23.40	PASS
Band7	10	21100	1	#Mid	QAM16	23.44	PASS
Band7	10	21100	1	#Max	QAM16	23.46	PASS
Band7	10	21100	25	#0	QAM16	22.51	PASS
Band7	10	21100	25	#Max	QAM16	22.50	PASS
Band7	10	21100	50	#0	QAM16	22.48	PASS
Band7	10	21400	1	#0	QPSK	24.32	PASS
Band7	10	21400	1	#Mid	QPSK	24.36	PASS
Band7	10	21400	1	#Max	QPSK	24.35	PASS
Band7	10	21400	25	#0	QPSK	23.33	PASS
Band7	10	21400	25	#Max	QPSK	23.35	PASS
Band7	10	21400	50	#0	QPSK	23.25	PASS
Band7	10	21400	1	#0	QAM16	23.04	PASS
Band7	10	21400	1	#Mid	QAM16	23.00	PASS
Band7	10	21400	1	#Max	QAM16	23.03	PASS
Band7	10	21400	25	#0	QAM16	22.54	PASS
Band7	10	21400	25	#Max	QAM16	22.58	PASS
Band7	10	21400	50	#0	QAM16	22.48	PASS
Band7	15	20825	1	#0	QPSK	24.17	PASS
Band7	15	20825	1	#Mid	QPSK	24.14	PASS
Band7	15	20825	1	#Max	QPSK	24.20	PASS
Band7	15	20825	36	#0	QPSK	23.20	PASS
Band7	15	20825	36	#Max	QPSK	23.27	PASS
Band7	15	20825	75	#0	QPSK	23.32	PASS
Band7	15	20825	1	#0	QAM16	23.33	PASS
Band7	15	20825	1	#Mid	QAM16	23.48	PASS
Band7	15	20825	1	#Max	QAM16	23.41	PASS
Band7	15	20825	36	#0	QAM16	22.37	PASS
Band7	15	20825	36	#Max	QAM16	22.37	PASS
Band7	15	20825	75	#0	QAM16	22.40	PASS
Band7	15	21100	1	#0	QPSK	24.30	PASS
Band7	15	21100	1	#Mid	QPSK	24.30	PASS
Band7	15	21100	1	#Max	QPSK	24.28	PASS
Band7	15	21100	36	#0	QPSK	23.34	PASS
Band7	15	21100	36	#Max	QPSK	23.28	PASS
Band7	15	21100	75	#0	QPSK	23.36	PASS
Band7	15	21100	1	#0	QAM16	23.65	PASS
Band7	15	21100	1	#Mid	QAM16	23.52	PASS
Band7	15	21100	1	#Max	QAM16	23.62	PASS


Band7	15	21100	36	#0	QAM16	22.48	PASS
Band7	15	21100	36	#Max	QAM16	22.53	PASS
Band7	15	21100	75	#0	QAM16	22.43	PASS
Band7	15	21375	1	#0	QPSK	24.41	PASS
Band7	15	21375	1	#Mid	QPSK	24.39	PASS
Band7	15	21375	1	#Max	QPSK	24.19	PASS
Band7	15	21375	36	#0	QPSK	23.40	PASS
Band7	15	21375	36	#Max	QPSK	23.33	PASS
Band7	15	21375	75	#0	QPSK	23.41	PASS
Band7	15	21375	1	#0	QAM16	23.47	PASS
Band7	15	21375	1	#Mid	QAM16	23.49	PASS
Band7	15	21375	1	#Max	QAM16	23.52	PASS
Band7	15	21375	36	#0	QAM16	22.45	PASS
Band7	15	21375	36	#Max	QAM16	22.55	PASS
Band7	15	21375	75	#0	QAM16	22.51	PASS
Band7	20	20850	1	#0	QPSK	24.27	PASS
Band7	20	20850	1	#Mid	QPSK	24.28	PASS
Band7	20	20850	1	#Max	QPSK	24.40	PASS
Band7	20	20850	50	#0	QPSK	23.29	PASS
Band7	20	20850	50	#Max	QPSK	23.21	PASS
Band7	20	20850	100	#0	QPSK	23.36	PASS
Band7	20	20850	1	#0	QAM16	23.30	PASS
Band7	20	20850	1	#Mid	QAM16	23.29	PASS
Band7	20	20850	1	#Max	QAM16	23.37	PASS
Band7	20	20850	50	#0	QAM16	22.45	PASS
Band7	20	20850	50	#Max	QAM16	22.51	PASS
Band7	20	20850	100	#0	QAM16	22.42	PASS
Band7	20	21100	1	#0	QPSK	24.39	PASS
Band7	20	21100	1	#Mid	QPSK	24.38	PASS
Band7	20	21100	1	#Max	QPSK	24.45	PASS
Band7	20	21100	50	#0	QPSK	23.27	PASS
Band7	20	21100	50	#Max	QPSK	23.31	PASS
Band7	20	21100	100	#0	QPSK	23.28	PASS
Band7	20	21100	1	#0	QAM16	23.41	PASS
Band7	20	21100	1	#Mid	QAM16	23.46	PASS
Band7	20	21100	1	#Max	QAM16	23.51	PASS
Band7	20	21100	50	#0	QAM16	22.51	PASS
Band7	20	21100	50	#Max	QAM16	22.55	PASS
Band7	20	21100	100	#0	QAM16	22.35	PASS
Band7	20	21350	1	#0	QPSK	24.58	PASS
Band7	20	21350	1	#Mid	QPSK	24.56	PASS
Band7	20	21350	1	#Max	QPSK	24.57	PASS
Band7	20	21350	50	#0	QPSK	23.42	PASS
Band7	20	21350	50	#Max	QPSK	23.35	PASS

Band7	20	21350	100	#0	QPSK	23.35	PASS
Band7	20	21350	1	#0	QAM16	23.34	PASS
Band7	20	21350	1	#Mid	QAM16	23.35	PASS
Band7	20	21350	1	#Max	QAM16	23.37	PASS
Band7	20	21350	50	#0	QAM16	22.44	PASS
Band7	20	21350	50	#Max	QAM16	22.46	PASS
Band7	20	21350	100	#0	QAM16	22.46	PASS


2 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18900	1	#0	QPSK	5.35	13	PASS
Band2	1.4	18900	1	#0	QAM16	5.80	13	PASS
Band2	3	18900	1	#0	QPSK	5.11	13	PASS
Band2	3	18900	1	#0	QAM16	6.00	13	PASS
Band2	5	18900	1	#0	QPSK	5.59	13	PASS
Band2	5	18900	1	#0	QAM16	5.81	13	PASS
Band2	10	18900	1	#0	QPSK	5.05	13	PASS
Band2	10	18900	1	#0	QAM16	5.90	13	PASS
Band2	15	18900	1	#0	QPSK	4.97	13	PASS
Band2	15	18900	1	#0	QAM16	6.30	13	PASS
Band2	20	18900	1	#0	QPSK	4.90	13	PASS
Band2	20	18900	1	#0	QAM16	5.55	13	PASS
Band4	1.4	20175	1	#0	QPSK	4.34	13	PASS
Band4	1.4	20175	1	#0	QAM16	5.25	13	PASS
Band4	3	20175	1	#0	QPSK	4.31	13	PASS
Band4	3	20175	1	#0	QAM16	5.19	13	PASS
Band4	5	20175	1	#0	QPSK	4.36	13	PASS
Band4	5	20175	1	#0	QAM16	5.42	13	PASS
Band4	10	20175	1	#0	QPSK	4.28	13	PASS
Band4	10	20175	1	#0	QAM16	5.25	13	PASS
Band4	15	20175	1	#0	QPSK	4.21	13	PASS
Band4	15	20175	1	#0	QAM16	5.18	13	PASS
Band4	20	20175	1	#0	QPSK	4.09	13	PASS
Band4	20	20175	1	#0	QAM16	4.94	13	PASS
Band7	5	21100	1	#0	QPSK	5.02	13	PASS
Band7	5	21100	1	#0	QAM16	5.61	13	PASS
Band7	10	21100	1	#0	QPSK	4.60	13	PASS
Band7	10	21100	1	#0	QAM16	5.57	13	PASS
Band7	15	21100	1	#0	QPSK	4.48	13	PASS
Band7	15	21100	1	#0	QAM16	5.46	13	PASS
Band7	20	21100	1	#0	QPSK	4.38	13	PASS
Band7	20	21100	1	#0	QAM16	5.52	13	PASS


Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0



Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=20MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




3 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18900	6	#0	QPSK	1.099	1.331	PASS
Band2	1.4	18900	6	#0	QAM16	1.104	1.272	PASS
Band2	3	18900	15	#0	QPSK	2.717	3.053	PASS
Band2	3	18900	15	#0	QAM16	2.701	3.020	PASS
Band2	5	18900	25	#0	QPSK	4.512	4.954	PASS
Band2	5	18900	25	#0	QAM16	4.525	5.339	PASS
Band2	10	18900	50	#0	QPSK	9.003	9.867	PASS
Band2	10	18900	50	#0	QAM16	8.994	9.777	PASS
Band2	15	18900	75	#0	QPSK	13.512	15.289	PASS
Band2	15	18900	75	#0	QAM16	13.465	14.960	PASS
Band2	20	18900	100	#0	QPSK	18.017	20.194	PASS
Band2	20	18900	100	#0	QAM16	18.025	19.640	PASS
Band4	1.4	20175	6	#0	QPSK	1.096	1.249	PASS
Band4	1.4	20175	6	#0	QAM16	1.097	1.271	PASS
Band4	3	20175	15	#0	QPSK	2.707	3.051	PASS
Band4	3	20175	15	#0	QAM16	2.708	3.098	PASS
Band4	5	20175	25	#0	QPSK	4.528	5.124	PASS
Band4	5	20175	25	#0	QAM16	4.514	4.946	PASS
Band4	10	20175	50	#0	QPSK	9.016	10.057	PASS
Band4	10	20175	50	#0	QAM16	8.989	10.051	PASS
Band4	15	20175	75	#0	QPSK	13.500	14.888	PASS
Band4	15	20175	75	#0	QAM16	13.445	14.950	PASS
Band4	20	20175	100	#0	QPSK	17.999	19.642	PASS
Band4	20	20175	100	#0	QAM16	17.963	19.392	PASS
Band7	5	21100	25	#0	QPSK	4.528	5.463	PASS
Band7	5	21100	25	#0	QAM16	4.509	5.072	PASS
Band7	10	21100	50	#0	QPSK	8.983	9.803	PASS
Band7	10	21100	50	#0	QAM16	8.993	9.915	PASS
Band7	15	21100	75	#0	QPSK	13.483	15.275	PASS
Band7	15	21100	75	#0	QAM16	13.500	14.603	PASS
Band7	20	21100	100	#0	QPSK	17.930	19.639	PASS
Band7	20	21100	100	#0	QAM16	18.016	19.434	PASS


Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QAM16 BW=20MHz Channel=20175 RB Size=100 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0



4 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	1850.00	-26.58	-13	PASS
Band2	1.4	18607	1	#Max	QPSK	1849.35	-36.06	-13	PASS
Band2	1.4	18607	6	#0	QPSK	1849.98	-30.53	-13	PASS
Band2	1.4	18607	1	#0	QAM16	1849.99	-27.58	-13	PASS
Band2	1.4	18607	1	#Max	QAM16	1849.99	-35.22	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1849.97	-32.84	-13	PASS
Band2	1.4	19193	1	#0	QPSK	1910.00	-36.78	-13	PASS
Band2	1.4	19193	1	#Max	QPSK	1910.00	-25.52	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.04	-28.03	-13	PASS
Band2	1.4	19193	1	#0	QAM16	1910.69	-37.02	-13	PASS
Band2	1.4	19193	1	#Max	QAM16	1910.01	-24.95	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.00	-28.85	-13	PASS
Band2	3	18615	1	#0	QPSK	1850.00	-14.27	-13	PASS
Band2	3	18615	1	#Max	QPSK	1850.00	-27.69	-13	PASS
Band2	3	18615	15	#0	QPSK	1849.99	-24.03	-13	PASS
Band2	3	18615	1	#0	QAM16	1850.00	-15.60	-13	PASS
Band2	3	18615	1	#Max	QAM16	1849.99	-27.51	-13	PASS
Band2	3	18615	15	#0	QAM16	1850.00	-25.21	-13	PASS
Band2	3	19185	1	#0	QPSK	1910.01	-27.19	-13	PASS
Band2	3	19185	1	#Max	QPSK	1910.00	-13.19	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-24.95	-13	PASS
Band2	3	19185	1	#0	QAM16	1910.00	-27.58	-13	PASS
Band2	3	19185	1	#Max	QAM16	1910.00	-14.22	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.00	-24.73	-13	PASS
Band2	5	18625	1	#0	QPSK	1850.00	-19.30	-13	PASS
Band2	5	18625	1	#Max	QPSK	1846.04	-30.67	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-29.59	-13	PASS
Band2	5	18625	1	#0	QAM16	1850.00	-18.22	-13	PASS
Band2	5	18625	1	#Max	QAM16	1845.99	-32.35	-13	PASS
Band2	5	18625	25	#0	QAM16	1849.96	-30.71	-13	PASS
Band2	5	19175	1	#0	QPSK	1913.97	-32.89	-13	PASS
Band2	5	19175	1	#Max	QPSK	1910.02	-17.31	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.00	-28.39	-13	PASS
Band2	5	19175	1	#0	QAM16	1913.96	-32.95	-13	PASS
Band2	5	19175	1	#Max	QAM16	1910.01	-19.46	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.02	-28.19	-13	PASS
Band2	10	18650	1	#0	QPSK	1849.98	-19.18	-13	PASS
Band2	10	18650	1	#Max	QPSK	1841.82	-30.63	-13	PASS
Band2	10	18650	50	#0	QPSK	1850.00	-33.16	-13	PASS
Band2	10	18650	1	#0	QAM16	1850.00	-23.83	-13	PASS
Band2	10	18650	1	#Max	QAM16	1841.74	-33.04	-13	PASS
Band2	10	18650	50	#0	QAM16	1849.96	-34.95	-13	PASS


Band2	10	19150	1	#0	QPSK	1918.24	-35.68	-13	PASS
Band2	10	19150	1	#Max	QPSK	1910.00	-22.81	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.00	-30.80	-13	PASS
Band2	10	19150	1	#0	QAM16	1918.22	-36.73	-13	PASS
Band2	10	19150	1	#Max	QAM16	1910.04	-21.15	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.00	-31.89	-13	PASS
Band2	15	18675	1	#0	QPSK	1849.94	-21.00	-13	PASS
Band2	15	18675	1	#Max	QPSK	1837.52	-29.01	-13	PASS
Band2	15	18675	75	#0	QPSK	1849.94	-29.41	-13	PASS
Band2	15	18675	1	#0	QAM16	1849.91	-20.69	-13	PASS
Band2	15	18675	1	#Max	QAM16	1837.52	-29.45	-13	PASS
Band2	15	18675	75	#0	QAM16	1849.85	-35.09	-13	PASS
Band2	15	19125	1	#0	QPSK	1910.48	-40.95	-13	PASS
Band2	15	19125	1	#Max	QPSK	1910.03	-19.37	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.03	-30.51	-13	PASS
Band2	15	19125	1	#0	QAM16	1910.27	-41.73	-13	PASS
Band2	15	19125	1	#Max	QAM16	1910.00	-21.48	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.00	-32.85	-13	PASS
Band2	20	18700	1	#0	QPSK	1849.96	-23.05	-13	PASS
Band2	20	18700	1	#Max	QPSK	1833.20	-29.31	-13	PASS
Band2	20	18700	100	#0	QPSK	1850.00	-34.20	-13	PASS
Band2	20	18700	1	#0	QAM16	1850.00	-24.00	-13	PASS
Band2	20	18700	1	#Max	QAM16	1833.28	-31.40	-13	PASS
Band2	20	18700	100	#0	QAM16	1849.88	-35.67	-13	PASS
Band2	20	19100	1	#0	QPSK	1910.12	-39.91	-13	PASS
Band2	20	19100	1	#Max	QPSK	1910.12	-25.98	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.00	-31.02	-13	PASS
Band2	20	19100	1	#0	QAM16	1910.28	-38.90	-13	PASS
Band2	20	19100	1	#Max	QAM16	1910.08	-23.33	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.04	-34.27	-13	PASS
Band4	1.4	19957	1	#0	QPSK	1710.00	-25.23	-13	PASS
Band4	1.4	19957	1	#Max	QPSK	1709.35	-34.90	-13	PASS
Band4	1.4	19957	6	#0	QPSK	1710.00	-30.36	-13	PASS
Band4	1.4	19957	1	#0	QAM16	1709.99	-24.40	-13	PASS
Band4	1.4	19957	1	#Max	QAM16	1709.35	-35.01	-13	PASS
Band4	1.4	19957	6	#0	QAM16	1710.00	-31.74	-13	PASS
Band4	1.4	20393	1	#0	QPSK	1755.65	-33.97	-13	PASS
Band4	1.4	20393	1	#Max	QPSK	1755.02	-27.02	-13	PASS
Band4	1.4	20393	6	#0	QPSK	1755.01	-31.96	-13	PASS
Band4	1.4	20393	1	#0	QAM16	1755.64	-33.80	-13	PASS
Band4	1.4	20393	1	#Max	QAM16	1755.00	-27.48	-13	PASS
Band4	1.4	20393	6	#0	QAM16	1755.00	-31.64	-13	PASS
Band4	3	19965	1	#0	QPSK	1710.00	-15.13	-13	PASS
Band4	3	19965	1	#Max	QPSK	1710.00	-26.80	-13	PASS

Band4	3	19965	15	#0	QPSK	1709.99	-24.29	-13	PASS
Band4	3	19965	1	#0	QAM16	1709.99	-15.05	-13	PASS
Band4	3	19965	1	#Max	QAM16	1710.00	-28.27	-13	PASS
Band4	3	19965	15	#0	QAM16	1710.00	-25.40	-13	PASS
Band4	3	20385	1	#0	QPSK	1755.00	-27.64	-13	PASS
Band4	3	20385	1	#Max	QPSK	1755.00	-15.87	-13	PASS
Band4	3	20385	15	#0	QPSK	1755.00	-25.66	-13	PASS
Band4	3	20385	1	#0	QAM16	1755.00	-26.31	-13	PASS
Band4	3	20385	1	#Max	QAM16	1755.00	-14.35	-13	PASS
Band4	3	20385	15	#0	QAM16	1755.00	-23.62	-13	PASS
Band4	5	19975	1	#0	QPSK	1709.98	-17.08	-13	PASS
Band4	5	19975	1	#Max	QPSK	1705.98	-31.95	-13	PASS
Band4	5	19975	25	#0	QPSK	1710.00	-28.80	-13	PASS
Band4	5	19975	1	#0	QAM16	1710.00	-19.37	-13	PASS
Band4	5	19975	1	#Max	QAM16	1706.07	-34.71	-13	PASS
Band4	5	19975	25	#0	QAM16	1709.98	-29.95	-13	PASS
Band4	5	20375	1	#0	QPSK	1758.93	-30.27	-13	PASS
Band4	5	20375	1	#Max	QPSK	1755.01	-18.84	-13	PASS
Band4	5	20375	25	#0	QPSK	1755.00	-31.68	-13	PASS
Band4	5	20375	1	#0	QAM16	1759.00	-31.24	-13	PASS
Band4	5	20375	1	#Max	QAM16	1755.00	-18.46	-13	PASS
Band4	5	20375	25	#0	QAM16	1755.00	-26.88	-13	PASS
Band4	10	20000	1	#0	QPSK	1710.00	-22.27	-13	PASS
Band4	10	20000	1	#Max	QPSK	1701.78	-30.32	-13	PASS
Band4	10	20000	50	#0	QPSK	1710.00	-34.00	-13	PASS
Band4	10	20000	1	#0	QAM16	1710.00	-24.36	-13	PASS
Band4	10	20000	1	#Max	QAM16	1701.76	-32.83	-13	PASS
Band4	10	20000	50	#0	QAM16	1710.00	-30.51	-13	PASS
Band4	10	20350	1	#0	QPSK	1763.22	-28.22	-13	PASS
Band4	10	20350	1	#Max	QPSK	1755.00	-22.03	-13	PASS
Band4	10	20350	50	#0	QPSK	1755.06	-33.81	-13	PASS
Band4	10	20350	1	#0	QAM16	1763.24	-30.12	-13	PASS
Band4	10	20350	1	#Max	QAM16	1755.00	-22.47	-13	PASS
Band4	10	20350	50	#0	QAM16	1755.00	-31.54	-13	PASS
Band4	15	20025	1	#0	QPSK	1709.91	-22.25	-13	PASS
Band4	15	20025	1	#Max	QPSK	1697.52	-28.88	-13	PASS
Band4	15	20025	75	#0	QPSK	1709.85	-32.10	-13	PASS
Band4	15	20025	1	#0	QAM16	1709.94	-22.93	-13	PASS
Band4	15	20025	1	#Max	QAM16	1697.52	-30.36	-13	PASS
Band4	15	20025	75	#0	QAM16	1710.00	-31.53	-13	PASS
Band4	15	20325	1	#0	QPSK	1767.51	-27.67	-13	PASS
Band4	15	20325	1	#Max	QPSK	1755.00	-20.96	-13	PASS
Band4	15	20325	75	#0	QPSK	1755.12	-32.99	-13	PASS
Band4	15	20325	1	#0	QAM16	1767.45	-29.20	-13	PASS

Band4	15	20325	1	#Max	QAM16	1755.00	-21.42	-13	PASS
Band4	15	20325	75	#0	QAM16	1755.00	-33.63	-13	PASS
Band4	20	20050	1	#0	QPSK	1710.00	-23.68	-13	PASS
Band4	20	20050	1	#Max	QPSK	1693.24	-29.76	-13	PASS
Band4	20	20050	100	#0	QPSK	1709.84	-34.53	-13	PASS
Band4	20	20050	1	#0	QAM16	1710.00	-22.89	-13	PASS
Band4	20	20050	1	#Max	QAM16	1693.28	-30.93	-13	PASS
Band4	20	20050	100	#0	QAM16	1709.96	-31.26	-13	PASS
Band4	20	20300	1	#0	QPSK	1755.44	-26.74	-13	PASS
Band4	20	20300	1	#Max	QPSK	1755.00	-19.41	-13	PASS
Band4	20	20300	100	#0	QPSK	1755.00	-34.86	-13	PASS
Band4	20	20300	1	#0	QAM16	1755.44	-27.50	-13	PASS
Band4	20	20300	1	#Max	QAM16	1755.00	-23.53	-13	PASS
Band4	20	20300	100	#0	QAM16	1755.00	-33.68	-13	PASS
Band7	5	20775	1	#0	QPSK	2499.00	-10.26	-10	PASS
Band7	5	20775	1	#Max	QPSK	2490.23	-40.59	-25	PASS
Band7	5	20775	25	#0	QPSK	2498.99	-23.94	-10	PASS
Band7	5	20775	1	#0	QAM16	2498.99	-11.42	-10	PASS
Band7	5	20775	1	#Max	QAM16	2490.23	-40.48	-25	PASS
Band7	5	20775	25	#0	QAM16	2498.95	-24.87	-10	PASS
Band7	5	21425	1	#0	QPSK	2576.72	-39.70	-25	PASS
Band7	5	21425	1	#Max	QPSK	2571.00	-10.34	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.03	-23.37	-10	PASS
Band7	5	21425	1	#0	QAM16	2576.85	-39.99	-25	PASS
Band7	5	21425	1	#Max	QAM16	2571.00	-10.95	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.00	-24.82	-10	PASS
Band7	10	20800	1	#0	QPSK	2499.00	-20.51	-10	PASS
Band7	10	20800	1	#Max	QPSK	2489.28	-40.62	-25	PASS
Band7	10	20800	50	#0	QPSK	2488.30	-40.32	-25	PASS
Band7	10	20800	1	#0	QAM16	2499.00	-21.58	-10	PASS
Band7	10	20800	1	#Max	QAM16	2488.56	-40.51	-25	PASS
Band7	10	20800	50	#0	QAM16	2489.94	-40.25	-25	PASS
Band7	10	21400	1	#0	QPSK	2582.31	-40.39	-25	PASS
Band7	10	21400	1	#Max	QPSK	2571.00	-21.37	-10	PASS
Band7	10	21400	50	#0	QPSK	2580.90	-40.17	-25	PASS
Band7	10	21400	1	#0	QAM16	2581.18	-40.29	-25	PASS
Band7	10	21400	1	#Max	QAM16	2571.00	-21.30	-10	PASS
Band7	10	21400	50	#0	QAM16	2580.30	-40.21	-25	PASS
Band7	15	20825	1	#0	QPSK	2500.00	-12.28	-10	PASS
Band7	15	20825	1	#Max	QPSK	2483.21	-40.45	-25	PASS
Band7	15	20825	75	#0	QPSK	2499.96	-21.93	-10	PASS
Band7	15	20825	1	#0	QAM16	2499.99	-13.68	-10	PASS
Band7	15	20825	1	#Max	QAM16	2483.98	-40.54	-25	PASS
Band7	15	20825	75	#0	QAM16	2484.55	-38.41	-25	PASS

Band7	15	21375	1	#0	QPSK	2588.72	-40.24	-25	PASS
Band7	15	21375	1	#Max	QPSK	2570.05	-12.64	-10	PASS
Band7	15	21375	75	#0	QPSK	2570.02	-22.85	-10	PASS
Band7	15	21375	1	#0	QAM16	2585.67	-40.43	-25	PASS
Band7	15	21375	1	#Max	QAM16	2570.05	-13.30	-10	PASS
Band7	15	21375	75	#0	QAM16	2585.13	-38.23	-25	PASS
Band7	20	20850	1	#0	QPSK	2499.97	-12.71	-10	PASS
Band7	20	20850	1	#Max	QPSK	2479.18	-40.72	-25	PASS
Band7	20	20850	100	#0	QPSK	2495.71	-27.30	-13	PASS
Band7	20	20850	1	#0	QAM16	2499.99	-14.77	-10	PASS
Band7	20	20850	1	#Max	QAM16	2476.89	-40.65	-25	PASS
Band7	20	20850	100	#0	QAM16	2495.92	-27.78	-13	PASS
Band7	20	21350	1	#0	QPSK	2592.11	-40.20	-25	PASS
Band7	20	21350	1	#Max	QPSK	2570.02	-11.99	-10	PASS
Band7	20	21350	100	#0	QPSK	2570.05	-24.50	-10	PASS
Band7	20	21350	1	#0	QAM16	2593.66	-40.26	-25	PASS
Band7	20	21350	1	#Max	QAM16	2570.01	-13.42	-10	PASS
Band7	20	21350	100	#0	QAM16	2590.76	-39.98	-25	PASS


Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#Max



Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#0



Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#Max



Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#Max



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#0



Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0



Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#Max




Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#Max




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#Max




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0



Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#Max




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#Max




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0



Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#Max




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#Max




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#Max




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0



Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=1 Position=#Max



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0



Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=6 Position=#0



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#Max



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=1 Position=#0



Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=1 Position=#Max




Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#Max




Band4 QAM16 BW=3MHz Channel=19965 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0



Band4 QAM16 BW=3MHz Channel=19965 RB Size=1 Position=#Max




Band4 QAM16 BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#0



Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#Max




Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 QAM16 BW=3MHz Channel=20385 RB Size=1 Position=#0




Band4 QAM16 BW=3MHz Channel=20385 RB Size=1 Position=#Max



Band4 QAM16 BW=3MHz Channel=20385 RB Size=15 Position=#0



Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#0



Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#Max