



Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	17.64	0.05808
802.11be EHT40_Nss2,(MCS0)_2TX	20.94	0.12417
802.11be EHT80_Nss2,(MCS0)_2TX	23.48	0.22284
802.11be EHT160_Nss2,(MCS0)_2TX	23.99	0.25061
802.11be EHT320_Nss2,(MCS0)_2TX	23.93	0.24717
6.425-6.525GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	18.22	0.06637
802.11be EHT40_Nss2,(MCS0)_2TX	21.14	0.13002
802.11be EHT80_Nss2,(MCS0)_2TX	23.54	0.22594
802.11be EHT160_Nss2,(MCS0)_2TX	23.81	0.24044
802.11be EHT320_Nss2,(MCS0)_2TX	24.49	0.28119
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	18.00	0.06310
802.11be EHT40_Nss2,(MCS0)_2TX	21.14	0.13002
802.11be EHT80_Nss2,(MCS0)_2TX	23.28	0.21281
802.11be EHT160_Nss2,(MCS0)_2TX	24.18	0.26182
802.11be EHT320_Nss2,(MCS0)_2TX	24.21	0.26363
6.875-7.125GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	17.93	0.06209
802.11be EHT40_Nss2,(MCS0)_2TX	21.19	0.13152
802.11be EHT80_Nss2,(MCS0)_2TX	23.14	0.20606
802.11be EHT160_Nss2,(MCS0)_2TX	23.39	0.21827





Result



Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	17.08	30.00
6195MHz	Pass	17.60	30.00
6415MHz	Pass	17.64	30.00
6435MHz	Pass	17.68	30.00
6475MHz	Pass	18.22	30.00
6515MHz	Pass	17.77	30.00
6535MHz	Pass	18.00	30.00
6695MHz	Pass	17.78	30.00
6875MHz	Pass	17.76	30.00
6895MHz	Pass	17.93	30.00
6995MHz	Pass	17.62	30.00
7095MHz	Pass	16.53	30.00
7115MHz	Pass	12.17	30.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	19.49	30.00
6205MHz	Pass	20.75	30.00
6405MHz	Pass	20.94	30.00
6445MHz	Pass	20.81	30.00
6485MHz	Pass	21.14	30.00
6525MHz	Pass	20.72	30.00
6565MHz	Pass	20.28	30.00
6685MHz	Pass	21.14	30.00
6885MHz	Pass	20.79	30.00
6925MHz	Pass	20.78	30.00
7005MHz	Pass	19.88	30.00
7085MHz	Pass	21.19	30.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	22.34	30.00
6225MHz	Pass	23.23	30.00
6385MHz	Pass	23.48	30.00
6465MHz	Pass	23.54	30.00
6545MHz	Pass	23.26	30.00
6625MHz	Pass	22.56	30.00
6705MHz	Pass	23.01	30.00
6785MHz	Pass	22.93	30.00
6865MHz	Pass	23.28	30.00
6945MHz	Pass	23.14	30.00
7025MHz	Pass	22.12	30.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-







Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6025MHz	Pass	22.79	30.00
6185MHz	Pass	23.99	30.00
6345MHz	Pass	23.64	30.00
6505MHz	Pass	23.81	30.00
6665MHz	Pass	24.18	30.00
6825MHz	Pass	23.62	30.00
6985MHz	Pass	23.39	30.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-
6105MHz	Pass	23.68	30.00
6265MHz	Pass	23.69	30.00
6425MHz	Pass	23.93	30.00
6585MHz	Pass	24.49	30.00
6745MHz	Pass	24.21	30.00
6905MHz	Pass	23.76	30.00



DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

































Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	18.67	0.07362
802.11be EHT40-BF_Nss1,(MCS0)_2TX	21.48	0.14060
802.11be EHT80-BF_Nss1,(MCS0)_2TX	24.27	0.26730
802.11be EHT160-BF_Nss1,(MCS0)_2TX	27.10	0.51286
802.11be EHT320-BF_Nss1,(MCS0)_2TX	27.15	0.51880
6.425-6.525GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.55	0.05689
802.11be EHT40-BF_Nss1,(MCS0)_2TX	21.31	0.13521
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.57	0.22751
802.11be EHT160-BF_Nss1,(MCS0)_2TX	27.05	0.50699
802.11be EHT320-BF_Nss1,(MCS0)_2TX	27.72	0.59156
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.84	0.06081
802.11be EHT40-BF_Nss1,(MCS0)_2TX	22.07	0.16106
802.11be EHT80-BF_Nss1,(MCS0)_2TX	24.44	0.27797
802.11be EHT160-BF_Nss1,(MCS0)_2TX	26.96	0.49659
802.11be EHT320-BF_Nss1,(MCS0)_2TX	27.62	0.57810
6.875-7.125GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.78	0.05998
802.11be EHT40-BF_Nss1,(MCS0)_2TX	22.12	0.16293
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.97	0.24946
802.11be EHT160-BF_Nss1,(MCS0)_2TX	26.74	0.47206
802.11be EHT320-BF_Nss1,(MCS0)_2TX	26.65	0.46238



Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	17.16	30.00
6195MHz	Pass	18.67	30.00
6415MHz	Pass	18.28	30.00
6435MHz	Pass	16.33	30.00
6475MHz	Pass	17.55	30.00
6515MHz	Pass	17.54	30.00
6535MHz	Pass	17.82	30.00
6695MHz	Pass	16.74	30.00
6875MHz	Pass	17.84	30.00
6895MHz	Pass	17.78	30.00
6995MHz	Pass	17.74	30.00
7095MHz	Pass	16.14	30.00
7115MHz	Pass	13.60	30.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	21.48	30.00
6205MHz	Pass	18.97	30.00
6405MHz	Pass	21.29	30.00
6445MHz	Pass	19.24	30.00
6485MHz	Pass	20.24	30.00
6525MHz	Pass	21.31	30.00
6565MHz	Pass	20.87	30.00
6685MHz	Pass	22.07	30.00
6885MHz	Pass	21.23	30.00
6925MHz	Pass	22.12	30.00
7005MHz	Pass	20.49	30.00
7085MHz	Pass	20.84	30.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	23.15	30.00
6225MHz	Pass	24.27	30.00
6385MHz	Pass	23.93	30.00
6465MHz	Pass	23.57	30.00
6545MHz	Pass	23.29	30.00
6625MHz	Pass	23.97	30.00
6705MHz	Pass	24.40	30.00
6785MHz	Pass	24.44	30.00
6865MHz	Pass	22.96	30.00
6945MHz	Pass	23.23	30.00
7025MHz	Pass	23.97	30.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-







Radiated EIRP_Beamforming Radio 3_2T1S_LPI



Appendix C.4



Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6025MHz	Pass	26.86	30.00
6185MHz	Pass	27.10	30.00
6345MHz	Pass	26.89	30.00
6505MHz	Pass	27.05	30.00
6665MHz	Pass	26.96	30.00
6825MHz	Pass	26.93	30.00
6985MHz	Pass	26.74	30.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	27.15	30.00
6265MHz	Pass	26.79	30.00
6425MHz	Pass	26.92	30.00
6585MHz	Pass	27.72	30.00
6745MHz	Pass	27.62	30.00
6905MHz	Pass	26.65	30.00



DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

































Summary



Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
a20_Nss1,(6Mbps)_1TX	17.36	0.05445
a40_Nss1,(6Mbps)_1TX	20.55	0.11350
a80_Nss1,(6Mbps)_1TX	22.96	0.19770
a160_Nss1,(6Mbps)_1TX	22.76	0.18880
6.425-6.525GHz	-	-
a20_Nss1,(6Mbps)_1TX	18.06	0.06397
a40_Nss1,(6Mbps)_1TX	20.69	0.11722
a80_Nss1,(6Mbps)_1TX	23.12	0.20512
a160_Nss1,(6Mbps)_1TX	22.97	0.19815
6.525-6.875GHz	-	-
a20_Nss1,(6Mbps)_1TX	17.71	0.05902
a40_Nss1,(6Mbps)_1TX	20.20	0.10471
a80_Nss1,(6Mbps)_1TX	23.07	0.20277
a160_Nss1,(6Mbps)_1TX	22.81	0.19099
6.875-7.125GHz	-	-
a20_Nss1,(6Mbps)_1TX	17.92	0.06194
a40_Nss1,(6Mbps)_1TX	20.16	0.10375
a80_Nss1,(6Mbps)_1TX	23.30	0.21380
a160_Nss1,(6Mbps)_1TX	19.83	0.09616







Result



Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
a20_Nss1,(6Mbps)_1TX	-	-	-
5955MHz	Pass	16.54	30.00
6195MHz	Pass	16.77	30.00
6415MHz	Pass	17.36	30.00
6435MHz	Pass	18.06	30.00
6475MHz	Pass	17.78	30.00
6515MHz	Pass	17.64	30.00
6535MHz	Pass	17.64	30.00
6695MHz	Pass	17.53	30.00
6875MHz	Pass	17.71	30.00
6895MHz	Pass	17.57	30.00
6995MHz	Pass	17.70	30.00
7095MHz	Pass	17.92	30.00
7115MHz	Pass	13.44	30.00
a40_Nss1,(6Mbps)_1TX	-	-	-
5965MHz	Pass	20.16	30.00
6205MHz	Pass	20.33	30.00
6405MHz	Pass	20.55	30.00
6445MHz	Pass	20.26	30.00
6485MHz	Pass	20.69	30.00
6525MHz	Pass	20.22	30.00
6565MHz	Pass	20.20	30.00
6685MHz	Pass	20.19	30.00
6885MHz	Pass	19.97	30.00
6925MHz	Pass	20.16	30.00
7005MHz	Pass	20.03	30.00
7085MHz	Pass	19.65	30.00
a80_Nss1,(6Mbps)_1TX	-	-	-
5985MHz	Pass	19.98	30.00
6225MHz	Pass	22.96	30.00
6385MHz	Pass	22.63	30.00
6465MHz	Pass	22.58	30.00
6545MHz	Pass	23.12	30.00
6625MHz	Pass	23.07	30.00
6705MHz	Pass	22.98	30.00
6785MHz	Pass	22.40	30.00
6865MHz	Pass	21.13	30.00
6945MHz	Pass	23.30	30.00
7025MHz	Pass	22.58	30.00
a160_Nss1,(6Mbps)_1TX	-	-	-
6025MHz	Pass	18.98	30.00
6185MHz	Pass	22.76	30.00
6345MHz	Pass	22.45	30.00
6505MHz	Pass	22.97	30.00
6665MHz	Pass	22.81	30.00
6825MHz	Pass	20.48	30.00
6985MHz	Pass	19.83	30.00



DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

























Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11a_Nss1,(6Mbps)_1TX	4.93
802.11be EHT20_Nss1,(MCS0)_1TX	4.94
802.11be EHT40_Nss1,(MCS0)_1TX	4.91
802.11be EHT80_Nss1,(MCS0)_1TX	4.52
802.11be EHT160_Nss1,(MCS0)_1TX	1.59
802.11be EHT320_Nss1,(MCS0)_1TX	-1.84
6.425-6.525GHz	-
802.11a_Nss1,(6Mbps)_1TX	4.84
802.11be EHT20_Nss1,(MCS0)_1TX	4.99
802.11be EHT40_Nss1,(MCS0)_1TX	4.99
802.11be EHT80_Nss1,(MCS0)_1TX	3.96
802.11be EHT160_Nss1,(MCS0)_1TX	1.14
802.11be EHT320_Nss1,(MCS0)_1TX	-1.70
6.525-6.875GHz	-
802.11a_Nss1,(6Mbps)_1TX	4.84
802.11be EHT20_Nss1,(MCS0)_1TX	4.90
802.11be EHT40_Nss1,(MCS0)_1TX	4.83
802.11be EHT80_Nss1,(MCS0)_1TX	4.46
802.11be EHT160_Nss1,(MCS0)_1TX	2.50
802.11be EHT320_Nss1,(MCS0)_1TX	-1.33
6.875-7.125GHz	-
802.11a_Nss1,(6Mbps)_1TX	4.92
802.11be EHT20_Nss1,(MCS0)_1TX	4.87
802.11be EHT40_Nss1,(MCS0)_1TX	4.98
802.11be EHT80_Nss1,(MCS0)_1TX	3.91
802.11be EHT160_Nss1,(MCS0)_1TX	1.29
802.11be EHT320_Nss1,(MCS0)_1TX	-3.16

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-
5955MHz	Pass	4.76	5.00
6195MHz	Pass	4.93	5.00
6415MHz	Pass	4.85	5.00
6435MHz	Pass	4.80	5.00
6475MHz	Pass	4.75	5.00
6515MHz	Pass	4.84	5.00
6535MHz	Pass	4.83	5.00
6695MHz	Pass	4.84	5.00
6875MHz	Pass	4.69	5.00
6895MHz	Pass	4.76	5.00
6995MHz	Pass	4.92	5.00
7095MHz	Pass	4.85	5.00
7115MHz	Pass	-1.65	5.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	4.94	5.00
6195MHz	Pass	4.74	5.00
6415MHz	Pass	4.80	5.00
6435MHz	Pass	4.68	5.00
6475MHz	Pass	4.82	5.00
6515MHz	Pass	4.99	5.00
6535MHz	Pass	4.90	5.00
6695MHz	Pass	4.64	5.00
6875MHz	Pass	4.87	5.00
6895MHz	Pass	4.76	5.00
6995MHz	Pass	4.83	5.00
7095MHz	Pass	4.87	5.00
7115MHz	Pass	-1.15	5.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	4.74	5.00
6205MHz	Pass	4.91	5.00
6405MHz	Pass	4.78	5.00
6445MHz	Pass	4.71	5.00
6485MHz	Pass	4.99	5.00
6525MHz	Pass	4.61	5.00
6565MHz	Pass	4.83	5.00
6685MHz	Pass	4.67	5.00
6885MHz	Pass	4.78	5.00
6925MHz	Pass	4.98	5.00
7005MHz	Pass	4.94	5.00
7085MHz	Pass	3.50	5.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	2.26	5.00
6225MHz	Pass	4.52	5.00
6385MHz	Pass	3.91	5.00
6465MHz	Pass	3.96	5.00
6545MHz	Pass	3.95	5.00
6625MHz	Pass	4.46	5.00
6705MHz	Pass	4.07	5.00
6785MHz	Pass	2.37	5.00
6865MHz	Pass	3.51	5.00
6945MHz	Pass	3.91	5.00
7025MHz	Pass	2.36	5.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	0.12	5.00







Radiated PSD_Non-Beamforming_Radio 3_1T1S_LPI



Appendix D.1



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6185MHz	Pass	1.59	5.00
6345MHz	Pass	0.60	5.00
6505MHz	Pass	1.14	5.00
6665MHz	Pass	2.50	5.00
6825MHz	Pass	-0.18	5.00
6985MHz	Pass	1.29	5.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	-2.52	5.00
6265MHz	Pass	-1.84	5.00
6425MHz	Pass	-2.15	5.00
6585MHz	Pass	-1.70	5.00
6745MHz	Pass	-1.33	5.00
6905MHz	Pass	-3.16	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.









































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11a_Nss1,(6Mbps)_2TX	4.62
802.11be EHT20_Nss1,(MCS0)_2TX	4.81
802.11be EHT40_Nss1,(MCS0)_2TX	4.77
802.11be EHT80_Nss1,(MCS0)_2TX	4.87
802.11be EHT160_Nss1,(MCS0)_2TX	3.84
802.11be EHT320_Nss1,(MCS0)_2TX	-0.46
6.425-6.525GHz	-
802.11a_Nss1,(6Mbps)_2TX	4.67
802.11be EHT20_Nss1,(MCS0)_2TX	4.88
802.11be EHT40_Nss1,(MCS0)_2TX	4.84
802.11be EHT80_Nss1,(MCS0)_2TX	4.70
802.11be EHT160_Nss1,(MCS0)_2TX	3.65
802.11be EHT320_Nss1,(MCS0)_2TX	0.45
6.525-6.875GHz	-
802.11a_Nss1,(6Mbps)_2TX	4.92
802.11be EHT20_Nss1,(MCS0)_2TX	4.83
802.11be EHT40_Nss1,(MCS0)_2TX	4.89
802.11be EHT80_Nss1,(MCS0)_2TX	4.86
802.11be EHT160_Nss1,(MCS0)_2TX	3.61
802.11be EHT320_Nss1,(MCS0)_2TX	0.44
6.875-7.125GHz	-
802.11a_Nss1,(6Mbps)_2TX	4.70
802.11be EHT20_Nss1,(MCS0)_2TX	4.78
802.11be EHT40_Nss1,(MCS0)_2TX	4.87
802.11be EHT80_Nss1,(MCS0)_2TX	4.70
802.11be EHT160_Nss1,(MCS0)_2TX	4.35

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-
5955MHz	Pass	4.54	5.00
6195MHz	Pass	4.62	5.00
6415MHz	Pass	4.55	5.00
6435MHz	Pass	4.47	5.00
6475MHz	Pass	4.56	5.00
6515MHz	Pass	4.67	5.00
6535MHz	Pass	4.83	5.00
6695MHz	Pass	4.92	5.00
6875MHz	Pass	4.87	5.00
6895MHz	Pass	4.67	5.00
6995MHz	Pass	4.63	5.00
7095MHz	Pass	4.70	5.00
7115MHz	Pass	1.85	5.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.48	5.00
6195MHz	Pass	4.55	5.00
6415MHz	Pass	4.81	5.00
6435MHz	Pass	4.74	5.00
6475MHz	Pass	4.88	5.00
6515MHz	Pass	4.79	5.00
6535MHz	Pass	4.80	5.00
6695MHz	Pass	4.83	5.00
6875MHz	Pass	4.60	5.00
6895MHz	Pass	4.78	5.00
6995MHz	Pass	4.74	5.00
7095MHz	Pass	4.37	5.00
7115MHz	Pass	1.00	5.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.57	5.00
6205MHz	Pass	4.66	5.00
6405MHz	Pass	4.77	5.00
6445MHz	Pass	4.46	5.00
6485MHz	Pass	4.72	5.00
6525MHz	Pass	4.84	5.00
6565MHz	Pass	4.89	5.00
6685MHz	Pass	4.78	5.00
6885MHz	Pass	4.80	5.00
6925MHz	Pass	4.87	5.00
7005MHz	Pass	4.65	5.00
7085MHz	Pass	4.82	5.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.69	5.00
6225MHz	Pass	4.87	5.00
6385MHz	Pass	4.70	5.00
6465MHz	Pass	4.70	5.00
6545MHz	Pass	4.67	5.00
6625MHz	Pass	4.86	5.00
6705MHz	Pass	4.37	5.00
6785MHz	Pass	4.36	5.00
6865MHz	Pass	4.85	5.00
6945MHz	Pass	4.67	5.00
7025MHz	Pass	4.70	5.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	3.84	5.00







Radiated PSD_Non-Beamforming_Radio 3_2T1S_LPI



Appendix D.2



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6185MHz	Pass	3.74	5.00
6345MHz	Pass	2.62	5.00
6505MHz	Pass	3.65	5.00
6665MHz	Pass	3.61	5.00
6825MHz	Pass	3.37	5.00
6985MHz	Pass	4.35	5.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	-0.46	5.00
6265MHz	Pass	-0.92	5.00
6425MHz	Pass	-1.67	5.00
6585MHz	Pass	0.45	5.00
6745MHz	Pass	0.39	5.00
6905MHz	Pass	0.44	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.








































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	4.72
802.11be EHT40_Nss2,(MCS0)_2TX	4.83
802.11be EHT80_Nss2,(MCS0)_2TX	4.70
802.11be EHT160_Nss2,(MCS0)_2TX	2.66
802.11be EHT320_Nss2,(MCS0)_2TX	0.03
6.425-6.525GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	4.73
802.11be EHT40_Nss2,(MCS0)_2TX	4.80
802.11be EHT80_Nss2,(MCS0)_2TX	4.80
802.11be EHT160_Nss2,(MCS0)_2TX	2.51
802.11be EHT320_Nss2,(MCS0)_2TX	0.09
6.525-6.875GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	4.83
802.11be EHT40_Nss2,(MCS0)_2TX	4.71
802.11be EHT80_Nss2,(MCS0)_2TX	4.77
802.11be EHT160_Nss2,(MCS0)_2TX	3.02
802.11be EHT320_Nss2,(MCS0)_2TX	-0.23
6.875-7.125GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	4.82
802.11be EHT40_Nss2,(MCS0)_2TX	4.87
802.11be EHT80_Nss2,(MCS0)_2TX	4.59
802.11be EHT160_Nss2,(MCS0)_2TX	3.34

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.72	5.00
6195MHz	Pass	4.69	5.00
6415MHz	Pass	4.59	5.00
6435MHz	Pass	4.63	5.00
6475MHz	Pass	4.73	5.00
6515MHz	Pass	4.73	5.00
6535MHz	Pass	4.58	5.00
6695MHz	Pass	4.82	5.00
6875MHz	Pass	4.83	5.00
6895MHz	Pass	4.82	5.00
6995MHz	Pass	4.72	5.00
7095MHz	Pass	4.82	5.00
7115MHz	Pass	-0.15	5.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.81	5.00
6205MHz	Pass	4.63	5.00
6405MHz	Pass	4.83	5.00
6445MHz	Pass	4.77	5.00
6485MHz	Pass	4.80	5.00
6525MHz	Pass	4.80	5.00
6565MHz	Pass	4.70	5.00
6685MHz	Pass	4.68	5.00
6885MHz	Pass	4.71	5.00
6925MHz	Pass	4.77	5.00
7005MHz	Pass	4.50	5.00
7085MHz	Pass	4.87	5.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.36	5.00
6225MHz	Pass	4.68	5.00
6385MHz	Pass	4.70	5.00
6465MHz	Pass	4.67	5.00
6545MHz	Pass	4.80	5.00
6625MHz	Pass	4.62	5.00
6705MHz	Pass	4.77	5.00
6785MHz	Pass	4.31	5.00
6865MHz	Pass	4.75	5.00
6945MHz	Pass	4.59	5.00
7025MHz	Pass	4.39	5.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-







Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6025MHz	Pass	1.97	5.00
6185MHz	Pass	2.66	5.00
6345MHz	Pass	2.52	5.00
6505MHz	Pass	2.51	5.00
6665MHz	Pass	3.02	5.00
6825MHz	Pass	2.24	5.00
6985MHz	Pass	3.34	5.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-
6105MHz	Pass	-0.46	5.00
6265MHz	Pass	-0.92	5.00
6425MHz	Pass	0.03	5.00
6585MHz	Pass	0.09	5.00
6745MHz	Pass	-0.62	5.00
6905MHz	Pass	-0.23	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.83
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.83
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	1.89
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.92
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.91
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.95
802.11be EHT160-BF_Nss1,(MCS0)_2TX	3.74
802.11be EHT320-BF_Nss1,(MCS0)_2TX	1.12
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.98
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.84
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.96
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.84
802.11be EHT320-BF_Nss1,(MCS0)_2TX	2.18
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.90
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.86
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.76
802.11be EHT320-BF_Nss1,(MCS0)_2TX	1.60

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.83	5.00
6195MHz	Pass	4.69	5.00
6415MHz	Pass	4.81	5.00
6435MHz	Pass	4.92	5.00
6475MHz	Pass	4.87	5.00
6515MHz	Pass	4.68	5.00
6535MHz	Pass	4.98	5.00
6695MHz	Pass	4.69	5.00
6875MHz	Pass	4.75	5.00
6895MHz	Pass	4.75	5.00
6995MHz	Pass	4.88	5.00
7095MHz	Pass	4.90	5.00
7115MHz	Pass	-0.27	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.83	5.00
6205MHz	Pass	4.80	5.00
6405MHz	Pass	4.97	5.00
6445MHz	Pass	4.55	5.00
6485MHz	Pass	4.90	5.00
6525MHz	Pass	4.91	5.00
6565MHz	Pass	4.79	5.00
6685MHz	Pass	4.66	5.00
6885MHz	Pass	4.84	5.00
6925MHz	Pass	4.96	5.00
7005MHz	Pass	4.97	5.00
7085MHz	Pass	4.80	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.80	5.00
6225MHz	Pass	4.81	5.00
6385MHz	Pass	4.83	5.00
6465MHz	Pass	4.91	5.00
6545MHz	Pass	4.95	5.00
6625MHz	Pass	4.96	5.00
6705MHz	Pass	4.63	5.00
6785MHz	Pass	4.72	5.00
6865MHz	Pass	4.60	5.00
6945MHz	Pass	4.80	5.00
7025MHz	Pass	4.86	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-







Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6025MHz	Pass	4.39	5.00
6185MHz	Pass	3.15	5.00
6345MHz	Pass	4.50	5.00
6505MHz	Pass	3.74	5.00
6665MHz	Pass	4.84	5.00
6825MHz	Pass	3.95	5.00
6985MHz	Pass	4.76	5.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	1.89	5.00
6265MHz	Pass	1.52	5.00
6425MHz	Pass	1.49	5.00
6585MHz	Pass	1.12	5.00
6745MHz	Pass	2.18	5.00
6905MHz	Pass	1.60	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
a20_Nss1,(6Mbps)_1TX	4.73
a40_Nss1,(6Mbps)_1TX	4.94
a80_Nss1,(6Mbps)_1TX	4.82
a160_Nss1,(6Mbps)_1TX	2.35
6.425-6.525GHz	-
a20_Nss1,(6Mbps)_1TX	4.96
a40_Nss1,(6Mbps)_1TX	4.75
a80_Nss1,(6Mbps)_1TX	4.86
a160_Nss1,(6Mbps)_1TX	2.42
6.525-6.875GHz	-
a20_Nss1,(6Mbps)_1TX	4.94
a40_Nss1,(6Mbps)_1TX	4.81
a80_Nss1,(6Mbps)_1TX	4.88
a160_Nss1,(6Mbps)_1TX	2.76
6.875-7.125GHz	-
a20_Nss1,(6Mbps)_1TX	4.95
a40_Nss1,(6Mbps)_1TX	4.80
a80_Nss1,(6Mbps)_1TX	4.94
a160_Nss1,(6Mbps)_1TX	-0.99



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
a20_Nss1,(6Mbps)_1TX	-	-	-
5955MHz	Pass	4.55	5.00
6195MHz	Pass	4.73	5.00
6415MHz	Pass	4.63	5.00
6435MHz	Pass	4.95	5.00
6475MHz	Pass	4.91	5.00
6515MHz	Pass	4.96	5.00
6535MHz	Pass	4.90	5.00
6695MHz	Pass	4.87	5.00
6875MHz	Pass	4.94	5.00
6895MHz	Pass	4.82	5.00
6995MHz	Pass	4.70	5.00
7095MHz	Pass	4.95	5.00
7115MHz	Pass	1.13	5.00
a40_Nss1,(6Mbps)_1TX	-	-	-
5965MHz	Pass	4.94	5.00
6205MHz	Pass	4.90	5.00
6405MHz	Pass	4.69	5.00
6445MHz	Pass	4.75	5.00
6485MHz	Pass	4.75	5.00
6525MHz	Pass	4.73	5.00
6565MHz	Pass	4.79	5.00
6685MHz	Pass	4.81	5.00
6885MHz	Pass	4.71	5.00
6925MHz	Pass	4.77	5.00
7005MHz	Pass	4.80	5.00
7085MHz	Pass	4.18	5.00
a80_Nss1,(6Mbps)_1TX	-	-	-
5985MHz	Pass	1.72	5.00
6225MHz	Pass	4.68	5.00
6385MHz	Pass	4.82	5.00
6465MHz	Pass	4.80	5.00
6545MHz	Pass	4.86	5.00
6625MHz	Pass	4.73	5.00
6705MHz	Pass	4.88	5.00
6785MHz	Pass	4.84	5.00
6865MHz	Pass	3.45	5.00
6945MHz	Pass	4.94	5.00
7025MHz	Pass	4.42	5.00
a160_Nss1,(6Mbps)_1TX	-	-	-
6025MHz	Pass	-1.57	5.00
6185MHz	Pass	2.35	5.00
6345MHz	Pass	2.01	5.00
6505MHz	Pass	2.42	5.00
6665MHz	Pass	2.76	5.00
6825MHz	Pass	-0.04	5.00
6985MHz	Pass	-0.99	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

























Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	6.407502G	-2.68	6.380625G	-59.43	-42.68	-16.75	1
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	5.963648G	-1.42	5.98585G	-54.13	-39.59	-14.54	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	5.970699G	3.33	6.02635G	-42.45	-36.67	-5.78	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.2382G	4.46	6.3531G	-39.30	-35.54	-3.76	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	5.99921G	3.60	6.266G	-39.17	-35.74	-3.43	1
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	6.24297G	1.96	6.5902G	-41.24	-37.90	-3.34	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	6.474375G	-2.79	6.440275G	-60.14	-42.79	-17.35	1
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	6.516175G	-1.93	6.545625G	-55.84	-40.91	-14.93	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	6.470904G	-1.02	6.42365G	-53.29	-41.02	-12.27	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.4615G	2.63	6.5855G	-45.17	-37.29	-7.88	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.44661G	2.91	6.2598G	-43.19	-36.95	-6.24	1
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	6.44224G	1.73	6.093G	-42.72	-38.27	-4.45	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	6.880299G	-2.54	6.842325G	-59.84	-42.54	-17.30	1
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	6.532476G	-3.25	6.5044G	-57.13	-41.92	-15.21	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	6.874153G	1.74	6.85055G	-31.79	-23.79	-8.00	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.7176G	2.97	6.8277G	-42.34	-37.03	-5.31	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.60342G	2.89	6.9108G	-41.66	-36.96	-4.70	1
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	6.69781G	1.49	6.2546G	-39.63	-38.51	-1.12	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	7.111576G	-8.92	7.0662G	-62.67	-48.92	-13.75	1
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	7.088527G	-0.98	7.075275G	-37.12	-27.61	-9.51	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	6.997752G	1.83	6.96865G	-30.87	-23.32	-7.55	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.99601G	2.49	6.9689G	-23.84	-17.67	-6.17	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.92262G	3.16	6.855G	-25.08	-18.78	-6.30	1





Result



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.960674G	-1.41	5.9867G	-58.68	-41.41	-17.27	1
6195MHz	Pass	6.201898G	-2.19	6.206425G	-38.78	-21.69	-17.09	1
6415MHz	Pass	6.407502G	-2.68	6.380625G	-59.43	-42.68	-16.75	1
6435MHz	Pass	6.437249G	-2.18	6.39695G	-59.85	-42.18	-17.67	1
6475MHz	Pass	6.474375G	-2.79	6.440275G	-60.14	-42.79	-17.35	1
6515MHz	Pass	6.513825G	-2.48	6.481525G	-60.35	-42.48	-17.87	1
6535MHz	Pass	6.530276G	-3.21	6.5006G	-60.69	-43.21	-17.48	1
6695MHz	Pass	6.691576G	-2.62	6.663125G	-60.41	-42.62	-17.79	1
6875MHz	Pass	6.880299G	-2.54	6.842325G	-59.84	-42.54	-17.30	1
6895MHz	Pass	6.891551G	-2.67	6.883625G	-38.33	-21.77	-16.56	1
6995MHz	Pass	6.987577G	-2.17	6.9619G	-59.38	-42.17	-17.21	1
7095MHz	Pass	7.092851G	-2.43	7.0629G	-58.72	-42.43	-16.29	1
7115MHz	Pass	7.111576G	-8.92	7.0662G	-62.67	-48.92	-13.75	1
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963648G	-1.42	5.98585G	-54.13	-39.59	-14.54	1
6195MHz	Pass	6.198899G	-2.13	6.22585G	-56.31	-41.47	-14.84	1
6415MHz	Pass	6.409826G	-2.95	6.38445G	-57.09	-41.75	-15.34	1
6435MHz	Pass	6.430901G	-2.70	6.404425G	-57.62	-41.35	-16.27	1
6475MHz	Pass	6.479999G	-1.60	6.4444G	-56.32	-39.84	-16.48	1
6515MHz	Pass	6.516175G	-1.93	6.545625G	-55.84	-40.91	-14.93	1
6535MHz	Pass	6.532476G	-3.25	6.5044G	-57.13	-41.92	-15.21	1
6695MHz	Pass	6.691676G	-2.81	6.72565G	-56.98	-41.36	-15.62	1
6875MHz	Pass	6.8739G	-1.96	6.8445G	-55.75	-39.74	-16.01	1
6895MHz	Pass	6.890376G	-2.74	6.864475G	-56.13	-41.71	-14.42	1
6995MHz	Pass	6.989351G	-2.63	6.964425G	-56.11	-41.37	-14.74	1
7095MHz	Pass	7.088527G	-0.98	7.075275G	-37.12	-27.61	-9.51	1
7115MHz	Pass	7.120524G	-6.92	7.084525G	-59.93	-45.19	-14.74	1
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.970699G	3.33	6.02635G	-42.45	-36.67	-5.78	1
6205MHz	Pass	6.201051G	2.01	6.2665G	-48.04	-37.99	-10.05	1
6405MHz	Pass	6.410849G	1.38	6.3431G	-50.76	-38.62	-12.14	1
6445MHz	Pass	6.432453G	0.87	6.3839G	-52.28	-39.13	-13.15	1
6485MHz	Pass	6.470904G	-1.02	6.42365G	-53.29	-41.02	-12.27	1
6525MHz	Pass	6.535797G	0.62	6.58615G	-52.75	-39.38	-13.37	1
6565MHz	Pass	6.566G	-0.08	6.5037G	-54.62	-40.08	-14.54	1
6685MHz	Pass	6.692898G	-1.47	6.74505G	-52.77	-41.47	-11.30	1
6885MHz	Pass	6.874153G	1.74	6.85055G	-31.79	-23.79	-8.00	1
6925MHz	Pass	6.930049G	1.39	6.88055G	-38.32	-29.04	-9.28	1
7005MHz	Pass	6.997752G	1.83	6.96865G	-30.87	-23.32	-7.55	1
7085MHz	Pass	7.080851G	1.54	7.0502G	-29.14	-19.09	-10.05	1
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9972G	2.96	6.1057G	-41.63	-36.92	-4.71	1
6225MHz	Pass	6.2382G	4.46	6.3531G	-39.30	-35.54	-3.76	1
6385MHz	Pass	6.3714G	2.68	6.5085G	-46.14	-37.32	-8.82	1
6465MHz	Pass	6.4615G	2.63	6.5855G	-45.17	-37.29	-7.88	1
6545MHz	Pass	6.5327G	2.08	6.4236G	-47.57	-37.81	-9.76	1
6625MHz	Pass	6.6171G	2.88	6.7513G	-42.99	-37.12	-5.87	1
6705MHz	Pass	6.7176G	2.97	6.8277G	-42.34	-37.03	-5.31	1
6785MHz	Pass	6.7722G	2.58	6.8529G	-29.20	-19.68	-9.52	1
6865MHz	Pass	6.8556G	3.27	6.8065G	-24.66	-18.11	-6.55	1
6945MHz	Pass	6.9404G	3.27	6.8812G	-25.21	-18.10	-7.11	1
7025MHz	Pass	6.99601G	2.49	6.9689G	-23.84	-17.67	-6.17	1
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99921G	3.60	6.266G	-39.17	-35.74	-3.43	1






Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6185MHz	Pass	6.21019G	3.47	6.4288G	-41.55	-36.28	-5.27	1
6345MHz	Pass	6.28402G	2.38	6.5888G	-43.63	-37.46	-6.17	1
6505MHz	Pass	6.44661G	2.91	6.2598G	-43.19	-36.95	-6.24	1
6665MHz	Pass	6.60342G	2.89	6.9108G	-41.66	-36.96	-4.70	1
6825MHz	Pass	6.79941G	3.08	6.7034G	-24.91	-17.18	-7.73	1
6985MHz	Pass	6.92262G	3.16	6.855G	-25.08	-18.78	-6.30	1
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.24297G	1.96	6.5902G	-41.24	-37.90	-3.34	1
6265MHz	Pass	6.29899G	1.55	6.747G	-42.68	-37.98	-4.70	1
6425MHz	Pass	6.32502G	1.41	6.9126G	-43.83	-38.43	-5.40	1
6585MHz	Pass	6.44224G	1.73	6.093G	-42.72	-38.27	-4.45	1
6745MHz	Pass	6.69781G	1.49	6.2546G	-39.63	-38.51	-1.12	1
6905MHz	Pass	6.79903G	1.17	6.4194G	-41.65	-38.82	-2.83	1





































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	5.962223G	-5.67	5.96635G	-41.15	-25.37	-15.78	2
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	5.959299G	-5.62	5.985775G	-58.59	-44.59	-14.00	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.213998G	-0.33	6.26635G	-53.77	-40.33	-13.44	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	5.9985G	2.23	6.1105G	-44.33	-37.77	-6.56	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.00161G	3.54	6.2676G	-39.32	-36.42	-2.90	1
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.00902G	1.99	6.5938G	-39.84	-38.01	-1.83	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.478149G	-5.92	6.442175G	-61.92	-45.92	-16.00	1
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.510151G	-5.25	6.4845G	-58.39	-43.73	-14.66	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.528149G	-0.98	6.4639G	-54.50	-40.98	-13.52	1
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.4525G	2.06	6.3429G	-45.96	-37.94	-8.02	2
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.47901G	2.59	6.2598G	-42.94	-37.27	-5.67	1
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.32303G	2.34	6.9102G	-41.47	-37.42	-4.05	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.868502G	-5.66	6.906925G	-61.12	-45.66	-15.46	2
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	6.8737G	-4.94	6.8445G	-58.39	-43.07	-15.32	2
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	6.560351G	-4.17	6.504G	-57.47	-44.17	-13.30	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.7985G	2.43	6.9067G	-44.45	-37.36	-7.09	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.60561G	2.59	6.4216G	-41.52	-37.39	-4.13	1
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	6.87181G	1.28	6.4166G	-40.77	-38.72	-2.05	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	7.117G	-8.41	7.080975G	-62.27	-48.41	-13.86	1
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	7.112576G	-9.57	7.083125G	-62.66	-49.33	-13.33	1
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	7.078202G	0.16	7.04705G	-35.26	-26.54	-8.72	2
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	6.99531G	1.13	6.9308G	-37.12	-30.64	-6.48	1
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	6.92661G	3.31	6.8416G	-25.16	-19.33	-5.83	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.961548G	-5.27	5.986425G	-62.00	-45.27	-16.73	1
5955MHz	Pass	5.962223G	-5.67	5.96635G	-41.15	-25.37	-15.78	2
6195MHz	Pass	6.1966G	-4.89	6.2277G	-60.84	-44.89	-15.95	1
6195MHz	Pass	6.202223G	-4.70	6.1631G	-61.23	-44.70	-16.53	2
6415MHz	Pass	6.409726G	-6.22	6.382225G	-62.18	-46.22	-15.96	1
6415MHz	Pass	6.411901G	-4.84	6.37845G	-61.88	-44.84	-17.04	2
6435MHz	Pass	6.430001G	-6.34	6.4031G	-62.43	-46.34	-16.09	1
6435MHz	Pass	6.430651G	-5.43	6.397025G	-61.83	-45.43	-16.40	2
6475MHz	Pass	6.478149G	-5.92	6.442175G	-61.92	-45.92	-16.00	1
6475MHz	Pass	6.47685G	-5.50	6.438625G	-61.85	-45.50	-16.35	2
6515MHz	Pass	6.521548G	-5.80	6.48255G	-61.99	-45.80	-16.19	1
6515MHz	Pass	6.511326G	-4.91	6.482925G	-61.76	-44.91	-16.85	2
6535MHz	Pass	6.53625G	-5.55	6.5031G	-61.49	-45.55	-15.94	1
6535MHz	Pass	6.537474G	-5.30	6.50315G	-61.72	-45.30	-16.42	2
6695MHz	Pass	6.701548G	-5.33	6.729025G	-61.63	-45.33	-16.30	1
6695MHz	Pass	6.69565G	-4.97	6.66135G	-61.36	-44.97	-16.39	2
6875MHz	Pass	6.873725G	-6.17	6.841275G	-61.98	-46.17	-15.81	1
6875MHz	Pass	6.868502G	-5.66	6.906925G	-61.12	-45.66	-15.46	2
6895MHz	Pass	6.89315G	-6.14	6.8628G	-61.60	-46.14	-15.46	1
6895MHz	Pass	6.88802G	-5.96	6.9293G	-61.27	-45.96	-15.31	2
6995MHz	Pass	6.991251G	-5.39	6.962025G	-61.06	-45.39	-15.67	1
6995MHz	Pass	6.989101G	-5.02	6.9633G	-60.79	-45.02	-15.77	2
7095MHz	Pass	7.088777G	-5.67	7.061575G	-61.39	-45.67	-15.72	1
7095MHz	Pass	7.091326G	-4.65	7.06305G	-60.91	-44.65	-16.26	2
7115MHz	Pass	7.117G	-8.41	7.080975G	-62.27	-48.41	-13.86	1
7115MHz	Pass	7.118824G	-7.25	7.082875G	-62.29	-47.25	-15.04	2
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.959299G	-5.62	5.985775G	-58.59	-44.59	-14.00	1
5955MHz	Pass	5.962473G	-5.51	5.98555G	-58.34	-44.23	-14.11	2
6195MHz	Pass	6.201773G	-4.35	6.225675G	-57.98	-42.77	-15.21	1
6195MHz	Pass	6.203223G	-3.91	6.225575G	-58.33	-42.47	-15.86	2
6415MHz	Pass	6.414575G	-5.73	6.384275G	-59.54	-44.37	-15.17	1
6415MHz	Pass	6.417424G	-4.33	6.44555G	-58.32	-43.23	-15.09	2
6435MHz	Pass	6.427777G	-5.59	6.404425G	-58.90	-44.15	-14.75	1
6435MHz	Pass	6.431876G	-5.13	6.4044G	-59.26	-43.90	-15.36	2
6475MHz	Pass	6.477974G	-4.94	6.44445G	-58.83	-43.38	-15.45	1
6475MHz	Pass	6.472526G	-4.56	6.444525G	-58.89	-43.47	-15.42	2
6515MHz	Pass	6.510151G	-5.25	6.4845G	-58.39	-43.73	-14.66	1
6515MHz	Pass	6.510301G	-4.70	6.48445G	-58.23	-43.42	-14.81	2
6535MHz	Pass	6.529976G	-4.52	6.504425G	-58.48	-43.08	-15.40	1
6535MHz	Pass	6.538849G	-4.14	6.5044G	-58.39	-42.55	-15.84	2
6695MHz	Pass	6.697599G	-4.62	6.664525G	-58.86	-42.97	-15.89	1
6695MHz	Pass	6.697549G	-4.65	6.664325G	-59.19	-42.62	-16.57	2
6875MHz	Pass	6.876325G	-5.33	6.90555G	-59.18	-43.34	-15.84	1
6875MHz	Pass	6.8737G	-4.94	6.8445G	-58.39	-43.07	-15.32	2
6895MHz	Pass	6.890351G	-5.68	6.864275G	-59.16	-44.50	-14.66	1
6895MHz	Pass	6.899799G	-5.08	6.925925G	-59.41	-43.86	-15.55	2
6995MHz	Pass	6.987177G	-5.50	6.964175G	-59.40	-43.81	-15.59	1
6995MHz	Pass	6.990376G	-4.84	6.964375G	-58.45	-43.64	-14.81	2
7095MHz	Pass	7.088927G	-5.82	7.06445G	-59.00	-44.54	-14.46	1
7095MHz	Pass	7.088777G	-4.61	7.0645G	-57.79	-43.55	-14.24	2
7115MHz	Pass	7.112576G	-9.57	7.083125G	-62.66	-49.33	-13.33	1
7115MHz	Pass	7.112051G	-8.58	7.0843G	-61.22	-47.83	-13.39	2
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-




Mask_Non-Beamforming_Radio 3_2T1S_LPI


Appendix E.2


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.969449G	-3.17	6.02645G	-57.64	-43.17	-14.47	1
5965MHz	Pass	5.979496G	-3.30	6.02665G	-57.36	-43.30	-14.06	2
6205MHz	Pass	6.213998G	-0.33	6.26635G	-53.77	-40.33	-13.44	1
6205MHz	Pass	6.221196G	-1.42	6.26685G	-55.38	-41.42	-13.96	2
6405MHz	Pass	6.407599G	-3.70	6.34355G	-57.89	-43.70	-14.19	1
6405MHz	Pass	6.401751G	-2.95	6.3438G	-56.95	-42.95	-14.00	2
6445MHz	Pass	6.439001G	-2.11	6.38395G	-56.06	-42.11	-13.95	1
6445MHz	Pass	6.440301G	-1.95	6.38375G	-55.86	-41.95	-13.91	2
6485MHz	Pass	6.477452G	-0.83	6.42365G	-54.66	-40.83	-13.83	1
6485MHz	Pass	6.481501G	-0.78	6.4238G	-54.52	-40.78	-13.74	2
6525MHz	Pass	6.528149G	-0.98	6.4639G	-54.50	-40.98	-13.52	1
6525MHz	Pass	6.510804G	-0.58	6.4637G	-54.73	-40.58	-14.15	2
6565MHz	Pass	6.567799G	-3.56	6.5039G	-57.70	-43.56	-14.14	1
6565MHz	Pass	6.560351G	-4.17	6.504G	-57.47	-44.17	-13.30	2
6685MHz	Pass	6.68615G	-3.07	6.74575G	-57.10	-43.07	-14.03	1
6685MHz	Pass	6.680251G	-3.18	6.6239G	-57.00	-43.18	-13.82	2
6885MHz	Pass	6.893748G	-2.02	6.82335G	-55.59	-42.02	-13.57	1
6885MHz	Pass	6.8868G	-1.97	6.9467G	-55.80	-41.97	-13.83	2
6925MHz	Pass	6.918802G	-1.55	6.86365G	-54.95	-41.55	-13.40	1
6925MHz	Pass	6.929449G	-1.63	6.86385G	-54.99	-41.63	-13.36	2
7005MHz	Pass	6.987304G	-1.27	6.94345G	-54.26	-41.27	-12.99	1
7005MHz	Pass	6.991053G	-0.49	6.9439G	-54.05	-40.49	-13.56	2
7085MHz	Pass	7.079701G	-0.69	7.14635G	-51.25	-40.67	-10.58	1
7085MHz	Pass	7.078202G	0.16	7.04705G	-35.26	-26.54	-8.72	2
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9952G	2.28	6.1087G	-45.65	-37.72	-7.93	1
5985MHz	Pass	5.9985G	2.23	6.1105G	-44.33	-37.77	-6.56	2
6225MHz	Pass	6.2305G	2.44	6.3465G	-44.13	-37.56	-6.57	1
6225MHz	Pass	6.2382G	2.25	6.3465G	-46.28	-37.57	-8.71	2
6385MHz	Pass	6.3734G	1.72	6.5078G	-49.14	-38.28	-10.86	1
6385MHz	Pass	6.3749G	2.22	6.2628G	-46.08	-37.78	-8.30	2
6465MHz	Pass	6.4521G	1.95	6.3421G	-47.70	-37.80	-9.90	1
6465MHz	Pass	6.4525G	2.06	6.3429G	-45.96	-37.94	-8.02	2
6545MHz	Pass	6.5306G	0.18	6.4228G	-51.72	-39.56	-12.16	1
6545MHz	Pass	6.5333G	0.16	6.4229G	-51.04	-39.84	-11.20	2
6625MHz	Pass	6.6152G	1.51	6.7468G	-47.46	-38.49	-8.97	1
6625MHz	Pass	6.6127G	2.10	6.5028G	-48.02	-37.90	-10.12	2
6705MHz	Pass	6.7151G	2.35	6.8266G	-44.63	-37.41	-7.22	1
6705MHz	Pass	6.7155G	1.78	6.8267G	-46.97	-38.22	-8.75	2
6785MHz	Pass	6.7985G	2.43	6.9067G	-44.45	-37.36	-7.09	1
6785MHz	Pass	6.7902G	2.16	6.9071G	-45.58	-37.65	-7.93	2
6865MHz	Pass	6.8505G	0.78	6.7676G	-41.32	-31.94	-9.38	1
6865MHz	Pass	6.8479G	0.58	6.9869G	-49.52	-39.42	-10.10	2
6945MHz	Pass	6.9343G	0.94	6.8454G	-42.46	-32.35	-10.11	1
6945MHz	Pass	6.9564G	0.88	6.8574G	-40.37	-28.88	-11.49	2
7025MHz	Pass	6.99531G	1.13	6.9308G	-37.12	-30.64	-6.48	1
7025MHz	Pass	6.99621G	2.02	6.9642G	-28.86	-19.48	-9.38	2
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00161G	3.54	6.2676G	-39.32	-36.42	-2.90	1
6025MHz	Pass	6.00101G	3.48	6.3184G	-40.90	-36.52	-4.38	2
6185MHz	Pass	6.26158G	3.79	6.4296G	-41.34	-36.21	-5.13	1
6185MHz	Pass	6.24798G	3.23	6.428G	-41.61	-36.30	-5.31	2
6345MHz	Pass	6.32001G	2.20	6.5884G	-43.54	-37.49	-6.05	1
6345MHz	Pass	6.32001G	2.60	6.5882G	-43.22	-37.40	-5.82	2
6505MHz	Pass	6.47901G	2.59	6.2598G	-42.94	-37.27	-5.67	1
6505MHz	Pass	6.48261G	2.89	6.2492G	-43.94	-36.98	-6.96	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.60561G	2.59	6.4216G	-41.52	-37.39	-4.13	1
6665MHz	Pass	6.60362G	2.96	6.4216G	-41.72	-36.83	-4.89	2
6825MHz	Pass	6.80101G	3.15	6.7136G	-23.87	-18.11	-5.76	1
6825MHz	Pass	6.76222G	2.90	6.569G	-42.98	-36.81	-6.17	2
6985MHz	Pass	6.92661G	3.31	6.8416G	-25.16	-19.33	-5.83	1
6985MHz	Pass	6.90942G	3.21	6.872G	-23.86	-17.93	-5.93	2
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.24457G	1.95	6.5906G	-41.35	-37.94	-3.41	1
6105MHz	Pass	6.00902G	1.99	6.5938G	-39.84	-38.01	-1.83	2
6265MHz	Pass	6.29739G	1.41	6.7514G	-42.58	-38.44	-4.14	1
6265MHz	Pass	6.29859G	1.80	6.747G	-42.97	-37.73	-5.24	2
6425MHz	Pass	6.37981G	1.32	6.913G	-43.21	-38.65	-4.56	1
6425MHz	Pass	6.32303G	2.34	6.9102G	-41.47	-37.42	-4.05	2
6585MHz	Pass	6.42904G	1.70	6.0938G	-42.51	-38.30	-4.21	1
6585MHz	Pass	6.44543G	1.99	6.0962G	-42.86	-38.01	-4.85	2
6745MHz	Pass	6.71021G	1.44	6.197G	-42.22	-38.40	-3.82	1
6745MHz	Pass	6.60224G	1.81	6.2194G	-41.28	-38.12	-3.16	2
6905MHz	Pass	6.79903G	1.38	6.417G	-41.63	-38.59	-3.04	1
6905MHz	Pass	6.87181G	1.28	6.4166G	-40.77	-38.72	-2.05	2







5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

CF (Hz)
6.105G

Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m


Detector Type
RMS



15/10/2024

Port 1 

Port 2 



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

CF (Hz)
6.515G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




15/10/2024

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.510151G	-5.25	6.4845G	-58.39	-43.73	-14.66	1
6.510301G	-4.70	6.48445G	-58.23	-43.42	-14.81	2



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

CF (Hz)
6.465G

Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m


Detector Type
RMS

15/10/2024

Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4521G	1.95	6.3421G	-47.70	-37.80	-9.90	1
6.4525G	2.06	6.3429G	-45.96	-37.94	-8.02	2



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

CF (Hz)
6.425G

Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



15/10/2024

Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37981G	1.32	6.913G	-43.21	-38.65	-4.56	1
6.32303G	2.34	6.9102G	-41.47	-37.42	-4.05	2