


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

22/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.070704G	-5.72	7.02285G	-57.43	-45.72	-11.71	1
7.068554G	-4.88	7.0238G	-56.66	-44.88	-11.78	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99591G	-1.67	6.9038G	-53.10	-41.67	-11.43	1
6.99621G	-1.29	6.9036G	-52.69	-41.28	-11.41	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

21/02/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96361G	1.12	6.783G	-40.35	-32.34	-8.01	1
6.92242G	1.23	6.7406G	-46.90	-38.61	-8.29	2

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.189226G	-6.17	6.225575G	-59.05	-45.00	-14.05	1
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	6.394853G	-1.10	6.3436G	-54.45	-41.10	-13.35	2
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.3699G	1.15	6.2625G	-48.75	-38.85	-9.90	2
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.00341G	0.80	6.2694G	-45.47	-39.13	-6.34	2
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	6.24177G	0.82	6.5886G	-43.22	-38.83	-4.39	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.436975G	-5.63	6.40445G	-58.71	-44.90	-13.81	2
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	6.491598G	-2.91	6.4269G	-55.46	-42.32	-13.14	2
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.4522G	1.74	6.3427G	-46.06	-38.26	-7.80	2
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.44541G	1.95	6.7494G	-43.19	-37.98	-5.21	1
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	6.44264G	1.33	6.9842G	-33.92	-32.02	-1.90	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	6.529651G	-3.96	6.5045G	-57.33	-43.08	-14.25	1
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	6.881401G	-2.79	6.82365G	-55.80	-42.79	-13.01	1
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.6341G	1.95	6.7471G	-44.29	-38.05	-6.24	1
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.69019G	2.20	6.9108G	-42.16	-37.74	-4.42	1
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	6.70981G	0.90	6.255G	-39.97	-38.93	-1.04	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	7.113625G	-15.27	7.067425G	-63.88	-55.27	-8.61	1
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	7.073953G	-4.71	7.0236G	-56.76	-44.71	-12.05	1
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	6.9542G	0.01	6.8501G	-42.51	-32.12	-10.39	1
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	6.90982G	0.98	6.7412G	-47.22	-38.96	-8.26	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.961448G	-6.38	5.98555G	-60.12	-44.82	-15.30	1
5955MHz	Pass	5.961198G	-6.13	5.986025G	-60.38	-45.67	-14.71	2
6195MHz	Pass	6.189226G	-6.17	6.225575G	-59.05	-45.00	-14.05	1
6195MHz	Pass	6.19655G	-5.43	6.225575G	-58.92	-44.08	-14.84	2
6415MHz	Pass	6.411151G	-6.49	6.384325G	-60.04	-44.99	-15.05	1
6415MHz	Pass	6.411601G	-5.30	6.384375G	-58.58	-44.18	-14.40	2
6435MHz	Pass	6.429551G	-5.78	6.4043G	-59.11	-44.49	-14.62	1
6435MHz	Pass	6.436975G	-5.63	6.40445G	-58.71	-44.90	-13.81	2
6475MHz	Pass	6.479574G	-4.56	6.505725G	-59.01	-43.84	-15.17	1
6475MHz	Pass	6.477549G	-4.95	6.444375G	-59.24	-43.39	-15.85	2
6515MHz	Pass	6.511851G	-5.88	6.480125G	-61.27	-45.88	-15.39	1
6515MHz	Pass	6.509501G	-5.97	6.545875G	-59.81	-44.87	-14.94	2
6535MHz	Pass	6.529651G	-3.96	6.5045G	-57.33	-43.08	-14.25	1
6535MHz	Pass	6.528802G	-4.15	6.50445G	-58.08	-42.59	-15.49	2
6695MHz	Pass	6.697549G	-6.05	6.726025G	-60.23	-45.21	-15.02	1
6695MHz	Pass	6.701348G	-5.48	6.66445G	-58.70	-43.49	-15.21	2
6875MHz	Pass	6.866777G	-7.12	6.905675G	-60.47	-45.98	-14.49	1
6875MHz	Pass	6.8738G	-5.89	6.905575G	-59.48	-44.36	-15.12	2
6895MHz	Pass	6.898299G	-7.19	6.9257G	-60.41	-46.44	-13.97	1
6895MHz	Pass	6.887777G	-6.14	6.9258G	-59.48	-44.96	-14.52	2
6995MHz	Pass	6.999374G	-6.69	6.964425G	-59.84	-45.16	-14.68	1
6995MHz	Pass	6.988927G	-5.80	6.964425G	-58.71	-43.84	-14.87	2
7095MHz	Pass	7.097324G	-10.26	7.0633G	-63.13	-50.26	-12.87	1
7095MHz	Pass	7.090851G	-9.36	7.056075G	-62.79	-49.36	-13.43	2
7115MHz	Pass	7.113625G	-15.27	7.067425G	-63.88	-55.27	-8.61	1
7115MHz	Pass	7.112501G	-14.13	7.0746G	-63.87	-54.13	-9.74	2
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.979946G	-2.12	6.0269G	-56.69	-42.12	-14.57	1
5965MHz	Pass	5.980196G	-2.55	6.02635G	-56.48	-42.55	-13.93	2
6205MHz	Pass	6.208849G	-3.68	6.2664G	-57.50	-43.68	-13.82	1
6205MHz	Pass	6.209599G	-3.93	6.26685G	-57.38	-43.93	-13.45	2
6405MHz	Pass	6.398002G	-1.42	6.3424G	-54.90	-41.42	-13.48	1
6405MHz	Pass	6.394853G	-1.10	6.3436G	-54.45	-41.10	-13.35	2
6445MHz	Pass	6.439651G	-3.55	6.3836G	-57.25	-43.55	-13.70	1
6445MHz	Pass	6.440551G	-3.38	6.38395G	-56.58	-43.38	-13.20	2
6485MHz	Pass	6.471903G	-3.00	6.4235G	-56.97	-43.00	-13.97	1
6485MHz	Pass	6.491598G	-2.91	6.4269G	-55.46	-42.32	-13.14	2
6525MHz	Pass	6.511303G	-4.18	6.46385G	-57.90	-44.18	-13.72	1
6525MHz	Pass	6.518502G	-4.07	6.46375G	-57.57	-44.07	-13.50	2
6565MHz	Pass	6.569649G	-3.70	6.5036G	-56.95	-43.70	-13.25	1
6565MHz	Pass	6.559951G	-3.24	6.50385G	-57.64	-43.24	-14.40	2
6685MHz	Pass	6.678502G	-3.08	6.74765G	-56.77	-43.08	-13.69	1
6685MHz	Pass	6.6839G	-3.33	6.6237G	-56.56	-43.33	-13.23	2
6885MHz	Pass	6.881401G	-2.79	6.82365G	-55.80	-42.79	-13.01	1
6885MHz	Pass	6.881301G	-2.53	6.8231G	-56.13	-42.53	-13.60	2
6925MHz	Pass	6.916302G	-2.62	6.8637G	-55.57	-42.62	-12.95	1
6925MHz	Pass	6.907504G	-1.62	6.98645G	-55.64	-41.62	-14.02	2
7005MHz	Pass	6.990054G	-4.19	6.94375G	-56.57	-44.19	-12.38	1
7005MHz	Pass	6.992403G	-3.17	6.9441G	-56.06	-43.17	-12.89	2
7085MHz	Pass	7.073953G	-4.71	7.0236G	-56.76	-44.71	-12.05	1
7085MHz	Pass	7.070304G	-3.99	7.0238G	-56.26	-43.99	-12.27	2
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9733G	0.05	6.1075G	-52.21	-39.95	-12.26	1
5985MHz	Pass	5.9963G	0.20	6.1066G	-51.34	-39.80	-11.54	2


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2379G	0.08	6.347G	-51.82	-39.92	-11.90	1
6225MHz	Pass	6.2389G	-0.06	6.3466G	-52.08	-40.06	-12.02	2
6385MHz	Pass	6.3865G	1.04	6.2628G	-49.88	-38.96	-10.92	1
6385MHz	Pass	6.3699G	1.15	6.2625G	-48.75	-38.85	-9.90	2
6465MHz	Pass	6.4513G	1.58	6.343G	-47.62	-38.42	-9.20	1
6465MHz	Pass	6.4522G	1.74	6.3427G	-46.06	-38.26	-7.80	2
6545MHz	Pass	6.5378G	1.23	6.6669G	-47.59	-38.61	-8.98	1
6545MHz	Pass	6.5361G	1.24	6.4215G	-48.74	-38.76	-9.98	2
6625MHz	Pass	6.6341G	1.95	6.7471G	-44.29	-38.05	-6.24	1
6625MHz	Pass	6.6156G	2.53	6.7465G	-45.71	-37.47	-8.24	2
6705MHz	Pass	6.7137G	0.85	6.8331G	-47.76	-38.98	-8.78	1
6705MHz	Pass	6.7112G	1.02	6.8304G	-49.81	-38.98	-10.83	2
6785MHz	Pass	6.7769G	-0.31	6.9067G	-51.05	-40.00	-11.05	1
6785MHz	Pass	6.7965G	-0.61	6.9075G	-52.75	-40.61	-12.14	2
6865MHz	Pass	6.8528G	1.21	6.9525G	-36.74	-28.66	-8.08	1
6865MHz	Pass	6.8506G	0.89	6.9869G	-49.03	-39.11	-9.92	2
6945MHz	Pass	6.9542G	0.01	6.8501G	-42.51	-32.12	-10.39	1
6945MHz	Pass	6.9383G	0.19	6.8233G	-51.44	-39.79	-11.65	2
7025MHz	Pass	6.99681G	-2.07	6.902G	-53.25	-42.07	-11.18	1
7025MHz	Pass	6.99941G	-1.81	6.9038G	-52.67	-41.54	-11.13	2
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00001G	1.11	6.2684G	-46.25	-38.77	-7.48	1
6025MHz	Pass	6.00341G	0.80	6.2694G	-45.47	-39.13	-6.34	2
6185MHz	Pass	6.24698G	1.77	6.428G	-47.44	-37.67	-9.77	1
6185MHz	Pass	6.24938G	1.70	6.428G	-47.78	-38.03	-9.75	2
6345MHz	Pass	6.32081G	0.47	6.5886G	-49.02	-39.34	-9.68	1
6345MHz	Pass	6.32001G	0.93	6.5886G	-48.16	-39.07	-9.09	2
6505MHz	Pass	6.44541G	1.95	6.7494G	-43.19	-37.98	-5.21	1
6505MHz	Pass	6.44282G	2.51	6.2628G	-42.98	-37.10	-5.88	2
6665MHz	Pass	6.69019G	2.20	6.9108G	-42.16	-37.74	-4.42	1
6665MHz	Pass	6.64061G	2.30	6.4208G	-43.45	-37.60	-5.85	2
6825MHz	Pass	6.79861G	0.58	6.5824G	-47.10	-38.06	-9.04	1
6825MHz	Pass	6.80361G	0.35	6.5806G	-47.73	-39.49	-8.24	2
6985MHz	Pass	6.95821G	0.36	6.7424G	-47.05	-38.28	-8.77	1
6985MHz	Pass	6.90982G	0.98	6.7412G	-47.22	-38.96	-8.26	2
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.24297G	0.67	6.5462G	-42.39	-35.94	-6.45	1
6105MHz	Pass	6.24177G	0.82	6.5886G	-43.22	-38.83	-4.39	2
6265MHz	Pass	6.29979G	0.45	6.7502G	-45.31	-39.22	-6.09	1
6265MHz	Pass	6.30139G	0.71	6.7514G	-46.97	-39.24	-7.73	2
6425MHz	Pass	6.32263G	0.44	6.861G	-40.41	-35.70	-4.71	1
6425MHz	Pass	6.32143G	1.24	6.9126G	-44.27	-38.70	-5.57	2
6585MHz	Pass	6.44264G	1.33	6.9842G	-33.92	-32.02	-1.90	1
6585MHz	Pass	6.42904G	1.83	6.9986G	-37.85	-32.57	-5.28	2
6745MHz	Pass	6.70981G	0.90	6.255G	-39.97	-38.93	-1.04	1
6745MHz	Pass	6.70901G	1.11	6.2566G	-40.89	-38.79	-2.10	2
6905MHz	Pass	6.80303G	0.29	6.3966G	-45.05	-39.63	-5.42	1
6905MHz	Pass	6.86901G	0.54	6.4202G	-44.71	-39.29	-5.42	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

21/02/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

21/02/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3865G	1.04	6.2628G	-49.88	-38.96	-10.92	1
6.3699G	1.15	6.2625G	-48.75	-38.85	-9.90	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

21/02/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00001G	1.11	6.2684G	-46.25	-38.77	-7.48	1
6.00341G	0.80	6.2694G	-45.47	-39.13	-6.34	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

21/02/2025

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24297G	0.67	6.5462G	-42.39	-35.94	-6.45	1
6.24177G	0.82	6.5886G	-43.22	-38.83	-4.39	2

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6435MHz_TX

21/02/2025

CF (Hz)
6.435G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.429551G	-5.78	6.4043G	-59.11	-44.49	-14.62	1
6.436975G	-5.63	6.40445G	-58.71	-44.90	-13.81	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6485MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.471903G	-3.00	6.4235G	-56.97	-43.00	-13.97	1
6.491598G	-2.91	6.4269G	-55.46	-42.32	-13.14	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6465MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4513G	1.58	6.343G	-47.62	-38.42	-9.20	1
6.4522G	1.74	6.3427G	-46.06	-38.26	-7.80	2

6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6505MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44541G	1.95	6.7494G	-43.19	-37.98	-5.21	1
6.44282G	2.51	6.2628G	-42.98	-37.10	-5.88	2

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6585MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44264G	1.33	6.9842G	-33.92	-32.02	-1.90	1
6.42904G	1.83	6.9986G	-37.85	-32.57	-5.28	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.529651G	-3.96	6.5045G	-57.33	-43.08	-14.25	1
6.528802G	-4.15	6.50445G	-58.08	-42.59	-15.49	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6885MHz_TX

21/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.881401G	-2.79	6.82365G	-55.80	-42.79	-13.01	1
6.881301G	-2.53	6.8231G	-56.13	-42.53	-13.60	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

21/02/2025




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

21/02/2025




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6745MHz_TX

21/02/2025

CF (Hz)
6.745G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70981G	0.90	6.255G	-39.97	-38.93	-1.04	1
6.70901G	1.11	6.2566G	-40.89	-38.79	-2.10	2


6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7115MHz_TX

21/02/2025

CF (Hz)
7.115G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.113625G	-15.27	7.067425G	-63.88	-55.27	-8.61	1
7.112501G	-14.13	7.0746G	-63.87	-54.13	-9.74	2

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

21/02/2025




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6945MHz_TX

21/02/2025



6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

21/02/2025

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95821G	0.36	6.7424G	-47.05	-38.28	-8.77	1
6.90982G	0.98	6.7412G	-47.22	-38.96	-8.26	2

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	5.962973G	-9.01	5.989825G	-60.52	-49.01	-11.51	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.210099G	-8.22	6.2662G	-57.75	-48.22	-9.53	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	5.9942G	2.49	6.1059G	-41.65	-37.51	-4.14	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.37199G	2.96	6.5872G	-40.05	-36.65	-3.40	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.00103G	1.80	6.5418G	-36.50	-34.31	-2.19	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.475975G	-10.01	6.4413G	-60.14	-50.01	-10.13	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.489749G	-5.41	6.4234G	-55.45	-45.41	-10.04	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.557G	3.39	6.669G	-44.52	-36.61	-7.91	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.56578G	3.53	6.7482G	-40.57	-36.23	-4.34	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.39421G	2.03	6.9182G	-39.83	-37.97	-1.86	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.872401G	-8.52	6.841325G	-59.33	-48.52	-10.81	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.888949G	-4.42	6.9467G	-54.57	-44.42	-10.15	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.59451G	3.19	6.7531G	-42.14	-36.46	-5.68	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.60761G	4.21	6.3998G	-40.49	-35.79	-4.70	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.63943G	2.18	6.2534G	-38.07	-37.82	-0.25	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	7.122048G	-18.54	7.0831G	-60.41	-58.54	-1.87	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	7.075202G	-7.61	7.0022G	-55.06	-47.61	-7.45	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.99491G	0.25	6.9329G	-37.64	-30.98	-6.66	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.92162G	3.30	6.8344G	-28.24	-22.90	-5.34	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962973G	-9.01	5.989825G	-60.52	-49.01	-11.51	1
5955MHz	Pass	5.959924G	-8.31	5.985625G	-59.55	-47.29	-12.26	2
6195MHz	Pass	6.191376G	-8.34	6.164475G	-59.18	-47.11	-12.07	1
6195MHz	Pass	6.195425G	-8.12	6.228175G	-59.79	-48.12	-11.67	2
6415MHz	Pass	6.421473G	-8.10	6.44795G	-60.42	-48.10	-12.32	1
6415MHz	Pass	6.408852G	-7.95	6.44855G	-60.12	-47.95	-12.17	2
6435MHz	Pass	6.432776G	-8.42	6.40365G	-59.79	-47.76	-12.03	1
6435MHz	Pass	6.430776G	-9.38	6.39845G	-60.39	-49.38	-11.01	2
6475MHz	Pass	6.475975G	-8.89	6.443175G	-60.48	-48.89	-11.59	1
6475MHz	Pass	6.475975G	-10.01	6.4413G	-60.14	-50.01	-10.13	2
6515MHz	Pass	6.523573G	-8.24	6.547025G	-60.53	-48.24	-12.29	1
6515MHz	Pass	6.517724G	-9.09	6.4811G	-60.38	-49.09	-11.29	2
6535MHz	Pass	6.5338G	-7.52	6.503075G	-60.32	-47.51	-12.81	1
6535MHz	Pass	6.543423G	-8.99	6.5023G	-60.47	-48.99	-11.48	2
6695MHz	Pass	6.700149G	-7.74	6.74085G	-60.36	-47.74	-12.62	1
6695MHz	Pass	6.693875G	-8.53	6.662475G	-60.48	-48.53	-11.95	2
6875MHz	Pass	6.8769G	-8.40	6.910025G	-59.35	-48.40	-10.95	1
6875MHz	Pass	6.872401G	-8.52	6.841325G	-59.33	-48.52	-10.81	2
6895MHz	Pass	6.895825G	-8.77	6.927125G	-59.27	-48.45	-10.82	1
6895MHz	Pass	6.899299G	-8.41	6.929525G	-59.37	-48.41	-10.96	2
6995MHz	Pass	6.990876G	-9.23	6.96235G	-59.37	-49.23	-10.14	1
6995MHz	Pass	6.986527G	-9.90	7.029375G	-59.54	-49.90	-9.64	2
7095MHz	Pass	7.085827G	-13.39	7.04615G	-59.88	-53.39	-6.49	1
7095MHz	Pass	7.089301G	-13.92	7.048225G	-59.80	-53.92	-5.88	2
7115MHz	Pass	7.106702G	-18.02	7.06695G	-60.48	-58.02	-2.46	1
7115MHz	Pass	7.122048G	-18.54	7.0831G	-60.41	-58.54	-1.87	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.981146G	-5.31	6.02615G	-57.36	-45.31	-12.05	1
5965MHz	Pass	5.979946G	-5.64	6.02625G	-57.48	-45.64	-11.84	2
6205MHz	Pass	6.210099G	-8.22	6.2662G	-57.75	-48.22	-9.53	1
6205MHz	Pass	6.201501G	-8.62	6.28445G	-58.24	-48.62	-9.62	2
6405MHz	Pass	6.392753G	-4.93	6.3437G	-57.44	-44.93	-12.51	1
6405MHz	Pass	6.409849G	-5.81	6.34355G	-57.28	-45.81	-11.47	2
6445MHz	Pass	6.442601G	-6.32	6.38385G	-56.94	-46.32	-10.62	1
6445MHz	Pass	6.428704G	-6.82	6.3838G	-57.53	-46.82	-10.71	2
6485MHz	Pass	6.493848G	-5.03	6.41945G	-55.79	-45.03	-10.76	1
6485MHz	Pass	6.489749G	-5.41	6.4234G	-55.45	-45.41	-10.04	2
6525MHz	Pass	6.536297G	-3.33	6.45515G	-55.52	-43.33	-12.19	1
6525MHz	Pass	6.535447G	-3.48	6.4636G	-55.51	-43.48	-12.03	2
6565MHz	Pass	6.562151G	-3.40	6.5035G	-56.54	-43.40	-13.14	1
6565MHz	Pass	6.552153G	-3.51	6.50405G	-56.40	-43.51	-12.89	2
6685MHz	Pass	6.702596G	-5.72	6.74695G	-57.69	-45.72	-11.97	1
6685MHz	Pass	6.68425G	-5.83	6.7464G	-57.76	-45.83	-11.93	2
6885MHz	Pass	6.888949G	-4.42	6.9467G	-54.57	-44.42	-10.15	1
6885MHz	Pass	6.890799G	-4.10	6.94595G	-54.70	-44.10	-10.60	2
6925MHz	Pass	6.930399G	-2.39	6.98575G	-54.56	-42.39	-12.17	1
6925MHz	Pass	6.916752G	-2.56	6.9868G	-54.19	-42.56	-11.63	2
7005MHz	Pass	6.996952G	-5.82	6.9398G	-55.17	-45.82	-9.35	1
7005MHz	Pass	6.990954G	-6.24	6.94425G	-55.29	-46.24	-9.05	2
7085MHz	Pass	7.078952G	-7.49	7.00055G	-55.26	-47.49	-7.77	1
7085MHz	Pass	7.075202G	-7.61	7.0022G	-55.06	-47.61	-7.45	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9942G	2.49	6.1059G	-41.65	-37.51	-4.14	1
5985MHz	Pass	5.9953G	2.42	6.1025G	-41.15	-36.70	-4.45	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2376G	1.90	6.3479G	-44.21	-38.10	-6.11	1
6225MHz	Pass	6.2378G	2.07	6.3497G	-47.51	-37.93	-9.58	2
6385MHz	Pass	6.374G	0.42	6.263G	-50.68	-39.58	-11.10	1
6385MHz	Pass	6.3719G	0.35	6.263G	-50.59	-39.52	-11.07	2
6465MHz	Pass	6.4758G	1.47	6.3437G	-47.46	-38.53	-8.93	1
6465MHz	Pass	6.43561G	1.52	6.3424G	-47.04	-38.48	-8.56	2
6545MHz	Pass	6.557G	3.39	6.669G	-44.52	-36.61	-7.91	1
6545MHz	Pass	6.554G	3.06	6.6647G	-45.21	-36.62	-8.59	2
6625MHz	Pass	6.59451G	3.19	6.7531G	-42.14	-36.46	-5.68	1
6625MHz	Pass	6.6121G	3.50	6.7463G	-42.57	-36.50	-6.07	2
6705MHz	Pass	6.7118G	3.90	6.8419G	-42.89	-36.10	-6.79	1
6705MHz	Pass	6.67371G	3.92	6.8272G	-42.51	-36.01	-6.50	2
6785MHz	Pass	6.7779G	1.26	6.9072G	-47.08	-38.74	-8.34	1
6785MHz	Pass	6.7977G	0.91	6.9072G	-48.48	-38.83	-9.65	2
6865MHz	Pass	6.8501G	-1.55	6.9879G	-49.65	-41.55	-8.10	1
6865MHz	Pass	6.8752G	-0.61	6.989G	-51.13	-40.61	-10.52	2
6945MHz	Pass	6.9368G	-0.10	6.8235G	-51.00	-39.92	-11.08	1
6945MHz	Pass	6.91641G	-0.51	6.822G	-51.75	-40.51	-11.24	2
7025MHz	Pass	6.99491G	0.25	6.9329G	-37.64	-30.98	-6.66	1
7025MHz	Pass	6.99581G	-0.09	6.9037G	-48.42	-39.95	-8.47	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.99481G	4.19	6.302G	-40.77	-35.78	-4.99	1
6025MHz	Pass	6.00121G	4.05	6.3044G	-40.55	-35.89	-4.66	2
6185MHz	Pass	6.24379G	3.30	6.432G	-40.75	-36.63	-4.12	1
6185MHz	Pass	6.24499G	3.22	6.4276G	-42.20	-36.45	-5.75	2
6345MHz	Pass	6.37199G	2.96	6.5872G	-40.05	-36.65	-3.40	1
6345MHz	Pass	6.26942G	3.30	6.5884G	-41.94	-36.68	-5.26	2
6505MHz	Pass	6.56578G	3.53	6.7482G	-40.57	-36.23	-4.34	1
6505MHz	Pass	6.42842G	3.47	6.262G	-40.68	-36.06	-4.62	2
6665MHz	Pass	6.72359G	4.04	6.339G	-44.38	-35.59	-8.79	1
6665MHz	Pass	6.60761G	4.21	6.3998G	-40.49	-35.79	-4.70	2
6825MHz	Pass	6.76222G	2.75	6.58G	-44.91	-37.17	-7.74	1
6825MHz	Pass	6.88598G	1.20	6.5824G	-45.27	-38.37	-6.90	2
6985MHz	Pass	6.92162G	3.30	6.8344G	-28.24	-22.90	-5.34	1
6985MHz	Pass	6.90942G	3.51	6.7296G	-43.83	-36.39	-7.44	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00103G	1.80	6.5418G	-36.50	-34.31	-2.19	1
6105MHz	Pass	6.00103G	1.77	6.5918G	-40.58	-38.21	-2.37	2
6265MHz	Pass	6.30139G	1.61	6.8338G	-44.58	-38.22	-6.36	1
6265MHz	Pass	6.29459G	1.76	6.7618G	-42.52	-37.16	-5.36	2
6425MHz	Pass	6.39421G	2.03	6.9182G	-39.83	-37.97	-1.86	1
6425MHz	Pass	6.28024G	2.88	6.9326G	-41.46	-36.98	-4.48	2
6585MHz	Pass	6.54941G	2.31	6.967G	-32.80	-28.68	-4.12	1
6585MHz	Pass	6.55021G	2.53	6.0506G	-42.25	-37.47	-4.78	2
6745MHz	Pass	6.71261G	2.59	6.2018G	-42.09	-37.41	-4.68	1
6745MHz	Pass	6.63943G	2.18	6.2534G	-38.07	-37.82	-0.25	2
6905MHz	Pass	6.93939G	1.62	6.3294G	-42.39	-38.22	-4.17	1
6905MHz	Pass	6.86981G	1.81	6.3582G	-41.67	-38.19	-3.48	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

24/02/2025

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962973G	-9.01	5.989825G	-60.52	-49.01	-11.51	1
5.959924G	-8.31	5.985625G	-59.55	-47.29	-12.26	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

24/02/2025

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.210099G	-8.22	6.2662G	-57.75	-48.22	-9.53	1
6.201501G	-8.62	6.28445G	-58.24	-48.62	-9.62	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

24/02/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

24/02/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00103G	1.80	6.5418G	-36.50	-34.31	-2.19	1
6.00103G	1.77	6.5918G	-40.58	-38.21	-2.37	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.475975G	-8.89	6.443175G	-60.48	-48.89	-11.59	1
6.475975G	-10.01	6.4413G	-60.14	-50.01	-10.13	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.493848G	-5.03	6.41945G	-55.79	-45.03	-10.76	1
6.489749G	-5.41	6.4234G	-55.45	-45.41	-10.04	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.557G	3.39	6.669G	-44.52	-36.61	-7.91	1
6.554G	3.06	6.6647G	-45.21	-36.62	-8.59	2

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56578G	3.53	6.7482G	-40.57	-36.23	-4.34	1
6.42842G	3.47	6.262G	-40.68	-36.06	-4.62	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39421G	2.03	6.9182G	-39.83	-37.97	-1.86	1
6.28024G	2.88	6.9326G	-41.46	-36.98	-4.48	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

24/02/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

24/02/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59451G	3.19	6.7531G	-42.14	-36.46	-5.68	1
6.6121G	3.50	6.7463G	-42.57	-36.50	-6.07	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72359G	4.04	6.339G	-44.38	-35.59	-8.79	1
6.60761G	4.21	6.3998G	-40.49	-35.79	-4.70	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

24/02/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

24/02/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.078952G	-7.49	7.00055G	-55.26	-47.49	-7.77	1
7.075202G	-7.61	7.0022G	-55.06	-47.61	-7.45	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

24/02/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99491G	0.25	6.9329G	-37.64	-30.98	-6.66	1
6.99581G	-0.09	6.9037G	-48.42	-39.95	-8.47	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

24/02/2025





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	5.960024G	-4.12	5.966425G	-40.36	-24.22	-16.14	1
a40_Nss1,(6Mbps)_1TX	Pass	5.960051G	-0.90	6.00235G	-29.27	-20.94	-8.33	1
a80_Nss1,(6Mbps)_1TX	Pass	6.2087G	1.39	6.3138G	-29.27	-21.13	-8.14	1
a160_Nss1,(6Mbps)_1TX	Pass	6.0392G	-0.22	6.1704G	-27.98	-20.44	-7.54	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.472526G	-3.88	6.44425G	-59.82	-43.88	-15.94	1
a40_Nss1,(6Mbps)_1TX	Pass	6.530049G	-3.04	6.58315G	-51.90	-42.58	-9.32	1
a80_Nss1,(6Mbps)_1TX	Pass	6.4693G	1.78	6.5611G	-32.72	-27.42	-5.30	1
a160_Nss1,(6Mbps)_1TX	Pass	6.5196G	3.85	6.6622G	-23.28	-16.15	-7.13	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	6.8763G	-4.06	6.906325G	-59.54	-44.03	-15.51	1
a40_Nss1,(6Mbps)_1TX	Pass	6.880101G	-0.63	6.91975G	-32.12	-20.98	-11.14	1
a80_Nss1,(6Mbps)_1TX	Pass	6.7001G	1.42	6.7957G	-31.65	-22.94	-8.71	1
a160_Nss1,(6Mbps)_1TX	Pass	6.8112G	3.72	6.6666G	-24.44	-16.29	-8.15	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	7.113775G	-10.41	7.148575G	-62.04	-50.41	-11.63	1
a40_Nss1,(6Mbps)_1TX	Pass	6.996252G	-1.48	6.97045G	-32.52	-22.99	-9.53	1
a80_Nss1,(6Mbps)_1TX	Pass	6.99751G	3.58	6.9404G	-24.80	-16.43	-8.37	1
a160_Nss1,(6Mbps)_1TX	Pass	6.969G	-0.11	6.8328G	-32.64	-20.31	-12.33	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.960024G	-4.12	5.966425G	-40.36	-24.22	-16.14	1
6195MHz	Pass	6.197524G	-3.98	6.2267G	-60.83	-43.98	-16.85	1
6415MHz	Pass	6.417574G	-3.84	6.4484G	-60.19	-43.84	-16.35	1
6435MHz	Pass	6.436275G	-4.09	6.4035G	-60.05	-44.09	-15.96	1
6475MHz	Pass	6.472526G	-3.88	6.44425G	-59.82	-43.88	-15.94	1
6515MHz	Pass	6.51375G	-3.70	6.476775G	-60.50	-43.70	-16.80	1
6535MHz	Pass	6.537574G	-4.82	6.5687G	-60.56	-44.82	-15.74	1
6695MHz	Pass	6.696275G	-4.15	6.662275G	-60.49	-44.15	-16.34	1
6875MHz	Pass	6.8763G	-4.06	6.906325G	-59.54	-44.03	-15.51	1
6895MHz	Pass	6.888827G	-3.08	6.93155G	-59.60	-43.08	-16.52	1
6995MHz	Pass	6.99385G	-3.99	6.962725G	-59.42	-43.99	-15.43	1
7095MHz	Pass	7.096325G	-6.53	7.061175G	-61.93	-46.53	-15.40	1
7115MHz	Pass	7.113775G	-10.41	7.148575G	-62.04	-50.41	-11.63	1
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.960051G	-0.90	6.00235G	-29.27	-20.94	-8.33	1
6205MHz	Pass	6.217647G	-0.71	6.1685G	-31.47	-20.73	-10.74	1
6405MHz	Pass	6.396252G	-0.68	6.4411G	-34.75	-22.04	-12.71	1
6445MHz	Pass	6.442601G	-1.09	6.47905G	-35.71	-25.46	-10.25	1
6485MHz	Pass	6.480051G	-0.40	6.5137G	-32.56	-21.21	-11.35	1
6525MHz	Pass	6.530049G	-3.04	6.58315G	-51.90	-42.58	-9.32	1
6565MHz	Pass	6.560051G	-1.03	6.6005G	-35.92	-23.40	-12.52	1
6685MHz	Pass	6.689949G	-1.28	6.72105G	-34.87	-23.27	-11.60	1
6885MHz	Pass	6.880101G	-0.63	6.91975G	-32.12	-20.98	-11.14	1
6925MHz	Pass	6.922451G	-1.15	6.8904G	-33.90	-22.97	-10.93	1
7005MHz	Pass	6.996252G	-1.48	6.97045G	-32.52	-22.99	-9.53	1
7085MHz	Pass	7.080051G	-5.00	7.11875G	-36.24	-26.11	-10.13	1
a80_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.979G	-0.91	6.0725G	-33.95	-23.63	-10.32	1
6225MHz	Pass	6.2087G	1.39	6.3138G	-29.27	-21.13	-8.14	1
6385MHz	Pass	6.3979G	4.80	6.4817G	-26.31	-15.33	-10.98	1
6465MHz	Pass	6.4693G	1.78	6.5611G	-32.72	-27.42	-5.30	1
6545MHz	Pass	6.5388G	4.55	6.6313G	-26.57	-15.80	-10.77	1
6625MHz	Pass	6.618G	1.61	6.7179G	-30.73	-21.36	-9.37	1
6705MHz	Pass	6.7001G	1.42	6.7957G	-31.65	-22.94	-8.71	1
6785MHz	Pass	6.779G	4.98	6.6955G	-25.98	-15.18	-10.80	1
6865MHz	Pass	6.8589G	1.95	6.7725G	-29.99	-19.85	-10.14	1
6945MHz	Pass	6.9301G	4.48	6.8524G	-26.23	-16.34	-9.89	1
7025MHz	Pass	6.99751G	3.58	6.9404G	-24.80	-16.43	-8.37	1
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0392G	-0.22	6.1704G	-27.98	-20.44	-7.54	1
6185MHz	Pass	6.179G	3.64	6.0248G	-26.61	-16.37	-10.24	1
6345MHz	Pass	6.3492G	5.01	6.1844G	-24.76	-15.01	-9.75	1
6505MHz	Pass	6.5196G	3.85	6.6622G	-23.28	-16.15	-7.13	1
6665MHz	Pass	6.6706G	4.14	6.5022G	-27.16	-15.99	-11.17	1
6825MHz	Pass	6.8112G	3.72	6.6666G	-24.44	-16.29	-8.15	1
6985MHz	Pass	6.969G	-0.11	6.8328G	-32.64	-20.31	-12.33	1

5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

MASK

5955MHz_TX

18/01/2025




5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX

MASK

5965MHz_TX

18/01/2025




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

MASK

6225MHz_TX

18/01/2025




5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX

MASK

6025MHz_TX

18/01/2025




6.425-6.525GHz_a20_Nss1,(6Mbps)_1TX

MASK

6475MHz_TX

18/01/2025




6.425-6.525GHz_a40_Nss1,(6Mbps)_1TX

MASK

6525MHz_TX

18/01/2025




6.425-6.525GHz_a80_Nss1,(6Mbps)_1TX

MASK

6465MHz_TX

18/01/2025




6.425-6.525GHz_a160_Nss1,(6Mbps)_1TX

MASK

6505MHz_TX

18/01/2025




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

MASK

6875MHz_TX

18/01/2025




6.525-6.875GHz_a40_Nss1,(6Mbps)_1TX

MASK

6885MHz_TX

18/01/2025




6.525-6.875GHz_a80_Nss1,(6Mbps)_1TX

MASK

6705MHz_TX

18/01/2025




6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX

MASK

6825MHz_TX

18/01/2025




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

MASK

7115MHz_TX

18/01/2025




6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX

MASK

7005MHz_TX

18/01/2025




6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

MASK

7025MHz_TX

18/01/2025




6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX

MASK

6985MHz_TX

18/01/2025





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	37.76M	35.30	40.00	-4.70	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	37.76M	35.30	40.00	-4.70	3	Vertical	0	1.00
6185MHz	Pass	PK	95.96M	27.76	43.50	-15.74	3	Vertical	0	1.00
6185MHz	Pass	PK	249.22M	28.58	46.00	-17.42	3	Vertical	0	1.00
6185MHz	Pass	PK	404.42M	28.91	46.00	-17.09	3	Vertical	0	1.00
6185MHz	Pass	PK	499.48M	31.02	46.00	-14.98	3	Vertical	0	1.00
6185MHz	Pass	PK	594.54M	33.65	46.00	-12.35	3	Vertical	0	1.00
6185MHz	Pass	PK	30M	27.07	40.00	-12.93	3	Horizontal	360	1.00
6185MHz	Pass	PK	171.62M	29.45	43.50	-14.05	3	Horizontal	360	1.00
6185MHz	Pass	PK	249.22M	30.75	46.00	-15.25	3	Horizontal	360	1.00
6185MHz	Pass	PK	379.2M	27.47	46.00	-18.53	3	Horizontal	360	1.00
6185MHz	Pass	PK	468.44M	30.66	46.00	-15.34	3	Horizontal	360	1.00
6185MHz	Pass	PK	551.86M	32.46	46.00	-13.54	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_Adapter



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	12.39958G	43.12	54.00	-10.88	3	Vertical	188	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	12.38058G	42.80	54.00	-11.20	3	Horizontal	348	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	12.39708G	42.10	54.00	-11.90	3	Vertical	179	2.90
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	12.4152G	41.50	54.00	-12.50	3	Vertical	356	2.14
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	12.35176G	42.20	54.00	-11.80	3	Vertical	132	2.23
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	12.68872G	42.30	54.00	-11.70	3	Vertical	357	1.72
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	12.95154G	44.90	68.20	-23.30	3	Vertical	36	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	12.95154G	44.56	68.20	-23.64	3	Vertical	136	1.00
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	12.87008G	43.53	68.20	-24.67	3	Vertical	28	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	12.93048G	43.22	68.20	-24.98	3	Vertical	67	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	12.94616G	43.14	68.20	-25.06	3	Vertical	107	2.21
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	13.32968G	43.53	54.00	-10.47	3	Horizontal	196	2.20
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	13.3993G	45.04	54.00	-8.96	3	Horizontal	174	1.00
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.3994G	44.95	54.00	-9.05	3	Vertical	37	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.37204G	43.88	54.00	-10.12	3	Horizontal	343	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	13.3752G	43.85	54.00	-10.15	3	Vertical	146	1.48
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	13.37528G	43.85	54.00	-10.15	3	Horizontal	76	1.50
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	7.25G	53.35	54.00	-0.65	3	Vertical	204	1.43
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	7.1251G	82.92	88.20	-5.28	3	Vertical	44	1.58
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	7.1255G	66.85	68.20	-1.35	3	Vertical	216	1.67
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	7.2086G	50.90	68.20	-17.30	3	Vertical	216	1.62
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	7.1252G	53.58	68.20	-14.62	3	Vertical	214	1.60
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	7.1265G	59.76	68.20	-8.44	3	Vertical	206	1.49

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8689G	47.26	68.20	-20.94	3	Vertical	50	1.77
5955MHz	Pass	AV	5.9622G	96.96	Inf	-Inf	3	Vertical	50	1.77
5955MHz	Pass	PK	5.8908G	59.76	88.20	-28.44	3	Vertical	50	1.77
5955MHz	Pass	PK	5.955G	109.04	Inf	-Inf	3	Vertical	50	1.77
5955MHz	Pass	AV	11.90136G	42.04	54.00	-11.96	3	Vertical	156	1.50
5955MHz	Pass	PK	11.90636G	55.70	74.00	-18.30	3	Vertical	156	1.50
5955MHz	Pass	AV	11.90136G	41.98	54.00	-12.02	3	Horizontal	128	2.87
5955MHz	Pass	PK	11.90098G	56.10	74.00	-17.90	3	Horizontal	128	2.87
6195MHz	Pass	AV	12.39958G	43.12	54.00	-10.88	3	Vertical	188	1.50
6195MHz	Pass	PK	12.38106G	57.91	74.00	-16.09	3	Vertical	188	1.50
6195MHz	Pass	AV	12.38162G	43.08	54.00	-10.92	3	Horizontal	27	1.50
6195MHz	Pass	PK	12.38724G	57.04	74.00	-16.96	3	Horizontal	27	1.50
6415MHz	Pass	AV	12.8374G	44.68	68.20	-23.52	3	Vertical	353	2.83
6415MHz	Pass	PK	12.825G	58.83	88.20	-29.37	3	Vertical	353	2.83
6415MHz	Pass	AV	12.8371G	44.65	68.20	-23.55	3	Horizontal	217	2.55
6415MHz	Pass	PK	12.83232G	58.52	88.20	-29.68	3	Horizontal	217	2.55
6435MHz	Pass	AV	12.86804G	44.70	68.20	-23.50	3	Vertical	115	2.35
6435MHz	Pass	PK	12.87982G	58.94	88.20	-29.26	3	Vertical	115	2.35
6435MHz	Pass	AV	12.86804G	44.61	68.20	-23.59	3	Horizontal	111	1.00
6435MHz	Pass	PK	12.86636G	58.14	88.20	-30.06	3	Horizontal	111	1.00
6475MHz	Pass	AV	12.95154G	44.90	68.20	-23.30	3	Vertical	36	1.50
6475MHz	Pass	PK	12.94322G	58.82	88.20	-29.38	3	Vertical	36	1.50
6475MHz	Pass	AV	12.95908G	44.54	68.20	-23.66	3	Horizontal	333	1.50
6475MHz	Pass	PK	12.94502G	58.88	88.20	-29.32	3	Horizontal	333	1.50
6515MHz	Pass	AV	13.03004G	44.56	68.20	-23.64	3	Vertical	54	1.50
6515MHz	Pass	PK	13.02766G	57.94	88.20	-30.26	3	Vertical	54	1.50
6515MHz	Pass	AV	13.02234G	44.23	68.20	-23.97	3	Horizontal	344	1.50
6515MHz	Pass	PK	13.0352G	57.90	88.20	-30.30	3	Horizontal	344	1.50
6535MHz	Pass	AV	13.0704G	44.53	68.20	-23.67	3	Vertical	237	1.79
6535MHz	Pass	PK	13.06252G	58.13	88.20	-30.07	3	Vertical	237	1.79
6535MHz	Pass	AV	13.06G	43.74	68.20	-24.46	3	Horizontal	304	1.50
6535MHz	Pass	PK	13.06396G	57.60	88.20	-30.60	3	Horizontal	304	1.50
6695MHz	Pass	AV	13.39894G	45.01	54.00	-8.99	3	Vertical	181	1.13
6695MHz	Pass	PK	13.39086G	58.89	74.00	-15.11	3	Vertical	181	1.13
6695MHz	Pass	AV	13.3993G	45.04	54.00	-8.96	3	Horizontal	174	1.00
6695MHz	Pass	PK	13.39678G	58.98	74.00	-15.02	3	Horizontal	174	1.00
6875MHz	Pass	AV	13.74946G	47.17	68.20	-21.03	3	Vertical	320	2.76
6875MHz	Pass	PK	13.74424G	60.89	88.20	-27.31	3	Vertical	320	2.76
6875MHz	Pass	AV	13.74886G	47.17	68.20	-21.03	3	Horizontal	89	1.82
6875MHz	Pass	PK	13.74148G	61.06	88.20	-27.14	3	Horizontal	89	1.82
6895MHz	Pass	AV	13.7982G	47.27	68.20	-20.93	3	Vertical	155	1.18
6895MHz	Pass	PK	13.79524G	61.25	88.20	-26.95	3	Vertical	155	1.18
6895MHz	Pass	AV	13.7984G	47.29	68.20	-20.91	3	Horizontal	103	1.50
6895MHz	Pass	PK	13.792G	61.44	88.20	-26.76	3	Horizontal	103	1.50
6995MHz	Pass	AV	13.98992G	48.13	68.20	-20.07	3	Vertical	24	2.05
6995MHz	Pass	PK	13.98234G	62.18	88.20	-26.02	3	Vertical	24	2.05
6995MHz	Pass	AV	13.98822G	48.13	68.20	-20.07	3	Horizontal	269	1.50
6995MHz	Pass	PK	13.9917G	62.42	88.20	-25.78	3	Horizontal	269	1.50
7095MHz	Pass	AV	7.0929G	97.50	Inf	-Inf	3	Vertical	73	1.72
7095MHz	Pass	AV	7.1988G	50.85	68.20	-17.35	3	Vertical	73	1.72
7095MHz	Pass	PK	7.0962G	109.01	Inf	-Inf	3	Vertical	73	1.72
7095MHz	Pass	PK	7.2192G	63.95	88.20	-24.25	3	Vertical	73	1.72
7095MHz	Pass	AV	14.1806G	47.11	68.20	-21.09	3	Vertical	179	3.00
7095MHz	Pass	PK	14.19498G	61.26	88.20	-26.94	3	Vertical	179	3.00
7095MHz	Pass	AV	14.18066G	47.11	68.20	-21.09	3	Horizontal	230	2.65
7095MHz	Pass	PK	14.1975G	60.61	88.20	-27.59	3	Horizontal	230	2.65
7115MHz	Pass	AV	7.1111G	89.61	Inf	-Inf	3	Vertical	44	1.58
7115MHz	Pass	AV	7.125G	60.96	68.20	-7.24	3	Vertical	44	1.58
7115MHz	Pass	PK	7.1106G	100.96	Inf	-Inf	3	Vertical	44	1.58
7115MHz	Pass	PK	7.1251G	82.92	88.20	-5.28	3	Vertical	44	1.58

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.2259G	46.58	68.20	-21.62	3	Vertical	360	2.27
7115MHz	Pass	PK	14.22114G	60.36	88.20	-27.84	3	Vertical	360	2.27
7115MHz	Pass	AV	14.226G	46.59	68.20	-21.61	3	Horizontal	113	1.50
7115MHz	Pass	PK	14.23336G	60.70	88.20	-27.50	3	Horizontal	113	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	47.26	68.20	-20.94	3	Vertical	201	1.78
5955MHz	Pass	AV	5.9622G	97.39	Inf	-Inf	3	Vertical	201	1.78
5955MHz	Pass	PK	5.826G	59.63	88.20	-28.57	3	Vertical	201	1.78
5955MHz	Pass	PK	5.9583G	109.88	Inf	-Inf	3	Vertical	201	1.78
5955MHz	Pass	AV	11.9014G	41.87	54.00	-12.13	3	Vertical	130	1.50
5955MHz	Pass	PK	11.91922G	55.63	74.00	-18.37	3	Vertical	130	1.50
5955MHz	Pass	AV	11.90324G	41.88	54.00	-12.12	3	Horizontal	99	1.40
5955MHz	Pass	PK	11.91456G	55.84	74.00	-18.16	3	Horizontal	99	1.40
6195MHz	Pass	AV	12.38192G	42.78	54.00	-11.22	3	Vertical	241	1.50
6195MHz	Pass	PK	12.3869G	56.54	74.00	-17.46	3	Vertical	241	1.50
6195MHz	Pass	AV	12.38058G	42.80	54.00	-11.20	3	Horizontal	348	1.50
6195MHz	Pass	PK	12.39506G	56.46	74.00	-17.54	3	Horizontal	348	1.50
6415MHz	Pass	AV	12.83976G	44.41	68.20	-23.79	3	Vertical	128	1.50
6415MHz	Pass	PK	12.83534G	58.36	88.20	-29.84	3	Vertical	128	1.50
6415MHz	Pass	AV	12.83764G	44.40	68.20	-23.80	3	Horizontal	22	1.50
6415MHz	Pass	PK	12.82942G	58.44	88.20	-29.76	3	Horizontal	22	1.50
6435MHz	Pass	AV	12.87282G	44.44	68.20	-23.76	3	Vertical	231	1.99
6435MHz	Pass	PK	12.87304G	59.58	88.20	-28.62	3	Vertical	231	1.99
6435MHz	Pass	AV	12.87534G	44.45	68.20	-23.75	3	Horizontal	150	1.50
6435MHz	Pass	PK	12.87054G	58.90	88.20	-29.30	3	Horizontal	150	1.50
6475MHz	Pass	AV	12.95154G	44.56	68.20	-23.64	3	Vertical	136	1.00
6475MHz	Pass	PK	12.95554G	58.18	88.20	-30.02	3	Vertical	136	1.00
6475MHz	Pass	AV	12.95408G	44.40	68.20	-23.80	3	Horizontal	307	1.00
6475MHz	Pass	PK	12.94254G	58.09	88.20	-30.11	3	Horizontal	307	1.00
6515MHz	Pass	AV	13.03006G	44.52	68.20	-23.68	3	Vertical	236	1.67
6515MHz	Pass	PK	13.0312G	58.15	88.20	-30.05	3	Vertical	236	1.67
6515MHz	Pass	AV	13.03008G	44.26	68.20	-23.94	3	Horizontal	126	2.54
6515MHz	Pass	PK	13.02262G	58.36	88.20	-29.84	3	Horizontal	126	2.54
6535MHz	Pass	AV	13.06784G	44.13	68.20	-24.07	3	Vertical	84	1.77
6535MHz	Pass	PK	13.06652G	58.19	88.20	-30.01	3	Vertical	84	1.77
6535MHz	Pass	AV	13.06556G	43.68	68.20	-24.52	3	Horizontal	212	1.50
6535MHz	Pass	PK	13.07654G	57.60	88.20	-30.60	3	Horizontal	212	1.50
6695MHz	Pass	AV	13.3994G	44.95	54.00	-9.05	3	Vertical	37	1.50
6695MHz	Pass	PK	13.38622G	58.49	74.00	-15.51	3	Vertical	37	1.50
6695MHz	Pass	AV	13.3966G	44.93	54.00	-9.07	3	Horizontal	77	1.50
6695MHz	Pass	PK	13.38874G	59.07	74.00	-14.93	3	Horizontal	77	1.50
6875MHz	Pass	AV	13.74898G	47.14	68.20	-21.06	3	Vertical	202	1.50
6875MHz	Pass	PK	13.7449G	60.86	88.20	-27.34	3	Vertical	202	1.50
6875MHz	Pass	AV	13.75672G	47.14	68.20	-21.06	3	Horizontal	281	1.47
6875MHz	Pass	PK	13.7548G	61.42	88.20	-26.78	3	Horizontal	281	1.47
6895MHz	Pass	AV	13.79818G	47.24	68.20	-20.96	3	Vertical	360	1.67
6895MHz	Pass	PK	13.7912G	61.27	88.20	-26.93	3	Vertical	360	1.67
6895MHz	Pass	AV	13.7983G	47.26	68.20	-20.94	3	Horizontal	128	1.50
6895MHz	Pass	PK	13.79976G	61.62	88.20	-26.58	3	Horizontal	128	1.50
6995MHz	Pass	AV	13.98958G	48.13	68.20	-20.07	3	Vertical	63	1.50
6995MHz	Pass	PK	13.98954G	62.49	88.20	-25.71	3	Vertical	63	1.50
6995MHz	Pass	AV	13.9897G	48.13	68.20	-20.07	3	Horizontal	199	2.08
6995MHz	Pass	PK	13.98412G	63.19	88.20	-25.01	3	Horizontal	199	2.08
7095MHz	Pass	AV	7.0929G	96.88	Inf	-Inf	3	Vertical	73	1.72
7095MHz	Pass	AV	7.1982G	50.85	68.20	-17.35	3	Vertical	73	1.72
7095MHz	Pass	PK	7.1025G	109.69	Inf	-Inf	3	Vertical	73	1.72
7095MHz	Pass	PK	7.2129G	63.48	88.20	-24.72	3	Vertical	73	1.72
7095MHz	Pass	AV	14.18098G	47.07	68.20	-21.13	3	Vertical	319	2.32
7095MHz	Pass	PK	14.189G	61.07	88.20	-27.13	3	Vertical	319	2.32
7095MHz	Pass	AV	14.18074G	47.05	68.20	-21.15	3	Horizontal	79	1.50
7095MHz	Pass	PK	14.1877G	60.97	88.20	-27.23	3	Horizontal	79	1.50
7115MHz	Pass	AV	7.1095G	94.33	Inf	-Inf	3	Vertical	216	1.67

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	7.1255G	66.85	68.20	-1.35	3	Vertical	216	1.67
7115MHz	Pass	PK	7.1095G	100.72	Inf	-Inf	3	Vertical	216	1.67
7115MHz	Pass	PK	7.1255G	77.96	88.20	-10.24	3	Vertical	216	1.67
7115MHz	Pass	AV	14.22132G	46.52	68.20	-21.68	3	Vertical	351	1.00
7115MHz	Pass	PK	14.236G	60.03	88.20	-28.17	3	Vertical	351	1.00
7115MHz	Pass	AV	14.22582G	46.52	68.20	-21.68	3	Horizontal	3	1.50
7115MHz	Pass	PK	14.22682G	60.25	88.20	-27.95	3	Horizontal	3	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9239G	49.79	68.20	-18.41	3	Vertical	51	1.70
5965MHz	Pass	AV	5.9698G	96.68	Inf	-Inf	3	Vertical	51	1.70
5965MHz	Pass	PK	5.9215G	70.65	88.20	-17.55	3	Vertical	51	1.70
5965MHz	Pass	PK	5.9689G	109.72	Inf	-Inf	3	Vertical	51	1.70
5965MHz	Pass	AV	11.9296G	40.75	54.00	-13.25	3	Vertical	0	1.50
5965MHz	Pass	PK	11.92476G	54.05	74.00	-19.95	3	Vertical	0	1.50
5965MHz	Pass	AV	11.93284G	40.54	54.00	-13.46	3	Horizontal	131	1.50
5965MHz	Pass	PK	11.92988G	54.18	74.00	-19.82	3	Horizontal	131	1.50
6205MHz	Pass	AV	12.39708G	42.10	54.00	-11.90	3	Vertical	179	2.90
6205MHz	Pass	PK	12.39556G	55.71	74.00	-18.29	3	Vertical	179	2.90
6205MHz	Pass	AV	12.392G	41.96	54.00	-12.04	3	Horizontal	20	1.50
6205MHz	Pass	PK	12.41364G	56.19	74.00	-17.81	3	Horizontal	20	1.50
6405MHz	Pass	AV	12.82696G	43.59	68.20	-24.61	3	Vertical	26	3.00
6405MHz	Pass	PK	12.79656G	57.29	88.20	-30.91	3	Vertical	26	3.00
6405MHz	Pass	AV	12.82956G	43.57	68.20	-24.63	3	Horizontal	98	1.50
6405MHz	Pass	PK	12.81032G	57.47	88.20	-30.73	3	Horizontal	98	1.50
6445MHz	Pass	AV	12.87008G	43.53	68.20	-24.67	3	Vertical	28	1.50
6445MHz	Pass	PK	12.88064G	57.65	88.20	-30.55	3	Vertical	28	1.50
6445MHz	Pass	AV	12.87068G	43.49	68.20	-24.71	3	Horizontal	0	1.40
6445MHz	Pass	PK	12.90976G	57.15	88.20	-31.05	3	Horizontal	0	1.40
6485MHz	Pass	AV	12.95144G	43.16	68.20	-25.04	3	Vertical	86	1.45
6485MHz	Pass	PK	12.95988G	56.55	88.20	-31.65	3	Vertical	86	1.45
6485MHz	Pass	AV	12.95676G	43.08	68.20	-25.12	3	Horizontal	247	1.50
6485MHz	Pass	PK	12.97648G	57.01	88.20	-31.19	3	Horizontal	247	1.50
6525MHz	Pass	AV	13.0492G	43.21	68.20	-24.99	3	Vertical	213	1.66
6525MHz	Pass	PK	13.04092G	57.16	88.20	-31.04	3	Vertical	213	1.66
6525MHz	Pass	AV	13.03004G	42.56	68.20	-25.64	3	Horizontal	277	2.67
6525MHz	Pass	PK	13.03264G	56.11	88.20	-32.09	3	Horizontal	277	2.67
6565MHz	Pass	AV	13.1278G	43.07	68.20	-25.13	3	Vertical	213	1.49
6565MHz	Pass	PK	13.14864G	56.59	88.20	-31.61	3	Vertical	213	1.49
6565MHz	Pass	AV	13.12624G	42.34	68.20	-25.86	3	Horizontal	200	1.31
6565MHz	Pass	PK	13.11688G	56.34	88.20	-31.86	3	Horizontal	200	1.31
6685MHz	Pass	AV	13.37508G	43.86	54.00	-10.14	3	Vertical	159	1.50
6685MHz	Pass	PK	13.36736G	57.29	74.00	-16.71	3	Vertical	159	1.50
6685MHz	Pass	AV	13.37204G	43.88	54.00	-10.12	3	Horizontal	343	1.50
6685MHz	Pass	PK	13.36356G	57.17	74.00	-16.83	3	Horizontal	343	1.50
6885MHz	Pass	AV	13.7898G	46.46	68.20	-21.74	3	Vertical	29	2.39
6885MHz	Pass	PK	13.75976G	60.73	88.20	-27.47	3	Vertical	29	2.39
6885MHz	Pass	AV	13.78984G	46.47	68.20	-21.73	3	Horizontal	27	1.50
6885MHz	Pass	PK	13.76168G	60.72	88.20	-27.48	3	Horizontal	27	1.50
6925MHz	Pass	AV	13.8482G	47.16	68.20	-21.04	3	Vertical	278	1.50
6925MHz	Pass	PK	13.85656G	60.93	88.20	-27.27	3	Vertical	278	1.50
6925MHz	Pass	AV	13.84608G	47.16	68.20	-21.04	3	Horizontal	46	2.59
6925MHz	Pass	PK	13.85148G	61.35	88.20	-26.85	3	Horizontal	46	2.59
7005MHz	Pass	AV	13.99088G	47.24	68.20	-20.96	3	Vertical	327	1.50
7005MHz	Pass	PK	13.99096G	61.29	88.20	-26.91	3	Vertical	327	1.50
7005MHz	Pass	AV	13.99064G	47.21	68.20	-20.99	3	Horizontal	338	2.50
7005MHz	Pass	PK	14.01964G	60.57	88.20	-27.63	3	Horizontal	338	2.50
7085MHz	Pass	AV	7.0775G	95.09	Inf	-Inf	3	Vertical	216	1.62
7085MHz	Pass	AV	7.2086G	50.90	68.20	-17.30	3	Vertical	216	1.62
7085MHz	Pass	PK	7.0745G	109.10	Inf	-Inf	3	Vertical	216	1.62
7085MHz	Pass	PK	7.151G	63.91	88.20	-24.29	3	Vertical	216	1.62
7085MHz	Pass	AV	14.15356G	46.19	68.20	-22.01	3	Vertical	290	1.75
7085MHz	Pass	PK	14.1532G	59.50	88.20	-28.70	3	Vertical	290	1.75

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	14.15216G	46.18	68.20	-22.02	3	Horizontal	158	2.21
7085MHz	Pass	PK	14.17436G	59.89	88.20	-28.31	3	Horizontal	158	2.21
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	53.21	68.20	-14.99	3	Vertical	50	1.83
5985MHz	Pass	AV	5.995G	94.43	Inf	-Inf	3	Vertical	50	1.83
5985MHz	Pass	PK	5.9165G	72.88	88.20	-15.32	3	Vertical	50	1.83
5985MHz	Pass	PK	5.971G	107.28	Inf	-Inf	3	Vertical	50	1.83
5985MHz	Pass	AV	11.94744G	40.21	54.00	-13.79	3	Vertical	160	1.50
5985MHz	Pass	PK	11.97064G	54.18	74.00	-19.82	3	Vertical	160	1.50
5985MHz	Pass	AV	11.93192G	40.21	54.00	-13.79	3	Horizontal	79	1.50
5985MHz	Pass	PK	11.94088G	54.68	74.00	-19.32	3	Horizontal	79	1.50
6225MHz	Pass	AV	12.4152G	41.50	54.00	-12.50	3	Vertical	356	2.14
6225MHz	Pass	PK	12.4352G	54.97	74.00	-19.03	3	Vertical	356	2.14
6225MHz	Pass	AV	12.41688G	41.49	54.00	-12.51	3	Horizontal	47	2.87
6225MHz	Pass	PK	12.43792G	55.12	74.00	-18.88	3	Horizontal	47	2.87
6385MHz	Pass	AV	12.8092G	42.84	68.20	-25.36	3	Vertical	137	2.74
6385MHz	Pass	PK	12.77696G	56.66	88.20	-31.54	3	Vertical	137	2.74
6385MHz	Pass	AV	12.8092G	42.88	68.20	-25.32	3	Horizontal	0	1.50
6385MHz	Pass	PK	12.78176G	56.26	88.20	-31.94	3	Horizontal	0	1.50
6465MHz	Pass	AV	12.93048G	43.22	68.20	-24.98	3	Vertical	67	1.50
6465MHz	Pass	PK	12.96272G	56.57	88.20	-31.63	3	Vertical	67	1.50
6465MHz	Pass	AV	12.95312G	43.21	68.20	-24.99	3	Horizontal	175	1.50
6465MHz	Pass	PK	12.94048G	56.72	88.20	-31.48	3	Horizontal	175	1.50
6545MHz	Pass	AV	13.0676G	42.83	68.20	-25.37	3	Vertical	47	1.62
6545MHz	Pass	PK	13.0516G	56.30	88.20	-31.90	3	Vertical	47	1.62
6545MHz	Pass	AV	13.0656G	42.29	68.20	-25.91	3	Horizontal	108	1.50
6545MHz	Pass	PK	13.08936G	55.67	88.20	-32.53	3	Horizontal	108	1.50
6625MHz	Pass	AV	13.26712G	43.18	54.00	-10.82	3	Vertical	182	1.87
6625MHz	Pass	PK	13.26496G	56.54	74.00	-17.46	3	Vertical	182	1.87
6625MHz	Pass	AV	13.26528G	43.20	54.00	-10.80	3	Horizontal	163	3.00
6625MHz	Pass	PK	13.26288G	56.61	74.00	-17.39	3	Horizontal	163	3.00
6705MHz	Pass	AV	13.3752G	43.85	54.00	-10.15	3	Vertical	146	1.48
6705MHz	Pass	PK	13.3664G	57.87	74.00	-16.13	3	Vertical	146	1.48
6705MHz	Pass	AV	13.37448G	43.85	54.00	-10.15	3	Horizontal	181	3.00
6705MHz	Pass	PK	13.37016G	56.87	74.00	-17.13	3	Horizontal	181	3.00
6785MHz	Pass	AV	13.53464G	42.97	68.20	-25.23	3	Vertical	355	1.50
6785MHz	Pass	PK	13.55144G	56.93	88.20	-31.27	3	Vertical	355	1.50
6785MHz	Pass	AV	13.53224G	42.99	68.20	-25.21	3	Horizontal	30	1.50
6785MHz	Pass	PK	13.54336G	56.83	88.20	-31.37	3	Horizontal	30	1.50
6865MHz	Pass	AV	13.76872G	46.37	68.20	-21.83	3	Vertical	203	1.50
6865MHz	Pass	PK	13.7464G	59.80	88.20	-28.40	3	Vertical	203	1.50
6865MHz	Pass	AV	13.7532G	46.37	68.20	-21.83	3	Horizontal	136	1.50
6865MHz	Pass	PK	13.74392G	60.36	88.20	-27.84	3	Horizontal	136	1.50
6945MHz	Pass	AV	13.8564G	47.17	68.20	-21.03	3	Vertical	281	1.86
6945MHz	Pass	PK	13.8648G	60.97	88.20	-27.23	3	Vertical	281	1.86
6945MHz	Pass	AV	13.86704G	47.17	68.20	-21.03	3	Horizontal	40	1.50
6945MHz	Pass	PK	13.85488G	61.55	88.20	-26.65	3	Horizontal	40	1.50
7025MHz	Pass	AV	7.0112G	95.09	Inf	-Inf	3	Vertical	214	1.60
7025MHz	Pass	AV	7.1252G	53.58	68.20	-14.62	3	Vertical	214	1.60
7025MHz	Pass	PK	7.0511G	108.33	Inf	-Inf	3	Vertical	214	1.60
7025MHz	Pass	PK	7.1255G	70.34	88.20	-17.86	3	Vertical	214	1.60
7025MHz	Pass	AV	14.01112G	47.09	68.20	-21.11	3	Vertical	99	1.99
7025MHz	Pass	PK	14.01624G	60.29	88.20	-27.91	3	Vertical	99	1.99
7025MHz	Pass	AV	14.01152G	47.12	68.20	-21.08	3	Horizontal	307	1.50
7025MHz	Pass	PK	14.0432G	60.38	88.20	-27.82	3	Horizontal	307	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	53.01	68.20	-15.19	3	Vertical	200	1.76
6025MHz	Pass	AV	6G	91.10	Inf	-Inf	3	Vertical	200	1.76
6025MHz	Pass	PK	5.922G	68.91	88.20	-19.29	3	Vertical	200	1.76
6025MHz	Pass	PK	5.9745G	104.28	Inf	-Inf	3	Vertical	200	1.76
6025MHz	Pass	AV	12.02872G	40.67	54.00	-13.33	3	Vertical	123	1.50
6025MHz	Pass	PK	12.04152G	54.08	74.00	-19.92	3	Vertical	123	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.02776G	40.64	54.00	-13.36	3	Horizontal	135	1.82
6025MHz	Pass	PK	12.0844G	54.26	74.00	-19.74	3	Horizontal	135	1.82
6185MHz	Pass	AV	12.35176G	42.20	54.00	-11.80	3	Vertical	132	2.23
6185MHz	Pass	PK	12.35448G	55.09	74.00	-18.91	3	Vertical	132	2.23
6185MHz	Pass	AV	12.35144G	42.18	54.00	-11.82	3	Horizontal	360	1.50
6185MHz	Pass	PK	12.38456G	55.15	74.00	-18.85	3	Horizontal	360	1.50
6345MHz	Pass	AV	12.76568G	42.80	68.20	-25.40	3	Vertical	339	1.50
6345MHz	Pass	PK	12.71752G	56.72	88.20	-31.48	3	Vertical	339	1.50
6345MHz	Pass	AV	12.7668G	42.78	68.20	-25.42	3	Horizontal	127	1.50
6345MHz	Pass	PK	12.71688G	56.10	88.20	-32.10	3	Horizontal	127	1.50
6505MHz	Pass	AV	12.94616G	43.14	68.20	-25.06	3	Vertical	107	2.21
6505MHz	Pass	PK	12.98152G	56.61	88.20	-31.59	3	Vertical	107	2.21
6505MHz	Pass	AV	12.94616G	43.12	68.20	-25.08	3	Horizontal	0	1.50
6505MHz	Pass	PK	13.00152G	56.42	88.20	-31.78	3	Horizontal	0	1.50
6665MHz	Pass	AV	13.37464G	43.83	54.00	-10.17	3	Vertical	360	1.50
6665MHz	Pass	PK	13.36776G	57.29	74.00	-16.71	3	Vertical	360	1.50
6665MHz	Pass	AV	13.37528G	43.85	54.00	-10.15	3	Horizontal	76	1.50
6665MHz	Pass	PK	13.3892G	57.21	74.00	-16.79	3	Horizontal	76	1.50
6825MHz	Pass	AV	13.57048G	46.25	68.20	-21.95	3	Vertical	182	1.50
6825MHz	Pass	PK	13.57416G	59.34	88.20	-28.86	3	Vertical	182	1.50
6825MHz	Pass	AV	13.57032G	46.30	68.20	-21.90	3	Horizontal	158	1.16
6825MHz	Pass	PK	13.57112G	59.55	88.20	-28.65	3	Horizontal	158	1.16
6985MHz	Pass	AV	6.9565G	92.61	Inf	-Inf	3	Vertical	206	1.49
6985MHz	Pass	AV	7.1265G	59.76	68.20	-8.44	3	Vertical	206	1.49
6985MHz	Pass	PK	6.925G	105.88	Inf	-Inf	3	Vertical	206	1.49
6985MHz	Pass	PK	7.133G	76.38	88.20	-11.82	3	Vertical	206	1.49
6985MHz	Pass	AV	13.94808G	47.29	68.20	-20.91	3	Vertical	27	1.50
6985MHz	Pass	PK	13.98056G	61.37	88.20	-26.83	3	Vertical	27	1.50
6985MHz	Pass	AV	13.9476G	47.30	68.20	-20.90	3	Horizontal	113	2.19
6985MHz	Pass	PK	13.98904G	61.14	88.20	-27.06	3	Horizontal	113	2.19
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	52.06	68.20	-16.14	3	Vertical	215	1.74
6105MHz	Pass	AV	6.262G	83.96	Inf	-Inf	3	Vertical	215	1.74
6105MHz	Pass	PK	5.925G	68.36	88.20	-19.84	3	Vertical	215	1.74
6105MHz	Pass	PK	6.252G	102.57	Inf	-Inf	3	Vertical	215	1.74
6105MHz	Pass	AV	12.35112G	42.19	54.00	-11.81	3	Vertical	317	2.36
6105MHz	Pass	PK	12.33032G	55.85	74.00	-18.15	3	Vertical	317	2.36
6105MHz	Pass	AV	12.3524G	42.13	54.00	-11.87	3	Horizontal	82	1.34
6105MHz	Pass	PK	12.30056G	55.27	74.00	-18.73	3	Horizontal	82	1.34
6265MHz	Pass	AV	12.68872G	42.30	54.00	-11.70	3	Vertical	357	1.72
6265MHz	Pass	PK	12.6788G	55.19	74.00	-18.81	3	Vertical	357	1.72
6265MHz	Pass	AV	12.68616G	42.30	54.00	-11.70	3	Horizontal	211	2.70
6265MHz	Pass	PK	12.68456G	55.27	74.00	-18.73	3	Horizontal	211	2.70
6425MHz	Pass	AV	12.83688G	43.36	68.20	-24.84	3	Vertical	9	1.50
6425MHz	Pass	PK	12.82184G	56.76	88.20	-31.44	3	Vertical	9	1.50
6425MHz	Pass	AV	12.83304G	43.37	68.20	-24.83	3	Horizontal	239	1.50
6425MHz	Pass	PK	12.81368G	56.68	88.20	-31.52	3	Horizontal	239	1.50
6585MHz	Pass	AV	13.32968G	43.50	54.00	-10.50	3	Vertical	145	1.50
6585MHz	Pass	PK	13.30696G	56.88	74.00	-17.12	3	Vertical	145	1.50
6585MHz	Pass	AV	13.32968G	43.53	54.00	-10.47	3	Horizontal	196	2.20
6585MHz	Pass	PK	13.3388G	56.76	74.00	-17.24	3	Horizontal	196	2.20
6745MHz	Pass	AV	13.37416G	43.87	54.00	-10.13	3	Vertical	303	1.50
6745MHz	Pass	PK	13.3564G	57.01	74.00	-16.99	3	Vertical	303	1.50
6745MHz	Pass	AV	13.37448G	43.86	54.00	-10.14	3	Horizontal	123	1.50
6745MHz	Pass	PK	13.33416G	56.62	74.00	-17.38	3	Horizontal	123	1.50
6905MHz	Pass	AV	6.802G	84.53	Inf	-Inf	3	Vertical	204	1.43
6905MHz	Pass	AV	7.25G	53.35	54.00	-0.65	3	Vertical	204	1.43
6905MHz	Pass	PK	6.812G	103.17	Inf	-Inf	3	Vertical	204	1.43
6905MHz	Pass	PK	7.259G	65.42	74.00	-8.58	3	Vertical	204	1.43
6905MHz	Pass	AV	13.85624G	47.43	68.20	-20.77	3	Vertical	343	1.50
6905MHz	Pass	PK	13.8788G	60.43	88.20	-27.77	3	Vertical	343	1.50
6905MHz	Pass	AV	13.85912G	47.38	68.20	-20.82	3	Horizontal	124	1.00




RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	13.87144G	61.13	88.20	-27.07	3	Horizontal	124	1.00


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_1TX

6475MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_1TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6585MHz Straddle 6.425-6.525GHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz Straddle 6.525-6.875GHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_1TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_1TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	41.64M	36.63	40.00	-3.37	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	41.64M	36.63	40.00	-3.37	3	Vertical	360	1.00
6185MHz	Pass	PK	113.42M	27.97	43.50	-15.53	3	Vertical	360	1.00
6185MHz	Pass	PK	249.22M	27.93	46.00	-18.07	3	Vertical	360	1.00
6185MHz	Pass	PK	371.44M	27.32	46.00	-18.68	3	Vertical	360	1.00
6185MHz	Pass	PK	495.6M	30.14	46.00	-15.86	3	Vertical	360	1.00
6185MHz	Pass	PK	598.42M	33.37	46.00	-12.63	3	Vertical	360	1.00
6185MHz	Pass	PK	30M	26.81	40.00	-13.19	3	Horizontal	0	1.00
6185MHz	Pass	PK	177.44M	29.81	43.50	-13.69	3	Horizontal	0	1.00
6185MHz	Pass	PK	249.22M	31.52	46.00	-14.48	3	Horizontal	0	1.00
6185MHz	Pass	PK	350.1M	27.97	46.00	-18.03	3	Horizontal	0	1.00
6185MHz	Pass	PK	458.74M	29.53	46.00	-16.47	3	Horizontal	0	1.00
6185MHz	Pass	PK	544.1M	31.72	46.00	-14.28	3	Horizontal	0	1.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Adapter





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.38196G	41.32	54.00	-12.68	3	Horizontal	97	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38932G	41.28	54.00	-12.72	3	Vertical	212	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.3918G	41.42	54.00	-12.58	3	Vertical	308	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.42224G	41.38	54.00	-12.62	3	Horizontal	117	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.923G	56.66	68.20	-11.54	3	Vertical	20	1.68
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.34376G	42.15	54.00	-11.85	3	Vertical	270	1.05
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.87018G	42.98	68.20	-25.22	3	Vertical	119	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.87044G	43.07	68.20	-25.13	3	Horizontal	86	2.63
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.87004G	43.22	68.20	-24.98	3	Vertical	102	1.48
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.89048G	43.14	68.20	-25.06	3	Horizontal	315	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.94392G	42.99	68.20	-25.21	3	Vertical	3	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	13.17872G	43.34	68.20	-24.86	3	Vertical	149	2.31
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.38216G	43.37	54.00	-10.63	3	Vertical	210	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.3821G	43.41	54.00	-10.59	3	Horizontal	323	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.37484G	43.67	54.00	-10.33	3	Horizontal	138	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.26624G	43.14	54.00	-10.86	3	Horizontal	303	1.03
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.37448G	43.73	54.00	-10.27	3	Horizontal	32	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.1665G	62.05	68.20	-6.15	3	Vertical	42	1.83
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	7.1251G	82.90	88.20	-5.30	3	Vertical	47	1.73
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	68.05	68.20	-0.15	3	Vertical	28	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	7.2011G	51.02	68.20	-17.18	3	Vertical	24	1.44
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.1462G	51.08	68.20	-17.12	3	Vertical	25	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.1365G	57.23	68.20	-10.97	3	Vertical	25	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8794G	47.16	68.20	-21.04	3	Vertical	20	1.70
5955MHz	Pass	AV	5.961G	96.03	Inf	-Inf	3	Vertical	20	1.70
5955MHz	Pass	PK	5.8758G	60.69	88.20	-27.51	3	Vertical	20	1.70
5955MHz	Pass	PK	5.9619G	105.75	Inf	-Inf	3	Vertical	20	1.70
5955MHz	Pass	AV	11.90144G	39.94	54.00	-14.06	3	Vertical	98	1.50
5955MHz	Pass	PK	11.91682G	54.43	74.00	-19.57	3	Vertical	98	1.50
5955MHz	Pass	AV	11.90142G	39.91	54.00	-14.09	3	Horizontal	215	1.50
5955MHz	Pass	PK	11.9105G	54.18	74.00	-19.82	3	Horizontal	215	1.50
6195MHz	Pass	AV	12.38004G	41.29	54.00	-12.71	3	Vertical	17	2.62
6195MHz	Pass	PK	12.38942G	54.69	74.00	-19.31	3	Vertical	17	2.62
6195MHz	Pass	AV	12.38196G	41.32	54.00	-12.68	3	Horizontal	97	1.50
6195MHz	Pass	PK	12.39098G	55.10	74.00	-18.90	3	Horizontal	97	1.50
6415MHz	Pass	AV	12.83204G	43.04	68.20	-25.16	3	Vertical	118	2.52
6415MHz	Pass	PK	12.82906G	57.66	88.20	-30.54	3	Vertical	118	2.52
6415MHz	Pass	AV	12.83206G	43.04	68.20	-25.16	3	Horizontal	259	1.30
6415MHz	Pass	PK	12.82286G	56.17	88.20	-32.03	3	Horizontal	259	1.30
6435MHz	Pass	AV	12.87018G	42.98	68.20	-25.22	3	Vertical	119	1.50
6435MHz	Pass	PK	12.87098G	57.21	88.20	-30.99	3	Vertical	119	1.50
6435MHz	Pass	AV	12.86256G	42.98	68.20	-25.22	3	Horizontal	225	1.21
6435MHz	Pass	PK	12.87966G	56.58	88.20	-31.62	3	Horizontal	225	1.21
6475MHz	Pass	AV	12.95136G	42.66	68.20	-25.54	3	Vertical	360	1.50
6475MHz	Pass	PK	12.94984G	56.74	88.20	-31.46	3	Vertical	360	1.50
6475MHz	Pass	AV	12.94404G	42.68	68.20	-25.52	3	Horizontal	193	1.50
6475MHz	Pass	PK	12.95304G	57.12	88.20	-31.08	3	Horizontal	193	1.50
6515MHz	Pass	AV	13.0228G	42.33	68.20	-25.87	3	Vertical	252	1.50
6515MHz	Pass	PK	13.0285G	56.23	88.20	-31.97	3	Vertical	252	1.50
6515MHz	Pass	AV	13.02316G	42.31	68.20	-25.89	3	Horizontal	51	1.50
6515MHz	Pass	PK	13.02388G	56.07	88.20	-32.13	3	Horizontal	51	1.50
6535MHz	Pass	AV	13.0655G	42.10	68.20	-26.10	3	Vertical	34	1.31
6535MHz	Pass	PK	13.06252G	55.53	88.20	-32.67	3	Vertical	34	1.31
6535MHz	Pass	AV	13.06536G	41.98	68.20	-26.22	3	Horizontal	254	1.50
6535MHz	Pass	PK	13.06112G	55.48	88.20	-32.72	3	Horizontal	254	1.50
6695MHz	Pass	AV	13.38216G	43.37	54.00	-10.63	3	Vertical	210	1.50
6695MHz	Pass	PK	13.38442G	57.02	74.00	-16.98	3	Vertical	210	1.50
6695MHz	Pass	AV	13.38246G	43.36	54.00	-10.64	3	Horizontal	228	1.00
6695MHz	Pass	PK	13.3954G	57.62	74.00	-16.38	3	Horizontal	228	1.00
6875MHz	Pass	AV	13.7535G	46.17	68.20	-22.03	3	Vertical	189	1.50
6875MHz	Pass	PK	13.74588G	59.71	88.20	-28.49	3	Vertical	189	1.50
6875MHz	Pass	AV	13.7541G	46.16	68.20	-22.04	3	Horizontal	6	1.50
6875MHz	Pass	PK	13.75224G	60.11	88.20	-28.09	3	Horizontal	6	1.50
6895MHz	Pass	AV	13.79738G	46.31	68.20	-21.89	3	Vertical	344	1.50
6895MHz	Pass	PK	13.79362G	60.25	88.20	-27.95	3	Vertical	344	1.50
6895MHz	Pass	AV	13.79764G	46.29	68.20	-21.91	3	Horizontal	25	1.50
6895MHz	Pass	PK	13.79012G	59.91	88.20	-28.29	3	Horizontal	25	1.50
6995MHz	Pass	AV	13.98322G	46.90	68.20	-21.30	3	Vertical	64	1.50
6995MHz	Pass	PK	13.9941G	60.77	88.20	-27.43	3	Vertical	64	1.50
6995MHz	Pass	AV	13.98566G	46.93	68.20	-21.27	3	Horizontal	233	1.50
6995MHz	Pass	PK	13.99974G	60.47	88.20	-27.73	3	Horizontal	233	1.50
7095MHz	Pass	AV	7.0962G	96.57	Inf	-Inf	3	Vertical	39	1.56
7095MHz	Pass	AV	7.1991G	51.19	68.20	-17.01	3	Vertical	39	1.56
7095MHz	Pass	PK	7.0959G	107.32	Inf	-Inf	3	Vertical	39	1.56
7095MHz	Pass	PK	7.2267G	63.61	88.20	-24.59	3	Vertical	39	1.56
7095MHz	Pass	AV	14.18018G	45.71	68.20	-22.49	3	Vertical	255	1.50
7095MHz	Pass	PK	14.18946G	59.47	88.20	-28.73	3	Vertical	255	1.50
7095MHz	Pass	AV	14.18014G	45.73	68.20	-22.47	3	Horizontal	79	1.73
7095MHz	Pass	PK	14.198G	59.19	88.20	-29.01	3	Horizontal	79	1.73
7115MHz	Pass	AV	7.11G	92.72	Inf	-Inf	3	Vertical	47	1.73
7115MHz	Pass	AV	7.125G	59.68	68.20	-8.52	3	Vertical	47	1.73
7115MHz	Pass	PK	7.1101G	103.34	Inf	-Inf	3	Vertical	47	1.73
7115MHz	Pass	PK	7.1251G	82.90	88.20	-5.30	3	Vertical	47	1.73

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22052G	45.45	68.20	-22.75	3	Vertical	261	2.68
7115MHz	Pass	PK	14.2314G	59.78	88.20	-28.42	3	Vertical	261	2.68
7115MHz	Pass	AV	14.22026G	45.48	68.20	-22.72	3	Horizontal	21	1.00
7115MHz	Pass	PK	14.22558G	59.45	88.20	-28.75	3	Horizontal	21	1.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8701G	45.92	68.20	-22.28	3	Vertical	20	1.80
5955MHz	Pass	AV	5.9634G	95.09	Inf	-Inf	3	Vertical	20	1.80
5955MHz	Pass	PK	5.8824G	58.77	88.20	-29.43	3	Vertical	20	1.80
5955MHz	Pass	PK	5.9583G	107.88	Inf	-Inf	3	Vertical	20	1.80
5955MHz	Pass	AV	11.9044G	40.09	54.00	-13.91	3	Vertical	204	1.50
5955MHz	Pass	PK	11.9029G	54.10	74.00	-19.90	3	Vertical	204	1.50
5955MHz	Pass	AV	11.90458G	40.12	54.00	-13.88	3	Horizontal	167	1.46
5955MHz	Pass	PK	11.90914G	53.36	74.00	-20.64	3	Horizontal	167	1.46
6195MHz	Pass	AV	12.38932G	41.28	54.00	-12.72	3	Vertical	212	1.50
6195MHz	Pass	PK	12.39204G	54.97	74.00	-19.03	3	Vertical	212	1.50
6195MHz	Pass	AV	12.3898G	41.26	54.00	-12.74	3	Horizontal	360	2.19
6195MHz	Pass	PK	12.38838G	55.03	74.00	-18.97	3	Horizontal	360	2.19
6415MHz	Pass	AV	12.8295G	42.88	68.20	-25.32	3	Vertical	235	1.50
6415MHz	Pass	PK	12.83572G	56.34	88.20	-31.86	3	Vertical	235	1.50
6415MHz	Pass	AV	12.83196G	42.90	68.20	-25.30	3	Horizontal	170	1.50
6415MHz	Pass	PK	12.8334G	56.58	88.20	-31.62	3	Horizontal	170	1.50
6435MHz	Pass	AV	12.86566G	43.05	68.20	-25.15	3	Vertical	104	1.00
6435MHz	Pass	PK	12.8744G	56.72	88.20	-31.48	3	Vertical	104	1.00
6435MHz	Pass	AV	12.87044G	43.07	68.20	-25.13	3	Horizontal	86	2.63
6435MHz	Pass	PK	12.8669G	56.54	88.20	-31.66	3	Horizontal	86	2.63
6475MHz	Pass	AV	12.94634G	42.76	68.20	-25.44	3	Vertical	158	1.00
6475MHz	Pass	PK	12.95088G	57.80	88.20	-30.40	3	Vertical	158	1.00
6475MHz	Pass	AV	12.94626G	42.75	68.20	-25.45	3	Horizontal	85	2.16
6475MHz	Pass	PK	12.9485G	56.18	88.20	-32.02	3	Horizontal	85	2.16
6515MHz	Pass	AV	13.0274G	42.30	68.20	-25.90	3	Vertical	46	1.50
6515MHz	Pass	PK	13.02206G	56.28	88.20	-31.92	3	Vertical	46	1.50
6515MHz	Pass	AV	13.0252G	42.29	68.20	-25.91	3	Horizontal	236	2.42
6515MHz	Pass	PK	13.02596G	56.16	88.20	-32.04	3	Horizontal	236	2.42
6535MHz	Pass	AV	13.06966G	42.43	68.20	-25.77	3	Vertical	35	1.49
6535MHz	Pass	PK	13.07242G	55.63	88.20	-32.57	3	Vertical	35	1.49
6535MHz	Pass	AV	13.06294G	41.99	68.20	-26.21	3	Horizontal	129	1.50
6535MHz	Pass	PK	13.07572G	55.68	88.20	-32.52	3	Horizontal	129	1.50
6695MHz	Pass	AV	13.3802G	43.40	54.00	-10.60	3	Vertical	146	1.50
6695MHz	Pass	PK	13.38046G	57.32	74.00	-16.68	3	Vertical	146	1.50
6695MHz	Pass	AV	13.3821G	43.41	54.00	-10.59	3	Horizontal	323	1.50
6695MHz	Pass	PK	13.38872G	56.95	74.00	-17.05	3	Horizontal	323	1.50
6875MHz	Pass	AV	13.75606G	46.12	68.20	-22.08	3	Vertical	136	1.50
6875MHz	Pass	PK	13.74672G	59.98	88.20	-28.22	3	Vertical	136	1.50
6875MHz	Pass	AV	13.75052G	46.13	68.20	-22.07	3	Horizontal	39	1.45
6875MHz	Pass	PK	13.74672G	60.61	88.20	-27.59	3	Horizontal	39	1.45
6895MHz	Pass	AV	13.79384G	46.25	68.20	-21.95	3	Vertical	0	1.50
6895MHz	Pass	PK	13.79002G	59.89	88.20	-28.31	3	Vertical	0	1.50
6895MHz	Pass	AV	13.79698G	46.27	68.20	-21.93	3	Horizontal	319	1.50
6895MHz	Pass	PK	13.7852G	59.96	88.20	-28.24	3	Horizontal	319	1.50
6995MHz	Pass	AV	13.9855G	46.95	68.20	-21.25	3	Vertical	343	2.44
6995MHz	Pass	PK	13.99396G	61.11	88.20	-27.09	3	Vertical	343	2.44
6995MHz	Pass	AV	13.98338G	46.92	68.20	-21.28	3	Horizontal	170	1.50
6995MHz	Pass	PK	13.98782G	61.10	88.20	-27.10	3	Horizontal	170	1.50
7095MHz	Pass	AV	7.0884G	96.74	Inf	-Inf	3	Vertical	27	1.65
7095MHz	Pass	AV	7.209G	51.02	68.20	-17.18	3	Vertical	27	1.65
7095MHz	Pass	PK	7.089G	109.07	Inf	-Inf	3	Vertical	27	1.65
7095MHz	Pass	PK	7.2393G	63.57	88.20	-24.63	3	Vertical	27	1.65
7095MHz	Pass	AV	14.1812G	45.87	68.20	-22.33	3	Vertical	213	1.50
7095MHz	Pass	PK	14.18586G	59.52	88.20	-28.68	3	Vertical	213	1.50
7095MHz	Pass	AV	14.18266G	45.84	68.20	-22.36	3	Horizontal	121	1.50
7095MHz	Pass	PK	14.1932G	59.73	88.20	-28.47	3	Horizontal	121	1.50
7115MHz	Pass	AV	7.1085G	96.49	Inf	-Inf	3	Vertical	28	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	7.1255G	68.05	68.20	-0.15	3	Vertical	28	1.50
7115MHz	Pass	PK	7.1135G	102.42	Inf	-Inf	3	Vertical	28	1.50
7115MHz	Pass	PK	7.1255G	78.79	88.20	-9.41	3	Vertical	28	1.50
7115MHz	Pass	AV	14.22006G	45.44	68.20	-22.76	3	Vertical	238	2.07
7115MHz	Pass	PK	14.22272G	59.11	88.20	-29.09	3	Vertical	238	2.07
7115MHz	Pass	AV	14.22086G	45.42	68.20	-22.78	3	Horizontal	103	1.50
7115MHz	Pass	PK	14.2279G	59.59	88.20	-28.61	3	Horizontal	103	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.8741G	47.05	68.20	-21.15	3	Vertical	20	1.71
5965MHz	Pass	AV	5.9707G	94.43	Inf	-Inf	3	Vertical	20	1.71
5965MHz	Pass	PK	5.8556G	60.41	88.20	-27.79	3	Vertical	20	1.71
5965MHz	Pass	PK	5.9803G	109.64	Inf	-Inf	3	Vertical	20	1.71
5965MHz	Pass	AV	11.92972G	39.99	54.00	-14.01	3	Vertical	0	1.50
5965MHz	Pass	PK	11.93376G	53.31	74.00	-20.69	3	Vertical	0	1.50
5965MHz	Pass	AV	11.9322G	40.01	54.00	-13.99	3	Horizontal	96	1.17
5965MHz	Pass	PK	11.928G	53.47	74.00	-20.53	3	Horizontal	96	1.17
6205MHz	Pass	AV	12.3918G	41.42	54.00	-12.58	3	Vertical	308	1.50
6205MHz	Pass	PK	12.42236G	54.89	74.00	-19.11	3	Vertical	308	1.50
6205MHz	Pass	AV	12.3918G	41.39	54.00	-12.61	3	Horizontal	17	2.81
6205MHz	Pass	PK	12.39616G	54.94	74.00	-19.06	3	Horizontal	17	2.81
6405MHz	Pass	AV	12.82948G	43.05	68.20	-25.15	3	Vertical	285	1.50
6405MHz	Pass	PK	12.826G	56.25	88.20	-31.95	3	Vertical	285	1.50
6405MHz	Pass	AV	12.82956G	43.02	68.20	-25.18	3	Horizontal	302	1.50
6405MHz	Pass	PK	12.82544G	57.03	88.20	-31.17	3	Horizontal	302	1.50
6445MHz	Pass	AV	12.87004G	43.22	68.20	-24.98	3	Vertical	102	1.48
6445MHz	Pass	PK	12.88176G	56.80	88.20	-31.40	3	Vertical	102	1.48
6445MHz	Pass	AV	12.87032G	43.21	68.20	-24.99	3	Horizontal	126	1.50
6445MHz	Pass	PK	12.90036G	56.53	88.20	-31.67	3	Horizontal	126	1.50
6485MHz	Pass	AV	12.95652G	42.85	68.20	-25.35	3	Vertical	136	3.00
6485MHz	Pass	PK	12.98624G	56.07	88.20	-32.13	3	Vertical	136	3.00
6485MHz	Pass	AV	12.9516G	42.87	68.20	-25.33	3	Horizontal	299	1.50
6485MHz	Pass	PK	12.96552G	56.17	88.20	-32.03	3	Horizontal	299	1.50
6525MHz	Pass	AV	13.04928G	42.98	68.20	-25.22	3	Vertical	48	1.74
6525MHz	Pass	PK	13.0542G	56.32	88.20	-31.88	3	Vertical	48	1.74
6525MHz	Pass	AV	13.03024G	42.35	68.20	-25.85	3	Horizontal	116	1.50
6525MHz	Pass	PK	13.06248G	55.52	88.20	-32.68	3	Horizontal	116	1.50
6565MHz	Pass	AV	13.12652G	42.17	68.20	-26.03	3	Vertical	0	1.75
6565MHz	Pass	PK	13.11352G	55.40	88.20	-32.80	3	Vertical	0	1.75
6565MHz	Pass	AV	13.1114G	42.12	68.20	-26.08	3	Horizontal	268	1.50
6565MHz	Pass	PK	13.13284G	55.80	88.20	-32.40	3	Horizontal	268	1.50
6685MHz	Pass	AV	13.3754G	43.64	54.00	-10.36	3	Vertical	262	1.50
6685MHz	Pass	PK	13.38864G	58.05	74.00	-15.95	3	Vertical	262	1.50
6685MHz	Pass	AV	13.37484G	43.67	54.00	-10.33	3	Horizontal	138	1.50
6685MHz	Pass	PK	13.38744G	56.99	74.00	-17.01	3	Horizontal	138	1.50
6885MHz	Pass	AV	13.78964G	46.33	68.20	-21.87	3	Vertical	65	2.87
6885MHz	Pass	PK	13.77928G	59.70	88.20	-28.50	3	Vertical	65	2.87
6885MHz	Pass	AV	13.78668G	46.33	68.20	-21.87	3	Horizontal	173	1.50
6885MHz	Pass	PK	13.7894G	59.43	88.20	-28.77	3	Horizontal	173	1.50
6925MHz	Pass	AV	13.85408G	47.06	68.20	-21.14	3	Vertical	263	1.50
6925MHz	Pass	PK	13.85912G	61.39	88.20	-26.81	3	Vertical	263	1.50
6925MHz	Pass	AV	13.8592G	47.07	68.20	-21.13	3	Horizontal	283	2.59
6925MHz	Pass	PK	13.83624G	60.36	88.20	-27.84	3	Horizontal	283	2.59
7005MHz	Pass	AV	13.99144G	47.08	68.20	-21.12	3	Vertical	25	1.49
7005MHz	Pass	PK	14.01468G	60.14	88.20	-28.06	3	Vertical	25	1.49
7005MHz	Pass	AV	13.991G	47.06	68.20	-21.14	3	Horizontal	344	2.74
7005MHz	Pass	PK	14.01452G	60.29	88.20	-27.91	3	Horizontal	344	2.74
7085MHz	Pass	AV	7.0787G	96.01	Inf	-Inf	3	Vertical	24	1.44
7085MHz	Pass	AV	7.2011G	51.02	68.20	-17.18	3	Vertical	24	1.44
7085MHz	Pass	PK	7.0913G	110.31	Inf	-Inf	3	Vertical	24	1.44
7085MHz	Pass	PK	7.1273G	65.86	88.20	-22.34	3	Vertical	24	1.44
7085MHz	Pass	AV	14.15252G	46.10	68.20	-22.10	3	Vertical	107	1.48
7085MHz	Pass	PK	14.17128G	59.34	88.20	-28.86	3	Vertical	107	1.48

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	14.1524G	46.10	68.20	-22.10	3	Horizontal	278	1.50
7085MHz	Pass	PK	14.18396G	59.33	88.20	-28.87	3	Horizontal	278	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	47.80	68.20	-20.40	3	Vertical	20	1.80
5985MHz	Pass	AV	6.0005G	95.32	Inf	-Inf	3	Vertical	20	1.80
5985MHz	Pass	PK	5.9235G	61.74	88.20	-26.46	3	Vertical	20	1.80
5985MHz	Pass	PK	5.996G	107.53	Inf	-Inf	3	Vertical	20	1.80
5985MHz	Pass	AV	11.93G	40.07	54.00	-13.93	3	Vertical	122	1.50
5985MHz	Pass	PK	11.9824G	53.49	74.00	-20.51	3	Vertical	122	1.50
5985MHz	Pass	AV	11.93216G	40.09	54.00	-13.91	3	Horizontal	112	1.50
5985MHz	Pass	PK	11.96232G	53.24	74.00	-20.76	3	Horizontal	112	1.50
6225MHz	Pass	AV	12.4144G	41.37	54.00	-12.63	3	Vertical	165	1.50
6225MHz	Pass	PK	12.41976G	54.89	74.00	-19.11	3	Vertical	165	1.50
6225MHz	Pass	AV	12.42224G	41.38	54.00	-12.62	3	Horizontal	117	1.50
6225MHz	Pass	PK	12.46232G	54.59	74.00	-19.41	3	Horizontal	117	1.50
6385MHz	Pass	AV	12.80936G	42.79	68.20	-25.41	3	Vertical	232	1.50
6385MHz	Pass	PK	12.8068G	56.87	88.20	-31.33	3	Vertical	232	1.50
6385MHz	Pass	AV	12.80936G	42.77	68.20	-25.43	3	Horizontal	188	2.57
6385MHz	Pass	PK	12.7856G	55.63	88.20	-32.57	3	Horizontal	188	2.57
6465MHz	Pass	AV	12.89328G	43.12	68.20	-25.08	3	Vertical	23	1.50
6465MHz	Pass	PK	12.92512G	56.45	88.20	-31.75	3	Vertical	23	1.50
6465MHz	Pass	AV	12.89048G	43.14	68.20	-25.06	3	Horizontal	315	1.50
6465MHz	Pass	PK	12.92672G	56.64	88.20	-31.56	3	Horizontal	315	1.50
6545MHz	Pass	AV	13.0692G	43.06	68.20	-25.14	3	Vertical	33	1.50
6545MHz	Pass	PK	13.10688G	56.21	88.20	-31.99	3	Vertical	33	1.50
6545MHz	Pass	AV	13.05016G	42.19	68.20	-26.01	3	Horizontal	84	2.51
6545MHz	Pass	PK	13.07888G	55.18	88.20	-33.02	3	Horizontal	84	2.51
6625MHz	Pass	AV	13.26616G	43.08	54.00	-10.92	3	Vertical	356	1.50
6625MHz	Pass	PK	13.26768G	56.02	74.00	-17.98	3	Vertical	356	1.50
6625MHz	Pass	AV	13.26624G	43.14	54.00	-10.86	3	Horizontal	303	1.03
6625MHz	Pass	PK	13.26296G	56.79	74.00	-17.21	3	Horizontal	303	1.03
6705MHz	Pass	AV	13.41464G	43.75	68.20	-24.45	3	Vertical	59	2.30
6705MHz	Pass	PK	13.4188G	56.88	88.20	-31.32	3	Vertical	59	2.30
6705MHz	Pass	AV	13.41232G	43.73	68.20	-24.47	3	Horizontal	201	1.34
6705MHz	Pass	PK	13.40144G	56.81	88.20	-31.39	3	Horizontal	201	1.34
6785MHz	Pass	AV	13.53G	42.90	68.20	-25.30	3	Vertical	38	1.50
6785MHz	Pass	PK	13.5428G	55.67	88.20	-32.53	3	Vertical	38	1.50
6785MHz	Pass	AV	13.53048G	42.90	68.20	-25.30	3	Horizontal	180	1.43
6785MHz	Pass	PK	13.54064G	56.37	88.20	-31.83	3	Horizontal	180	1.43
6865MHz	Pass	AV	13.76936G	46.33	68.20	-21.87	3	Vertical	190	2.03
6865MHz	Pass	PK	13.75888G	60.12	88.20	-28.08	3	Vertical	190	2.03
6865MHz	Pass	AV	13.76624G	46.34	68.20	-21.86	3	Horizontal	166	1.50
6865MHz	Pass	PK	13.71488G	59.82	88.20	-28.38	3	Horizontal	166	1.50
6945MHz	Pass	AV	13.8588G	47.13	68.20	-21.07	3	Vertical	3	1.50
6945MHz	Pass	PK	13.86728G	60.89	88.20	-27.31	3	Vertical	3	1.50
6945MHz	Pass	AV	13.85296G	47.12	68.20	-21.08	3	Horizontal	126	1.50
6945MHz	Pass	PK	13.9168G	60.80	88.20	-27.40	3	Horizontal	126	1.50
7025MHz	Pass	AV	6.9965G	95.75	Inf	-Inf	3	Vertical	25	1.50
7025MHz	Pass	AV	7.1462G	51.08	68.20	-17.12	3	Vertical	25	1.50
7025MHz	Pass	PK	7.0418G	109.02	Inf	-Inf	3	Vertical	25	1.50
7025MHz	Pass	PK	7.1264G	63.42	88.20	-24.78	3	Vertical	25	1.50
7025MHz	Pass	AV	14.01128G	46.96	68.20	-21.24	3	Vertical	178	1.50
7025MHz	Pass	PK	14.05232G	60.10	88.20	-28.10	3	Vertical	178	1.50
7025MHz	Pass	AV	14.01144G	46.96	68.20	-21.24	3	Horizontal	181	1.83
7025MHz	Pass	PK	14.08G	59.97	88.20	-28.23	3	Horizontal	181	1.83
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	56.66	68.20	-11.54	3	Vertical	20	1.68
6025MHz	Pass	AV	6.0005G	95.53	Inf	-Inf	3	Vertical	20	1.68
6025MHz	Pass	PK	5.923G	71.74	88.20	-16.46	3	Vertical	20	1.68
6025MHz	Pass	PK	6.0455G	109.01	Inf	-Inf	3	Vertical	20	1.68
6025MHz	Pass	AV	12.05936G	40.66	54.00	-13.34	3	Vertical	123	1.50
6025MHz	Pass	PK	12.03528G	53.80	74.00	-20.20	3	Vertical	123	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.0584G	40.64	54.00	-13.36	3	Horizontal	266	1.50
6025MHz	Pass	PK	12.00104G	53.73	74.00	-20.27	3	Horizontal	266	1.50
6185MHz	Pass	AV	12.34872G	42.24	54.00	-11.76	3	Vertical	226	1.50
6185MHz	Pass	PK	12.32296G	55.55	74.00	-18.45	3	Vertical	226	1.50
6185MHz	Pass	AV	12.34376G	42.21	54.00	-11.79	3	Horizontal	140	1.50
6185MHz	Pass	PK	12.38632G	55.53	74.00	-18.47	3	Horizontal	140	1.50
6345MHz	Pass	AV	12.76824G	42.73	68.20	-25.47	3	Vertical	158	1.50
6345MHz	Pass	PK	12.7156G	56.09	88.20	-32.11	3	Vertical	158	1.50
6345MHz	Pass	AV	12.76792G	42.72	68.20	-25.48	3	Horizontal	346	1.50
6345MHz	Pass	PK	12.72536G	55.67	88.20	-32.53	3	Horizontal	346	1.50
6505MHz	Pass	AV	12.94392G	42.99	68.20	-25.21	3	Vertical	3	1.50
6505MHz	Pass	PK	12.9484G	56.09	88.20	-32.11	3	Vertical	3	1.50
6505MHz	Pass	AV	12.94632G	42.99	68.20	-25.21	3	Horizontal	297	1.22
6505MHz	Pass	PK	12.97448G	55.71	88.20	-32.49	3	Horizontal	297	1.22
6665MHz	Pass	AV	13.37464G	43.71	54.00	-10.29	3	Vertical	325	1.00
6665MHz	Pass	PK	13.35896G	56.85	74.00	-17.15	3	Vertical	325	1.00
6665MHz	Pass	AV	13.37448G	43.73	54.00	-10.27	3	Horizontal	32	1.50
6665MHz	Pass	PK	13.37224G	56.80	74.00	-17.20	3	Horizontal	32	1.50
6825MHz	Pass	AV	13.65048G	46.17	68.20	-22.03	3	Vertical	317	1.50
6825MHz	Pass	PK	13.64888G	59.89	88.20	-28.31	3	Vertical	317	1.50
6825MHz	Pass	AV	13.6508G	46.19	68.20	-22.01	3	Horizontal	69	1.50
6825MHz	Pass	PK	13.6796G	59.23	88.20	-28.97	3	Horizontal	69	1.50
6985MHz	Pass	AV	6.9515G	95.11	Inf	-Inf	3	Vertical	25	1.50
6985MHz	Pass	AV	7.1365G	57.23	68.20	-10.97	3	Vertical	25	1.50
6985MHz	Pass	PK	6.937G	108.79	Inf	-Inf	3	Vertical	25	1.50
6985MHz	Pass	PK	7.131G	71.70	88.20	-16.50	3	Vertical	25	1.50
6985MHz	Pass	AV	13.94872G	47.27	68.20	-20.93	3	Vertical	109	2.37
6985MHz	Pass	PK	13.9964G	60.22	88.20	-27.98	3	Vertical	109	2.37
6985MHz	Pass	AV	13.9484G	47.25	68.20	-20.95	3	Horizontal	31	2.87
6985MHz	Pass	PK	13.93656G	60.23	88.20	-27.97	3	Horizontal	31	2.87
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	52.91	68.20	-15.29	3	Vertical	209	1.72
6105MHz	Pass	AV	6.248G	94.16	Inf	-Inf	3	Vertical	209	1.72
6105MHz	Pass	PK	5.921G	64.91	88.20	-23.29	3	Vertical	209	1.72
6105MHz	Pass	PK	6.208G	105.68	Inf	-Inf	3	Vertical	209	1.72
6105MHz	Pass	AV	12.34376G	42.15	54.00	-11.85	3	Vertical	270	1.05
6105MHz	Pass	PK	12.306G	55.28	74.00	-18.72	3	Vertical	270	1.05
6105MHz	Pass	AV	12.354G	42.15	54.00	-11.85	3	Horizontal	219	2.55
6105MHz	Pass	PK	12.34088G	55.45	74.00	-18.55	3	Horizontal	219	2.55
6265MHz	Pass	AV	12.69G	42.13	54.00	-11.87	3	Vertical	320	1.50
6265MHz	Pass	PK	12.67688G	55.57	74.00	-18.43	3	Vertical	320	1.50
6265MHz	Pass	AV	12.6868G	42.11	54.00	-11.89	3	Horizontal	24	2.55
6265MHz	Pass	PK	12.68648G	54.90	74.00	-19.10	3	Horizontal	24	2.55
6425MHz	Pass	AV	12.83176G	43.22	68.20	-24.98	3	Vertical	357	1.50
6425MHz	Pass	PK	12.83176G	56.58	88.20	-31.62	3	Vertical	357	1.50
6425MHz	Pass	AV	12.83176G	43.25	68.20	-24.95	3	Horizontal	24	2.90
6425MHz	Pass	PK	12.86152G	56.93	88.20	-31.27	3	Horizontal	24	2.90
6585MHz	Pass	AV	13.17872G	43.34	68.20	-24.86	3	Vertical	149	2.31
6585MHz	Pass	PK	13.17936G	56.12	88.20	-32.08	3	Vertical	149	2.31
6585MHz	Pass	AV	13.17872G	43.34	68.20	-24.86	3	Horizontal	210	1.50
6585MHz	Pass	PK	13.17528G	56.39	88.20	-31.81	3	Horizontal	210	1.50
6745MHz	Pass	AV	13.37448G	43.76	54.00	-10.24	3	Vertical	355	1.50
6745MHz	Pass	PK	13.3988G	56.55	74.00	-17.45	3	Vertical	355	1.50
6745MHz	Pass	AV	13.37416G	43.80	54.00	-10.20	3	Horizontal	3	1.50
6745MHz	Pass	PK	13.39632G	56.35	74.00	-17.65	3	Horizontal	3	1.50
6905MHz	Pass	AV	6.7475G	98.25	Inf	-Inf	3	Vertical	42	1.83
6905MHz	Pass	AV	7.1665G	62.05	68.20	-6.15	3	Vertical	42	1.83
6905MHz	Pass	PK	6.8695G	106.01	Inf	-Inf	3	Vertical	42	1.83
6905MHz	Pass	PK	7.1865G	71.17	88.20	-17.03	3	Vertical	42	1.83
6905MHz	Pass	AV	13.94824G	47.19	68.20	-21.01	3	Vertical	239	1.50
6905MHz	Pass	PK	13.9444G	60.29	88.20	-27.91	3	Vertical	239	1.50
6905MHz	Pass	AV	13.94536G	47.19	68.20	-21.01	3	Horizontal	66	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	13.94152G	60.86	88.20	-27.34	3	Horizontal	66	1.50


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6435MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9965G	95.75	Inf	-Inf	10.76	3	Vertical	25	1.50	84.99	35.90	9.34	34.48
AV	7.1462G	51.08	68.20	-17.12	11.79	3	Vertical	25	1.50	39.29	36.68	9.50	34.39
PK	7.0418G	109.02	Inf	-Inf	11.01	3	Vertical	25	1.50	98.01	36.07	9.39	34.45
PK	7.1264G	63.42	88.20	-24.78	11.64	3	Vertical	25	1.50	51.78	36.56	9.48	34.40

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01128G	46.96	68.20	-21.24	20.14	3	Vertical	178	1.50	26.82	40.22	12.95	33.03
PK	14.05232G	60.10	88.20	-28.10	20.23	3	Vertical	178	1.50	39.87	40.30	12.99	33.06


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	37.76M	35.92	40.00	-4.08	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	37.76M	35.92	40.00	-4.08	3	Vertical	360	1.00
6185MHz	Pass	PK	90.14M	27.46	43.50	-16.04	3	Vertical	360	1.00
6185MHz	Pass	PK	249.22M	27.75	46.00	-18.25	3	Vertical	360	1.00
6185MHz	Pass	PK	355.92M	27.11	46.00	-18.89	3	Vertical	360	1.00
6185MHz	Pass	PK	431.58M	30.56	46.00	-15.44	3	Vertical	360	1.00
6185MHz	Pass	PK	594.54M	33.35	46.00	-12.65	3	Vertical	360	1.00
6185MHz	Pass	PK	30M	26.84	40.00	-13.16	3	Horizontal	0	1.00
6185MHz	Pass	PK	175.5M	29.68	43.50	-13.82	3	Horizontal	0	1.00
6185MHz	Pass	PK	249.22M	30.46	46.00	-15.54	3	Horizontal	0	1.00
6185MHz	Pass	PK	355.92M	27.35	46.00	-18.65	3	Horizontal	0	1.00
6185MHz	Pass	PK	472.32M	30.53	46.00	-15.47	3	Horizontal	0	1.00
6185MHz	Pass	PK	546.04M	31.92	46.00	-14.08	3	Horizontal	0	1.00