

Appendix A. Test Results

FCC 15.407

Hardware Setup: WMS Measurements\TS8997

Spectrum Analyzer: SA FSV3044(1) (SA FSV3044) @ VISA (ADR
TCPIP::192.168.48.20::inst0::instr), SN 1330.5000K43/101416, FW
1.90

OSP: OSP-B157W8PLUS (OSP-B157W8PLUS) @ VISA (ADR
TCPIP::192.168.48.157::inst0::instr), SN 1527.1144.05 / 100850, FW
2.10.0.23

In-Band Emissions(Ant1) (5955 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
5955.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
5957.650000	-0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5952.650000	-0.2	0.0	-0.2	PASS
5956.750000	-0.3	0.1	-0.2	PASS
5956.650000	-0.3	0.2	-0.2	PASS
5954.550000	-0.4	0.2	-0.2	PASS
5953.950000	-0.4	0.3	-0.2	PASS
5954.250000	-0.5	0.4	-0.2	PASS
5951.750000	-0.5	0.4	-0.2	PASS
5957.350000	-0.5	0.4	-0.2	PASS
5952.750000	-0.5	0.4	-0.2	PASS
5956.450000	-0.6	0.4	-0.2	PASS
5957.750000	-0.6	0.4	-0.2	PASS
5959.550000	-0.6	0.4	-0.2	PASS
5950.450000	-0.6	0.4	-0.2	PASS
5958.550000	-0.6	0.4	-0.2	PASS
5953.550000	-0.6	0.5	-0.2	PASS



In-Band Emissions(Ant2) (5955 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
5955.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
5956.450000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5956.450000	-0.7	0.0	-0.7	PASS
5956.750000	-0.7	0.0	-0.7	PASS
5953.950000	-0.7	0.0	-0.7	PASS
5951.450000	-0.7	0.1	-0.7	PASS
5957.050000	-0.9	0.2	-0.7	PASS
5954.250000	-0.9	0.2	-0.7	PASS
5955.850000	-0.9	0.2	-0.7	PASS
5952.050000	-0.9	0.3	-0.7	PASS
5952.650000	-0.9	0.3	-0.7	PASS
5953.550000	-1.0	0.3	-0.7	PASS
5957.650000	-1.0	0.3	-0.7	PASS
5959.250000	-1.0	0.3	-0.7	PASS
5952.350000	-1.1	0.4	-0.7	PASS
5958.350000	-1.1	0.4	-0.7	PASS
5954.550000	-1.1	0.4	-0.7	PASS



In-Band Emissions(Ant1) (6175 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6175.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6177.050000	-0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6173.350000	-0.3	0.0	-0.3	PASS
6178.950000	-0.4	0.1	-0.3	PASS
6178.850000	-0.4	0.1	-0.3	PASS
6176.750000	-0.4	0.1	-0.3	PASS
6173.650000	-0.4	0.1	-0.3	PASS
6173.050000	-0.4	0.2	-0.3	PASS
6172.950000	-0.5	0.2	-0.3	PASS
6173.950000	-0.5	0.2	-0.3	PASS
6170.850000	-0.5	0.2	-0.3	PASS
6172.050000	-0.5	0.2	-0.3	PASS
6171.750000	-0.6	0.3	-0.3	PASS
6180.150000	-0.6	0.3	-0.3	PASS
6171.150000	-0.6	0.3	-0.3	PASS
6172.650000	-0.6	0.3	-0.3	PASS
6176.450000	-0.6	0.3	-0.3	PASS



In-Band Emissions(Ant2) (6175 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6175.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6174.250000	-0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6174.250000	-0.3	0.0	-0.3	PASS
6173.950000	-0.3	0.0	-0.3	PASS
6177.350000	-0.4	0.1	-0.3	PASS
6176.150000	-0.4	0.1	-0.3	PASS
6172.650000	-0.5	0.1	-0.3	PASS
6172.750000	-0.5	0.2	-0.3	PASS
6177.050000	-0.5	0.2	-0.3	PASS
6174.350000	-0.6	0.3	-0.3	PASS
6173.850000	-0.6	0.3	-0.3	PASS
6177.650000	-0.7	0.4	-0.3	PASS
6179.250000	-0.7	0.4	-0.3	PASS
6170.450000	-0.7	0.4	-0.3	PASS
6172.350000	-0.8	0.5	-0.3	PASS
6174.550000	-0.8	0.5	-0.3	PASS
6176.050000	-0.8	0.5	-0.3	PASS



In-Band Emissions(Ant1) (6415 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6415.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6417.650000	-0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6417.650000	-0.3	0.0	-0.3	PASS
6416.950000	-0.4	0.1	-0.3	PASS
6417.350000	-0.6	0.2	-0.3	PASS
6417.050000	-0.6	0.2	-0.3	PASS
6412.650000	-0.6	0.2	-0.3	PASS
6418.650000	-0.6	0.3	-0.3	PASS
6416.450000	-0.7	0.4	-0.3	PASS
6416.850000	-0.7	0.4	-0.3	PASS
6416.150000	-0.7	0.4	-0.3	PASS
6415.550000	-0.8	0.4	-0.3	PASS
6411.450000	-0.8	0.5	-0.3	PASS
6412.350000	-0.8	0.5	-0.3	PASS
6418.250000	-0.8	0.5	-0.3	PASS
6417.750000	-0.8	0.5	-0.3	PASS
6412.750000	-0.9	0.5	-0.3	PASS



In-Band Emissions(Ant2) (6415 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6415.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6417.950000	-0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6418.950000	-0.4	0.0	-0.4	PASS
6412.750000	-0.4	0.0	-0.4	PASS
6412.350000	-0.6	0.2	-0.4	PASS
6413.950000	-0.6	0.2	-0.4	PASS
6417.650000	-0.6	0.2	-0.4	PASS
6414.250000	-0.6	0.2	-0.4	PASS
6416.750000	-0.6	0.2	-0.4	PASS
6413.650000	-0.7	0.3	-0.4	PASS
6419.850000	-0.7	0.3	-0.4	PASS
6417.750000	-0.7	0.3	-0.4	PASS
6417.350000	-0.7	0.3	-0.4	PASS
6418.650000	-0.7	0.3	-0.4	PASS
6414.550000	-0.7	0.4	-0.4	PASS
6417.050000	-0.8	0.4	-0.4	PASS
6413.250000	-0.8	0.4	-0.4	PASS



In-Band Emissions(Ant1) (6435 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6435.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6433.050000	-0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6433.050000	-0.4	0.0	-0.4	PASS
6432.750000	-0.7	0.3	-0.4	PASS
6433.350000	-0.7	0.3	-0.4	PASS
6432.650000	-0.8	0.3	-0.4	PASS
6438.350000	-0.8	0.3	-0.4	PASS
6436.150000	-0.8	0.4	-0.4	PASS
6434.050000	-0.9	0.4	-0.4	PASS
6433.950000	-0.9	0.4	-0.4	PASS
6437.750000	-0.9	0.4	-0.4	PASS
6438.650000	-0.9	0.5	-0.4	PASS
6438.250000	-0.9	0.5	-0.4	PASS
6441.450000	-1.0	0.5	-0.4	PASS
6437.350000	-1.0	0.6	-0.4	PASS
6437.050000	-1.0	0.6	-0.4	PASS
6432.150000	-1.0	0.6	-0.4	PASS



In-Band Emissions(Ant2) (6435 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6435.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6437.650000	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6437.650000	-0.6	0.0	-0.6	PASS
6434.550000	-0.7	0.1	-0.6	PASS
6432.750000	-0.7	0.1	-0.6	PASS
6438.950000	-0.8	0.2	-0.6	PASS
6439.250000	-0.8	0.2	-0.6	PASS
6434.650000	-0.8	0.2	-0.6	PASS
6433.950000	-0.8	0.2	-0.6	PASS
6436.750000	-0.9	0.3	-0.6	PASS
6437.350000	-0.9	0.3	-0.6	PASS
6435.850000	-0.9	0.3	-0.6	PASS
6430.850000	-0.9	0.3	-0.6	PASS
6436.850000	-0.9	0.3	-0.6	PASS
6433.650000	-0.9	0.3	-0.6	PASS
6434.050000	-1.0	0.3	-0.6	PASS
6436.450000	-1.0	0.4	-0.6	PASS



In-Band Emissions(Ant1) (6475 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6475.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6473.350000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6473.950000	-0.8	0.1	-0.7	PASS
6473.650000	-0.9	0.3	-0.7	PASS
6472.350000	-0.9	0.3	-0.7	PASS
6472.950000	-1.0	0.3	-0.7	PASS
6474.250000	-1.0	0.3	-0.7	PASS
6477.650000	-1.0	0.3	-0.7	PASS
6476.750000	-1.0	0.4	-0.7	PASS
6473.250000	-1.1	0.4	-0.7	PASS
6472.650000	-1.1	0.4	-0.7	PASS
6472.050000	-1.2	0.5	-0.7	PASS
6470.850000	-1.2	0.5	-0.7	PASS
6478.950000	-1.2	0.5	-0.7	PASS
6476.450000	-1.2	0.5	-0.7	PASS
6475.850000	-1.2	0.5	-0.7	PASS
6478.350000	-1.2	0.5	-0.7	PASS



In-Band Emissions(Ant2) (6475 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6475.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6478.950000	-0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6476.450000	-0.2	0.0	-0.1	PASS
6477.650000	-0.2	0.1	-0.1	PASS
6477.750000	-0.2	0.1	-0.1	PASS
6472.650000	-0.3	0.2	-0.1	PASS
6473.650000	-0.3	0.2	-0.1	PASS
6473.950000	-0.4	0.2	-0.1	PASS
6478.650000	-0.4	0.2	-0.1	PASS
6478.050000	-0.4	0.3	-0.1	PASS
6478.350000	-0.5	0.3	-0.1	PASS
6477.050000	-0.5	0.3	-0.1	PASS
6472.750000	-0.5	0.3	-0.1	PASS
6470.450000	-0.5	0.4	-0.1	PASS
6477.950000	-0.5	0.4	-0.1	PASS
6470.250000	-0.5	0.4	-0.1	PASS
6473.350000	-0.5	0.4	-0.1	PASS



In-Band Emissions(Ant1) (6515 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6515.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6513.650000	-0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6513.650000	-0.2	0.0	-0.2	PASS
6517.950000	-0.3	0.1	-0.2	PASS
6517.750000	-0.3	0.1	-0.2	PASS
6517.350000	-0.4	0.1	-0.2	PASS
6512.650000	-0.4	0.2	-0.2	PASS
6513.050000	-0.4	0.2	-0.2	PASS
6516.450000	-0.4	0.2	-0.2	PASS
6517.050000	-0.5	0.3	-0.2	PASS
6518.650000	-0.5	0.3	-0.2	PASS
6513.350000	-0.5	0.3	-0.2	PASS
6517.650000	-0.5	0.3	-0.2	PASS
6518.350000	-0.6	0.3	-0.2	PASS
6516.750000	-0.6	0.4	-0.2	PASS
6513.550000	-0.6	0.4	-0.2	PASS
6517.450000	-0.6	0.4	-0.2	PASS



In-Band Emissions(Ant2) (6515 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6515.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6512.050000	-0.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6512.050000	-0.5	0.0	-0.5	PASS
6518.650000	-0.9	0.4	-0.5	PASS
6518.950000	-0.9	0.4	-0.5	PASS
6512.150000	-0.9	0.5	-0.5	PASS
6511.450000	-1.0	0.5	-0.5	PASS
6517.450000	-1.0	0.5	-0.5	PASS
6516.750000	-1.0	0.6	-0.5	PASS
6517.650000	-1.1	0.6	-0.5	PASS
6513.950000	-1.1	0.6	-0.5	PASS
6513.350000	-1.1	0.6	-0.5	PASS
6519.250000	-1.1	0.6	-0.5	PASS
6518.250000	-1.1	0.6	-0.5	PASS
6513.550000	-1.1	0.7	-0.5	PASS
6513.650000	-1.1	0.7	-0.5	PASS
6517.750000	-1.2	0.7	-0.5	PASS



In-Band Emissions(Ant1) (6535 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6535.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6537.950000	-0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6537.950000	-0.1	0.0	-0.1	PASS
6538.950000	-0.3	0.2	-0.1	PASS
6533.950000	-0.4	0.2	-0.1	PASS
6533.050000	-0.5	0.4	-0.1	PASS
6533.650000	-0.5	0.4	-0.1	PASS
6537.350000	-0.6	0.4	-0.1	PASS
6533.350000	-0.6	0.5	-0.1	PASS
6533.150000	-0.7	0.5	-0.1	PASS
6537.850000	-0.7	0.5	-0.1	PASS
6538.350000	-0.7	0.5	-0.1	PASS
6531.450000	-0.7	0.5	-0.1	PASS
6533.750000	-0.7	0.6	-0.1	PASS
6533.450000	-0.7	0.6	-0.1	PASS
6538.050000	-0.7	0.6	-0.1	PASS
6532.950000	-0.8	0.6	-0.1	PASS



In-Band Emissions(Ant2) (6535 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6535.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6537.650000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6539.250000	-0.9	0.2	-0.7	PASS
6532.150000	-1.0	0.3	-0.7	PASS
6532.050000	-1.0	0.3	-0.7	PASS
6538.650000	-1.0	0.3	-0.7	PASS
6533.850000	-1.0	0.3	-0.7	PASS
6538.750000	-1.0	0.4	-0.7	PASS
6537.050000	-1.1	0.4	-0.7	PASS
6533.650000	-1.1	0.4	-0.7	PASS
6533.950000	-1.1	0.4	-0.7	PASS
6536.750000	-1.1	0.4	-0.7	PASS
6532.350000	-1.2	0.5	-0.7	PASS
6532.650000	-1.2	0.5	-0.7	PASS
6537.750000	-1.2	0.5	-0.7	PASS
6539.050000	-1.2	0.5	-0.7	PASS
6539.150000	-1.2	0.6	-0.7	PASS



In-Band Emissions(Ant1) (6695 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6695.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6698.950000	-0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6693.950000	-1.1	0.3	-0.8	PASS
6697.950000	-1.2	0.4	-0.8	PASS
6698.050000	-1.4	0.5	-0.8	PASS
6693.350000	-1.4	0.6	-0.8	PASS
6694.050000	-1.4	0.6	-0.8	PASS
6692.750000	-1.4	0.6	-0.8	PASS
6696.750000	-1.4	0.6	-0.8	PASS
6696.150000	-1.4	0.6	-0.8	PASS
6697.450000	-1.5	0.7	-0.8	PASS
6697.650000	-1.5	0.7	-0.8	PASS
6693.250000	-1.5	0.7	-0.8	PASS
6693.850000	-1.5	0.7	-0.8	PASS
6697.750000	-1.5	0.7	-0.8	PASS
6693.650000	-1.6	0.8	-0.8	PASS
6694.350000	-1.6	0.8	-0.8	PASS



In-Band Emissions(Ant2) (6695 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6695.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6697.750000	-0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6697.750000	-0.4	0.0	-0.4	PASS
6697.650000	-0.6	0.2	-0.4	PASS
6697.350000	-0.9	0.5	-0.4	PASS
6693.950000	-0.9	0.6	-0.4	PASS
6698.650000	-1.0	0.6	-0.4	PASS
6698.050000	-1.1	0.7	-0.4	PASS
6698.550000	-1.2	0.8	-0.4	PASS
6691.850000	-1.2	0.8	-0.4	PASS
6692.050000	-1.2	0.8	-0.4	PASS
6701.450000	-1.3	0.9	-0.4	PASS
6691.150000	-1.3	0.9	-0.4	PASS
6697.450000	-1.3	1.0	-0.4	PASS
6696.450000	-1.3	1.0	-0.4	PASS
6697.050000	-1.3	1.0	-0.4	PASS
6697.950000	-1.4	1.0	-0.4	PASS



In-Band Emissions(Ant1) (6855 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6855.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6853.650000	-1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6854.850000	-1.6	0.2	-1.4	PASS
6859.950000	-1.6	0.2	-1.4	PASS
6859.550000	-1.6	0.2	-1.4	PASS
6855.850000	-1.6	0.3	-1.4	PASS
6858.350000	-1.6	0.3	-1.4	PASS
6858.650000	-1.7	0.3	-1.4	PASS
6854.250000	-1.7	0.3	-1.4	PASS
6858.050000	-1.7	0.3	-1.4	PASS
6858.750000	-1.7	0.3	-1.4	PASS
6859.850000	-1.7	0.3	-1.4	PASS
6849.250000	-1.8	0.4	-1.4	PASS
6859.250000	-1.8	0.5	-1.4	PASS
6853.350000	-1.9	0.5	-1.4	PASS
6857.950000	-1.9	0.5	-1.4	PASS
6853.950000	-1.9	0.5	-1.4	PASS



In-Band Emissions(Ant2) (6855 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6855.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6853.350000	0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6853.350000	0.8	0.0	0.8	PASS
6856.450000	0.6	0.1	0.8	PASS
6853.950000	0.6	0.2	0.8	PASS
6853.650000	0.5	0.2	0.8	PASS
6856.750000	0.4	0.3	0.8	PASS
6857.350000	0.4	0.3	0.8	PASS
6857.050000	0.4	0.4	0.8	PASS
6854.550000	0.3	0.4	0.8	PASS
6858.650000	0.3	0.4	0.8	PASS
6856.550000	0.3	0.5	0.8	PASS
6852.350000	0.2	0.5	0.8	PASS
6855.850000	0.2	0.5	0.8	PASS
6857.750000	0.2	0.6	0.8	PASS
6853.050000	0.2	0.6	0.8	PASS
6852.050000	0.1	0.6	0.8	PASS



In-Band Emissions(Ant1) (6875 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6875.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6874.250000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6874.250000	-0.7	0.0	-0.7	PASS
6873.950000	-0.9	0.2	-0.7	PASS
6873.850000	-1.1	0.4	-0.7	PASS
6878.050000	-1.1	0.4	-0.7	PASS
6877.750000	-1.2	0.5	-0.7	PASS
6871.450000	-1.3	0.6	-0.7	PASS
6870.150000	-1.3	0.6	-0.7	PASS
6876.150000	-1.4	0.6	-0.7	PASS
6874.150000	-1.4	0.6	-0.7	PASS
6873.750000	-1.4	0.7	-0.7	PASS
6877.350000	-1.4	0.7	-0.7	PASS
6874.350000	-1.4	0.7	-0.7	PASS
6872.750000	-1.5	0.8	-0.7	PASS
6870.250000	-1.5	0.8	-0.7	PASS
6873.650000	-1.5	0.8	-0.7	PASS



In-Band Emissions(Ant2) (6875 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6875.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6877.350000	0.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6873.350000	0.0	0.0	0.0	PASS
6876.150000	-0.1	0.1	0.0	PASS
6873.650000	-0.3	0.3	0.0	PASS
6877.450000	-0.4	0.5	0.0	PASS
6872.450000	-0.4	0.5	0.0	PASS
6878.250000	-0.4	0.5	0.0	PASS
6877.050000	-0.5	0.5	0.0	PASS
6875.850000	-0.5	0.5	0.0	PASS
6878.650000	-0.5	0.6	0.0	PASS
6874.250000	-0.6	0.6	0.0	PASS
6872.350000	-0.6	0.6	0.0	PASS
6876.050000	-0.6	0.6	0.0	PASS
6873.450000	-0.6	0.6	0.0	PASS
6878.950000	-0.6	0.7	0.0	PASS
6876.850000	-0.6	0.7	0.0	PASS



In-Band Emissions(Ant1) (6895 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6895.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6893.950000	-1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6890.550000	-1.3	0.2	-1.2	PASS
6899.250000	-1.4	0.2	-1.2	PASS
6898.950000	-1.5	0.3	-1.2	PASS
6894.550000	-1.5	0.3	-1.2	PASS
6894.350000	-1.5	0.3	-1.2	PASS
6896.450000	-1.6	0.4	-1.2	PASS
6896.150000	-1.6	0.4	-1.2	PASS
6893.850000	-1.6	0.4	-1.2	PASS
6894.250000	-1.6	0.4	-1.2	PASS
6890.650000	-1.6	0.4	-1.2	PASS
6891.150000	-1.7	0.5	-1.2	PASS
6890.250000	-1.7	0.5	-1.2	PASS
6889.550000	-1.7	0.5	-1.2	PASS
6893.350000	-1.7	0.6	-1.2	PASS
6894.050000	-1.7	0.6	-1.2	PASS



In-Band Emissions(Ant2) (6895 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6895.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6892.450000	0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6892.450000	0.3	0.0	0.3	PASS
6897.350000	0.2	0.1	0.3	PASS
6893.650000	0.2	0.1	0.3	PASS
6892.550000	0.2	0.1	0.3	PASS
6891.450000	0.1	0.2	0.3	PASS
6896.450000	0.1	0.2	0.3	PASS
6892.150000	0.0	0.3	0.3	PASS
6897.050000	0.0	0.3	0.3	PASS
6894.250000	0.0	0.3	0.3	PASS
6892.050000	-0.1	0.4	0.3	PASS
6898.650000	-0.1	0.4	0.3	PASS
6897.450000	-0.1	0.4	0.3	PASS
6893.250000	-0.2	0.5	0.3	PASS
6897.750000	-0.2	0.5	0.3	PASS
6891.850000	-0.2	0.5	0.3	PASS



In-Band Emissions(Ant1) (6995 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6995.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6999.550000	-3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6992.750000	-3.7	0.2	-3.5	PASS
6995.850000	-3.7	0.2	-3.5	PASS
6999.650000	-3.7	0.2	-3.5	PASS
6999.250000	-3.7	0.3	-3.5	PASS
6989.550000	-3.8	0.3	-3.5	PASS
6999.950000	-3.8	0.4	-3.5	PASS
6998.950000	-4.0	0.5	-3.5	PASS
6990.550000	-4.0	0.5	-3.5	PASS
7000.450000	-4.0	0.5	-3.5	PASS
6994.550000	-4.0	0.5	-3.5	PASS
6989.650000	-4.0	0.5	-3.5	PASS
6993.650000	-4.0	0.5	-3.5	PASS
7001.150000	-4.0	0.5	-3.5	PASS
6989.950000	-4.1	0.6	-3.5	PASS
6995.750000	-4.1	0.6	-3.5	PASS



In-Band Emissions(Ant2) (6995 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6995.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6991.450000	-1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6996.450000	-2.0	0.3	-1.7	PASS
6993.650000	-2.0	0.3	-1.7	PASS
6993.950000	-2.1	0.4	-1.7	PASS
6997.450000	-2.1	0.4	-1.7	PASS
6995.850000	-2.2	0.5	-1.7	PASS
6997.050000	-2.2	0.5	-1.7	PASS
6997.150000	-2.3	0.6	-1.7	PASS
6997.750000	-2.4	0.6	-1.7	PASS
6994.550000	-2.4	0.7	-1.7	PASS
6998.050000	-2.4	0.7	-1.7	PASS
6991.150000	-2.4	0.7	-1.7	PASS
6993.050000	-2.4	0.7	-1.7	PASS
6992.050000	-2.4	0.7	-1.7	PASS
6991.550000	-2.4	0.7	-1.7	PASS
6992.950000	-2.5	0.8	-1.7	PASS



In-Band Emissions(Ant1) (7115 MHz; 11a (20 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
7115.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7116.150000	-4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7116.150000	-4.6	0.0	-4.6	PASS
7110.850000	-4.6	0.0	-4.6	PASS
7112.450000	-4.6	0.1	-4.6	PASS
7114.650000	-4.7	0.1	-4.6	PASS
7116.450000	-4.7	0.1	-4.6	PASS
7116.750000	-4.7	0.1	-4.6	PASS
7118.950000	-4.8	0.2	-4.6	PASS
7114.350000	-4.8	0.2	-4.6	PASS
7120.450000	-4.8	0.2	-4.6	PASS
7120.550000	-4.8	0.2	-4.6	PASS
7116.850000	-4.8	0.2	-4.6	PASS
7119.350000	-4.8	0.3	-4.6	PASS
7113.950000	-4.8	0.3	-4.6	PASS
7109.950000	-4.8	0.3	-4.6	PASS
7116.050000	-4.9	0.3	-4.6	PASS

In Band



In-Band Emissions(Ant2) (7115 MHz; 11a (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
7115.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7112.750000	-2.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7112.750000	-2.4	0.0	-2.4	PASS
7118.050000	-2.6	0.2	-2.4	PASS
7117.350000	-2.6	0.2	-2.4	PASS
7117.750000	-2.6	0.3	-2.4	PASS
7118.350000	-2.8	0.4	-2.4	PASS
7111.450000	-2.8	0.4	-2.4	PASS
7113.350000	-2.8	0.4	-2.4	PASS
7117.650000	-2.8	0.5	-2.4	PASS
7113.950000	-2.9	0.5	-2.4	PASS
7112.650000	-2.9	0.5	-2.4	PASS
7110.250000	-2.9	0.5	-2.4	PASS
7116.450000	-2.9	0.5	-2.4	PASS
7112.050000	-2.9	0.5	-2.4	PASS
7117.450000	-2.9	0.6	-2.4	PASS
7112.350000	-2.9	0.6	-2.4	PASS



In-Band Emissions(Ant1) 5955 MHz; 11ac20 (20 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
5955.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5957.050000	-1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5957.050000	-1.0	0.0	-1.0	PASS
5958.050000	-1.1	0.1	-1.0	PASS
5957.950000	-1.1	0.2	-1.0	PASS
5953.350000	-1.2	0.2	-1.0	PASS
5953.050000	-1.2	0.2	-1.0	PASS
5952.650000	-1.2	0.2	-1.0	PASS
5953.950000	-1.2	0.2	-1.0	PASS
5951.750000	-1.2	0.2	-1.0	PASS
5952.350000	-1.3	0.3	-1.0	PASS
5954.250000	-1.4	0.4	-1.0	PASS
5956.850000	-1.4	0.4	-1.0	PASS
5953.250000	-1.4	0.4	-1.0	PASS
5949.850000	-1.4	0.4	-1.0	PASS
5958.650000	-1.4	0.4	-1.0	PASS
5950.550000	-1.4	0.4	-1.0	PASS

In Band



In-Band Emissions(Ant2) (5955 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
5955.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
5958.350000	-1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5952.050000	-1.7	0.0	-1.7	PASS
5953.950000	-1.8	0.1	-1.7	PASS
5953.650000	-1.8	0.1	-1.7	PASS
5950.850000	-1.8	0.1	-1.7	PASS
5957.250000	-1.8	0.1	-1.7	PASS
5958.950000	-1.8	0.1	-1.7	PASS
5957.650000	-1.9	0.2	-1.7	PASS
5960.250000	-1.9	0.2	-1.7	PASS
5951.150000	-1.9	0.2	-1.7	PASS
5953.050000	-1.9	0.2	-1.7	PASS
5957.950000	-1.9	0.2	-1.7	PASS
5959.550000	-2.0	0.3	-1.7	PASS
5954.250000	-2.0	0.3	-1.7	PASS
5960.150000	-2.0	0.3	-1.7	PASS
5958.050000	-2.0	0.3	-1.7	PASS



In-Band Emissions(Ant1) 6175 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6175.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6176.750000	-1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6176.750000	-1.1	0.0	-1.1	PASS
6171.750000	-1.1	0.0	-1.1	PASS
6178.950000	-1.1	0.0	-1.1	PASS
6168.950000	-1.1	0.1	-1.1	PASS
6178.350000	-1.2	0.1	-1.1	PASS
6173.350000	-1.2	0.1	-1.1	PASS
6176.450000	-1.2	0.2	-1.1	PASS
6175.850000	-1.2	0.2	-1.1	PASS
6173.450000	-1.3	0.2	-1.1	PASS
6172.650000	-1.3	0.3	-1.1	PASS
6172.950000	-1.3	0.3	-1.1	PASS
6177.750000	-1.3	0.3	-1.1	PASS
6172.050000	-1.3	0.3	-1.1	PASS
6177.450000	-1.4	0.3	-1.1	PASS
6177.650000	-1.4	0.3	-1.1	PASS



In-Band Emissions(Ant2) (6175 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6175.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6173.350000	-1.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6173.650000	-1.6	0.1	-1.5	PASS
6177.650000	-1.6	0.1	-1.5	PASS
6172.750000	-1.7	0.3	-1.5	PASS
6175.850000	-1.8	0.3	-1.5	PASS
6179.650000	-1.8	0.4	-1.5	PASS
6179.550000	-1.8	0.4	-1.5	PASS
6176.450000	-1.8	0.4	-1.5	PASS
6177.450000	-1.8	0.4	-1.5	PASS
6172.650000	-1.9	0.4	-1.5	PASS
6173.250000	-1.9	0.4	-1.5	PASS
6177.050000	-1.9	0.4	-1.5	PASS
6173.750000	-1.9	0.4	-1.5	PASS
6180.550000	-1.9	0.4	-1.5	PASS
6171.450000	-1.9	0.5	-1.5	PASS
6176.750000	-1.9	0.5	-1.5	PASS



In-Band Emissions(Ant1) 6415 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6415.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6412.350000	-1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6412.350000	-1.0	0.0	-1.0	PASS
6411.150000	-1.0	0.0	-1.0	PASS
6411.250000	-1.0	0.0	-1.0	PASS
6417.050000	-1.2	0.2	-1.0	PASS
6420.250000	-1.2	0.2	-1.0	PASS
6418.350000	-1.2	0.2	-1.0	PASS
6416.750000	-1.2	0.2	-1.0	PASS
6420.850000	-1.3	0.3	-1.0	PASS
6412.050000	-1.3	0.3	-1.0	PASS
6411.750000	-1.3	0.3	-1.0	PASS
6410.950000	-1.3	0.4	-1.0	PASS
6416.450000	-1.4	0.4	-1.0	PASS
6416.150000	-1.4	0.4	-1.0	PASS
6418.250000	-1.4	0.4	-1.0	PASS
6413.650000	-1.4	0.5	-1.0	PASS



In-Band Emissions(Ant2) (6415 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6415.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6418.350000	-1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6418.350000	-1.4	0.0	-1.4	PASS
6412.350000	-1.7	0.3	-1.4	PASS
6414.250000	-1.8	0.4	-1.4	PASS
6417.350000	-1.8	0.4	-1.4	PASS
6415.850000	-1.9	0.5	-1.4	PASS
6412.450000	-1.9	0.5	-1.4	PASS
6417.050000	-1.9	0.6	-1.4	PASS
6413.050000	-2.0	0.6	-1.4	PASS
6412.250000	-2.0	0.6	-1.4	PASS
6413.650000	-2.0	0.6	-1.4	PASS
6417.250000	-2.0	0.6	-1.4	PASS
6414.150000	-2.0	0.6	-1.4	PASS
6420.250000	-2.1	0.7	-1.4	PASS
6412.050000	-2.1	0.7	-1.4	PASS
6418.250000	-2.1	0.7	-1.4	PASS



In-Band Emissions(Ant1) 6435 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6435.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6430.850000	-1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6430.850000	-1.1	0.0	-1.1	PASS
6432.050000	-1.1	0.0	-1.1	PASS
6438.950000	-1.1	0.1	-1.1	PASS
6432.150000	-1.2	0.1	-1.1	PASS
6433.050000	-1.2	0.1	-1.1	PASS
6431.450000	-1.2	0.1	-1.1	PASS
6438.650000	-1.2	0.2	-1.1	PASS
6430.250000	-1.3	0.2	-1.1	PASS
6439.950000	-1.3	0.2	-1.1	PASS
6439.250000	-1.3	0.2	-1.1	PASS
6432.450000	-1.3	0.2	-1.1	PASS
6438.550000	-1.3	0.3	-1.1	PASS
6440.250000	-1.4	0.3	-1.1	PASS
6435.850000	-1.4	0.3	-1.1	PASS
6438.850000	-1.4	0.3	-1.1	PASS



In-Band Emissions(Ant2) (6435 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6435.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6434.250000	-2.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6434.250000	-2.3	0.0	-2.3	PASS
6432.750000	-2.3	0.0	-2.3	PASS
6436.750000	-2.5	0.2	-2.3	PASS
6433.350000	-2.5	0.2	-2.3	PASS
6433.050000	-2.5	0.2	-2.3	PASS
6438.350000	-2.5	0.2	-2.3	PASS
6433.950000	-2.6	0.2	-2.3	PASS
6438.950000	-2.6	0.3	-2.3	PASS
6441.150000	-2.6	0.3	-2.3	PASS
6438.750000	-2.6	0.3	-2.3	PASS
6434.550000	-2.6	0.3	-2.3	PASS
6432.950000	-2.6	0.3	-2.3	PASS
6433.650000	-2.6	0.3	-2.3	PASS
6432.050000	-2.6	0.3	-2.3	PASS
6439.250000	-2.7	0.4	-2.3	PASS



In-Band Emissions(Ant1) 6475 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6475.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6478.950000	-1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6478.950000	-1.8	0.0	-1.8	PASS
6472.350000	-1.8	0.0	-1.8	PASS
6470.850000	-1.8	0.0	-1.8	PASS
6479.250000	-1.8	0.1	-1.8	PASS
6470.250000	-1.8	0.1	-1.8	PASS
6478.650000	-1.8	0.1	-1.8	PASS
6473.350000	-1.9	0.1	-1.8	PASS
6477.050000	-1.9	0.1	-1.8	PASS
6475.850000	-1.9	0.1	-1.8	PASS
6478.350000	-1.9	0.1	-1.8	PASS
6477.750000	-1.9	0.2	-1.8	PASS
6480.850000	-1.9	0.2	-1.8	PASS
6479.350000	-2.0	0.2	-1.8	PASS
6470.550000	-2.0	0.2	-1.8	PASS
6470.150000	-2.0	0.2	-1.8	PASS



In-Band Emissions(Ant2) (6475 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6475.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6473.350000	-1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6473.350000	-1.0	0.0	-1.0	PASS
6476.150000	-1.1	0.1	-1.0	PASS
6471.450000	-1.1	0.1	-1.0	PASS
6478.350000	-1.2	0.2	-1.0	PASS
6472.650000	-1.2	0.2	-1.0	PASS
6473.050000	-1.3	0.3	-1.0	PASS
6471.750000	-1.3	0.3	-1.0	PASS
6473.250000	-1.3	0.3	-1.0	PASS
6472.350000	-1.4	0.3	-1.0	PASS
6472.450000	-1.4	0.4	-1.0	PASS
6474.250000	-1.4	0.4	-1.0	PASS
6472.550000	-1.4	0.4	-1.0	PASS
6476.450000	-1.4	0.4	-1.0	PASS
6474.050000	-1.5	0.4	-1.0	PASS
6471.850000	-1.5	0.4	-1.0	PASS



In-Band Emissions(Ant1) 6515 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6515.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6511.750000	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6518.050000	-0.7	0.1	-0.6	PASS
6510.450000	-0.8	0.2	-0.6	PASS
6510.550000	-0.8	0.2	-0.6	PASS
6511.150000	-0.8	0.2	-0.6	PASS
6519.950000	-0.8	0.3	-0.6	PASS
6517.750000	-0.9	0.3	-0.6	PASS
6510.150000	-0.9	0.3	-0.6	PASS
6517.450000	-0.9	0.3	-0.6	PASS
6516.750000	-1.0	0.4	-0.6	PASS
6513.050000	-1.0	0.4	-0.6	PASS
6517.150000	-1.0	0.4	-0.6	PASS
6511.250000	-1.0	0.4	-0.6	PASS
6512.150000	-1.0	0.4	-0.6	PASS
6510.250000	-1.0	0.4	-0.6	PASS
6512.750000	-1.0	0.5	-0.6	PASS



In-Band Emissions(Ant2) (6515 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6515.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6511.450000	-1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6511.450000	-1.3	0.0	-1.3	PASS
6517.750000	-1.4	0.1	-1.3	PASS
6512.450000	-1.4	0.1	-1.3	PASS
6518.350000	-1.5	0.1	-1.3	PASS
6514.250000	-1.5	0.2	-1.3	PASS
6517.650000	-1.5	0.2	-1.3	PASS
6512.750000	-1.6	0.2	-1.3	PASS
6511.550000	-1.6	0.2	-1.3	PASS
6512.650000	-1.6	0.3	-1.3	PASS
6511.750000	-1.6	0.3	-1.3	PASS
6513.050000	-1.6	0.3	-1.3	PASS
6517.050000	-1.7	0.3	-1.3	PASS
6520.550000	-1.8	0.4	-1.3	PASS
6510.550000	-1.8	0.4	-1.3	PASS
6513.150000	-1.8	0.5	-1.3	PASS



In-Band Emissions(Ant1) 6535 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6535.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6532.350000	-1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6533.650000	-1.3	0.1	-1.2	PASS
6531.150000	-1.3	0.1	-1.2	PASS
6531.850000	-1.5	0.2	-1.2	PASS
6538.050000	-1.5	0.2	-1.2	PASS
6538.950000	-1.5	0.2	-1.2	PASS
6530.450000	-1.5	0.3	-1.2	PASS
6539.850000	-1.5	0.3	-1.2	PASS
6539.250000	-1.5	0.3	-1.2	PASS
6531.450000	-1.6	0.3	-1.2	PASS
6530.550000	-1.6	0.3	-1.2	PASS
6537.950000	-1.6	0.3	-1.2	PASS
6531.750000	-1.6	0.4	-1.2	PASS
6532.450000	-1.7	0.4	-1.2	PASS
6538.650000	-1.7	0.4	-1.2	PASS
6531.050000	-1.7	0.4	-1.2	PASS



In-Band Emissions(Ant2) (6535 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6535.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6532.150000	-1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6532.150000	-1.8	0.0	-1.8	PASS
6532.050000	-1.8	0.0	-1.8	PASS
6538.950000	-1.8	0.0	-1.8	PASS
6536.750000	-1.9	0.0	-1.8	PASS
6534.250000	-2.0	0.1	-1.8	PASS
6530.550000	-2.0	0.2	-1.8	PASS
6531.850000	-2.0	0.2	-1.8	PASS
6540.850000	-2.0	0.2	-1.8	PASS
6532.350000	-2.0	0.2	-1.8	PASS
6531.750000	-2.0	0.2	-1.8	PASS
6538.350000	-2.0	0.2	-1.8	PASS
6533.650000	-2.0	0.2	-1.8	PASS
6532.750000	-2.0	0.2	-1.8	PASS
6535.850000	-2.1	0.2	-1.8	PASS
6534.650000	-2.1	0.3	-1.8	PASS



In-Band Emissions(Ant1) 6695 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6695.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6692.750000	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6692.750000	-0.9	0.0	-0.9	PASS
6693.350000	-1.1	0.1	-0.9	PASS
6691.150000	-1.2	0.3	-0.9	PASS
6693.050000	-1.2	0.3	-0.9	PASS
6693.650000	-1.2	0.3	-0.9	PASS
6692.450000	-1.3	0.3	-0.9	PASS
6693.950000	-1.3	0.4	-0.9	PASS
6696.750000	-1.3	0.4	-0.9	PASS
6691.450000	-1.3	0.4	-0.9	PASS
6690.250000	-1.4	0.4	-0.9	PASS
6692.650000	-1.4	0.5	-0.9	PASS
6692.150000	-1.4	0.5	-0.9	PASS
6692.850000	-1.5	0.5	-0.9	PASS
6690.850000	-1.5	0.6	-0.9	PASS
6693.850000	-1.5	0.6	-0.9	PASS



In-Band Emissions(Ant2) (6695 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6695.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6691.450000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6691.750000	-0.8	0.1	-0.7	PASS
6698.950000	-0.8	0.1	-0.7	PASS
6690.550000	-0.9	0.2	-0.7	PASS
6691.550000	-0.9	0.2	-0.7	PASS
6698.850000	-0.9	0.2	-0.7	PASS
6692.450000	-0.9	0.2	-0.7	PASS
6693.050000	-1.0	0.3	-0.7	PASS
6688.950000	-1.0	0.3	-0.7	PASS
6692.150000	-1.0	0.3	-0.7	PASS
6694.250000	-1.0	0.3	-0.7	PASS
6698.650000	-1.0	0.3	-0.7	PASS
6697.150000	-1.1	0.3	-0.7	PASS
6693.350000	-1.1	0.4	-0.7	PASS
6699.250000	-1.1	0.4	-0.7	PASS
6697.450000	-1.1	0.4	-0.7	PASS



In-Band Emissions(Ant1) 6855 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6855.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6853.950000	-1.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6853.350000	-1.7	0.2	-1.5	PASS
6854.050000	-1.8	0.2	-1.5	PASS
6853.750000	-1.8	0.3	-1.5	PASS
6853.650000	-1.8	0.3	-1.5	PASS
6854.550000	-1.8	0.3	-1.5	PASS
6855.650000	-2.0	0.5	-1.5	PASS
6852.450000	-2.1	0.5	-1.5	PASS
6856.150000	-2.1	0.5	-1.5	PASS
6855.550000	-2.1	0.5	-1.5	PASS
6852.350000	-2.1	0.5	-1.5	PASS
6852.750000	-2.1	0.6	-1.5	PASS
6856.450000	-2.1	0.6	-1.5	PASS
6851.750000	-2.1	0.6	-1.5	PASS
6854.650000	-2.1	0.6	-1.5	PASS
6852.150000	-2.2	0.6	-1.5	PASS



In-Band Emissions(Ant2) (6855 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6855.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6853.350000	-0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6853.350000	-0.1	0.0	-0.1	PASS
6849.950000	-0.1	0.0	-0.1	PASS
6858.650000	-0.1	0.0	-0.1	PASS
6859.850000	-0.1	0.1	-0.1	PASS
6851.050000	-0.2	0.1	-0.1	PASS
6851.150000	-0.2	0.1	-0.1	PASS
6858.950000	-0.2	0.1	-0.1	PASS
6852.750000	-0.2	0.1	-0.1	PASS
6858.050000	-0.3	0.2	-0.1	PASS
6850.550000	-0.3	0.2	-0.1	PASS
6852.950000	-0.3	0.2	-0.1	PASS
6858.350000	-0.4	0.3	-0.1	PASS
6853.650000	-0.4	0.3	-0.1	PASS
6853.050000	-0.4	0.3	-0.1	PASS
6851.450000	-0.4	0.3	-0.1	PASS



In-Band Emissions(Ant1) 6875 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6875.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6872.650000	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6874.250000	-0.7	0.1	-0.6	PASS
6873.050000	-0.8	0.2	-0.6	PASS
6873.350000	-0.9	0.3	-0.6	PASS
6874.550000	-1.0	0.3	-0.6	PASS
6872.750000	-1.0	0.4	-0.6	PASS
6875.850000	-1.0	0.4	-0.6	PASS
6872.350000	-1.0	0.4	-0.6	PASS
6874.650000	-1.1	0.5	-0.6	PASS
6874.150000	-1.1	0.5	-0.6	PASS
6873.650000	-1.1	0.5	-0.6	PASS
6871.450000	-1.1	0.5	-0.6	PASS
6876.150000	-1.1	0.5	-0.6	PASS
6873.250000	-1.1	0.5	-0.6	PASS
6873.950000	-1.1	0.5	-0.6	PASS
6876.550000	-1.1	0.5	-0.6	PASS



In-Band Emissions(Ant2) (6875 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6875.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6874.050000	0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6873.650000	0.3	0.2	0.6	PASS
6872.750000	0.3	0.3	0.6	PASS
6873.950000	0.2	0.3	0.6	PASS
6878.650000	0.2	0.3	0.6	PASS
6871.750000	0.2	0.3	0.6	PASS
6871.450000	0.2	0.4	0.6	PASS
6878.050000	0.2	0.4	0.6	PASS
6872.150000	0.1	0.4	0.6	PASS
6874.150000	0.1	0.4	0.6	PASS
6880.150000	0.0	0.5	0.6	PASS
6871.150000	0.0	0.5	0.6	PASS
6872.350000	0.0	0.5	0.6	PASS
6871.550000	0.0	0.6	0.6	PASS
6880.550000	0.0	0.6	0.6	PASS
6879.950000	0.0	0.6	0.6	PASS



In-Band Emissions(Ant1) 6895 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6895.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6892.750000	-0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6893.650000	-0.9	0.0	-0.8	PASS
6893.350000	-0.9	0.0	-0.8	PASS
6891.850000	-0.9	0.1	-0.8	PASS
6892.650000	-1.0	0.2	-0.8	PASS
6896.150000	-1.1	0.2	-0.8	PASS
6892.450000	-1.2	0.3	-0.8	PASS
6893.250000	-1.2	0.3	-0.8	PASS
6893.050000	-1.2	0.4	-0.8	PASS
6893.550000	-1.2	0.4	-0.8	PASS
6891.750000	-1.3	0.4	-0.8	PASS
6892.550000	-1.3	0.4	-0.8	PASS
6894.250000	-1.3	0.4	-0.8	PASS
6893.950000	-1.3	0.5	-0.8	PASS
6894.550000	-1.3	0.5	-0.8	PASS
6895.550000	-1.4	0.5	-0.8	PASS



In-Band Emissions(Ant2) (6895 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6895.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6898.350000	0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6898.350000	0.8	0.0	0.8	PASS
6899.250000	0.8	0.0	0.8	PASS
6897.450000	0.7	0.0	0.8	PASS
6890.250000	0.6	0.2	0.8	PASS
6892.050000	0.6	0.2	0.8	PASS
6891.150000	0.5	0.3	0.8	PASS
6893.050000	0.5	0.3	0.8	PASS
6890.550000	0.5	0.3	0.8	PASS
6900.450000	0.5	0.3	0.8	PASS
6895.850000	0.5	0.3	0.8	PASS
6896.750000	0.4	0.4	0.8	PASS
6892.750000	0.4	0.4	0.8	PASS
6897.550000	0.4	0.4	0.8	PASS
6891.550000	0.4	0.4	0.8	PASS
6897.150000	0.3	0.4	0.8	PASS



In-Band Emissions(Ant1) 6995 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6995.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6995.850000	-2.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6995.850000	-2.3	0.0	-2.3	PASS
6993.650000	-2.4	0.1	-2.3	PASS
6992.450000	-2.5	0.2	-2.3	PASS
6993.950000	-2.5	0.2	-2.3	PASS
6996.150000	-2.6	0.3	-2.3	PASS
6993.750000	-2.6	0.3	-2.3	PASS
6992.350000	-2.6	0.3	-2.3	PASS
6993.050000	-2.6	0.4	-2.3	PASS
6992.650000	-2.6	0.4	-2.3	PASS
6998.350000	-2.7	0.4	-2.3	PASS
6998.050000	-2.7	0.4	-2.3	PASS
6995.750000	-2.7	0.4	-2.3	PASS
6993.350000	-2.7	0.4	-2.3	PASS
6991.450000	-2.7	0.4	-2.3	PASS
6996.450000	-2.8	0.5	-2.3	PASS



In-Band Emissions(Ant2) (6995 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6995.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6992.450000	-1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6998.050000	-1.4	0.2	-1.2	PASS
6999.550000	-1.5	0.3	-1.2	PASS
6992.150000	-1.5	0.3	-1.2	PASS
6990.250000	-1.6	0.4	-1.2	PASS
6993.650000	-1.6	0.4	-1.2	PASS
6998.950000	-1.6	0.4	-1.2	PASS
6999.850000	-1.6	0.4	-1.2	PASS
6992.350000	-1.6	0.4	-1.2	PASS
6990.150000	-1.6	0.4	-1.2	PASS
6999.250000	-1.6	0.4	-1.2	PASS
6993.350000	-1.7	0.5	-1.2	PASS
6996.150000	-1.7	0.5	-1.2	PASS
6997.950000	-1.7	0.5	-1.2	PASS
6991.150000	-1.7	0.5	-1.2	PASS
6992.050000	-1.7	0.5	-1.2	PASS



In-Band Emissions(Ant1) 7115 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
7115.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7116.450000	-3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7116.450000	-3.7	0.0	-3.7	PASS
7117.750000	-3.8	0.1	-3.7	PASS
7113.050000	-3.8	0.1	-3.7	PASS
7118.350000	-3.9	0.2	-3.7	PASS
7116.850000	-4.0	0.2	-3.7	PASS
7117.950000	-4.0	0.3	-3.7	PASS
7113.950000	-4.1	0.3	-3.7	PASS
7116.750000	-4.1	0.3	-3.7	PASS
7114.250000	-4.1	0.4	-3.7	PASS
7112.050000	-4.1	0.4	-3.7	PASS
7115.550000	-4.1	0.4	-3.7	PASS
7116.150000	-4.1	0.4	-3.7	PASS
7116.350000	-4.2	0.4	-3.7	PASS
7117.850000	-4.2	0.4	-3.7	PASS
7117.050000	-4.2	0.4	-3.7	PASS



In-Band Emissions(Ant2) (7115 MHz; 11ac20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
7115.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7117.750000	-2.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7117.750000	-2.1	0.0	-2.1	PASS
7113.350000	-2.3	0.2	-2.1	PASS
7109.550000	-2.3	0.2	-2.1	PASS
7111.450000	-2.3	0.3	-2.1	PASS
7117.650000	-2.4	0.3	-2.1	PASS
7118.650000	-2.4	0.4	-2.1	PASS
7109.650000	-2.5	0.4	-2.1	PASS
7111.150000	-2.5	0.4	-2.1	PASS
7110.850000	-2.5	0.4	-2.1	PASS
7119.050000	-2.5	0.4	-2.1	PASS
7118.050000	-2.5	0.5	-2.1	PASS
7118.750000	-2.6	0.5	-2.1	PASS
7118.350000	-2.6	0.5	-2.1	PASS
7117.850000	-2.6	0.5	-2.1	PASS
7119.250000	-2.7	0.6	-2.1	PASS



In-Band Emissions(Ant1) 5965 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
5965.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
5972.651913	0.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5963.799700	0.0	0.0	0.0	PASS
5963.649662	-0.1	0.1	0.0	PASS
5970.851463	-0.1	0.1	0.0	PASS
5970.551388	-0.1	0.1	0.0	PASS
5971.451613	-0.2	0.1	0.0	PASS
5962.149287	-0.2	0.2	0.0	PASS
5973.852213	-0.2	0.2	0.0	PASS
5970.101275	-0.2	0.2	0.0	PASS
5963.349587	-0.2	0.2	0.0	PASS
5958.848462	-0.3	0.2	0.0	PASS
5967.850713	-0.3	0.3	0.0	PASS
5968.300825	-0.3	0.3	0.0	PASS
5975.052513	-0.3	0.3	0.0	PASS
5964.399850	-0.3	0.3	0.0	PASS
5961.549137	-0.3	0.3	0.0	PASS



In-Band Emissions(Ant2) (5965 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5958.248312	0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5966.500375	0.1	0.1	0.2	PASS
5961.849212	0.1	0.1	0.2	PASS
5962.149287	0.1	0.1	0.2	PASS
5969.201050	0.1	0.2	0.2	PASS
5970.401350	-0.1	0.3	0.2	PASS
5962.599400	-0.1	0.3	0.2	PASS
5969.051013	-0.1	0.3	0.2	PASS
5961.249062	-0.1	0.3	0.2	PASS
5961.999250	-0.1	0.3	0.2	PASS
5967.550638	-0.1	0.3	0.2	PASS
5963.799700	-0.1	0.3	0.2	PASS
5958.398350	-0.1	0.4	0.2	PASS
5970.251313	-0.2	0.4	0.2	PASS
5962.299325	-0.2	0.4	0.2	PASS
5966.650413	-0.2	0.4	0.2	PASS

In Band



In-Band Emissions(Ant1) 6165 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6165.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6167.700675	-0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6158.998500	-0.7	0.3	-0.4	PASS
6168.600900	-0.9	0.5	-0.4	PASS
6158.398350	-0.9	0.5	-0.4	PASS
6169.201050	-1.0	0.5	-0.4	PASS
6160.948987	-1.0	0.6	-0.4	PASS
6161.699175	-1.0	0.6	-0.4	PASS
6167.850713	-1.0	0.6	-0.4	PASS
6160.498875	-1.0	0.6	-0.4	PASS
6166.350338	-1.1	0.6	-0.4	PASS
6169.051013	-1.1	0.6	-0.4	PASS
6167.550638	-1.1	0.7	-0.4	PASS
6158.698425	-1.1	0.7	-0.4	PASS
6156.747937	-1.2	0.7	-0.4	PASS
6160.348837	-1.2	0.7	-0.4	PASS
6168.750938	-1.2	0.8	-0.4	PASS



In-Band Emissions(Ant2) (6165 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6170.251313	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6170.251313	1.8	0.0	1.8	PASS
6171.601650	1.8	0.1	1.8	PASS
6162.299325	1.6	0.2	1.8	PASS
6163.799700	1.6	0.2	1.8	PASS
6170.401350	1.6	0.2	1.8	PASS
6171.751688	1.5	0.3	1.8	PASS
6167.400600	1.5	0.4	1.8	PASS
6161.699175	1.4	0.5	1.8	PASS
6172.951988	1.3	0.5	1.8	PASS
6162.449362	1.3	0.5	1.8	PASS
6169.801200	1.3	0.5	1.8	PASS
6167.550638	1.3	0.6	1.8	PASS
6162.149287	1.3	0.6	1.8	PASS
6170.551388	1.3	0.6	1.8	PASS
6163.649662	1.2	0.6	1.8	PASS

In Band



In-Band Emissions(Ant1) 6405 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6405.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6409.501125	-1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6409.501125	-1.0	0.0	-1.0	PASS
6409.951238	-1.2	0.2	-1.0	PASS
6412.351838	-1.2	0.2	-1.0	PASS
6409.051013	-1.4	0.4	-1.0	PASS
6397.798200	-1.4	0.5	-1.0	PASS
6408.450863	-1.5	0.5	-1.0	PASS
6411.151538	-1.5	0.5	-1.0	PASS
6411.301575	-1.5	0.5	-1.0	PASS
6408.750938	-1.5	0.5	-1.0	PASS
6401.399100	-1.5	0.5	-1.0	PASS
6410.101275	-1.5	0.5	-1.0	PASS
6411.751688	-1.5	0.5	-1.0	PASS
6408.900975	-1.5	0.5	-1.0	PASS
6411.601650	-1.6	0.6	-1.0	PASS
6403.649662	-1.6	0.6	-1.0	PASS



In-Band Emissions(Ant2) (6405 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6401.249062	0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6401.249062	0.7	0.0	0.7	PASS
6402.449362	0.7	0.0	0.7	PASS
6403.649662	0.7	0.0	0.7	PASS
6402.299325	0.6	0.1	0.7	PASS
6410.551388	0.6	0.1	0.7	PASS
6406.800450	0.6	0.1	0.7	PASS
6404.399850	0.6	0.1	0.7	PASS
6408.150788	0.6	0.1	0.7	PASS
6410.701425	0.5	0.2	0.7	PASS
6411.301575	0.5	0.2	0.7	PASS
6401.399100	0.5	0.2	0.7	PASS
6403.049512	0.5	0.2	0.7	PASS
6411.451613	0.5	0.2	0.7	PASS
6401.999250	0.5	0.2	0.7	PASS
6413.552138	0.5	0.2	0.7	PASS

In Band



In-Band Emissions(Ant1) 6445 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6445.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6440.348837	-1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6441.099025	-1.4	0.0	-1.3	PASS
6442.899475	-1.4	0.0	-1.3	PASS
6440.798950	-1.4	0.0	-1.3	PASS
6440.498875	-1.4	0.0	-1.3	PASS
6439.898725	-1.4	0.1	-1.3	PASS
6438.848462	-1.4	0.1	-1.3	PASS
6438.998500	-1.5	0.1	-1.3	PASS
6448.900975	-1.5	0.1	-1.3	PASS
6441.549137	-1.5	0.1	-1.3	PASS
6440.648912	-1.5	0.2	-1.3	PASS
6438.698425	-1.5	0.2	-1.3	PASS
6441.999250	-1.5	0.2	-1.3	PASS
6449.651163	-1.5	0.2	-1.3	PASS
6440.198800	-1.6	0.2	-1.3	PASS
6439.448612	-1.6	0.2	-1.3	PASS



In-Band Emissions(Ant2) (6445 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6445.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6442.149287	-0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6442.149287	-0.1	0.0	-0.1	PASS
6451.451613	-0.1	0.0	-0.1	PASS
6452.501875	-0.1	0.1	-0.1	PASS
6443.799700	-0.2	0.1	-0.1	PASS
6443.949737	-0.2	0.2	-0.1	PASS
6451.601650	-0.2	0.2	-0.1	PASS
6451.751688	-0.2	0.2	-0.1	PASS
6442.899475	-0.3	0.2	-0.1	PASS
6447.100525	-0.3	0.2	-0.1	PASS
6452.351838	-0.3	0.2	-0.1	PASS
6447.400600	-0.3	0.3	-0.1	PASS
6440.498875	-0.3	0.3	-0.1	PASS
6451.901725	-0.3	0.3	-0.1	PASS
6440.648912	-0.3	0.3	-0.1	PASS
6450.101275	-0.4	0.3	-0.1	PASS



In-Band Emissions(Ant1) 6485 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6485.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6489.351088	-1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6490.851463	-1.7	0.1	-1.6	PASS
6488.750938	-1.8	0.2	-1.6	PASS
6482.299325	-1.8	0.2	-1.6	PASS
6492.801950	-1.8	0.2	-1.6	PASS
6489.201050	-1.9	0.3	-1.6	PASS
6482.149287	-1.9	0.3	-1.6	PASS
6477.648162	-1.9	0.3	-1.6	PASS
6488.450863	-1.9	0.3	-1.6	PASS
6488.600900	-1.9	0.3	-1.6	PASS
6484.249812	-1.9	0.3	-1.6	PASS
6484.399850	-1.9	0.3	-1.6	PASS
6491.151538	-2.0	0.3	-1.6	PASS
6481.999250	-2.0	0.4	-1.6	PASS
6480.498875	-2.0	0.4	-1.6	PASS
6488.300825	-2.0	0.4	-1.6	PASS



In-Band Emissions(Ant2) (6485 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6483.049512	0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6481.549137	-0.1	0.2	0.1	PASS
6482.449362	-0.1	0.2	0.1	PASS
6479.898725	-0.2	0.2	0.1	PASS
6481.099025	-0.2	0.2	0.1	PASS
6481.999250	-0.2	0.2	0.1	PASS
6487.700675	-0.2	0.3	0.1	PASS
6489.951238	-0.3	0.3	0.1	PASS
6479.448612	-0.3	0.3	0.1	PASS
6478.998500	-0.3	0.3	0.1	PASS
6482.599400	-0.3	0.3	0.1	PASS
6481.849212	-0.3	0.3	0.1	PASS
6479.298575	-0.3	0.3	0.1	PASS
6483.649662	-0.3	0.3	0.1	PASS
6489.201050	-0.3	0.4	0.1	PASS
6482.899475	-0.3	0.4	0.1	PASS

In Band



In-Band Emissions(Ant1) 6525 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6520.048762	0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6519.898725	-0.1	0.2	0.1	PASS
6520.198800	-0.1	0.2	0.1	PASS
6529.801200	-0.3	0.4	0.1	PASS
6522.599400	-0.3	0.4	0.1	PASS
6531.451613	-0.3	0.4	0.1	PASS
6523.049512	-0.4	0.4	0.1	PASS
6529.051013	-0.4	0.5	0.1	PASS
6520.648912	-0.4	0.5	0.1	PASS
6518.998500	-0.4	0.5	0.1	PASS
6531.151538	-0.4	0.5	0.1	PASS
6522.749437	-0.4	0.5	0.1	PASS
6529.651163	-0.4	0.5	0.1	PASS
6530.701425	-0.4	0.5	0.1	PASS
6521.549137	-0.4	0.5	0.1	PASS
6530.251313	-0.5	0.6	0.1	PASS

In Band



In-Band Emissions(Ant2) (6525 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6521.249062	0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6532.051763	0.3	0.1	0.4	PASS
6531.001500	0.3	0.1	0.4	PASS
6522.899475	0.2	0.1	0.4	PASS
6523.499625	0.2	0.1	0.4	PASS
6530.551388	0.2	0.2	0.4	PASS
6529.201050	0.1	0.2	0.4	PASS
6520.348837	0.1	0.3	0.4	PASS
6531.901725	0.1	0.3	0.4	PASS
6529.051013	0.0	0.3	0.4	PASS
6522.749437	0.0	0.3	0.4	PASS
6521.399100	0.0	0.3	0.4	PASS
6522.449362	0.0	0.3	0.4	PASS
6522.299325	0.0	0.3	0.4	PASS
6523.049512	0.0	0.3	0.4	PASS
6531.601650	0.0	0.3	0.4	PASS

In Band



In-Band Emissions(Ant1) 6565 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6561.399100	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6561.399100	-0.6	0.0	-0.6	PASS
6571.151538	-0.8	0.1	-0.6	PASS
6561.549137	-0.8	0.1	-0.6	PASS
6561.999250	-0.8	0.2	-0.6	PASS
6562.899475	-0.8	0.2	-0.6	PASS
6560.948987	-0.9	0.2	-0.6	PASS
6560.798950	-0.9	0.3	-0.6	PASS
6562.449362	-0.9	0.3	-0.6	PASS
6559.898725	-0.9	0.3	-0.6	PASS
6560.498875	-0.9	0.3	-0.6	PASS
6563.049512	-1.0	0.4	-0.6	PASS
6560.648912	-1.0	0.4	-0.6	PASS
6571.451613	-1.0	0.4	-0.6	PASS
6560.048762	-1.1	0.4	-0.6	PASS
6568.900975	-1.1	0.4	-0.6	PASS

In Band



In-Band Emissions(Ant2) (6565 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6561.999250	0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6561.399100	0.4	0.0	0.4	PASS
6569.801200	0.4	0.1	0.4	PASS
6561.549137	0.3	0.1	0.4	PASS
6561.699175	0.3	0.2	0.4	PASS
6562.599400	0.3	0.2	0.4	PASS
6560.348837	0.2	0.2	0.4	PASS
6573.252063	0.2	0.2	0.4	PASS
6560.498875	0.2	0.2	0.4	PASS
6572.051763	0.2	0.2	0.4	PASS
6561.849212	0.2	0.2	0.4	PASS
6560.798950	0.2	0.2	0.4	PASS
6570.401350	0.2	0.2	0.4	PASS
6559.298575	0.2	0.3	0.4	PASS
6563.799700	0.2	0.3	0.4	PASS
6561.249062	0.2	0.3	0.4	PASS

In Band



In-Band Emissions(Ant1) 6685 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6690.251313	1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6683.349587	1.8	0.1	1.9	PASS
6681.699175	1.7	0.1	1.9	PASS
6683.499625	1.7	0.2	1.9	PASS
6690.401350	1.7	0.2	1.9	PASS
6682.749437	1.6	0.3	1.9	PASS
6691.601650	1.6	0.3	1.9	PASS
6688.750938	1.6	0.3	1.9	PASS
6682.599400	1.6	0.3	1.9	PASS
6681.099025	1.6	0.3	1.9	PASS
6683.949737	1.6	0.3	1.9	PASS
6689.801200	1.6	0.3	1.9	PASS
6680.648912	1.5	0.3	1.9	PASS
6691.151538	1.5	0.4	1.9	PASS
6690.851463	1.4	0.4	1.9	PASS
6681.849212	1.4	0.4	1.9	PASS

In Band



In-Band Emissions(Ant2) (6685 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6681.399100	3.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6681.549137	3.7	0.0	3.8	PASS
6681.849212	3.7	0.1	3.8	PASS
6690.101275	3.7	0.1	3.8	PASS
6692.201800	3.7	0.1	3.8	PASS
6680.798950	3.6	0.2	3.8	PASS
6683.799700	3.6	0.2	3.8	PASS
6681.699175	3.6	0.2	3.8	PASS
6689.351088	3.6	0.2	3.8	PASS
6679.898725	3.5	0.3	3.8	PASS
6687.550638	3.5	0.3	3.8	PASS
6683.049512	3.5	0.3	3.8	PASS
6680.498875	3.4	0.4	3.8	PASS
6681.999250	3.4	0.4	3.8	PASS
6690.251313	3.4	0.4	3.8	PASS
6680.648912	3.4	0.4	3.8	PASS

In Band



In-Band Emissions(Ant1) 6845 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6842.899475	-1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6842.899475	-1.6	0.0	-1.6	PASS
6843.049512	-1.9	0.3	-1.6	PASS
6851.451613	-2.0	0.4	-1.6	PASS
6843.349587	-2.1	0.5	-1.6	PASS
6855.052513	-2.1	0.5	-1.6	PASS
6844.249812	-2.2	0.6	-1.6	PASS
6855.202551	-2.2	0.6	-1.6	PASS
6855.502626	-2.3	0.6	-1.6	PASS
6852.651913	-2.3	0.7	-1.6	PASS
6852.051763	-2.3	0.7	-1.6	PASS
6842.749437	-2.3	0.7	-1.6	PASS
6852.351838	-2.3	0.7	-1.6	PASS
6852.801950	-2.4	0.7	-1.6	PASS
6853.102026	-2.4	0.7	-1.6	PASS
6855.952738	-2.4	0.8	-1.6	PASS

In Band



In-Band Emissions(Ant2) (6845 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6841.099025	1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6841.099025	1.2	0.0	1.2	PASS
6846.350338	1.2	0.0	1.2	PASS
6842.449362	1.1	0.1	1.2	PASS
6842.149287	1.1	0.1	1.2	PASS
6839.748687	1.1	0.1	1.2	PASS
6840.648912	1.0	0.2	1.2	PASS
6841.249062	1.0	0.2	1.2	PASS
6840.198800	1.0	0.2	1.2	PASS
6838.998500	1.0	0.2	1.2	PASS
6840.048762	1.0	0.3	1.2	PASS
6843.499625	1.0	0.3	1.2	PASS
6846.500375	0.9	0.3	1.2	PASS
6840.498875	0.9	0.3	1.2	PASS
6839.898725	0.9	0.3	1.2	PASS
6841.699175	0.9	0.3	1.2	PASS

In Band



In-Band Emissions(Ant1) 6885 MHz; 11ac40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6882.449362	0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6875.247562	0.4	0.3	0.7	PASS
6875.397599	0.3	0.4	0.7	PASS
6883.649662	0.2	0.5	0.7	PASS
6883.949737	0.2	0.5	0.7	PASS
6884.249812	0.2	0.5	0.7	PASS
6880.498875	0.1	0.6	0.7	PASS
6893.852213	0.1	0.6	0.7	PASS
6893.702176	0.1	0.6	0.7	PASS
6884.099775	0.1	0.6	0.7	PASS
6882.299325	0.1	0.6	0.7	PASS
6881.999250	0.1	0.6	0.7	PASS
6881.849212	0.0	0.7	0.7	PASS
6882.599400	0.0	0.7	0.7	PASS
6883.349587	0.0	0.7	0.7	PASS
6892.651913	0.0	0.7	0.7	PASS

In Band



In-Band Emissions(Ant2) (6885 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6885.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6887.100525	2.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6887.100525	2.5	0.0	2.5	PASS
6887.850713	2.3	0.2	2.5	PASS
6881.399100	2.3	0.2	2.5	PASS
6878.398350	2.3	0.2	2.5	PASS
6884.099775	2.3	0.2	2.5	PASS
6889.051013	2.3	0.2	2.5	PASS
6890.401350	2.3	0.2	2.5	PASS
6891.001500	2.3	0.3	2.5	PASS
6880.198800	2.2	0.3	2.5	PASS
6882.299325	2.2	0.3	2.5	PASS
6890.851463	2.2	0.3	2.5	PASS
6882.599400	2.2	0.3	2.5	PASS
6889.351088	2.2	0.3	2.5	PASS
6882.449362	2.2	0.3	2.5	PASS
6888.000750	2.2	0.3	2.5	PASS



In-Band Emissions(Ant1) 6925 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6925.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6924.399850	-0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6927.100525	-0.2	0.0	-0.2	PASS
6926.950488	-0.3	0.0	-0.2	PASS
6934.002251	-0.3	0.0	-0.2	PASS
6921.399100	-0.3	0.1	-0.2	PASS
6933.252063	-0.4	0.1	-0.2	PASS
6934.152288	-0.4	0.1	-0.2	PASS
6922.299325	-0.4	0.1	-0.2	PASS
6924.099775	-0.4	0.2	-0.2	PASS
6923.049512	-0.4	0.2	-0.2	PASS
6926.800450	-0.4	0.2	-0.2	PASS
6923.799700	-0.4	0.2	-0.2	PASS
6922.149287	-0.4	0.2	-0.2	PASS
6915.547637	-0.4	0.2	-0.2	PASS
6915.697674	-0.4	0.2	-0.2	PASS
6916.447862	-0.5	0.2	-0.2	PASS



In-Band Emissions(Ant2) (6925 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6925.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6921.099025	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6921.249062	1.6	0.2	1.8	PASS
6923.799700	1.5	0.3	1.8	PASS
6920.348837	1.4	0.4	1.8	PASS
6920.198800	1.4	0.4	1.8	PASS
6928.150788	1.3	0.5	1.8	PASS
6920.948987	1.3	0.5	1.8	PASS
6920.498875	1.3	0.5	1.8	PASS
6926.500375	1.3	0.5	1.8	PASS
6928.900975	1.3	0.5	1.8	PASS
6930.101275	1.2	0.5	1.8	PASS
6923.649662	1.2	0.5	1.8	PASS
6922.599400	1.2	0.6	1.8	PASS
6923.949737	1.2	0.6	1.8	PASS
6929.351088	1.2	0.6	1.8	PASS
6928.750938	1.2	0.6	1.8	PASS



In-Band Emissions(Ant1) 7005 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
7005.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7013.552138	-2.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7013.402101	-2.3	0.0	-2.2	PASS
7007.400600	-2.3	0.1	-2.2	PASS
7003.799700	-2.3	0.1	-2.2	PASS
7003.949737	-2.4	0.1	-2.2	PASS
7014.452363	-2.4	0.2	-2.2	PASS
6995.097524	-2.4	0.2	-2.2	PASS
7003.349587	-2.5	0.2	-2.2	PASS
7014.302326	-2.5	0.2	-2.2	PASS
7007.100525	-2.5	0.2	-2.2	PASS
6995.247562	-2.5	0.2	-2.2	PASS
7006.950488	-2.5	0.3	-2.2	PASS
7006.350338	-2.5	0.3	-2.2	PASS
7007.250563	-2.5	0.3	-2.2	PASS
7014.902476	-2.5	0.3	-2.2	PASS
7006.200300	-2.5	0.3	-2.2	PASS



In-Band Emissions(Ant2) (7005 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
7005.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6999.148537	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6997.648162	-0.9	0.2	-0.7	PASS
6999.298575	-1.0	0.2	-0.7	PASS
6999.898725	-1.0	0.3	-0.7	PASS
7002.599400	-1.0	0.3	-0.7	PASS
6998.248312	-1.0	0.3	-0.7	PASS
6998.998500	-1.1	0.3	-0.7	PASS
7000.198800	-1.1	0.4	-0.7	PASS
7001.849212	-1.1	0.4	-0.7	PASS
7002.749437	-1.1	0.4	-0.7	PASS
7001.999250	-1.1	0.4	-0.7	PASS
7009.051013	-1.2	0.4	-0.7	PASS
7002.449362	-1.2	0.4	-0.7	PASS
7003.949737	-1.2	0.5	-0.7	PASS
6997.498125	-1.2	0.5	-0.7	PASS
7002.899475	-1.2	0.5	-0.7	PASS



In-Band Emissions(Ant1) 7085 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
7085.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7086.050263	-3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7086.050263	-3.1	0.0	-3.1	PASS
7095.802701	-3.2	0.1	-3.1	PASS
7082.749437	-3.2	0.2	-3.1	PASS
7083.649662	-3.3	0.3	-3.1	PASS
7087.100525	-3.4	0.3	-3.1	PASS
7079.598650	-3.4	0.3	-3.1	PASS
7086.500375	-3.4	0.3	-3.1	PASS
7085.900225	-3.4	0.4	-3.1	PASS
7077.948237	-3.5	0.4	-3.1	PASS
7084.249812	-3.5	0.4	-3.1	PASS
7076.297824	-3.5	0.4	-3.1	PASS
7093.552138	-3.5	0.4	-3.1	PASS
7076.597899	-3.5	0.5	-3.1	PASS
7074.497374	-3.5	0.5	-3.1	PASS
7081.099025	-3.6	0.5	-3.1	PASS



In-Band Emissions(Ant2) (7085 MHz; 11ac40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
7085.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7083.499625	-0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7083.499625	-0.8	0.0	-0.8	PASS
7082.599400	-0.9	0.1	-0.8	PASS
7080.198800	-0.9	0.1	-0.8	PASS
7078.248312	-0.9	0.1	-0.8	PASS
7090.851463	-1.0	0.1	-0.8	PASS
7081.999250	-1.0	0.2	-0.8	PASS
7080.498875	-1.1	0.3	-0.8	PASS
7082.449362	-1.1	0.3	-0.8	PASS
7089.201050	-1.1	0.3	-0.8	PASS
7088.300825	-1.2	0.4	-0.8	PASS
7083.949737	-1.2	0.4	-0.8	PASS
7081.099025	-1.2	0.4	-0.8	PASS
7078.698425	-1.2	0.4	-0.8	PASS
7087.250563	-1.2	0.4	-0.8	PASS
7092.951988	-1.2	0.4	-0.8	PASS



In-Band Emissions(Ant1) 5985 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5987.750000	2.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5981.750000	2.5	0.0	2.6	PASS
5991.750000	2.4	0.1	2.6	PASS
5992.250000	2.4	0.1	2.6	PASS
5979.750000	2.4	0.2	2.6	PASS
5982.250000	2.4	0.2	2.6	PASS
5990.250000	2.4	0.2	2.6	PASS
5982.750000	2.4	0.2	2.6	PASS
5993.250000	2.3	0.3	2.6	PASS
5995.750000	2.3	0.3	2.6	PASS
5993.750000	2.3	0.3	2.6	PASS
5994.250000	2.3	0.3	2.6	PASS
5978.250000	2.2	0.3	2.6	PASS
5999.250000	2.2	0.4	2.6	PASS
5995.250000	2.2	0.4	2.6	PASS
5989.250000	2.2	0.4	2.6	PASS

In Band



In-Band Emissions(Ant2) (5985 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5994.750000	4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5997.250000	4.2	0.1	4.3	PASS
5999.250000	4.0	0.3	4.3	PASS
5989.750000	4.0	0.3	4.3	PASS
5995.250000	3.9	0.4	4.3	PASS
5991.250000	3.8	0.5	4.3	PASS
5998.250000	3.8	0.5	4.3	PASS
5991.750000	3.8	0.5	4.3	PASS
6001.250000	3.8	0.5	4.3	PASS
5987.250000	3.8	0.5	4.3	PASS
5998.750000	3.8	0.5	4.3	PASS
5983.250000	3.8	0.5	4.3	PASS
5987.750000	3.7	0.6	4.3	PASS
5988.750000	3.7	0.6	4.3	PASS
5976.750000	3.7	0.6	4.3	PASS
6002.750000	3.7	0.6	4.3	PASS

In Band



In-Band Emissions(Ant1) 6145 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6149.250000	0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6158.250000	0.6	0.1	0.8	PASS
6152.250000	0.6	0.1	0.8	PASS
6153.750000	0.6	0.2	0.8	PASS
6140.750000	0.5	0.2	0.8	PASS
6157.750000	0.5	0.2	0.8	PASS
6141.250000	0.4	0.3	0.8	PASS
6149.750000	0.4	0.3	0.8	PASS
6161.250000	0.4	0.3	0.8	PASS
6147.750000	0.4	0.4	0.8	PASS
6139.750000	0.3	0.4	0.8	PASS
6158.750000	0.3	0.4	0.8	PASS
6165.250000	0.3	0.5	0.8	PASS
6160.750000	0.3	0.5	0.8	PASS
6137.750000	0.3	0.5	0.8	PASS
6135.750000	0.3	0.5	0.8	PASS

In Band



In-Band Emissions(Ant2) (6145 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6157.750000	3.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6157.750000	3.0	0.0	3.0	PASS
6150.250000	3.0	0.0	3.0	PASS
6140.750000	2.9	0.1	3.0	PASS
6143.250000	2.9	0.1	3.0	PASS
6129.750000	2.8	0.2	3.0	PASS
6152.250000	2.8	0.2	3.0	PASS
6142.250000	2.8	0.2	3.0	PASS
6134.250000	2.8	0.2	3.0	PASS
6147.750000	2.7	0.2	3.0	PASS
6136.250000	2.7	0.3	3.0	PASS
6140.250000	2.7	0.3	3.0	PASS
6131.250000	2.7	0.3	3.0	PASS
6128.750000	2.7	0.3	3.0	PASS
6159.750000	2.6	0.3	3.0	PASS
6154.250000	2.6	0.3	3.0	PASS

In Band



In-Band Emissions(Ant1) 6385 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6369.250000	0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6369.250000	0.6	0.0	0.6	PASS
6382.250000	0.5	0.0	0.6	PASS
6370.250000	0.5	0.1	0.6	PASS
6391.250000	0.4	0.1	0.6	PASS
6389.250000	0.4	0.1	0.6	PASS
6370.750000	0.4	0.1	0.6	PASS
6390.250000	0.4	0.1	0.6	PASS
6392.250000	0.4	0.2	0.6	PASS
6388.250000	0.3	0.2	0.6	PASS
6378.250000	0.3	0.2	0.6	PASS
6393.250000	0.3	0.2	0.6	PASS
6387.750000	0.3	0.2	0.6	PASS
6372.750000	0.3	0.2	0.6	PASS
6400.250000	0.3	0.2	0.6	PASS
6379.750000	0.3	0.2	0.6	PASS

In Band



In-Band Emissions(Ant2) (6385 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6382.750000	3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6382.750000	3.5	0.0	3.5	PASS
6393.750000	3.4	0.1	3.5	PASS
6374.250000	3.3	0.1	3.5	PASS
6379.750000	3.3	0.1	3.5	PASS
6390.750000	3.3	0.2	3.5	PASS
6380.250000	3.3	0.2	3.5	PASS
6371.750000	3.3	0.2	3.5	PASS
6392.750000	3.3	0.2	3.5	PASS
6381.250000	3.2	0.3	3.5	PASS
6394.250000	3.1	0.4	3.5	PASS
6381.750000	3.1	0.4	3.5	PASS
6372.750000	3.1	0.4	3.5	PASS
6377.750000	3.1	0.4	3.5	PASS
6373.750000	3.1	0.4	3.5	PASS
6389.750000	3.1	0.4	3.5	PASS

In Band



In-Band Emissions(Ant1) 6465 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6460.250000	2.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6440.750000	2.3	0.2	2.4	PASS
6451.750000	2.1	0.3	2.4	PASS
6461.750000	2.1	0.3	2.4	PASS
6452.750000	2.1	0.4	2.4	PASS
6461.250000	2.0	0.4	2.4	PASS
6459.250000	2.0	0.4	2.4	PASS
6469.250000	2.0	0.4	2.4	PASS
6452.250000	2.0	0.4	2.4	PASS
6448.750000	2.0	0.5	2.4	PASS
6470.250000	2.0	0.5	2.4	PASS
6456.250000	2.0	0.5	2.4	PASS
6450.250000	1.9	0.5	2.4	PASS
6459.750000	1.9	0.5	2.4	PASS
6442.750000	1.9	0.5	2.4	PASS
6449.750000	1.9	0.5	2.4	PASS

In Band



In-Band Emissions(Ant2) (6465 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6462.750000	6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6463.250000	6.0	0.0	6.0	PASS
6471.750000	5.8	0.2	6.0	PASS
6469.750000	5.8	0.2	6.0	PASS
6461.750000	5.7	0.3	6.0	PASS
6472.250000	5.7	0.3	6.0	PASS
6471.250000	5.7	0.3	6.0	PASS
6458.750000	5.7	0.3	6.0	PASS
6473.750000	5.7	0.3	6.0	PASS
6452.750000	5.6	0.4	6.0	PASS
6452.250000	5.6	0.4	6.0	PASS
6468.750000	5.6	0.4	6.0	PASS
6451.750000	5.6	0.4	6.0	PASS
6460.250000	5.6	0.4	6.0	PASS
6459.250000	5.6	0.4	6.0	PASS
6469.250000	5.6	0.4	6.0	PASS

In Band



In-Band Emissions(Ant1) 6545 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6530.750000	3.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6530.750000	3.9	0.0	3.9	PASS
6532.750000	3.8	0.1	3.9	PASS
6539.250000	3.7	0.2	3.9	PASS
6541.750000	3.6	0.3	3.9	PASS
6543.250000	3.5	0.4	3.9	PASS
6542.250000	3.5	0.4	3.9	PASS
6540.750000	3.4	0.5	3.9	PASS
6531.750000	3.4	0.5	3.9	PASS
6539.750000	3.4	0.5	3.9	PASS
6552.250000	3.4	0.5	3.9	PASS
6533.250000	3.4	0.5	3.9	PASS
6522.250000	3.4	0.5	3.9	PASS
6529.750000	3.3	0.6	3.9	PASS
6541.250000	3.3	0.6	3.9	PASS
6550.750000	3.3	0.6	3.9	PASS

In Band



In-Band Emissions(Ant2) (6545 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6551.250000	6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6549.250000	5.8	0.2	6.0	PASS
6540.750000	5.8	0.2	6.0	PASS
6542.250000	5.7	0.3	6.0	PASS
6559.250000	5.7	0.3	6.0	PASS
6538.750000	5.7	0.3	6.0	PASS
6533.250000	5.7	0.3	6.0	PASS
6550.250000	5.7	0.3	6.0	PASS
6537.250000	5.6	0.3	6.0	PASS
6547.250000	5.6	0.4	6.0	PASS
6542.750000	5.6	0.4	6.0	PASS
6541.250000	5.6	0.4	6.0	PASS
6552.750000	5.5	0.4	6.0	PASS
6531.750000	5.5	0.5	6.0	PASS
6535.250000	5.5	0.5	6.0	PASS
6530.750000	5.5	0.5	6.0	PASS

In Band



In-Band Emissions(Ant1) 6625 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6621.750000	3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6621.750000	3.4	0.0	3.4	PASS
6622.750000	3.2	0.3	3.4	PASS
6612.250000	3.1	0.3	3.4	PASS
6610.250000	3.1	0.3	3.4	PASS
6611.750000	3.1	0.4	3.4	PASS
6619.750000	3.1	0.4	3.4	PASS
6610.750000	3.1	0.4	3.4	PASS
6613.250000	3.0	0.4	3.4	PASS
6614.250000	3.0	0.4	3.4	PASS
6621.250000	3.0	0.4	3.4	PASS
6622.250000	3.0	0.4	3.4	PASS
6620.250000	3.0	0.5	3.4	PASS
6614.750000	2.9	0.6	3.4	PASS
6611.250000	2.9	0.6	3.4	PASS
6632.250000	2.9	0.6	3.4	PASS

In Band



In-Band Emissions(Ant2) (6625 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6619.250000	5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6619.250000	5.8	0.0	5.8	PASS
6629.750000	5.8	0.1	5.8	PASS
6634.250000	5.6	0.3	5.8	PASS
6610.750000	5.5	0.3	5.8	PASS
6621.750000	5.4	0.4	5.8	PASS
6613.250000	5.4	0.4	5.8	PASS
6631.750000	5.4	0.4	5.8	PASS
6628.750000	5.4	0.5	5.8	PASS
6620.250000	5.4	0.5	5.8	PASS
6640.750000	5.4	0.5	5.8	PASS
6627.750000	5.4	0.5	5.8	PASS
6620.750000	5.4	0.5	5.8	PASS
6631.250000	5.3	0.5	5.8	PASS
6632.750000	5.3	0.5	5.8	PASS
6638.750000	5.3	0.5	5.8	PASS

In Band



In-Band Emissions(Ant1) 6705 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6702.250000	5.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6702.250000	5.2	0.0	5.2	PASS
6711.250000	5.0	0.2	5.2	PASS
6703.250000	5.0	0.2	5.2	PASS
6780.750000	-22.2	0.2	-22.0	PASS
6703.750000	4.9	0.3	5.2	PASS
6701.750000	4.8	0.4	5.2	PASS
6701.250000	4.8	0.4	5.2	PASS
6692.750000	4.8	0.4	5.2	PASS
6692.250000	4.8	0.4	5.2	PASS
6691.750000	4.7	0.4	5.2	PASS
6694.250000	4.7	0.5	5.2	PASS
6706.750000	4.6	0.5	5.2	PASS
6709.750000	4.6	0.6	5.2	PASS
6712.750000	4.6	0.6	5.2	PASS
6700.750000	4.6	0.6	5.2	PASS

In Band



In-Band Emissions(Ant2) (6705 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6699.750000	5.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6699.750000	5.5	0.0	5.5	PASS
6701.250000	5.5	0.0	5.5	PASS
6709.250000	5.5	0.0	5.5	PASS
6702.750000	5.4	0.0	5.5	PASS
6717.250000	5.4	0.0	5.5	PASS
6701.750000	5.4	0.1	5.5	PASS
6702.250000	5.4	0.1	5.5	PASS
6710.750000	5.4	0.1	5.5	PASS
6691.750000	5.3	0.2	5.5	PASS
6711.250000	5.3	0.2	5.5	PASS
6716.250000	5.3	0.2	5.5	PASS
6712.250000	5.3	0.2	5.5	PASS
6700.250000	5.2	0.2	5.5	PASS
6718.750000	5.2	0.2	5.5	PASS
6710.250000	5.2	0.2	5.5	PASS

In Band



In-Band Emissions(Ant1) 6785 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6783.750000	0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6783.750000	0.1	0.0	0.1	PASS
6782.250000	0.0	0.1	0.1	PASS
6773.750000	-0.1	0.2	0.1	PASS
6783.250000	-0.1	0.2	0.1	PASS
6782.750000	-0.2	0.2	0.1	PASS
6791.750000	-0.2	0.3	0.1	PASS
6781.750000	-0.3	0.3	0.1	PASS
6794.250000	-0.3	0.3	0.1	PASS
6793.250000	-0.4	0.4	0.1	PASS
6773.250000	-0.4	0.5	0.1	PASS
6775.250000	-0.4	0.5	0.1	PASS
6771.750000	-0.5	0.6	0.1	PASS
6779.750000	-0.5	0.6	0.1	PASS
6772.750000	-0.6	0.6	0.1	PASS
6791.250000	-0.7	0.7	0.1	PASS

In Band



In-Band Emissions(Ant2) (6785 MHz; 11ac80 (80 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6785.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6790.750000	5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6788.750000	4.9	0.1	5.0	PASS
6768.750000	4.8	0.2	5.0	PASS
6799.750000	4.8	0.2	5.0	PASS
6781.750000	4.8	0.2	5.0	PASS
6780.750000	4.7	0.3	5.0	PASS
6782.750000	4.7	0.3	5.0	PASS
6777.250000	4.7	0.3	5.0	PASS
6791.250000	4.7	0.3	5.0	PASS
6794.250000	4.7	0.3	5.0	PASS
6792.250000	4.6	0.4	5.0	PASS
6787.250000	4.6	0.4	5.0	PASS
6791.750000	4.6	0.4	5.0	PASS
6800.250000	4.6	0.4	5.0	PASS
6779.250000	4.6	0.4	5.0	PASS
6780.250000	4.6	0.4	5.0	PASS



In-Band Emissions(Ant1) 6865 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6863.750000	1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6863.750000	1.4	0.0	1.4	PASS
6872.750000	1.3	0.1	1.4	PASS
6863.250000	1.2	0.2	1.4	PASS
6854.250000	1.0	0.3	1.4	PASS
6862.250000	1.0	0.3	1.4	PASS
6853.750000	1.0	0.4	1.4	PASS
6873.250000	1.0	0.4	1.4	PASS
6875.250000	1.0	0.4	1.4	PASS
6852.250000	0.9	0.5	1.4	PASS
6874.250000	0.9	0.5	1.4	PASS
6855.250000	0.8	0.6	1.4	PASS
6856.750000	0.8	0.6	1.4	PASS
6871.750000	0.8	0.6	1.4	PASS
6874.750000	0.8	0.6	1.4	PASS
6862.750000	0.8	0.6	1.4	PASS

In Band



In-Band Emissions(Ant2) (6865 MHz; 11ac80 (80 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6865.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6858.250000	4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6870.750000	4.5	0.1	4.6	PASS
6859.750000	4.4	0.1	4.6	PASS
6869.250000	4.3	0.2	4.6	PASS
6872.750000	4.3	0.2	4.6	PASS
6858.750000	4.3	0.3	4.6	PASS
6867.750000	4.3	0.3	4.6	PASS
6862.750000	4.3	0.3	4.6	PASS
6871.250000	4.3	0.3	4.6	PASS
6860.250000	4.2	0.3	4.6	PASS
6880.250000	4.2	0.3	4.6	PASS
6868.750000	4.2	0.3	4.6	PASS
6870.250000	4.2	0.3	4.6	PASS
6869.750000	4.2	0.3	4.6	PASS
6852.250000	4.2	0.4	4.6	PASS
6862.250000	4.2	0.4	4.6	PASS



In-Band Emissions(Ant1) 6945 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6946.750000	3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6946.750000	3.6	0.0	3.6	PASS
6956.250000	3.6	0.1	3.6	PASS
6954.250000	3.5	0.1	3.6	PASS
6935.750000	3.4	0.2	3.6	PASS
6932.750000	3.4	0.2	3.6	PASS
6941.750000	3.4	0.2	3.6	PASS
6952.750000	3.4	0.3	3.6	PASS
6930.750000	3.3	0.3	3.6	PASS
6934.250000	3.3	0.3	3.6	PASS
6933.250000	3.2	0.4	3.6	PASS
6925.750000	3.2	0.4	3.6	PASS
6942.250000	3.2	0.4	3.6	PASS
6933.750000	3.2	0.4	3.6	PASS
6943.250000	3.2	0.4	3.6	PASS
6936.250000	3.2	0.5	3.6	PASS

In Band



In-Band Emissions(Ant2) (6945 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6921.750000	3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6938.250000	3.5	0.0	3.6	PASS
6932.750000	3.5	0.1	3.6	PASS
6938.750000	3.5	0.1	3.6	PASS
6928.750000	3.4	0.1	3.6	PASS
6941.250000	3.4	0.2	3.6	PASS
6947.750000	3.4	0.2	3.6	PASS
6939.750000	3.3	0.2	3.6	PASS
6949.750000	3.3	0.2	3.6	PASS
6941.750000	3.3	0.2	3.6	PASS
6937.750000	3.3	0.3	3.6	PASS
6950.250000	3.3	0.3	3.6	PASS
6947.250000	3.2	0.3	3.6	PASS
6930.750000	3.2	0.3	3.6	PASS
6932.250000	3.2	0.3	3.6	PASS
6948.750000	3.2	0.3	3.6	PASS

In Band



In-Band Emissions(Ant1) 7025 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7016.750000	2.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7016.750000	2.3	0.0	2.3	PASS
7031.250000	2.1	0.2	2.3	PASS
7035.250000	2.1	0.2	2.3	PASS
7022.250000	2.1	0.3	2.3	PASS
7022.750000	2.0	0.3	2.3	PASS
7014.750000	1.9	0.4	2.3	PASS
7044.250000	1.9	0.4	2.3	PASS
7018.250000	1.9	0.4	2.3	PASS
7033.250000	1.9	0.4	2.3	PASS
7019.750000	1.9	0.5	2.3	PASS
7027.250000	1.9	0.5	2.3	PASS
7015.750000	1.9	0.5	2.3	PASS
7006.250000	1.9	0.5	2.3	PASS
7027.750000	1.8	0.5	2.3	PASS
7023.750000	1.8	0.5	2.3	PASS

In Band



In-Band Emissions(Ant2) (7025 MHz; 11ac80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7020.250000	2.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7020.250000	2.2	0.0	2.2	PASS
7020.750000	2.1	0.1	2.2	PASS
7021.250000	1.9	0.3	2.2	PASS
7011.750000	1.8	0.3	2.2	PASS
7011.250000	1.8	0.4	2.2	PASS
7030.750000	1.7	0.5	2.2	PASS
7029.750000	1.7	0.5	2.2	PASS
7021.750000	1.6	0.6	2.2	PASS
7028.250000	1.6	0.6	2.2	PASS
7016.250000	1.6	0.6	2.2	PASS
7022.250000	1.5	0.7	2.2	PASS
7018.750000	1.5	0.7	2.2	PASS
7015.250000	1.5	0.7	2.2	PASS
7023.250000	1.5	0.7	2.2	PASS
7008.250000	1.5	0.7	2.2	PASS

In Band



In-Band Emissions(Ant1) 6025 MHz; 11ac160 (160 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6002.500000	2.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6003.500000	1.8	0.3	2.1	PASS
5999.500000	1.8	0.4	2.1	PASS
5995.500000	1.7	0.4	2.1	PASS
6010.500000	1.7	0.4	2.1	PASS
6005.500000	1.7	0.4	2.1	PASS
5996.500000	1.7	0.4	2.1	PASS
6004.500000	1.7	0.4	2.1	PASS
6015.500000	1.7	0.5	2.1	PASS
5998.500000	1.6	0.5	2.1	PASS
5993.500000	1.6	0.5	2.1	PASS
6007.500000	1.6	0.5	2.1	PASS
6006.500000	1.6	0.5	2.1	PASS
6011.500000	1.6	0.5	2.1	PASS
6014.500000	1.6	0.5	2.1	PASS
5997.500000	1.6	0.5	2.1	PASS

In Band



In-Band Emissions(Ant2) (6025 MHz; 11ac160 (160 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6025.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6012.500000	2.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6016.500000	2.7	0.0	2.7	PASS
6030.500000	2.6	0.1	2.7	PASS
6019.500000	2.6	0.2	2.7	PASS
6021.500000	2.4	0.3	2.7	PASS
6010.500000	2.4	0.3	2.7	PASS
6013.500000	2.4	0.3	2.7	PASS
6018.500000	2.4	0.3	2.7	PASS
6028.500000	2.4	0.3	2.7	PASS
6007.500000	2.3	0.4	2.7	PASS
6009.500000	2.3	0.4	2.7	PASS
6036.500000	2.3	0.4	2.7	PASS
6031.500000	2.3	0.4	2.7	PASS
6017.500000	2.3	0.5	2.7	PASS
6000.500000	2.3	0.5	2.7	PASS
6011.500000	2.2	0.5	2.7	PASS



In-Band Emissions(Ant1) 6185 MHz; 11ac160 (160 MHz)

Customized settings.

Result


DUT Frequency (MHz)	Result
6185.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6178.500000	1.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6168.500000	1.4	0.1	1.5	PASS
6175.500000	1.3	0.2	1.5	PASS
6173.500000	1.3	0.2	1.5	PASS
6161.500000	1.3	0.2	1.5	PASS
6160.500000	1.3	0.2	1.5	PASS
6179.500000	1.2	0.3	1.5	PASS
6167.500000	1.2	0.4	1.5	PASS
6180.500000	1.1	0.4	1.5	PASS
6158.500000	1.1	0.4	1.5	PASS
6190.500000	1.1	0.4	1.5	PASS
6176.500000	1.1	0.4	1.5	PASS
6164.500000	1.0	0.5	1.5	PASS
6169.500000	1.0	0.5	1.5	PASS
6170.500000	1.0	0.5	1.5	PASS
6177.500000	1.0	0.5	1.5	PASS



In-Band Emissions(Ant2) (6185 MHz; 11ac160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6180.500000	3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6163.500000	3.1	0.0	3.1	PASS
6189.500000	3.0	0.1	3.1	PASS
6176.500000	3.0	0.1	3.1	PASS
6171.500000	3.0	0.1	3.1	PASS
6194.500000	3.0	0.1	3.1	PASS
6192.500000	3.0	0.1	3.1	PASS
6197.500000	2.9	0.2	3.1	PASS
6182.500000	2.9	0.2	3.1	PASS
6178.500000	2.9	0.2	3.1	PASS
6161.500000	2.9	0.2	3.1	PASS
6158.500000	2.9	0.2	3.1	PASS
6179.500000	2.9	0.2	3.1	PASS
6177.500000	2.9	0.2	3.1	PASS
6173.500000	2.9	0.2	3.1	PASS
6166.500000	2.9	0.2	3.1	PASS

In Band



In-Band Emissions(Ant1) 6345 MHz; 11ac160 (160 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6340.500000	1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6340.500000	1.0	0.0	1.0	PASS
6331.500000	1.0	0.0	1.0	PASS
6361.500000	0.9	0.1	1.0	PASS
6350.500000	0.9	0.1	1.0	PASS
6337.500000	0.8	0.2	1.0	PASS
6349.500000	0.8	0.3	1.0	PASS
6355.500000	0.8	0.3	1.0	PASS
6338.500000	0.8	0.3	1.0	PASS
6351.500000	0.8	0.3	1.0	PASS
6357.500000	0.7	0.3	1.0	PASS
6362.500000	0.7	0.3	1.0	PASS
6328.500000	0.7	0.3	1.0	PASS
6352.500000	0.7	0.3	1.0	PASS
6332.500000	0.7	0.4	1.0	PASS
6321.500000	0.7	0.4	1.0	PASS

In Band



In-Band Emissions(Ant2) (6345 MHz; 11ac160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6332.500000	3.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6360.500000	3.0	0.1	3.0	PASS
6359.500000	2.9	0.1	3.0	PASS
6356.500000	2.9	0.1	3.0	PASS
6349.500000	2.9	0.1	3.0	PASS
6336.500000	2.9	0.1	3.0	PASS
6351.500000	2.9	0.1	3.0	PASS
6329.500000	2.9	0.1	3.0	PASS
6352.500000	2.9	0.2	3.0	PASS
6320.500000	2.8	0.2	3.0	PASS
6330.500000	2.8	0.2	3.0	PASS
6338.500000	2.8	0.2	3.0	PASS
6364.500000	2.8	0.2	3.0	PASS
6337.500000	2.8	0.2	3.0	PASS
6341.500000	2.7	0.3	3.0	PASS
6350.500000	2.7	0.3	3.0	PASS

In Band



In-Band Emissions(Ant1) 6505 MHz; 11ac160 (160 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6520.500000	2.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6530.500000	2.3	0.2	2.5	PASS
6523.500000	2.1	0.3	2.5	PASS
6511.500000	2.1	0.4	2.5	PASS
6521.500000	2.1	0.4	2.5	PASS
6513.500000	2.1	0.4	2.5	PASS
6510.500000	2.0	0.5	2.5	PASS
6499.500000	2.0	0.5	2.5	PASS
6516.500000	2.0	0.5	2.5	PASS
6509.500000	2.0	0.5	2.5	PASS
6529.500000	2.0	0.5	2.5	PASS
6492.500000	2.0	0.5	2.5	PASS
6500.500000	2.0	0.5	2.5	PASS
6518.500000	1.9	0.5	2.5	PASS
6491.500000	1.9	0.5	2.5	PASS
6527.500000	1.9	0.6	2.5	PASS

In Band



In-Band Emissions(Ant2) (6505 MHz; 11ac160 (160 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6505.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6481.500000	4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6481.500000	4.0	0.0	4.0	PASS
6512.500000	4.0	0.0	4.0	PASS
6499.500000	3.9	0.1	4.0	PASS
6521.500000	3.8	0.2	4.0	PASS
6493.500000	3.8	0.2	4.0	PASS
6530.500000	3.7	0.2	4.0	PASS
6490.500000	3.7	0.3	4.0	PASS
6480.500000	3.7	0.3	4.0	PASS
6472.500000	3.7	0.3	4.0	PASS
6520.500000	3.7	0.3	4.0	PASS
6475.500000	3.7	0.3	4.0	PASS
6469.500000	3.7	0.3	4.0	PASS
6492.500000	3.7	0.3	4.0	PASS
6519.500000	3.6	0.3	4.0	PASS
6485.500000	3.6	0.3	4.0	PASS



In-Band Emissions(Ant1) 6665 MHz; 11ac160 (160 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6682.500000	3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6682.500000	3.1	0.0	3.1	PASS
6631.500000	3.1	0.0	3.1	PASS
6634.500000	3.1	0.1	3.1	PASS
6622.500000	3.0	0.1	3.1	PASS
6690.500000	3.0	0.2	3.1	PASS
6674.500000	2.9	0.2	3.1	PASS
6621.500000	2.9	0.2	3.1	PASS
6633.500000	2.9	0.2	3.1	PASS
6679.500000	2.9	0.2	3.1	PASS
6643.500000	2.9	0.2	3.1	PASS
6681.500000	2.9	0.2	3.1	PASS
6653.500000	2.9	0.2	3.1	PASS
6661.500000	2.9	0.3	3.1	PASS
6673.500000	2.8	0.3	3.1	PASS
6641.500000	2.8	0.3	3.1	PASS

In Band



In-Band Emissions(Ant2) (6665 MHz; 11ac160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6640.500000	5.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6461.500000	-29.2	0.1	-29.0	PASS
6651.500000	5.3	0.2	5.5	PASS
6641.500000	5.3	0.2	5.5	PASS
6648.500000	5.3	0.2	5.5	PASS
6633.500000	5.2	0.2	5.5	PASS
6652.500000	5.2	0.3	5.5	PASS
6630.500000	5.2	0.3	5.5	PASS
6645.500000	5.2	0.3	5.5	PASS
6644.500000	5.2	0.3	5.5	PASS
6642.500000	5.2	0.3	5.5	PASS
6659.500000	5.2	0.3	5.5	PASS
6423.500000	-34.8	0.3	-34.5	PASS
6650.500000	5.2	0.3	5.5	PASS
6649.500000	5.2	0.3	5.5	PASS
6632.500000	5.1	0.3	5.5	PASS

In Band



In-Band Emissions(Ant1) 6825 MHz; 11ac160 (160 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6804.500000	0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6804.500000	0.4	0.0	0.4	PASS
6794.500000	0.1	0.2	0.4	PASS
6793.500000	0.0	0.3	0.4	PASS
6796.500000	0.0	0.3	0.4	PASS
6803.500000	0.0	0.4	0.4	PASS
6815.500000	-0.1	0.5	0.4	PASS
6792.500000	-0.1	0.5	0.4	PASS
6802.500000	-0.1	0.5	0.4	PASS
6811.500000	-0.2	0.5	0.4	PASS
6801.500000	-0.2	0.6	0.4	PASS
6814.500000	-0.3	0.7	0.4	PASS
6821.500000	-0.3	0.7	0.4	PASS
6795.500000	-0.3	0.7	0.4	PASS
6805.500000	-0.3	0.7	0.4	PASS
6812.500000	-0.3	0.7	0.4	PASS

In Band



In-Band Emissions(Ant2) (6825 MHz; 11ac160 (160 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6825.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6818.500000	3.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6800.500000	3.9	0.0	3.9	PASS
6799.500000	3.9	0.1	3.9	PASS
6812.500000	3.9	0.1	3.9	PASS
6815.500000	3.8	0.1	3.9	PASS
6807.500000	3.7	0.2	3.9	PASS
6801.500000	3.7	0.2	3.9	PASS
6791.500000	3.7	0.2	3.9	PASS
6805.500000	3.7	0.2	3.9	PASS
6820.500000	3.7	0.2	3.9	PASS
6810.500000	3.7	0.2	3.9	PASS
6811.500000	3.7	0.2	3.9	PASS
6809.500000	3.6	0.3	3.9	PASS
6804.500000	3.6	0.3	3.9	PASS
6802.500000	3.6	0.3	3.9	PASS
6813.500000	3.6	0.3	3.9	PASS



In-Band Emissions(Ant1) 6985 MHz; 11ac160 (160 MHz)

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6955.500000	3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6956.500000	3.5	0.1	3.6	PASS
6966.500000	3.5	0.1	3.6	PASS
6968.500000	3.5	0.1	3.6	PASS
6973.500000	3.5	0.1	3.6	PASS
6964.500000	3.4	0.2	3.6	PASS
6948.500000	3.4	0.2	3.6	PASS
6954.500000	3.4	0.2	3.6	PASS
6952.500000	3.3	0.2	3.6	PASS
6972.500000	3.3	0.3	3.6	PASS
6976.500000	3.3	0.3	3.6	PASS
6953.500000	3.3	0.3	3.6	PASS
6965.500000	3.3	0.3	3.6	PASS
6978.500000	3.3	0.3	3.6	PASS
6975.500000	3.3	0.3	3.6	PASS
6994.500000	3.3	0.3	3.6	PASS

In Band



In-Band Emissions(Ant2) (6985 MHz; 11ac160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6991.500000	3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6990.500000	3.3	0.0	3.3	PASS
6980.500000	3.3	0.1	3.3	PASS
6979.500000	3.2	0.1	3.3	PASS
6970.500000	3.2	0.1	3.3	PASS
6974.500000	3.2	0.1	3.3	PASS
6989.500000	3.2	0.1	3.3	PASS
6960.500000	3.2	0.1	3.3	PASS
6977.500000	3.2	0.1	3.3	PASS
6969.500000	3.2	0.2	3.3	PASS
6968.500000	3.1	0.2	3.3	PASS
6972.500000	3.1	0.2	3.3	PASS
6965.500000	3.1	0.2	3.3	PASS
6967.500000	3.1	0.2	3.3	PASS
6999.500000	3.1	0.2	3.3	PASS
6992.500000	3.1	0.2	3.3	PASS

In Band



In-Band Emissions(Ant1) (5955 MHz; 11ax20 (20 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
5955.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5953.350000	-0.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5953.350000	-0.5	0.0	-0.5	PASS
5956.250000	-0.6	0.1	-0.5	PASS
5955.850000	-0.9	0.3	-0.5	PASS
5952.750000	-0.9	0.4	-0.5	PASS
5951.450000	-0.9	0.4	-0.5	PASS
5956.150000	-0.9	0.4	-0.5	PASS
5951.550000	-0.9	0.4	-0.5	PASS
5953.450000	-0.9	0.4	-0.5	PASS
5952.250000	-1.0	0.5	-0.5	PASS
5957.150000	-1.1	0.5	-0.5	PASS
5952.650000	-1.1	0.5	-0.5	PASS
5953.250000	-1.1	0.6	-0.5	PASS
5959.450000	-1.1	0.6	-0.5	PASS
5951.250000	-1.2	0.6	-0.5	PASS
5951.650000	-1.2	0.7	-0.5	PASS

In Band



In-Band Emissions(Ant2) (5955 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
5955.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
5956.150000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5952.250000	-0.7	0.0	-0.7	PASS
5952.050000	-0.8	0.1	-0.7	PASS
5956.050000	-0.8	0.1	-0.7	PASS
5951.950000	-0.9	0.2	-0.7	PASS
5952.350000	-0.9	0.2	-0.7	PASS
5952.150000	-1.0	0.3	-0.7	PASS
5951.450000	-1.0	0.3	-0.7	PASS
5950.650000	-1.0	0.3	-0.7	PASS
5954.450000	-1.1	0.4	-0.7	PASS
5956.250000	-1.1	0.4	-0.7	PASS
5955.950000	-1.1	0.4	-0.7	PASS
5951.550000	-1.2	0.5	-0.7	PASS
5952.750000	-1.2	0.5	-0.7	PASS
5952.450000	-1.2	0.5	-0.7	PASS
5954.350000	-1.3	0.6	-0.7	PASS



In-Band Emissions(Ant1) (6175 MHz; 11ax20 (20 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6175.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6177.350000	-0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6177.750000	-1.0	0.1	-0.8	PASS
6177.850000	-1.1	0.3	-0.8	PASS
6177.450000	-1.1	0.3	-0.8	PASS
6177.950000	-1.3	0.5	-0.8	PASS
6178.350000	-1.3	0.5	-0.8	PASS
6173.950000	-1.4	0.5	-0.8	PASS
6178.950000	-1.4	0.6	-0.8	PASS
6177.650000	-1.4	0.6	-0.8	PASS
6179.350000	-1.4	0.6	-0.8	PASS
6169.450000	-1.4	0.6	-0.8	PASS
6178.850000	-1.5	0.6	-0.8	PASS
6172.250000	-1.5	0.6	-0.8	PASS
6172.350000	-1.5	0.7	-0.8	PASS
6179.250000	-1.5	0.7	-0.8	PASS
6176.850000	-1.5	0.7	-0.8	PASS

In Band



In-Band Emissions(Ant2) (6175 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6175.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6173.950000	-1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6173.950000	-1.1	0.0	-1.1	PASS
6173.850000	-1.1	0.0	-1.1	PASS
6172.250000	-1.1	0.1	-1.1	PASS
6177.250000	-1.2	0.2	-1.1	PASS
6172.350000	-1.3	0.2	-1.1	PASS
6172.150000	-1.3	0.3	-1.1	PASS
6172.050000	-1.4	0.3	-1.1	PASS
6171.350000	-1.4	0.3	-1.1	PASS
6178.550000	-1.4	0.3	-1.1	PASS
6179.450000	-1.4	0.3	-1.1	PASS
6171.450000	-1.4	0.4	-1.1	PASS
6169.850000	-1.5	0.4	-1.1	PASS
6176.450000	-1.5	0.5	-1.1	PASS
6179.350000	-1.6	0.5	-1.1	PASS
6177.350000	-1.6	0.5	-1.1	PASS



In-Band Emissions(Ant1) (6415 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6415.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6411.650000	-1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6416.350000	-1.5	0.1	-1.4	PASS
6419.250000	-1.6	0.1	-1.4	PASS
6418.950000	-1.6	0.2	-1.4	PASS
6419.150000	-1.6	0.2	-1.4	PASS
6417.550000	-1.6	0.2	-1.4	PASS
6419.050000	-1.6	0.2	-1.4	PASS
6412.450000	-1.6	0.2	-1.4	PASS
6416.250000	-1.6	0.2	-1.4	PASS
6413.350000	-1.7	0.3	-1.4	PASS
6412.550000	-1.7	0.3	-1.4	PASS
6416.450000	-1.7	0.3	-1.4	PASS
6411.150000	-1.7	0.3	-1.4	PASS
6411.750000	-1.8	0.3	-1.4	PASS
6413.250000	-1.8	0.4	-1.4	PASS
6413.950000	-1.8	0.4	-1.4	PASS



In-Band Emissions(Ant2) (6415 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6415.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6411.950000	-1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6411.950000	-1.3	0.0	-1.3	PASS
6411.850000	-1.4	0.0	-1.3	PASS
6416.750000	-1.6	0.3	-1.3	PASS
6412.150000	-1.6	0.3	-1.3	PASS
6411.750000	-1.6	0.3	-1.3	PASS
6416.850000	-1.6	0.3	-1.3	PASS
6412.050000	-1.8	0.4	-1.3	PASS
6412.650000	-1.8	0.5	-1.3	PASS
6418.150000	-1.8	0.5	-1.3	PASS
6420.650000	-1.9	0.5	-1.3	PASS
6412.350000	-1.9	0.5	-1.3	PASS
6412.250000	-1.9	0.6	-1.3	PASS
6412.450000	-2.0	0.6	-1.3	PASS
6412.550000	-2.0	0.6	-1.3	PASS
6410.850000	-2.0	0.7	-1.3	PASS



In-Band Emissions(Ant1) (6435 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6435.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6429.850000	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6429.850000	-0.6	0.0	-0.6	PASS
6431.550000	-0.9	0.2	-0.6	PASS
6431.650000	-0.9	0.3	-0.6	PASS
6437.950000	-0.9	0.3	-0.6	PASS
6433.950000	-1.0	0.3	-0.6	PASS
6437.750000	-1.0	0.4	-0.6	PASS
6439.350000	-1.0	0.4	-0.6	PASS
6433.850000	-1.0	0.4	-0.6	PASS
6431.450000	-1.0	0.4	-0.6	PASS
6432.550000	-1.0	0.4	-0.6	PASS
6439.450000	-1.0	0.4	-0.6	PASS
6430.750000	-1.1	0.5	-0.6	PASS
6437.650000	-1.1	0.5	-0.6	PASS
6430.850000	-1.1	0.5	-0.6	PASS
6439.250000	-1.2	0.5	-0.6	PASS



In-Band Emissions(Ant2) (6435 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6435.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6439.650000	-2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6438.050000	-2.1	0.1	-2.0	PASS
6437.950000	-2.3	0.3	-2.0	PASS
6432.750000	-2.3	0.3	-2.0	PASS
6431.950000	-2.4	0.4	-2.0	PASS
6431.250000	-2.4	0.5	-2.0	PASS
6434.550000	-2.4	0.5	-2.0	PASS
6440.250000	-2.4	0.5	-2.0	PASS
6441.250000	-2.4	0.5	-2.0	PASS
6439.750000	-2.5	0.5	-2.0	PASS
6440.650000	-2.5	0.5	-2.0	PASS
6437.350000	-2.5	0.6	-2.0	PASS
6432.650000	-2.5	0.6	-2.0	PASS
6434.450000	-2.6	0.6	-2.0	PASS
6431.850000	-2.6	0.6	-2.0	PASS
6430.550000	-2.6	0.6	-2.0	PASS



In-Band Emissions(Ant1) (6475 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6475.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6471.350000	-1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6478.450000	-1.4	0.2	-1.2	PASS
6471.450000	-1.4	0.2	-1.2	PASS
6479.150000	-1.5	0.2	-1.2	PASS
6468.950000	-1.5	0.3	-1.2	PASS
6472.750000	-1.5	0.3	-1.2	PASS
6470.950000	-1.5	0.3	-1.2	PASS
6478.350000	-1.6	0.3	-1.2	PASS
6479.050000	-1.6	0.4	-1.2	PASS
6476.550000	-1.6	0.4	-1.2	PASS
6471.050000	-1.6	0.4	-1.2	PASS
6478.150000	-1.6	0.4	-1.2	PASS
6477.750000	-1.6	0.4	-1.2	PASS
6476.650000	-1.6	0.4	-1.2	PASS
6477.450000	-1.6	0.4	-1.2	PASS
6479.450000	-1.7	0.4	-1.2	PASS



In-Band Emissions(Ant2) (6475 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6475.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6473.650000	-1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6470.550000	-2.0	0.2	-1.8	PASS
6470.450000	-2.0	0.2	-1.8	PASS
6474.350000	-2.1	0.2	-1.8	PASS
6471.150000	-2.2	0.4	-1.8	PASS
6470.650000	-2.2	0.4	-1.8	PASS
6473.550000	-2.2	0.4	-1.8	PASS
6473.750000	-2.3	0.5	-1.8	PASS
6473.150000	-2.3	0.5	-1.8	PASS
6471.450000	-2.3	0.5	-1.8	PASS
6478.150000	-2.3	0.5	-1.8	PASS
6471.050000	-2.3	0.5	-1.8	PASS
6470.750000	-2.3	0.5	-1.8	PASS
6470.350000	-2.3	0.5	-1.8	PASS
6472.350000	-2.3	0.5	-1.8	PASS
6474.450000	-2.4	0.5	-1.8	PASS



In-Band Emissions(Ant1) (6515 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6515.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6510.450000	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6512.050000	-1.0	0.1	-0.9	PASS
6510.550000	-1.0	0.2	-0.9	PASS
6519.350000	-1.2	0.4	-0.9	PASS
6512.750000	-1.2	0.4	-0.9	PASS
6516.850000	-1.3	0.4	-0.9	PASS
6519.450000	-1.3	0.4	-0.9	PASS
6520.450000	-1.3	0.4	-0.9	PASS
6513.050000	-1.3	0.4	-0.9	PASS
6517.450000	-1.3	0.5	-0.9	PASS
6518.750000	-1.4	0.5	-0.9	PASS
6513.150000	-1.4	0.5	-0.9	PASS
6521.150000	-1.4	0.5	-0.9	PASS
6517.750000	-1.4	0.5	-0.9	PASS
6509.650000	-1.4	0.5	-0.9	PASS
6512.150000	-1.4	0.6	-0.9	PASS



In-Band Emissions(Ant2) (6515 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6515.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6519.650000	-1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6519.650000	-1.4	0.0	-1.4	PASS
6512.350000	-1.4	0.0	-1.4	PASS
6519.750000	-1.5	0.0	-1.4	PASS
6510.350000	-1.5	0.1	-1.4	PASS
6511.950000	-1.5	0.1	-1.4	PASS
6519.150000	-1.6	0.2	-1.4	PASS
6511.850000	-1.6	0.2	-1.4	PASS
6518.850000	-1.6	0.2	-1.4	PASS
6511.250000	-1.6	0.2	-1.4	PASS
6519.550000	-1.7	0.2	-1.4	PASS
6511.350000	-1.7	0.3	-1.4	PASS
6519.050000	-1.8	0.3	-1.4	PASS
6511.150000	-1.8	0.3	-1.4	PASS
6516.650000	-1.8	0.3	-1.4	PASS
6513.050000	-1.8	0.3	-1.4	PASS



In-Band Emissions(Ant1) (6535 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6535.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6533.450000	-0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6531.250000	-0.9	0.2	-0.8	PASS
6531.050000	-1.0	0.2	-0.8	PASS
6531.150000	-1.0	0.2	-0.8	PASS
6530.450000	-1.0	0.3	-0.8	PASS
6534.250000	-1.1	0.3	-0.8	PASS
6539.550000	-1.1	0.3	-0.8	PASS
6533.350000	-1.1	0.4	-0.8	PASS
6532.150000	-1.2	0.4	-0.8	PASS
6532.650000	-1.2	0.4	-0.8	PASS
6533.550000	-1.2	0.4	-0.8	PASS
6530.950000	-1.2	0.5	-0.8	PASS
6538.250000	-1.2	0.5	-0.8	PASS
6534.150000	-1.3	0.5	-0.8	PASS
6533.650000	-1.3	0.5	-0.8	PASS
6532.050000	-1.3	0.5	-0.8	PASS



In-Band Emissions(Ant2) (6535 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6535.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6532.150000	-1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6532.050000	-1.1	0.1	-1.1	PASS
6532.250000	-1.4	0.3	-1.1	PASS
6534.050000	-1.5	0.4	-1.1	PASS
6534.150000	-1.6	0.5	-1.1	PASS
6535.950000	-1.6	0.6	-1.1	PASS
6531.050000	-1.6	0.6	-1.1	PASS
6534.750000	-1.6	0.6	-1.1	PASS
6531.550000	-1.7	0.6	-1.1	PASS
6531.950000	-1.7	0.7	-1.1	PASS
6530.650000	-1.7	0.7	-1.1	PASS
6533.050000	-1.7	0.7	-1.1	PASS
6529.950000	-1.8	0.7	-1.1	PASS
6535.850000	-1.8	0.7	-1.1	PASS
6536.450000	-1.8	0.8	-1.1	PASS
6534.650000	-1.8	0.8	-1.1	PASS



In-Band Emissions(Ant1) (6695 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6695.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6692.250000	-1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6692.250000	-1.3	0.0	-1.3	PASS
6694.350000	-1.4	0.1	-1.3	PASS
6693.550000	-1.5	0.2	-1.3	PASS
6693.850000	-1.5	0.2	-1.3	PASS
6692.650000	-1.5	0.2	-1.3	PASS
6692.150000	-1.6	0.2	-1.3	PASS
6691.950000	-1.6	0.2	-1.3	PASS
6692.550000	-1.6	0.3	-1.3	PASS
6702.150000	-1.6	0.3	-1.3	PASS
6693.750000	-1.6	0.3	-1.3	PASS
6690.850000	-1.6	0.3	-1.3	PASS
6692.350000	-1.7	0.3	-1.3	PASS
6694.250000	-1.7	0.3	-1.3	PASS
6694.450000	-1.7	0.3	-1.3	PASS
6692.750000	-1.7	0.3	-1.3	PASS



In-Band Emissions(Ant2) (6695 MHz; 11ax20 (20 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6695.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6691.850000	0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6691.850000	0.2	0.0	0.2	PASS
6698.950000	-0.1	0.3	0.2	PASS
6697.350000	-0.2	0.3	0.2	PASS
6692.650000	-0.2	0.4	0.2	PASS
6698.650000	-0.3	0.4	0.2	PASS
6698.550000	-0.3	0.5	0.2	PASS
6697.450000	-0.3	0.5	0.2	PASS
6699.150000	-0.3	0.5	0.2	PASS
6699.050000	-0.3	0.5	0.2	PASS
6692.550000	-0.3	0.5	0.2	PASS
6692.450000	-0.4	0.5	0.2	PASS
6691.750000	-0.4	0.5	0.2	PASS
6691.550000	-0.4	0.5	0.2	PASS
6691.650000	-0.4	0.5	0.2	PASS
6694.750000	-0.4	0.6	0.2	PASS

In Band



In-Band Emissions(Ant1) (6855 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6855.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6852.750000	-1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6852.750000	-1.7	0.0	-1.7	PASS
6853.850000	-1.7	0.0	-1.7	PASS
6851.950000	-1.8	0.1	-1.7	PASS
6856.150000	-1.8	0.1	-1.7	PASS
6853.750000	-1.8	0.1	-1.7	PASS
6852.850000	-1.8	0.1	-1.7	PASS
6852.050000	-1.9	0.2	-1.7	PASS
6852.950000	-1.9	0.2	-1.7	PASS
6856.250000	-2.0	0.3	-1.7	PASS
6852.150000	-2.0	0.3	-1.7	PASS
6853.250000	-2.0	0.3	-1.7	PASS
6853.050000	-2.0	0.4	-1.7	PASS
6853.150000	-2.1	0.4	-1.7	PASS
6853.550000	-2.1	0.4	-1.7	PASS
6857.350000	-2.1	0.4	-1.7	PASS



In-Band Emissions(Ant2) (6855 MHz; 11ax20 (20 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6855.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6857.850000	1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6852.650000	0.8	0.3	1.1	PASS
6851.750000	0.8	0.3	1.1	PASS
6852.450000	0.8	0.3	1.1	PASS
6852.950000	0.8	0.3	1.1	PASS
6852.750000	0.8	0.3	1.1	PASS
6856.850000	0.8	0.3	1.1	PASS
6859.050000	0.8	0.3	1.1	PASS
6857.950000	0.7	0.3	1.1	PASS
6852.550000	0.7	0.4	1.1	PASS
6857.050000	0.6	0.4	1.1	PASS
6852.150000	0.6	0.4	1.1	PASS
6859.150000	0.6	0.5	1.1	PASS
6852.250000	0.6	0.5	1.1	PASS
6856.950000	0.6	0.5	1.1	PASS
6852.850000	0.6	0.5	1.1	PASS

In Band



In-Band Emissions(Ant1) (6875 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6875.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6876.250000	-0.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6876.250000	-0.5	0.0	-0.5	PASS
6876.150000	-0.6	0.0	-0.5	PASS
6873.150000	-0.7	0.2	-0.5	PASS
6871.750000	-0.7	0.2	-0.5	PASS
6872.450000	-0.8	0.3	-0.5	PASS
6874.450000	-0.8	0.3	-0.5	PASS
6873.250000	-0.8	0.3	-0.5	PASS
6872.550000	-0.9	0.3	-0.5	PASS
6873.050000	-0.9	0.4	-0.5	PASS
6873.550000	-0.9	0.4	-0.5	PASS
6872.850000	-0.9	0.4	-0.5	PASS
6877.850000	-0.9	0.4	-0.5	PASS
6871.650000	-0.9	0.4	-0.5	PASS
6874.550000	-0.9	0.4	-0.5	PASS
6876.550000	-1.0	0.4	-0.5	PASS



In-Band Emissions(Ant2) (6875 MHz; 11ax20 (20 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6875.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6871.750000	1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6870.850000	1.1	0.0	1.2	PASS
6877.850000	1.0	0.2	1.2	PASS
6880.050000	1.0	0.2	1.2	PASS
6870.650000	1.0	0.2	1.2	PASS
6875.950000	1.0	0.2	1.2	PASS
6877.950000	0.9	0.2	1.2	PASS
6873.050000	0.9	0.3	1.2	PASS
6880.150000	0.9	0.3	1.2	PASS
6878.050000	0.9	0.3	1.2	PASS
6870.150000	0.9	0.3	1.2	PASS
6877.050000	0.9	0.3	1.2	PASS
6879.950000	0.9	0.3	1.2	PASS
6870.950000	0.9	0.3	1.2	PASS
6870.550000	0.8	0.3	1.2	PASS
6873.950000	0.8	0.3	1.2	PASS

In Band



In-Band Emissions(Ant1) (6895 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6895.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6893.050000	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6893.050000	-0.6	0.0	-0.6	PASS
6892.950000	-0.7	0.1	-0.6	PASS
6894.750000	-0.8	0.2	-0.6	PASS
6896.750000	-0.9	0.2	-0.6	PASS
6894.850000	-0.9	0.3	-0.6	PASS
6891.650000	-0.9	0.3	-0.6	PASS
6893.150000	-1.0	0.3	-0.6	PASS
6893.950000	-1.1	0.4	-0.6	PASS
6895.750000	-1.1	0.5	-0.6	PASS
6891.550000	-1.1	0.5	-0.6	PASS
6893.850000	-1.1	0.5	-0.6	PASS
6893.750000	-1.1	0.5	-0.6	PASS
6892.250000	-1.2	0.5	-0.6	PASS
6896.650000	-1.2	0.6	-0.6	PASS
6894.650000	-1.3	0.6	-0.6	PASS



In-Band Emissions(Ant2) (6895 MHz; 11ax20 (20 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6892.250000	1.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6892.250000	1.5	0.0	1.5	PASS
6898.250000	1.5	0.1	1.5	PASS
6896.850000	1.5	0.1	1.5	PASS
6899.750000	1.4	0.1	1.5	PASS
6898.150000	1.4	0.2	1.5	PASS
6892.550000	1.4	0.2	1.5	PASS
6897.850000	1.3	0.2	1.5	PASS
6889.850000	1.3	0.2	1.5	PASS
6897.050000	1.3	0.2	1.5	PASS
6894.050000	1.3	0.2	1.5	PASS
6898.550000	1.3	0.2	1.5	PASS
6893.750000	1.3	0.3	1.5	PASS
6893.250000	1.3	0.3	1.5	PASS
6893.150000	1.3	0.3	1.5	PASS
6897.950000	1.2	0.3	1.5	PASS

In Band



In-Band Emissions(Ant1) (6995 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6995.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6996.550000	-2.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6993.850000	-2.5	0.0	-2.5	PASS
6994.250000	-2.6	0.1	-2.5	PASS
6996.450000	-2.7	0.2	-2.5	PASS
6995.750000	-2.7	0.2	-2.5	PASS
6993.750000	-2.7	0.2	-2.5	PASS
6993.350000	-2.8	0.3	-2.5	PASS
6994.350000	-2.8	0.3	-2.5	PASS
6995.650000	-2.9	0.4	-2.5	PASS
6996.050000	-3.0	0.4	-2.5	PASS
6994.450000	-3.0	0.5	-2.5	PASS
6997.250000	-3.0	0.5	-2.5	PASS
6996.150000	-3.0	0.5	-2.5	PASS
6993.450000	-3.0	0.5	-2.5	PASS
6993.050000	-3.0	0.5	-2.5	PASS
6994.850000	-3.1	0.5	-2.5	PASS



In-Band Emissions(Ant2) (6995 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6995.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6991.750000	-1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6991.750000	-1.3	0.0	-1.3	PASS
6991.850000	-1.3	0.0	-1.3	PASS
6999.550000	-1.4	0.1	-1.3	PASS
6998.450000	-1.5	0.2	-1.3	PASS
6998.050000	-1.5	0.2	-1.3	PASS
6998.350000	-1.6	0.3	-1.3	PASS
6992.050000	-1.6	0.3	-1.3	PASS
6999.450000	-1.6	0.3	-1.3	PASS
6991.650000	-1.6	0.3	-1.3	PASS
6989.150000	-1.6	0.3	-1.3	PASS
6990.950000	-1.6	0.3	-1.3	PASS
6996.350000	-1.6	0.3	-1.3	PASS
6991.350000	-1.7	0.4	-1.3	PASS
6996.250000	-1.7	0.4	-1.3	PASS
6989.650000	-1.7	0.4	-1.3	PASS



In-Band Emissions(Ant1) (7115 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
7115.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7114.550000	-3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7114.550000	-3.5	0.0	-3.5	PASS
7116.750000	-3.5	0.0	-3.5	PASS
7114.050000	-3.5	0.0	-3.5	PASS
7113.950000	-3.5	0.0	-3.5	PASS
7114.650000	-3.6	0.1	-3.5	PASS
7116.450000	-3.6	0.1	-3.5	PASS
7116.550000	-3.6	0.1	-3.5	PASS
7116.050000	-3.7	0.2	-3.5	PASS
7113.550000	-3.7	0.2	-3.5	PASS
7109.950000	-3.8	0.3	-3.5	PASS
7114.450000	-3.8	0.3	-3.5	PASS
7110.050000	-3.8	0.4	-3.5	PASS
7114.150000	-3.9	0.4	-3.5	PASS
7115.850000	-3.9	0.4	-3.5	PASS
7119.450000	-3.9	0.4	-3.5	PASS



In-Band Emissions(Ant2) (7115 MHz; 11ax20 (20 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
7115.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7119.550000	-1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7119.350000	-1.3	0.1	-1.2	PASS
7119.450000	-1.3	0.1	-1.2	PASS
7118.550000	-1.4	0.2	-1.2	PASS
7119.650000	-1.5	0.3	-1.2	PASS
7117.950000	-1.5	0.3	-1.2	PASS
7119.250000	-1.6	0.3	-1.2	PASS
7118.450000	-1.6	0.4	-1.2	PASS
7110.550000	-1.7	0.4	-1.2	PASS
7111.050000	-1.7	0.5	-1.2	PASS
7111.650000	-1.7	0.5	-1.2	PASS
7118.650000	-1.7	0.5	-1.2	PASS
7112.550000	-1.7	0.5	-1.2	PASS
7117.050000	-1.7	0.5	-1.2	PASS
7112.750000	-1.7	0.5	-1.2	PASS
7113.150000	-1.7	0.5	-1.2	PASS



In-Band Emissions(Ant1) (5965 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
5965.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
5963.049512	-0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5963.049512	-0.3	0.0	-0.3	PASS
5962.599400	-0.4	0.0	-0.3	PASS
5963.199550	-0.4	0.0	-0.3	PASS
5961.999250	-0.4	0.1	-0.3	PASS
5962.149287	-0.4	0.1	-0.3	PASS
5963.949737	-0.5	0.1	-0.3	PASS
5962.449362	-0.6	0.2	-0.3	PASS
5976.852963	-0.6	0.2	-0.3	PASS
5963.799700	-0.7	0.3	-0.3	PASS
5971.301575	-0.7	0.3	-0.3	PASS
5958.848462	-0.7	0.3	-0.3	PASS
5964.099775	-0.7	0.3	-0.3	PASS
5966.200300	-0.7	0.4	-0.3	PASS
5972.501875	-0.7	0.4	-0.3	PASS
5970.551388	-0.7	0.4	-0.3	PASS



In-Band Emissions(Ant2) (5965 MHz; 11ax40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5963.799700	0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5963.949737	0.0	0.1	0.1	PASS
5968.450863	-0.1	0.2	0.1	PASS
5960.198800	-0.1	0.2	0.1	PASS
5968.600900	-0.2	0.3	0.1	PASS
5963.199550	-0.3	0.3	0.1	PASS
5972.351838	-0.3	0.3	0.1	PASS
5956.597899	-0.3	0.4	0.1	PASS
5958.998500	-0.3	0.4	0.1	PASS
5971.301575	-0.3	0.4	0.1	PASS
5956.747937	-0.3	0.4	0.1	PASS
5966.200300	-0.3	0.4	0.1	PASS
5960.648912	-0.3	0.4	0.1	PASS
5970.101275	-0.4	0.5	0.1	PASS
5972.051763	-0.4	0.5	0.1	PASS
5963.049512	-0.4	0.5	0.1	PASS

In Band



In-Band Emissions(Ant1) (6165 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6165.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6166.950488	-1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6160.498875	-1.1	0.1	-1.0	PASS
6166.800450	-1.1	0.2	-1.0	PASS
6162.899475	-1.1	0.2	-1.0	PASS
6161.699175	-1.2	0.2	-1.0	PASS
6163.049512	-1.2	0.2	-1.0	PASS
6169.951238	-1.2	0.2	-1.0	PASS
6160.648912	-1.2	0.3	-1.0	PASS
6168.600900	-1.2	0.3	-1.0	PASS
6169.501125	-1.2	0.3	-1.0	PASS
6166.200300	-1.3	0.3	-1.0	PASS
6171.751688	-1.3	0.3	-1.0	PASS
6158.548387	-1.3	0.3	-1.0	PASS
6157.648162	-1.3	0.3	-1.0	PASS
6164.699925	-1.3	0.4	-1.0	PASS
6159.148537	-1.3	0.4	-1.0	PASS



In-Band Emissions(Ant2) (6165 MHz; 11ax40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6161.849212	0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6161.849212	0.9	0.0	0.9	PASS
6164.099775	0.8	0.0	0.9	PASS
6171.451613	0.8	0.0	0.9	PASS
6166.800450	0.8	0.1	0.9	PASS
6161.099025	0.8	0.1	0.9	PASS
6169.951238	0.8	0.1	0.9	PASS
6170.701425	0.7	0.1	0.9	PASS
6166.050263	0.7	0.1	0.9	PASS
6163.949737	0.7	0.2	0.9	PASS
6161.249062	0.7	0.2	0.9	PASS
6171.301575	0.6	0.3	0.9	PASS
6174.452363	0.6	0.3	0.9	PASS
6160.948987	0.6	0.3	0.9	PASS
6161.699175	0.6	0.3	0.9	PASS
6167.700675	0.6	0.3	0.9	PASS

In Band



In-Band Emissions(Ant1) (6405 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6405.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6409.951238	-1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6409.951238	-1.1	0.0	-1.1	PASS
6410.101275	-1.2	0.1	-1.1	PASS
6399.748687	-1.3	0.2	-1.1	PASS
6409.051013	-1.3	0.2	-1.1	PASS
6410.551388	-1.3	0.2	-1.1	PASS
6403.949737	-1.3	0.3	-1.1	PASS
6412.501875	-1.5	0.4	-1.1	PASS
6407.550638	-1.5	0.4	-1.1	PASS
6408.750938	-1.5	0.4	-1.1	PASS
6408.900975	-1.5	0.4	-1.1	PASS
6410.701425	-1.5	0.4	-1.1	PASS
6410.251313	-1.5	0.4	-1.1	PASS
6409.801200	-1.6	0.5	-1.1	PASS
6406.650413	-1.6	0.5	-1.1	PASS
6407.850713	-1.6	0.5	-1.1	PASS



In-Band Emissions(Ant2) (6405 MHz; 11ax40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6403.949737	1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6403.949737	1.1	0.0	1.1	PASS
6401.849212	1.1	0.0	1.1	PASS
6412.201800	1.0	0.1	1.1	PASS
6411.001500	0.9	0.2	1.1	PASS
6411.751688	0.8	0.2	1.1	PASS
6411.601650	0.8	0.2	1.1	PASS
6411.151538	0.8	0.2	1.1	PASS
6409.051013	0.8	0.3	1.1	PASS
6404.099775	0.8	0.3	1.1	PASS
6401.399100	0.7	0.4	1.1	PASS
6405.750188	0.7	0.4	1.1	PASS
6399.448612	0.6	0.4	1.1	PASS
6412.351838	0.6	0.5	1.1	PASS
6402.599400	0.6	0.5	1.1	PASS
6407.100525	0.6	0.5	1.1	PASS

In Band



In-Band Emissions(Ant1) (6445 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6445.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6442.599400	-1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6442.599400	-1.4	0.0	-1.4	PASS
6440.648912	-1.5	0.1	-1.4	PASS
6440.498875	-1.6	0.2	-1.4	PASS
6440.948987	-1.6	0.3	-1.4	PASS
6449.801200	-1.6	0.3	-1.4	PASS
6440.798950	-1.7	0.3	-1.4	PASS
6438.398350	-1.7	0.3	-1.4	PASS
6438.548387	-1.7	0.3	-1.4	PASS
6442.149287	-1.8	0.4	-1.4	PASS
6448.900975	-1.8	0.4	-1.4	PASS
6449.951238	-1.8	0.4	-1.4	PASS
6448.300825	-1.9	0.5	-1.4	PASS
6441.849212	-1.9	0.5	-1.4	PASS
6449.501125	-1.9	0.5	-1.4	PASS
6451.601650	-1.9	0.5	-1.4	PASS



In-Band Emissions(Ant2) (6445 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6445.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6442.899475	-0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6440.648912	-0.2	0.1	-0.1	PASS
6440.798950	-0.3	0.2	-0.1	PASS
6442.749437	-0.3	0.2	-0.1	PASS
6452.501875	-0.3	0.2	-0.1	PASS
6441.699175	-0.3	0.2	-0.1	PASS
6451.751688	-0.3	0.2	-0.1	PASS
6451.601650	-0.4	0.3	-0.1	PASS
6443.349587	-0.4	0.3	-0.1	PASS
6441.549137	-0.4	0.3	-0.1	PASS
6454.902476	-0.5	0.4	-0.1	PASS
6450.851463	-0.5	0.4	-0.1	PASS
6443.049512	-0.5	0.4	-0.1	PASS
6443.499625	-0.5	0.4	-0.1	PASS
6448.900975	-0.5	0.4	-0.1	PASS
6451.901725	-0.5	0.4	-0.1	PASS



In-Band Emissions(Ant1) (6485 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6485.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6481.849212	-1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6480.798950	-1.7	0.1	-1.6	PASS
6481.249062	-1.8	0.2	-1.6	PASS
6490.401350	-2.0	0.4	-1.6	PASS
6490.251313	-2.0	0.4	-1.6	PASS
6488.750938	-2.0	0.4	-1.6	PASS
6491.151538	-2.0	0.4	-1.6	PASS
6480.648912	-2.0	0.4	-1.6	PASS
6489.051013	-2.0	0.4	-1.6	PASS
6481.699175	-2.1	0.4	-1.6	PASS
6491.301575	-2.1	0.5	-1.6	PASS
6482.599400	-2.1	0.5	-1.6	PASS
6477.648162	-2.1	0.5	-1.6	PASS
6481.999250	-2.1	0.5	-1.6	PASS
6482.299325	-2.1	0.5	-1.6	PASS
6479.748687	-2.2	0.5	-1.6	PASS



In-Band Emissions(Ant2) (6485 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6485.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6480.348837	-0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6481.249062	-0.1	0.0	-0.1	PASS
6481.999250	-0.2	0.1	-0.1	PASS
6480.498875	-0.2	0.1	-0.1	PASS
6492.351838	-0.5	0.4	-0.1	PASS
6476.897974	-0.5	0.4	-0.1	PASS
6481.099025	-0.5	0.4	-0.1	PASS
6480.048762	-0.5	0.4	-0.1	PASS
6482.299325	-0.5	0.4	-0.1	PASS
6489.651163	-0.5	0.4	-0.1	PASS
6479.898725	-0.5	0.4	-0.1	PASS
6491.301575	-0.6	0.5	-0.1	PASS
6481.849212	-0.6	0.5	-0.1	PASS
6479.448612	-0.6	0.5	-0.1	PASS
6482.449362	-0.6	0.5	-0.1	PASS
6484.249812	-0.7	0.6	-0.1	PASS



In-Band Emissions(Ant1) (6525 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6525.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6520.348837	-0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6520.348837	-0.1	0.0	-0.1	PASS
6531.001500	-0.2	0.1	-0.1	PASS
6526.950488	-0.3	0.2	-0.1	PASS
6521.399100	-0.4	0.3	-0.1	PASS
6526.500375	-0.5	0.3	-0.1	PASS
6521.249062	-0.5	0.4	-0.1	PASS
6526.650413	-0.5	0.4	-0.1	PASS
6531.601650	-0.5	0.4	-0.1	PASS
6520.198800	-0.5	0.4	-0.1	PASS
6524.249812	-0.5	0.4	-0.1	PASS
6528.450863	-0.6	0.5	-0.1	PASS
6516.747937	-0.6	0.5	-0.1	PASS
6525.750188	-0.6	0.5	-0.1	PASS
6531.751688	-0.7	0.5	-0.1	PASS
6521.849212	-0.7	0.5	-0.1	PASS



In-Band Emissions(Ant2) (6525 MHz; 11ax40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6521.999250	0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6522.149287	0.1	0.1	0.2	PASS
6531.601650	0.1	0.1	0.2	PASS
6522.899475	0.0	0.2	0.2	PASS
6519.598650	0.0	0.3	0.2	PASS
6522.749437	-0.1	0.3	0.2	PASS
6520.498875	-0.1	0.3	0.2	PASS
6520.348837	-0.2	0.4	0.2	PASS
6526.950488	-0.2	0.4	0.2	PASS
6530.851463	-0.2	0.4	0.2	PASS
6530.101275	-0.2	0.4	0.2	PASS
6524.399850	-0.2	0.4	0.2	PASS
6528.000750	-0.2	0.4	0.2	PASS
6529.801200	-0.2	0.4	0.2	PASS
6531.001500	-0.2	0.4	0.2	PASS
6532.801950	-0.2	0.4	0.2	PASS

In Band



In-Band Emissions(Ant1) (6565 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6565.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6570.551388	-1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6570.551388	-1.0	0.0	-1.0	PASS
6570.701425	-1.1	0.2	-1.0	PASS
6563.949737	-1.2	0.2	-1.0	PASS
6560.348837	-1.2	0.2	-1.0	PASS
6561.249062	-1.2	0.2	-1.0	PASS
6571.001500	-1.2	0.2	-1.0	PASS
6561.549137	-1.2	0.3	-1.0	PASS
6552.846962	-1.2	0.3	-1.0	PASS
6571.151538	-1.2	0.3	-1.0	PASS
6569.801200	-1.2	0.3	-1.0	PASS
6569.051013	-1.3	0.3	-1.0	PASS
6552.696924	-1.3	0.3	-1.0	PASS
6573.852213	-1.3	0.3	-1.0	PASS
6568.600900	-1.3	0.3	-1.0	PASS
6563.799700	-1.3	0.3	-1.0	PASS



In-Band Emissions(Ant2) (6565 MHz; 11ax40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6569.801200	0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6571.301575	0.2	0.1	0.3	PASS
6568.750938	0.2	0.1	0.3	PASS
6561.249062	0.1	0.2	0.3	PASS
6562.899475	0.1	0.2	0.3	PASS
6564.099775	0.1	0.3	0.3	PASS
6567.850713	0.0	0.3	0.3	PASS
6562.149287	0.0	0.4	0.3	PASS
6564.249812	-0.1	0.4	0.3	PASS
6569.651163	-0.1	0.4	0.3	PASS
6562.749437	-0.1	0.4	0.3	PASS
6571.151538	-0.1	0.4	0.3	PASS
6561.399100	-0.1	0.4	0.3	PASS
6561.999250	-0.1	0.4	0.3	PASS
6563.349587	-0.1	0.5	0.3	PASS
6568.900975	-0.1	0.5	0.3	PASS

In Band



In-Band Emissions(Ant1) (6685 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6685.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6683.349587	-1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6680.948987	-1.5	0.1	-1.4	PASS
6692.351838	-1.6	0.2	-1.4	PASS
6681.099025	-1.7	0.3	-1.4	PASS
6692.501875	-1.7	0.3	-1.4	PASS
6683.049512	-1.8	0.4	-1.4	PASS
6682.899475	-1.8	0.4	-1.4	PASS
6693.102026	-1.8	0.4	-1.4	PASS
6683.499625	-1.9	0.5	-1.4	PASS
6691.301575	-1.9	0.5	-1.4	PASS
6682.299325	-1.9	0.5	-1.4	PASS
6692.051763	-2.0	0.5	-1.4	PASS
6678.548387	-2.0	0.5	-1.4	PASS
6691.451613	-2.0	0.6	-1.4	PASS
6682.149287	-2.0	0.6	-1.4	PASS
6684.249812	-2.1	0.6	-1.4	PASS



In-Band Emissions(Ant2) (6685 MHz; 11ax40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6681.099025	1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6681.099025	1.4	0.0	1.4	PASS
6681.249062	1.4	0.0	1.4	PASS
6680.348837	0.9	0.5	1.4	PASS
6680.048762	0.9	0.5	1.4	PASS
6688.150788	0.9	0.6	1.4	PASS
6684.249812	0.8	0.6	1.4	PASS
6680.198800	0.8	0.6	1.4	PASS
6679.448612	0.8	0.6	1.4	PASS
6691.601650	0.7	0.7	1.4	PASS
6684.099775	0.7	0.7	1.4	PASS
6691.451613	0.7	0.8	1.4	PASS
6681.399100	0.6	0.8	1.4	PASS
6683.949737	0.6	0.8	1.4	PASS
6683.049512	0.6	0.9	1.4	PASS
6690.101275	0.6	0.9	1.4	PASS

In Band



In-Band Emissions(Ant1) (6845 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6845.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6844.699925	-2.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6852.651913	-2.2	0.0	-2.2	PASS
6843.499625	-2.2	0.0	-2.2	PASS
6843.649662	-2.3	0.2	-2.2	PASS
6842.149287	-2.3	0.2	-2.2	PASS
6842.299325	-2.4	0.2	-2.2	PASS
6844.249812	-2.4	0.2	-2.2	PASS
6852.501875	-2.4	0.2	-2.2	PASS
6854.002251	-2.4	0.3	-2.2	PASS
6852.801950	-2.5	0.3	-2.2	PASS
6852.951988	-2.5	0.4	-2.2	PASS
6842.749437	-2.5	0.4	-2.2	PASS
6853.102026	-2.6	0.4	-2.2	PASS
6839.298575	-2.6	0.4	-2.2	PASS
6844.399850	-2.6	0.4	-2.2	PASS
6842.899475	-2.6	0.5	-2.2	PASS



In-Band Emissions(Ant2) (6845 MHz; 11ax40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6848.000750	1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6848.000750	1.6	0.0	1.6	PASS
6840.948987	1.4	0.2	1.6	PASS
6839.748687	1.4	0.2	1.6	PASS
6839.598650	1.4	0.2	1.6	PASS
6845.750188	1.4	0.2	1.6	PASS
6837.948237	1.4	0.2	1.6	PASS
6840.798950	1.4	0.2	1.6	PASS
6841.699175	1.4	0.3	1.6	PASS
6841.849212	1.3	0.3	1.6	PASS
6838.098275	1.3	0.3	1.6	PASS
6840.348837	1.3	0.3	1.6	PASS
6847.550638	1.3	0.3	1.6	PASS
6848.450863	1.3	0.4	1.6	PASS
6847.400600	1.3	0.4	1.6	PASS
6841.249062	1.2	0.4	1.6	PASS

In Band



In-Band Emissions(Ant1) (6885 MHz; 11ax40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6881.849212	2.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6884.249812	2.1	0.1	2.2	PASS
6884.699925	2.1	0.1	2.2	PASS
6893.702176	2.0	0.2	2.2	PASS
6881.699175	2.0	0.2	2.2	PASS
6885.900225	1.9	0.3	2.2	PASS
6882.899475	1.9	0.3	2.2	PASS
6882.749437	1.9	0.3	2.2	PASS
6893.552138	1.9	0.3	2.2	PASS
6881.249062	1.9	0.3	2.2	PASS
6886.050263	1.8	0.4	2.2	PASS
6883.199550	1.8	0.4	2.2	PASS
6878.248312	1.8	0.4	2.2	PASS
6883.949737	1.8	0.5	2.2	PASS
6876.297824	1.7	0.5	2.2	PASS
6889.801200	1.7	0.5	2.2	PASS

In Band



In-Band Emissions(Ant2) (6885 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6885.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6881.099025	2.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6888.600900	2.3	0.2	2.5	PASS
6891.751688	2.2	0.4	2.5	PASS
6880.798950	2.1	0.4	2.5	PASS
6880.948987	2.0	0.5	2.5	PASS
6889.051013	2.0	0.5	2.5	PASS
6889.951238	2.0	0.6	2.5	PASS
6891.301575	1.9	0.6	2.5	PASS
6891.601650	1.9	0.6	2.5	PASS
6891.451613	1.9	0.6	2.5	PASS
6879.748687	1.9	0.6	2.5	PASS
6889.201050	1.9	0.7	2.5	PASS
6891.901725	1.8	0.7	2.5	PASS
6886.800450	1.8	0.7	2.5	PASS
6883.349587	1.8	0.7	2.5	PASS
6890.551388	1.8	0.7	2.5	PASS



In-Band Emissions(Ant1) (6925 MHz; 11ax40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6922.149287	1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6922.149287	1.2	0.0	1.2	PASS
6923.799700	0.8	0.3	1.2	PASS
6924.099775	0.7	0.4	1.2	PASS
6924.699925	0.7	0.4	1.2	PASS
6922.749437	0.7	0.5	1.2	PASS
6919.898725	0.6	0.5	1.2	PASS
6921.999250	0.6	0.5	1.2	PASS
6924.249812	0.6	0.6	1.2	PASS
6933.702176	0.5	0.6	1.2	PASS
6920.348837	0.5	0.7	1.2	PASS
6932.351838	0.5	0.7	1.2	PASS
6922.899475	0.5	0.7	1.2	PASS
6926.350338	0.4	0.7	1.2	PASS
6932.951988	0.4	0.7	1.2	PASS
6931.451613	0.4	0.8	1.2	PASS

In Band



In-Band Emissions(Ant2) (6925 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6925.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6922.899475	1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6922.899475	1.9	0.0	1.9	PASS
6920.348837	1.8	0.1	1.9	PASS
6920.498875	1.8	0.2	1.9	PASS
6926.500375	1.8	0.2	1.9	PASS
6922.149287	1.7	0.2	1.9	PASS
6918.848462	1.6	0.3	1.9	PASS
6917.648162	1.6	0.3	1.9	PASS
6926.350338	1.5	0.4	1.9	PASS
6912.996999	1.5	0.4	1.9	PASS
6915.697674	1.5	0.4	1.9	PASS
6927.700675	1.5	0.5	1.9	PASS
6926.650413	1.5	0.5	1.9	PASS
6920.198800	1.4	0.5	1.9	PASS
6917.498125	1.4	0.5	1.9	PASS
6918.548387	1.4	0.5	1.9	PASS



In-Band Emissions(Ant1) (7005 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
7005.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7004.699925	-2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7004.699925	-2.0	0.0	-2.0	PASS
7004.549887	-2.0	0.0	-2.0	PASS
7003.049512	-2.0	0.0	-2.0	PASS
7006.800450	-2.1	0.1	-2.0	PASS
7003.349587	-2.2	0.2	-2.0	PASS
7003.199550	-2.2	0.2	-2.0	PASS
7013.852213	-2.2	0.2	-2.0	PASS
7014.002251	-2.3	0.3	-2.0	PASS
7002.599400	-2.3	0.4	-2.0	PASS
7011.301575	-2.4	0.4	-2.0	PASS
7004.249812	-2.4	0.4	-2.0	PASS
7006.050263	-2.4	0.4	-2.0	PASS
7011.451613	-2.5	0.5	-2.0	PASS
7006.200300	-2.5	0.5	-2.0	PASS
7006.650413	-2.5	0.5	-2.0	PASS



In-Band Emissions(Ant2) (7005 MHz; 11ax40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7001.249062	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7001.249062	-0.9	0.0	-0.9	PASS
7001.699175	-1.0	0.0	-0.9	PASS
7003.199550	-1.0	0.1	-0.9	PASS
6998.098275	-1.1	0.2	-0.9	PASS
7001.099025	-1.1	0.2	-0.9	PASS
6996.597899	-1.1	0.2	-0.9	PASS
7000.048762	-1.2	0.3	-0.9	PASS
7009.651163	-1.2	0.3	-0.9	PASS
7001.549137	-1.3	0.3	-0.9	PASS
6997.498125	-1.3	0.4	-0.9	PASS
7002.299325	-1.3	0.4	-0.9	PASS
7010.851463	-1.3	0.4	-0.9	PASS
7010.401350	-1.4	0.4	-0.9	PASS
7011.451613	-1.4	0.4	-0.9	PASS
7001.849212	-1.4	0.4	-0.9	PASS

In Band



In-Band Emissions(Ant1) (7085 MHz; 11ax40 (40 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
7085.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7085.750188	-2.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7085.750188	-2.3	0.0	-2.3	PASS
7086.200300	-2.5	0.2	-2.3	PASS
7086.050263	-2.6	0.3	-2.3	PASS
7089.051013	-2.7	0.4	-2.3	PASS
7083.499625	-2.7	0.4	-2.3	PASS
7075.247562	-2.7	0.4	-2.3	PASS
7077.648162	-2.7	0.5	-2.3	PASS
7096.102776	-2.8	0.5	-2.3	PASS
7078.548387	-2.8	0.5	-2.3	PASS
7093.702176	-2.8	0.5	-2.3	PASS
7085.600150	-2.8	0.5	-2.3	PASS
7078.698425	-2.9	0.6	-2.3	PASS
7085.900225	-2.9	0.6	-2.3	PASS
7095.952738	-2.9	0.6	-2.3	PASS
7082.449362	-2.9	0.6	-2.3	PASS



In-Band Emissions(Ant2) (7085 MHz; 11ax40 (40 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7086.950488	0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7087.100525	0.0	0.4	0.4	PASS
7083.499625	0.0	0.4	0.4	PASS
7081.999250	-0.1	0.5	0.4	PASS
7081.699175	-0.1	0.5	0.4	PASS
7088.750938	-0.1	0.5	0.4	PASS
7083.799700	-0.2	0.5	0.4	PASS
7088.600900	-0.2	0.5	0.4	PASS
7081.849212	-0.2	0.5	0.4	PASS
7083.649662	-0.2	0.5	0.4	PASS
7078.998500	-0.2	0.6	0.4	PASS
7086.350338	-0.2	0.6	0.4	PASS
7078.548387	-0.2	0.6	0.4	PASS
7074.047262	-0.2	0.6	0.4	PASS
7078.398350	-0.3	0.6	0.4	PASS
7082.899475	-0.3	0.7	0.4	PASS

In Band



In-Band Emissions(Ant1) (5985 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5990.750000	2.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5994.250000	2.8	0.0	2.8	PASS
5983.750000	2.7	0.1	2.8	PASS
5980.750000	2.5	0.3	2.8	PASS
5991.750000	2.4	0.4	2.8	PASS
5986.250000	2.4	0.4	2.8	PASS
5981.750000	2.3	0.5	2.8	PASS
5996.750000	2.3	0.5	2.8	PASS
5987.250000	2.3	0.5	2.8	PASS
5983.250000	2.2	0.6	2.8	PASS
5979.250000	2.2	0.6	2.8	PASS
5982.250000	2.2	0.6	2.8	PASS
5987.750000	2.2	0.6	2.8	PASS
5980.250000	2.2	0.6	2.8	PASS
6003.250000	2.2	0.6	2.8	PASS
5981.250000	2.2	0.6	2.8	PASS

In Band



In-Band Emissions(Ant2) (5985 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5997.750000	4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5997.750000	4.1	0.0	4.1	PASS
5988.250000	4.0	0.1	4.1	PASS
6002.250000	4.0	0.2	4.1	PASS
5998.750000	3.8	0.3	4.1	PASS
5999.250000	3.8	0.3	4.1	PASS
5989.250000	3.8	0.3	4.1	PASS
5990.750000	3.7	0.4	4.1	PASS
5992.250000	3.7	0.4	4.1	PASS
6004.250000	3.7	0.4	4.1	PASS
5988.750000	3.7	0.5	4.1	PASS
5995.250000	3.6	0.5	4.1	PASS
6001.750000	3.6	0.5	4.1	PASS
5978.250000	3.6	0.5	4.1	PASS
5987.750000	3.6	0.5	4.1	PASS
5989.750000	3.6	0.5	4.1	PASS

In Band



In-Band Emissions(Ant1) (6145 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6155.250000	0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6155.250000	0.9	0.0	0.9	PASS
6153.250000	0.8	0.2	0.9	PASS
6147.250000	0.7	0.2	0.9	PASS
6157.250000	0.7	0.2	0.9	PASS
6150.750000	0.6	0.3	0.9	PASS
6149.250000	0.6	0.3	0.9	PASS
6147.750000	0.6	0.3	0.9	PASS
6152.250000	0.6	0.3	0.9	PASS
6139.250000	0.6	0.4	0.9	PASS
6158.750000	0.6	0.4	0.9	PASS
6143.250000	0.5	0.4	0.9	PASS
6154.250000	0.5	0.4	0.9	PASS
6143.750000	0.5	0.4	0.9	PASS
6154.750000	0.5	0.5	0.9	PASS
6163.250000	0.5	0.5	0.9	PASS

In Band



In-Band Emissions(Ant2) (6145 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6150.250000	3.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6129.750000	2.9	0.1	3.0	PASS
6137.250000	2.9	0.1	3.0	PASS
6143.250000	2.9	0.1	3.0	PASS
6141.750000	2.9	0.1	3.0	PASS
6141.250000	2.8	0.1	3.0	PASS
6134.250000	2.8	0.1	3.0	PASS
6135.250000	2.8	0.2	3.0	PASS
6130.750000	2.8	0.2	3.0	PASS
6143.750000	2.8	0.2	3.0	PASS
6144.250000	2.8	0.2	3.0	PASS
6147.250000	2.7	0.2	3.0	PASS
6146.250000	2.7	0.2	3.0	PASS
6142.750000	2.7	0.2	3.0	PASS
6151.250000	2.7	0.2	3.0	PASS
6154.750000	2.7	0.2	3.0	PASS

In Band



In-Band Emissions(Ant1) (6385 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6378.750000	1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6378.750000	1.1	0.0	1.1	PASS
6398.750000	0.9	0.2	1.1	PASS
6389.250000	0.8	0.3	1.1	PASS
6398.250000	0.6	0.5	1.1	PASS
6379.250000	0.5	0.6	1.1	PASS
6408.250000	0.5	0.6	1.1	PASS
6401.250000	0.4	0.7	1.1	PASS
6390.750000	0.4	0.7	1.1	PASS
6378.250000	0.4	0.7	1.1	PASS
6399.750000	0.4	0.7	1.1	PASS
6370.250000	0.4	0.7	1.1	PASS
6370.750000	0.4	0.7	1.1	PASS
6382.250000	0.3	0.8	1.1	PASS
6381.250000	0.3	0.8	1.1	PASS
6371.750000	0.3	0.8	1.1	PASS

In Band



In-Band Emissions(Ant2) (6385 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6383.250000	3.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6383.250000	3.8	0.0	3.8	PASS
6391.250000	3.6	0.2	3.8	PASS
6372.750000	3.3	0.5	3.8	PASS
6376.250000	3.2	0.6	3.8	PASS
6380.750000	3.2	0.6	3.8	PASS
6386.750000	3.2	0.6	3.8	PASS
6389.750000	3.2	0.6	3.8	PASS
6389.250000	3.2	0.6	3.8	PASS
6378.750000	3.2	0.6	3.8	PASS
6370.250000	3.1	0.6	3.8	PASS
6374.250000	3.1	0.6	3.8	PASS
6379.750000	3.1	0.6	3.8	PASS
6369.250000	3.1	0.7	3.8	PASS
6381.750000	3.1	0.7	3.8	PASS
6373.250000	3.1	0.7	3.8	PASS

In Band



In-Band Emissions(Ant1) (6465 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6458.750000	2.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6462.250000	1.9	0.2	2.1	PASS
6459.750000	1.9	0.2	2.1	PASS
6451.250000	1.9	0.2	2.1	PASS
6470.750000	1.9	0.2	2.1	PASS
6469.250000	1.9	0.2	2.1	PASS
6459.250000	1.9	0.2	2.1	PASS
6470.250000	1.8	0.3	2.1	PASS
6452.250000	1.8	0.3	2.1	PASS
6450.750000	1.8	0.3	2.1	PASS
6449.750000	1.7	0.3	2.1	PASS
6480.250000	1.6	0.4	2.1	PASS
6460.250000	1.6	0.5	2.1	PASS
6452.750000	1.6	0.5	2.1	PASS
6460.750000	1.5	0.5	2.1	PASS
6479.750000	1.5	0.5	2.1	PASS

In Band



In-Band Emissions(Ant2) (6465 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6457.750000	6.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6457.750000	6.1	0.0	6.1	PASS
6469.250000	6.0	0.1	6.1	PASS
6468.750000	6.0	0.1	6.1	PASS
6450.750000	5.9	0.2	6.1	PASS
6461.250000	5.9	0.2	6.1	PASS
6462.250000	5.9	0.2	6.1	PASS
6470.250000	5.9	0.2	6.1	PASS
6463.250000	5.8	0.2	6.1	PASS
6461.750000	5.8	0.2	6.1	PASS
6455.250000	5.8	0.3	6.1	PASS
6480.750000	5.8	0.3	6.1	PASS
6471.750000	5.7	0.4	6.1	PASS
6472.250000	5.7	0.4	6.1	PASS
6470.750000	5.7	0.4	6.1	PASS
6458.250000	5.7	0.4	6.1	PASS

In Band



In-Band Emissions(Ant1) (6545 MHz; 11ax80 (80 MHz))

Customized settings.

Result


DUT Frequency (MHz)	Result
6545.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6540.750000	2.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6541.250000	2.4	0.2	2.6	PASS
6530.750000	2.4	0.3	2.6	PASS
6532.250000	2.1	0.5	2.6	PASS
6542.250000	2.1	0.5	2.6	PASS
6552.250000	2.0	0.6	2.6	PASS
6528.750000	2.0	0.6	2.6	PASS
6521.250000	2.0	0.6	2.6	PASS
6542.750000	2.0	0.6	2.6	PASS
6538.750000	1.9	0.7	2.6	PASS
6541.750000	1.9	0.7	2.6	PASS
6531.750000	1.9	0.7	2.6	PASS
6522.750000	1.9	0.7	2.6	PASS
6535.250000	1.9	0.7	2.6	PASS
6524.250000	1.9	0.8	2.6	PASS
6548.250000	1.9	0.8	2.6	PASS



In-Band Emissions(Ant2) (6545 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6556.250000	4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6556.250000	4.1	0.0	4.1	PASS
6531.750000	4.1	0.0	4.1	PASS
6541.750000	4.1	0.0	4.1	PASS
6540.750000	4.0	0.1	4.1	PASS
6547.250000	4.0	0.1	4.1	PASS
6539.750000	3.9	0.2	4.1	PASS
6547.750000	3.9	0.2	4.1	PASS
6561.750000	3.9	0.2	4.1	PASS
6542.750000	3.9	0.2	4.1	PASS
6552.750000	3.8	0.3	4.1	PASS
6550.250000	3.8	0.3	4.1	PASS
6548.750000	3.8	0.3	4.1	PASS
6532.750000	3.8	0.3	4.1	PASS
6562.250000	3.7	0.4	4.1	PASS
6540.250000	3.7	0.4	4.1	PASS

In Band



In-Band Emissions(Ant1) (6625 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6630.750000	3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6630.750000	3.6	0.0	3.6	PASS
6623.250000	3.6	0.0	3.6	PASS
6610.750000	3.6	0.1	3.6	PASS
6619.750000	3.5	0.1	3.6	PASS
6612.750000	3.4	0.2	3.6	PASS
6620.250000	3.4	0.2	3.6	PASS
6622.750000	3.4	0.3	3.6	PASS
6623.750000	3.3	0.3	3.6	PASS
6601.750000	3.3	0.3	3.6	PASS
6622.250000	3.2	0.4	3.6	PASS
6619.250000	3.2	0.4	3.6	PASS
6611.250000	3.2	0.5	3.6	PASS
6621.750000	3.1	0.5	3.6	PASS
6632.250000	3.1	0.5	3.6	PASS
6611.750000	3.1	0.5	3.6	PASS

In Band



In-Band Emissions(Ant2) (6625 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6620.750000	5.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6620.750000	5.7	0.0	5.7	PASS
6617.750000	5.7	0.0	5.7	PASS
6629.750000	5.6	0.1	5.7	PASS
6630.250000	5.6	0.2	5.7	PASS
6631.250000	5.6	0.2	5.7	PASS
6627.750000	5.6	0.2	5.7	PASS
6628.250000	5.6	0.2	5.7	PASS
6615.750000	5.5	0.2	5.7	PASS
6614.250000	5.5	0.3	5.7	PASS
6621.750000	5.5	0.3	5.7	PASS
6623.750000	5.4	0.3	5.7	PASS
6622.250000	5.4	0.3	5.7	PASS
6616.250000	5.4	0.3	5.7	PASS
6619.250000	5.4	0.3	5.7	PASS
6621.250000	5.4	0.4	5.7	PASS

In Band



In-Band Emissions(Ant1) (6705 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6701.250000	5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6701.250000	5.1	0.0	5.1	PASS
6788.750000	-24.3	0.2	-24.0	PASS
6691.250000	4.9	0.3	5.1	PASS
6800.250000	-27.8	0.3	-27.5	PASS
6701.750000	4.8	0.3	5.1	PASS
6709.750000	4.8	0.4	5.1	PASS
6790.750000	-25.0	0.4	-24.6	PASS
6703.750000	4.7	0.4	5.1	PASS
6699.250000	4.7	0.4	5.1	PASS
6702.250000	4.7	0.4	5.1	PASS
6788.250000	-24.3	0.5	-23.9	PASS
6780.750000	-22.5	0.5	-22.0	PASS
6772.250000	-20.7	0.5	-20.3	PASS
6702.750000	4.6	0.5	5.1	PASS
6703.250000	4.6	0.5	5.1	PASS

In Band



In-Band Emissions(Ant2) (6705 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6702.250000	5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6702.250000	5.8	0.0	5.8	PASS
6699.250000	5.7	0.2	5.8	PASS
6702.750000	5.5	0.3	5.8	PASS
6701.750000	5.4	0.4	5.8	PASS
6711.750000	5.4	0.4	5.8	PASS
6708.750000	5.4	0.5	5.8	PASS
6710.750000	5.3	0.5	5.8	PASS
6709.250000	5.3	0.5	5.8	PASS
6712.250000	5.3	0.5	5.8	PASS
6721.250000	5.3	0.5	5.8	PASS
6700.750000	5.3	0.5	5.8	PASS
6703.750000	5.3	0.6	5.8	PASS
6698.250000	5.3	0.6	5.8	PASS
6708.250000	5.3	0.6	5.8	PASS
6711.250000	5.3	0.6	5.8	PASS

In Band



In-Band Emissions(Ant1) (6785 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6783.250000	0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6783.250000	0.1	0.0	0.1	PASS
6790.250000	0.0	0.1	0.1	PASS
6791.750000	0.0	0.1	0.1	PASS
6772.750000	-0.2	0.3	0.1	PASS
6773.250000	-0.2	0.4	0.1	PASS
6792.250000	-0.3	0.4	0.1	PASS
6783.750000	-0.3	0.5	0.1	PASS
6781.250000	-0.3	0.5	0.1	PASS
6773.750000	-0.3	0.5	0.1	PASS
6774.750000	-0.4	0.5	0.1	PASS
6793.250000	-0.4	0.5	0.1	PASS
6781.750000	-0.4	0.5	0.1	PASS
6794.750000	-0.4	0.5	0.1	PASS
6782.750000	-0.5	0.6	0.1	PASS
6774.250000	-0.5	0.6	0.1	PASS

In Band



In-Band Emissions(Ant2) (6785 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6790.250000	4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6791.250000	4.5	0.0	4.5	PASS
6771.750000	4.4	0.1	4.5	PASS
6780.750000	4.4	0.1	4.5	PASS
6791.750000	4.3	0.2	4.5	PASS
6794.250000	4.3	0.2	4.5	PASS
6779.250000	4.2	0.3	4.5	PASS
6799.250000	4.2	0.3	4.5	PASS
6792.250000	4.2	0.3	4.5	PASS
6780.250000	4.2	0.3	4.5	PASS
6789.750000	4.2	0.3	4.5	PASS
6782.250000	4.2	0.3	4.5	PASS
6787.750000	4.1	0.3	4.5	PASS
6797.250000	4.1	0.4	4.5	PASS
6767.750000	4.1	0.4	4.5	PASS
6781.750000	4.1	0.4	4.5	PASS

In Band



In-Band Emissions(Ant1) (6865 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6874.250000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6874.250000	1.8	0.0	1.8	PASS
6854.750000	1.5	0.3	1.8	PASS
6873.250000	1.5	0.3	1.8	PASS
6863.250000	1.4	0.3	1.8	PASS
6874.750000	1.4	0.4	1.8	PASS
6854.250000	1.3	0.5	1.8	PASS
6871.250000	1.2	0.5	1.8	PASS
6873.750000	1.2	0.6	1.8	PASS
6860.250000	1.1	0.6	1.8	PASS
6864.250000	1.1	0.7	1.8	PASS
6866.750000	1.1	0.7	1.8	PASS
6863.750000	1.1	0.7	1.8	PASS
6870.750000	1.0	0.7	1.8	PASS
6875.250000	1.0	0.8	1.8	PASS
6884.250000	1.0	0.8	1.8	PASS

In Band



In-Band Emissions(Ant2) (6865 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6871.250000	4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6871.250000	4.4	0.0	4.4	PASS
6860.750000	4.2	0.2	4.4	PASS
6873.250000	4.2	0.2	4.4	PASS
6858.250000	4.1	0.2	4.4	PASS
6857.750000	4.1	0.3	4.4	PASS
6852.750000	4.1	0.3	4.4	PASS
6879.250000	4.1	0.3	4.4	PASS
6875.250000	4.0	0.3	4.4	PASS
6854.250000	4.0	0.4	4.4	PASS
6862.750000	4.0	0.4	4.4	PASS
6869.750000	4.0	0.4	4.4	PASS
6862.250000	3.9	0.4	4.4	PASS
6858.750000	3.9	0.5	4.4	PASS
6868.250000	3.9	0.5	4.4	PASS
6842.250000	3.8	0.6	4.4	PASS

In Band



In-Band Emissions(Ant1) (6945 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6943.750000	3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6944.250000	3.6	0.0	3.6	PASS
6937.250000	3.5	0.1	3.6	PASS
6942.750000	3.4	0.1	3.6	PASS
6940.750000	3.4	0.2	3.6	PASS
6953.250000	3.3	0.2	3.6	PASS
6954.250000	3.3	0.2	3.6	PASS
6947.250000	3.3	0.3	3.6	PASS
6953.750000	3.3	0.3	3.6	PASS
6943.250000	3.2	0.4	3.6	PASS
6939.750000	3.2	0.4	3.6	PASS
6946.750000	3.2	0.4	3.6	PASS
6942.250000	3.2	0.4	3.6	PASS
6935.250000	3.1	0.4	3.6	PASS
6951.750000	3.1	0.4	3.6	PASS
6950.750000	3.1	0.5	3.6	PASS

In Band



In-Band Emissions(Ant2) (6945 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6950.750000	3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6950.750000	3.7	0.0	3.7	PASS
6929.750000	3.6	0.1	3.7	PASS
6940.250000	3.5	0.2	3.7	PASS
6958.250000	3.4	0.3	3.7	PASS
6935.250000	3.4	0.3	3.7	PASS
6938.250000	3.4	0.3	3.7	PASS
6951.250000	3.4	0.3	3.7	PASS
6949.750000	3.4	0.3	3.7	PASS
6919.250000	3.4	0.3	3.7	PASS
6959.250000	3.3	0.4	3.7	PASS
6927.250000	3.3	0.4	3.7	PASS
6936.750000	3.3	0.4	3.7	PASS
6952.250000	3.3	0.4	3.7	PASS
6928.750000	3.3	0.4	3.7	PASS
6920.750000	3.3	0.4	3.7	PASS

In Band



In-Band Emissions(Ant1) (7025 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7015.750000	2.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7015.750000	2.4	0.0	2.4	PASS
7031.750000	2.4	0.0	2.4	PASS
7015.250000	2.4	0.0	2.4	PASS
7044.250000	2.2	0.2	2.4	PASS
7021.250000	2.2	0.2	2.4	PASS
7035.750000	2.2	0.2	2.4	PASS
7036.250000	2.2	0.2	2.4	PASS
7014.750000	2.1	0.3	2.4	PASS
7017.750000	2.1	0.3	2.4	PASS
7028.250000	2.1	0.3	2.4	PASS
7022.750000	2.1	0.3	2.4	PASS
7033.250000	2.1	0.3	2.4	PASS
7028.750000	2.0	0.4	2.4	PASS
7034.250000	2.0	0.4	2.4	PASS
7017.250000	2.0	0.4	2.4	PASS

In Band



In-Band Emissions(Ant2) (7025 MHz; 11ax80 (80 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7022.250000	2.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7019.750000	2.1	0.1	2.1	PASS
7012.250000	1.9	0.3	2.1	PASS
7006.750000	1.8	0.3	2.1	PASS
7029.250000	1.7	0.4	2.1	PASS
7019.250000	1.7	0.4	2.1	PASS
7020.250000	1.7	0.4	2.1	PASS
7030.250000	1.7	0.5	2.1	PASS
7012.750000	1.6	0.5	2.1	PASS
7021.750000	1.6	0.6	2.1	PASS
7017.250000	1.6	0.6	2.1	PASS
7011.250000	1.5	0.6	2.1	PASS
7022.750000	1.5	0.6	2.1	PASS
7013.750000	1.5	0.6	2.1	PASS
7041.750000	1.5	0.6	2.1	PASS
7021.250000	1.5	0.6	2.1	PASS

In Band



In-Band Emissions(Ant1) (6025 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6005.500000	2.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6005.500000	2.1	0.0	2.1	PASS
6002.500000	2.0	0.1	2.1	PASS
6011.500000	2.0	0.1	2.1	PASS
6001.500000	1.9	0.2	2.1	PASS
6014.500000	1.8	0.3	2.1	PASS
5993.500000	1.8	0.3	2.1	PASS
5995.500000	1.8	0.3	2.1	PASS
5997.500000	1.7	0.4	2.1	PASS
5991.500000	1.7	0.4	2.1	PASS
5994.500000	1.6	0.5	2.1	PASS
6022.500000	1.6	0.5	2.1	PASS
6012.500000	1.6	0.5	2.1	PASS
5996.500000	1.6	0.5	2.1	PASS
6007.500000	1.6	0.5	2.1	PASS
6020.500000	1.5	0.6	2.1	PASS

In Band



In-Band Emissions(Ant2) (6025 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6009.500000	2.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6022.500000	2.6	0.0	2.6	PASS
6021.500000	2.5	0.0	2.6	PASS
6018.500000	2.4	0.1	2.6	PASS
6031.500000	2.4	0.2	2.6	PASS
6010.500000	2.4	0.2	2.6	PASS
6003.500000	2.4	0.2	2.6	PASS
6028.500000	2.3	0.2	2.6	PASS
6016.500000	2.3	0.3	2.6	PASS
6006.500000	2.3	0.3	2.6	PASS
6036.500000	2.3	0.3	2.6	PASS
6013.500000	2.3	0.3	2.6	PASS
6032.500000	2.2	0.3	2.6	PASS
5999.500000	2.2	0.4	2.6	PASS
6030.500000	2.2	0.4	2.6	PASS
6007.500000	2.2	0.4	2.6	PASS

In Band



In-Band Emissions(Ant1) (6185 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6160.500000	1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6168.500000	1.1	0.0	1.1	PASS
6174.500000	1.0	0.2	1.1	PASS
6172.500000	0.9	0.2	1.1	PASS
6158.500000	0.9	0.2	1.1	PASS
6164.500000	0.9	0.2	1.1	PASS
6175.500000	0.9	0.2	1.1	PASS
6180.500000	0.9	0.2	1.1	PASS
6166.500000	0.8	0.3	1.1	PASS
6169.500000	0.8	0.3	1.1	PASS
6156.500000	0.8	0.4	1.1	PASS
6161.500000	0.7	0.4	1.1	PASS
6188.500000	0.7	0.4	1.1	PASS
6171.500000	0.7	0.4	1.1	PASS
6165.500000	0.7	0.4	1.1	PASS
6170.500000	0.6	0.5	1.1	PASS

In Band



In-Band Emissions(Ant2) (6185 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6175.500000	3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6175.500000	3.5	0.0	3.5	PASS
6177.500000	3.5	0.0	3.5	PASS
6169.500000	3.5	0.1	3.5	PASS
6170.500000	3.4	0.1	3.5	PASS
6179.500000	3.3	0.2	3.5	PASS
6194.500000	3.3	0.2	3.5	PASS
6173.500000	3.3	0.2	3.5	PASS
6182.500000	3.3	0.3	3.5	PASS
6191.500000	3.3	0.3	3.5	PASS
6163.500000	3.3	0.3	3.5	PASS
6167.500000	3.2	0.3	3.5	PASS
6195.500000	3.2	0.3	3.5	PASS
6161.500000	3.2	0.3	3.5	PASS
6180.500000	3.2	0.4	3.5	PASS
6192.500000	3.2	0.4	3.5	PASS

In Band



In-Band Emissions(Ant1) (6345 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6339.500000	1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6351.500000	1.2	0.0	1.2	PASS
6338.500000	1.0	0.2	1.2	PASS
6348.500000	1.0	0.2	1.2	PASS
6349.500000	1.0	0.2	1.2	PASS
6340.500000	1.0	0.3	1.2	PASS
6328.500000	0.9	0.3	1.2	PASS
6357.500000	0.9	0.3	1.2	PASS
6350.500000	0.9	0.3	1.2	PASS
6358.500000	0.9	0.3	1.2	PASS
6331.500000	0.8	0.4	1.2	PASS
6353.500000	0.8	0.4	1.2	PASS
6321.500000	0.8	0.4	1.2	PASS
6341.500000	0.7	0.5	1.2	PASS
6319.500000	0.7	0.5	1.2	PASS
6320.500000	0.7	0.5	1.2	PASS

In Band



In-Band Emissions(Ant2) (6345 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6353.500000	3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6364.500000	3.2	0.1	3.3	PASS
6332.500000	3.2	0.1	3.3	PASS
6349.500000	3.1	0.1	3.3	PASS
6370.500000	3.0	0.2	3.3	PASS
6368.500000	3.0	0.2	3.3	PASS
6324.500000	3.0	0.2	3.3	PASS
6357.500000	3.0	0.2	3.3	PASS
6362.500000	3.0	0.3	3.3	PASS
6360.500000	3.0	0.3	3.3	PASS
6335.500000	2.9	0.3	3.3	PASS
6367.500000	2.9	0.3	3.3	PASS
6327.500000	2.9	0.3	3.3	PASS
6330.500000	2.9	0.3	3.3	PASS
6334.500000	2.9	0.3	3.3	PASS
6352.500000	2.9	0.3	3.3	PASS

In Band



In-Band Emissions(Ant1) (6505 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6519.500000	2.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6512.500000	2.4	0.1	2.6	PASS
6520.500000	2.4	0.2	2.6	PASS
6509.500000	2.4	0.2	2.6	PASS
6513.500000	2.4	0.2	2.6	PASS
6510.500000	2.3	0.2	2.6	PASS
6529.500000	2.3	0.2	2.6	PASS
6492.500000	2.3	0.3	2.6	PASS
6522.500000	2.2	0.4	2.6	PASS
6521.500000	2.2	0.4	2.6	PASS
6511.500000	2.2	0.4	2.6	PASS
6491.500000	2.2	0.4	2.6	PASS
6528.500000	2.1	0.5	2.6	PASS
6499.500000	2.0	0.5	2.6	PASS
6500.500000	2.0	0.5	2.6	PASS
6523.500000	2.0	0.6	2.6	PASS

In Band



In-Band Emissions(Ant2) (6505 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6480.500000	4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6510.500000	4.1	0.2	4.3	PASS
6501.500000	4.0	0.3	4.3	PASS
6494.500000	3.9	0.3	4.3	PASS
6482.500000	3.9	0.4	4.3	PASS
6483.500000	3.8	0.5	4.3	PASS
6473.500000	3.8	0.5	4.3	PASS
6485.500000	3.8	0.5	4.3	PASS
6534.500000	3.8	0.5	4.3	PASS
6481.500000	3.7	0.5	4.3	PASS
6492.500000	3.7	0.6	4.3	PASS
6472.500000	3.7	0.6	4.3	PASS
6493.500000	3.7	0.6	4.3	PASS
6499.500000	3.7	0.6	4.3	PASS
6500.500000	3.7	0.6	4.3	PASS
6476.500000	3.7	0.6	4.3	PASS

In Band



In-Band Emissions(Ant1) (6665 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6641.500000	5.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6634.500000	5.3	0.0	5.3	PASS
6650.500000	5.2	0.1	5.3	PASS
6644.500000	5.2	0.1	5.3	PASS
6638.500000	5.1	0.2	5.3	PASS
6651.500000	5.1	0.2	5.3	PASS
6643.500000	5.1	0.2	5.3	PASS
6640.500000	5.1	0.2	5.3	PASS
6639.500000	5.1	0.2	5.3	PASS
6653.500000	5.1	0.2	5.3	PASS
6635.500000	5.1	0.2	5.3	PASS
6637.500000	5.1	0.2	5.3	PASS
6631.500000	5.0	0.3	5.3	PASS
6647.500000	5.0	0.3	5.3	PASS
6646.500000	5.0	0.3	5.3	PASS
6654.500000	5.0	0.3	5.3	PASS

In Band



In-Band Emissions(Ant2) (6665 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6637.500000	5.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6637.500000	5.3	0.0	5.3	PASS
6633.500000	5.3	0.0	5.3	PASS
6642.500000	5.2	0.1	5.3	PASS
6660.500000	5.2	0.1	5.3	PASS
6640.500000	5.2	0.1	5.3	PASS
6650.500000	5.2	0.1	5.3	PASS
6746.500000	-14.9	0.1	-14.7	PASS
6632.500000	5.2	0.2	5.3	PASS
6652.500000	5.1	0.2	5.3	PASS
6643.500000	5.1	0.2	5.3	PASS
6659.500000	5.1	0.2	5.3	PASS
6649.500000	5.0	0.3	5.3	PASS
6658.500000	5.0	0.3	5.3	PASS
6638.500000	5.0	0.3	5.3	PASS
6651.500000	5.0	0.3	5.3	PASS

In Band



In-Band Emissions(Ant1) (6825 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6794.500000	0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6794.500000	0.2	0.0	0.2	PASS
6793.500000	0.1	0.2	0.2	PASS
6804.500000	0.0	0.2	0.2	PASS
6802.500000	0.0	0.2	0.2	PASS
6795.500000	0.0	0.2	0.2	PASS
6805.500000	0.0	0.3	0.2	PASS
6803.500000	-0.1	0.3	0.2	PASS
6852.500000	-0.2	0.4	0.2	PASS
6783.500000	-0.2	0.4	0.2	PASS
6796.500000	-0.2	0.4	0.2	PASS
6774.500000	-0.2	0.4	0.2	PASS
6773.500000	-0.2	0.5	0.2	PASS
6811.500000	-0.3	0.5	0.2	PASS
6822.500000	-0.3	0.5	0.2	PASS
6782.500000	-0.3	0.5	0.2	PASS

In Band



In-Band Emissions(Ant2) (6825 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6820.500000	3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6820.500000	3.6	0.0	3.6	PASS
6807.500000	3.6	0.0	3.6	PASS
6800.500000	3.5	0.1	3.6	PASS
6813.500000	3.5	0.1	3.6	PASS
6803.500000	3.5	0.1	3.6	PASS
6799.500000	3.4	0.2	3.6	PASS
6810.500000	3.4	0.2	3.6	PASS
6801.500000	3.4	0.2	3.6	PASS
6816.500000	3.4	0.2	3.6	PASS
6812.500000	3.3	0.2	3.6	PASS
6802.500000	3.3	0.3	3.6	PASS
6791.500000	3.3	0.3	3.6	PASS
6814.500000	3.3	0.3	3.6	PASS
6819.500000	3.3	0.3	3.6	PASS
6831.500000	3.2	0.4	3.6	PASS

In Band



In-Band Emissions(Ant1) (6985 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6965.500000	3.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6965.500000	3.9	0.0	3.9	PASS
6955.500000	3.7	0.2	3.9	PASS
6967.500000	3.7	0.2	3.9	PASS
6959.500000	3.6	0.2	3.9	PASS
6966.500000	3.6	0.2	3.9	PASS
6956.500000	3.6	0.2	3.9	PASS
6964.500000	3.6	0.3	3.9	PASS
6953.500000	3.5	0.4	3.9	PASS
6960.500000	3.5	0.4	3.9	PASS
6954.500000	3.5	0.4	3.9	PASS
6976.500000	3.5	0.4	3.9	PASS
6962.500000	3.5	0.4	3.9	PASS
6943.500000	3.4	0.4	3.9	PASS
6973.500000	3.4	0.5	3.9	PASS
6979.500000	3.3	0.5	3.9	PASS

In Band



In-Band Emissions(Ant2) (6985 MHz; 11ax160 (160 MHz))

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6962.500000	3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6991.500000	3.4	0.0	3.4	PASS
6990.500000	3.3	0.1	3.4	PASS
6969.500000	3.3	0.1	3.4	PASS
6971.500000	3.3	0.1	3.4	PASS
6980.500000	3.3	0.1	3.4	PASS
6981.500000	3.3	0.1	3.4	PASS
6978.500000	3.3	0.1	3.4	PASS
6973.500000	3.2	0.2	3.4	PASS
6989.500000	3.2	0.2	3.4	PASS
7003.500000	3.2	0.2	3.4	PASS
6996.500000	3.2	0.2	3.4	PASS
6998.500000	3.2	0.2	3.4	PASS
6982.500000	3.2	0.2	3.4	PASS
6972.500000	3.2	0.2	3.4	PASS
6977.500000	3.1	0.2	3.4	PASS

In Band



Emission Bandwidth 26 dB(Ant1) (5955 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	19.800000	---	320.000000	5945.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5955.000000	5965.050000	---	5.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (5955 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	19.400000	---	320.000000	5945.350000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5955.000000	5964.750000	---	4.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6175 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6175.000000	19.400000	---	320.000000	6165.450000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6175.000000	6184.850000	---	5.2	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6175 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6175.000000	19.300000	---	320.000000	6165.450000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6175.000000	6184.750000	---	4.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6415 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	19.200000	---	320.000000	6405.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6415.000000	6424.750000	---	4.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6415 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	19.400000	---	320.000000	6405.450000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6415.000000	6424.850000	---	4.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6435 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	19.400000	---	320.000000	6425.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6435.000000	6444.950000	---	4.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6435 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	19.300000	---	320.000000	6425.450000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6435.000000	6444.750000	---	4.2	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6475 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	19.300000	---	320.000000	6465.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6475.000000	6484.850000	---	4.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6475 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	19.400000	---	320.000000	6465.450000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6475.000000	6484.850000	---	5.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6515 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	19.200000	---	320.000000	6505.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6515.000000	6524.850000	---	5.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6515 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	19.200000	---	320.000000	6505.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6515.000000	6524.750000	---	4.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6535 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6535.000000	19.300000	---	320.000000	6525.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6535.000000	6544.850000	---	4.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6535 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6535.000000	19.200000	---	320.000000	6525.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6535.000000	6544.750000	---	4.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6695 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6695.000000	19.400000	---	320.000000	6685.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6695.000000	6704.950000	---	3.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6695 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6695.000000	19.200000	---	320.000000	6685.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6695.000000	6704.750000	---	4.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6855 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6855.000000	19.200000	---	320.000000	6845.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6855.000000	6864.750000	---	3.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6855 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6855.000000	19.400000	---	320.000000	6845.450000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6855.000000	6864.850000	---	5.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6875 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	19.200000	9.350000	9.850000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6875.000000	6865.650000	---	6884.850000	---	4.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6875 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	19.300000	9.450000	9.850000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6875.000000	6865.550000	---	6884.850000	---	5.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6895 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6895.000000	19.400000	---	320.000000	6885.450000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6895.000000	6904.850000	---	3.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6895 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6895.000000	19.200000	---	320.000000	6885.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6895.000000	6904.850000	---	5.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6995 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6995.000000	19.300000	---	320.000000	6985.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6995.000000	7004.850000	---	1.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6995 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6995.000000	19.100000	---	320.000000	6985.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6995.000000	7004.750000	---	2.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (7115 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7115.000000	19.300000	---	320.000000	7105.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7115.000000	7124.850000	---	0.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (7115 MHz; 11a (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7115.000000	19.300000	---	320.000000	7105.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7115.000000	7124.850000	---	2.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (5955 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	20.600000	---	320.000000	5944.950000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5955.000000	5965.550000	---	4.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (5955 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	20.200000	---	320.000000	5945.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5955.000000	5965.250000	---	3.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6175 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6175.000000	20.400000	---	320.000000	6164.950000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6175.000000	6185.350000	---	4.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6175 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6175.000000	20.100000	---	320.000000	6165.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6175.000000	6185.150000	---	3.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6415 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	20.300000	---	320.000000	6405.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6415.000000	6425.350000	---	4.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6415 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	20.100000	---	320.000000	6405.150000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6415.000000	6425.250000	---	3.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6435 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	20.300000	---	320.000000	6425.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6435.000000	6445.350000	---	4.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6435 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	20.300000	---	320.000000	6425.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6435.000000	6445.350000	---	2.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6475 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	20.400000	---	320.000000	6464.950000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6475.000000	6485.350000	---	3.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6475 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	20.300000	---	320.000000	6465.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6475.000000	6485.350000	---	4.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6515 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	20.500000	---	320.000000	6504.850000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6515.000000	6525.350000	---	4.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6515 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	20.100000	---	320.000000	6505.150000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6515.000000	6525.250000	---	3.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6535 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6535.000000	20.200000	---	320.000000	6525.150000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6535.000000	6545.350000	---	4.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6535 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6535.000000	20.300000	---	320.000000	6525.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6535.000000	6545.350000	---	3.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6695 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6695.000000	20.100000	---	320.000000	6685.150000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6695.000000	6705.250000	---	4.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6695 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6695.000000	20.300000	---	320.000000	6685.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6695.000000	6705.350000	---	4.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6855 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6855.000000	20.300000	---	320.000000	6845.150000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6855.000000	6865.450000	---	3.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6855 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6855.000000	20.300000	---	320.000000	6845.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6855.000000	6865.350000	---	5.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6875 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	20.400000	10.150000	10.250000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6875.000000	6864.850000	---	6885.250000	---	4.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6875 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	20.400000	10.050000	10.350000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6875.000000	6864.950000	---	6885.350000	---	5.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6895 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6895.000000	20.500000	---	320.000000	6884.850000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6895.000000	6905.350000	---	4.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6895 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6895.000000	20.500000	---	320.000000	6884.950000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6895.000000	6905.450000	---	6.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6995 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6995.000000	20.700000	---	320.000000	6984.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6995.000000	7005.450000	---	2.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6995 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6995.000000	20.200000	---	320.000000	6985.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6995.000000	7005.250000	---	4.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (7115 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7115.000000	20.300000	---	320.000000	7105.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7115.000000	7125.350000	---	1.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (7115 MHz; 11ac20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7115.000000	20.400000	---	320.000000	7105.050000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7115.000000	7125.450000	---	3.2	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (5965 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5965.000000	42.626641	---	320.000000	5943.986867	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5965.000000	5986.613508	---	5.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (5965 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5965.000000	40.375235	---	320.000000	5945.037523	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5965.000000	5985.412758	---	5.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6165 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6165.000000	39.624766	---	320.000000	6145.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6165.000000	6184.962477	---	4.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6165 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6165.000000	40.225141	---	320.000000	6145.037523	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6165.000000	6185.262664	---	6.2	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6405 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6405.000000	39.924953	---	320.000000	6385.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6405.000000	6425.262664	---	4.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6405 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6405.000000	39.774859	---	320.000000	6385.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6405.000000	6425.112570	---	6.2	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6445 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6445.000000	39.474672	---	320.000000	6425.487805	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6445.000000	6464.962477	---	4.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6445 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6445.000000	39.624766	---	320.000000	6425.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6445.000000	6464.962477	---	5.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6485 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6485.000000	39.924953	---	320.000000	6465.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6485.000000	6505.262664	---	3.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6485 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6485.000000	39.774859	---	320.000000	6465.487805	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6485.000000	6505.262664	---	5.2	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6525 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	39.774859	19.662289	20.112570	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6525.000000	6505.337711	---	6545.112570	---	5.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6525 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	39.624765	19.512195	20.112570	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6525.000000	6505.487805	---	6545.112570	---	5.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6565 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6565.000000	40.075047	---	320.000000	6545.187617	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6565.000000	6585.262664	---	4.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6565 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6565.000000	39.624766	---	320.000000	6545.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6565.000000	6584.962477	---	5.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6685 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6685.000000	40.375235	---	320.000000	6665.187617	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6685.000000	6705.562852	---	7.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6685 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6685.000000	51.932458	---	320.000000	6661.285178	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6685.000000	6713.217636	---	8.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6845 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6845.000000	39.774859	---	320.000000	6825.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6845.000000	6865.112570	---	3.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6845 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6845.000000	40.225141	---	320.000000	6825.187617	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6845.000000	6865.412758	---	6.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6885 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	39.924953	9.662289	30.262664	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6885.000000	6865.337711	---	6905.262664	---	5.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6885 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	40.375235	9.962477	30.412758	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6885.000000	6865.037523	---	6905.412758	---	7.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6925 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6925.000000	39.924953	---	320.000000	6905.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6925.000000	6945.262664	---	5.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6925 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6925.000000	40.525328	---	320.000000	6904.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6925.000000	6945.412758	---	6.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (7005 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7005.000000	39.774859	---	320.000000	6985.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7005.000000	7025.112570	---	3.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (7005 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7005.000000	39.624766	---	320.000000	6985.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7005.000000	7024.962477	---	4.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (7085 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7085.000000	39.624766	---	320.000000	7065.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7085.000000	7104.962477	---	2.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (7085 MHz; 11ac40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7085.000000	39.624766	---	320.000000	7065.337711	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7085.000000	7104.962477	---	4.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (5985 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5985.000000	142.500000	---	320.000000	5917.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5985.000000	6060.250000	---	9.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (5985 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5985.000000	150.000000	---	320.000000	5911.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5985.000000	6061.750000	---	11.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6145 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6145.000000	84.000000	---	320.000000	6103.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6145.000000	6187.250000	---	7.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6145 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6145.000000	84.000000	---	320.000000	6103.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6145.000000	6187.250000	---	10.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6385 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6385.000000	84.000000	---	320.000000	6343.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6385.000000	6427.250000	---	7.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6385 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6385.000000	84.000000	---	320.000000	6343.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6385.000000	6427.250000	---	10.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6465 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6465.000000	85.000000	---	320.000000	6423.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6465.000000	6508.250000	---	9.2	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6465 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6465.000000	146.000000	---	320.000000	6395.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6465.000000	6541.250000	---	13.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6545 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	138.500000	42.250000	96.250000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6545.000000	6482.750000	---	6621.250000	---	10.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6545 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	144.500000	48.750000	95.750000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6545.000000	6476.250000	---	6620.750000	---	13.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6625 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6625.000000	84.000000	---	320.000000	6583.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6625.000000	6667.750000	---	11.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6625 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6625.000000	142.000000	---	320.000000	6559.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6625.000000	6701.250000	---	12.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6705 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6705.000000	147.000000	---	320.000000	6635.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6705.000000	6782.750000	---	11.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6705 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6705.000000	137.000000	---	320.000000	6642.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6705.000000	6779.750000	---	13.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6785 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6785.000000	83.000000	---	320.000000	6743.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6785.000000	6826.750000	---	6.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6785 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6785.000000	83.500000	---	320.000000	6743.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6785.000000	6827.250000	---	12.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6865 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	83.000000	51.250000	31.750000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6865.000000	6823.750000	---	6906.750000	---	7.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6865 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	85.000000	51.750000	33.250000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6865.000000	6823.250000	---	6908.250000	---	11.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6945 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6945.000000	84.000000	---	320.000000	6903.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6945.000000	6987.750000	---	10.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6945 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6945.000000	83.000000	---	320.000000	6903.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6945.000000	6986.750000	---	11.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (7025 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7025.000000	84.000000	---	320.000000	6983.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7025.000000	7067.250000	---	8.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (7025 MHz; 11ac80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7025.000000	83.500000	---	320.000000	6983.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7025.000000	7066.750000	---	9.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6025 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6025.000000	191.000000	---	320.000000	5919.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6025.000000	6110.500000	---	10.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6025 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6025.000000	171.000000	---	320.000000	5940.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6025.000000	6111.500000	---	11.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6185 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6185.000000	169.000000	---	320.000000	6100.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6185.000000	6269.500000	---	9.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6185 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6185.000000	168.000000	---	320.000000	6101.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6185.000000	6269.500000	---	12.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6345 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6345.000000	168.000000	---	320.000000	6261.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6345.000000	6429.500000	---	9.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6345 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6345.000000	169.000000	---	320.000000	6261.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6345.000000	6430.500000	---	12.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6505 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	169.000000	104.500000	64.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6505.000000	6420.500000	---	6589.500000	---	10.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6505 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	169.000000	103.500000	65.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6505.000000	6421.500000	---	6590.500000	---	11.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6665 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6665.000000	232.000000	---	320.000000	6579.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6665.000000	6811.500000	---	11.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6665 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6665.000000	276.000000	---	320.000000	6536.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6665.000000	6812.500000	---	13.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6825 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	167.000000	133.500000	33.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6825.000000	6741.500000	---	6908.500000	---	8.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6825 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	168.000000	133.500000	34.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6825.000000	6741.500000	---	6909.500000	---	12.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6985 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6985.000000	232.000000	---	320.000000	6900.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6985.000000	7132.500000	---	11.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6985 MHz; 11ac160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6985.000000	170.000000	---	320.000000	6900.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6985.000000	7070.500000	---	11.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (5955 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	21.200000	---	320.000000	5944.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5955.000000	5965.750000	---	6.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (5955 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5955.000000	21.200000	---	320.000000	5944.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5955.000000	5965.750000	---	5.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6175 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6175.000000	21.100000	---	320.000000	6164.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6175.000000	6185.650000	---	5.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6175 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6175.000000	21.000000	---	320.000000	6164.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6175.000000	6185.650000	---	5.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6415 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	21.000000	---	320.000000	6404.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6415.000000	6425.650000	---	5.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6415 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6415.000000	21.100000	---	320.000000	6404.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6415.000000	6425.750000	---	4.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6435 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	21.100000	---	320.000000	6424.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6435.000000	6445.750000	---	6.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6435 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6435.000000	21.000000	---	320.000000	6424.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6435.000000	6445.650000	---	5.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6475 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	21.300000	---	320.000000	6464.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6475.000000	6485.850000	---	5.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6475 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6475.000000	21.000000	---	320.000000	6464.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6475.000000	6485.650000	---	5.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6515 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	21.100000	---	320.000000	6504.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6515.000000	6525.750000	---	6.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6515 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6515.000000	21.200000	---	320.000000	6504.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6515.000000	6525.850000	---	5.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6535 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6535.000000	21.100000	---	320.000000	6524.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6535.000000	6545.750000	---	6.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6535 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6535.000000	21.000000	---	320.000000	6524.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6535.000000	6545.750000	---	5.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6695 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6695.000000	21.200000	---	320.000000	6684.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6695.000000	6705.850000	---	5.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6695 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6695.000000	21.100000	---	320.000000	6684.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6695.000000	6705.750000	---	6.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6855 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6855.000000	21.200000	---	320.000000	6844.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6855.000000	6865.850000	---	5.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6855 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6855.000000	21.400000	---	320.000000	6844.450000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6855.000000	6865.850000	---	7.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6875 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	21.200000	10.350000	10.850000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6875.000000	6864.650000	---	6885.850000	---	6.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6875 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	21.300000	10.550000	10.750000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6875.000000	6864.450000	---	6885.750000	---	8.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6895 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6895.000000	21.300000	---	320.000000	6884.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6895.000000	6905.850000	---	5.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6895 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6895.000000	21.200000	---	320.000000	6884.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6895.000000	6905.750000	---	8.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6995 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6995.000000	21.100000	---	320.000000	6984.650000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6995.000000	7005.750000	---	4.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6995 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6995.000000	21.000000	---	320.000000	6984.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6995.000000	7005.750000	---	6.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (7115 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7115.000000	21.300000	---	320.000000	7104.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7115.000000	7125.850000	---	3.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (7115 MHz; 11ax20 (20 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7115.000000	21.200000	---	320.000000	7104.550000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7115.000000	7125.750000	---	5.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (5965 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5965.000000	40.675422	---	320.000000	5944.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5965.000000	5985.562852	---	7.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (5965 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5965.000000	40.825516	---	320.000000	5944.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5965.000000	5985.712946	---	7.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6165 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6165.000000	40.225141	---	320.000000	6145.037523	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6165.000000	6185.262664	---	6.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6165 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6165.000000	40.375235	---	320.000000	6145.037523	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6165.000000	6185.412758	---	9.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6405 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6405.000000	40.675422	---	320.000000	6384.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6405.000000	6425.562852	---	6.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6405 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6405.000000	40.525328	---	320.000000	6384.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6405.000000	6425.412758	---	8.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6445 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6445.000000	40.225141	---	320.000000	6425.037523	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6445.000000	6465.262664	---	6.2	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6445 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6445.000000	40.525328	---	320.000000	6424.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6445.000000	6465.412758	---	7.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6485 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6485.000000	40.525328	---	320.000000	6464.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6485.000000	6505.412758	---	5.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6485 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6485.000000	40.375235	---	320.000000	6465.037523	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6485.000000	6505.412758	---	7.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6525 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	40.525329	19.962477	20.562852	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6525.000000	6505.037523	---	6545.562852	---	7.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6525 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	40.525329	19.962477	20.562852	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6525.000000	6505.037523	---	6545.562852	---	7.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6565 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6565.000000	40.825516	---	320.000000	6544.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6565.000000	6585.712946	---	6.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6565 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6565.000000	40.525329	---	320.000000	6545.037523	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6565.000000	6585.562852	---	8.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6685 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6685.000000	40.375235	---	320.000000	6665.037523	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6685.000000	6705.412758	---	5.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6685 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6685.000000	40.675422	---	320.000000	6664.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6685.000000	6705.562852	---	8.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6845 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6845.000000	40.525329	---	320.000000	6825.037523	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6845.000000	6865.562852	---	6.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6845 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6845.000000	40.675422	---	320.000000	6824.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6845.000000	6865.562852	---	8.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6885 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	41.425891	10.562852	30.863039	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6885.000000	6864.437148	---	6905.863039	---	9.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6885 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	40.675422	10.112570	30.562852	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6885.000000	6864.887430	---	6905.562852	---	10.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6925 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6925.000000	40.825516	---	320.000000	6904.737336	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6925.000000	6945.562852	---	8.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6925 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6925.000000	40.525328	---	320.000000	6904.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6925.000000	6945.412758	---	9.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (7005 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7005.000000	40.525329	---	320.000000	6985.037523	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7005.000000	7025.562852	---	4.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (7005 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7005.000000	40.675422	---	320.000000	6984.887430	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7005.000000	7025.562852	---	6.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (7085 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7085.000000	40.375235	---	320.000000	7065.037523	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7085.000000	7105.412758	---	5.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (7085 MHz; 11ax40 (40 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7085.000000	40.525328	---	320.000000	7064.737336	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7085.000000	7105.262664	---	8.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (5985 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5985.000000	137.500000	---	320.000000	5915.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5985.000000	6053.250000	---	11.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (5985 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
5985.000000	120.500000	---	320.000000	5920.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
5985.000000	6040.750000	---	13.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6145 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6145.000000	83.500000	---	320.000000	6103.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6145.000000	6187.250000	---	10.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6145 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6145.000000	84.000000	---	320.000000	6103.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6145.000000	6187.250000	---	11.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6385 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6385.000000	84.000000	---	320.000000	6343.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6385.000000	6427.250000	---	10.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6385 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6385.000000	84.000000	---	320.000000	6343.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6385.000000	6427.250000	---	12.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6465 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6465.000000	83.500000	---	320.000000	6423.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6465.000000	6506.750000	---	10.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6465 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6465.000000	83.000000	---	320.000000	6423.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6465.000000	6506.750000	---	12.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6545 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	84.000000	21.750000	62.250000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6545.000000	6503.250000	---	6587.250000	---	11.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6545 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	84.500000	21.750000	62.750000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6545.000000	6503.250000	---	6587.750000	---	13.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6625 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6625.000000	92.500000	---	320.000000	6579.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6625.000000	6671.750000	---	12.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6625 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6625.000000	89.500000	---	320.000000	6582.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6625.000000	6671.750000	---	15.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6705 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6705.000000	111.000000	---	320.000000	6653.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6705.000000	6764.250000	---	13.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6705 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6705.000000	88.000000	---	320.000000	6661.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6705.000000	6749.750000	---	14.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6785 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6785.000000	83.000000	---	320.000000	6743.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6785.000000	6826.750000	---	9.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6785 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6785.000000	93.500000	---	320.000000	6734.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6785.000000	6827.750000	---	14.2	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6865 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	83.000000	51.250000	31.750000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6865.000000	6823.750000	---	6906.750000	---	10.9	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6865 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	85.500000	52.750000	32.750000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6865.000000	6822.250000	---	6907.750000	---	13.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6945 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6945.000000	84.500000	---	320.000000	6902.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6945.000000	6987.250000	---	12.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6945 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6945.000000	85.000000	---	320.000000	6902.750000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6945.000000	6987.750000	---	12.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (7025 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7025.000000	84.000000	---	320.000000	6983.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7025.000000	7067.250000	---	11.0	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (7025 MHz; 11ax80 (80 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
7025.000000	84.000000	---	320.000000	6983.250000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
7025.000000	7067.250000	---	11.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6025 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6025.000000	170.000000	---	320.000000	5941.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6025.000000	6111.500000	---	11.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6025 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6025.000000	167.000000	---	320.000000	5941.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6025.000000	6108.500000	---	12.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6185 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6185.000000	168.000000	---	320.000000	6101.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6185.000000	6269.500000	---	11.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6185 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6185.000000	168.000000	---	320.000000	6100.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6185.000000	6268.500000	---	12.4	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6345 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6345.000000	168.000000	---	320.000000	6261.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6345.000000	6429.500000	---	10.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6345 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6345.000000	168.000000	---	320.000000	6261.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6345.000000	6429.500000	---	13.1	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6505 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	169.000000	104.500000	64.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6505.000000	6420.500000	---	6589.500000	---	11.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6505 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	168.000000	103.500000	64.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6505.000000	6421.500000	---	6589.500000	---	13.7	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6665 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6665.000000	284.000000	---	320.000000	6537.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6665.000000	6821.500000	---	13.3	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6665 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6665.000000	239.000000	---	320.000000	6580.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6665.000000	6819.500000	---	14.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6825 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	168.000000	133.500000	34.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6825.000000	6741.500000	---	6909.500000	---	9.5	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6825 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	167.000000	133.500000	33.500000	---	320.000000

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6825.000000	6741.500000	---	6908.500000	---	13.6	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant1) (6985 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6985.000000	170.000000	---	320.000000	6900.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6985.000000	7070.500000	---	12.8	PASS

26 dB Bandwidth



Emission Bandwidth 26 dB(Ant2) (6985 MHz; 11ax160 (160 MHz))


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6985.000000	169.000000	---	320.000000	6900.500000	---

(continuation of the "26 dB Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Max Level (dBm)	Result
6985.000000	7069.500000	---	12.7	PASS

26 dB Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (5955 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	16.400000	---	320.000000	5946.950000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5963.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (5955 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	16.400000	---	320.000000	5946.950000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5963.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6175 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	16.300000	---	320.000000	6167.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6175.000000	6183.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6175 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	16.400000	---	320.000000	6166.950000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6175.000000	6183.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6415 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	16.300000	---	320.000000	6407.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6423.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6415 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	16.300000	---	320.000000	6407.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6423.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6435 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	16.300000	---	320.000000	6427.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6443.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6435 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	16.300000	---	320.000000	6427.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6443.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6475 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	16.300000	---	320.000000	6467.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6475.000000	6483.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6475 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	16.400000	---	320.000000	6466.950000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6475.000000	6483.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6515 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	16.300000	---	320.000000	6507.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6523.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6515 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	16.300000	---	320.000000	6507.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6523.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6535 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	16.300000	---	320.000000	6527.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6535.000000	6543.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6535 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	16.300000	---	320.000000	6527.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6535.000000	6543.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6695 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	16.300000	---	320.000000	6687.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6695.000000	6703.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6695 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	16.300000	---	320.000000	6687.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6695.000000	6703.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6855 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	16.400000	---	320.000000	6847.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6855.000000	6863.450000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6855 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	16.300000	---	320.000000	6847.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6855.000000	6863.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6875 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	16.300000	7.950000	8.350000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6875.000000	6867.050000	5925.000000	6883.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6875 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	16.300000	7.950000	8.350000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6875.000000	6867.050000	5925.000000	6883.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6895 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	16.300000	---	320.000000	6887.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6895.000000	6903.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6895 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	16.300000	---	320.000000	6887.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6895.000000	6903.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6995 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	16.300000	---	320.000000	6987.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7003.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6995 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	16.300000	---	320.000000	6987.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7003.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (7115 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	16.300000	---	320.000000	7107.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7115.000000	7123.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (7115 MHz; 11a (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	16.300000	---	320.000000	7107.050000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7115.000000	7123.350000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (5955 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	17.500000	---	320.000000	5946.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5963.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (5955 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	17.600000	---	320.000000	5946.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5963.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6175 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	17.600000	---	320.000000	6166.350000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6175.000000	6183.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6175 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	17.500000	---	320.000000	6166.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6175.000000	6183.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6415 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	17.500000	---	320.000000	6406.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6423.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6415 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	17.500000	---	320.000000	6406.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6423.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6435 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	17.500000	---	320.000000	6426.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6443.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6435 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	17.500000	---	320.000000	6426.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6443.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6475 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	17.500000	---	320.000000	6466.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6475.000000	6483.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6475 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	17.500000	---	320.000000	6466.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6475.000000	6483.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6515 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	17.500000	---	320.000000	6506.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6523.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6515 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	17.500000	---	320.000000	6506.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6523.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6535 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	17.500000	---	320.000000	6526.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6535.000000	6543.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6535 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	17.500000	---	320.000000	6526.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6535.000000	6543.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6695 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	17.500000	---	320.000000	6686.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6695.000000	6703.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6695 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	17.500000	---	320.000000	6686.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6695.000000	6703.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6855 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	17.500000	---	320.000000	6846.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6855.000000	6863.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6855 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	17.500000	---	320.000000	6846.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6855.000000	6863.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6875 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	17.500000	8.550000	8.950000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6875.000000	6866.450000	5925.000000	6883.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6875 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	17.500000	8.550000	8.950000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6875.000000	6866.450000	5925.000000	6883.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6895 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	17.500000	---	320.000000	6886.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6895.000000	6903.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6895 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	17.500000	---	320.000000	6886.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6895.000000	6903.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6995 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	17.500000	---	320.000000	6986.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7003.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6995 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	17.500000	---	320.000000	6986.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7003.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (7115 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	17.500000	---	320.000000	7106.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
7115.000000	7123.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (7115 MHz; 11ac20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	17.500000	---	320.000000	7106.450000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7115.000000	7123.950000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (5965 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	36.250000	---	320.000000	5947.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Result
5965.000000	5983.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (5965 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	36.250000	---	320.000000	5947.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5965.000000	5983.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6165 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6165.000000	36.000000	---	320.000000	6147.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6165.000000	6183.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6165 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6165.000000	36.250000	---	320.000000	6147.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6165.000000	6183.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6405 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	36.250000	---	320.000000	6387.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6405.000000	6423.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6405 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	36.250000	---	320.000000	6387.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6405.000000	6423.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6445 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	36.000000	---	320.000000	6427.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6445.000000	6463.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6445 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	36.250000	---	320.000000	6427.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6445.000000	6463.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6485 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	36.250000	---	320.000000	6467.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6485.000000	6503.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6485 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	36.250000	---	320.000000	6467.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6485.000000	6503.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6525 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	36.000000	17.875000	18.125000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6525.000000	6507.125000	5925.000000	6543.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6525 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	36.250000	17.875000	18.375000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6525.000000	6507.125000	5925.000000	6543.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6565 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6565.000000	36.250000	---	320.000000	6547.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6565.000000	6583.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6565 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6565.000000	36.250000	---	320.000000	6547.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6565.000000	6583.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6685 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6685.000000	36.250000	---	320.000000	6667.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6685.000000	6703.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6685 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6685.000000	36.500000	---	320.000000	6666.875000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6685.000000	6703.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6845 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6845.000000	36.250000	---	320.000000	6827.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6845.000000	6863.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6845 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6845.000000	36.250000	---	320.000000	6827.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Result
6845.000000	6863.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6885 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	36.250000	7.875000	28.375000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6885.000000	6867.125000	5925.000000	6903.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6885 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	36.250000	7.875000	28.375000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6885.000000	6867.125000	5925.000000	6903.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6925 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6925.000000	36.250000	---	320.000000	6907.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6925.000000	6943.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6925 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6925.000000	36.250000	---	320.000000	6907.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6925.000000	6943.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (7005 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7005.000000	36.250000	---	320.000000	6987.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7005.000000	7023.375000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (7005 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7005.000000	36.000000	---	320.000000	6987.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7005.000000	7023.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (7085 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7085.000000	36.000000	---	320.000000	7067.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
7085.000000	7103.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (7085 MHz; 11ac40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7085.000000	36.000000	---	320.000000	7067.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7085.000000	7103.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (5985 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	76.000000	---	320.000000	5947.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5985.000000	6023.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (5985 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	76.000000	---	320.000000	5947.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5985.000000	6023.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6145 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6145.000000	75.500000	---	320.000000	6107.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6145.000000	6182.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6145 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6145.000000	76.000000	---	320.000000	6107.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6145.000000	6183.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6385 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	76.000000	---	320.000000	6347.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6385.000000	6423.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6385 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	76.000000	---	320.000000	6347.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6385.000000	6423.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6465 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	76.000000	---	320.000000	6427.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6465.000000	6503.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6465 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	76.000000	---	320.000000	6427.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6465.000000	6503.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6545 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	76.000000	17.750000	58.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6545.000000	6507.250000	5925.000000	6583.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6545 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	76.000000	17.750000	58.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6545.000000	6507.250000	5925.000000	6583.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6625 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6625.000000	76.000000	---	320.000000	6587.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6625.000000	6663.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6625 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6625.000000	76.000000	---	320.000000	6587.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6625.000000	6663.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6705 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6705.000000	76.000000	---	320.000000	6667.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6705.000000	6743.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6705 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6705.000000	76.000000	---	320.000000	6667.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6705.000000	6743.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6785 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	75.500000	---	320.000000	6747.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6785.000000	6822.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6785 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	76.000000	---	320.000000	6747.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6785.000000	6823.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6865 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	75.500000	47.750000	27.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6827.250000	5925.000000	6902.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6865 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	76.000000	47.750000	28.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6827.250000	5925.000000	6903.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6945 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	76.000000	---	320.000000	6907.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6983.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6945 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	76.000000	---	320.000000	6907.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6983.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (7025 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	76.000000	---	320.000000	6987.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7063.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (7025 MHz; 11ac80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	76.000000	---	320.000000	6987.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7063.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6025 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	155.000000	---	320.000000	5947.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6025.000000	6102.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6025 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	154.000000	---	320.000000	5948.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6025.000000	6102.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6185 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	155.000000	---	320.000000	6107.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Result
6185.000000	6262.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6185 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	155.000000	---	320.000000	6107.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6262.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6345 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	155.000000	---	320.000000	6267.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6422.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6345 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	155.000000	---	320.000000	6267.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6422.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6505 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	155.000000	97.500000	57.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6427.500000	5925.000000	6582.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6505 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	155.000000	97.500000	57.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6427.500000	5925.000000	6582.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6665 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	155.000000	---	320.000000	6587.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6665.000000	6742.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6665 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	155.000000	---	320.000000	6587.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6665.000000	6742.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6825 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	155.000000	127.500000	27.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6747.500000	5925.000000	6902.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6825 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	155.000000	127.500000	27.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6747.500000	5925.000000	6902.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6985 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	155.000000	---	320.000000	6907.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7062.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6985 MHz; 11ac160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	155.000000	---	320.000000	6907.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7062.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (5955 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	18.900000	---	320.000000	5945.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5964.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (5955 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5955.000000	18.900000	---	320.000000	5945.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5955.000000	5964.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6175 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	18.900000	---	320.000000	6165.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6175.000000	6184.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6175 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6175.000000	18.900000	---	320.000000	6165.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6175.000000	6184.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6415 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	18.900000	---	320.000000	6405.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6424.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6415 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6415.000000	18.900000	---	320.000000	6405.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6415.000000	6424.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6435 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	18.900000	---	320.000000	6425.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6444.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6435 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6435.000000	18.900000	---	320.000000	6425.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6435.000000	6444.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6475 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	18.900000	---	320.000000	6465.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6475.000000	6484.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6475 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6475.000000	18.900000	---	320.000000	6465.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6475.000000	6484.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6515 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	18.900000	---	320.000000	6505.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6524.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6515 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6515.000000	18.900000	---	320.000000	6505.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6515.000000	6524.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6535 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	18.900000	---	320.000000	6525.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6535.000000	6544.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6535 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	18.900000	---	320.000000	6525.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6535.000000	6544.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6695 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	18.900000	---	320.000000	6685.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6695.000000	6704.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6695 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	18.900000	---	320.000000	6685.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6695.000000	6704.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6855 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	18.900000	---	320.000000	6845.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6855.000000	6864.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6855 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6855.000000	18.900000	---	320.000000	6845.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6855.000000	6864.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6875 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	18.900000	9.250000	9.650000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6875.000000	6865.750000	5925.000000	6884.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6875 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	18.900000	9.250000	9.650000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6875.000000	6865.750000	5925.000000	6884.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6895 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	18.900000	---	320.000000	6885.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6895.000000	6904.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6895 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6895.000000	18.900000	---	320.000000	6885.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Result
6895.000000	6904.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6995 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	18.900000	---	320.000000	6985.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7004.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6995 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6995.000000	18.900000	---	320.000000	6985.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6995.000000	7004.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (7115 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	18.900000	---	320.000000	7105.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7115.000000	7124.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (7115 MHz; 11ax20 (20 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7115.000000	18.900000	---	320.000000	7105.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7115.000000	7124.650000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (5965 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	37.750000	---	320.000000	5946.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5965.000000	5984.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (5965 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5965.000000	38.000000	---	320.000000	5946.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5965.000000	5984.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6165 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6165.000000	37.750000	---	320.000000	6146.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6165.000000	6184.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6165 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6165.000000	37.750000	---	320.000000	6146.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6165.000000	6184.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6405 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	37.750000	---	320.000000	6386.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6405.000000	6424.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6405 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6405.000000	37.750000	---	320.000000	6386.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6405.000000	6424.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6445 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	37.750000	---	320.000000	6426.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Result
6445.000000	6464.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6445 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6445.000000	37.750000	---	320.000000	6426.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6445.000000	6464.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6485 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	37.750000	---	320.000000	6466.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6485.000000	6504.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6485 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6485.000000	37.750000	---	320.000000	6466.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6485.000000	6504.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6525 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	37.750000	18.625000	19.125000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6525.000000	6506.375000	5925.000000	6544.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6525 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	37.750000	18.625000	19.125000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6525.000000	6506.375000	5925.000000	6544.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6565 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6565.000000	37.750000	---	320.000000	6546.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6565.000000	6584.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6565 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6565.000000	37.750000	---	320.000000	6546.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6565.000000	6584.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6685 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6685.000000	37.750000	---	320.000000	6666.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6685.000000	6704.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6685 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6685.000000	38.000000	---	320.000000	6666.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6685.000000	6704.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6845 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6845.000000	37.750000	---	320.000000	6826.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R (MHz)	Result
6845.000000	6864.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6845 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6845.000000	38.000000	---	320.000000	6826.125000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6845.000000	6864.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6885 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	37.750000	8.625000	29.125000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6885.000000	6866.375000	5925.000000	6904.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6885 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	37.750000	8.625000	29.125000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6885.000000	6866.375000	5925.000000	6904.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6925 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6925.000000	37.750000	---	320.000000	6906.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6925.000000	6944.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6925 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6925.000000	37.750000	---	320.000000	6906.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6925.000000	6944.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (7005 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7005.000000	37.750000	---	320.000000	6986.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7005.000000	7024.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (7005 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7005.000000	37.750000	---	320.000000	6986.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7005.000000	7024.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (7085 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7085.000000	37.750000	---	320.000000	7066.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7085.000000	7104.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (7085 MHz; 11ax40 (40 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7085.000000	37.750000	---	320.000000	7066.375000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7085.000000	7104.125000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (5985 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	78.000000	---	320.000000	5946.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5985.000000	6024.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (5985 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
5985.000000	78.000000	---	320.000000	5946.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
5985.000000	6024.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6145 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6145.000000	77.000000	---	320.000000	6106.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6145.000000	6183.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6145 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6145.000000	77.500000	---	320.000000	6106.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6145.000000	6183.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6385 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	77.000000	---	320.000000	6346.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6385.000000	6423.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6385 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6385.000000	77.000000	---	320.000000	6346.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6385.000000	6423.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6465 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	77.000000	---	320.000000	6426.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6465.000000	6503.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6465 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6465.000000	78.000000	---	320.000000	6426.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6465.000000	6504.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6545 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	77.500000	18.750000	58.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6545.000000	6506.250000	5925.000000	6583.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6545 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	77.500000	18.250000	59.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6545.000000	6506.750000	5925.000000	6584.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6625 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6625.000000	77.500000	---	320.000000	6586.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6625.000000	6663.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6625 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6625.000000	78.000000	---	320.000000	6586.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6625.000000	6664.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6705 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6705.000000	78.000000	---	320.000000	6666.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6705.000000	6744.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6705 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6705.000000	77.500000	---	320.000000	6666.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6705.000000	6743.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6785 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	77.500000	---	320.000000	6746.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6785.000000	6823.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6785 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	77.500000	---	320.000000	6746.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6785.000000	6823.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6865 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	77.000000	48.250000	28.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6826.750000	5925.000000	6903.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6865 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	78.000000	48.750000	29.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6826.250000	5925.000000	6904.250000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6945 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	77.500000	---	320.000000	6906.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6983.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6945 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	77.500000	---	320.000000	6906.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6983.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (7025 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	77.500000	---	320.000000	6986.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7063.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (7025 MHz; 11ax80 (80 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	77.000000	---	320.000000	6986.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7063.750000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6025 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	157.000000	---	320.000000	5946.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6025.000000	6103.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6025 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	157.000000	---	320.000000	5946.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6025.000000	6103.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6185 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	156.000000	---	320.000000	6107.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6263.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6185 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	157.000000	---	320.000000	6106.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6263.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6345 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	156.000000	---	320.000000	6267.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6423.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6345 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	156.000000	---	320.000000	6267.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6423.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6505 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	157.000000	98.500000	58.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6426.500000	5925.000000	6583.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6505 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	156.000000	97.500000	58.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6427.500000	5925.000000	6583.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6665 MHz; 11ax160 (160 MHz))

Customized settings.

99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	157.000000	---	320.000000	6586.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6665.000000	6743.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6665 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	157.000000	---	320.000000	6586.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max R BE (MHz)	Result
6665.000000	6743.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6825 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	156.000000	127.500000	28.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6747.500000	5925.000000	6903.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6825 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	157.000000	128.500000	28.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6746.500000	5925.000000	6903.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant1) (6985 MHz; 11ax160 (160 MHz))

Customized settings.


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	157.000000	---	320.000000	6906.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7063.500000	7125.000000	PASS

99 % Bandwidth



Occupied Channel Bandwidth 99%(Ant2) (6985 MHz; 11ax160 (160 MHz))

Customized settings.

99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	157.000000	---	320.000000	6906.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7063.500000	7125.000000	PASS

99 % Bandwidth

