

Appendix B

E-UTRA BAND 25

TABLE OF CONTENTS

1	MAIN TEST INSTRUMENTS	3
2	MEASUREMENT UNCERTAINTY	3
3	EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	4
	3.1. Test Result	4
4	PEAK-TO-AVERAGE RATIO.....	9
	4.1. Test Result	9
	4.2. Test Plots.....	9
5	MODULATION CHARACTERISTICS	12
	5.1. For LTE.....	12
	5.1.1 Test BAND = LTE BAND 25	12
6	26DB BANDWIDTH AND OCCUPIED BANDWIDTH.....	13
	6.1. Test Result	13
	6.2. Test Plots.....	14
7	BAND EDGES COMPLIANCE.....	26
	7.1. Test Plots.....	26
8	SPURIOUS EMISSION AT ANTENNA TERMINAL	43
	8.1. Test Plots.....	43
9	FREQUENCY STABILITY.....	48
	9.1. Frequency Vs Voltage	48
	9.2. Frequency Vs Temperature	48

1 Main Test Instruments

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12
Spectrum Analyzer (20Hz-43GHz)	Rohde & Schwarz	FSU43	SEM004-08	2018/4/2	2019/4/1
BiConiLog Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-01	2017/6/27	2020/6/26
Horn Antenna (800MHz-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12
Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2017/10/17	2020/10/16
Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2018/9/2	2019/9/2
Low Noise Amplifier (100MHz-18GHz)	Black Diamond Series	BDLNA-0118-352810	SEM005-05	2018/9/2	2019/9/2
Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	EMC2063	2018/10/20	2019/10/19
Pre-amplifier (26-40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2018/4/2	2019/4/1
Band filter	N/A	N/A	N/A	N/A	N/A
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2018/7/12	2019/7/11
Wideband Radio Communication Tester	Anristu	MT8821C	6201462742	2018/5/2	2019/5/1
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	W005-02	2018/3/13	2019/3/12
RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
Dual Output Mobile Communication DC Source	Agilent Technologies Inc	66311B	W009-09	2018/9/15	2019/9/15
Signal Analyzer	Rohde & Schwarz	FSV	W025-05	2018/3/13	2019/3/12
Coaxial Cable	SGS	N/A	SEM031-01	2018/7/12	2019/7/11
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2018/9/2	2019/9/2
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	W006-17	2018/9/10	2019/9/10
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2018/11/27	2019/11/27
Wideband Radio Communication Tester	Anristu	MT8821C	6201462742	2018/5/2	2019/5/1
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	W005-02	2018/3/13	2019/3/12

2 Measurement Uncertainty

For a 95% confidence level ($k = 2$), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

Test Item	Extended Uncertainty	Data
Transmit Output Power Data	Power [dBm]	$U = \pm 0.37 \text{ dB}$
Bandwidth	Magnitude [%]	$U = \pm 0.2\%$
Band Edge Compliance	Disturbance Power [dBm]	$U = \pm 2.0 \text{ dB}$
Spurious Emissions, Conducted	Disturbance Power [dBm]	$U = \pm 2.0 \text{ dB}$
Frequency Stability	Frequency Accuracy [ppm]	$U = \pm 0.24 \text{ ppm}$

3 Effective (Isotropic) Radiated Power Output Data

3.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Conducted power (dBm)	EIRP (dBm)	limit (dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	22.36	19.21	33.00	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	22.66	19.51	33.00	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	22.69	19.54	33.00	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	22.89	19.74	33.00	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	22.89	19.74	33.00	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	22.85	19.70	33.00	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	21.87	18.72	33.00	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	22.40	19.25	33.00	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	22.50	19.35	33.00	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	22.39	19.24	33.00	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	22.79	19.64	33.00	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	22.84	19.69	33.00	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	22.88	19.73	33.00	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	21.84	18.69	33.00	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	22.66	19.51	33.00	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	22.59	19.44	33.00	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	22.80	19.65	33.00	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	22.93	19.78	33.00	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	22.95	19.80	33.00	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	22.79	19.64	33.00	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	22.10	18.95	33.00	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	21.06	17.91	33.00	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	21.34	18.19	33.00	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	21.32	18.17	33.00	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	21.76	18.61	33.00	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	21.96	18.81	33.00	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	21.98	18.83	33.00	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	20.85	17.70	33.00	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	21.46	18.31	33.00	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	21.37	18.22	33.00	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	21.37	18.22	33.00	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	21.61	18.46	33.00	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	21.99	18.84	33.00	PASS
Band25	1.4MHz	16QAM	26365	3RB#3	21.89	18.74	33.00	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	20.89	17.74	33.00	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	21.44	18.29	33.00	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	21.56	18.41	33.00	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	21.43	18.28	33.00	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	21.85	18.70	33.00	PASS

JianYan Testing Group Shenzhen Co., Ltd.

Report No: JYTSZ-R12-2200353

Band25	1.4MHz	16QAM	26683	3RB#1	22.03	18.88	33.00	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	21.96	18.81	33.00	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	21.11	17.96	33.00	PASS
Band25	3MHz	QPSK	26055	1RB#0	22.94	19.79	33.00	PASS
Band25	3MHz	QPSK	26055	1RB#8	23.04	19.89	33.00	PASS
Band25	3MHz	QPSK	26055	1RB#14	22.89	19.74	33.00	PASS
Band25	3MHz	QPSK	26055	8RB#0	22.01	18.86	33.00	PASS
Band25	3MHz	QPSK	26055	8RB#4	22.09	18.94	33.00	PASS
Band25	3MHz	QPSK	26055	8RB#7	22.16	19.01	33.00	PASS
Band25	3MHz	QPSK	26055	15RB#0	22.04	18.89	33.00	PASS
Band25	3MHz	QPSK	26365	1RB#0	22.79	19.64	33.00	PASS
Band25	3MHz	QPSK	26365	1RB#8	22.93	19.78	33.00	PASS
Band25	3MHz	QPSK	26365	1RB#14	23.06	19.91	33.00	PASS
Band25	3MHz	QPSK	26365	8RB#0	21.97	18.82	33.00	PASS
Band25	3MHz	QPSK	26365	8RB#4	22.04	18.89	33.00	PASS
Band25	3MHz	QPSK	26365	8RB#7	22.08	18.93	33.00	PASS
Band25	3MHz	QPSK	26365	15RB#0	21.95	18.80	33.00	PASS
Band25	3MHz	QPSK	26675	1RB#0	23.02	19.87	33.00	PASS
Band25	3MHz	QPSK	26675	1RB#8	22.87	19.72	33.00	PASS
Band25	3MHz	QPSK	26675	1RB#14	22.74	19.59	33.00	PASS
Band25	3MHz	QPSK	26675	8RB#0	22.25	19.10	33.00	PASS
Band25	3MHz	QPSK	26675	8RB#4	22.05	18.90	33.00	PASS
Band25	3MHz	QPSK	26675	8RB#7	22.03	18.88	33.00	PASS
Band25	3MHz	QPSK	26675	15RB#0	22.12	18.97	33.00	PASS
Band25	3MHz	16QAM	26055	1RB#0	21.57	18.42	33.00	PASS
Band25	3MHz	16QAM	26055	1RB#8	21.54	18.39	33.00	PASS
Band25	3MHz	16QAM	26055	1RB#14	21.38	18.23	33.00	PASS
Band25	3MHz	16QAM	26055	8RB#0	20.63	17.48	33.00	PASS
Band25	3MHz	16QAM	26055	8RB#4	20.67	17.52	33.00	PASS
Band25	3MHz	16QAM	26055	8RB#7	20.81	17.66	33.00	PASS
Band25	3MHz	16QAM	26055	15RB#0	20.88	17.73	33.00	PASS
Band25	3MHz	16QAM	26365	1RB#0	21.02	17.87	33.00	PASS
Band25	3MHz	16QAM	26365	1RB#8	21.08	17.93	33.00	PASS
Band25	3MHz	16QAM	26365	1RB#14	21.32	18.17	33.00	PASS
Band25	3MHz	16QAM	26365	8RB#0	20.48	17.33	33.00	PASS
Band25	3MHz	16QAM	26365	8RB#4	20.46	17.31	33.00	PASS
Band25	3MHz	16QAM	26365	8RB#7	20.44	17.29	33.00	PASS
Band25	3MHz	16QAM	26365	15RB#0	20.72	17.57	33.00	PASS
Band25	3MHz	16QAM	26675	1RB#0	21.67	18.52	33.00	PASS
Band25	3MHz	16QAM	26675	1RB#8	21.40	18.25	33.00	PASS
Band25	3MHz	16QAM	26675	1RB#14	21.24	18.09	33.00	PASS
Band25	3MHz	16QAM	26675	8RB#0	20.77	17.62	33.00	PASS
Band25	3MHz	16QAM	26675	8RB#4	20.75	17.60	33.00	PASS
Band25	3MHz	16QAM	26675	8RB#7	20.73	17.58	33.00	PASS
Band25	3MHz	16QAM	26675	15RB#0	20.88	17.73	33.00	PASS
Band25	5MHz	QPSK	26065	1RB#0	22.89	19.74	33.00	PASS
Band25	5MHz	QPSK	26065	1RB#12	23.13	19.98	33.00	PASS
Band25	5MHz	QPSK	26065	1RB#24	23.09	19.94	33.00	PASS

JianYan Testing Group Shenzhen Co., Ltd.

Report No: JYTSZ-R12-2200353

Band25	5MHz	QPSK	26065	12RB#0	21.98	18.83	33.00	PASS
Band25	5MHz	QPSK	26065	12RB#6	22.16	19.01	33.00	PASS
Band25	5MHz	QPSK	26065	12RB#13	22.04	18.89	33.00	PASS
Band25	5MHz	QPSK	26065	25RB#0	21.90	18.75	33.00	PASS
Band25	5MHz	QPSK	26365	1RB#0	22.76	19.61	33.00	PASS
Band25	5MHz	QPSK	26365	1RB#12	22.93	19.78	33.00	PASS
Band25	5MHz	QPSK	26365	1RB#24	23.21	20.06	33.00	PASS
Band25	5MHz	QPSK	26365	12RB#0	21.89	18.74	33.00	PASS
Band25	5MHz	QPSK	26365	12RB#6	22.05	18.90	33.00	PASS
Band25	5MHz	QPSK	26365	12RB#13	22.12	18.97	33.00	PASS
Band25	5MHz	QPSK	26365	25RB#0	21.92	18.77	33.00	PASS
Band25	5MHz	QPSK	26665	1RB#0	22.68	19.53	33.00	PASS
Band25	5MHz	QPSK	26665	1RB#12	22.73	19.58	33.00	PASS
Band25	5MHz	QPSK	26665	1RB#24	22.64	19.49	33.00	PASS
Band25	5MHz	QPSK	26665	12RB#0	21.88	18.73	33.00	PASS
Band25	5MHz	QPSK	26665	12RB#6	21.59	18.44	33.00	PASS
Band25	5MHz	QPSK	26665	12RB#13	21.54	18.39	33.00	PASS
Band25	5MHz	QPSK	26665	25RB#0	21.77	18.62	33.00	PASS
Band25	5MHz	16QAM	26065	1RB#0	21.63	18.48	33.00	PASS
Band25	5MHz	16QAM	26065	1RB#12	21.57	18.42	33.00	PASS
Band25	5MHz	16QAM	26065	1RB#24	21.48	18.33	33.00	PASS
Band25	5MHz	16QAM	26065	12RB#0	20.58	17.43	33.00	PASS
Band25	5MHz	16QAM	26065	12RB#6	20.77	17.62	33.00	PASS
Band25	5MHz	16QAM	26065	12RB#13	20.42	17.27	33.00	PASS
Band25	5MHz	16QAM	26065	25RB#0	20.48	17.33	33.00	PASS
Band25	5MHz	16QAM	26365	1RB#0	21.16	18.01	33.00	PASS
Band25	5MHz	16QAM	26365	1RB#12	21.49	18.34	33.00	PASS
Band25	5MHz	16QAM	26365	1RB#24	21.02	17.87	33.00	PASS
Band25	5MHz	16QAM	26365	12RB#0	20.33	17.18	33.00	PASS
Band25	5MHz	16QAM	26365	12RB#6	20.68	17.53	33.00	PASS
Band25	5MHz	16QAM	26365	12RB#13	20.67	17.52	33.00	PASS
Band25	5MHz	16QAM	26365	25RB#0	20.71	17.56	33.00	PASS
Band25	5MHz	16QAM	26665	1RB#0	21.41	18.26	33.00	PASS
Band25	5MHz	16QAM	26665	1RB#12	21.30	18.15	33.00	PASS
Band25	5MHz	16QAM	26665	1RB#24	21.00	17.85	33.00	PASS
Band25	5MHz	16QAM	26665	12RB#0	20.59	17.44	33.00	PASS
Band25	5MHz	16QAM	26665	12RB#6	20.67	17.52	33.00	PASS
Band25	5MHz	16QAM	26665	12RB#13	20.60	17.45	33.00	PASS
Band25	5MHz	16QAM	26665	25RB#0	20.88	17.73	33.00	PASS
Band25	10MHz	QPSK	26090	1RB#0	22.69	19.54	33.00	PASS
Band25	10MHz	QPSK	26090	1RB#24	22.64	19.49	33.00	PASS
Band25	10MHz	QPSK	26090	1RB#49	22.58	19.43	33.00	PASS
Band25	10MHz	QPSK	26090	25RB#0	21.70	18.55	33.00	PASS
Band25	10MHz	QPSK	26090	25RB#12	22.18	19.03	33.00	PASS
Band25	10MHz	QPSK	26090	25RB#25	21.84	18.69	33.00	PASS
Band25	10MHz	QPSK	26090	50RB#0	21.79	18.64	33.00	PASS
Band25	10MHz	QPSK	26365	1RB#0	22.65	19.50	33.00	PASS
Band25	10MHz	QPSK	26365	1RB#24	23.40	20.25	33.00	PASS

JianYan Testing Group Shenzhen Co., Ltd.

Report No: JYTSZ-R12-2200353

Band25	10MHz	QPSK	26365	1RB#49	22.60	19.45	33.00	PASS
Band25	10MHz	QPSK	26365	25RB#0	21.83	18.68	33.00	PASS
Band25	10MHz	QPSK	26365	25RB#12	22.01	18.86	33.00	PASS
Band25	10MHz	QPSK	26365	25RB#25	21.91	18.76	33.00	PASS
Band25	10MHz	QPSK	26365	50RB#0	21.83	18.68	33.00	PASS
Band25	10MHz	QPSK	26640	1RB#0	22.66	19.51	33.00	PASS
Band25	10MHz	QPSK	26640	1RB#24	22.64	19.49	33.00	PASS
Band25	10MHz	QPSK	26640	1RB#49	22.06	18.91	33.00	PASS
Band25	10MHz	QPSK	26640	25RB#0	22.30	19.15	33.00	PASS
Band25	10MHz	QPSK	26640	25RB#12	21.92	18.77	33.00	PASS
Band25	10MHz	QPSK	26640	25RB#25	21.59	18.44	33.00	PASS
Band25	10MHz	QPSK	26640	50RB#0	21.94	18.79	33.00	PASS
Band25	10MHz	16QAM	26090	1RB#0	21.69	18.54	33.00	PASS
Band25	10MHz	16QAM	26090	1RB#24	22.11	18.96	33.00	PASS
Band25	10MHz	16QAM	26090	1RB#49	21.41	18.26	33.00	PASS
Band25	10MHz	16QAM	26090	27RB#0	20.56	17.41	33.00	PASS
Band25	10MHz	16QAM	26365	1RB#0	20.97	17.82	33.00	PASS
Band25	10MHz	16QAM	26365	1RB#24	21.71	18.56	33.00	PASS
Band25	10MHz	16QAM	26365	1RB#49	21.08	17.93	33.00	PASS
Band25	10MHz	16QAM	26365	27RB#0	20.55	17.40	33.00	PASS
Band25	10MHz	16QAM	26640	1RB#0	20.97	17.82	33.00	PASS
Band25	10MHz	16QAM	26640	1RB#24	22.09	18.94	33.00	PASS
Band25	10MHz	16QAM	26640	1RB#49	20.59	17.44	33.00	PASS
Band25	10MHz	16QAM	26640	27RB#0	20.48	17.33	33.00	PASS
Band25	15MHz	QPSK	26115	1RB#0	22.77	19.62	33.00	PASS
Band25	15MHz	QPSK	26115	1RB#38	22.88	19.73	33.00	PASS
Band25	15MHz	QPSK	26115	1RB#74	22.56	19.41	33.00	PASS
Band25	15MHz	QPSK	26115	36RB#0	21.98	18.83	33.00	PASS
Band25	15MHz	QPSK	26115	36RB#18	21.71	18.56	33.00	PASS
Band25	15MHz	QPSK	26115	36RB#39	21.73	18.58	33.00	PASS
Band25	15MHz	QPSK	26115	75RB#0	21.88	18.73	33.00	PASS
Band25	15MHz	QPSK	26365	1RB#0	22.30	19.15	33.00	PASS
Band25	15MHz	QPSK	26365	1RB#38	23.01	19.86	33.00	PASS
Band25	15MHz	QPSK	26365	1RB#74	22.69	19.54	33.00	PASS
Band25	15MHz	QPSK	26365	36RB#0	21.75	18.60	33.00	PASS
Band25	15MHz	QPSK	26365	36RB#18	22.02	18.87	33.00	PASS
Band25	15MHz	QPSK	26365	36RB#39	21.94	18.79	33.00	PASS
Band25	15MHz	QPSK	26365	75RB#0	21.94	18.79	33.00	PASS
Band25	15MHz	QPSK	26615	1RB#0	22.33	19.18	33.00	PASS
Band25	15MHz	QPSK	26615	1RB#38	23.23	20.08	33.00	PASS
Band25	15MHz	QPSK	26615	1RB#74	21.75	18.60	33.00	PASS
Band25	15MHz	QPSK	26615	36RB#0	21.81	18.66	33.00	PASS
Band25	15MHz	QPSK	26615	36RB#18	21.68	18.53	33.00	PASS
Band25	15MHz	QPSK	26615	36RB#39	21.51	18.36	33.00	PASS
Band25	15MHz	QPSK	26615	75RB#0	21.71	18.56	33.00	PASS
Band25	15MHz	16QAM	26115	1RB#0	21.77	18.62	33.00	PASS
Band25	15MHz	16QAM	26115	1RB#38	21.22	18.07	33.00	PASS
Band25	15MHz	16QAM	26115	1RB#74	21.07	17.92	33.00	PASS

JianYan Testing Group Shenzhen Co., Ltd.

Report No: JYTSZ-R12-2200353

Band25	15MHz	16QAM	26115	27RB#0	20.47	17.32	33.00	PASS
Band25	15MHz	16QAM	26365	1RB#0	21.01	17.86	33.00	PASS
Band25	15MHz	16QAM	26365	1RB#38	21.64	18.49	33.00	PASS
Band25	15MHz	16QAM	26365	1RB#74	21.39	18.24	33.00	PASS
Band25	15MHz	16QAM	26365	27RB#0	20.49	17.34	33.00	PASS
Band25	15MHz	16QAM	26615	1RB#0	21.34	18.19	33.00	PASS
Band25	15MHz	16QAM	26615	1RB#38	21.28	18.13	33.00	PASS
Band25	15MHz	16QAM	26615	1RB#74	21.33	18.18	33.00	PASS
Band25	15MHz	16QAM	26615	27RB#0	20.21	17.06	33.00	PASS
Band25	20MHz	QPSK	26140	1RB#0	22.69	19.54	33.00	PASS
Band25	20MHz	QPSK	26140	1RB#49	23.07	19.92	33.00	PASS
Band25	20MHz	QPSK	26140	1RB#99	22.11	18.96	33.00	PASS
Band25	20MHz	QPSK	26140	50RB#0	22.04	18.89	33.00	PASS
Band25	20MHz	QPSK	26140	50RB#25	22.32	19.17	33.00	PASS
Band25	20MHz	QPSK	26140	50RB#50	21.61	18.46	33.00	PASS
Band25	20MHz	QPSK	26140	100RB#0	21.04	17.89	33.00	PASS
Band25	20MHz	QPSK	26365	1RB#0	22.44	19.29	33.00	PASS
Band25	20MHz	QPSK	26365	1RB#49	23.06	19.91	33.00	PASS
Band25	20MHz	QPSK	26365	1RB#99	22.42	19.27	33.00	PASS
Band25	20MHz	QPSK	26365	50RB#0	21.76	18.61	33.00	PASS
Band25	20MHz	QPSK	26365	50RB#25	21.82	18.67	33.00	PASS
Band25	20MHz	QPSK	26365	50RB#50	21.72	18.57	33.00	PASS
Band25	20MHz	QPSK	26365	100RB#0	20.69	17.54	33.00	PASS
Band25	20MHz	QPSK	26590	1RB#0	22.41	19.26	33.00	PASS
Band25	20MHz	QPSK	26590	1RB#49	22.66	19.51	33.00	PASS
Band25	20MHz	QPSK	26590	1RB#99	22.54	19.39	33.00	PASS
Band25	20MHz	QPSK	26590	50RB#0	22.05	18.90	33.00	PASS
Band25	20MHz	QPSK	26590	50RB#25	21.79	18.64	33.00	PASS
Band25	20MHz	QPSK	26590	50RB#50	21.60	18.45	33.00	PASS
Band25	20MHz	QPSK	26590	100RB#0	20.87	17.72	33.00	PASS
Band25	20MHz	16QAM	26140	1RB#0	21.54	18.39	33.00	PASS
Band25	20MHz	16QAM	26140	1RB#49	21.87	18.72	33.00	PASS
Band25	20MHz	16QAM	26140	1RB#99	21.71	18.56	33.00	PASS
Band25	20MHz	16QAM	26140	27RB#0	20.88	17.73	33.00	PASS
Band25	20MHz	16QAM	26365	1RB#0	21.89	18.74	33.00	PASS
Band25	20MHz	16QAM	26365	1RB#49	21.78	18.63	33.00	PASS
Band25	20MHz	16QAM	26365	1RB#99	21.42	18.27	33.00	PASS
Band25	20MHz	16QAM	26365	27RB#0	20.72	17.57	33.00	PASS
Band25	20MHz	16QAM	26590	1RB#0	21.19	18.04	33.00	PASS
Band25	20MHz	16QAM	26590	1RB#49	21.66	18.51	33.00	PASS
Band25	20MHz	16QAM	26590	1RB#99	21.58	18.43	33.00	PASS
Band25	20MHz	16QAM	26590	27RB#0	20.68	17.53	33.00	PASS

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power), the following formula should be taken to calculate it,

$$\text{ERP [dBm]} = \text{Conducted power[dBm]} + \text{Gain [dBd]}$$


$$\text{EIRP [dBm]} = \text{Conducted power[dBm]} + \text{Gain [dBi]}$$

4 Peak-to-Average Ratio


4.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	20MHz	QPSK	26140	100RB#0	4.00	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	4.00	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	4.00	13	PASS
Band25	20MHz	16QAM	26140	27RB#0	6.46	13	PASS
Band25	20MHz	16QAM	26365	27RB#0	6.46	13	PASS
Band25	20MHz	16QAM	26590	27RB#0	6.46	13	PASS

4.2. Test Plots




Band25_20MHz QPSK 26590_100RB#0




Date:17 JAN 2019 09:05:03

Band25_20MHz 16QAM 26140_27RB#0



Date:17 JAN 2019 12:39:47

Band25_20MHz 16QAM 26365_27RB#0



Date:17 JAN 2019 12:39:56

Band25_20MHz_16QAM_26590_27RB#0



Date: 17 JAN 2019 12:40:06


5 Modulation Characteristics

5.1. For LTE

5.1.1 Test BAND = LTE BAND 25


5.1.1.1 Test Mode = LTE /TM1 20MHz

5.1.1.1.1 Test Channel = MCH



5.1.1.2 Test Mode = LTE /TM2 20MHz

5.1.1.2.1 Test Channel = MCH




6 26dB Bandwidth and Occupied Bandwidth

6.1. Test Result


BAND	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.097	1.299	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.097	1.287	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.100	1.326	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.100	1.314	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.094	1.308	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.088	1.290	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.697	2.982	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.697	2.982	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.703	2.970	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.697	3.000	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.697	2.982	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.691	2.982	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.466	4.930	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.486	4.950	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.486	4.950	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.476	4.950	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.486	4.940	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.466	4.890	PASS
Band25	10MHz	QPSK	26090	50RB#0	8.931	9.760	PASS
Band25	10MHz	QPSK	26365	50RB#0	8.931	9.740	PASS
Band25	10MHz	QPSK	26640	50RB#0	8.931	9.780	PASS
Band25	10MHz	16QAM	26090	27RB#0	4.875	5.620	PASS
Band25	10MHz	16QAM	26365	27RB#0	4.975	5.600	PASS
Band25	10MHz	16QAM	26640	27RB#0	4.855	5.580	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.427	14.850	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.397	14.790	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.397	14.850	PASS
Band25	15MHz	16QAM	26115	27RB#0	5.125	6.180	PASS
Band25	15MHz	16QAM	26365	27RB#0	5.095	6.210	PASS
Band25	15MHz	16QAM	26615	27RB#0	5.095	6.270	PASS
Band25	20MHz	QPSK	26140	100RB#0	17.782	19.480	PASS
Band25	20MHz	QPSK	26365	100RB#0	17.902	19.360	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.862	19.240	PASS
Band25	20MHz	16QAM	26140	27RB#0	5.195	6.480	PASS
Band25	20MHz	16QAM	26365	27RB#0	5.195	6.400	PASS
Band25	20MHz	16QAM	26590	27RB#0	5.155	6.560	PASS

6.2. Test Plots


Band25_1.4MHz_QPSK_26047_6RB#0




Band25_1.4MHz_QPSK_26365_6RB#0



Band25_1.4MHz_QPSK_26683_6RB#0




Band25_1.4MHz_16QAM_26047_6RB#0




Date:16 JAN 2019 17:15:31

Band25_1.4MHz_16QAM_26365_6RB#0




Date:16 JAN 2019 17:15:54

Band25_1.4MHz_16QAM_26683_6RB#0




Date:16 JAN 2019 17:16:16

Band25_3MHz_QPSK_26055_15RB#0




Date:16 JAN 2019 17:17:17

Band25_3MHz_QPSK_26365_15RB#0




Date:16 JAN 2019 17:17:40

Band25_3MHz_QPSK_26675_15RB#0




Date:16 JAN 2019 17:18:03

Band25 3MHz 16QAM 26055 15RB#0




Date:16 JAN 2019 17:17:27

Band25 3MHz 16QAM 26365 15RB#0




Date:16 JAN 2019 17:17:50

Band25 3MHz 16QAM 26675 15RB#0




Date:16 JAN 2019 17:18:13

Band25_5MHz_QPSK_26065_25RB#0




Date:16 JAN 2019 17:19:21

Band25_5MHz_QPSK_26365_25RB#0




Date:16 JAN 2019 17:19:58

Band25_5MHz_QPSK_26665_25RB#0




Date:16 JAN 2019 17:20:35

Band25 5MHz 16QAM 26065 25RB#0




Date:16 JAN 2019 17:19:38

Band25 5MHz 16QAM 26365 25RB#0




Date:16 JAN 2019 17:20:15

Band25 5MHz 16QAM 26665 25RB#0




Date:16 JAN 2019 17:20:52

Band25 10MHz QPSK 26090 50RB#0




Date: 16 JAN 2019 17:21:51

Band25 10MHz QPSK 26365 50RB#0




Date: 16 JAN 2019 17:22:03

Band25 10MHz QPSK 26640 50RB#0




Date: 16 JAN 2019 17:22:15

Band25_10MHz_16QAM_26090_27RB#0




Date:17 JAN 2019 12:07:16

Band25_10MHz_16QAM_26365_27RB#0




Date:17 JAN 2019 12:07:44

Band25_10MHz_16QAM_26640_27RB#0




Date:17 JAN 2019 12:08:18

Band25 15MHz_QPSK_26115_75RB#0




Date:16 JAN 2019 17:23:31

Band25 15MHz_QPSK_26365_75RB#0




Date:16 JAN 2019 17:23:43

Band25 15MHz_QPSK_26615_75RB#0




Date:16 JAN 2019 17:23:55

Band25 15MHz 16QAM 26115 27RB#0




Date:17 JAN 2019 12:09:39

Band25 15MHz 16QAM 26365 27RB#0




Date:17 JAN 2019 12:12:50

Band25 15MHz 16QAM 26615 27RB#0




Date:17 JAN 2019 12:14:00

Band25_20MHz QPSK 26140_100RB#0




Date:16 JAN 2019 17:24:53

Band25_20MHz QPSK 26365_100RB#0




Date:16 JAN 2019 17:25:06

Band25_20MHz QPSK 26590_100RB#0




Date:16 JAN 2019 17:25:18

Band25_20MHz_16QAM_26140_27RB#0




Date:17 JAN 2019 12:16:32

Band25_20MHz_16QAM_26365_27RB#0



Date:17 JAN 2019 12:16:45


Band25_20MHz_16QAM_26590_27RB#0



Date:17 JAN 2019 12:16:58

7 Band Edges Compliance

7.1. Test Plots



Band25 1.4MHz QPSK 26683 1RB#5




Date: 16 JAN 2019 17:29:09

Band25 1.4MHz QPSK 26683 6RB#0




Date: 17 JAN 2019 12:23:14

Band25 1.4MHz 16QAM 26047 1RB#0




Date: 16 JAN 2019 17:26:53

Band25 1.4MHz 16QAM 26047 6RB#0



Date: 17 JAN 2019 12:20:52

Band25 1.4MHz 16QAM 26683 1RB#5




Date: 16 JAN 2019 17:29:52

Band25 1.4MHz 16QAM 26683 6RB#0




Date: 17 JAN 2019 12:23:59

Band25_3MHz_QPSK_26055_1RB#0




Date: 17 JAN 2019 08:43:15

Band25_3MHz_QPSK_26055_15RB#0



Date: 17 JAN 2019 12:25:04

Band25_3MHz_QPSK_26675_1RB#14




Date: 17 JAN 2019 08:49:02

Band25 3MHz QPSK 26675 15RB#0




Date: 17 JAN 2019 12:26:27

Band25 3MHz 16QAM 26055 1RB#0




Date: 17 JAN 2019 08:44:00

Band25 3MHz 16QAM 26055 15RB#0



Date: 17 JAN 2019 12:25:23

Band25_3MHz_16QAM_26675_1RB#14




Date: 17 JAN 2019 08:49:02

Band25_3MHz_16QAM_26675_15RB#0




Date: 17 JAN 2019 12:26:47

Band25_5MHz_QPSK_26065_1RB#0




Date: 17 JAN 2019 12:27:11

Band25 5MHz QPSK 26065_25RB#0




Date: 17 JAN 2019 12:27:51

Band25 5MHz QPSK 26665_1RB#24




Date: 17 JAN 2019 12:29:46

Band25 5MHz QPSK 26665_25RB#0




Date: 17 JAN 2019 12:30:25

Band25 5MHz 16QAM 26065 1RB#0




Date: 17 JAN 2019 12:27:31

Band25 5MHz 16QAM 26065 25RB#0




Date: 17 JAN 2019 12:29:20

Band25 5MHz 16QAM 26665 1RB#24




Date: 17 JAN 2019 12:30:05

Band25_5MHz_16QAM_26665_25RB#0




Date: 17 JAN 2019 12:31:12

Band25_10MHz_QPSK_26090_1RB#0



Date: 17 JAN 2019 12:32:38

Band25_10MHz_QPSK_26090_50RB#0



Date: 17 JAN 2019 12:32:59

Band25_10MHz_QPSK_26640_1RB#49




Date: 17 JAN 2019 12:33:24

Band25_10MHz_QPSK_26640_50RB#0




Date: 17 JAN 2019 12:33:44

Band25_10MHz_16QAM_26090_1RB#0




Date: 18 JAN 2019 15:23:41

Band25 10MHz 16QAM 26090 27RB#0



Date: 18 JAN 2019 15:24:38

Band25 10MHz 16QAM 26640 1RB#49




Date: 18 JAN 2019 15:27:25

Band25 10MHz 16QAM 26640 27RB#23



Date: 18 JAN 2019 15:28:28

Band25 15MHz QPSK 26115 1RB#0




Date: 17 JAN 2019 12:34:08

Band25 15MHz QPSK 26115 75RB#0




Date: 18 JAN 2019 15:29:04

Band25 15MHz QPSK 26615 1RB#74




Date: 17 JAN 2019 12:36:48


Band25_15MHz_QPSK_26615_75RB#0




Band25_15MHz_16QAM_26115_1RB#0



Band25_15MHz_16QAM_26115_27RB#0



Band25 15MHz 16QAM 26615 1RB#74




Date: 18 JAN 2019 15:31:10

Band25 15MHz 16QAM 26615 27RB#48



Date: 18 JAN 2019 15:33:24

Band25 20MHz QPSK 26140 1RB#0




Date: 18 JAN 2019 15:40:54


Band25_20MHz_QPSK_26140_100RB#0




Band25_20MHz_QPSK_26590_1RB#99



Band25_20MHz_QPSK_26590_100RB#0



Band25_20MHz_16QAM_26140_1RB#0




Date: 18 JAN 2019 15:41:48

Band25_20MHz_16QAM_26140_27RB#0



Date: 18 JAN 2019 15:43:04

Band25_20MHz_16QAM_26590_1RB#99



Date: 18 JAN 2019 15:44:37

Band25_20MHz_16QAM_26590_27RB#73



Date: 18 JAN 2019 15:45:47


8 Spurious Emission at Antenna Terminal

Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Remark2: only the worst case data displayed in this report.

8.1. Test Plots


Band25 20MHz QPSK 26140 1RB#0



Band25 20MHz QPSK 26140 1RB#0




Band25 20MHz QPSK 26365_1RB#0




Date:17 JAN 2019 08:54:27

Band25 20MHz QPSK 26365_1RB#0




Date:17 JAN 2019 08:54:43

Band25 20MHz QPSK 26590_1RB#0




Date:17 JAN 2019 08:58:11

Band25 20MHz QPSK 26590 1RB#0




Date: 17 JAN 2019 08:58:27

Band25 20MHz 16QAM 26140 1RB#0




Date: 17 JAN 2019 08:53:35

Band25 20MHz 16QAM 26140 1RB#0




Date: 17 JAN 2019 08:53:57

Band25_20MHz_16QAM_26365_1RB#0




Date:17 JAN 2019 08:55:09

Band25_20MHz_16QAM_26365_1RB#0




Date:17 JAN 2019 08:56:40

Band25_20MHz_16QAM_26590_1RB#0



Date:17 JAN 2019 08:58:48



9 Frequency Stability

9.1. Frequency Vs Voltage

Voltage										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band25	20MHz	QPSK	26140	100RB#0	VH	NT	-0.27	-0.000146	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	VL	NT	1.10	0.000594	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	VN	NT	-10.06	-0.005411	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	VH	NT	-7.74	-0.004109	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	VL	NT	4.80	0.002552	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	VN	NT	-7.77	-0.004125	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	VH	NT	10.52	0.005521	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	VL	NT	-1.06	-0.000559	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	VN	NT	10.23	0.005372	±2.5	PASS
Band25	20MHz	16QAM	26140	27RB#0	VH	NT	-13.08	-0.007033	±2.5	PASS
Band25	20MHz	16QAM	26140	27RB#0	VL	NT	-0.08	-0.000042	±2.5	PASS
Band25	20MHz	16QAM	26140	27RB#0	VN	NT	7.20	0.003870	±2.5	PASS
Band25	20MHz	16QAM	26365	27RB#0	VH	NT	-5.06	-0.002686	±2.5	PASS
Band25	20MHz	16QAM	26365	27RB#0	VL	NT	-14.76	-0.007842	±2.5	PASS
Band25	20MHz	16QAM	26365	27RB#0	VN	NT	-12.33	-0.006551	±2.5	PASS
Band25	20MHz	16QAM	26590	27RB#0	VH	NT	-0.15	-0.000081	±2.5	PASS
Band25	20MHz	16QAM	26590	27RB#0	VL	NT	13.72	0.007202	±2.5	PASS
Band25	20MHz	16QAM	26590	27RB#0	VN	NT	-13.85	-0.007271	±2.5	PASS

9.2. Frequency Vs Temperature

Temperature										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band25	20MHz	QPSK	26140	100RB#0	NV	-30	13.74	0.007385	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	-20	-4.34	-0.002336	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	0	6.48	0.003486	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	10	1.30	0.000698	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	20	12.67	0.006814	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	30	-6.62	-0.003561	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	40	11.26	0.006056	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	50	4.14	0.002226	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	-30	11.74	0.006235	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	-20	-13.46	-0.007151	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	0	-1.24	-0.000660	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	10	9.62	0.005108	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	20	7.32	0.003888	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	30	-4.34	-0.002307	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	40	-0.25	-0.000133	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	50	12.85	0.006827	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	-30	13.22	0.006940	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	-20	-1.10	-0.000576	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	0	-2.06	-0.001082	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	10	9.70	0.005092	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	20	14.57	0.007649	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	30	-12.56	-0.006591	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	40	-14.86	-0.007800	±2.5	PASS

JianYan Testing Group Shenzhen Co., Ltd.

Report No: JYTSZ-R12-2200353

Band25	20MHz	QPSK	26590	100RB#0	NV	50	-6.76	-0.003548	±2.5	PASS
Band25	20MHz	16QAM	26140	27RB#0	NV	-30	-2.07	-0.001113	±2.5	PASS
Band25	20MHz	16QAM	26140	27RB#0	NV	-20	-7.76	-0.004174	±2.5	PASS
Band25	20MHz	16QAM	26140	27RB#0	NV	0	-9.42	-0.005065	±2.5	PASS
Band25	20MHz	16QAM	26140	27RB#0	NV	10	12.30	0.006611	±2.5	PASS
Band25	20MHz	16QAM	26140	27RB#0	NV	20	8.70	0.004680	±2.5	PASS
Band25	20MHz	16QAM	26140	27RB#0	NV	30	-10.46	-0.005621	±2.5	PASS
Band25	20MHz	16QAM	26140	27RB#0	NV	40	-4.54	-0.002440	±2.5	PASS
Band25	20MHz	16QAM	26140	27RB#0	NV	50	2.00	0.001074	±2.5	PASS
Band25	20MHz	16QAM	26365	27RB#0	NV	-30	-4.69	-0.002492	±2.5	PASS
Band25	20MHz	16QAM	26365	27RB#0	NV	-20	2.86	0.001521	±2.5	PASS
Band25	20MHz	16QAM	26365	27RB#0	NV	0	13.88	0.007375	±2.5	PASS
Band25	20MHz	16QAM	26365	27RB#0	NV	10	6.67	0.003544	±2.5	PASS
Band25	20MHz	16QAM	26365	27RB#0	NV	20	7.04	0.003741	±2.5	PASS
Band25	20MHz	16QAM	26365	27RB#0	NV	30	-8.77	-0.004658	±2.5	PASS
Band25	20MHz	16QAM	26365	27RB#0	NV	40	-14.98	-0.007959	±2.5	PASS
Band25	20MHz	16QAM	26365	27RB#0	NV	50	-4.72	-0.002507	±2.5	PASS
Band25	20MHz	16QAM	26590	27RB#0	NV	-30	-1.76	-0.000924	±2.5	PASS
Band25	20MHz	16QAM	26590	27RB#0	NV	-20	-10.40	-0.005460	±2.5	PASS
Band25	20MHz	16QAM	26590	27RB#0	NV	0	1.74	0.000916	±2.5	PASS
Band25	20MHz	16QAM	26590	27RB#0	NV	10	-1.08	-0.000569	±2.5	PASS
Band25	20MHz	16QAM	26590	27RB#0	NV	20	13.06	0.006856	±2.5	PASS
Band25	20MHz	16QAM	26590	27RB#0	NV	30	-11.04	-0.005796	±2.5	PASS
Band25	20MHz	16QAM	26590	27RB#0	NV	40	8.13	0.004268	±2.5	PASS
Band25	20MHz	16QAM	26590	27RB#0	NV	50	11.00	0.005776	±2.5	PASS

The End