



Appendix B

NR Band N41



CONTENT

Page

1	EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA.....	3
2	PEAK-TO-AVERAGE RATIO	25
2.1	TEST RESULTS	25
2.2	TEST PLOTS.....	25
3	MODULATION CHARACTERISTICS	27
3.1	TEST PLOTS.....	27
3.1.1	Test Band = N41	27
4	OCCUPIED BANDWIDTH & 26DB EMISSION BANDWIDTH	29
4.1	TEST RESULTS	29
4.2	TEST PLOTS.....	30
5	BAND EDGES COMPLIANCE	45
5.1	TEST PLOTS.....	45
6	SPURIOUS EMISSION AT ANTENNA TERMINAL	70
6.1	TEST PLOTS.....	70
7	FIELD STRENGTH OF SPURIOUS RADIATION	74
7.1	TEST BAND = N41.....	74
7.1.1	Test Mode = TM1	74
8	FREQUENCY STABILITY.....	86
8.1	FREQUENCY ERROR VS. VOLTAGE	86
8.2	FREQUENCY ERROR VS. TEMPERATURE	86





1 Effective (Isotropic) Radiated Power Output Data

Ant0:

NR Band	Bandwidth h	SCS	Modulation	Channel l	RB Config	Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N41	20MHz	30KHz	TM1	501204	Inner Full	22.67	24.97	30.00	PASS
N41	20MHz	30KHz	TM1	501204	Inner 1RB Left	22.8	25.1	30.00	PASS
N41	20MHz	30KHz	TM1	501204	Inner 1RB Right	22.78	25.08	30.00	PASS
N41	20MHz	30KHz	TM1	518598	Inner Full	23	25.3	30.00	PASS
N41	20MHz	30KHz	TM1	518598	Inner 1RB Left	22.96	25.26	30.00	PASS
N41	20MHz	30KHz	TM1	518598	Inner 1RB Right	23.03	25.33	30.00	PASS
N41	20MHz	30KHz	TM1	535998	Inner Full	22.92	25.22	30.00	PASS
N41	20MHz	30KHz	TM1	535998	Inner 1RB Left	22.86	25.16	30.00	PASS
N41	20MHz	30KHz	TM1	535998	Inner 1RB Right	22.96	25.26	30.00	PASS
N41	20MHz	30KHz	TM2	501204	Inner Full	21.87	24.17	30.00	PASS
N41	20MHz	30KHz	TM2	501204	Inner 1RB Left	21.69	23.99	30.00	PASS
N41	20MHz	30KHz	TM2	501204	Inner 1RB Right	21.58	23.88	30.00	PASS
N41	20MHz	30KHz	TM2	518598	Inner Full	21.99	24.29	30.00	PASS
N41	20MHz	30KHz	TM2	518598	Inner 1RB Left	21.9	24.2	30.00	PASS
N41	20MHz	30KHz	TM2	518598	Inner 1RB Right	21.92	24.22	30.00	PASS
N41	20MHz	30KHz	TM2	535998	Inner Full	22.01	24.31	30.00	PASS
N41	20MHz	30KHz	TM2	535998	Inner 1RB Left	21.75	24.05	30.00	PASS
N41	20MHz	30KHz	TM2	535998	Inner 1RB Right	21.68	23.98	30.00	PASS
N41	20MHz	30KHz	TM3	501204	Inner Full	20.37	22.67	30.00	PASS
N41	20MHz	30KHz	TM3	501204	Inner 1RB Left	20.38	22.68	30.00	PASS
N41	20MHz	30KHz	TM3	501204	Inner 1RB Right	20.03	22.33	30.00	PASS
N41	20MHz	30KHz	TM3	518598	Inner Full	20.47	22.77	30.00	PASS
N41	20MHz	30KHz	TM3	518598	Inner 1RB Left	20.3	22.6	30.00	PASS
N41	20MHz	30KHz	TM3	518598	Inner 1RB Right	20.36	22.66	30.00	PASS
N41	20MHz	30KHz	TM3	535998	Inner Full	20.48	22.78	30.00	PASS
N41	20MHz	30KHz	TM3	535998	Inner 1RB Left	20.27	22.57	30.00	PASS
N41	20MHz	30KHz	TM3	535998	Inner 1RB Right	20.24	22.54	30.00	PASS
N41	20MHz	30KHz	TM4	501204	Inner Full	18.27	20.57	30.00	PASS
N41	20MHz	30KHz	TM4	501204	Inner 1RB Left	18.02	20.32	30.00	PASS
N41	20MHz	30KHz	TM4	501204	Inner 1RB Right	18.05	20.35	30.00	PASS
N41	20MHz	30KHz	TM4	518598	Inner Full	18.37	20.67	30.00	PASS
N41	20MHz	30KHz	TM4	518598	Inner 1RB Left	18.3	20.6	30.00	PASS
N41	20MHz	30KHz	TM4	518598	Inner 1RB Right	18.33	20.63	30.00	PASS
N41	20MHz	30KHz	TM4	535998	Inner Full	18.36	20.66	30.00	PASS
N41	20MHz	30KHz	TM4	535998	Inner 1RB Left	18.31	20.61	30.00	PASS
N41	20MHz	30KHz	TM4	535998	Inner 1RB Right	18.21	20.51	30.00	PASS
N41	20MHz	30KHz	TM5	501204	Inner Full	21.26	23.56	30.00	PASS
N41	20MHz	30KHz	TM5	501204	Inner 1RB Left	21.18	23.48	30.00	PASS
N41	20MHz	30KHz	TM5	501204	Inner 1RB Right	21.17	23.47	30.00	PASS
N41	20MHz	30KHz	TM5	518598	Inner Full	21.45	23.75	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	20MHz	30KHz	TM5	518598	Inner 1RB Left	21.49	23.79	30.00	PASS
N41	20MHz	30KHz	TM5	518598	Inner 1RB Right	21.47	23.77	30.00	PASS
N41	20MHz	30KHz	TM5	535998	Inner Full	21.46	23.76	30.00	PASS
N41	20MHz	30KHz	TM5	535998	Inner 1RB Left	21.31	23.61	30.00	PASS
N41	20MHz	30KHz	TM5	535998	Inner 1RB Right	21.33	23.63	30.00	PASS
N41	20MHz	30KHz	TM6	501204	Inner Full	20.79	23.09	30.00	PASS
N41	20MHz	30KHz	TM6	501204	Inner 1RB Left	20.87	23.17	30.00	PASS
N41	20MHz	30KHz	TM6	501204	Inner 1RB Right	20.8	23.1	30.00	PASS
N41	20MHz	30KHz	TM6	518598	Inner Full	20.97	23.27	30.00	PASS
N41	20MHz	30KHz	TM6	518598	Inner 1RB Left	21.07	23.37	30.00	PASS
N41	20MHz	30KHz	TM6	518598	Inner 1RB Right	21.21	23.51	30.00	PASS
N41	20MHz	30KHz	TM6	535998	Inner Full	21.07	23.37	30.00	PASS
N41	20MHz	30KHz	TM6	535998	Inner 1RB Left	21.01	23.31	30.00	PASS
N41	20MHz	30KHz	TM6	535998	Inner 1RB Right	21.09	23.39	30.00	PASS
N41	20MHz	30KHz	TM7	501204	Inner Full	19.34	21.64	30.00	PASS
N41	20MHz	30KHz	TM7	501204	Inner 1RB Left	19.1	21.4	30.00	PASS
N41	20MHz	30KHz	TM7	501204	Inner 1RB Right	19.28	21.58	30.00	PASS
N41	20MHz	30KHz	TM7	518598	Inner Full	19.6	21.9	30.00	PASS
N41	20MHz	30KHz	TM7	518598	Inner 1RB Left	19.3	21.6	30.00	PASS
N41	20MHz	30KHz	TM7	518598	Inner 1RB Right	19.46	21.76	30.00	PASS
N41	20MHz	30KHz	TM7	535998	Inner Full	19.54	21.84	30.00	PASS
N41	20MHz	30KHz	TM7	535998	Inner 1RB Left	19.23	21.53	30.00	PASS
N41	20MHz	30KHz	TM7	535998	Inner 1RB Right	19.19	21.49	30.00	PASS
N41	20MHz	30KHz	TM8	501204	Inner Full	16.29	18.59	30.00	PASS
N41	20MHz	30KHz	TM8	501204	Inner 1RB Left	16.67	18.97	30.00	PASS
N41	20MHz	30KHz	TM8	501204	Inner 1RB Right	16.55	18.85	30.00	PASS
N41	20MHz	30KHz	TM8	518598	Inner Full	16.55	18.85	30.00	PASS
N41	20MHz	30KHz	TM8	518598	Inner 1RB Left	16.84	19.14	30.00	PASS
N41	20MHz	30KHz	TM8	518598	Inner 1RB Right	16.98	19.28	30.00	PASS
N41	20MHz	30KHz	TM8	535998	Inner Full	16.47	18.77	30.00	PASS
N41	20MHz	30KHz	TM8	535998	Inner 1RB Left	16.88	19.18	30.00	PASS
N41	20MHz	30KHz	TM8	535998	Inner 1RB Right	16.92	19.22	30.00	PASS
N41	40MHz	30KHz	TM1	503202	Inner Full	22.95	25.25	30.00	PASS
N41	40MHz	30KHz	TM1	503202	Inner 1RB Left	23.06	25.36	30.00	PASS
N41	40MHz	30KHz	TM1	503202	Inner 1RB Right	23.12	25.42	30.00	PASS
N41	40MHz	30KHz	TM1	518598	Inner Full	23.27	25.57	30.00	PASS
N41	40MHz	30KHz	TM1	518598	Inner 1RB Left	23.29	25.59	30.00	PASS
N41	40MHz	30KHz	TM1	518598	Inner 1RB Right	23.43	25.73	30.00	PASS
N41	40MHz	30KHz	TM1	534000	Inner Full	23.33	25.63	30.00	PASS
N41	40MHz	30KHz	TM1	534000	Inner 1RB Left	23.29	25.59	30.00	PASS
N41	40MHz	30KHz	TM1	534000	Inner 1RB Right	23.36	25.66	30.00	PASS
N41	40MHz	30KHz	TM2	503202	Inner Full	21.98	24.28	30.00	PASS
N41	40MHz	30KHz	TM2	503202	Inner 1RB Left	21.88	24.18	30.00	PASS
N41	40MHz	30KHz	TM2	503202	Inner 1RB Right	21.95	24.25	30.00	PASS
N41	40MHz	30KHz	TM2	518598	Inner Full	22.4	24.7	30.00	PASS
N41	40MHz	30KHz	TM2	518598	Inner 1RB Left	22.34	24.64	30.00	PASS
N41	40MHz	30KHz	TM2	518598	Inner 1RB Right	22.31	24.61	30.00	PASS
N41	40MHz	30KHz	TM2	534000	Inner Full	22.31	24.61	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	40MHz	30KHz	TM2	534000	Inner 1RB Left	22.08	24.38	30.00	PASS
N41	40MHz	30KHz	TM2	534000	Inner 1RB Right	22.19	24.49	30.00	PASS
N41	40MHz	30KHz	TM3	503202	Inner Full	20.5	22.8	30.00	PASS
N41	40MHz	30KHz	TM3	503202	Inner 1RB Left	20.36	22.66	30.00	PASS
N41	40MHz	30KHz	TM3	503202	Inner 1RB Right	20.52	22.82	30.00	PASS
N41	40MHz	30KHz	TM3	518598	Inner Full	20.76	23.06	30.00	PASS
N41	40MHz	30KHz	TM3	518598	Inner 1RB Left	21.2	23.5	30.00	PASS
N41	40MHz	30KHz	TM3	518598	Inner 1RB Right	21.27	23.57	30.00	PASS
N41	40MHz	30KHz	TM3	534000	Inner Full	20.8	23.1	30.00	PASS
N41	40MHz	30KHz	TM3	534000	Inner 1RB Left	20.87	23.17	30.00	PASS
N41	40MHz	30KHz	TM3	534000	Inner 1RB Right	20.87	23.17	30.00	PASS
N41	40MHz	30KHz	TM4	503202	Inner Full	18.46	20.76	30.00	PASS
N41	40MHz	30KHz	TM4	503202	Inner 1RB Left	18.32	20.62	30.00	PASS
N41	40MHz	30KHz	TM4	503202	Inner 1RB Right	18.38	20.68	30.00	PASS
N41	40MHz	30KHz	TM4	518598	Inner Full	18.79	21.09	30.00	PASS
N41	40MHz	30KHz	TM4	518598	Inner 1RB Left	18.66	20.96	30.00	PASS
N41	40MHz	30KHz	TM4	518598	Inner 1RB Right	18.73	21.03	30.00	PASS
N41	40MHz	30KHz	TM4	534000	Inner Full	18.43	20.73	30.00	PASS
N41	40MHz	30KHz	TM4	534000	Inner 1RB Left	18.61	20.91	30.00	PASS
N41	40MHz	30KHz	TM4	534000	Inner 1RB Right	18.7	21	30.00	PASS
N41	40MHz	30KHz	TM5	503202	Inner Full	21.49	23.79	30.00	PASS
N41	40MHz	30KHz	TM5	503202	Inner 1RB Left	21.39	23.69	30.00	PASS
N41	40MHz	30KHz	TM5	503202	Inner 1RB Right	21.59	23.89	30.00	PASS
N41	40MHz	30KHz	TM5	518598	Inner Full	21.88	24.18	30.00	PASS
N41	40MHz	30KHz	TM5	518598	Inner 1RB Left	21.79	24.09	30.00	PASS
N41	40MHz	30KHz	TM5	518598	Inner 1RB Right	21.75	24.05	30.00	PASS
N41	40MHz	30KHz	TM5	534000	Inner Full	21.79	24.09	30.00	PASS
N41	40MHz	30KHz	TM5	534000	Inner 1RB Left	21.71	24.01	30.00	PASS
N41	40MHz	30KHz	TM5	534000	Inner 1RB Right	21.78	24.08	30.00	PASS
N41	40MHz	30KHz	TM6	503202	Inner Full	20.92	23.22	30.00	PASS
N41	40MHz	30KHz	TM6	503202	Inner 1RB Left	21.07	23.37	30.00	PASS
N41	40MHz	30KHz	TM6	503202	Inner 1RB Right	21.27	23.57	30.00	PASS
N41	40MHz	30KHz	TM6	518598	Inner Full	21.31	23.61	30.00	PASS
N41	40MHz	30KHz	TM6	518598	Inner 1RB Left	21.34	23.64	30.00	PASS
N41	40MHz	30KHz	TM6	518598	Inner 1RB Right	21.38	23.68	30.00	PASS
N41	40MHz	30KHz	TM6	534000	Inner Full	21.3	23.6	30.00	PASS
N41	40MHz	30KHz	TM6	534000	Inner 1RB Left	21.29	23.59	30.00	PASS
N41	40MHz	30KHz	TM6	534000	Inner 1RB Right	21.26	23.56	30.00	PASS
N41	40MHz	30KHz	TM7	503202	Inner Full	19.47	21.77	30.00	PASS
N41	40MHz	30KHz	TM7	503202	Inner 1RB Left	19.43	21.73	30.00	PASS
N41	40MHz	30KHz	TM7	503202	Inner 1RB Right	19.43	21.73	30.00	PASS
N41	40MHz	30KHz	TM7	518598	Inner Full	19.81	22.11	30.00	PASS
N41	40MHz	30KHz	TM7	518598	Inner 1RB Left	19.84	22.14	30.00	PASS
N41	40MHz	30KHz	TM7	518598	Inner 1RB Right	19.74	22.04	30.00	PASS
N41	40MHz	30KHz	TM7	534000	Inner Full	19.78	22.08	30.00	PASS
N41	40MHz	30KHz	TM7	534000	Inner 1RB Left	19.86	22.16	30.00	PASS
N41	40MHz	30KHz	TM7	534000	Inner 1RB Right	19.88	22.18	30.00	PASS
N41	40MHz	30KHz	TM8	503202	Inner Full	16.5	18.8	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com



N41	40MHz	30KHz	TM8	503202	Inner 1RB Left	16.86	19.16	30.00	PASS
N41	40MHz	30KHz	TM8	503202	Inner 1RB Right	17.09	19.39	30.00	PASS
N41	40MHz	30KHz	TM8	518598	Inner Full	16.8	19.1	30.00	PASS
N41	40MHz	30KHz	TM8	518598	Inner 1RB Left	17.03	19.33	30.00	PASS
N41	40MHz	30KHz	TM8	518598	Inner 1RB Right	17.15	19.45	30.00	PASS
N41	40MHz	30KHz	TM8	534000	Inner Full	16.79	19.09	30.00	PASS
N41	40MHz	30KHz	TM8	534000	Inner 1RB Left	17.03	19.33	30.00	PASS
N41	40MHz	30KHz	TM8	534000	Inner 1RB Right	17.07	19.37	30.00	PASS
N41	50MHz	30KHz	TM1	504204	Inner Full	22.96	25.26	30.00	PASS
N41	50MHz	30KHz	TM1	504204	Inner 1RB Left	22.95	25.25	30.00	PASS
N41	50MHz	30KHz	TM1	504204	Inner 1RB Right	22.99	25.29	30.00	PASS
N41	50MHz	30KHz	TM1	518598	Inner Full	23.02	25.32	30.00	PASS
N41	50MHz	30KHz	TM1	518598	Inner 1RB Left	23.1	25.4	30.00	PASS
N41	50MHz	30KHz	TM1	518598	Inner 1RB Right	23.22	25.52	30.00	PASS
N41	50MHz	30KHz	TM1	532998	Inner Full	22.95	25.25	30.00	PASS
N41	50MHz	30KHz	TM1	532998	Inner 1RB Left	22.99	25.29	30.00	PASS
N41	50MHz	30KHz	TM1	532998	Inner 1RB Right	23.02	25.32	30.00	PASS
N41	50MHz	30KHz	TM2	504204	Inner Full	22.01	24.31	30.00	PASS
N41	50MHz	30KHz	TM2	504204	Inner 1RB Left	21.88	24.18	30.00	PASS
N41	50MHz	30KHz	TM2	504204	Inner 1RB Right	21.91	24.21	30.00	PASS
N41	50MHz	30KHz	TM2	518598	Inner Full	22.03	24.33	30.00	PASS
N41	50MHz	30KHz	TM2	518598	Inner 1RB Left	21.87	24.17	30.00	PASS
N41	50MHz	30KHz	TM2	518598	Inner 1RB Right	21.94	24.24	30.00	PASS
N41	50MHz	30KHz	TM2	532998	Inner Full	21.89	24.19	30.00	PASS
N41	50MHz	30KHz	TM2	532998	Inner 1RB Left	21.89	24.19	30.00	PASS
N41	50MHz	30KHz	TM2	532998	Inner 1RB Right	21.87	24.17	30.00	PASS
N41	50MHz	30KHz	TM3	504204	Inner Full	20.43	22.73	30.00	PASS
N41	50MHz	30KHz	TM3	504204	Inner 1RB Left	20.35	22.65	30.00	PASS
N41	50MHz	30KHz	TM3	504204	Inner 1RB Right	20.44	22.74	30.00	PASS
N41	50MHz	30KHz	TM3	518598	Inner Full	20.42	22.72	30.00	PASS
N41	50MHz	30KHz	TM3	518598	Inner 1RB Left	20.33	22.63	30.00	PASS
N41	50MHz	30KHz	TM3	518598	Inner 1RB Right	20.43	22.73	30.00	PASS
N41	50MHz	30KHz	TM3	532998	Inner Full	20.51	22.81	30.00	PASS
N41	50MHz	30KHz	TM3	532998	Inner 1RB Left	20.83	23.13	30.00	PASS
N41	50MHz	30KHz	TM3	532998	Inner 1RB Right	20.84	23.14	30.00	PASS
N41	50MHz	30KHz	TM4	504204	Inner Full	18.42	20.72	30.00	PASS
N41	50MHz	30KHz	TM4	504204	Inner 1RB Left	18.36	20.66	30.00	PASS
N41	50MHz	30KHz	TM4	504204	Inner 1RB Right	18.38	20.68	30.00	PASS
N41	50MHz	30KHz	TM4	518598	Inner Full	18.43	20.73	30.00	PASS
N41	50MHz	30KHz	TM4	518598	Inner 1RB Left	18.35	20.65	30.00	PASS
N41	50MHz	30KHz	TM4	518598	Inner 1RB Right	18.39	20.69	30.00	PASS
N41	50MHz	30KHz	TM4	532998	Inner Full	18.37	20.67	30.00	PASS
N41	50MHz	30KHz	TM4	532998	Inner 1RB Left	18.11	20.41	30.00	PASS
N41	50MHz	30KHz	TM4	532998	Inner 1RB Right	18.41	20.71	30.00	PASS
N41	50MHz	30KHz	TM5	504204	Inner Full	21.51	23.81	30.00	PASS
N41	50MHz	30KHz	TM5	504204	Inner 1RB Left	21.47	23.77	30.00	PASS
N41	50MHz	30KHz	TM5	504204	Inner 1RB Right	21.54	23.84	30.00	PASS
N41	50MHz	30KHz	TM5	518598	Inner Full	21.53	23.83	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	50MHz	30KHz	TM5	518598	Inner 1RB Left	21.49	23.79	30.00	PASS
N41	50MHz	30KHz	TM5	518598	Inner 1RB Right	21.48	23.78	30.00	PASS
N41	50MHz	30KHz	TM5	532998	Inner Full	21.33	23.63	30.00	PASS
N41	50MHz	30KHz	TM5	532998	Inner 1RB Left	21.35	23.65	30.00	PASS
N41	50MHz	30KHz	TM5	532998	Inner 1RB Right	21.5	23.8	30.00	PASS
N41	50MHz	30KHz	TM6	504204	Inner Full	21.06	23.36	30.00	PASS
N41	50MHz	30KHz	TM6	504204	Inner 1RB Left	21.21	23.51	30.00	PASS
N41	50MHz	30KHz	TM6	504204	Inner 1RB Right	21.2	23.5	30.00	PASS
N41	50MHz	30KHz	TM6	518598	Inner Full	21.04	23.34	30.00	PASS
N41	50MHz	30KHz	TM6	518598	Inner 1RB Left	21.19	23.49	30.00	PASS
N41	50MHz	30KHz	TM6	518598	Inner 1RB Right	21.18	23.48	30.00	PASS
N41	50MHz	30KHz	TM6	532998	Inner Full	20.86	23.16	30.00	PASS
N41	50MHz	30KHz	TM6	532998	Inner 1RB Left	20.94	23.24	30.00	PASS
N41	50MHz	30KHz	TM6	532998	Inner 1RB Right	21.02	23.32	30.00	PASS
N41	50MHz	30KHz	TM7	504204	Inner Full	19.51	21.81	30.00	PASS
N41	50MHz	30KHz	TM7	504204	Inner 1RB Left	19.32	21.62	30.00	PASS
N41	50MHz	30KHz	TM7	504204	Inner 1RB Right	19.33	21.63	30.00	PASS
N41	50MHz	30KHz	TM7	518598	Inner Full	19.52	21.82	30.00	PASS
N41	50MHz	30KHz	TM7	518598	Inner 1RB Left	19.3	21.6	30.00	PASS
N41	50MHz	30KHz	TM7	518598	Inner 1RB Right	19.32	21.62	30.00	PASS
N41	50MHz	30KHz	TM7	532998	Inner Full	19.43	21.73	30.00	PASS
N41	50MHz	30KHz	TM7	532998	Inner 1RB Left	19.35	21.65	30.00	PASS
N41	50MHz	30KHz	TM7	532998	Inner 1RB Right	19.44	21.74	30.00	PASS
N41	50MHz	30KHz	TM8	504204	Inner Full	16.47	18.77	30.00	PASS
N41	50MHz	30KHz	TM8	504204	Inner 1RB Left	16.83	19.13	30.00	PASS
N41	50MHz	30KHz	TM8	504204	Inner 1RB Right	16.97	19.27	30.00	PASS
N41	50MHz	30KHz	TM8	518598	Inner Full	16.45	18.75	30.00	PASS
N41	50MHz	30KHz	TM8	518598	Inner 1RB Left	16.82	19.12	30.00	PASS
N41	50MHz	30KHz	TM8	518598	Inner 1RB Right	16.99	19.29	30.00	PASS
N41	50MHz	30KHz	TM8	532998	Inner Full	16.37	18.67	30.00	PASS
N41	50MHz	30KHz	TM8	532998	Inner 1RB Left	16.59	18.89	30.00	PASS
N41	50MHz	30KHz	TM8	532998	Inner 1RB Right	16.76	19.06	30.00	PASS
N41	60MHz	30KHz	TM1	505200	Inner Full	22.79	25.09	30.00	PASS
N41	60MHz	30KHz	TM1	505200	Inner 1RB Left	22.6	24.9	30.00	PASS
N41	60MHz	30KHz	TM1	505200	Inner 1RB Right	23.03	25.33	30.00	PASS
N41	60MHz	30KHz	TM1	518598	Inner Full	23.07	25.37	30.00	PASS
N41	60MHz	30KHz	TM1	518598	Inner 1RB Left	22.95	25.25	30.00	PASS
N41	60MHz	30KHz	TM1	518598	Inner 1RB Right	23.03	25.33	30.00	PASS
N41	60MHz	30KHz	TM1	531996	Inner Full	22.94	25.24	30.00	PASS
N41	60MHz	30KHz	TM1	531996	Inner 1RB Left	22.8	25.1	30.00	PASS
N41	60MHz	30KHz	TM1	531996	Inner 1RB Right	22.85	25.15	30.00	PASS
N41	60MHz	30KHz	TM2	505200	Inner Full	21.73	24.03	30.00	PASS
N41	60MHz	30KHz	TM2	505200	Inner 1RB Left	21.48	23.78	30.00	PASS
N41	60MHz	30KHz	TM2	505200	Inner 1RB Right	21.84	24.14	30.00	PASS
N41	60MHz	30KHz	TM2	518598	Inner Full	22.02	24.32	30.00	PASS
N41	60MHz	30KHz	TM2	518598	Inner 1RB Left	21.7	24	30.00	PASS
N41	60MHz	30KHz	TM2	518598	Inner 1RB Right	21.88	24.18	30.00	PASS
N41	60MHz	30KHz	TM2	531996	Inner Full	21.92	24.22	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	60MHz	30KHz	TM2	531996	Inner 1RB Left	21.7	24	30.00	PASS
N41	60MHz	30KHz	TM2	531996	Inner 1RB Right	21.8	24.1	30.00	PASS
N41	60MHz	30KHz	TM3	505200	Inner Full	20.22	22.52	30.00	PASS
N41	60MHz	30KHz	TM3	505200	Inner 1RB Left	20.15	22.45	30.00	PASS
N41	60MHz	30KHz	TM3	505200	Inner 1RB Right	20.5	22.8	30.00	PASS
N41	60MHz	30KHz	TM3	518598	Inner Full	20.52	22.82	30.00	PASS
N41	60MHz	30KHz	TM3	518598	Inner 1RB Left	20.43	22.73	30.00	PASS
N41	60MHz	30KHz	TM3	518598	Inner 1RB Right	20.53	22.83	30.00	PASS
N41	60MHz	30KHz	TM3	531996	Inner Full	20.49	22.79	30.00	PASS
N41	60MHz	30KHz	TM3	531996	Inner 1RB Left	20.15	22.45	30.00	PASS
N41	60MHz	30KHz	TM3	531996	Inner 1RB Right	20.18	22.48	30.00	PASS
N41	60MHz	30KHz	TM4	505200	Inner Full	18.34	20.64	30.00	PASS
N41	60MHz	30KHz	TM4	505200	Inner 1RB Left	18.05	20.35	30.00	PASS
N41	60MHz	30KHz	TM4	505200	Inner 1RB Right	18.2	20.5	30.00	PASS
N41	60MHz	30KHz	TM4	518598	Inner Full	18.5	20.8	30.00	PASS
N41	60MHz	30KHz	TM4	518598	Inner 1RB Left	18.14	20.44	30.00	PASS
N41	60MHz	30KHz	TM4	518598	Inner 1RB Right	18.3	20.6	30.00	PASS
N41	60MHz	30KHz	TM4	531996	Inner Full	18.42	20.72	30.00	PASS
N41	60MHz	30KHz	TM4	531996	Inner 1RB Left	18.12	20.42	30.00	PASS
N41	60MHz	30KHz	TM4	531996	Inner 1RB Right	18.17	20.47	30.00	PASS
N41	60MHz	30KHz	TM5	505200	Inner Full	21.3	23.6	30.00	PASS
N41	60MHz	30KHz	TM5	505200	Inner 1RB Left	21.16	23.46	30.00	PASS
N41	60MHz	30KHz	TM5	505200	Inner 1RB Right	21.32	23.62	30.00	PASS
N41	60MHz	30KHz	TM5	518598	Inner Full	21.55	23.85	30.00	PASS
N41	60MHz	30KHz	TM5	518598	Inner 1RB Left	21.3	23.6	30.00	PASS
N41	60MHz	30KHz	TM5	518598	Inner 1RB Right	21.46	23.76	30.00	PASS
N41	60MHz	30KHz	TM5	531996	Inner Full	21.46	23.76	30.00	PASS
N41	60MHz	30KHz	TM5	531996	Inner 1RB Left	21.29	23.59	30.00	PASS
N41	60MHz	30KHz	TM5	531996	Inner 1RB Right	21.34	23.64	30.00	PASS
N41	60MHz	30KHz	TM6	505200	Inner Full	20.79	23.09	30.00	PASS
N41	60MHz	30KHz	TM6	505200	Inner 1RB Left	20.72	23.02	30.00	PASS
N41	60MHz	30KHz	TM6	505200	Inner 1RB Right	21	23.3	30.00	PASS
N41	60MHz	30KHz	TM6	518598	Inner Full	20.98	23.28	30.00	PASS
N41	60MHz	30KHz	TM6	518598	Inner 1RB Left	20.96	23.26	30.00	PASS
N41	60MHz	30KHz	TM6	518598	Inner 1RB Right	21.05	23.35	30.00	PASS
N41	60MHz	30KHz	TM6	531996	Inner Full	20.88	23.18	30.00	PASS
N41	60MHz	30KHz	TM6	531996	Inner 1RB Left	20.95	23.25	30.00	PASS
N41	60MHz	30KHz	TM6	531996	Inner 1RB Right	21.01	23.31	30.00	PASS
N41	60MHz	30KHz	TM7	505200	Inner Full	19.23	21.53	30.00	PASS
N41	60MHz	30KHz	TM7	505200	Inner 1RB Left	19.18	21.48	30.00	PASS
N41	60MHz	30KHz	TM7	505200	Inner 1RB Right	19.47	21.77	30.00	PASS
N41	60MHz	30KHz	TM7	518598	Inner Full	19.51	21.81	30.00	PASS
N41	60MHz	30KHz	TM7	518598	Inner 1RB Left	19.38	21.68	30.00	PASS
N41	60MHz	30KHz	TM7	518598	Inner 1RB Right	19.57	21.87	30.00	PASS
N41	60MHz	30KHz	TM7	531996	Inner Full	19.39	21.69	30.00	PASS
N41	60MHz	30KHz	TM7	531996	Inner 1RB Left	18.97	21.27	30.00	PASS
N41	60MHz	30KHz	TM7	531996	Inner 1RB Right	19.34	21.64	30.00	PASS
N41	60MHz	30KHz	TM8	505200	Inner Full	16.33	18.63	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC) Laboratory

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	60MHz	30KHz	TM8	505200	Inner 1RB Left	16.21	18.51	30.00	PASS
N41	60MHz	30KHz	TM8	505200	Inner 1RB Right	16.62	18.92	30.00	PASS
N41	60MHz	30KHz	TM8	518598	Inner Full	16.52	18.82	30.00	PASS
N41	60MHz	30KHz	TM8	518598	Inner 1RB Left	16.47	18.77	30.00	PASS
N41	60MHz	30KHz	TM8	518598	Inner 1RB Right	16.65	18.95	30.00	PASS
N41	60MHz	30KHz	TM8	531996	Inner Full	16.49	18.79	30.00	PASS
N41	60MHz	30KHz	TM8	531996	Inner 1RB Left	16.71	19.01	30.00	PASS
N41	60MHz	30KHz	TM8	531996	Inner 1RB Right	16.83	19.13	30.00	PASS
N41	80MHz	30KHz	TM1	507204	Inner Full	22.81	25.11	30.00	PASS
N41	80MHz	30KHz	TM1	507204	Inner 1RB Left	22.65	24.95	30.00	PASS
N41	80MHz	30KHz	TM1	507204	Inner 1RB Right	22.99	25.29	30.00	PASS
N41	80MHz	30KHz	TM1	518598	Inner Full	23.12	25.42	30.00	PASS
N41	80MHz	30KHz	TM1	518598	Inner 1RB Left	22.93	25.23	30.00	PASS
N41	80MHz	30KHz	TM1	518598	Inner 1RB Right	23.13	25.43	30.00	PASS
N41	80MHz	30KHz	TM1	529998	Inner Full	23	25.3	30.00	PASS
N41	80MHz	30KHz	TM1	529998	Inner 1RB Left	23.05	25.35	30.00	PASS
N41	80MHz	30KHz	TM1	529998	Inner 1RB Right	22.99	25.29	30.00	PASS
N41	80MHz	30KHz	TM2	507204	Inner Full	21.82	24.12	30.00	PASS
N41	80MHz	30KHz	TM2	507204	Inner 1RB Left	21.59	23.89	30.00	PASS
N41	80MHz	30KHz	TM2	507204	Inner 1RB Right	21.88	24.18	30.00	PASS
N41	80MHz	30KHz	TM2	518598	Inner Full	21.99	24.29	30.00	PASS
N41	80MHz	30KHz	TM2	518598	Inner 1RB Left	21.79	24.09	30.00	PASS
N41	80MHz	30KHz	TM2	518598	Inner 1RB Right	21.89	24.19	30.00	PASS
N41	80MHz	30KHz	TM2	529998	Inner Full	22.1	24.4	30.00	PASS
N41	80MHz	30KHz	TM2	529998	Inner 1RB Left	21.86	24.16	30.00	PASS
N41	80MHz	30KHz	TM2	529998	Inner 1RB Right	21.98	24.28	30.00	PASS
N41	80MHz	30KHz	TM3	507204	Inner Full	20.28	22.58	30.00	PASS
N41	80MHz	30KHz	TM3	507204	Inner 1RB Left	19.98	22.28	30.00	PASS
N41	80MHz	30KHz	TM3	507204	Inner 1RB Right	20.28	22.58	30.00	PASS
N41	80MHz	30KHz	TM3	518598	Inner Full	20.67	22.97	30.00	PASS
N41	80MHz	30KHz	TM3	518598	Inner 1RB Left	20.83	23.13	30.00	PASS
N41	80MHz	30KHz	TM3	518598	Inner 1RB Right	20.85	23.15	30.00	PASS
N41	80MHz	30KHz	TM3	529998	Inner Full	20.4	22.7	30.00	PASS
N41	80MHz	30KHz	TM3	529998	Inner 1RB Left	20.89	23.19	30.00	PASS
N41	80MHz	30KHz	TM3	529998	Inner 1RB Right	20.83	23.13	30.00	PASS
N41	80MHz	30KHz	TM4	507204	Inner Full	18.25	20.55	30.00	PASS
N41	80MHz	30KHz	TM4	507204	Inner 1RB Left	17.91	20.21	30.00	PASS
N41	80MHz	30KHz	TM4	507204	Inner 1RB Right	18.29	20.59	30.00	PASS
N41	80MHz	30KHz	TM4	518598	Inner Full	18.57	20.87	30.00	PASS
N41	80MHz	30KHz	TM4	518598	Inner 1RB Left	18.14	20.44	30.00	PASS
N41	80MHz	30KHz	TM4	518598	Inner 1RB Right	18.27	20.57	30.00	PASS
N41	80MHz	30KHz	TM4	529998	Inner Full	18.47	20.77	30.00	PASS
N41	80MHz	30KHz	TM4	529998	Inner 1RB Left	18.32	20.62	30.00	PASS
N41	80MHz	30KHz	TM4	529998	Inner 1RB Right	18.22	20.52	30.00	PASS
N41	80MHz	30KHz	TM5	507204	Inner Full	21.23	23.53	30.00	PASS
N41	80MHz	30KHz	TM5	507204	Inner 1RB Left	21.24	23.54	30.00	PASS
N41	80MHz	30KHz	TM5	507204	Inner 1RB Right	21.51	23.81	30.00	PASS
N41	80MHz	30KHz	TM5	518598	Inner Full	21.53	23.83	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	80MHz	30KHz	TM5	518598	Inner 1RB Left	21.34	23.64	30.00	PASS
N41	80MHz	30KHz	TM5	518598	Inner 1RB Right	21.46	23.76	30.00	PASS
N41	80MHz	30KHz	TM5	529998	Inner Full	21.41	23.71	30.00	PASS
N41	80MHz	30KHz	TM5	529998	Inner 1RB Left	21.44	23.74	30.00	PASS
N41	80MHz	30KHz	TM5	529998	Inner 1RB Right	21.45	23.75	30.00	PASS
N41	80MHz	30KHz	TM6	507204	Inner Full	20.73	23.03	30.00	PASS
N41	80MHz	30KHz	TM6	507204	Inner 1RB Left	20.79	23.09	30.00	PASS
N41	80MHz	30KHz	TM6	507204	Inner 1RB Right	21.11	23.41	30.00	PASS
N41	80MHz	30KHz	TM6	518598	Inner Full	21.09	23.39	30.00	PASS
N41	80MHz	30KHz	TM6	518598	Inner 1RB Left	21.01	23.31	30.00	PASS
N41	80MHz	30KHz	TM6	518598	Inner 1RB Right	21.02	23.32	30.00	PASS
N41	80MHz	30KHz	TM6	529998	Inner Full	21.08	23.38	30.00	PASS
N41	80MHz	30KHz	TM6	529998	Inner 1RB Left	21.05	23.35	30.00	PASS
N41	80MHz	30KHz	TM6	529998	Inner 1RB Right	21.04	23.34	30.00	PASS
N41	80MHz	30KHz	TM7	507204	Inner Full	19.26	21.56	30.00	PASS
N41	80MHz	30KHz	TM7	507204	Inner 1RB Left	19.03	21.33	30.00	PASS
N41	80MHz	30KHz	TM7	507204	Inner 1RB Right	19.26	21.56	30.00	PASS
N41	80MHz	30KHz	TM7	518598	Inner Full	19.55	21.85	30.00	PASS
N41	80MHz	30KHz	TM7	518598	Inner 1RB Left	19.26	21.56	30.00	PASS
N41	80MHz	30KHz	TM7	518598	Inner 1RB Right	19.16	21.46	30.00	PASS
N41	80MHz	30KHz	TM7	529998	Inner Full	19.48	21.78	30.00	PASS
N41	80MHz	30KHz	TM7	529998	Inner 1RB Left	19.37	21.67	30.00	PASS
N41	80MHz	30KHz	TM7	529998	Inner 1RB Right	19.38	21.68	30.00	PASS
N41	80MHz	30KHz	TM8	507204	Inner Full	16.31	18.61	30.00	PASS
N41	80MHz	30KHz	TM8	507204	Inner 1RB Left	16.5	18.8	30.00	PASS
N41	80MHz	30KHz	TM8	507204	Inner 1RB Right	16.81	19.11	30.00	PASS
N41	80MHz	30KHz	TM8	518598	Inner Full	16.66	18.96	30.00	PASS
N41	80MHz	30KHz	TM8	518598	Inner 1RB Left	16.56	18.86	30.00	PASS
N41	80MHz	30KHz	TM8	518598	Inner 1RB Right	16.63	18.93	30.00	PASS
N41	80MHz	30KHz	TM8	529998	Inner Full	16.48	18.78	30.00	PASS
N41	80MHz	30KHz	TM8	529998	Inner 1RB Left	16.73	19.03	30.00	PASS
N41	80MHz	30KHz	TM8	529998	Inner 1RB Right	16.76	19.06	30.00	PASS
N41	90MHz	30KHz	TM1	508200	Inner Full	22.76	25.06	30.00	PASS
N41	90MHz	30KHz	TM1	508200	Inner 1RB Left	22.71	25.01	30.00	PASS
N41	90MHz	30KHz	TM1	508200	Inner 1RB Right	23	25.3	30.00	PASS
N41	90MHz	30KHz	TM1	518598	Inner Full	23.04	25.34	30.00	PASS
N41	90MHz	30KHz	TM1	518598	Inner 1RB Left	22.81	25.11	30.00	PASS
N41	90MHz	30KHz	TM1	518598	Inner 1RB Right	23.03	25.33	30.00	PASS
N41	90MHz	30KHz	TM1	528996	Inner Full	22.97	25.27	30.00	PASS
N41	90MHz	30KHz	TM1	528996	Inner 1RB Left	23.11	25.41	30.00	PASS
N41	90MHz	30KHz	TM1	528996	Inner 1RB Right	23.05	25.35	30.00	PASS
N41	90MHz	30KHz	TM2	508200	Inner Full	21.84	24.14	30.00	PASS
N41	90MHz	30KHz	TM2	508200	Inner 1RB Left	21.57	23.87	30.00	PASS
N41	90MHz	30KHz	TM2	508200	Inner 1RB Right	21.89	24.19	30.00	PASS
N41	90MHz	30KHz	TM2	518598	Inner Full	22.05	24.35	30.00	PASS
N41	90MHz	30KHz	TM2	518598	Inner 1RB Left	21.75	24.05	30.00	PASS
N41	90MHz	30KHz	TM2	518598	Inner 1RB Right	21.87	24.17	30.00	PASS
N41	90MHz	30KHz	TM2	528996	Inner Full	21.99	24.29	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	90MHz	30KHz	TM2	528996	Inner 1RB Left	21.94	24.24	30.00	PASS
N41	90MHz	30KHz	TM2	528996	Inner 1RB Right	21.94	24.24	30.00	PASS
N41	90MHz	30KHz	TM3	508200	Inner Full	20.26	22.56	30.00	PASS
N41	90MHz	30KHz	TM3	508200	Inner 1RB Left	20.22	22.52	30.00	PASS
N41	90MHz	30KHz	TM3	508200	Inner 1RB Right	20.64	22.94	30.00	PASS
N41	90MHz	30KHz	TM3	518598	Inner Full	20.5	22.8	30.00	PASS
N41	90MHz	30KHz	TM3	518598	Inner 1RB Left	20.18	22.48	30.00	PASS
N41	90MHz	30KHz	TM3	518598	Inner 1RB Right	20.61	22.91	30.00	PASS
N41	90MHz	30KHz	TM3	528996	Inner Full	20.43	22.73	30.00	PASS
N41	90MHz	30KHz	TM3	528996	Inner 1RB Left	20.4	22.7	30.00	PASS
N41	90MHz	30KHz	TM3	528996	Inner 1RB Right	20.34	22.64	30.00	PASS
N41	90MHz	30KHz	TM4	508200	Inner Full	18.26	20.56	30.00	PASS
N41	90MHz	30KHz	TM4	508200	Inner 1RB Left	18.06	20.36	30.00	PASS
N41	90MHz	30KHz	TM4	508200	Inner 1RB Right	18.07	20.37	30.00	PASS
N41	90MHz	30KHz	TM4	518598	Inner Full	18.5	20.8	30.00	PASS
N41	90MHz	30KHz	TM4	518598	Inner 1RB Left	18.18	20.48	30.00	PASS
N41	90MHz	30KHz	TM4	518598	Inner 1RB Right	18.26	20.56	30.00	PASS
N41	90MHz	30KHz	TM4	528996	Inner Full	18.53	20.83	30.00	PASS
N41	90MHz	30KHz	TM4	528996	Inner 1RB Left	18.43	20.73	30.00	PASS
N41	90MHz	30KHz	TM4	528996	Inner 1RB Right	18.4	20.7	30.00	PASS
N41	90MHz	30KHz	TM5	508200	Inner Full	21.23	23.53	30.00	PASS
N41	90MHz	30KHz	TM5	508200	Inner 1RB Left	21.14	23.44	30.00	PASS
N41	90MHz	30KHz	TM5	508200	Inner 1RB Right	21.43	23.73	30.00	PASS
N41	90MHz	30KHz	TM5	518598	Inner Full	21.52	23.82	30.00	PASS
N41	90MHz	30KHz	TM5	518598	Inner 1RB Left	21.32	23.62	30.00	PASS
N41	90MHz	30KHz	TM5	518598	Inner 1RB Right	21.49	23.79	30.00	PASS
N41	90MHz	30KHz	TM5	528996	Inner Full	21.5	23.8	30.00	PASS
N41	90MHz	30KHz	TM5	528996	Inner 1RB Left	21.53	23.83	30.00	PASS
N41	90MHz	30KHz	TM5	528996	Inner 1RB Right	21.51	23.81	30.00	PASS
N41	90MHz	30KHz	TM6	508200	Inner Full	20.76	23.06	30.00	PASS
N41	90MHz	30KHz	TM6	508200	Inner 1RB Left	20.6	22.9	30.00	PASS
N41	90MHz	30KHz	TM6	508200	Inner 1RB Right	20.84	23.14	30.00	PASS
N41	90MHz	30KHz	TM6	518598	Inner Full	21	23.3	30.00	PASS
N41	90MHz	30KHz	TM6	518598	Inner 1RB Left	20.66	22.96	30.00	PASS
N41	90MHz	30KHz	TM6	518598	Inner 1RB Right	20.89	23.19	30.00	PASS
N41	90MHz	30KHz	TM6	528996	Inner Full	21.07	23.37	30.00	PASS
N41	90MHz	30KHz	TM6	528996	Inner 1RB Left	20.92	23.22	30.00	PASS
N41	90MHz	30KHz	TM6	528996	Inner 1RB Right	20.89	23.19	30.00	PASS
N41	90MHz	30KHz	TM7	508200	Inner Full	19.45	21.75	30.00	PASS
N41	90MHz	30KHz	TM7	508200	Inner 1RB Left	19.23	21.53	30.00	PASS
N41	90MHz	30KHz	TM7	508200	Inner 1RB Right	19.21	21.51	30.00	PASS
N41	90MHz	30KHz	TM7	518598	Inner Full	19.2	21.5	30.00	PASS
N41	90MHz	30KHz	TM7	518598	Inner 1RB Left	19.15	21.45	30.00	PASS
N41	90MHz	30KHz	TM7	518598	Inner 1RB Right	19.16	21.46	30.00	PASS
N41	90MHz	30KHz	TM7	528996	Inner Full	19.34	21.64	30.00	PASS
N41	90MHz	30KHz	TM7	528996	Inner 1RB Left	19.21	21.51	30.00	PASS
N41	90MHz	30KHz	TM7	528996	Inner 1RB Right	19.23	21.53	30.00	PASS
N41	90MHz	30KHz	TM8	508200	Inner Full	16.26	18.56	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC) Laboratory

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	90MHz	30KHz	TM8	508200	Inner 1RB Left	16.26	18.56	30.00	PASS
N41	90MHz	30KHz	TM8	508200	Inner 1RB Right	16.51	18.81	30.00	PASS
N41	90MHz	30KHz	TM8	518598	Inner Full	16.49	18.79	30.00	PASS
N41	90MHz	30KHz	TM8	518598	Inner 1RB Left	16.54	18.84	30.00	PASS
N41	90MHz	30KHz	TM8	518598	Inner 1RB Right	16.67	18.97	30.00	PASS
N41	90MHz	30KHz	TM8	528996	Inner Full	16.51	18.81	30.00	PASS
N41	90MHz	30KHz	TM8	528996	Inner 1RB Left	16.81	19.11	30.00	PASS
N41	90MHz	30KHz	TM8	528996	Inner 1RB Right	16.67	18.97	30.00	PASS
N41	100MHz	30KHz	TM1	509202	Inner Full	22.81	25.11	30.00	PASS
N41	100MHz	30KHz	TM1	509202	Inner 1RB Left	22.7	25	30.00	PASS
N41	100MHz	30KHz	TM1	509202	Inner 1RB Right	23.01	25.31	30.00	PASS
N41	100MHz	30KHz	TM1	518598	Inner Full	23.06	25.36	30.00	PASS
N41	100MHz	30KHz	TM1	518598	Inner 1RB Left	22.78	25.08	30.00	PASS
N41	100MHz	30KHz	TM1	518598	Inner 1RB Right	23.03	25.33	30.00	PASS
N41	100MHz	30KHz	TM1	528000	Inner Full	23.05	25.35	30.00	PASS
N41	100MHz	30KHz	TM1	528000	Inner 1RB Left	22.99	25.29	30.00	PASS
N41	100MHz	30KHz	TM1	528000	Inner 1RB Right	22.99	25.29	30.00	PASS
N41	100MHz	30KHz	TM2	509202	Inner Full	21.83	24.13	30.00	PASS
N41	100MHz	30KHz	TM2	509202	Inner 1RB Left	21.54	23.84	30.00	PASS
N41	100MHz	30KHz	TM2	509202	Inner 1RB Right	21.9	24.2	30.00	PASS
N41	100MHz	30KHz	TM2	518598	Inner Full	22.08	24.38	30.00	PASS
N41	100MHz	30KHz	TM2	518598	Inner 1RB Left	21.68	23.98	30.00	PASS
N41	100MHz	30KHz	TM2	518598	Inner 1RB Right	21.83	24.13	30.00	PASS
N41	100MHz	30KHz	TM2	528000	Inner Full	22	24.3	30.00	PASS
N41	100MHz	30KHz	TM2	528000	Inner 1RB Left	21.94	24.24	30.00	PASS
N41	100MHz	30KHz	TM2	528000	Inner 1RB Right	21.87	24.17	30.00	PASS
N41	100MHz	30KHz	TM3	509202	Inner Full	20.29	22.59	30.00	PASS
N41	100MHz	30KHz	TM3	509202	Inner 1RB Left	20.29	22.59	30.00	PASS
N41	100MHz	30KHz	TM3	509202	Inner 1RB Right	20.92	23.22	30.00	PASS
N41	100MHz	30KHz	TM3	518598	Inner Full	20.54	22.84	30.00	PASS
N41	100MHz	30KHz	TM3	518598	Inner 1RB Left	20.04	22.34	30.00	PASS
N41	100MHz	30KHz	TM3	518598	Inner 1RB Right	20.27	22.57	30.00	PASS
N41	100MHz	30KHz	TM3	528000	Inner Full	20.58	22.88	30.00	PASS
N41	100MHz	30KHz	TM3	528000	Inner 1RB Left	20.35	22.65	30.00	PASS
N41	100MHz	30KHz	TM3	528000	Inner 1RB Right	20.35	22.65	30.00	PASS
N41	100MHz	30KHz	TM4	509202	Inner Full	18.27	20.57	30.00	PASS
N41	100MHz	30KHz	TM4	509202	Inner 1RB Left	18.06	20.36	30.00	PASS
N41	100MHz	30KHz	TM4	509202	Inner 1RB Right	18.32	20.62	30.00	PASS
N41	100MHz	30KHz	TM4	518598	Inner Full	18.54	20.84	30.00	PASS
N41	100MHz	30KHz	TM4	518598	Inner 1RB Left	18.24	20.54	30.00	PASS
N41	100MHz	30KHz	TM4	518598	Inner 1RB Right	18.36	20.66	30.00	PASS
N41	100MHz	30KHz	TM4	528000	Inner Full	18.58	20.88	30.00	PASS
N41	100MHz	30KHz	TM4	528000	Inner 1RB Left	18.39	20.69	30.00	PASS
N41	100MHz	30KHz	TM4	528000	Inner 1RB Right	18.32	20.62	30.00	PASS
N41	100MHz	30KHz	TM5	509202	Inner Full	21.31	23.61	30.00	PASS
N41	100MHz	30KHz	TM5	509202	Inner 1RB Left	21.19	23.49	30.00	PASS
N41	100MHz	30KHz	TM5	509202	Inner 1RB Right	21.5	23.8	30.00	PASS
N41	100MHz	30KHz	TM5	518598	Inner Full	21.58	23.88	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	100MHz	30KHz	TM5	518598	Inner 1RB Left	21.22	23.52	30.00	PASS
N41	100MHz	30KHz	TM5	518598	Inner 1RB Right	21.45	23.75	30.00	PASS
N41	100MHz	30KHz	TM5	528000	Inner Full	21.54	23.84	30.00	PASS
N41	100MHz	30KHz	TM5	528000	Inner 1RB Left	21.38	23.68	30.00	PASS
N41	100MHz	30KHz	TM5	528000	Inner 1RB Right	21.44	23.74	30.00	PASS
N41	100MHz	30KHz	TM6	509202	Inner Full	20.79	23.09	30.00	PASS
N41	100MHz	30KHz	TM6	509202	Inner 1RB Left	20.75	23.05	30.00	PASS
N41	100MHz	30KHz	TM6	509202	Inner 1RB Right	21.22	23.52	30.00	PASS
N41	100MHz	30KHz	TM6	518598	Inner Full	21.01	23.31	30.00	PASS
N41	100MHz	30KHz	TM6	518598	Inner 1RB Left	20.85	23.15	30.00	PASS
N41	100MHz	30KHz	TM6	518598	Inner 1RB Right	21.14	23.44	30.00	PASS
N41	100MHz	30KHz	TM6	528000	Inner Full	21.04	23.34	30.00	PASS
N41	100MHz	30KHz	TM6	528000	Inner 1RB Left	21.18	23.48	30.00	PASS
N41	100MHz	30KHz	TM6	528000	Inner 1RB Right	21.13	23.43	30.00	PASS
N41	100MHz	30KHz	TM7	509202	Inner Full	19.34	21.64	30.00	PASS
N41	100MHz	30KHz	TM7	509202	Inner 1RB Left	19.31	21.61	30.00	PASS
N41	100MHz	30KHz	TM7	509202	Inner 1RB Right	19.61	21.91	30.00	PASS
N41	100MHz	30KHz	TM7	518598	Inner Full	19.57	21.87	30.00	PASS
N41	100MHz	30KHz	TM7	518598	Inner 1RB Left	18.91	21.21	30.00	PASS
N41	100MHz	30KHz	TM7	518598	Inner 1RB Right	19.21	21.51	30.00	PASS
N41	100MHz	30KHz	TM7	528000	Inner Full	19.58	21.88	30.00	PASS
N41	100MHz	30KHz	TM7	528000	Inner 1RB Left	19.34	21.64	30.00	PASS
N41	100MHz	30KHz	TM7	528000	Inner 1RB Right	19.28	21.58	30.00	PASS
N41	100MHz	30KHz	TM8	509202	Inner Full	16.26	18.56	30.00	PASS
N41	100MHz	30KHz	TM8	509202	Inner 1RB Left	16.36	18.66	30.00	PASS
N41	100MHz	30KHz	TM8	509202	Inner 1RB Right	16.77	19.07	30.00	PASS
N41	100MHz	30KHz	TM8	518598	Inner Full	16.58	18.88	30.00	PASS
N41	100MHz	30KHz	TM8	518598	Inner 1RB Left	16.48	18.78	30.00	PASS
N41	100MHz	30KHz	TM8	518598	Inner 1RB Right	16.86	19.16	30.00	PASS
N41	100MHz	30KHz	TM8	528000	Inner Full	16.56	18.86	30.00	PASS
N41	100MHz	30KHz	TM8	528000	Inner 1RB Left	16.89	19.19	30.00	PASS
N41	100MHz	30KHz	TM8	528000	Inner 1RB Right	16.76	19.06	30.00	PASS

Ant2:

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N41	20MHz	30KHz	TM1	501204	Inner Full	22.66	23.86	30.00	PASS
N41	20MHz	30KHz	TM1	501204	Inner 1RB Left	22.78	23.98	30.00	PASS
N41	20MHz	30KHz	TM1	501204	Inner 1RB Right	22.69	23.89	30.00	PASS
N41	20MHz	30KHz	TM1	518598	Inner Full	22.96	24.16	30.00	PASS
N41	20MHz	30KHz	TM1	518598	Inner 1RB Left	22.90	24.1	30.00	PASS
N41	20MHz	30KHz	TM1	518598	Inner 1RB Right	23.03	24.23	30.00	PASS
N41	20MHz	30KHz	TM1	535998	Inner Full	22.91	24.11	30.00	PASS
N41	20MHz	30KHz	TM1	535998	Inner 1RB Left	22.83	24.03	30.00	PASS
N41	20MHz	30KHz	TM1	535998	Inner 1RB Right	22.90	24.1	30.00	PASS
N41	20MHz	30KHz	TM2	501204	Inner Full	21.83	23.03	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	20MHz	30KHz	TM2	501204	Inner 1RB Left	21.59	22.79	30.00	PASS
N41	20MHz	30KHz	TM2	501204	Inner 1RB Right	21.58	22.78	30.00	PASS
N41	20MHz	30KHz	TM2	518598	Inner Full	21.92	23.12	30.00	PASS
N41	20MHz	30KHz	TM2	518598	Inner 1RB Left	21.89	23.09	30.00	PASS
N41	20MHz	30KHz	TM2	518598	Inner 1RB Right	21.89	23.09	30.00	PASS
N41	20MHz	30KHz	TM2	535998	Inner Full	21.93	23.13	30.00	PASS
N41	20MHz	30KHz	TM2	535998	Inner 1RB Left	21.72	22.92	30.00	PASS
N41	20MHz	30KHz	TM2	535998	Inner 1RB Right	21.68	22.88	30.00	PASS
N41	20MHz	30KHz	TM3	501204	Inner Full	20.29	21.49	30.00	PASS
N41	20MHz	30KHz	TM3	501204	Inner 1RB Left	20.30	21.5	30.00	PASS
N41	20MHz	30KHz	TM3	501204	Inner 1RB Right	19.97	21.17	30.00	PASS
N41	20MHz	30KHz	TM3	518598	Inner Full	20.37	21.57	30.00	PASS
N41	20MHz	30KHz	TM3	518598	Inner 1RB Left	20.25	21.45	30.00	PASS
N41	20MHz	30KHz	TM3	518598	Inner 1RB Right	20.34	21.54	30.00	PASS
N41	20MHz	30KHz	TM3	535998	Inner Full	20.47	21.67	30.00	PASS
N41	20MHz	30KHz	TM3	535998	Inner 1RB Left	20.27	21.47	30.00	PASS
N41	20MHz	30KHz	TM3	535998	Inner 1RB Right	20.24	21.44	30.00	PASS
N41	20MHz	30KHz	TM4	501204	Inner Full	18.27	19.47	30.00	PASS
N41	20MHz	30KHz	TM4	501204	Inner 1RB Left	17.93	19.13	30.00	PASS
N41	20MHz	30KHz	TM4	501204	Inner 1RB Right	17.98	19.18	30.00	PASS
N41	20MHz	30KHz	TM4	518598	Inner Full	18.34	19.54	30.00	PASS
N41	20MHz	30KHz	TM4	518598	Inner 1RB Left	18.24	19.44	30.00	PASS
N41	20MHz	30KHz	TM4	518598	Inner 1RB Right	18.25	19.45	30.00	PASS
N41	20MHz	30KHz	TM4	535998	Inner Full	18.33	19.53	30.00	PASS
N41	20MHz	30KHz	TM4	535998	Inner 1RB Left	18.26	19.46	30.00	PASS
N41	20MHz	30KHz	TM4	535998	Inner 1RB Right	18.19	19.39	30.00	PASS
N41	20MHz	30KHz	TM5	501204	Inner Full	21.25	22.45	30.00	PASS
N41	20MHz	30KHz	TM5	501204	Inner 1RB Left	21.17	22.37	30.00	PASS
N41	20MHz	30KHz	TM5	501204	Inner 1RB Right	21.17	22.37	30.00	PASS
N41	20MHz	30KHz	TM5	518598	Inner Full	21.37	22.57	30.00	PASS
N41	20MHz	30KHz	TM5	518598	Inner 1RB Left	21.45	22.65	30.00	PASS
N41	20MHz	30KHz	TM5	518598	Inner 1RB Right	21.37	22.57	30.00	PASS
N41	20MHz	30KHz	TM5	535998	Inner Full	21.46	22.66	30.00	PASS
N41	20MHz	30KHz	TM5	535998	Inner 1RB Left	21.24	22.44	30.00	PASS
N41	20MHz	30KHz	TM5	535998	Inner 1RB Right	21.30	22.5	30.00	PASS
N41	20MHz	30KHz	TM6	501204	Inner Full	20.74	21.94	30.00	PASS
N41	20MHz	30KHz	TM6	501204	Inner 1RB Left	20.80	22	30.00	PASS
N41	20MHz	30KHz	TM6	501204	Inner 1RB Right	20.73	21.93	30.00	PASS
N41	20MHz	30KHz	TM6	518598	Inner Full	20.97	22.17	30.00	PASS
N41	20MHz	30KHz	TM6	518598	Inner 1RB Left	21.02	22.22	30.00	PASS
N41	20MHz	30KHz	TM6	518598	Inner 1RB Right	21.17	22.37	30.00	PASS
N41	20MHz	30KHz	TM6	535998	Inner Full	21.03	22.23	30.00	PASS
N41	20MHz	30KHz	TM6	535998	Inner 1RB Left	20.96	22.16	30.00	PASS
N41	20MHz	30KHz	TM6	535998	Inner 1RB Right	21.01	22.21	30.00	PASS
N41	20MHz	30KHz	TM7	501204	Inner Full	19.28	20.48	30.00	PASS
N41	20MHz	30KHz	TM7	501204	Inner 1RB Left	19.01	20.21	30.00	PASS
N41	20MHz	30KHz	TM7	501204	Inner 1RB Right	19.20	20.4	30.00	PASS
N41	20MHz	30KHz	TM7	518598	Inner Full	19.56	20.76	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	20MHz	30KHz	TM7	518598	Inner 1RB Left	19.22	20.42	30.00	PASS
N41	20MHz	30KHz	TM7	518598	Inner 1RB Right	19.41	20.61	30.00	PASS
N41	20MHz	30KHz	TM7	535998	Inner Full	19.50	20.7	30.00	PASS
N41	20MHz	30KHz	TM7	535998	Inner 1RB Left	19.22	20.42	30.00	PASS
N41	20MHz	30KHz	TM7	535998	Inner 1RB Right	19.10	20.3	30.00	PASS
N41	20MHz	30KHz	TM8	501204	Inner Full	16.27	17.47	30.00	PASS
N41	20MHz	30KHz	TM8	501204	Inner 1RB Left	16.58	17.78	30.00	PASS
N41	20MHz	30KHz	TM8	501204	Inner 1RB Right	16.55	17.75	30.00	PASS
N41	20MHz	30KHz	TM8	518598	Inner Full	16.51	17.71	30.00	PASS
N41	20MHz	30KHz	TM8	518598	Inner 1RB Left	16.79	17.99	30.00	PASS
N41	20MHz	30KHz	TM8	518598	Inner 1RB Right	16.92	18.12	30.00	PASS
N41	20MHz	30KHz	TM8	535998	Inner Full	16.40	17.6	30.00	PASS
N41	20MHz	30KHz	TM8	535998	Inner 1RB Left	16.84	18.04	30.00	PASS
N41	20MHz	30KHz	TM8	535998	Inner 1RB Right	16.91	18.11	30.00	PASS
N41	40MHz	30KHz	TM1	503202	Inner Full	22.94	24.14	30.00	PASS
N41	40MHz	30KHz	TM1	503202	Inner 1RB Left	22.96	24.16	30.00	PASS
N41	40MHz	30KHz	TM1	503202	Inner 1RB Right	23.02	24.22	30.00	PASS
N41	40MHz	30KHz	TM1	518598	Inner Full	23.24	24.44	30.00	PASS
N41	40MHz	30KHz	TM1	518598	Inner 1RB Left	23.21	24.41	30.00	PASS
N41	40MHz	30KHz	TM1	518598	Inner 1RB Right	23.38	24.58	30.00	PASS
N41	40MHz	30KHz	TM1	534000	Inner Full	23.24	24.44	30.00	PASS
N41	40MHz	30KHz	TM1	534000	Inner 1RB Left	23.29	24.49	30.00	PASS
N41	40MHz	30KHz	TM1	534000	Inner 1RB Right	23.31	24.51	30.00	PASS
N41	40MHz	30KHz	TM2	503202	Inner Full	21.90	23.1	30.00	PASS
N41	40MHz	30KHz	TM2	503202	Inner 1RB Left	21.85	23.05	30.00	PASS
N41	40MHz	30KHz	TM2	503202	Inner 1RB Right	21.95	23.15	30.00	PASS
N41	40MHz	30KHz	TM2	518598	Inner Full	22.33	23.53	30.00	PASS
N41	40MHz	30KHz	TM2	518598	Inner 1RB Left	22.29	23.49	30.00	PASS
N41	40MHz	30KHz	TM2	518598	Inner 1RB Right	22.31	23.51	30.00	PASS
N41	40MHz	30KHz	TM2	534000	Inner Full	22.21	23.41	30.00	PASS
N41	40MHz	30KHz	TM2	534000	Inner 1RB Left	22.08	23.28	30.00	PASS
N41	40MHz	30KHz	TM2	534000	Inner 1RB Right	22.13	23.33	30.00	PASS
N41	40MHz	30KHz	TM3	503202	Inner Full	20.41	21.61	30.00	PASS
N41	40MHz	30KHz	TM3	503202	Inner 1RB Left	20.26	21.46	30.00	PASS
N41	40MHz	30KHz	TM3	503202	Inner 1RB Right	20.51	21.71	30.00	PASS
N41	40MHz	30KHz	TM3	518598	Inner Full	20.67	21.87	30.00	PASS
N41	40MHz	30KHz	TM3	518598	Inner 1RB Left	21.16	22.36	30.00	PASS
N41	40MHz	30KHz	TM3	518598	Inner 1RB Right	21.23	22.43	30.00	PASS
N41	40MHz	30KHz	TM3	534000	Inner Full	20.73	21.93	30.00	PASS
N41	40MHz	30KHz	TM3	534000	Inner 1RB Left	20.82	22.02	30.00	PASS
N41	40MHz	30KHz	TM3	534000	Inner 1RB Right	20.82	22.02	30.00	PASS
N41	40MHz	30KHz	TM4	503202	Inner Full	18.41	19.61	30.00	PASS
N41	40MHz	30KHz	TM4	503202	Inner 1RB Left	18.24	19.44	30.00	PASS
N41	40MHz	30KHz	TM4	503202	Inner 1RB Right	18.32	19.52	30.00	PASS
N41	40MHz	30KHz	TM4	518598	Inner Full	18.77	19.97	30.00	PASS
N41	40MHz	30KHz	TM4	518598	Inner 1RB Left	18.58	19.78	30.00	PASS
N41	40MHz	30KHz	TM4	518598	Inner 1RB Right	18.70	19.9	30.00	PASS
N41	40MHz	30KHz	TM4	534000	Inner Full	18.39	19.59	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	40MHz	30KHz	TM4	534000	Inner 1RB Left	18.53	19.73	30.00	PASS
N41	40MHz	30KHz	TM4	534000	Inner 1RB Right	18.60	19.8	30.00	PASS
N41	40MHz	30KHz	TM5	503202	Inner Full	21.46	22.66	30.00	PASS
N41	40MHz	30KHz	TM5	503202	Inner 1RB Left	21.34	22.54	30.00	PASS
N41	40MHz	30KHz	TM5	503202	Inner 1RB Right	21.49	22.69	30.00	PASS
N41	40MHz	30KHz	TM5	518598	Inner Full	21.86	23.06	30.00	PASS
N41	40MHz	30KHz	TM5	518598	Inner 1RB Left	21.72	22.92	30.00	PASS
N41	40MHz	30KHz	TM5	518598	Inner 1RB Right	21.69	22.89	30.00	PASS
N41	40MHz	30KHz	TM5	534000	Inner Full	21.79	22.99	30.00	PASS
N41	40MHz	30KHz	TM5	534000	Inner 1RB Left	21.64	22.84	30.00	PASS
N41	40MHz	30KHz	TM5	534000	Inner 1RB Right	21.70	22.9	30.00	PASS
N41	40MHz	30KHz	TM6	503202	Inner Full	20.87	22.07	30.00	PASS
N41	40MHz	30KHz	TM6	503202	Inner 1RB Left	20.99	22.19	30.00	PASS
N41	40MHz	30KHz	TM6	503202	Inner 1RB Right	21.24	22.44	30.00	PASS
N41	40MHz	30KHz	TM6	518598	Inner Full	21.29	22.49	30.00	PASS
N41	40MHz	30KHz	TM6	518598	Inner 1RB Left	21.24	22.44	30.00	PASS
N41	40MHz	30KHz	TM6	518598	Inner 1RB Right	21.28	22.48	30.00	PASS
N41	40MHz	30KHz	TM6	534000	Inner Full	21.28	22.48	30.00	PASS
N41	40MHz	30KHz	TM6	534000	Inner 1RB Left	21.20	22.4	30.00	PASS
N41	40MHz	30KHz	TM6	534000	Inner 1RB Right	21.17	22.37	30.00	PASS
N41	40MHz	30KHz	TM7	503202	Inner Full	19.42	20.62	30.00	PASS
N41	40MHz	30KHz	TM7	503202	Inner 1RB Left	19.37	20.57	30.00	PASS
N41	40MHz	30KHz	TM7	503202	Inner 1RB Right	19.36	20.56	30.00	PASS
N41	40MHz	30KHz	TM7	518598	Inner Full	19.76	20.96	30.00	PASS
N41	40MHz	30KHz	TM7	518598	Inner 1RB Left	19.76	20.96	30.00	PASS
N41	40MHz	30KHz	TM7	518598	Inner 1RB Right	19.67	20.87	30.00	PASS
N41	40MHz	30KHz	TM7	534000	Inner Full	19.72	20.92	30.00	PASS
N41	40MHz	30KHz	TM7	534000	Inner 1RB Left	19.80	21	30.00	PASS
N41	40MHz	30KHz	TM7	534000	Inner 1RB Right	19.83	21.03	30.00	PASS
N41	40MHz	30KHz	TM8	503202	Inner Full	16.41	17.61	30.00	PASS
N41	40MHz	30KHz	TM8	503202	Inner 1RB Left	16.83	18.03	30.00	PASS
N41	40MHz	30KHz	TM8	503202	Inner 1RB Right	16.99	18.19	30.00	PASS
N41	40MHz	30KHz	TM8	518598	Inner Full	16.75	17.95	30.00	PASS
N41	40MHz	30KHz	TM8	518598	Inner 1RB Left	16.99	18.19	30.00	PASS
N41	40MHz	30KHz	TM8	518598	Inner 1RB Right	17.08	18.28	30.00	PASS
N41	40MHz	30KHz	TM8	534000	Inner Full	16.74	17.94	30.00	PASS
N41	40MHz	30KHz	TM8	534000	Inner 1RB Left	16.93	18.13	30.00	PASS
N41	40MHz	30KHz	TM8	534000	Inner 1RB Right	17.01	18.21	30.00	PASS
N41	50MHz	30KHz	TM1	504204	Inner Full	22.96	24.16	30.00	PASS
N41	50MHz	30KHz	TM1	504204	Inner 1RB Left	22.93	24.13	30.00	PASS
N41	50MHz	30KHz	TM1	504204	Inner 1RB Right	22.96	24.16	30.00	PASS
N41	50MHz	30KHz	TM1	518598	Inner Full	22.97	24.17	30.00	PASS
N41	50MHz	30KHz	TM1	518598	Inner 1RB Left	23.04	24.24	30.00	PASS
N41	50MHz	30KHz	TM1	518598	Inner 1RB Right	23.22	24.42	30.00	PASS
N41	50MHz	30KHz	TM1	532998	Inner Full	22.92	24.12	30.00	PASS
N41	50MHz	30KHz	TM1	532998	Inner 1RB Left	22.99	24.19	30.00	PASS
N41	50MHz	30KHz	TM1	532998	Inner 1RB Right	22.92	24.12	30.00	PASS
N41	50MHz	30KHz	TM2	504204	Inner Full	21.98	23.18	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	50MHz	30KHz	TM2	504204	Inner 1RB Left	21.80	23	30.00	PASS
N41	50MHz	30KHz	TM2	504204	Inner 1RB Right	21.84	23.04	30.00	PASS
N41	50MHz	30KHz	TM2	518598	Inner Full	21.98	23.18	30.00	PASS
N41	50MHz	30KHz	TM2	518598	Inner 1RB Left	21.84	23.04	30.00	PASS
N41	50MHz	30KHz	TM2	518598	Inner 1RB Right	21.84	23.04	30.00	PASS
N41	50MHz	30KHz	TM2	532998	Inner Full	21.81	23.01	30.00	PASS
N41	50MHz	30KHz	TM2	532998	Inner 1RB Left	21.86	23.06	30.00	PASS
N41	50MHz	30KHz	TM2	532998	Inner 1RB Right	21.82	23.02	30.00	PASS
N41	50MHz	30KHz	TM3	504204	Inner Full	20.41	21.61	30.00	PASS
N41	50MHz	30KHz	TM3	504204	Inner 1RB Left	20.25	21.45	30.00	PASS
N41	50MHz	30KHz	TM3	504204	Inner 1RB Right	20.36	21.56	30.00	PASS
N41	50MHz	30KHz	TM3	518598	Inner Full	20.38	21.58	30.00	PASS
N41	50MHz	30KHz	TM3	518598	Inner 1RB Left	20.27	21.47	30.00	PASS
N41	50MHz	30KHz	TM3	518598	Inner 1RB Right	20.35	21.55	30.00	PASS
N41	50MHz	30KHz	TM3	532998	Inner Full	20.48	21.68	30.00	PASS
N41	50MHz	30KHz	TM3	532998	Inner 1RB Left	20.74	21.94	30.00	PASS
N41	50MHz	30KHz	TM3	532998	Inner 1RB Right	20.74	21.94	30.00	PASS
N41	50MHz	30KHz	TM4	504204	Inner Full	18.41	19.61	30.00	PASS
N41	50MHz	30KHz	TM4	504204	Inner 1RB Left	18.33	19.53	30.00	PASS
N41	50MHz	30KHz	TM4	504204	Inner 1RB Right	18.30	19.5	30.00	PASS
N41	50MHz	30KHz	TM4	518598	Inner Full	18.41	19.61	30.00	PASS
N41	50MHz	30KHz	TM4	518598	Inner 1RB Left	18.29	19.49	30.00	PASS
N41	50MHz	30KHz	TM4	518598	Inner 1RB Right	18.37	19.57	30.00	PASS
N41	50MHz	30KHz	TM4	532998	Inner Full	18.35	19.55	30.00	PASS
N41	50MHz	30KHz	TM4	532998	Inner 1RB Left	18.06	19.26	30.00	PASS
N41	50MHz	30KHz	TM4	532998	Inner 1RB Right	18.36	19.56	30.00	PASS
N41	50MHz	30KHz	TM5	504204	Inner Full	21.46	22.66	30.00	PASS
N41	50MHz	30KHz	TM5	504204	Inner 1RB Left	21.47	22.67	30.00	PASS
N41	50MHz	30KHz	TM5	504204	Inner 1RB Right	21.46	22.66	30.00	PASS
N41	50MHz	30KHz	TM5	518598	Inner Full	21.46	22.66	30.00	PASS
N41	50MHz	30KHz	TM5	518598	Inner 1RB Left	21.41	22.61	30.00	PASS
N41	50MHz	30KHz	TM5	518598	Inner 1RB Right	21.41	22.61	30.00	PASS
N41	50MHz	30KHz	TM5	532998	Inner Full	21.30	22.5	30.00	PASS
N41	50MHz	30KHz	TM5	532998	Inner 1RB Left	21.30	22.5	30.00	PASS
N41	50MHz	30KHz	TM5	532998	Inner 1RB Right	21.40	22.6	30.00	PASS
N41	50MHz	30KHz	TM6	504204	Inner Full	20.99	22.19	30.00	PASS
N41	50MHz	30KHz	TM6	504204	Inner 1RB Left	21.15	22.35	30.00	PASS
N41	50MHz	30KHz	TM6	504204	Inner 1RB Right	21.14	22.34	30.00	PASS
N41	50MHz	30KHz	TM6	518598	Inner Full	21.03	22.23	30.00	PASS
N41	50MHz	30KHz	TM6	518598	Inner 1RB Left	21.17	22.37	30.00	PASS
N41	50MHz	30KHz	TM6	518598	Inner 1RB Right	21.17	22.37	30.00	PASS
N41	50MHz	30KHz	TM6	532998	Inner Full	20.80	22	30.00	PASS
N41	50MHz	30KHz	TM6	532998	Inner 1RB Left	20.86	22.06	30.00	PASS
N41	50MHz	30KHz	TM6	532998	Inner 1RB Right	21.00	22.2	30.00	PASS
N41	50MHz	30KHz	TM7	504204	Inner Full	19.49	20.69	30.00	PASS
N41	50MHz	30KHz	TM7	504204	Inner 1RB Left	19.32	20.52	30.00	PASS
N41	50MHz	30KHz	TM7	504204	Inner 1RB Right	19.32	20.52	30.00	PASS
N41	50MHz	30KHz	TM7	518598	Inner Full	19.42	20.62	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	50MHz	30KHz	TM7	518598	Inner 1RB Left	19.24	20.44	30.00	PASS
N41	50MHz	30KHz	TM7	518598	Inner 1RB Right	19.31	20.51	30.00	PASS
N41	50MHz	30KHz	TM7	532998	Inner Full	19.33	20.53	30.00	PASS
N41	50MHz	30KHz	TM7	532998	Inner 1RB Left	19.29	20.49	30.00	PASS
N41	50MHz	30KHz	TM7	532998	Inner 1RB Right	19.37	20.57	30.00	PASS
N41	50MHz	30KHz	TM8	504204	Inner Full	16.37	17.57	30.00	PASS
N41	50MHz	30KHz	TM8	504204	Inner 1RB Left	16.79	17.99	30.00	PASS
N41	50MHz	30KHz	TM8	504204	Inner 1RB Right	16.96	18.16	30.00	PASS
N41	50MHz	30KHz	TM8	518598	Inner Full	16.40	17.6	30.00	PASS
N41	50MHz	30KHz	TM8	518598	Inner 1RB Left	16.81	18.01	30.00	PASS
N41	50MHz	30KHz	TM8	518598	Inner 1RB Right	16.93	18.13	30.00	PASS
N41	50MHz	30KHz	TM8	532998	Inner Full	16.28	17.48	30.00	PASS
N41	50MHz	30KHz	TM8	532998	Inner 1RB Left	16.56	17.76	30.00	PASS
N41	50MHz	30KHz	TM8	532998	Inner 1RB Right	16.69	17.89	30.00	PASS
N41	60MHz	30KHz	TM1	505200	Inner Full	22.69	23.89	30.00	PASS
N41	60MHz	30KHz	TM1	505200	Inner 1RB Left	22.58	23.78	30.00	PASS
N41	60MHz	30KHz	TM1	505200	Inner 1RB Right	22.96	24.16	30.00	PASS
N41	60MHz	30KHz	TM1	518598	Inner Full	22.99	24.19	30.00	PASS
N41	60MHz	30KHz	TM1	518598	Inner 1RB Left	22.93	24.13	30.00	PASS
N41	60MHz	30KHz	TM1	518598	Inner 1RB Right	23.00	24.2	30.00	PASS
N41	60MHz	30KHz	TM1	531996	Inner Full	22.92	24.12	30.00	PASS
N41	60MHz	30KHz	TM1	531996	Inner 1RB Left	22.79	23.99	30.00	PASS
N41	60MHz	30KHz	TM1	531996	Inner 1RB Right	22.84	24.04	30.00	PASS
N41	60MHz	30KHz	TM2	505200	Inner Full	21.67	22.87	30.00	PASS
N41	60MHz	30KHz	TM2	505200	Inner 1RB Left	21.46	22.66	30.00	PASS
N41	60MHz	30KHz	TM2	505200	Inner 1RB Right	21.78	22.98	30.00	PASS
N41	60MHz	30KHz	TM2	518598	Inner Full	21.99	23.19	30.00	PASS
N41	60MHz	30KHz	TM2	518598	Inner 1RB Left	21.61	22.81	30.00	PASS
N41	60MHz	30KHz	TM2	518598	Inner 1RB Right	21.81	23.01	30.00	PASS
N41	60MHz	30KHz	TM2	531996	Inner Full	21.89	23.09	30.00	PASS
N41	60MHz	30KHz	TM2	531996	Inner 1RB Left	21.67	22.87	30.00	PASS
N41	60MHz	30KHz	TM2	531996	Inner 1RB Right	21.78	22.98	30.00	PASS
N41	60MHz	30KHz	TM3	505200	Inner Full	20.17	21.37	30.00	PASS
N41	60MHz	30KHz	TM3	505200	Inner 1RB Left	20.09	21.29	30.00	PASS
N41	60MHz	30KHz	TM3	505200	Inner 1RB Right	20.42	21.62	30.00	PASS
N41	60MHz	30KHz	TM3	518598	Inner Full	20.51	21.71	30.00	PASS
N41	60MHz	30KHz	TM3	518598	Inner 1RB Left	20.39	21.59	30.00	PASS
N41	60MHz	30KHz	TM3	518598	Inner 1RB Right	20.53	21.73	30.00	PASS
N41	60MHz	30KHz	TM3	531996	Inner Full	20.46	21.66	30.00	PASS
N41	60MHz	30KHz	TM3	531996	Inner 1RB Left	20.06	21.26	30.00	PASS
N41	60MHz	30KHz	TM3	531996	Inner 1RB Right	20.13	21.33	30.00	PASS
N41	60MHz	30KHz	TM4	505200	Inner Full	18.29	19.49	30.00	PASS
N41	60MHz	30KHz	TM4	505200	Inner 1RB Left	18.01	19.21	30.00	PASS
N41	60MHz	30KHz	TM4	505200	Inner 1RB Right	18.19	19.39	30.00	PASS
N41	60MHz	30KHz	TM4	518598	Inner Full	18.44	19.64	30.00	PASS
N41	60MHz	30KHz	TM4	518598	Inner 1RB Left	18.12	19.32	30.00	PASS
N41	60MHz	30KHz	TM4	518598	Inner 1RB Right	18.30	19.5	30.00	PASS
N41	60MHz	30KHz	TM4	531996	Inner Full	18.38	19.58	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	60MHz	30KHz	TM4	531996	Inner 1RB Left	18.08	19.28	30.00	PASS
N41	60MHz	30KHz	TM4	531996	Inner 1RB Right	18.08	19.28	30.00	PASS
N41	60MHz	30KHz	TM5	505200	Inner Full	21.28	22.48	30.00	PASS
N41	60MHz	30KHz	TM5	505200	Inner 1RB Left	21.09	22.29	30.00	PASS
N41	60MHz	30KHz	TM5	505200	Inner 1RB Right	21.31	22.51	30.00	PASS
N41	60MHz	30KHz	TM5	518598	Inner Full	21.48	22.68	30.00	PASS
N41	60MHz	30KHz	TM5	518598	Inner 1RB Left	21.25	22.45	30.00	PASS
N41	60MHz	30KHz	TM5	518598	Inner 1RB Right	21.41	22.61	30.00	PASS
N41	60MHz	30KHz	TM5	531996	Inner Full	21.44	22.64	30.00	PASS
N41	60MHz	30KHz	TM5	531996	Inner 1RB Left	21.19	22.39	30.00	PASS
N41	60MHz	30KHz	TM5	531996	Inner 1RB Right	21.33	22.53	30.00	PASS
N41	60MHz	30KHz	TM6	505200	Inner Full	20.71	21.91	30.00	PASS
N41	60MHz	30KHz	TM6	505200	Inner 1RB Left	20.71	21.91	30.00	PASS
N41	60MHz	30KHz	TM6	505200	Inner 1RB Right	20.98	22.18	30.00	PASS
N41	60MHz	30KHz	TM6	518598	Inner Full	20.95	22.15	30.00	PASS
N41	60MHz	30KHz	TM6	518598	Inner 1RB Left	20.89	22.09	30.00	PASS
N41	60MHz	30KHz	TM6	518598	Inner 1RB Right	21.00	22.2	30.00	PASS
N41	60MHz	30KHz	TM6	531996	Inner Full	20.82	22.02	30.00	PASS
N41	60MHz	30KHz	TM6	531996	Inner 1RB Left	20.95	22.15	30.00	PASS
N41	60MHz	30KHz	TM6	531996	Inner 1RB Right	20.98	22.18	30.00	PASS
N41	60MHz	30KHz	TM7	505200	Inner Full	19.13	20.33	30.00	PASS
N41	60MHz	30KHz	TM7	505200	Inner 1RB Left	19.11	20.31	30.00	PASS
N41	60MHz	30KHz	TM7	505200	Inner 1RB Right	19.39	20.59	30.00	PASS
N41	60MHz	30KHz	TM7	518598	Inner Full	19.48	20.68	30.00	PASS
N41	60MHz	30KHz	TM7	518598	Inner 1RB Left	19.35	20.55	30.00	PASS
N41	60MHz	30KHz	TM7	518598	Inner 1RB Right	19.47	20.67	30.00	PASS
N41	60MHz	30KHz	TM7	531996	Inner Full	19.29	20.49	30.00	PASS
N41	60MHz	30KHz	TM7	531996	Inner 1RB Left	18.93	20.13	30.00	PASS
N41	60MHz	30KHz	TM7	531996	Inner 1RB Right	19.27	20.47	30.00	PASS
N41	60MHz	30KHz	TM8	505200	Inner Full	16.29	17.49	30.00	PASS
N41	60MHz	30KHz	TM8	505200	Inner 1RB Left	16.19	17.39	30.00	PASS
N41	60MHz	30KHz	TM8	505200	Inner 1RB Right	16.56	17.76	30.00	PASS
N41	60MHz	30KHz	TM8	518598	Inner Full	16.52	17.72	30.00	PASS
N41	60MHz	30KHz	TM8	518598	Inner 1RB Left	16.47	17.67	30.00	PASS
N41	60MHz	30KHz	TM8	518598	Inner 1RB Right	16.64	17.84	30.00	PASS
N41	60MHz	30KHz	TM8	531996	Inner Full	16.43	17.63	30.00	PASS
N41	60MHz	30KHz	TM8	531996	Inner 1RB Left	16.70	17.9	30.00	PASS
N41	60MHz	30KHz	TM8	531996	Inner 1RB Right	16.80	18	30.00	PASS
N41	80MHz	30KHz	TM1	507204	Inner Full	22.72	23.92	30.00	PASS
N41	80MHz	30KHz	TM1	507204	Inner 1RB Left	22.64	23.84	30.00	PASS
N41	80MHz	30KHz	TM1	507204	Inner 1RB Right	22.95	24.15	30.00	PASS
N41	80MHz	30KHz	TM1	518598	Inner Full	23.03	24.23	30.00	PASS
N41	80MHz	30KHz	TM1	518598	Inner 1RB Left	22.87	24.07	30.00	PASS
N41	80MHz	30KHz	TM1	518598	Inner 1RB Right	23.13	24.33	30.00	PASS
N41	80MHz	30KHz	TM1	529998	Inner Full	22.96	24.16	30.00	PASS
N41	80MHz	30KHz	TM1	529998	Inner 1RB Left	23.05	24.25	30.00	PASS
N41	80MHz	30KHz	TM1	529998	Inner 1RB Right	22.98	24.18	30.00	PASS
N41	80MHz	30KHz	TM2	507204	Inner Full	21.76	22.96	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	80MHz	30KHz	TM2	507204	Inner 1RB Left	21.50	22.7	30.00	PASS
N41	80MHz	30KHz	TM2	507204	Inner 1RB Right	21.81	23.01	30.00	PASS
N41	80MHz	30KHz	TM2	518598	Inner Full	21.99	23.19	30.00	PASS
N41	80MHz	30KHz	TM2	518598	Inner 1RB Left	21.79	22.99	30.00	PASS
N41	80MHz	30KHz	TM2	518598	Inner 1RB Right	21.89	23.09	30.00	PASS
N41	80MHz	30KHz	TM2	529998	Inner Full	22.02	23.22	30.00	PASS
N41	80MHz	30KHz	TM2	529998	Inner 1RB Left	21.77	22.97	30.00	PASS
N41	80MHz	30KHz	TM2	529998	Inner 1RB Right	21.96	23.16	30.00	PASS
N41	80MHz	30KHz	TM3	507204	Inner Full	20.28	21.48	30.00	PASS
N41	80MHz	30KHz	TM3	507204	Inner 1RB Left	19.93	21.13	30.00	PASS
N41	80MHz	30KHz	TM3	507204	Inner 1RB Right	20.18	21.38	30.00	PASS
N41	80MHz	30KHz	TM3	518598	Inner Full	20.63	21.83	30.00	PASS
N41	80MHz	30KHz	TM3	518598	Inner 1RB Left	20.80	22	30.00	PASS
N41	80MHz	30KHz	TM3	518598	Inner 1RB Right	20.84	22.04	30.00	PASS
N41	80MHz	30KHz	TM3	529998	Inner Full	20.38	21.58	30.00	PASS
N41	80MHz	30KHz	TM3	529998	Inner 1RB Left	20.85	22.05	30.00	PASS
N41	80MHz	30KHz	TM3	529998	Inner 1RB Right	20.82	22.02	30.00	PASS
N41	80MHz	30KHz	TM4	507204	Inner Full	18.18	19.38	30.00	PASS
N41	80MHz	30KHz	TM4	507204	Inner 1RB Left	17.83	19.03	30.00	PASS
N41	80MHz	30KHz	TM4	507204	Inner 1RB Right	18.28	19.48	30.00	PASS
N41	80MHz	30KHz	TM4	518598	Inner Full	18.49	19.69	30.00	PASS
N41	80MHz	30KHz	TM4	518598	Inner 1RB Left	18.08	19.28	30.00	PASS
N41	80MHz	30KHz	TM4	518598	Inner 1RB Right	18.17	19.37	30.00	PASS
N41	80MHz	30KHz	TM4	529998	Inner Full	18.42	19.62	30.00	PASS
N41	80MHz	30KHz	TM4	529998	Inner 1RB Left	18.24	19.44	30.00	PASS
N41	80MHz	30KHz	TM4	529998	Inner 1RB Right	18.18	19.38	30.00	PASS
N41	80MHz	30KHz	TM5	507204	Inner Full	21.18	22.38	30.00	PASS
N41	80MHz	30KHz	TM5	507204	Inner 1RB Left	21.15	22.35	30.00	PASS
N41	80MHz	30KHz	TM5	507204	Inner 1RB Right	21.50	22.7	30.00	PASS
N41	80MHz	30KHz	TM5	518598	Inner Full	21.44	22.64	30.00	PASS
N41	80MHz	30KHz	TM5	518598	Inner 1RB Left	21.27	22.47	30.00	PASS
N41	80MHz	30KHz	TM5	518598	Inner 1RB Right	21.41	22.61	30.00	PASS
N41	80MHz	30KHz	TM5	529998	Inner Full	21.39	22.59	30.00	PASS
N41	80MHz	30KHz	TM5	529998	Inner 1RB Left	21.41	22.61	30.00	PASS
N41	80MHz	30KHz	TM5	529998	Inner 1RB Right	21.43	22.63	30.00	PASS
N41	80MHz	30KHz	TM6	507204	Inner Full	20.64	21.84	30.00	PASS
N41	80MHz	30KHz	TM6	507204	Inner 1RB Left	20.71	21.91	30.00	PASS
N41	80MHz	30KHz	TM6	507204	Inner 1RB Right	21.04	22.24	30.00	PASS
N41	80MHz	30KHz	TM6	518598	Inner Full	21.00	22.2	30.00	PASS
N41	80MHz	30KHz	TM6	518598	Inner 1RB Left	21.01	22.21	30.00	PASS
N41	80MHz	30KHz	TM6	518598	Inner 1RB Right	21.01	22.21	30.00	PASS
N41	80MHz	30KHz	TM6	529998	Inner Full	21.01	22.21	30.00	PASS
N41	80MHz	30KHz	TM6	529998	Inner 1RB Left	21.05	22.25	30.00	PASS
N41	80MHz	30KHz	TM6	529998	Inner 1RB Right	20.96	22.16	30.00	PASS
N41	80MHz	30KHz	TM7	507204	Inner Full	19.26	20.46	30.00	PASS
N41	80MHz	30KHz	TM7	507204	Inner 1RB Left	18.99	20.19	30.00	PASS
N41	80MHz	30KHz	TM7	507204	Inner 1RB Right	19.21	20.41	30.00	PASS
N41	80MHz	30KHz	TM7	518598	Inner Full	19.52	20.72	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	80MHz	30KHz	TM7	518598	Inner 1RB Left	19.25	20.45	30.00	PASS
N41	80MHz	30KHz	TM7	518598	Inner 1RB Right	19.15	20.35	30.00	PASS
N41	80MHz	30KHz	TM7	529998	Inner Full	19.43	20.63	30.00	PASS
N41	80MHz	30KHz	TM7	529998	Inner 1RB Left	19.37	20.57	30.00	PASS
N41	80MHz	30KHz	TM7	529998	Inner 1RB Right	19.36	20.56	30.00	PASS
N41	80MHz	30KHz	TM8	507204	Inner Full	16.25	17.45	30.00	PASS
N41	80MHz	30KHz	TM8	507204	Inner 1RB Left	16.42	17.62	30.00	PASS
N41	80MHz	30KHz	TM8	507204	Inner 1RB Right	16.79	17.99	30.00	PASS
N41	80MHz	30KHz	TM8	518598	Inner Full	16.66	17.86	30.00	PASS
N41	80MHz	30KHz	TM8	518598	Inner 1RB Left	16.46	17.66	30.00	PASS
N41	80MHz	30KHz	TM8	518598	Inner 1RB Right	16.62	17.82	30.00	PASS
N41	80MHz	30KHz	TM8	529998	Inner Full	16.42	17.62	30.00	PASS
N41	80MHz	30KHz	TM8	529998	Inner 1RB Left	16.69	17.89	30.00	PASS
N41	80MHz	30KHz	TM8	529998	Inner 1RB Right	16.68	17.88	30.00	PASS
N41	90MHz	30KHz	TM1	508200	Inner Full	22.73	23.93	30.00	PASS
N41	90MHz	30KHz	TM1	508200	Inner 1RB Left	22.66	23.86	30.00	PASS
N41	90MHz	30KHz	TM1	508200	Inner 1RB Right	22.91	24.11	30.00	PASS
N41	90MHz	30KHz	TM1	518598	Inner Full	22.95	24.15	30.00	PASS
N41	90MHz	30KHz	TM1	518598	Inner 1RB Left	22.78	23.98	30.00	PASS
N41	90MHz	30KHz	TM1	518598	Inner 1RB Right	23.02	24.22	30.00	PASS
N41	90MHz	30KHz	TM1	528996	Inner Full	22.93	24.13	30.00	PASS
N41	90MHz	30KHz	TM1	528996	Inner 1RB Left	23.09	24.29	30.00	PASS
N41	90MHz	30KHz	TM1	528996	Inner 1RB Right	23.01	24.21	30.00	PASS
N41	90MHz	30KHz	TM2	508200	Inner Full	21.74	22.94	30.00	PASS
N41	90MHz	30KHz	TM2	508200	Inner 1RB Left	21.51	22.71	30.00	PASS
N41	90MHz	30KHz	TM2	508200	Inner 1RB Right	21.84	23.04	30.00	PASS
N41	90MHz	30KHz	TM2	518598	Inner Full	21.96	23.16	30.00	PASS
N41	90MHz	30KHz	TM2	518598	Inner 1RB Left	21.71	22.91	30.00	PASS
N41	90MHz	30KHz	TM2	518598	Inner 1RB Right	21.81	23.01	30.00	PASS
N41	90MHz	30KHz	TM2	528996	Inner Full	21.96	23.16	30.00	PASS
N41	90MHz	30KHz	TM2	528996	Inner 1RB Left	21.94	23.14	30.00	PASS
N41	90MHz	30KHz	TM2	528996	Inner 1RB Right	21.94	23.14	30.00	PASS
N41	90MHz	30KHz	TM3	508200	Inner Full	20.24	21.44	30.00	PASS
N41	90MHz	30KHz	TM3	508200	Inner 1RB Left	20.13	21.33	30.00	PASS
N41	90MHz	30KHz	TM3	508200	Inner 1RB Right	20.57	21.77	30.00	PASS
N41	90MHz	30KHz	TM3	518598	Inner Full	20.41	21.61	30.00	PASS
N41	90MHz	30KHz	TM3	518598	Inner 1RB Left	20.18	21.38	30.00	PASS
N41	90MHz	30KHz	TM3	518598	Inner 1RB Right	20.54	21.74	30.00	PASS
N41	90MHz	30KHz	TM3	528996	Inner Full	20.36	21.56	30.00	PASS
N41	90MHz	30KHz	TM3	528996	Inner 1RB Left	20.30	21.5	30.00	PASS
N41	90MHz	30KHz	TM3	528996	Inner 1RB Right	20.25	21.45	30.00	PASS
N41	90MHz	30KHz	TM4	508200	Inner Full	18.16	19.36	30.00	PASS
N41	90MHz	30KHz	TM4	508200	Inner 1RB Left	17.96	19.16	30.00	PASS
N41	90MHz	30KHz	TM4	508200	Inner 1RB Right	18.02	19.22	30.00	PASS
N41	90MHz	30KHz	TM4	518598	Inner Full	18.46	19.66	30.00	PASS
N41	90MHz	30KHz	TM4	518598	Inner 1RB Left	18.16	19.36	30.00	PASS
N41	90MHz	30KHz	TM4	518598	Inner 1RB Right	18.20	19.4	30.00	PASS
N41	90MHz	30KHz	TM4	528996	Inner Full	18.53	19.73	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	90MHz	30KHz	TM4	528996	Inner 1RB Left	18.42	19.62	30.00	PASS
N41	90MHz	30KHz	TM4	528996	Inner 1RB Right	18.37	19.57	30.00	PASS
N41	90MHz	30KHz	TM5	508200	Inner Full	21.15	22.35	30.00	PASS
N41	90MHz	30KHz	TM5	508200	Inner 1RB Left	21.11	22.31	30.00	PASS
N41	90MHz	30KHz	TM5	508200	Inner 1RB Right	21.36	22.56	30.00	PASS
N41	90MHz	30KHz	TM5	518598	Inner Full	21.43	22.63	30.00	PASS
N41	90MHz	30KHz	TM5	518598	Inner 1RB Left	21.24	22.44	30.00	PASS
N41	90MHz	30KHz	TM5	518598	Inner 1RB Right	21.45	22.65	30.00	PASS
N41	90MHz	30KHz	TM5	528996	Inner Full	21.41	22.61	30.00	PASS
N41	90MHz	30KHz	TM5	528996	Inner 1RB Left	21.52	22.72	30.00	PASS
N41	90MHz	30KHz	TM5	528996	Inner 1RB Right	21.51	22.71	30.00	PASS
N41	90MHz	30KHz	TM6	508200	Inner Full	20.76	21.96	30.00	PASS
N41	90MHz	30KHz	TM6	508200	Inner 1RB Left	20.57	21.77	30.00	PASS
N41	90MHz	30KHz	TM6	508200	Inner 1RB Right	20.84	22.04	30.00	PASS
N41	90MHz	30KHz	TM6	518598	Inner Full	20.93	22.13	30.00	PASS
N41	90MHz	30KHz	TM6	518598	Inner 1RB Left	20.56	21.76	30.00	PASS
N41	90MHz	30KHz	TM6	518598	Inner 1RB Right	20.89	22.09	30.00	PASS
N41	90MHz	30KHz	TM6	528996	Inner Full	20.99	22.19	30.00	PASS
N41	90MHz	30KHz	TM6	528996	Inner 1RB Left	20.86	22.06	30.00	PASS
N41	90MHz	30KHz	TM6	528996	Inner 1RB Right	20.80	22	30.00	PASS
N41	90MHz	30KHz	TM7	508200	Inner Full	19.39	20.59	30.00	PASS
N41	90MHz	30KHz	TM7	508200	Inner 1RB Left	19.16	20.36	30.00	PASS
N41	90MHz	30KHz	TM7	508200	Inner 1RB Right	19.16	20.36	30.00	PASS
N41	90MHz	30KHz	TM7	518598	Inner Full	19.18	20.38	30.00	PASS
N41	90MHz	30KHz	TM7	518598	Inner 1RB Left	19.06	20.26	30.00	PASS
N41	90MHz	30KHz	TM7	518598	Inner 1RB Right	19.13	20.33	30.00	PASS
N41	90MHz	30KHz	TM7	528996	Inner Full	19.29	20.49	30.00	PASS
N41	90MHz	30KHz	TM7	528996	Inner 1RB Left	19.15	20.35	30.00	PASS
N41	90MHz	30KHz	TM7	528996	Inner 1RB Right	19.15	20.35	30.00	PASS
N41	90MHz	30KHz	TM8	508200	Inner Full	16.26	17.46	30.00	PASS
N41	90MHz	30KHz	TM8	508200	Inner 1RB Left	16.18	17.38	30.00	PASS
N41	90MHz	30KHz	TM8	508200	Inner 1RB Right	16.47	17.67	30.00	PASS
N41	90MHz	30KHz	TM8	518598	Inner Full	16.44	17.64	30.00	PASS
N41	90MHz	30KHz	TM8	518598	Inner 1RB Left	16.48	17.68	30.00	PASS
N41	90MHz	30KHz	TM8	518598	Inner 1RB Right	16.57	17.77	30.00	PASS
N41	90MHz	30KHz	TM8	528996	Inner Full	16.50	17.7	30.00	PASS
N41	90MHz	30KHz	TM8	528996	Inner 1RB Left	16.79	17.99	30.00	PASS
N41	90MHz	30KHz	TM8	528996	Inner 1RB Right	16.67	17.87	30.00	PASS
N41	100MHz	30KHz	TM1	509202	Inner Full	22.81	24.01	30.00	PASS
N41	100MHz	30KHz	TM1	509202	Inner 1RB Left	22.65	23.85	30.00	PASS
N41	100MHz	30KHz	TM1	509202	Inner 1RB Right	22.92	24.12	30.00	PASS
N41	100MHz	30KHz	TM1	518598	Inner Full	23.04	24.24	30.00	PASS
N41	100MHz	30KHz	TM1	518598	Inner 1RB Left	22.77	23.97	30.00	PASS
N41	100MHz	30KHz	TM1	518598	Inner 1RB Right	23.03	24.23	30.00	PASS
N41	100MHz	30KHz	TM1	528000	Inner Full	23.05	24.25	30.00	PASS
N41	100MHz	30KHz	TM1	528000	Inner 1RB Left	22.95	24.15	30.00	PASS
N41	100MHz	30KHz	TM1	528000	Inner 1RB Right	22.99	24.19	30.00	PASS
N41	100MHz	30KHz	TM2	509202	Inner Full	21.75	22.95	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Not a Testing Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	100MHz	30KHz	TM2	509202	Inner 1RB Left	21.49	22.69	30.00	PASS
N41	100MHz	30KHz	TM2	509202	Inner 1RB Right	21.83	23.03	30.00	PASS
N41	100MHz	30KHz	TM2	518598	Inner Full	22.04	23.24	30.00	PASS
N41	100MHz	30KHz	TM2	518598	Inner 1RB Left	21.58	22.78	30.00	PASS
N41	100MHz	30KHz	TM2	518598	Inner 1RB Right	21.81	23.01	30.00	PASS
N41	100MHz	30KHz	TM2	528000	Inner Full	21.97	23.17	30.00	PASS
N41	100MHz	30KHz	TM2	528000	Inner 1RB Left	21.87	23.07	30.00	PASS
N41	100MHz	30KHz	TM2	528000	Inner 1RB Right	21.83	23.03	30.00	PASS
N41	100MHz	30KHz	TM3	509202	Inner Full	20.22	21.42	30.00	PASS
N41	100MHz	30KHz	TM3	509202	Inner 1RB Left	20.19	21.39	30.00	PASS
N41	100MHz	30KHz	TM3	509202	Inner 1RB Right	20.87	22.07	30.00	PASS
N41	100MHz	30KHz	TM3	518598	Inner Full	20.47	21.67	30.00	PASS
N41	100MHz	30KHz	TM3	518598	Inner 1RB Left	20.03	21.23	30.00	PASS
N41	100MHz	30KHz	TM3	518598	Inner 1RB Right	20.27	21.47	30.00	PASS
N41	100MHz	30KHz	TM3	528000	Inner Full	20.51	21.71	30.00	PASS
N41	100MHz	30KHz	TM3	528000	Inner 1RB Left	20.33	21.53	30.00	PASS
N41	100MHz	30KHz	TM3	528000	Inner 1RB Right	20.26	21.46	30.00	PASS
N41	100MHz	30KHz	TM4	509202	Inner Full	18.17	19.37	30.00	PASS
N41	100MHz	30KHz	TM4	509202	Inner 1RB Left	18.04	19.24	30.00	PASS
N41	100MHz	30KHz	TM4	509202	Inner 1RB Right	18.22	19.42	30.00	PASS
N41	100MHz	30KHz	TM4	518598	Inner Full	18.49	19.69	30.00	PASS
N41	100MHz	30KHz	TM4	518598	Inner 1RB Left	18.20	19.4	30.00	PASS
N41	100MHz	30KHz	TM4	518598	Inner 1RB Right	18.28	19.48	30.00	PASS
N41	100MHz	30KHz	TM4	528000	Inner Full	18.49	19.69	30.00	PASS
N41	100MHz	30KHz	TM4	528000	Inner 1RB Left	18.39	19.59	30.00	PASS
N41	100MHz	30KHz	TM4	528000	Inner 1RB Right	18.23	19.43	30.00	PASS
N41	100MHz	30KHz	TM5	509202	Inner Full	21.22	22.42	30.00	PASS
N41	100MHz	30KHz	TM5	509202	Inner 1RB Left	21.12	22.32	30.00	PASS
N41	100MHz	30KHz	TM5	509202	Inner 1RB Right	21.42	22.62	30.00	PASS
N41	100MHz	30KHz	TM5	518598	Inner Full	21.53	22.73	30.00	PASS
N41	100MHz	30KHz	TM5	518598	Inner 1RB Left	21.18	22.38	30.00	PASS
N41	100MHz	30KHz	TM5	518598	Inner 1RB Right	21.37	22.57	30.00	PASS
N41	100MHz	30KHz	TM5	528000	Inner Full	21.44	22.64	30.00	PASS
N41	100MHz	30KHz	TM5	528000	Inner 1RB Left	21.33	22.53	30.00	PASS
N41	100MHz	30KHz	TM5	528000	Inner 1RB Right	21.44	22.64	30.00	PASS
N41	100MHz	30KHz	TM6	509202	Inner Full	20.69	21.89	30.00	PASS
N41	100MHz	30KHz	TM6	509202	Inner 1RB Left	20.71	21.91	30.00	PASS
N41	100MHz	30KHz	TM6	509202	Inner 1RB Right	21.18	22.38	30.00	PASS
N41	100MHz	30KHz	TM6	518598	Inner Full	21.00	22.2	30.00	PASS
N41	100MHz	30KHz	TM6	518598	Inner 1RB Left	20.84	22.04	30.00	PASS
N41	100MHz	30KHz	TM6	518598	Inner 1RB Right	21.12	22.32	30.00	PASS
N41	100MHz	30KHz	TM6	528000	Inner Full	21.03	22.23	30.00	PASS
N41	100MHz	30KHz	TM6	528000	Inner 1RB Left	21.10	22.3	30.00	PASS
N41	100MHz	30KHz	TM6	528000	Inner 1RB Right	21.09	22.29	30.00	PASS
N41	100MHz	30KHz	TM7	509202	Inner Full	19.25	20.45	30.00	PASS
N41	100MHz	30KHz	TM7	509202	Inner 1RB Left	19.29	20.49	30.00	PASS
N41	100MHz	30KHz	TM7	509202	Inner 1RB Right	19.54	20.74	30.00	PASS
N41	100MHz	30KHz	TM7	518598	Inner Full	19.53	20.73	30.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	100MHz	30KHz	TM7	518598	Inner 1RB Left	18.90	20.1	30.00	PASS
N41	100MHz	30KHz	TM7	518598	Inner 1RB Right	19.15	20.35	30.00	PASS
N41	100MHz	30KHz	TM7	528000	Inner Full	19.53	20.73	30.00	PASS
N41	100MHz	30KHz	TM7	528000	Inner 1RB Left	19.32	20.52	30.00	PASS
N41	100MHz	30KHz	TM7	528000	Inner 1RB Right	19.26	20.46	30.00	PASS
N41	100MHz	30KHz	TM8	509202	Inner Full	16.22	17.42	30.00	PASS
N41	100MHz	30KHz	TM8	509202	Inner 1RB Left	16.32	17.52	30.00	PASS
N41	100MHz	30KHz	TM8	509202	Inner 1RB Right	16.72	17.92	30.00	PASS
N41	100MHz	30KHz	TM8	518598	Inner Full	16.57	17.77	30.00	PASS
N41	100MHz	30KHz	TM8	518598	Inner 1RB Left	16.47	17.67	30.00	PASS
N41	100MHz	30KHz	TM8	518598	Inner 1RB Right	16.76	17.96	30.00	PASS
N41	100MHz	30KHz	TM8	528000	Inner Full	16.55	17.75	30.00	PASS
N41	100MHz	30KHz	TM8	528000	Inner 1RB Left	16.80	18	30.00	PASS
N41	100MHz	30KHz	TM8	528000	Inner 1RB Right	16.70	17.9	30.00	PASS

Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$EIRP [dBm] = \text{Conducted Power} [dBm] + \text{Gain} [dBi]$

$ERP [dBm] = \text{Conducted Power} [dBm] + \text{Gain} [dBi] - 2.15$



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (EMC Test Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2 Peak-to-Average Ratio

2.1 Test Results

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	Result (dB)	Limit (dBm)	Verdict
N41	100MHz	30KHz	TM1	518598	Outer Full	5.04	13	PASS
N41	100MHz	30KHz	TM5	518598	Outer Full	7.65	13	PASS

2.2 Test Plots





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


3 Modulation Characteristics

3.1 Test Plots

3.1.1 Test Band = N41


3.1.1.1 Test Mode = TM1 100MHz

3.1.1.1.1 Test Channel = MCH



3.1.1.2 Test Mode = TM5 100MHz

3.1.1.2.1 Test Channel = MCH



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch (Internal Use Only) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4 Occupied Bandwidth & 26dB Emission Bandwidth

4.1 Test Results

NR Band	Bandwidth	SCS	Modulation	Channel	RB Config	OBW (MHz)	EBW (MHz)	Verdict
N41	20MHz	30KHz	TM1	501204	Outer Full	17.781	19.14	PASS
N41	20MHz	30KHz	TM1	518598	Outer Full	17.810	19.31	PASS
N41	20MHz	30KHz	TM1	535998	Outer Full	17.906	19.54	PASS
N41	20MHz	30KHz	TM5	501204	Outer Full	18.205	19.57	PASS
N41	20MHz	30KHz	TM5	518598	Outer Full	18.168	19.38	PASS
N41	20MHz	30KHz	TM5	535998	Outer Full	18.159	19.38	PASS
N41	40MHz	30KHz	TM1	503202	Outer Full	35.755	37.42	PASS
N41	40MHz	30KHz	TM1	518598	Outer Full	35.717	37.81	PASS
N41	40MHz	30KHz	TM1	534000	Outer Full	35.707	37.38	PASS
N41	40MHz	30KHz	TM5	503202	Outer Full	37.751	39.42	PASS
N41	40MHz	30KHz	TM5	518598	Outer Full	37.742	39.65	PASS
N41	40MHz	30KHz	TM5	534000	Outer Full	37.770	39.49	PASS
N41	50MHz	30KHz	TM1	504204	Outer Full	45.777	47.89	PASS
N41	50MHz	30KHz	TM1	518598	Outer Full	45.699	47.42	PASS
N41	50MHz	30KHz	TM1	532998	Outer Full	45.737	47.41	PASS
N41	50MHz	30KHz	TM5	504204	Outer Full	47.494	49.58	PASS
N41	50MHz	30KHz	TM5	518598	Outer Full	47.476	49.71	PASS
N41	50MHz	30KHz	TM5	532998	Outer Full	47.413	49.76	PASS
N41	60MHz	30KHz	TM1	505200	Outer Full	57.939	60.16	PASS
N41	60MHz	30KHz	TM1	518598	Outer Full	57.859	60.12	PASS
N41	60MHz	30KHz	TM1	531996	Outer Full	57.821	60.05	PASS
N41	60MHz	30KHz	TM5	505200	Outer Full	57.896	60.06	PASS
N41	60MHz	30KHz	TM5	518598	Outer Full	57.777	59.83	PASS
N41	60MHz	30KHz	TM5	531996	Outer Full	57.799	60.17	PASS
N41	80MHz	30KHz	TM1	507204	Outer Full	77.111	79.70	PASS
N41	80MHz	30KHz	TM1	518598	Outer Full	76.964	79.64	PASS
N41	80MHz	30KHz	TM1	529998	Outer Full	77.009	79.79	PASS
N41	80MHz	30KHz	TM5	507204	Outer Full	77.532	80.31	PASS
N41	80MHz	30KHz	TM5	518598	Outer Full	77.491	80.09	PASS
N41	80MHz	30KHz	TM5	529998	Outer Full	77.483	80.15	PASS
N41	90MHz	30KHz	TM1	508200	Outer Full	86.762	89.69	PASS
N41	90MHz	30KHz	TM1	518598	Outer Full	86.554	89.76	PASS
N41	90MHz	30KHz	TM1	528996	Outer Full	86.722	89.70	PASS
N41	90MHz	30KHz	TM5	508200	Outer Full	87.602	90.53	PASS
N41	90MHz	30KHz	TM5	518598	Outer Full	87.403	90.37	PASS
N41	90MHz	30KHz	TM5	528996	Outer Full	87.459	90.51	PASS
N41	100MHz	30KHz	TM1	509202	Outer Full	96.334	99.50	PASS
N41	100MHz	30KHz	TM1	518598	Outer Full	96.091	99.81	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

N41	100MHz	30KHz	TM1	528000	Outer Full	96.306	99.89	PASS
N41	100MHz	30KHz	TM5	509202	Outer Full	96.397	99.65	PASS
N41	100MHz	30KHz	TM5	518598	Outer Full	97.110	100.5	PASS
N41	100MHz	30KHz	TM5	528000	Outer Full	97.403	100.7	PASS


4.2 Test Plots



OBW&EBW N41 TM1 20MHz 535998 Outer Full




OBW&EBW N41 TM5 20MHz 501204 Outer Full




OBW&EBW N41 TM5 20MHz 518598 Outer Full




OBW&EBW N41 TM5 20MHz 535998 Outer Full



OBW&EBW N41 TM1 40MHz 503202 Outer Full




OBW&EBW N41 TM1 40MHz 518598 Outer Full




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

OBW&EBW N41 TM1 40MHz 534000 Outer Full



OBW&EBW N41 TM5 40MHz 503202 Outer Full




OBW&EBW N41 TM5 40MHz 518598 Outer Full




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


OBW&EBW N41 TM5 40MHz 534000 Outer Full



OBW&EBW N41 TM1 50MHz 504204 Outer Full



OBW&EBW N41 TM1 50MHz 518598 Outer Full




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com




OBW&EBW N41 TM1 50MHz 532998 Outer Full



OBW&EBW N41 TM5 50MHz 504204 Outer Full



OBW&EBW N41 TM5 50MHz 518598 Outer Full



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


OBW&EBW N41 TM5 50MHz 532998 Outer Full



OBW&EBW N41 TM1 60MHz 505200 Outer Full




OBW&EBW N41 TM1 60MHz 518598 Outer Full




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

OBW&EBW N41 TM1 60MHz 531996 Outer Full



OBW&EBW N41 TM5 60MHz 505200 Outer Full




OBW&EBW N41 TM5 60MHz 518598 Outer Full




OBW&EBW N41 TM5 60MHz 531996 Outer Full



OBW&EBW N41 TM1 80MHz 507204 Outer Full



OBW&EBW N41 TM1 80MHz 518598 Outer Full



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com




OBW&EBW N41 TM1 80MHz 529998 Outer Full



OBW&EBW N41 TM5 80MHz 507204 Outer Full



OBW&EBW N41 TM5 80MHz 518598 Outer Full



OBW&EBW N41 TM5 80MHz 529998 Outer Full



OBW&EBW N41 TM1 90MHz 508200 Outer Full



OBW&EBW N41 TM1 90MHz 518598 Outer Full



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

OBW&EBW N41 TM1 90MHz 528996 Outer Full



OBW&EBW N41 TM5 90MHz 508200 Outer Full



OBW&EBW N41 TM5 90MHz 518598 Outer Full



OBW&EBW N41 TM5 90MHz 528996 Outer Full




OBW&EBW N41 TM1 100MHz 509202 Outer Full



OBW&EBW N41 TM1 100MHz 518598 Outer Full




OBW&EBW N41 TM1 100MHz 528000 Outer Full



OBW&EBW N41 TM5 100MHz 509202 Outer Full



OBW&EBW N41 TM5 100MHz 518598 Outer Full




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com




OBW&EBW N41 TM5 100MHz 528000 Outer Full



5 Band Edges Compliance


5.1 Test Plots

N41 TM1 20MHz 501204 Edge 1RB Left




Date: 25 JUN 2020 10:34:28


N41 TM1 20MHz 501204 Edge 1RB Left



N41 TM1 20MHz 501204 Outer Full




N41 TM1 20MHz 535998 Edge 1RB Right




N41 TM1 20MHz 535998 Outer Full




N41 TM5 20MHz 501204 Edge 1RB Left




N41 TM5 20MHz 501204 Edge 1RB Left




N41 TM5 20MHz 501204 Outer Full




N41 TM5 20MHz 535998 Edge 1RB Right




N41 TM5 20MHz 535998 Edge 1RB Right




N41 TM5 20MHz 535998 Outer Full




N41 TM1 40MHz 503202 Edge 1RB Left




N41 TM1 40MHz 503202 Outer Full




N41 TM1 40MHz 534000 Edge 1RB Right




N41 TM1 40MHz 534000 Edge 1RB Right




N41 TM1 40MHz 534000 Outer Full




N41 TM5 40MHz 503202 Edge 1RB Left




N41 TM5 40MHz 503202 Edge 1RB Left




N41 TM5 40MHz 503202 Outer Full




N41 TM5 40MHz 534000 Edge 1RB Right




N41 TM5 40MHz 534000 Outer Full



N41 TM1 50MHz 504204 Edge 1RB Left




N41 TM1 50MHz 504204 Edge 1RB Left




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

N41 TM1 50MHz 504204 Outer Full




N41 TM1 50MHz 532998 Edge 1RB Right




N41 TM1 50MHz 532998 Outer Full




N41 TM5 50MHz 504204 Edge 1RB Left



N41 TM5 50MHz 504204 Outer Full




N41 TM5 50MHz 532998 Edge 1RB Right




N41 TM5 50MHz 532998 Outer Full



N41 TM1 60MHz 505200 Edge 1RB Left



N41 TM1 60MHz 505200 Edge 1RB Left




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


N41 TM1 60MHz 505200 Outer Full



N41 TM1 60MHz 531996 Edge 1RB Right




N41 TM1 60MHz 531996 Edge 1RB Right




N41 TM1 60MHz 531996 Outer Full




N41 TM5 60MHz 505200 Edge 1RB Left



N41 TM5 60MHz 505200 Edge 1RB Left




N41 TM5 60MHz 505200 Outer Full




Date: 25 JUN 2020 12:26:24

N41 TM5 60MHz 531996 Edge 1RB Right



Date: 25 JUN 2020 13:03:19


N41 TM5 60MHz 531996 Outer Full




Date: 25 JUN 2020 13:00:58




N41 TM1 80MHz 507204 Edge 1RB Left




N41 TM1 80MHz 507204 Outer Full




N41 TM1 80MHz 529998 Edge 1RB Right



N41 TM1 80MHz 529998 Edge 1RB Right




N41 TM1 80MHz 529998 Outer Full



Date: 25 JUN 2020 09:58:00


N41 TM5 80MHz 507204 Edge 1RB Left




Date: 25 JUN 2020 12:24:38




N41 TM5 80MHz 507204 Edge 1RB Left




N41 TM5 80MHz 507204 Outer Full




N41 TM5 80MHz 529998 Edge 1RB Right




N41 TM5 80MHz 529998 Outer Full




N41 TM1 90MHz 508200 Edge 1RB Left



N41 TM1 90MHz 508200 Edge 1RB Left




N41 TM1 90MHz 508200 Outer Full




Date: 25 JUN 2020 10:55:57

N41 TM1 90MHz 528996 Edge 1RB Right



Date: 25 JUN 2020 10:02:31

N41 TM1 90MHz 528996 Edge 1RB Right



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions. If any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


N41 TM1 90MHz 528996 Outer Full




N41 TM5 90MHz 508200 Edge 1RB Left




N41 TM5 90MHz 508200 Outer Full




N41 TM5 90MHz 528996 Edge 1RB Right




N41 TM5 90MHz 528996 Outer Full




N41 TM1 100MHz 509202 Edge 1RB Left




N41 TM1 100MHz 509202 Edge 1RB Left




N41 TM1 100MHz 509202 Outer Full



N41 TM1 100MHz 528000 Edge 1RB Right




N41 TM1 100MHz 528000 Edge 1RB Right



N41 TM1 100MHz 528000 Outer Full



N41 TM5 100MHz 509202 Edge 1RB Left




N41 TM5 100MHz 509202 Outer Full

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com







N41 TM5 100MHz 528000 Edge 1RB Right



N41 TM5 100MHz 528000 Edge 1RB Right



N41 TM5 100MHz 528000 Outer Full




Date: 25 JUN 2020 13:12:45



6 Spurious Emission at Antenna Terminal

REMARK: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrow Band signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (\text{Span} / \text{RBW})$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


6.1 Test Plots




N41 100M 509202 TM1 Edge 1RB Left 2701.01 - 26500



N41 100M 518598 TM1 Edge 1RB Left 30 - 1000




N41 100M 518598 TM1 Edge 1RB Left 1000 - 2437.99




N41 100M 518598 TM1 Edge 1RB Left 2747.99 - 26500



N41 100M 528000 TM1 Edge 1RB Left 30 - 1000



N41 100M 528000 TM1 Edge 1RB Left 1000 - 2485



N41 100M 528000 TM1 Edge 1RB Left 2795 - 26500



7 Field Strength of Spurious Radiation

7.1 Test Band = N41


Ant0:

7.1.1 Test Mode = TM1

7.1.1.1 Test Channel = LCH

Band:	41	Mode:	SA
Channel:	509202	State:	

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	44.4052	-71.06	-64.07	-25.00	39.07	184	99	6.99	Horizontal
2	231.1881	-71.72	-68.89	-25.00	43.89	175	4	2.83	Horizontal
3	609.0705	-71.77	-64.09	-25.00	39.09	162	291	7.68	Horizontal
4	3621.5207	-52.22	-60.41	-25.00	35.41	188	227	-8.19	Horizontal
5	7381.6461	-56.08	-56.19	-25.00	31.19	192	4	-0.11	Horizontal
6	16398.4466	-57.83	-43.41	-25.00	18.41	175	67	14.42	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Band:	41	Mode:	SA
Channel:	509202	State:	

Test Graph



Suspected Data List									
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	51.0016	-69.86	-71.11	-25.00	46.11	271	324	-1.25	Vertical
2	108.6224	-71.21	-65.12	-25.00	40.12	256	260	6.09	Vertical
3	327.5624	-70.96	-68.99	-25.00	43.99	281	324	1.97	Vertical
4	5042.0681	-54.70	-61.78	-25.00	36.78	259	132	-7.08	Vertical
5	7366.6456	-56.45	-55.92	-25.00	30.92	214	69	0.53	Vertical
6	14488.3829	-59.85	-47.43	-25.00	22.43	263	132	12.42	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.1.1.2 Test Channel = MCH

Band:	41	Mode:	SA
Channel:	518598	State:	

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	42.9987	-71.43	-64.51	-25.00	39.51	187	101	6.92	Horizontal
2	110.4655	-69.07	-74.23	-25.00	49.23	162	260	-5.16	Horizontal
3	238.5604	-71.44	-68.64	-25.00	43.64	187	197	2.80	Horizontal
4	3925.5309	-53.67	-61.94	-25.00	36.94	169	292	-8.27	Horizontal
5	8023.6675	-56.72	-55.84	-25.00	30.84	175	69	0.88	Horizontal
6	16396.4465	-57.38	-42.99	-25.00	17.99	169	324	14.39	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Band:	41	Mode:	SA
Channel:	518598	State:	

Test Graph




Suspected Data List									
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	46.4908	-71.72	-73.68	-25.00	48.68	271	228	-1.96	Vertical
2	107.9919	-70.80	-64.86	-25.00	39.86	256	4	5.94	Vertical
3	397.3089	-70.79	-67.65	-25.00	42.65	196	325	3.14	Vertical
4	5148.5716	-54.51	-61.54	-25.00	36.54	174	356	-7.03	Vertical
5	7927.6643	-56.53	-55.69	-25.00	30.69	165	36	0.84	Vertical
6	14462.8821	-59.95	-47.74	-25.00	22.74	198	4	12.21	Vertical



7.1.1.3 Test Channel = HCH

Band:	41	Mode:	SA
Channel:	528000	State:	

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	38.1484	-70.86	-64.72	-25.00	39.72	184	131	6.14	Horizontal
2	227.7444	-70.39	-67.97	-25.00	42.97	196	36	2.42	Horizontal
3	596.0233	-72.12	-64.58	-25.00	39.58	175	291	7.54	Horizontal
4	5160.0720	-54.56	-61.24	-25.00	36.24	188	195	-6.68	Horizontal
5	7458.1486	-55.98	-56.01	-25.00	31.01	162	131	-0.03	Horizontal
6	16395.4465	-57.83	-43.46	-25.00	18.46	185	68	14.37	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Band:	41	Mode:	SA
Channel:	528000	State:	

Test Graph



Suspected Data List									
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	49.0130	-71.60	-73.01	-25.00	48.01	271	37	-1.41	Vertical
2	110.7565	-70.59	-64.25	-25.00	39.25	256	5	6.34	Vertical
3	345.4598	-70.87	-68.49	-25.00	43.49	281	100	2.38	Vertical
4	5038.5680	-54.75	-61.84	-25.00	36.84	259	292	-7.09	Vertical
5	9318.7106	-58.55	-52.63	-25.00	27.63	221	260	5.92	Vertical
6	14483.8828	-59.58	-47.20	-25.00	22.20	269	228	12.38	Vertical




Ant2:

7.1.2 Test Mode = TM1

7.1.2.1 Test Channel = LCH

Band:	41	Mode:	SA
Channel:	509202	State:	

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	43.0957	-72.62	-65.70	-25.00	40.70	166	4	6.92	Horizontal
2	86.3113	-66.84	-71.51	-25.00	46.51	173	259	-4.67	Horizontal
3	750.9885	-73.04	-63.08	-25.00	38.08	127	195	9.96	Horizontal
4	5112.0704	-55.17	-61.79	-25.00	36.79	249	195	-6.62	Horizontal
5	10624.7542	-59.00	-52.93	-25.00	27.93	222	4	6.07	Horizontal
6	16398.4466	-58.53	-44.11	-25.00	19.11	284	67	14.42	Horizontal




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (FCC Laboratory)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Band:	41	Mode:	SA
Channel:	509202	State:	

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	85.1473	-64.44	-65.58	-25.00	40.58	176	36	-1.14	Vertical
2	220.3235	-70.24	-71.61	-25.00	46.61	231	260	-1.37	Vertical
3	747.8844	-71.38	-61.79	-25.00	36.79	296	132	9.59	Vertical
4	4546.5516	-53.21	-62.07	-25.00	37.07	215	5	-8.86	Vertical
5	10631.2544	-57.32	-50.63	-25.00	25.63	224	69	6.69	Vertical
6	17999.0000	-57.43	-39.58	-25.00	14.58	178	5	17.85	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (FCC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.1.2.2 Test Channel = MCH

Band:	41	Mode:	SA
Channel:	518598	State:	

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	44.8902	-71.49	-64.48	-25.00	39.48	233	133	7.01	Horizontal
2	84.0317	-65.78	-70.23	-25.00	45.23	274	260	-4.45	Horizontal
3	773.2997	-71.73	-61.82	-25.00	36.82	185	5	9.91	Horizontal
4	5641.0880	-54.11	-60.15	-25.00	35.15	169	37	-6.04	Horizontal
5	10654.2551	-57.62	-51.82	-25.00	26.82	172	197	5.80	Horizontal
6	16396.4465	-56.88	-42.49	-25.00	17.49	222	324	14.39	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Band:	41	Mode:	SA
Channel:	518598	State:	

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	82.1401	-66.87	-66.15	-25.00	41.15	152	325	0.72	Vertical
2	278.1869	-72.00	-71.42	-25.00	46.42	226	36	0.58	Vertical
3	644.5257	-71.36	-63.87	-25.00	38.87	237	69	7.49	Vertical
4	5621.5874	-55.81	-62.26	-25.00	37.26	179	325	-6.45	Vertical
5	10702.7568	-58.76	-52.19	-25.00	27.19	269	164	6.57	Vertical
6	17999.5000	-58.55	-40.68	-25.00	15.68	274	100	17.87	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

7.1.2.3 Test Channel = HCH

Band:	41	Mode:	SA
Channel:	528000	State:	

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	43.7262	-71.38	-64.43	-25.00	39.43	186	36	6.95	Horizontal
2	246.4663	-70.29	-67.64	-25.00	42.64	145	291	2.65	Horizontal
3	916.8183	-72.37	-60.42	-25.00	35.42	225	259	11.95	Horizontal
4	5698.5900	-55.15	-61.11	-25.00	36.11	237	163	-5.96	Horizontal
5	10597.7533	-58.12	-51.84	-25.00	26.84	196	68	6.28	Horizontal
6	16395.4465	-57.83	-43.46	-25.00	18.46	176	68	14.37	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Band:	41	Mode:	SA
Channel:	528000	State:	

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Factor [dB]	Polarity
1	84.3712	-64.33	-65.08	-25.00	40.08	188	68	-0.75	Vertical
2	191.9496	-69.37	-72.82	-25.00	47.82	153	292	-3.45	Vertical
3	732.4606	-71.77	-62.61	-25.00	37.61	252	292	9.16	Vertical
4	6600.6200	-56.51	-59.05	-25.00	34.05	294	228	-2.54	Vertical
5	10671.7557	-58.35	-51.73	-25.00	26.73	143	292	6.62	Vertical
6	17999.5000	-56.86	-38.99	-25.00	13.99	211	196	17.87	Vertical

REMARK:

- 1) only the worst case data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



8 Frequency Stability

8.1 Frequency Error VS. Voltage

NR Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage [Vdc]	Temperature(°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
N41	30KHz	100MHz	TM1	509202	Outer Full	VL	NT	-16.61	-0.006524	±2.5	PASS
N41	30KHz	100MHz	TM1	509202	Outer Full	VN	NT	-22.52	-0.008846	±2.5	PASS
N41	30KHz	100MHz	TM1	509202	Outer Full	VH	NT	22.30	0.008758	±2.5	PASS
N41	30KHz	100MHz	TM1	518598	Outer Full	VL	NT	17.49	0.006746	±2.5	PASS
N41	30KHz	100MHz	TM1	518598	Outer Full	VN	NT	-24.66	-0.009512	±2.5	PASS
N41	30KHz	100MHz	TM1	518598	Outer Full	VH	NT	-11.90	-0.004590	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VL	NT	-22.39	-0.008480	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VN	NT	-11.85	-0.004490	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VH	NT	21.83	0.008269	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VL	NT	-21.37	-0.008395	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VN	NT	-18.74	-0.007360	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VH	NT	3.12	0.001225	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VL	NT	20.99	0.008093	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VN	NT	-0.65	-0.000250	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VH	NT	-3.99	-0.001538	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VL	NT	-2.91	-0.001103	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VN	NT	-0.26	-0.000099	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VH	NT	-19.15	-0.007253	±2.5	PASS

8.2 Frequency Error VS. Temperature

NR Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage [Vdc]	Temperature(°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
N41	30KHz	100MHz	TM1	509202	Outer Full	VN	-30	-20.37	-0.008000	±2.5	PASS
N41	30KHz	100MHz	TM1	509202	Outer Full	VN	-20	-5.07	-0.001992	±2.5	PASS
N41	30KHz	100MHz	TM1	509202	Outer Full	VN	-10	14.43	0.005667	±2.5	PASS
N41	30KHz	100MHz	TM1	509202	Outer Full	VN	0	16.33	0.006414	±2.5	PASS
N41	30KHz	100MHz	TM1	509202	Outer Full	VN	10	15.57	0.006117	±2.5	PASS
N41	30KHz	100MHz	TM1	509202	Outer Full	VN	20	-5.55	-0.002179	±2.5	PASS
N41	30KHz	100MHz	TM1	509202	Outer Full	VN	30	-24.77	-0.009728	±2.5	PASS
N41	30KHz	100MHz	TM1	509202	Outer Full	VN	40	-22.47	-0.008826	±2.5	PASS
N41	30KHz	100MHz	TM1	509202	Outer Full	VN	50	0.09	0.000035	±2.5	PASS
N41	30KHz	100MHz	TM1	518598	Outer Full	VN	-30	12.93	0.004988	±2.5	PASS
N41	30KHz	100MHz	TM1	518598	Outer Full	VN	-20	-13.88	-0.005355	±2.5	PASS
N41	30KHz	100MHz	TM1	518598	Outer Full	VN	-10	4.99	0.001924	±2.5	PASS
N41	30KHz	100MHz	TM1	518598	Outer Full	VN	0	-5.62	-0.002168	±2.5	PASS
N41	30KHz	100MHz	TM1	518598	Outer Full	VN	10	24.01	0.009259	±2.5	PASS
N41	30KHz	100MHz	TM1	518598	Outer Full	VN	20	16.17	0.006237	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8367 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Inspection & Testing Services Laboratory)

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



N41	30KHz	100MHz	TM1	518598	Outer Full	VN	30	9.25	0.003568	±2.5	PASS
N41	30KHz	100MHz	TM1	518598	Outer Full	VN	40	-12.76	-0.004921	±2.5	PASS
N41	30KHz	100MHz	TM1	518598	Outer Full	VN	50	6.39	0.002465	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VN	-30	-14.74	-0.005584	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VN	-20	-10.30	-0.003901	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VN	-10	11.89	0.004505	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VN	0	12.66	0.004794	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VN	10	6.27	0.002376	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VN	20	18.43	0.006982	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VN	30	-12.53	-0.004746	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VN	40	-1.16	-0.000440	±2.5	PASS
N41	30KHz	100MHz	TM1	528000	Outer Full	VN	50	17.07	0.006464	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VN	-30	10.40	0.004084	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VN	-20	24.63	0.009674	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VN	-10	24.62	0.009670	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VN	0	-12.59	-0.004946	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VN	10	-10.34	-0.004060	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VN	20	10.32	0.004054	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VN	30	14.22	0.005585	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VN	40	4.06	0.001596	±2.5	PASS
N41	30KHz	100MHz	TM2	509202	Outer Full	VN	50	-15.70	-0.006166	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VN	-30	9.83	0.003789	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VN	-20	-20.99	-0.008093	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VN	-10	-23.43	-0.009038	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VN	0	7.66	0.002953	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VN	10	-12.56	-0.004844	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VN	20	-9.95	-0.003837	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VN	30	-7.42	-0.002863	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VN	40	13.86	0.005347	±2.5	PASS
N41	30KHz	100MHz	TM2	518598	Outer Full	VN	50	-6.70	-0.002585	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VN	-30	6.62	0.002508	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VN	-20	4.74	0.001794	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VN	-10	8.26	0.003129	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VN	0	-5.75	-0.002178	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VN	10	-23.55	-0.008922	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VN	20	23.45	0.008884	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VN	30	-9.84	-0.003727	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VN	40	22.23	0.008422	±2.5	PASS
N41	30KHz	100MHz	TM2	528000	Outer Full	VN	50	-5.44	-0.002061	±2.5	PASS

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com