

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Ant 5

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N7	15	5	DFT-PI2BPSK	L	1@1	24.72	23.12	33	PASS
N7	15	5	DFT-PI2BPSK	L	1@23	24.86	23.26	33	PASS
N7	15	5	DFT-PI2BPSK	L	25@0	24.31	22.71	33	PASS
N7	15	5	DFT-QPSK	L	1@1	24.78	23.18	33	PASS
N7	15	5	DFT-QPSK	L	1@23	24.91	23.31	33	PASS
N7	15	5	DFT-QPSK	L	25@0	23.8	22.2	33	PASS
N7	15	5	DFT-16QAM	L	1@1	23.58	21.98	33	PASS
N7	15	5	DFT-16QAM	L	1@23	23.74	22.14	33	PASS
N7	15	5	DFT-16QAM	L	25@0	22.84	21.24	33	PASS
N7	15	5	DFT-64QAM	L	1@1	22.33	20.73	33	PASS
N7	15	5	DFT-64QAM	L	1@23	22.41	20.81	33	PASS
N7	15	5	DFT-64QAM	L	25@0	22.32	20.72	33	PASS
N7	15	5	DFT-256QAM	L	1@1	22.36	20.76	33	PASS
N7	15	5	DFT-256QAM	L	1@23	22.03	20.43	33	PASS
N7	15	5	DFT-256QAM	L	25@0	22.35	20.75	33	PASS
N7	15	5	DFT-PI2BPSK	M	1@1	24.64	23.04	33	PASS
N7	15	5	DFT-PI2BPSK	M	1@23	24.66	23.06	33	PASS
N7	15	5	DFT-PI2BPSK	M	25@0	24.13	22.53	33	PASS
N7	15	5	DFT-QPSK	M	1@1	24.72	23.12	33	PASS
N7	15	5	DFT-QPSK	M	1@23	24.71	23.11	33	PASS
N7	15	5	DFT-QPSK	M	25@0	23.63	22.03	33	PASS
N7	15	5	DFT-16QAM	M	1@1	23.43	21.83	33	PASS
N7	15	5	DFT-16QAM	M	1@23	23.44	21.84	33	PASS
N7	15	5	DFT-16QAM	M	25@0	22.67	21.07	33	PASS
N7	15	5	DFT-64QAM	M	1@1	22.19	20.59	33	PASS
N7	15	5	DFT-64QAM	M	1@23	22.18	20.58	33	PASS
N7	15	5	DFT-64QAM	M	25@0	22.15	20.55	33	PASS
N7	15	5	DFT-256QAM	M	1@1	22.24	20.64	33	PASS
N7	15	5	DFT-256QAM	M	1@23	22.2	20.6	33	PASS
N7	15	5	DFT-256QAM	M	25@0	22.14	20.54	33	PASS
N7	15	5	DFT-PI2BPSK	H	1@1	24.56	22.96	33	PASS
N7	15	5	DFT-PI2BPSK	H	1@23	24.63	23.03	33	PASS
N7	15	5	DFT-PI2BPSK	H	25@0	24.13	22.53	33	PASS
N7	15	5	DFT-QPSK	H	1@1	24.66	23.06	33	PASS
N7	15	5	DFT-QPSK	H	1@23	24.73	23.13	33	PASS
N7	15	5	DFT-QPSK	H	25@0	23.63	22.03	33	PASS
N7	15	5	DFT-16QAM	H	1@1	23.47	21.87	33	PASS

N7	15	5	DFT-16QAM	H	1@23	23.56	21.96	33	PASS
N7	15	5	DFT-16QAM	H	25@0	22.65	21.05	33	PASS
N7	15	5	DFT-64QAM	H	1@1	22.09	20.49	33	PASS
N7	15	5	DFT-64QAM	H	1@23	22.14	20.54	33	PASS
N7	15	5	DFT-64QAM	H	25@0	22.17	20.57	33	PASS
N7	15	5	DFT-256QAM	H	1@1	22.03	20.43	33	PASS
N7	15	5	DFT-256QAM	H	1@23	22.09	20.49	33	PASS
N7	15	5	DFT-256QAM	H	25@0	22.17	20.57	33	PASS
N7	15	10	DFT-PI2BPSK	L	1@1	24.76	23.16	33	PASS
N7	15	10	DFT-PI2BPSK	L	1@50	25	23.4	33	PASS
N7	15	10	DFT-PI2BPSK	L	50@0	24.32	22.72	33	PASS
N7	15	10	DFT-QPSK	L	1@1	24.83	23.23	33	PASS
N7	15	10	DFT-QPSK	L	1@50	25.08	23.48	33	PASS
N7	15	10	DFT-QPSK	L	50@0	23.86	22.26	33	PASS
N7	15	10	DFT-16QAM	L	1@1	23.66	22.06	33	PASS
N7	15	10	DFT-16QAM	L	1@50	23.96	22.36	33	PASS
N7	15	10	DFT-16QAM	L	50@0	22.87	21.27	33	PASS
N7	15	10	DFT-64QAM	L	1@1	22.3	20.7	33	PASS
N7	15	10	DFT-64QAM	L	1@50	22.48	20.88	33	PASS
N7	15	10	DFT-64QAM	L	50@0	22.37	20.77	33	PASS
N7	15	10	DFT-256QAM	L	1@1	22.23	20.63	33	PASS
N7	15	10	DFT-256QAM	L	1@50	22.43	20.83	33	PASS
N7	15	10	DFT-256QAM	L	50@0	22.39	20.79	33	PASS
N7	15	10	DFT-PI2BPSK	M	1@1	24.69	23.09	33	PASS
N7	15	10	DFT-PI2BPSK	M	1@50	24.79	23.19	33	PASS
N7	15	10	DFT-PI2BPSK	M	50@0	24.19	22.59	33	PASS
N7	15	10	DFT-QPSK	M	1@1	24.87	23.27	33	PASS
N7	15	10	DFT-QPSK	M	1@50	24.94	23.34	33	PASS
N7	15	10	DFT-QPSK	M	50@0	23.69	22.09	33	PASS
N7	15	10	DFT-16QAM	M	1@1	23.5	21.9	33	PASS
N7	15	10	DFT-16QAM	M	1@50	23.56	21.96	33	PASS
N7	15	10	DFT-16QAM	M	50@0	22.66	21.06	33	PASS
N7	15	10	DFT-64QAM	M	1@1	22.25	20.65	33	PASS
N7	15	10	DFT-64QAM	M	1@50	22.22	20.62	33	PASS
N7	15	10	DFT-64QAM	M	50@0	22.16	20.56	33	PASS
N7	15	10	DFT-256QAM	M	1@1	22.26	20.66	33	PASS
N7	15	10	DFT-256QAM	M	1@50	22.27	20.67	33	PASS
N7	15	10	DFT-256QAM	M	50@0	22.19	20.59	33	PASS
N7	15	10	DFT-PI2BPSK	H	1@1	24.66	23.06	33	PASS
N7	15	10	DFT-PI2BPSK	H	1@50	24.71	23.11	33	PASS
N7	15	10	DFT-PI2BPSK	H	50@0	24.12	22.52	33	PASS
N7	15	10	DFT-QPSK	H	1@1	24.78	23.18	33	PASS
N7	15	10	DFT-QPSK	H	1@50	24.81	23.21	33	PASS
N7	15	10	DFT-QPSK	H	50@0	23.66	22.06	33	PASS

N7	15	10	DFT-16QAM	H	1@1	23.58	21.98	33	PASS
N7	15	10	DFT-16QAM	H	1@50	23.62	22.02	33	PASS
N7	15	10	DFT-16QAM	H	50@0	22.64	21.04	33	PASS
N7	15	10	DFT-64QAM	H	1@1	22.15	20.55	33	PASS
N7	15	10	DFT-64QAM	H	1@50	22.18	20.58	33	PASS
N7	15	10	DFT-64QAM	H	50@0	22.13	20.53	33	PASS
N7	15	10	DFT-256QAM	H	1@1	22.12	20.52	33	PASS
N7	15	10	DFT-256QAM	H	1@50	22.14	20.54	33	PASS
N7	15	10	DFT-256QAM	H	50@0	22.16	20.56	33	PASS
N7	15	15	DFT-PI2BPSK	L	1@1	24.65	23.05	33	PASS
N7	15	15	DFT-PI2BPSK	L	1@77	24.92	23.32	33	PASS
N7	15	15	DFT-PI2BPSK	L	75@0	24.43	22.83	33	PASS
N7	15	15	DFT-QPSK	L	1@1	24.73	23.13	33	PASS
N7	15	15	DFT-QPSK	L	1@77	24.99	23.39	33	PASS
N7	15	15	DFT-QPSK	L	75@0	23.92	22.32	33	PASS
N7	15	15	DFT-16QAM	L	1@1	23.57	21.97	33	PASS
N7	15	15	DFT-16QAM	L	1@77	23.76	22.16	33	PASS
N7	15	15	DFT-16QAM	L	75@0	22.94	21.34	33	PASS
N7	15	15	DFT-64QAM	L	1@1	22.2	20.6	33	PASS
N7	15	15	DFT-64QAM	L	1@77	22.44	20.84	33	PASS
N7	15	15	DFT-64QAM	L	75@0	22.43	20.83	33	PASS
N7	15	15	DFT-256QAM	L	1@1	22.09	20.49	33	PASS
N7	15	15	DFT-256QAM	L	1@77	22.37	20.77	33	PASS
N7	15	15	DFT-256QAM	L	75@0	22.42	20.82	33	PASS
N7	15	15	DFT-PI2BPSK	M	1@1	24.59	22.99	33	PASS
N7	15	15	DFT-PI2BPSK	M	1@77	24.72	23.12	33	PASS
N7	15	15	DFT-PI2BPSK	M	75@0	24.2	22.6	33	PASS
N7	15	15	DFT-QPSK	M	1@1	24.77	23.17	33	PASS
N7	15	15	DFT-QPSK	M	1@77	24.89	23.29	33	PASS
N7	15	15	DFT-QPSK	M	75@0	23.74	22.14	33	PASS
N7	15	15	DFT-16QAM	M	1@1	23.4	21.8	33	PASS
N7	15	15	DFT-16QAM	M	1@77	23.53	21.93	33	PASS
N7	15	15	DFT-16QAM	M	75@0	22.7	21.1	33	PASS
N7	15	15	DFT-64QAM	M	1@1	22.16	20.56	33	PASS
N7	15	15	DFT-64QAM	M	1@77	22.21	20.61	33	PASS
N7	15	15	DFT-64QAM	M	75@0	22.2	20.6	33	PASS
N7	15	15	DFT-256QAM	M	1@1	22.18	20.58	33	PASS
N7	15	15	DFT-256QAM	M	1@77	22.25	20.65	33	PASS
N7	15	15	DFT-256QAM	M	75@0	22.18	20.58	33	PASS
N7	15	15	DFT-PI2BPSK	H	1@1	24.7	23.1	33	PASS
N7	15	15	DFT-PI2BPSK	H	1@77	24.66	23.06	33	PASS
N7	15	15	DFT-PI2BPSK	H	75@0	24.24	22.64	33	PASS
N7	15	15	DFT-QPSK	H	1@1	24.77	23.17	33	PASS
N7	15	15	DFT-QPSK	H	1@77	24.78	23.18	33	PASS

N7	15	15	DFT-QPSK	H	75@0	23.76	22.16	33	PASS
N7	15	15	DFT-16QAM	H	1@1	23.62	22.02	33	PASS
N7	15	15	DFT-16QAM	H	1@77	23.53	21.93	33	PASS
N7	15	15	DFT-16QAM	H	75@0	22.72	21.12	33	PASS
N7	15	15	DFT-64QAM	H	1@1	22.13	20.53	33	PASS
N7	15	15	DFT-64QAM	H	1@77	22.14	20.54	33	PASS
N7	15	15	DFT-64QAM	H	75@0	22.21	20.61	33	PASS
N7	15	15	DFT-256QAM	H	1@1	22.09	20.49	33	PASS
N7	15	15	DFT-256QAM	H	1@77	22.04	20.44	33	PASS
N7	15	15	DFT-256QAM	H	75@0	22.21	20.61	33	PASS
N7	15	20	DFT-PI2BPSK	L	1@1	24.56	22.96	33	PASS
N7	15	20	DFT-PI2BPSK	L	1@104	24.83	23.23	33	PASS
N7	15	20	DFT-PI2BPSK	L	100@0	24.42	22.82	33	PASS
N7	15	20	DFT-QPSK	L	1@1	24.67	23.07	33	PASS
N7	15	20	DFT-QPSK	L	1@104	25.06	23.46	33	PASS
N7	15	20	DFT-QPSK	L	100@0	23.94	22.34	33	PASS
N7	15	20	DFT-16QAM	L	1@1	23.58	21.98	33	PASS
N7	15	20	DFT-16QAM	L	1@104	23.64	22.04	33	PASS
N7	15	20	DFT-16QAM	L	100@0	22.94	21.34	33	PASS
N7	15	20	DFT-64QAM	L	1@1	22.24	20.64	33	PASS
N7	15	20	DFT-64QAM	L	1@104	22.38	20.78	33	PASS
N7	15	20	DFT-64QAM	L	100@0	22.44	20.84	33	PASS
N7	15	20	DFT-256QAM	L	1@1	22.23	20.63	33	PASS
N7	15	20	DFT-256QAM	L	1@104	22.4	20.8	33	PASS
N7	15	20	DFT-256QAM	L	100@0	22.43	20.83	33	PASS
N7	15	20	DFT-PI2BPSK	M	1@1	24.63	23.03	33	PASS
N7	15	20	DFT-PI2BPSK	M	1@104	24.72	23.12	33	PASS
N7	15	20	DFT-PI2BPSK	M	100@0	24.2	22.6	33	PASS
N7	15	20	DFT-QPSK	M	1@1	24.77	23.17	33	PASS
N7	15	20	DFT-QPSK	M	1@104	24.93	23.33	33	PASS
N7	15	20	DFT-QPSK	M	100@0	23.72	22.12	33	PASS
N7	15	20	DFT-16QAM	M	1@1	23.44	21.84	33	PASS
N7	15	20	DFT-16QAM	M	1@104	23.57	21.97	33	PASS
N7	15	20	DFT-16QAM	M	100@0	22.69	21.09	33	PASS
N7	15	20	DFT-64QAM	M	1@1	22.21	20.61	33	PASS
N7	15	20	DFT-64QAM	M	1@104	22.27	20.67	33	PASS
N7	15	20	DFT-64QAM	M	100@0	22.22	20.62	33	PASS
N7	15	20	DFT-256QAM	M	1@1	22.24	20.64	33	PASS
N7	15	20	DFT-256QAM	M	1@104	21.92	20.32	33	PASS
N7	15	20	DFT-256QAM	M	100@0	22.19	20.59	33	PASS
N7	15	20	DFT-PI2BPSK	H	1@1	24.74	23.14	33	PASS
N7	15	20	DFT-PI2BPSK	H	1@104	24.63	23.03	33	PASS
N7	15	20	DFT-PI2BPSK	H	100@0	24.23	22.63	33	PASS
N7	15	20	DFT-QPSK	H	1@1	24.76	23.16	33	PASS

N7	15	20	DFT-QPSK	H	1@104	24.76	23.16	33	PASS
N7	15	20	DFT-QPSK	H	100@0	23.75	22.15	33	PASS
N7	15	20	DFT-16QAM	H	1@1	23.55	21.95	33	PASS
N7	15	20	DFT-16QAM	H	1@104	23.42	21.82	33	PASS
N7	15	20	DFT-16QAM	H	100@0	22.71	21.11	33	PASS
N7	15	20	DFT-64QAM	H	1@1	22.15	20.55	33	PASS
N7	15	20	DFT-64QAM	H	1@104	22.19	20.59	33	PASS
N7	15	20	DFT-64QAM	H	100@0	22.23	20.63	33	PASS
N7	15	20	DFT-256QAM	H	1@1	22.32	20.72	33	PASS
N7	15	20	DFT-256QAM	H	1@104	22.18	20.58	33	PASS
N7	15	20	DFT-256QAM	H	100@0	22.22	20.62	33	PASS
N7	15	25	DFT-PI2BPSK	L	1@1	24.7	23.1	33	PASS
N7	15	25	DFT-PI2BPSK	L	1@131	24.84	23.24	33	PASS
N7	15	25	DFT-PI2BPSK	L	128@0	24.45	22.85	33	PASS
N7	15	25	DFT-QPSK	L	1@1	24.88	23.28	33	PASS
N7	15	25	DFT-QPSK	L	1@131	24.9	23.3	33	PASS
N7	15	25	DFT-QPSK	L	128@0	23.96	22.36	33	PASS
N7	15	25	DFT-16QAM	L	1@1	23.57	21.97	33	PASS
N7	15	25	DFT-16QAM	L	1@131	23.63	22.03	33	PASS
N7	15	25	DFT-16QAM	L	128@0	23	21.4	33	PASS
N7	15	25	DFT-64QAM	L	1@1	22.33	20.73	33	PASS
N7	15	25	DFT-64QAM	L	1@131	22.43	20.83	33	PASS
N7	15	25	DFT-64QAM	L	128@0	22.52	20.92	33	PASS
N7	15	25	DFT-256QAM	L	1@1	22.36	20.76	33	PASS
N7	15	25	DFT-256QAM	L	1@131	22.47	20.87	33	PASS
N7	15	25	DFT-256QAM	L	128@0	22.53	20.93	33	PASS
N7	15	25	DFT-PI2BPSK	M	1@1	24.67	23.07	33	PASS
N7	15	25	DFT-PI2BPSK	M	1@131	24.81	23.21	33	PASS
N7	15	25	DFT-PI2BPSK	M	128@0	24.24	22.64	33	PASS
N7	15	25	DFT-QPSK	M	1@1	24.76	23.16	33	PASS
N7	15	25	DFT-QPSK	M	1@131	24.99	23.39	33	PASS
N7	15	25	DFT-QPSK	M	128@0	23.78	22.18	33	PASS
N7	15	25	DFT-16QAM	M	1@1	23.53	21.93	33	PASS
N7	15	25	DFT-16QAM	M	1@131	23.66	22.06	33	PASS
N7	15	25	DFT-16QAM	M	128@0	22.79	21.19	33	PASS
N7	15	25	DFT-64QAM	M	1@1	22.26	20.66	33	PASS
N7	15	25	DFT-64QAM	M	1@131	22.23	20.63	33	PASS
N7	15	25	DFT-64QAM	M	128@0	22.26	20.66	33	PASS
N7	15	25	DFT-256QAM	M	1@1	21.95	20.35	33	PASS
N7	15	25	DFT-256QAM	M	1@131	22.35	20.75	33	PASS
N7	15	25	DFT-256QAM	M	128@0	22.27	20.67	33	PASS
N7	15	25	DFT-PI2BPSK	H	1@1	24.8	23.2	33	PASS
N7	15	25	DFT-PI2BPSK	H	1@131	24.66	23.06	33	PASS
N7	15	25	DFT-PI2BPSK	H	128@0	24.25	22.65	33	PASS

N7	15	25	DFT-QPSK	H	1@1	24.95	23.35	33	PASS
N7	15	25	DFT-QPSK	H	1@131	24.61	23.01	33	PASS
N7	15	25	DFT-QPSK	H	128@0	23.75	22.15	33	PASS
N7	15	25	DFT-16QAM	H	1@1	23.85	22.25	33	PASS
N7	15	25	DFT-16QAM	H	1@131	23.49	21.89	33	PASS
N7	15	25	DFT-16QAM	H	128@0	22.78	21.18	33	PASS
N7	15	25	DFT-64QAM	H	1@1	22.27	20.67	33	PASS
N7	15	25	DFT-64QAM	H	1@131	22.21	20.61	33	PASS
N7	15	25	DFT-64QAM	H	128@0	22.28	20.68	33	PASS
N7	15	25	DFT-256QAM	H	1@1	22.33	20.73	33	PASS
N7	15	25	DFT-256QAM	H	1@131	22.21	20.61	33	PASS
N7	15	25	DFT-256QAM	H	128@0	22.29	20.69	33	PASS
N7	15	30	DFT-PI2BPSK	L	1@1	24.66	23.06	33	PASS
N7	15	30	DFT-PI2BPSK	L	1@158	24.68	23.08	33	PASS
N7	15	30	DFT-PI2BPSK	L	160@0	24.44	22.84	33	PASS
N7	15	30	DFT-QPSK	L	1@1	24.78	23.18	33	PASS
N7	15	30	DFT-QPSK	L	1@158	24.88	23.28	33	PASS
N7	15	30	DFT-QPSK	L	160@0	23.95	22.35	33	PASS
N7	15	30	DFT-16QAM	L	1@1	23.52	21.92	33	PASS
N7	15	30	DFT-16QAM	L	1@158	23.58	21.98	33	PASS
N7	15	30	DFT-16QAM	L	160@0	22.99	21.39	33	PASS
N7	15	30	DFT-64QAM	L	1@1	22.33	20.73	33	PASS
N7	15	30	DFT-64QAM	L	1@158	22.32	20.72	33	PASS
N7	15	30	DFT-64QAM	L	160@0	22.49	20.89	33	PASS
N7	15	30	DFT-256QAM	L	1@1	22.19	20.59	33	PASS
N7	15	30	DFT-256QAM	L	1@158	22.21	20.61	33	PASS
N7	15	30	DFT-256QAM	L	160@0	22.49	20.89	33	PASS
N7	15	30	DFT-PI2BPSK	M	1@1	24.66	23.06	33	PASS
N7	15	30	DFT-PI2BPSK	M	1@158	24.75	23.15	33	PASS
N7	15	30	DFT-PI2BPSK	M	160@0	24.31	22.71	33	PASS
N7	15	30	DFT-QPSK	M	1@1	24.8	23.2	33	PASS
N7	15	30	DFT-QPSK	M	1@158	24.95	23.35	33	PASS
N7	15	30	DFT-QPSK	M	160@0	23.82	22.22	33	PASS
N7	15	30	DFT-16QAM	M	1@1	23.53	21.93	33	PASS
N7	15	30	DFT-16QAM	M	1@158	23.62	22.02	33	PASS
N7	15	30	DFT-16QAM	M	160@0	22.82	21.22	33	PASS
N7	15	30	DFT-64QAM	M	1@1	22.32	20.72	33	PASS
N7	15	30	DFT-64QAM	M	1@158	22.37	20.77	33	PASS
N7	15	30	DFT-64QAM	M	160@0	22.32	20.72	33	PASS
N7	15	30	DFT-256QAM	M	1@1	22.21	20.61	33	PASS
N7	15	30	DFT-256QAM	M	1@158	22.24	20.64	33	PASS
N7	15	30	DFT-256QAM	M	160@0	22.34	20.74	33	PASS
N7	15	30	DFT-PI2BPSK	H	1@1	24.65	23.05	33	PASS
N7	15	30	DFT-PI2BPSK	H	1@158	24.55	22.95	33	PASS

N7	15	30	DFT-PI2BPSK	H	160@0	24.29	22.69	33	PASS
N7	15	30	DFT-QPSK	H	1@1	24.78	23.18	33	PASS
N7	15	30	DFT-QPSK	H	1@158	24.69	23.09	33	PASS
N7	15	30	DFT-QPSK	H	160@0	23.83	22.23	33	PASS
N7	15	30	DFT-16QAM	H	1@1	23.57	21.97	33	PASS
N7	15	30	DFT-16QAM	H	1@158	23.44	21.84	33	PASS
N7	15	30	DFT-16QAM	H	160@0	22.79	21.19	33	PASS
N7	15	30	DFT-64QAM	H	1@1	22.13	20.53	33	PASS
N7	15	30	DFT-64QAM	H	1@158	22.12	20.52	33	PASS
N7	15	30	DFT-64QAM	H	160@0	22.29	20.69	33	PASS
N7	15	30	DFT-256QAM	H	1@1	22.1	20.5	33	PASS
N7	15	30	DFT-256QAM	H	1@158	22.11	20.51	33	PASS
N7	15	30	DFT-256QAM	H	160@0	22.31	20.71	33	PASS
N7	15	40	DFT-PI2BPSK	L	1@1	24.74	23.14	33	PASS
N7	15	40	DFT-PI2BPSK	L	1@214	24.8	23.2	33	PASS
N7	15	40	DFT-PI2BPSK	L	216@0	24.37	22.77	33	PASS
N7	15	40	DFT-QPSK	L	1@1	24.82	23.22	33	PASS
N7	15	40	DFT-QPSK	L	1@214	24.97	23.37	33	PASS
N7	15	40	DFT-QPSK	L	216@0	23.89	22.29	33	PASS
N7	15	40	DFT-16QAM	L	1@1	23.57	21.97	33	PASS
N7	15	40	DFT-16QAM	L	1@214	23.65	22.05	33	PASS
N7	15	40	DFT-16QAM	L	216@0	22.94	21.34	33	PASS
N7	15	40	DFT-64QAM	L	1@1	22.38	20.78	33	PASS
N7	15	40	DFT-64QAM	L	1@214	22.38	20.78	33	PASS
N7	15	40	DFT-64QAM	L	216@0	22.42	20.82	33	PASS
N7	15	40	DFT-256QAM	L	1@1	22.29	20.69	33	PASS
N7	15	40	DFT-256QAM	L	1@214	22.21	20.61	33	PASS
N7	15	40	DFT-256QAM	L	216@0	22.41	20.81	33	PASS
N7	15	40	DFT-PI2BPSK	M	1@1	24.8	23.2	33	PASS
N7	15	40	DFT-PI2BPSK	M	1@214	24.72	23.12	33	PASS
N7	15	40	DFT-PI2BPSK	M	216@0	24.24	22.64	33	PASS
N7	15	40	DFT-QPSK	M	1@1	24.91	23.31	33	PASS
N7	15	40	DFT-QPSK	M	1@214	24.9	23.3	33	PASS
N7	15	40	DFT-QPSK	M	216@0	23.8	22.2	33	PASS
N7	15	40	DFT-16QAM	M	1@1	23.73	22.13	33	PASS
N7	15	40	DFT-16QAM	M	1@214	23.63	22.03	33	PASS
N7	15	40	DFT-16QAM	M	216@0	22.81	21.21	33	PASS
N7	15	40	DFT-64QAM	M	1@1	22.39	20.79	33	PASS
N7	15	40	DFT-64QAM	M	1@214	22.31	20.71	33	PASS
N7	15	40	DFT-64QAM	M	216@0	22.3	20.7	33	PASS
N7	15	40	DFT-256QAM	M	1@1	22.26	20.66	33	PASS
N7	15	40	DFT-256QAM	M	1@214	22.2	20.6	33	PASS
N7	15	40	DFT-256QAM	M	216@0	22.3	20.7	33	PASS
N7	15	40	DFT-PI2BPSK	H	1@1	24.56	22.96	33	PASS

N7	15	40	DFT-PI2BPSK	H	1@214	24.64	23.04	33	PASS
N7	15	40	DFT-PI2BPSK	H	216@0	24.24	22.64	33	PASS
N7	15	40	DFT-QPSK	H	1@1	24.69	23.09	33	PASS
N7	15	40	DFT-QPSK	H	1@214	24.75	23.15	33	PASS
N7	15	40	DFT-QPSK	H	216@0	23.74	22.14	33	PASS
N7	15	40	DFT-16QAM	H	1@1	23.48	21.88	33	PASS
N7	15	40	DFT-16QAM	H	1@214	23.59	21.99	33	PASS
N7	15	40	DFT-16QAM	H	216@0	22.79	21.19	33	PASS
N7	15	40	DFT-64QAM	H	1@1	22.1	20.5	33	PASS
N7	15	40	DFT-64QAM	H	1@214	22.21	20.61	33	PASS
N7	15	40	DFT-64QAM	H	216@0	22.29	20.69	33	PASS
N7	15	40	DFT-256QAM	H	1@1	22.05	20.45	33	PASS
N7	15	40	DFT-256QAM	H	1@214	22.13	20.53	33	PASS
N7	15	40	DFT-256QAM	H	216@0	22.28	20.68	33	PASS

Peak-to-Average Ratio for SA

Test Graphs



1-N7-PC3-15-40-L-1-NS_01-DFT-256QAM-Outer_Full-216@0-6.32dB-PASS



1-N7-PC3-15-40-L-2-NS_01-CP-256QAM-Outer_Full-216@0-8.07dB-PASS



1-N7-PC3-15-40-M-1-NS_01-DFT-256QAM-Out_Full-216@0-6.27dB-PASS



1-N7-PC3-15-40-M-2-NS_01-CP-256QAM-Out_Full-216@0-7.96dB-PASS



1-N7-PC3-15-40-H-1-NS_01-DFT-256QAM-Out_Full-216@0-6.27dB-PASS



1-N7-PC3-15-40-H-2-NS_01-CP-256QAM-Outer_Full-216@0-7.95dB-PASS

26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	99% Result (MHz)	26dB Result (MHz)	Verdict
N7	15	5	DFT-QPSK	L	25@0	4.476	4.860	PASS
N7	15	5	DFT-PI2BPSK	L	25@0	4.476	4.920	PASS
N7	15	5	DFT-16QAM	L	25@0	4.466	4.860	PASS
N7	15	5	DFT-64QAM	L	25@0	4.496	4.890	PASS
N7	15	5	DFT-256QAM	L	25@0	4.496	4.920	PASS
N7	15	5	CP-QPSK	L	25@0	4.466	4.750	PASS
N7	15	5	CP-16QAM	L	25@0	4.476	4.790	PASS
N7	15	5	CP-64QAM	L	25@0	4.466	4.830	PASS
N7	15	5	CP-256QAM	L	25@0	4.486	4.860	PASS
N7	15	5	DFT-QPSK	M	25@0	4.476	4.910	PASS
N7	15	5	DFT-PI2BPSK	M	25@0	4.466	4.790	PASS
N7	15	5	DFT-16QAM	M	25@0	4.496	4.900	PASS
N7	15	5	DFT-64QAM	M	25@0	4.525	4.850	PASS
N7	15	5	DFT-256QAM	M	25@0	4.525	4.880	PASS
N7	15	5	CP-QPSK	M	25@0	4.476	4.920	PASS
N7	15	5	CP-16QAM	M	25@0	4.486	4.870	PASS
N7	15	5	CP-64QAM	M	25@0	4.486	4.880	PASS
N7	15	5	CP-256QAM	M	25@0	4.486	4.800	PASS
N7	15	5	DFT-QPSK	H	25@0	4.486	4.920	PASS
N7	15	5	DFT-PI2BPSK	H	25@0	4.466	4.850	PASS
N7	15	5	DFT-16QAM	H	25@0	4.466	4.840	PASS
N7	15	5	DFT-64QAM	H	25@0	4.525	4.910	PASS
N7	15	5	DFT-256QAM	H	25@0	4.496	4.880	PASS
N7	15	5	CP-QPSK	H	25@0	4.496	4.900	PASS
N7	15	5	CP-16QAM	H	25@0	4.496	4.820	PASS
N7	15	5	CP-64QAM	H	25@0	4.486	4.860	PASS
N7	15	5	CP-256QAM	H	25@0	4.496	4.870	PASS
N7	15	10	DFT-QPSK	L	50@0	8.971	9.540	PASS
N7	15	10	DFT-PI2BPSK	L	50@0	8.991	9.560	PASS
N7	15	10	DFT-16QAM	L	50@0	8.951	9.540	PASS
N7	15	10	DFT-64QAM	L	50@0	8.931	9.520	PASS
N7	15	10	DFT-256QAM	L	50@0	8.971	9.500	PASS
N7	15	10	CP-QPSK	L	52@0	9.311	9.840	PASS
N7	15	10	CP-16QAM	L	52@0	9.311	9.900	PASS
N7	15	10	CP-64QAM	L	52@0	9.331	9.880	PASS


N7	15	10	CP-256QAM	L	52@0	9.271	9.860	PASS
N7	15	10	DFT-QPSK	M	50@0	8.991	9.520	PASS
N7	15	10	DFT-PI2BPSK	M	50@0	8.991	9.560	PASS
N7	15	10	DFT-16QAM	M	50@0	8.951	9.540	PASS
N7	15	10	DFT-64QAM	M	50@0	8.951	9.480	PASS
N7	15	10	DFT-256QAM	M	50@0	8.971	9.540	PASS
N7	15	10	CP-QPSK	M	52@0	9.271	9.920	PASS
N7	15	10	CP-16QAM	M	52@0	9.351	9.900	PASS
N7	15	10	CP-64QAM	M	52@0	9.291	9.860	PASS
N7	15	10	CP-256QAM	M	52@0	9.311	9.920	PASS
N7	15	10	DFT-QPSK	H	50@0	8.931	9.480	PASS
N7	15	10	DFT-PI2BPSK	H	50@0	8.971	9.520	PASS
N7	15	10	DFT-16QAM	H	50@0	8.951	9.480	PASS
N7	15	10	DFT-64QAM	H	50@0	8.971	9.500	PASS
N7	15	10	DFT-256QAM	H	50@0	8.971	9.580	PASS
N7	15	10	CP-QPSK	H	52@0	9.331	9.820	PASS
N7	15	10	CP-16QAM	H	52@0	9.291	9.840	PASS
N7	15	10	CP-64QAM	H	52@0	9.291	9.900	PASS
N7	15	10	CP-256QAM	H	52@0	9.251	9.880	PASS
N7	15	15	DFT-QPSK	L	75@0	13.457	14.250	PASS
N7	15	15	DFT-PI2BPSK	L	75@0	13.457	14.190	PASS
N7	15	15	DFT-16QAM	L	75@0	13.516	14.280	PASS
N7	15	15	DFT-64QAM	L	75@0	13.457	14.190	PASS
N7	15	15	DFT-256QAM	L	75@0	13.457	14.220	PASS
N7	15	15	CP-QPSK	L	79@0	14.116	14.970	PASS
N7	15	15	CP-16QAM	L	79@0	14.236	15.000	PASS
N7	15	15	CP-64QAM	L	79@0	14.056	15.000	PASS
N7	15	15	CP-256QAM	L	79@0	14.176	14.970	PASS
N7	15	15	DFT-QPSK	M	75@0	13.487	14.220	PASS
N7	15	15	DFT-PI2BPSK	M	75@0	13.516	14.310	PASS
N7	15	15	DFT-16QAM	M	75@0	13.457	14.310	PASS
N7	15	15	DFT-64QAM	M	75@0	13.516	14.190	PASS
N7	15	15	DFT-256QAM	M	75@0	13.487	14.310	PASS
N7	15	15	CP-QPSK	M	79@0	14.206	15.000	PASS
N7	15	15	CP-16QAM	M	79@0	14.116	14.940	PASS
N7	15	15	CP-64QAM	M	79@0	14.146	14.910	PASS
N7	15	15	CP-256QAM	M	79@0	14.116	14.880	PASS
N7	15	15	DFT-QPSK	H	75@0	13.457	14.250	PASS
N7	15	15	DFT-PI2BPSK	H	75@0	13.457	14.190	PASS
N7	15	15	DFT-16QAM	H	75@0	13.516	14.250	PASS
N7	15	15	DFT-64QAM	H	75@0	13.427	14.280	PASS
N7	15	15	DFT-256QAM	H	75@0	13.457	14.280	PASS
N7	15	15	CP-QPSK	H	79@0	14.146	14.940	PASS
N7	15	15	CP-16QAM	H	79@0	14.146	14.910	PASS

N7	15	15	CP-64QAM	H	79@0	14.176	14.910	PASS
N7	15	15	CP-256QAM	H	79@0	14.176	14.910	PASS
N7	15	20	DFT-QPSK	L	100@0	17.982	19.080	PASS
N7	15	20	DFT-PI2BPSK	L	100@0	18.062	19.120	PASS
N7	15	20	DFT-16QAM	L	100@0	17.982	19.160	PASS
N7	15	20	DFT-64QAM	L	100@0	18.022	19.120	PASS
N7	15	20	DFT-256QAM	L	100@0	17.982	19.120	PASS
N7	15	20	CP-QPSK	L	106@0	19.061	20.240	PASS
N7	15	20	CP-16QAM	L	106@0	19.061	20.240	PASS
N7	15	20	CP-64QAM	L	106@0	18.981	20.200	PASS
N7	15	20	CP-256QAM	L	106@0	19.021	20.200	PASS
N7	15	20	DFT-QPSK	M	100@0	18.102	19.160	PASS
N7	15	20	DFT-PI2BPSK	M	100@0	18.062	19.160	PASS
N7	15	20	DFT-16QAM	M	100@0	18.022	19.160	PASS
N7	15	20	DFT-64QAM	M	100@0	18.062	19.160	PASS
N7	15	20	DFT-256QAM	M	100@0	18.062	19.160	PASS
N7	15	20	CP-QPSK	M	106@0	19.141	20.240	PASS
N7	15	20	CP-16QAM	M	106@0	19.101	20.240	PASS
N7	15	20	CP-64QAM	M	106@0	19.181	20.280	PASS
N7	15	20	CP-256QAM	M	106@0	19.021	20.240	PASS
N7	15	20	DFT-QPSK	H	100@0	17.982	19.200	PASS
N7	15	20	DFT-PI2BPSK	H	100@0	18.022	19.120	PASS
N7	15	20	DFT-16QAM	H	100@0	18.022	19.120	PASS
N7	15	20	DFT-64QAM	H	100@0	18.022	19.120	PASS
N7	15	20	DFT-256QAM	H	100@0	17.982	19.120	PASS
N7	15	20	CP-QPSK	H	106@0	18.941	20.160	PASS
N7	15	20	CP-16QAM	H	106@0	19.021	20.200	PASS
N7	15	20	CP-64QAM	H	106@0	19.061	20.160	PASS
N7	15	20	CP-256QAM	H	106@0	19.101	20.200	PASS
N7	15	25	DFT-QPSK	L	128@0	22.927	24.100	PASS
N7	15	25	DFT-PI2BPSK	L	128@0	22.827	24.150	PASS
N7	15	25	DFT-16QAM	L	128@0	22.927	24.150	PASS
N7	15	25	DFT-64QAM	L	128@0	22.977	24.200	PASS
N7	15	25	DFT-256QAM	L	128@0	22.877	24.150	PASS
N7	15	25	CP-QPSK	L	133@0	23.726	25.000	PASS
N7	15	25	CP-16QAM	L	133@0	23.726	25.050	PASS
N7	15	25	CP-64QAM	L	133@0	23.776	25.000	PASS
N7	15	25	CP-256QAM	L	133@0	23.776	25.000	PASS
N7	15	25	DFT-QPSK	M	128@0	22.927	24.150	PASS
N7	15	25	DFT-PI2BPSK	M	128@0	22.977	24.250	PASS
N7	15	25	DFT-16QAM	M	128@0	22.927	24.150	PASS
N7	15	25	DFT-64QAM	M	128@0	22.927	24.150	PASS
N7	15	25	DFT-256QAM	M	128@0	22.927	24.150	PASS
N7	15	25	CP-QPSK	M	133@0	23.826	25.050	PASS


N7	15	25	CP-16QAM	M	133@0	23.876	25.000	PASS
N7	15	25	CP-64QAM	M	133@0	23.726	25.000	PASS
N7	15	25	CP-256QAM	M	133@0	23.826	25.050	PASS
N7	15	25	DFT-QPSK	H	128@0	22.927	24.100	PASS
N7	15	25	DFT-PI2BPSK	H	128@0	22.927	24.150	PASS
N7	15	25	DFT-16QAM	H	128@0	22.927	24.250	PASS
N7	15	25	DFT-64QAM	H	128@0	22.927	24.150	PASS
N7	15	25	DFT-256QAM	H	128@0	22.977	24.200	PASS
N7	15	25	CP-QPSK	H	133@0	23.826	25.000	PASS
N7	15	25	CP-16QAM	H	133@0	23.776	25.000	PASS
N7	15	25	CP-64QAM	H	133@0	23.776	25.050	PASS
N7	15	25	CP-256QAM	H	133@0	23.726	25.000	PASS
N7	15	30	DFT-QPSK	L	160@0	28.651	29.940	PASS
N7	15	30	DFT-PI2BPSK	L	160@0	28.531	29.880	PASS
N7	15	30	DFT-16QAM	L	160@0	28.412	29.880	PASS
N7	15	30	DFT-64QAM	L	160@0	28.472	29.880	PASS
N7	15	30	DFT-256QAM	L	160@0	28.531	29.820	PASS
N7	15	30	CP-QPSK	L	160@0	28.531	29.820	PASS
N7	15	30	CP-16QAM	L	160@0	28.591	29.880	PASS
N7	15	30	CP-64QAM	L	160@0	28.472	29.880	PASS
N7	15	30	CP-256QAM	L	160@0	28.472	29.880	PASS
N7	15	30	DFT-QPSK	M	160@0	28.591	29.940	PASS
N7	15	30	DFT-PI2BPSK	M	160@0	28.472	30.000	PASS
N7	15	30	DFT-16QAM	M	160@0	28.531	29.880	PASS
N7	15	30	DFT-64QAM	M	160@0	28.711	29.940	PASS
N7	15	30	DFT-256QAM	M	160@0	28.531	29.940	PASS
N7	15	30	CP-QPSK	M	160@0	28.531	29.880	PASS
N7	15	30	CP-16QAM	M	160@0	28.591	29.880	PASS
N7	15	30	CP-64QAM	M	160@0	28.531	29.880	PASS
N7	15	30	CP-256QAM	M	160@0	28.472	29.880	PASS
N7	15	30	DFT-QPSK	H	160@0	28.531	29.880	PASS
N7	15	30	DFT-PI2BPSK	H	160@0	28.531	29.880	PASS
N7	15	30	DFT-16QAM	H	160@0	28.591	29.940	PASS
N7	15	30	DFT-64QAM	H	160@0	28.591	29.880	PASS
N7	15	30	DFT-256QAM	H	160@0	28.472	29.880	PASS
N7	15	30	CP-QPSK	H	160@0	28.472	29.880	PASS
N7	15	30	CP-16QAM	H	160@0	28.531	29.940	PASS
N7	15	30	CP-64QAM	H	160@0	28.472	29.880	PASS
N7	15	30	CP-256QAM	H	160@0	28.531	29.940	PASS
N7	15	40	DFT-QPSK	L	216@0	38.921	41.280	PASS
N7	15	40	DFT-PI2BPSK	L	216@0	38.681	41.040	PASS
N7	15	40	DFT-16QAM	L	216@0	38.681	41.200	PASS
N7	15	40	DFT-64QAM	L	216@0	38.761	41.040	PASS
N7	15	40	DFT-256QAM	L	216@0	38.601	41.040	PASS

N7	15	40	CP-QPSK	L	216@0	38.681	41.040	PASS
N7	15	40	CP-16QAM	L	216@0	38.841	41.280	PASS
N7	15	40	CP-64QAM	L	216@0	38.761	41.120	PASS
N7	15	40	CP-256QAM	L	216@0	38.601	41.120	PASS
N7	15	40	DFT-QPSK	M	216@0	38.761	41.040	PASS
N7	15	40	DFT-PI2BPSK	M	216@0	38.921	41.200	PASS
N7	15	40	DFT-16QAM	M	216@0	38.841	41.120	PASS
N7	15	40	DFT-64QAM	M	216@0	38.761	41.120	PASS
N7	15	40	DFT-256QAM	M	216@0	38.841	41.120	PASS
N7	15	40	CP-QPSK	M	216@0	39.001	41.440	PASS
N7	15	40	CP-16QAM	M	216@0	38.761	41.040	PASS
N7	15	40	CP-64QAM	M	216@0	38.761	41.040	PASS
N7	15	40	CP-256QAM	M	216@0	38.921	41.120	PASS
N7	15	40	DFT-QPSK	H	216@0	38.761	41.120	PASS
N7	15	40	DFT-PI2BPSK	H	216@0	38.681	41.120	PASS
N7	15	40	DFT-16QAM	H	216@0	38.761	41.040	PASS
N7	15	40	DFT-64QAM	H	216@0	38.761	41.120	PASS
N7	15	40	DFT-256QAM	H	216@0	38.761	41.120	PASS
N7	15	40	CP-QPSK	H	216@0	38.761	41.120	PASS
N7	15	40	CP-16QAM	H	216@0	38.681	40.960	PASS
N7	15	40	CP-64QAM	H	216@0	38.761	40.960	PASS
N7	15	40	CP-256QAM	H	216@0	38.761	41.120	PASS


Test Graphs




1-N7-PC3-15-5-L-1-DFT-QPSK-Outer_Full-25@0-Ant5-4.476-4.860-≤5-PASS




1-N7-PC3-15-5-L-2-DFT-PI2BPSK-Outer_Full-25@0-Ant5-4.476-4.920-≤5-PASS




1-N7-PC3-15-5-L-3-DFT-16QAM-Outer_Full-25@0-Ant5-4.466-4.860-≤5-PASS




1-N7-PC3-15-5-L-4-DFT-64QAM-Outer_Full-25@0-Ant5-4.496-4.890-≤5-PASS




1-N7-PC3-15-5-L-5-DFT-256QAM-Outer_Full-25@0-Ant5-4.496-4.920-≤5-PASS




1-N7-PC3-15-5-L-6-CP-QPSK-Outer_Full-25@0-Ant5-4.466-4.750-≤5-PASS




1-N7-PC3-15-5-L-7-CP-16QAM-Outer_Full-25@0-Ant5-4.476-4.790-≤5-PASS




1-N7-PC3-15-5-L-8-CP-64QAM-Outer_Full-25@0-Ant5-4.466-4.830-≤5-PASS




1-N7-PC3-15-5-L-9-CP-256QAM-Outer_Full-25@0-Ant5-4.486-4.860-≤5-PASS




1-N7-PC3-15-5-M-1-DFT-QPSK-Outer_Full-25@0-Ant5-4.476-4.910-≤5-PASS




1-N7-PC3-15-5-M-2-DFT-PI2BPSK-Outer_Full-25@0-Ant5-4.466-4.790-≤5-PASS




1-N7-PC3-15-5-M-3-DFT-16QAM-Outer_Full-25@0-Ant5-4.496-4.900-≤5-PASS




1-N7-PC3-15-5-M-4-DFT-64QAM-Outer_Full-25@0-Ant5-4.525-4.850-≤5-PASS




1-N7-PC3-15-5-M-5-DFT-256QAM-Outer_Full-25@0-Ant5-4.525-4.880-≤5-PASS




1-N7-PC3-15-5-M-6-CP-QPSK-Outer_Full-25@0-Ant5-4.476-4.920-≤5-PASS




1-N7-PC3-15-5-M-7-CP-16QAM-Outer_Full-25@0-Ant5-4.486-4.870-≤5-PASS




1-N7-PC3-15-5-M-8-CP-64QAM-Outer_Full-25@0-Ant5-4.486-4.880-≤5-PASS




1-N7-PC3-15-5-M-9-CP-256QAM-Outer_Full-25@0-Ant5-4.486-4.800-≤5-PASS




1-N7-PC3-15-5-H-1-DFT-QPSK-Outer_Full-25@0-Ant5-4.486-4.920-≤5-PASS




1-N7-PC3-15-5-H-2-DFT-PI2BPSK-Outer_Full-25@0-Ant5-4.466-4.850-≤5-PASS




1-N7-PC3-15-5-H-3-DFT-16QAM-Outer_Full-25@0-Ant5-4.466-4.840-≤5-PASS




1-N7-PC3-15-5-H-4-DFT-64QAM-Outer_Full-25@0-Ant5-4.525-4.910-≤5-PASS




1-N7-PC3-15-5-H-5-DFT-256QAM-Outer_Full-25@0-Ant5-4.496-4.880-≤5-PASS




1-N7-PC3-15-5-H-6-CP-QPSK-Outer_Full-25@0-Ant5-4.496-4.900-≤5-PASS




1-N7-PC3-15-5-H-7-CP-16QAM-Outer_Full-25@0-Ant5-4.496-4.820-≤5-PASS




1-N7-PC3-15-5-H-8-CP-64QAM-Outer_Full-25@0-Ant5-4.486-4.860-≤5-PASS




1-N7-PC3-15-5-H-9-CP-256QAM-Outer_Full-25@0-Ant5-4.496-4.870-≤5-PASS




1-N7-PC3-15-10-L-1-DFT-QPSK-Outer_Full-50@0-Ant5-8.971-9.540-≤10-PASS




1-N7-PC3-15-10-L-2-DFT-PI2BPSK-Outer_Full-50@0-Ant5-8.991-9.560-≤10-PASS




1-N7-PC3-15-10-L-3-DFT-16QAM-Outer_Full-50@0-Ant5-8.951-9.540-≤10-PASS




1-N7-PC3-15-10-L-4-DFT-64QAM-Outer_Full-50@0-Ant5-8.931-9.520-≤10-PASS




1-N7-PC3-15-10-L-5-DFT-256QAM-Outer_Full-50@0-Ant5-8.971-9.500-≤10-PASS




1-N7-PC3-15-10-L-6-CP-QPSK-Outer_Full-52@0-Ant5-9.311-9.840-≤10-PASS




1-N7-PC3-15-10-L-7-CP-16QAM-Outer_Full-52@0-Ant5-9.311-9.900-≤10-PASS




1-N7-PC3-15-10-L-8-CP-64QAM-Outer_Full-52@0-Ant5-9.331-9.880-≤10-PASS




1-N7-PC3-15-10-L-9-CP-256QAM-Outer_Full-52@0-Ant5-9.271-9.860-≤10-PASS




1-N7-PC3-15-10-M-1-DFT-QPSK-Outer_Full-50@0-Ant5-8.991-9.520-≤10-PASS




1-N7-PC3-15-10-M-2-DFT-PI2BPSK-Outer_Full-50@0-Ant5-8.991-9.560-≤10-PASS




1-N7-PC3-15-10-M-3-DFT-16QAM-Outer_Full-50@0-Ant5-8.951-9.540-≤10-PASS




1-N7-PC3-15-10-M-4-DFT-64QAM-Outer_Full-50@0-Ant5-8.951-9.480-≤10-PASS




1-N7-PC3-15-10-M-5-DFT-256QAM-Outer_Full-50@0-Ant5-8.971-9.540-≤10-PASS




1-N7-PC3-15-10-M-6-CP-QPSK-Outer_Full-52@0-Ant5-9.271-9.920-≤10-PASS




1-N7-PC3-15-10-M-7-CP-16QAM-Outer_Full-52@0-Ant5-9.351-9.900-≤10-PASS




1-N7-PC3-15-10-M-8-CP-64QAM-Outer_Full-52@0-Ant5-9.291-9.860-≤10-PASS




1-N7-PC3-15-10-M-9-CP-256QAM-Outer_Full-52@0-Ant5-9.311-9.920-≤10-PASS




1-N7-PC3-15-10-H-1-DFT-QPSK-Outer_Full-50@0-Ant5-8.931-9.480-≤10-PASS




1-N7-PC3-15-10-H-2-DFT-PI2BPSK-Outer_Full-50@0-Ant5-8.971-9.520-≤10-PASS




1-N7-PC3-15-10-H-3-DFT-16QAM-Outer_Full-50@0-Ant5-8.951-9.480-≤10-PASS




1-N7-PC3-15-10-H-4-DFT-64QAM-Outer_Full-50@0-Ant5-8.971-9.500-≤10-PASS




1-N7-PC3-15-10-H-5-DFT-256QAM-Outer_Full-50@0-Ant5-8.971-9.580-≤10-PASS




1-N7-PC3-15-10-H-6-CP-QPSK-Outer_Full-52@0-Ant5-9.331-9.820-≤10-PASS




1-N7-PC3-15-10-H-7-CP-16QAM-Outer_Full-52@0-Ant5-9.291-9.840-≤10-PASS




1-N7-PC3-15-10-H-8-CP-64QAM-Outer_Full-52@0-Ant5-9.291-9.900-≤10-PASS




1-N7-PC3-15-10-H-9-CP-256QAM-Outer_Full-52@0-Ant5-9.251-9.880-≤10-PASS




1-N7-PC3-15-15-L-1-DFT-QPSK-Outer_Full-75@0-Ant5-13.457-14.250-≤15-PASS




1-N7-PC3-15-15-L-2-DFT-PI2BPSK-Outer_Full-75@0-Ant5-13.457-14.190-≤15-PASS




1-N7-PC3-15-15-L-3-DFT-16QAM-Outer_Full-75@0-Ant5-13.516-14.280-≤15-PASS




1-N7-PC3-15-15-L-4-DFT-64QAM-Outer_Full-75@0-Ant5-13.457-14.190-≤15-PASS




1-N7-PC3-15-15-L-5-DFT-256QAM-Outer_Full-75@0-Ant5-13.457-14.220-≤15-PASS




1-N7-PC3-15-15-L-6-CP-QPSK-Outer_Full-79@0-Ant5-14.116-14.970-≤15-PASS




1-N7-PC3-15-15-L-7-CP-16QAM-Outer_Full-79@0-Ant5-14.236-15.000-≤15-PASS




1-N7-PC3-15-15-L-8-CP-64QAM-Outer_Full-79@0-Ant5-14.056-15.000-≤15-PASS




1-N7-PC3-15-15-L-9-CP-256QAM-Outer_Full-79@0-Ant5-14.176-14.970-≤15-PASS




1-N7-PC3-15-15-M-1-DFT-QPSK-Outer_Full-75@0-Ant5-13.487-14.220-≤15-PASS




1-N7-PC3-15-15-M-2-DFT-PI2BPSK-Outer_Full-75@0-Ant5-13.516-14.310-≤15-PASS




1-N7-PC3-15-15-M-3-DFT-16QAM-Outer_Full-75@0-Ant5-13.457-14.310-≤15-PASS




1-N7-PC3-15-15-M-4-DFT-64QAM-Outer_Full-75@0-Ant5-13.516-14.190≤15-PASS




1-N7-PC3-15-15-M-5-DFT-256QAM-Outer_Full-75@0-Ant5-13.487-14.310≤15-PASS




1-N7-PC3-15-15-M-6-CP-QPSK-Outer_Full-79@0-Ant5-14.206-15.000≤15-PASS




1-N7-PC3-15-15-M-7-CP-16QAM-Outer_Full-79@0-Ant5-14.116-14.940-≤15-PASS




1-N7-PC3-15-15-M-8-CP-64QAM-Outer_Full-79@0-Ant5-14.146-14.910-≤15-PASS




1-N7-PC3-15-15-M-9-CP-256QAM-Outer_Full-79@0-Ant5-14.116-14.880-≤15-PASS




1-N7-PC3-15-15-H-1-DFT-QPSK-Out_Full-75@0-Ant5-13.457-14.250-≤15-PASS




1-N7-PC3-15-15-H-2-DFT-PI2BPSK-Out_Full-75@0-Ant5-13.457-14.190-≤15-PASS




1-N7-PC3-15-15-H-3-DFT-16QAM-Out_Full-75@0-Ant5-13.516-14.250-≤15-PASS




1-N7-PC3-15-15-H-4-DFT-64QAM-Outer_Full-75@0-Ant5-13.427-14.280-≤15-PASS




1-N7-PC3-15-15-H-5-DFT-256QAM-Outer_Full-75@0-Ant5-13.457-14.280-≤15-PASS




1-N7-PC3-15-15-H-6-CP-QPSK-Outer_Full-79@0-Ant5-14.146-14.940-≤15-PASS




1-N7-PC3-15-15-H-7-CP-16QAM-Outer_Full-79@0-Ant5-14.146-14.910-≤15-PASS




1-N7-PC3-15-15-H-8-CP-64QAM-Outer_Full-79@0-Ant5-14.176-14.910-≤15-PASS




1-N7-PC3-15-15-H-9-CP-256QAM-Outer_Full-79@0-Ant5-14.176-14.910-≤15-PASS




1-N7-PC3-15-20-L-1-DFT-QPSK-Outer_Full-100@0-Ant5-17.982-19.080-≤20-PASS




1-N7-PC3-15-20-L-2-DFT-PI2BPSK-Outer_Full-100@0-Ant5-18.062-19.120-≤20-PASS




1-N7-PC3-15-20-L-3-DFT-16QAM-Outer_Full-100@0-Ant5-17.982-19.160-≤20-PASS




1-N7-PC3-15-20-L-4-DFT-64QAM-Outer_Full-100@0-Ant5-18.022-19.120-≤20-PASS




1-N7-PC3-15-20-L-5-DFT-256QAM-Outer_Full-100@0-Ant5-17.982-19.120-≤20-PASS




1-N7-PC3-15-20-L-6-CP-QPSK-Outer_Full-106@0-Ant5-19.061-20.240-≤20-PASS




1-N7-PC3-15-20-L-7-CP-16QAM-Outer_Full-106@0-Ant5-19.061-20.240-≤20-PASS




1-N7-PC3-15-20-L-8-CP-64QAM-Outer_Full-106@0-Ant5-18.981-20.200-≤20-PASS




1-N7-PC3-15-20-L-9-CP-256QAM-Outer_Full-106@0-Ant5-19.021-20.200-≤20-PASS




1-N7-PC3-15-20-M-1-DFT-QPSK-Outer_Full-100@0-Ant5-18.102-19.160-≤20-PASS




1-N7-PC3-15-20-M-2-DFT-PI2BPSK-Outer_Full-100@0-Ant5-18.062-19.160-≤20-PASS




1-N7-PC3-15-20-M-3-DFT-16QAM-Outer_Full-100@0-Ant5-18.022-19.160-≤20-PASS




1-N7-PC3-15-20-M-4-DFT-64QAM-Outer_Full-100@0-Ant5-18.062-19.160-≤20-PASS




1-N7-PC3-15-20-M-5-DFT-256QAM-Outer_Full-100@0-Ant5-18.062-19.160-≤20-PASS




1-N7-PC3-15-20-M-6-CP-QPSK-Outer_Full-106@0-Ant5-19.141-20.240-≤20-PASS




1-N7-PC3-15-20-M-7-CP-16QAM-Outer_Full-106@0-Ant5-19.101-20.240-≤20-PASS




1-N7-PC3-15-20-M-8-CP-64QAM-Outer_Full-106@0-Ant5-19.181-20.280-≤20-PASS




1-N7-PC3-15-20-M-9-CP-256QAM-Outer_Full-106@0-Ant5-19.021-20.240-≤20-PASS




1-N7-PC3-15-20-H-1-DFT-QPSK-Outer_Full-100@0-Ant5-17.982-19.200-≤20-PASS




1-N7-PC3-15-20-H-2-DFT-PI2BPSK-Outer_Full-100@0-Ant5-18.022-19.120-≤20-PASS




1-N7-PC3-15-20-H-3-DFT-16QAM-Outer_Full-100@0-Ant5-18.022-19.120-≤20-PASS



1-N7-PC3-15-20-H-4-DFT-64QAM-Outer_Full-100@0-Ant5-18.022-19.120-≤20-PASS



1-N7-PC3-15-20-H-5-DFT-256QAM-Outer_Full-100@0-Ant5-17.982-19.120-≤20-PASS



1-N7-PC3-15-20-H-6-CP-QPSK-Outer_Full-106@0-Ant5-18.941-20.160-≤20-PASS