

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	24.20	-5.00	17.05	<=38.45	Pass
			2	24.25	-5.00	17.10	<=38.45	Pass
			5	24.41	-5.00	17.26	<=38.45	Pass
		3	0	24.28	-5.00	17.13	<=38.45	Pass
			2	24.31	-5.00	17.16	<=38.45	Pass
			3	24.28	-5.00	17.13	<=38.45	Pass
		6	0	23.30	-5.00	16.15	<=38.45	Pass
	836.5	1	0	24.30	-5.00	17.15	<=38.45	Pass
			2	24.30	-5.00	17.15	<=38.45	Pass
			5	24.26	-5.00	17.11	<=38.45	Pass
		3	0	24.27	-5.00	17.12	<=38.45	Pass
			2	24.30	-5.00	17.15	<=38.45	Pass
			3	24.34	-5.00	17.19	<=38.45	Pass
		6	0	23.18	-5.00	16.03	<=38.45	Pass
	848.3	1	0	24.22	-5.00	17.07	<=38.45	Pass
			2	24.16	-5.00	17.01	<=38.45	Pass
			5	24.20	-5.00	17.05	<=38.45	Pass
		3	0	24.13	-5.00	16.98	<=38.45	Pass
			2	24.23	-5.00	17.08	<=38.45	Pass
			3	24.19	-5.00	17.04	<=38.45	Pass
		6	0	23.26	-5.00	16.11	<=38.45	Pass
16QAM	824.7	1	0	23.57	-5.00	16.42	<=38.45	Pass
			2	23.69	-5.00	16.54	<=38.45	Pass
			5	23.61	-5.00	16.46	<=38.45	Pass
		3	0	23.29	-5.00	16.14	<=38.45	Pass
			2	23.43	-5.00	16.28	<=38.45	Pass
			3	23.46	-5.00	16.31	<=38.45	Pass
		6	0	22.41	-5.00	15.26	<=38.45	Pass
	836.5	1	0	23.58	-5.00	16.43	<=38.45	Pass
			2	23.60	-5.00	16.45	<=38.45	Pass
			5	23.58	-5.00	16.43	<=38.45	Pass
		3	0	23.36	-5.00	16.21	<=38.45	Pass
			2	23.62	-5.00	16.47	<=38.45	Pass
			3	23.33	-5.00	16.18	<=38.45	Pass
		6	0	22.30	-5.00	15.15	<=38.45	Pass
	848.3	1	0	23.41	-5.00	16.26	<=38.45	Pass
			2	23.55	-5.00	16.40	<=38.45	Pass
			5	23.65	-5.00	16.50	<=38.45	Pass
		3	0	23.31	-5.00	16.16	<=38.45	Pass
			2	23.24	-5.00	16.09	<=38.45	Pass
			3	23.39	-5.00	16.24	<=38.45	Pass
		6	0	22.29	-5.00	15.14	<=38.45	Pass
64QAM	824.7	1	0	23.33	-5.00	16.18	<=38.45	Pass
			2	23.42	-5.00	16.27	<=38.45	Pass
			5	23.33	-5.00	16.18	<=38.45	Pass
		3	0	23.31	-5.00	16.16	<=38.45	Pass
			2	23.43	-5.00	16.28	<=38.45	Pass
			3	23.36	-5.00	16.21	<=38.45	Pass
		6	0	22.25	-5.00	15.10	<=38.45	Pass

	836.5	1	0	23.27	-5.00	16.12	<=38.45	Pass
			2	23.49	-5.00	16.34	<=38.45	Pass
			5	23.37	-5.00	16.22	<=38.45	Pass
		3	0	23.33	-5.00	16.18	<=38.45	Pass
			2	23.36	-5.00	16.21	<=38.45	Pass
			3	23.32	-5.00	16.17	<=38.45	Pass
	848.3	6	0	22.41	-5.00	15.26	<=38.45	Pass
			0	23.30	-5.00	16.15	<=38.45	Pass
			2	23.35	-5.00	16.20	<=38.45	Pass
		1	5	23.38	-5.00	16.23	<=38.45	Pass
			0	23.17	-5.00	16.02	<=38.45	Pass
			2	23.22	-5.00	16.07	<=38.45	Pass
		3	3	23.30	-5.00	16.15	<=38.45	Pass
			0	22.23	-5.00	15.08	<=38.45	Pass
			0					

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	24.35	-5.00	17.20	<=38.45	Pass
			7	24.51	-5.00	17.36	<=38.45	Pass
			14	24.14	-5.00	16.99	<=38.45	Pass
		8	0	23.19	-5.00	16.04	<=38.45	Pass
			4	23.30	-5.00	16.15	<=38.45	Pass
			7	23.27	-5.00	16.12	<=38.45	Pass
		15	0	23.33	-5.00	16.18	<=38.45	Pass
	836.5	1	0	24.21	-5.00	17.06	<=38.45	Pass
			7	24.46	-5.00	17.31	<=38.45	Pass
			14	24.29	-5.00	17.14	<=38.45	Pass
		8	0	23.20	-5.00	16.05	<=38.45	Pass
			4	23.34	-5.00	16.19	<=38.45	Pass
			7	23.33	-5.00	16.18	<=38.45	Pass
		15	0	23.33	-5.00	16.18	<=38.45	Pass
	847.5	1	0	24.11	-5.00	16.96	<=38.45	Pass
			7	24.31	-5.00	17.16	<=38.45	Pass
			14	24.21	-5.00	17.06	<=38.45	Pass
		8	0	23.28	-5.00	16.13	<=38.45	Pass
			4	23.30	-5.00	16.15	<=38.45	Pass
			7	23.30	-5.00	16.15	<=38.45	Pass
		15	0	23.29	-5.00	16.14	<=38.45	Pass
16QAM	825.5	1	0	23.62	-5.00	16.47	<=38.45	Pass
			7	23.77	-5.00	16.62	<=38.45	Pass
			14	23.62	-5.00	16.47	<=38.45	Pass
		8	0	22.30	-5.00	15.15	<=38.45	Pass
			4	22.46	-5.00	15.31	<=38.45	Pass
			7	22.36	-5.00	15.21	<=38.45	Pass
		15	0	22.37	-5.00	15.22	<=38.45	Pass
	836.5	1	0	23.71	-5.00	16.56	<=38.45	Pass
			7	23.81	-5.00	16.66	<=38.45	Pass
			14	23.62	-5.00	16.47	<=38.45	Pass
		8	0	22.34	-5.00	15.19	<=38.45	Pass
			4	22.42	-5.00	15.27	<=38.45	Pass
			7	22.48	-5.00	15.33	<=38.45	Pass
		15	0	22.29	-5.00	15.14	<=38.45	Pass
	847.5	1	0	23.51	-5.00	16.36	<=38.45	Pass

			7	23.60	-5.00	16.45	<=38.45	Pass	
			14	23.61	-5.00	16.46	<=38.45	Pass	
		8	0	22.26	-5.00	15.11	<=38.45	Pass	
			4	22.31	-5.00	15.16	<=38.45	Pass	
			7	22.37	-5.00	15.22	<=38.45	Pass	
		15	0	22.33	-5.00	15.18	<=38.45	Pass	
64QAM	825.5	1	0	23.37	-5.00	16.22	<=38.45	Pass	
			7	23.71	-5.00	16.56	<=38.45	Pass	
			14	23.36	-5.00	16.21	<=38.45	Pass	
		8	0	22.30	-5.00	15.15	<=38.45	Pass	
			4	22.31	-5.00	15.16	<=38.45	Pass	
			7	22.39	-5.00	15.24	<=38.45	Pass	
	15	0	22.33	-5.00	15.18	<=38.45	Pass		
	836.5	1	0	23.30	-5.00	16.15	<=38.45	Pass	
			7	23.42	-5.00	16.27	<=38.45	Pass	
			14	23.29	-5.00	16.14	<=38.45	Pass	
		8	0	22.31	-5.00	15.16	<=38.45	Pass	
			4	22.30	-5.00	15.15	<=38.45	Pass	
			7	22.34	-5.00	15.19	<=38.45	Pass	
	15	0	22.32	-5.00	15.17	<=38.45	Pass		
	847.5	1	0	23.32	-5.00	16.17	<=38.45	Pass	
			7	23.40	-5.00	16.25	<=38.45	Pass	
			14	23.43	-5.00	16.28	<=38.45	Pass	
		8	0	22.38	-5.00	15.23	<=38.45	Pass	
			4	22.32	-5.00	15.17	<=38.45	Pass	
			7	22.31	-5.00	15.16	<=38.45	Pass	
	15	0	22.30	-5.00	15.15	<=38.45	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15								

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.30	-5.00	17.15	<=38.45	Pass
			13	24.35	-5.00	17.20	<=38.45	Pass
			24	24.26	-5.00	17.11	<=38.45	Pass
		12	0	23.18	-5.00	16.03	<=38.45	Pass
			6	23.32	-5.00	16.17	<=38.45	Pass
			13	23.42	-5.00	16.27	<=38.45	Pass
		25	0	23.35	-5.00	16.20	<=38.45	Pass
	836.5	1	0	24.35	-5.00	17.20	<=38.45	Pass
			13	24.29	-5.00	17.14	<=38.45	Pass
			24	24.31	-5.00	17.16	<=38.45	Pass
		12	0	23.18	-5.00	16.03	<=38.45	Pass
			6	23.38	-5.00	16.23	<=38.45	Pass
			13	23.28	-5.00	16.13	<=38.45	Pass
		25	0	23.36	-5.00	16.21	<=38.45	Pass
	846.5	1	0	24.14	-5.00	16.99	<=38.45	Pass
			13	24.21	-5.00	17.06	<=38.45	Pass
			24	24.23	-5.00	17.08	<=38.45	Pass
		12	0	23.20	-5.00	16.05	<=38.45	Pass
			6	23.14	-5.00	15.99	<=38.45	Pass
			13	23.24	-5.00	16.09	<=38.45	Pass
		25	0	23.14	-5.00	15.99	<=38.45	Pass
16QAM	826.5	1	0	23.60	-5.00	16.45	<=38.45	Pass
			13	23.68	-5.00	16.53	<=38.45	Pass

		12	24	23.57	-5.00	16.42	<=38.45	Pass	
			0	22.28	-5.00	15.13	<=38.45	Pass	
			6	22.35	-5.00	15.20	<=38.45	Pass	
			13	22.32	-5.00	15.17	<=38.45	Pass	
		25	0	22.37	-5.00	15.22	<=38.45	Pass	
	836.5	1	0	23.64	-5.00	16.49	<=38.45	Pass	
			13	23.76	-5.00	16.61	<=38.45	Pass	
			24	23.57	-5.00	16.42	<=38.45	Pass	
		12	0	22.36	-5.00	15.21	<=38.45	Pass	
			6	22.39	-5.00	15.24	<=38.45	Pass	
			13	22.36	-5.00	15.21	<=38.45	Pass	
		25	0	22.36	-5.00	15.21	<=38.45	Pass	
		846.5	1	0	23.52	-5.00	16.37	<=38.45	Pass
	13			23.44	-5.00	16.29	<=38.45	Pass	
	24			23.62	-5.00	16.47	<=38.45	Pass	
	12		0	22.18	-5.00	15.03	<=38.45	Pass	
			6	22.28	-5.00	15.13	<=38.45	Pass	
			13	22.27	-5.00	15.12	<=38.45	Pass	
	25		0	22.13	-5.00	14.98	<=38.45	Pass	
	64QAM	826.5	1	0	23.39	-5.00	16.24	<=38.45	Pass
				13	23.36	-5.00	16.21	<=38.45	Pass
				24	23.40	-5.00	16.25	<=38.45	Pass
			12	0	22.26	-5.00	15.11	<=38.45	Pass
				6	22.33	-5.00	15.18	<=38.45	Pass
13				22.40	-5.00	15.25	<=38.45	Pass	
25			0	22.34	-5.00	15.19	<=38.45	Pass	
836.5		1	0	23.32	-5.00	16.17	<=38.45	Pass	
			13	23.52	-5.00	16.37	<=38.45	Pass	
			24	23.53	-5.00	16.38	<=38.45	Pass	
		12	0	22.19	-5.00	15.04	<=38.45	Pass	
			6	22.38	-5.00	15.23	<=38.45	Pass	
			13	22.35	-5.00	15.20	<=38.45	Pass	
		25	0	22.24	-5.00	15.09	<=38.45	Pass	
846.5		1	0	23.23	-5.00	16.08	<=38.45	Pass	
			13	23.31	-5.00	16.16	<=38.45	Pass	
			24	23.40	-5.00	16.25	<=38.45	Pass	
		12	0	22.26	-5.00	15.11	<=38.45	Pass	
			6	22.26	-5.00	15.11	<=38.45	Pass	
			13	22.32	-5.00	15.17	<=38.45	Pass	
		25	0	22.21	-5.00	15.06	<=38.45	Pass	
		Note1: ERP=Conducted Power+Antenna Gain-2.15							

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.42	-5.00	17.27	<=38.45	Pass
			25	24.36	-5.00	17.21	<=38.45	Pass
			49	24.21	-5.00	17.06	<=38.45	Pass
		25	0	23.29	-5.00	16.14	<=38.45	Pass
			13	23.35	-5.00	16.20	<=38.45	Pass
			25	23.33	-5.00	16.18	<=38.45	Pass
		50	0	23.30	-5.00	16.15	<=38.45	Pass
	836.5	1	0	24.31	-5.00	17.16	<=38.45	Pass
			25	24.42	-5.00	17.27	<=38.45	Pass
			49	24.31	-5.00	17.16	<=38.45	Pass

		25	0	23.24	-5.00	16.09	<=38.45	Pass
			13	23.37	-5.00	16.22	<=38.45	Pass
			25	23.32	-5.00	16.17	<=38.45	Pass
		50	0	23.49	-5.00	16.34	<=38.45	Pass
	844	1	0	24.31	-5.00	17.16	<=38.45	Pass
			25	24.37	-5.00	17.22	<=38.45	Pass
			49	24.25	-5.00	17.10	<=38.45	Pass
		25	0	23.30	-5.00	16.15	<=38.45	Pass
			13	23.40	-5.00	16.25	<=38.45	Pass
			25	23.34	-5.00	16.19	<=38.45	Pass
		50	0	23.34	-5.00	16.19	<=38.45	Pass
16QAM		829	1	0	23.76	-5.00	16.61	<=38.45
	25			23.78	-5.00	16.63	<=38.45	Pass
	49			23.56	-5.00	16.41	<=38.45	Pass
	25		0	22.29	-5.00	15.14	<=38.45	Pass
			13	22.42	-5.00	15.27	<=38.45	Pass
			25	22.32	-5.00	15.17	<=38.45	Pass
	50		0	22.39	-5.00	15.24	<=38.45	Pass
	836.5	1	0	23.59	-5.00	16.44	<=38.45	Pass
			25	23.49	-5.00	16.34	<=38.45	Pass
			49	23.67	-5.00	16.52	<=38.45	Pass
		25	0	22.23	-5.00	15.08	<=38.45	Pass
			13	22.34	-5.00	15.19	<=38.45	Pass
			25	22.32	-5.00	15.17	<=38.45	Pass
		50	0	22.36	-5.00	15.21	<=38.45	Pass
	844	1	0	23.79	-5.00	16.64	<=38.45	Pass
			25	23.44	-5.00	16.29	<=38.45	Pass
			49	23.54	-5.00	16.39	<=38.45	Pass
		25	0	22.27	-5.00	15.12	<=38.45	Pass
			13	22.39	-5.00	15.24	<=38.45	Pass
			25	22.32	-5.00	15.17	<=38.45	Pass
		50	0	22.32	-5.00	15.17	<=38.45	Pass
64QAM		829	1	0	23.54	-5.00	16.39	<=38.45
	25			23.59	-5.00	16.44	<=38.45	Pass
	49			23.42	-5.00	16.27	<=38.45	Pass
	25		0	22.26	-5.00	15.11	<=38.45	Pass
			13	22.34	-5.00	15.19	<=38.45	Pass
			25	22.29	-5.00	15.14	<=38.45	Pass
	50		0	22.39	-5.00	15.24	<=38.45	Pass
	836.5	1	0	23.51	-5.00	16.36	<=38.45	Pass
			25	23.60	-5.00	16.45	<=38.45	Pass
			49	23.53	-5.00	16.38	<=38.45	Pass
		25	0	22.32	-5.00	15.17	<=38.45	Pass
			13	22.31	-5.00	15.16	<=38.45	Pass
			25	22.23	-5.00	15.08	<=38.45	Pass
		50	0	22.25	-5.00	15.10	<=38.45	Pass
	844	1	0	23.37	-5.00	16.22	<=38.45	Pass
			25	23.32	-5.00	16.17	<=38.45	Pass
			49	23.38	-5.00	16.23	<=38.45	Pass
		25	0	22.26	-5.00	15.11	<=38.45	Pass
			13	22.39	-5.00	15.24	<=38.45	Pass
			25	22.31	-5.00	15.16	<=38.45	Pass
		50	0	22.33	-5.00	15.18	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	24.11	-5.00	16.96	<=38.45	Pass
			38	24.09	-5.00	16.94	<=38.45	Pass
			74	23.97	-5.00	16.82	<=38.45	Pass
		36	0	23.23	-5.00	16.08	<=38.45	Pass
			18	23.16	-5.00	16.01	<=38.45	Pass
			39	23.19	-5.00	16.04	<=38.45	Pass
		75	0	23.19	-5.00	16.04	<=38.45	Pass
	836.5	1	0	24.15	-5.00	17.00	<=38.45	Pass
			38	24.06	-5.00	16.91	<=38.45	Pass
			74	23.91	-5.00	16.76	<=38.45	Pass
		36	0	23.18	-5.00	16.03	<=38.45	Pass
			18	23.20	-5.00	16.05	<=38.45	Pass
			39	23.15	-5.00	16.00	<=38.45	Pass
		75	0	23.31	-5.00	16.16	<=38.45	Pass
	841.5	1	0	24.12	-5.00	16.97	<=38.45	Pass
			38	24.18	-5.00	17.03	<=38.45	Pass
			74	24.37	-5.00	17.22	<=38.45	Pass
		36	0	23.13	-5.00	15.98	<=38.45	Pass
			18	23.06	-5.00	15.91	<=38.45	Pass
			39	23.18	-5.00	16.03	<=38.45	Pass
		75	0	23.18	-5.00	16.03	<=38.45	Pass
16QAM	831.5	1	0	23.35	-5.00	16.20	<=38.45	Pass
			38	23.63	-5.00	16.48	<=38.45	Pass
			74	23.38	-5.00	16.23	<=38.45	Pass
		36	0	22.23	-5.00	15.08	<=38.45	Pass
			18	22.14	-5.00	14.99	<=38.45	Pass
			39	22.24	-5.00	15.09	<=38.45	Pass
		75	0	22.19	-5.00	15.04	<=38.45	Pass
	836.5	1	0	23.34	-5.00	16.19	<=38.45	Pass
			38	23.42	-5.00	16.27	<=38.45	Pass
			74	23.24	-5.00	16.09	<=38.45	Pass
		36	0	22.23	-5.00	15.08	<=38.45	Pass
			18	22.20	-5.00	15.05	<=38.45	Pass
			39	22.18	-5.00	15.03	<=38.45	Pass
		75	0	22.29	-5.00	15.14	<=38.45	Pass
	841.5	1	0	23.27	-5.00	16.12	<=38.45	Pass
			38	23.45	-5.00	16.30	<=38.45	Pass
			74	23.41	-5.00	16.26	<=38.45	Pass
		36	0	22.18	-5.00	15.03	<=38.45	Pass
			18	22.14	-5.00	14.99	<=38.45	Pass
			39	22.17	-5.00	15.02	<=38.45	Pass
		75	0	22.19	-5.00	15.04	<=38.45	Pass
64QAM	831.5	1	0	23.17	-5.00	16.02	<=38.45	Pass
			38	23.57	-5.00	16.42	<=38.45	Pass
			74	23.17	-5.00	16.02	<=38.45	Pass
		36	0	22.22	-5.00	15.07	<=38.45	Pass
			18	22.23	-5.00	15.08	<=38.45	Pass
			39	22.24	-5.00	15.09	<=38.45	Pass
		75	0	22.20	-5.00	15.05	<=38.45	Pass
	836.5	1	0	23.31	-5.00	16.16	<=38.45	Pass
			38	23.26	-5.00	16.11	<=38.45	Pass
			74	23.31	-5.00	16.16	<=38.45	Pass
		36	0	22.12	-5.00	14.97	<=38.45	Pass
			18	22.19	-5.00	15.04	<=38.45	Pass
			39	22.18	-5.00	15.03	<=38.45	Pass
		75	0	22.26	-5.00	15.11	<=38.45	Pass

	841.5	1	0	23.54	-5.00	16.39	<=38.45	Pass
			38	23.03	-5.00	15.88	<=38.45	Pass
			74	23.12	-5.00	15.97	<=38.45	Pass
		36	0	22.20	-5.00	15.05	<=38.45	Pass
			18	22.14	-5.00	14.99	<=38.45	Pass
			39	22.18	-5.00	15.03	<=38.45	Pass
		75	0	22.05	-5.00	14.90	<=38.45	Pass
		Note1: ERP=Conducted Power+Antenna Gain-2.15						

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.4	-8.200	-0.0099	-2.5 to 2.5	Pass
					3.92	-10.900	-0.0132	-2.5 to 2.5	Pass
					4.53	-14.900	-0.0181	-2.5 to 2.5	Pass
				-30	3.92	-10.300	-0.0125	-2.5 to 2.5	Pass
				-20	3.92	-15.600	-0.0189	-2.5 to 2.5	Pass
				-10	3.92	-22.300	-0.0270	-2.5 to 2.5	Pass
				0	3.92	-23.000	-0.0279	-2.5 to 2.5	Pass
				10	3.92	-16.700	-0.0202	-2.5 to 2.5	Pass
				30	3.92	-19.900	-0.0241	-2.5 to 2.5	Pass
				40	3.92	-20.900	-0.0253	-2.5 to 2.5	Pass
				50	3.92	-16.600	-0.0201	-2.5 to 2.5	Pass
	836.5	6	0	20	3.4	-12.200	-0.0146	-2.5 to 2.5	Pass
					3.92	-13.600	-0.0163	-2.5 to 2.5	Pass
					4.53	-10.100	-0.0121	-2.5 to 2.5	Pass
				-30	3.92	-9.100	-0.0109	-2.5 to 2.5	Pass
				-20	3.92	-6.000	-0.0072	-2.5 to 2.5	Pass
				-10	3.92	-7.600	-0.0091	-2.5 to 2.5	Pass
				0	3.92	-7.000	-0.0084	-2.5 to 2.5	Pass
				10	3.92	-5.100	-0.0061	-2.5 to 2.5	Pass
				30	3.92	-4.700	-0.0056	-2.5 to 2.5	Pass
				40	3.92	-5.600	-0.0067	-2.5 to 2.5	Pass
				50	3.92	-4.200	-0.0050	-2.5 to 2.5	Pass
	848.3	6	0	20	3.4	10.800	0.0127	-2.5 to 2.5	Pass
					3.92	7.600	0.0090	-2.5 to 2.5	Pass
					4.53	22.600	0.0266	-2.5 to 2.5	Pass
				-30	3.92	14.600	0.0172	-2.5 to 2.5	Pass
				-20	3.92	9.600	0.0113	-2.5 to 2.5	Pass
				-10	3.92	7.900	0.0093	-2.5 to 2.5	Pass
				0	3.92	11.600	0.0137	-2.5 to 2.5	Pass
				10	3.92	7.900	0.0093	-2.5 to 2.5	Pass
				30	3.92	2.900	0.0034	-2.5 to 2.5	Pass
				40	3.92	17.800	0.0210	-2.5 to 2.5	Pass
				50	3.92	18.200	0.0215	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.4	-5.800	-0.0070	-2.5 to 2.5	Pass
					3.92	15.500	0.0188	-2.5 to 2.5	Pass
					4.53	-6.500	-0.0079	-2.5 to 2.5	Pass
				-30	3.92	-1.900	-0.0023	-2.5 to 2.5	Pass
				-20	3.92	-12.600	-0.0153	-2.5 to 2.5	Pass
				-10	3.92	-17.300	-0.0210	-2.5 to 2.5	Pass
				0	3.92	-5.800	-0.0070	-2.5 to 2.5	Pass
				10	3.92	-5.500	-0.0067	-2.5 to 2.5	Pass
				30	3.92	-11.600	-0.0141	-2.5 to 2.5	Pass
				40	3.92	-12.300	-0.0149	-2.5 to 2.5	Pass
				50	3.92	-7.700	-0.0093	-2.5 to 2.5	Pass
	836.5	6	0	20	3.4	16.200	0.0194	-2.5 to 2.5	Pass
					3.92	20.000	0.0239	-2.5 to 2.5	Pass
					4.53	18.000	0.0215	-2.5 to 2.5	Pass

				-30	3.92	15.500	0.0185	-2.5 to 2.5	Pass
				-20	3.92	9.200	0.0110	-2.5 to 2.5	Pass
				-10	3.92	13.800	0.0165	-2.5 to 2.5	Pass
				0	3.92	12.300	0.0147	-2.5 to 2.5	Pass
				10	3.92	13.500	0.0161	-2.5 to 2.5	Pass
				30	3.92	11.100	0.0133	-2.5 to 2.5	Pass
				40	3.92	9.900	0.0118	-2.5 to 2.5	Pass
				50	3.92	10.300	0.0123	-2.5 to 2.5	Pass
	848.3	6	0	20	3.4	-15.700	-0.0185	-2.5 to 2.5	Pass
					3.92	-12.300	-0.0145	-2.5 to 2.5	Pass
					4.53	-11.200	-0.0132	-2.5 to 2.5	Pass
				-30	3.92	-10.500	-0.0124	-2.5 to 2.5	Pass
				-20	3.92	-9.300	-0.0110	-2.5 to 2.5	Pass
				-10	3.92	-7.900	-0.0093	-2.5 to 2.5	Pass
				0	3.92	-7.400	-0.0087	-2.5 to 2.5	Pass
				10	3.92	-6.800	-0.0080	-2.5 to 2.5	Pass
				30	3.92	-4.700	-0.0055	-2.5 to 2.5	Pass
				40	3.92	-4.700	-0.0055	-2.5 to 2.5	Pass
				50	3.92	-3.200	-0.0038	-2.5 to 2.5	Pass
64QAM	824.7	6	0	20	3.4	-183.400	-0.2224	-2.5 to 2.5	Pass
					3.92	181.000	0.2195	-2.5 to 2.5	Pass
					4.53	33.700	0.0409	-2.5 to 2.5	Pass
				-30	3.92	178.500	0.2164	-2.5 to 2.5	Pass
				-20	3.92	-30.900	-0.0375	-2.5 to 2.5	Pass
				-10	3.92	-156.000	-0.1892	-2.5 to 2.5	Pass
				0	3.92	127.000	0.1540	-2.5 to 2.5	Pass
				10	3.92	13.100	0.0159	-2.5 to 2.5	Pass
				30	3.92	177.400	0.2151	-2.5 to 2.5	Pass
				40	3.92	-176.200	-0.2137	-2.5 to 2.5	Pass
	836.5	6	0	50	3.92	165.800	0.2010	-2.5 to 2.5	Pass
				20	3.4	184.900	0.2210	-2.5 to 2.5	Pass
					3.92	-191.000	-0.2283	-2.5 to 2.5	Pass
					4.53	-215.200	-0.2573	-2.5 to 2.5	Pass
				-30	3.92	29.200	0.0349	-2.5 to 2.5	Pass
				-20	3.92	179.600	0.2147	-2.5 to 2.5	Pass
				-10	3.92	-180.700	-0.2160	-2.5 to 2.5	Pass
				0	3.92	-187.900	-0.2246	-2.5 to 2.5	Pass
				10	3.92	158.600	0.1896	-2.5 to 2.5	Pass
				30	3.92	7.200	0.0086	-2.5 to 2.5	Pass
	848.3	6	0	40	3.92	120.800	0.1444	-2.5 to 2.5	Pass
				50	3.92	172.900	0.2067	-2.5 to 2.5	Pass
				20	3.4	155.900	0.1838	-2.5 to 2.5	Pass
					3.92	-204.400	-0.2410	-2.5 to 2.5	Pass
					4.53	141.200	0.1665	-2.5 to 2.5	Pass
				-30	3.92	150.700	0.1776	-2.5 to 2.5	Pass
				-20	3.92	-200.300	-0.2361	-2.5 to 2.5	Pass
				-10	3.92	-194.900	-0.2298	-2.5 to 2.5	Pass
				0	3.92	149.400	0.1761	-2.5 to 2.5	Pass
				10	3.92	-173.700	-0.2048	-2.5 to 2.5	Pass
				30	3.92	-21.600	-0.0255	-2.5 to 2.5	Pass
				40	3.92	-217.500	-0.2564	-2.5 to 2.5	Pass
				50	3.92	-18.300	-0.0216	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz							
Modulation	Frequency	RB Allocation	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)	Verdict

	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	
QPSK	825.5	15	0	20	3.4	3.800	0.0046	-2.5 to 2.5	Pass
					3.92	1.800	0.0022	-2.5 to 2.5	Pass
					4.53	2.700	0.0033	-2.5 to 2.5	Pass
				-30	3.92	0.200	0.0002	-2.5 to 2.5	Pass
				-20	3.92	1.500	0.0018	-2.5 to 2.5	Pass
				-10	3.92	1.400	0.0017	-2.5 to 2.5	Pass
				0	3.92	1.000	0.0012	-2.5 to 2.5	Pass
				10	3.92	1.300	0.0016	-2.5 to 2.5	Pass
				30	3.92	0.500	0.0006	-2.5 to 2.5	Pass
				40	3.92	2.900	0.0035	-2.5 to 2.5	Pass
				50	3.92	0.200	0.0002	-2.5 to 2.5	Pass
	836.5	15	0	20	3.4	1.700	0.0020	-2.5 to 2.5	Pass
					3.92	4.000	0.0048	-2.5 to 2.5	Pass
					4.53	0.900	0.0011	-2.5 to 2.5	Pass
				-30	3.92	1.600	0.0019	-2.5 to 2.5	Pass
				-20	3.92	3.400	0.0041	-2.5 to 2.5	Pass
				-10	3.92	1.400	0.0017	-2.5 to 2.5	Pass
				0	3.92	1.800	0.0022	-2.5 to 2.5	Pass
				10	3.92	0.800	0.0010	-2.5 to 2.5	Pass
				30	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				40	3.92	2.000	0.0024	-2.5 to 2.5	Pass
				50	3.92	2.700	0.0032	-2.5 to 2.5	Pass
	847.5	15	0	20	3.4	1.200	0.0014	-2.5 to 2.5	Pass
					3.92	3.400	0.0040	-2.5 to 2.5	Pass
					4.53	2.700	0.0032	-2.5 to 2.5	Pass
				-30	3.92	1.200	0.0014	-2.5 to 2.5	Pass
				-20	3.92	3.800	0.0045	-2.5 to 2.5	Pass
				-10	3.92	2.500	0.0029	-2.5 to 2.5	Pass
				0	3.92	3.700	0.0044	-2.5 to 2.5	Pass
				10	3.92	2.400	0.0028	-2.5 to 2.5	Pass
				30	3.92	1.700	0.0020	-2.5 to 2.5	Pass
				40	3.92	1.000	0.0012	-2.5 to 2.5	Pass
				50	3.92	3.000	0.0035	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.4	1.900	0.0023	-2.5 to 2.5	Pass
					3.92	2.300	0.0028	-2.5 to 2.5	Pass
					4.53	0.800	0.0010	-2.5 to 2.5	Pass
				-30	3.92	1.500	0.0018	-2.5 to 2.5	Pass
				-20	3.92	4.400	0.0053	-2.5 to 2.5	Pass
				-10	3.92	2.700	0.0033	-2.5 to 2.5	Pass
				0	3.92	0.400	0.0005	-2.5 to 2.5	Pass
				10	3.92	1.800	0.0022	-2.5 to 2.5	Pass
				30	3.92	2.000	0.0024	-2.5 to 2.5	Pass
				40	3.92	4.100	0.0050	-2.5 to 2.5	Pass
				50	3.92	3.900	0.0047	-2.5 to 2.5	Pass
	836.5	15	0	20	3.4	2.600	0.0031	-2.5 to 2.5	Pass
					3.92	2.000	0.0024	-2.5 to 2.5	Pass
					4.53	0.700	0.0008	-2.5 to 2.5	Pass
				-30	3.92	0.600	0.0007	-2.5 to 2.5	Pass
				-20	3.92	1.400	0.0017	-2.5 to 2.5	Pass
				-10	3.92	0.500	0.0006	-2.5 to 2.5	Pass
				0	3.92	1.400	0.0017	-2.5 to 2.5	Pass
				10	3.92	1.400	0.0017	-2.5 to 2.5	Pass
				30	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				40	3.92	1.400	0.0017	-2.5 to 2.5	Pass
				50	3.92	1.100	0.0013	-2.5 to 2.5	Pass
	847.5	15	0	20	3.4	2.300	0.0027	-2.5 to 2.5	Pass
					3.92	0.600	0.0007	-2.5 to 2.5	Pass
					4.53	2.200	0.0026	-2.5 to 2.5	Pass

				-30	3.92	0.600	0.0007	-2.5 to 2.5	Pass
				-20	3.92	1.800	0.0021	-2.5 to 2.5	Pass
				-10	3.92	3.100	0.0037	-2.5 to 2.5	Pass
				0	3.92	2.400	0.0028	-2.5 to 2.5	Pass
				10	3.92	1.100	0.0013	-2.5 to 2.5	Pass
				30	3.92	3.000	0.0035	-2.5 to 2.5	Pass
				40	3.92	2.300	0.0027	-2.5 to 2.5	Pass
				50	3.92	2.300	0.0027	-2.5 to 2.5	Pass
64QAM	825.5	15	0	20	3.4	-55.300	-0.0670	-2.5 to 2.5	Pass
					3.92	96.400	0.1168	-2.5 to 2.5	Pass
					4.53	5.100	0.0062	-2.5 to 2.5	Pass
				-30	3.92	22.500	0.0273	-2.5 to 2.5	Pass
				-20	3.92	-101.700	-0.1232	-2.5 to 2.5	Pass
				-10	3.92	39.800	0.0482	-2.5 to 2.5	Pass
				0	3.92	62.900	0.0762	-2.5 to 2.5	Pass
				10	3.92	-79.400	-0.0962	-2.5 to 2.5	Pass
				30	3.92	-30.400	-0.0368	-2.5 to 2.5	Pass
				40	3.92	-4.800	-0.0058	-2.5 to 2.5	Pass
				50	3.92	3.200	0.0039	-2.5 to 2.5	Pass
	836.5	15	0	20	3.4	-20.300	-0.0243	-2.5 to 2.5	Pass
					3.92	9.900	0.0118	-2.5 to 2.5	Pass
					4.53	31.800	0.0380	-2.5 to 2.5	Pass
				-30	3.92	-48.600	-0.0581	-2.5 to 2.5	Pass
				-20	3.92	0.800	0.0010	-2.5 to 2.5	Pass
				-10	3.92	-124.000	-0.1482	-2.5 to 2.5	Pass
				0	3.92	22.200	0.0265	-2.5 to 2.5	Pass
				10	3.92	-22.300	-0.0267	-2.5 to 2.5	Pass
				30	3.92	38.500	0.0460	-2.5 to 2.5	Pass
				40	3.92	110.000	0.1315	-2.5 to 2.5	Pass
				50	3.92	-39.500	-0.0472	-2.5 to 2.5	Pass
	847.5	15	0	20	3.4	-0.100	-0.0001	-2.5 to 2.5	Pass
					3.92	59.600	0.0703	-2.5 to 2.5	Pass
					4.53	60.500	0.0714	-2.5 to 2.5	Pass
				-30	3.92	13.500	0.0159	-2.5 to 2.5	Pass
				-20	3.92	-46.100	-0.0544	-2.5 to 2.5	Pass
				-10	3.92	-49.500	-0.0584	-2.5 to 2.5	Pass
				0	3.92	-2.000	-0.0024	-2.5 to 2.5	Pass
				10	3.92	-22.400	-0.0264	-2.5 to 2.5	Pass
				30	3.92	-38.900	-0.0459	-2.5 to 2.5	Pass
				40	3.92	-150.100	-0.1771	-2.5 to 2.5	Pass
				50	3.92	59.700	0.0704	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.4	0.000	0.0000	-2.5 to 2.5	Pass
					3.92	1.600	0.0019	-2.5 to 2.5	Pass
					4.53	3.700	0.0045	-2.5 to 2.5	Pass
				-30	3.92	1.200	0.0015	-2.5 to 2.5	Pass
				-20	3.92	4.200	0.0051	-2.5 to 2.5	Pass
				-10	3.92	3.000	0.0036	-2.5 to 2.5	Pass
				0	3.92	4.100	0.0050	-2.5 to 2.5	Pass
				10	3.92	4.000	0.0048	-2.5 to 2.5	Pass
				30	3.92	2.500	0.0030	-2.5 to 2.5	Pass
				40	3.92	2.200	0.0027	-2.5 to 2.5	Pass

	836.5	25	0	50	3.92	1.000	0.0012	-2.5 to 2.5	Pass
				20	3.4	-0.700	-0.0008	-2.5 to 2.5	Pass
					3.92	0.900	0.0011	-2.5 to 2.5	Pass
					4.53	-1.700	-0.0020	-2.5 to 2.5	Pass
				-30	3.92	-0.200	-0.0002	-2.5 to 2.5	Pass
				-20	3.92	-1.000	-0.0012	-2.5 to 2.5	Pass
				-10	3.92	-2.100	-0.0025	-2.5 to 2.5	Pass
				0	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				10	3.92	1.400	0.0017	-2.5 to 2.5	Pass
				30	3.92	0.200	0.0002	-2.5 to 2.5	Pass
				40	3.92	-1.000	-0.0012	-2.5 to 2.5	Pass
				50	3.92	0.200	0.0002	-2.5 to 2.5	Pass
	846.5	25	0	20	3.4	-1.900	-0.0022	-2.5 to 2.5	Pass
					3.92	-0.500	-0.0006	-2.5 to 2.5	Pass
					4.53	1.000	0.0012	-2.5 to 2.5	Pass
				-30	3.92	0.400	0.0005	-2.5 to 2.5	Pass
				-20	3.92	1.900	0.0022	-2.5 to 2.5	Pass
				-10	3.92	0.900	0.0011	-2.5 to 2.5	Pass
				0	3.92	1.200	0.0014	-2.5 to 2.5	Pass
				10	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				30	3.92	-0.500	-0.0006	-2.5 to 2.5	Pass
				40	3.92	0.100	0.0001	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.4	-0.800	-0.0010	-2.5 to 2.5	Pass
					3.92	2.600	0.0031	-2.5 to 2.5	Pass
					4.53	1.200	0.0015	-2.5 to 2.5	Pass
				-30	3.92	0.600	0.0007	-2.5 to 2.5	Pass
				-20	3.92	2.500	0.0030	-2.5 to 2.5	Pass
				-10	3.92	3.400	0.0041	-2.5 to 2.5	Pass
				0	3.92	2.700	0.0033	-2.5 to 2.5	Pass
				10	3.92	1.800	0.0022	-2.5 to 2.5	Pass
				30	3.92	1.400	0.0017	-2.5 to 2.5	Pass
				40	3.92	3.400	0.0041	-2.5 to 2.5	Pass
				50	3.92	2.400	0.0029	-2.5 to 2.5	Pass
	836.5	25	0	20	3.4	-0.600	-0.0007	-2.5 to 2.5	Pass
					3.92	-2.000	-0.0024	-2.5 to 2.5	Pass
					4.53	-0.600	-0.0007	-2.5 to 2.5	Pass
				-30	3.92	-0.800	-0.0010	-2.5 to 2.5	Pass
				-20	3.92	1.200	0.0014	-2.5 to 2.5	Pass
				-10	3.92	0.500	0.0006	-2.5 to 2.5	Pass
				0	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				10	3.92	1.300	0.0016	-2.5 to 2.5	Pass
				30	3.92	2.400	0.0029	-2.5 to 2.5	Pass
				40	3.92	1.900	0.0023	-2.5 to 2.5	Pass
				50	3.92	0.900	0.0011	-2.5 to 2.5	Pass
	846.5	25	0	20	3.4	2.600	0.0031	-2.5 to 2.5	Pass
					3.92	1.700	0.0020	-2.5 to 2.5	Pass
					4.53	1.300	0.0015	-2.5 to 2.5	Pass
				-30	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				-20	3.92	1.200	0.0014	-2.5 to 2.5	Pass
				-10	3.92	-0.600	-0.0007	-2.5 to 2.5	Pass
				0	3.92	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	3.92	-1.200	-0.0014	-2.5 to 2.5	Pass
				30	3.92	0.500	0.0006	-2.5 to 2.5	Pass
				40	3.92	-0.100	-0.0001	-2.5 to 2.5	Pass
64QAM	826.5	25	0	20	3.4	-24.600	-0.0298	-2.5 to 2.5	Pass
					3.92	18.600	0.0225	-2.5 to 2.5	Pass
					4.53	18.000	0.0218	-2.5 to 2.5	Pass

				-30	3.92	39.900	0.0483	-2.5 to 2.5	Pass
				-20	3.92	17.200	0.0208	-2.5 to 2.5	Pass
				-10	3.92	-18.000	-0.0218	-2.5 to 2.5	Pass
				0	3.92	19.800	0.0240	-2.5 to 2.5	Pass
				10	3.92	50.300	0.0609	-2.5 to 2.5	Pass
				30	3.92	-15.000	-0.0181	-2.5 to 2.5	Pass
				40	3.92	-23.300	-0.0282	-2.5 to 2.5	Pass
				50	3.92	2.200	0.0027	-2.5 to 2.5	Pass
	836.5	25	0	20	3.4	0.000	0.0000	-2.5 to 2.5	Pass
					3.92	-32.900	-0.0393	-2.5 to 2.5	Pass
					4.53	-10.000	-0.0120	-2.5 to 2.5	Pass
				-30	3.92	-39.000	-0.0466	-2.5 to 2.5	Pass
				-20	3.92	20.100	0.0240	-2.5 to 2.5	Pass
				-10	3.92	-30.900	-0.0369	-2.5 to 2.5	Pass
				0	3.92	20.200	0.0241	-2.5 to 2.5	Pass
				10	3.92	23.900	0.0286	-2.5 to 2.5	Pass
				30	3.92	-24.700	-0.0295	-2.5 to 2.5	Pass
				40	3.92	8.500	0.0102	-2.5 to 2.5	Pass
				50	3.92	4.200	0.0050	-2.5 to 2.5	Pass
	846.5	25	0	20	3.4	-15.200	-0.0180	-2.5 to 2.5	Pass
					3.92	-0.400	-0.0005	-2.5 to 2.5	Pass
					4.53	22.500	0.0266	-2.5 to 2.5	Pass
				-30	3.92	10.900	0.0129	-2.5 to 2.5	Pass
				-20	3.92	-0.300	-0.0004	-2.5 to 2.5	Pass
				-10	3.92	6.600	0.0078	-2.5 to 2.5	Pass
				0	3.92	21.600	0.0255	-2.5 to 2.5	Pass
				10	3.92	-14.100	-0.0167	-2.5 to 2.5	Pass
				30	3.92	-20.200	-0.0239	-2.5 to 2.5	Pass
				40	3.92	-38.100	-0.0450	-2.5 to 2.5	Pass
				50	3.92	12.300	0.0145	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.4	1.000	0.0012	-2.5 to 2.5	Pass
					3.92	0.100	0.0001	-2.5 to 2.5	Pass
					4.53	-0.300	-0.0004	-2.5 to 2.5	Pass
				-30	3.92	1.000	0.0012	-2.5 to 2.5	Pass
				-20	3.92	0.900	0.0011	-2.5 to 2.5	Pass
				-10	3.92	0.200	0.0002	-2.5 to 2.5	Pass
				0	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				10	3.92	-1.000	-0.0012	-2.5 to 2.5	Pass
				30	3.92	-1.300	-0.0016	-2.5 to 2.5	Pass
				40	3.92	0.200	0.0002	-2.5 to 2.5	Pass
				50	3.92	-0.900	-0.0011	-2.5 to 2.5	Pass
	836.5	50	0	20	3.4	-0.600	-0.0007	-2.5 to 2.5	Pass
					3.92	0.700	0.0008	-2.5 to 2.5	Pass
					4.53	-0.200	-0.0002	-2.5 to 2.5	Pass
				-30	3.92	-0.200	-0.0002	-2.5 to 2.5	Pass
				-20	3.92	0.800	0.0010	-2.5 to 2.5	Pass
				-10	3.92	-0.200	-0.0002	-2.5 to 2.5	Pass
				0	3.92	1.600	0.0019	-2.5 to 2.5	Pass
				10	3.92	0.800	0.0010	-2.5 to 2.5	Pass
				30	3.92	0.600	0.0007	-2.5 to 2.5	Pass
				40	3.92	0.200	0.0002	-2.5 to 2.5	Pass

				50	3.92	-1.300	-0.0016	-2.5 to 2.5	Pass
	844	50	0	20	3.4	-1.700	-0.0020	-2.5 to 2.5	Pass
					3.92	-1.500	-0.0018	-2.5 to 2.5	Pass
					4.53	0.300	0.0004	-2.5 to 2.5	Pass
					-30	3.92	-0.900	-0.0011	-2.5 to 2.5
				-20	3.92	1.000	0.0012	-2.5 to 2.5	Pass
				-10	3.92	-0.300	-0.0004	-2.5 to 2.5	Pass
				0	3.92	-0.300	-0.0004	-2.5 to 2.5	Pass
				10	3.92	-0.900	-0.0011	-2.5 to 2.5	Pass
				30	3.92	-1.400	-0.0017	-2.5 to 2.5	Pass
				40	3.92	-1.500	-0.0018	-2.5 to 2.5	Pass
	50	3.92	-2.900	-0.0034	-2.5 to 2.5	Pass			
16QAM	829	50	0	20	3.4	0.600	0.0007	-2.5 to 2.5	Pass
					3.92	0.300	0.0004	-2.5 to 2.5	Pass
					4.53	-1.000	-0.0012	-2.5 to 2.5	Pass
					-30	3.92	0.500	0.0006	-2.5 to 2.5
				-20	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				-10	3.92	-0.700	-0.0008	-2.5 to 2.5	Pass
				0	3.92	0.800	0.0010	-2.5 to 2.5	Pass
				10	3.92	1.700	0.0021	-2.5 to 2.5	Pass
				30	3.92	0.700	0.0008	-2.5 to 2.5	Pass
				40	3.92	0.600	0.0007	-2.5 to 2.5	Pass
				50	3.92	-0.400	-0.0005	-2.5 to 2.5	Pass
				836.5	50	0	20	3.4	-1.300
	3.92	-1.300	-0.0016					-2.5 to 2.5	Pass
	4.53	-2.400	-0.0029					-2.5 to 2.5	Pass
	-30	3.92	-0.100					-0.0001	-2.5 to 2.5
	-20	3.92	-1.800				-0.0022	-2.5 to 2.5	Pass
	-10	3.92	-0.300				-0.0004	-2.5 to 2.5	Pass
	0	3.92	-0.400				-0.0005	-2.5 to 2.5	Pass
	10	3.92	1.100				0.0013	-2.5 to 2.5	Pass
	30	3.92	0.900				0.0011	-2.5 to 2.5	Pass
	40	3.92	0.100				0.0001	-2.5 to 2.5	Pass
	50	3.92	0.100				0.0001	-2.5 to 2.5	Pass
	844	50	0				20	3.4	-3.300
				3.92	-1.700	-0.0020		-2.5 to 2.5	Pass
				4.53	-0.200	-0.0002		-2.5 to 2.5	Pass
				-30	3.92	-0.600		-0.0007	-2.5 to 2.5
				-20	3.92	-2.100	-0.0025	-2.5 to 2.5	Pass
				-10	3.92	-0.400	-0.0005	-2.5 to 2.5	Pass
				0	3.92	-1.100	-0.0013	-2.5 to 2.5	Pass
				10	3.92	-1.600	-0.0019	-2.5 to 2.5	Pass
				30	3.92	-0.300	-0.0004	-2.5 to 2.5	Pass
				40	3.92	-0.900	-0.0011	-2.5 to 2.5	Pass
				50	3.92	-1.600	-0.0019	-2.5 to 2.5	Pass
64QAM				829	50	0	20	3.4	7.400
	3.92	5.900	0.0071					-2.5 to 2.5	Pass
	4.53	17.800	0.0215					-2.5 to 2.5	Pass
	-30	3.92	-15.300					-0.0185	-2.5 to 2.5
	-20	3.92	-9.500				-0.0115	-2.5 to 2.5	Pass
	-10	3.92	-20.000				-0.0241	-2.5 to 2.5	Pass
	0	3.92	17.500				0.0211	-2.5 to 2.5	Pass
	10	3.92	-24.500				-0.0296	-2.5 to 2.5	Pass
	30	3.92	-0.500				-0.0006	-2.5 to 2.5	Pass
	40	3.92	18.500				0.0223	-2.5 to 2.5	Pass
	50	3.92	10.000				0.0121	-2.5 to 2.5	Pass
	836.5	50	0				20	3.4	-13.800
				3.92	20.400	0.0244		-2.5 to 2.5	Pass
	4.53	-18.700	-0.0224	-2.5 to 2.5	Pass				

				-30	3.92	-18.000	-0.0215	-2.5 to 2.5	Pass
				-20	3.92	-25.200	-0.0301	-2.5 to 2.5	Pass
				-10	3.92	-14.300	-0.0171	-2.5 to 2.5	Pass
				0	3.92	-16.400	-0.0196	-2.5 to 2.5	Pass
				10	3.92	-26.300	-0.0314	-2.5 to 2.5	Pass
				30	3.92	9.800	0.0117	-2.5 to 2.5	Pass
				40	3.92	2.800	0.0033	-2.5 to 2.5	Pass
				50	3.92	14.200	0.0170	-2.5 to 2.5	Pass
	844	50	0	20	3.4	-17.500	-0.0207	-2.5 to 2.5	Pass
					3.92	-23.900	-0.0283	-2.5 to 2.5	Pass
					4.53	-11.000	-0.0130	-2.5 to 2.5	Pass
				-30	3.92	17.200	0.0204	-2.5 to 2.5	Pass
				-20	3.92	3.200	0.0038	-2.5 to 2.5	Pass
				-10	3.92	22.700	0.0269	-2.5 to 2.5	Pass
				0	3.92	7.800	0.0092	-2.5 to 2.5	Pass
				10	3.92	6.200	0.0073	-2.5 to 2.5	Pass
				30	3.92	6.500	0.0077	-2.5 to 2.5	Pass
				40	3.92	-6.800	-0.0081	-2.5 to 2.5	Pass
				50	3.92	-11.500	-0.0136	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.4	0.100	0.0001	-2.5 to 2.5	Pass
					3.92	0.000	0.0000	-2.5 to 2.5	Pass
					4.53	-1.200	-0.0014	-2.5 to 2.5	Pass
				-30	3.92	-1.800	-0.0022	-2.5 to 2.5	Pass
				-20	3.92	-2.100	-0.0025	-2.5 to 2.5	Pass
				-10	3.92	-2.600	-0.0031	-2.5 to 2.5	Pass
				0	3.92	-1.700	-0.0020	-2.5 to 2.5	Pass
				10	3.92	0.300	0.0004	-2.5 to 2.5	Pass
				30	3.92	-0.600	-0.0007	-2.5 to 2.5	Pass
				40	3.92	-1.500	-0.0018	-2.5 to 2.5	Pass
				50	3.92	-0.200	-0.0002	-2.5 to 2.5	Pass
	836.5	75	0	20	3.4	-2.200	-0.0026	-2.5 to 2.5	Pass
					3.92	-1.700	-0.0020	-2.5 to 2.5	Pass
					4.53	-2.800	-0.0033	-2.5 to 2.5	Pass
				-30	3.92	-3.700	-0.0044	-2.5 to 2.5	Pass
				-20	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				-10	3.92	-2.600	-0.0031	-2.5 to 2.5	Pass
				0	3.92	-1.100	-0.0013	-2.5 to 2.5	Pass
				10	3.92	-2.900	-0.0035	-2.5 to 2.5	Pass
				30	3.92	-1.800	-0.0022	-2.5 to 2.5	Pass
				40	3.92	-2.300	-0.0027	-2.5 to 2.5	Pass
				50	3.92	-2.300	-0.0027	-2.5 to 2.5	Pass
	841.5	75	0	20	3.4	-1.200	-0.0014	-2.5 to 2.5	Pass
					3.92	-1.400	-0.0017	-2.5 to 2.5	Pass
					4.53	-0.300	-0.0004	-2.5 to 2.5	Pass
				-30	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				-20	3.92	-0.900	-0.0011	-2.5 to 2.5	Pass
				-10	3.92	1.200	0.0014	-2.5 to 2.5	Pass
				0	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				10	3.92	-0.700	-0.0008	-2.5 to 2.5	Pass
				30	3.92	-0.800	-0.0010	-2.5 to 2.5	Pass
				40	3.92	-1.700	-0.0020	-2.5 to 2.5	Pass

16QAM	831.5	75	0	50	3.92	-2.500	-0.0030	-2.5 to 2.5	Pass
				20	3.4	-0.600	-0.0007	-2.5 to 2.5	Pass
					3.92	-1.600	-0.0019	-2.5 to 2.5	Pass
					4.53	0.000	0.0000	-2.5 to 2.5	Pass
				-30	3.92	-2.700	-0.0032	-2.5 to 2.5	Pass
				-20	3.92	-1.100	-0.0013	-2.5 to 2.5	Pass
				-10	3.92	0.600	0.0007	-2.5 to 2.5	Pass
				0	3.92	-2.900	-0.0035	-2.5 to 2.5	Pass
				10	3.92	-1.000	-0.0012	-2.5 to 2.5	Pass
				30	3.92	-1.600	-0.0019	-2.5 to 2.5	Pass
	836.5	75	0	40	3.92	-2.300	-0.0028	-2.5 to 2.5	Pass
				50	3.92	-1.000	-0.0012	-2.5 to 2.5	Pass
				20	3.4	-2.800	-0.0033	-2.5 to 2.5	Pass
					3.92	-3.100	-0.0037	-2.5 to 2.5	Pass
					4.53	-1.200	-0.0014	-2.5 to 2.5	Pass
				-30	3.92	-1.700	-0.0020	-2.5 to 2.5	Pass
				-20	3.92	-0.500	-0.0006	-2.5 to 2.5	Pass
				-10	3.92	-0.600	-0.0007	-2.5 to 2.5	Pass
				0	3.92	-1.200	-0.0014	-2.5 to 2.5	Pass
				10	3.92	0.900	0.0011	-2.5 to 2.5	Pass
	841.5	75	0	30	3.92	-0.100	-0.0001	-2.5 to 2.5	Pass
				40	3.92	-0.600	-0.0007	-2.5 to 2.5	Pass
				50	3.92	0.900	0.0011	-2.5 to 2.5	Pass
				20	3.4	-0.900	-0.0011	-2.5 to 2.5	Pass
					3.92	0.700	0.0008	-2.5 to 2.5	Pass
					4.53	0.200	0.0002	-2.5 to 2.5	Pass
				-30	3.92	-1.000	-0.0012	-2.5 to 2.5	Pass
				-20	3.92	-1.700	-0.0020	-2.5 to 2.5	Pass
				-10	3.92	0.100	0.0001	-2.5 to 2.5	Pass
				0	3.92	-2.700	-0.0032	-2.5 to 2.5	Pass
64QAM	831.5	75	0	10	3.92	-1.000	-0.0012	-2.5 to 2.5	Pass
				30	3.92	-0.300	-0.0004	-2.5 to 2.5	Pass
				40	3.92	-1.200	-0.0014	-2.5 to 2.5	Pass
				50	3.92	0.000	0.0000	-2.5 to 2.5	Pass
				20	3.4	-5.000	-0.0060	-2.5 to 2.5	Pass
					3.92	-17.000	-0.0204	-2.5 to 2.5	Pass
					4.53	-1.800	-0.0022	-2.5 to 2.5	Pass
				-30	3.92	4.900	0.0059	-2.5 to 2.5	Pass
				-20	3.92	5.300	0.0064	-2.5 to 2.5	Pass
				-10	3.92	9.900	0.0119	-2.5 to 2.5	Pass
	836.5	75	0	0	3.92	-5.800	-0.0070	-2.5 to 2.5	Pass
				10	3.92	14.200	0.0171	-2.5 to 2.5	Pass
				30	3.92	-9.800	-0.0118	-2.5 to 2.5	Pass
				40	3.92	-11.500	-0.0138	-2.5 to 2.5	Pass
				50	3.92	-3.900	-0.0047	-2.5 to 2.5	Pass
				20	3.4	-12.000	-0.0143	-2.5 to 2.5	Pass
					3.92	-13.000	-0.0155	-2.5 to 2.5	Pass
					4.53	-12.700	-0.0152	-2.5 to 2.5	Pass
				-30	3.92	-4.000	-0.0048	-2.5 to 2.5	Pass
				-20	3.92	4.200	0.0050	-2.5 to 2.5	Pass
	841.5	75	0	-10	3.92	14.500	0.0173	-2.5 to 2.5	Pass
				0	3.92	7.700	0.0092	-2.5 to 2.5	Pass
				10	3.92	-0.700	-0.0008	-2.5 to 2.5	Pass
				30	3.92	-6.400	-0.0077	-2.5 to 2.5	Pass
				40	3.92	4.300	0.0051	-2.5 to 2.5	Pass
				50	3.92	17.800	0.0213	-2.5 to 2.5	Pass
				20	3.4	7.400	0.0088	-2.5 to 2.5	Pass
					3.92	-8.400	-0.0100	-2.5 to 2.5	Pass
					4.53	3.100	0.0037	-2.5 to 2.5	Pass

				-30	3.92	5.900	0.0070	-2.5 to 2.5	Pass
				-20	3.92	-10.900	-0.0130	-2.5 to 2.5	Pass
				-10	3.92	0.700	0.0008	-2.5 to 2.5	Pass
				0	3.92	3.400	0.0040	-2.5 to 2.5	Pass
				10	3.92	19.000	0.0226	-2.5 to 2.5	Pass
				30	3.92	-4.100	-0.0049	-2.5 to 2.5	Pass
				40	3.92	6.200	0.0074	-2.5 to 2.5	Pass
				50	3.92	-1.700	-0.0020	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.121	/	Pass
		836.5	6	0	1.123	/	Pass
		848.3	6	0	1.131	/	Pass
	16QAM	824.7	6	0	1.124	/	Pass
		836.5	6	0	1.127	/	Pass
		848.3	6	0	1.126	/	Pass
	64QAM	824.7	6	0	1.127	/	Pass
		836.5	6	0	1.131	/	Pass
		848.3	6	0	1.118	/	Pass
3	QPSK	825.5	15	0	2.756	/	Pass
		836.5	15	0	2.743	/	Pass
		847.5	15	0	2.743	/	Pass
	16QAM	825.5	15	0	2.738	/	Pass
		836.5	15	0	2.744	/	Pass
		847.5	15	0	2.739	/	Pass
	64QAM	825.5	15	0	2.751	/	Pass
		836.5	15	0	2.738	/	Pass
		847.5	15	0	2.736	/	Pass
5	QPSK	826.5	25	0	4.555	/	Pass
		836.5	25	0	4.581	/	Pass
		846.5	25	0	4.554	/	Pass
	16QAM	826.5	25	0	4.560	/	Pass
		836.5	25	0	4.551	/	Pass
		846.5	25	0	4.534	/	Pass
	64QAM	826.5	25	0	4.552	/	Pass
		836.5	25	0	4.556	/	Pass
		846.5	25	0	4.536	/	Pass
10	QPSK	829	50	0	9.089	/	Pass
		836.5	50	0	9.081	/	Pass
		844	50	0	9.069	/	Pass
	16QAM	829	50	0	9.085	/	Pass
		836.5	50	0	9.079	/	Pass
		844	50	0	9.056	/	Pass
	64QAM	829	50	0	9.074	/	Pass
		836.5	50	0	9.050	/	Pass
		844	50	0	9.051	/	Pass
15	QPSK	831.5	75	0	13.653	/	Pass
		836.5	75	0	13.629	/	Pass
		841.5	75	0	13.620	/	Pass
	16QAM	831.5	75	0	13.658	/	Pass
		836.5	75	0	13.592	/	Pass
		841.5	75	0	13.591	/	Pass
	64QAM	831.5	75	0	13.624	/	Pass
		836.5	75	0	13.564	/	Pass
		841.5	75	0	13.568	/	Pass

3.1.2 Band26b_XDB


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.392	/	Pass
		836.5	6	0	1.388	/	Pass
		848.3	6	0	1.389	/	Pass
	16QAM	824.7	6	0	1.424	/	Pass
		836.5	6	0	1.410	/	Pass
		848.3	6	0	1.453	/	Pass
	64QAM	824.7	6	0	1.395	/	Pass
		836.5	6	0	1.406	/	Pass
		848.3	6	0	1.389	/	Pass
3	QPSK	825.5	15	0	3.126	/	Pass
		836.5	15	0	3.120	/	Pass
		847.5	15	0	3.171	/	Pass
	16QAM	825.5	15	0	3.120	/	Pass
		836.5	15	0	3.116	/	Pass
		847.5	15	0	3.156	/	Pass
	64QAM	825.5	15	0	3.126	/	Pass
		836.5	15	0	3.102	/	Pass
		847.5	15	0	3.077	/	Pass
5	QPSK	826.5	25	0	5.315	/	Pass
		836.5	25	0	5.267	/	Pass
		846.5	25	0	5.202	/	Pass
	16QAM	826.5	25	0	5.252	/	Pass
		836.5	25	0	5.172	/	Pass
		846.5	25	0	5.258	/	Pass
	64QAM	826.5	25	0	5.241	/	Pass
		836.5	25	0	5.155	/	Pass
		846.5	25	0	5.298	/	Pass
10	QPSK	829	50	0	10.150	/	Pass
		836.5	50	0	10.151	/	Pass
		844	50	0	10.097	/	Pass
	16QAM	829	50	0	10.076	/	Pass
		836.5	50	0	10.145	/	Pass
		844	50	0	10.119	/	Pass
	64QAM	829	50	0	10.242	/	Pass
		836.5	50	0	10.256	/	Pass
		844	50	0	10.252	/	Pass
15	QPSK	831.5	75	0	15.173	/	Pass
		836.5	75	0	15.168	/	Pass
		841.5	75	0	15.178	/	Pass
	16QAM	831.5	75	0	15.215	/	Pass
		836.5	75	0	15.296	/	Pass
		841.5	75	0	15.152	/	Pass
	64QAM	831.5	75	0	15.191	/	Pass
		836.5	75	0	15.154	/	Pass
		841.5	75	0	15.120	/	Pass

3.2 Test Graph


3.2.1 Band26b_OBW




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 64QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 64QAM MCH 836.5MHz RB 6 0 NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTN




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTN




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b 3MHz 64QAM MCH 836.5MHz RB 15 0 NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b 5MHz 16QAM MCH 836.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b 5MHz 64QAM LCH 826.5MHz RB 25 0 NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b 5MHz 64QAM HCH 846.5MHz RB 25 0 NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 50 0 NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTN




Band26b 10MHz 64QAM LCH 829MHz RB 50 0 NTN




Band26b 10MHz 64QAM MCH 836.5MHz RB 50 0 NTNV




Band26b 10MHz 64QAM HCH 844MHz RB 50 0 NTNV




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b 15MHz 64QAM HCH 841.5MHz RB 75 0 NTNV




3.2.2 Band26b_XDB




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 64QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 64QAM MCH 836.5MHz RB 6 0 NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b 3MHz 64QAM MCH 836.5MHz RB 15 0 NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b 5MHz 16QAM MCH 836.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b 5MHz 64QAM LCH 826.5MHz RB 25 0 NTN




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTN




Band26b 5MHz 64QAM HCH 846.5MHz RB 25 0 NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b 10MHz QPSK MCH 836.5MHz RB 50 0 NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 50 0 NTN




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0 NTN




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 64QAM LCH 829MHz RB 50 0 NTNV




Band26b 10MHz 64QAM MCH 836.5MHz RB 50 0 NTNV




Band26b 10MHz 64QAM HCH 844MHz RB 50 0 NTNV




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTN




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTN




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b 15MHz 64QAM HCH 841.5MHz RB 75 0 NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.19	<=13	Pass
	836.5	6	0	5.53	<=13	Pass
	848.3	6	0	5.52	<=13	Pass
16QAM	824.7	6	0	6.02	<=13	Pass
	836.5	6	0	6.32	<=13	Pass
	848.3	6	0	6.32	<=13	Pass
64QAM	824.7	6	0	5.91	<=13	Pass
	836.5	6	0	6.04	<=13	Pass
	848.3	6	0	6.18	<=13	Pass

4.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	4.99	<=13	Pass
	836.5	15	0	5.11	<=13	Pass
	847.5	15	0	5.10	<=13	Pass
16QAM	825.5	15	0	5.87	<=13	Pass
	836.5	15	0	5.97	<=13	Pass
	847.5	15	0	6.00	<=13	Pass
64QAM	825.5	15	0	5.88	<=13	Pass
	836.5	15	0	5.97	<=13	Pass
	847.5	15	0	6.01	<=13	Pass

4.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.24	<=13	Pass
	836.5	25	0	5.35	<=13	Pass
	846.5	25	0	5.32	<=13	Pass
16QAM	826.5	25	0	6.07	<=13	Pass
	836.5	25	0	6.14	<=13	Pass
	846.5	25	0	6.17	<=13	Pass
64QAM	826.5	25	0	6.05	<=13	Pass
	836.5	25	0	6.12	<=13	Pass
	846.5	25	0	6.16	<=13	Pass

4.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.34	<=13	Pass
	836.5	50	0	5.40	<=13	Pass
	844	50	0	5.42	<=13	Pass
16QAM	829	50	0	6.11	<=13	Pass
	836.5	50	0	6.16	<=13	Pass
	844	50	0	6.19	<=13	Pass
64QAM	829	50	0	6.10	<=13	Pass
	836.5	50	0	6.14	<=13	Pass
	844	50	0	6.18	<=13	Pass

4.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	5.17	<=13	Pass
	836.5	75	0	5.24	<=13	Pass
	841.5	75	0	5.38	<=13	Pass
16QAM	831.5	75	0	6.04	<=13	Pass
	836.5	75	0	6.07	<=13	Pass
	841.5	75	0	6.20	<=13	Pass
64QAM	831.5	75	0	6.04	<=13	Pass
	836.5	75	0	6.08	<=13	Pass
	841.5	75	0	6.18	<=13	Pass

4.2 Test Graph


4.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTN




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTN




Band26b 1.4MHz 64QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 64QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 64QAM HCH 848.3MHz RB 6 0 NTNV




4.2.2 B26b_3MHz




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b 3MHz 64QAM LCH 825.5MHz RB 15 0 NTNV



Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b 3MHz 64QAM HCH 847.5MHz RB 15 0 NTNV




4.2.3 B26b_5MHz


Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b 5MHz 16QAM MCH 836.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b 5MHz 64QAM LCH 826.5MHz RB 25 0 NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b 5MHz 64QAM HCH 846.5MHz RB 25 0 NTV




4.2.4 B26b_10MHz




Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 50 0 NTNV




Band26b 10MHz 16QAM MCH 836.5MHz RB 50 0 NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 64QAM LCH 829MHz RB 50 0 NTNV




Band26b 10MHz 64QAM MCH 836.5MHz RB 50 0 NTNV




Band26b 10MHz 64QAM HCH 844MHz RB 50 0 NTNV




4.2.5 B26b_15MHz




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b 15MHz 64QAM HCH 841.5MHz RB 75 0 NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
64QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
64QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
64QAM	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
	50	0	Refer To Test Graph		Pass	
16QAM	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
	50	0	Refer To Test Graph		Pass	
64QAM	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
	50	0	Refer To Test Graph		Pass	


5.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass


		75	0	Refer To Test Graph	Pass
16QAM	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
64QAM	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

5.2 Test Graph

5.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-35.10	-13	Pass
823	824	0.014	CHP	2	823.995	-25.91	-13	Pass
824	827	0.014	CHP	/	/	/	/	/


Band26b 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTV



Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-26.07	-13	Pass
850	852	0.1	CHP	2	850.052	-49.53	-13	Pass

Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.014	CHP	/	/	/	/	/
849	850	0.014	CHP	1	849.005	-27.66	-13	Pass
850	852	0.1	CHP	2	850.055	-37.18	-13	Pass

Band26b 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.948	-49.14	-13	Pass
823	824	0.003	/	2	823.995	-25.85	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26b 1.4MHz 16QAM LCH 824.7MHz RB 1 0 NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-37.19	-13	Pass
823	824	0.014	CHP	2	823.995	-26.72	-13	Pass
824	827	0.014	CHP	/	/	/	/	/


Band26b 1.4MHz 16QAM MCH 836.5MHz RB 1 0 NTNV



Band26b 1.4MHz 16QAM HCH 848.3MHz RB 1 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-26.19	-13	Pass
850	852	0.1	CHP	2	850.054	-49.44	-13	Pass

Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.015	CHP	/	/	/	/	/
849	850	0.015	CHP	1	849.005	-27.22	-13	Pass
850	852	0.1	CHP	2	850.060	-37.99	-13	Pass

Band26b 1.4MHz 64QAM LCH 824.7MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.946	-49.52	-13	Pass
823	824	0.003	/	2	823.994	-26.57	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26b 1.4MHz 64QAM LCH 824.7MHz RB 1 0 NTNV




Band26b 1.4MHz 64QAM LCH 824.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.940	-37.78	-13	Pass
823	824	0.014	CHP	2	823.995	-26.78	-13	Pass
824	827	0.014	CHP	/	/	/	/	/


Band26b 1.4MHz 64QAM MCH 836.5MHz RB 1 0 NTNV



Band26b 1.4MHz 64QAM HCH 848.3MHz RB 1 0 NTN




Band26b 1.4MHz 64QAM HCH 848.3MHz RB 1 5 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-27.03	-13	Pass
850	852	0.1	CHP	2	850.052	-50.22	-13	Pass

Band26b 1.4MHz 64QAM HCH 848.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.014	CHP	/	/	/	/	/
849	850	0.014	CHP	1	849.010	-28.28	-13	Pass
850	852	0.1	CHP	2	850.075	-38.53	-13	Pass

5.2.2 B26b_3MHz




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.920	-32.45	-13	Pass
823	824	0.031	CHP	2	823.994	-24.51	-13	Pass
824	827	0.031	CHP	/	/	/	/	/


Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b 3MHz QPSK HCH 847.5MHz RB 1 0 NTNV




Band26b_3MHz QPSK HCH 847.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.027	-31.30	-13	Pass
850	852	0.1	CHP	2	850.052	-48.70	-13	Pass

Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.032	CHP	/	/	/	/	/
849	850	0.032	CHP	1	849.006	-26.50	-13	Pass
850	852	0.1	CHP	2	851.352	-37.10	-13	Pass

Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.898	-45.18	-13	Pass
823	824	0.003	/	2	823.999	-28.95	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26b 3MHz 16QAM LCH 825.5MHz RB 1 0 NTV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.920	-33.58	-13	Pass
823	824	0.031	CHP	2	823.994	-25.41	-13	Pass
824	827	0.031	CHP	/	/	/	/	/


Band26b 3MHz 16QAM MCH 836.5MHz RB 1 0 NTNV



Band26b 3MHz 16QAM HCH 847.5MHz RB 1 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-30.90	-13	Pass
850	852	0.1	CHP	2	850.095	-44.94	-13	Pass

Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.032	CHP	/	/	/	/	/
849	850	0.032	CHP	1	849.006	-27.97	-13	Pass
850	852	0.1	CHP	2	850.098	-35.32	-13	Pass

Band26b 3MHz 64QAM LCH 825.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.944	-47.18	-13	Pass
823	824	0.003	/	2	823.999	-30.27	-13	Pass
824	827	0.003	/	/	/	/	/	/

Band26b_3MHz_64QAM_LCH_825.5MHz_RB_1_0_NTNV




Band26b 3MHz 64QAM LCH 825.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.842	-33.35	-13	Pass
823	824	0.031	CHP	2	823.994	-24.68	-13	Pass
824	827	0.031	CHP	/	/	/	/	/


Band26b 3MHz 64QAM MCH 836.5MHz RB 1 0 NTNV



Band26b 3MHz 64QAM HCH 847.5MHz RB 1 0 NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-31.70	-13	Pass
850	852	0.1	CHP	2	850.054	-47.88	-13	Pass

Band26b 3MHz 64QAM HCH 847.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.006	-26.65	-13	Pass
850	852	0.1	CHP	2	850.062	-35.24	-13	Pass

5.2.3 B26b_5MHz




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.780	-32.80	-13	Pass
823	824	0.053	CHP	2	823.990	-24.30	-13	Pass
824	829	0.053	CHP	/	/	/	/	/


Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTV



Band26b 5MHz QPSK HCH 846.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-32.55	-13	Pass
850	854	0.1	CHP	2	850.050	-46.70	-13	Pass

Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.052	CHP	/	/	/	/	/
849	850	0.052	CHP	1	849.010	-26.66	-13	Pass
850	854	0.1	CHP	2	850.060	-36.62	-13	Pass

Band26b_5MHz_16QAM_LCH_826.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.950	-48.22	-13	Pass
823	824	0.003	/	2	823.999	-31.70	-13	Pass
824	829	0.003	/	/	/	/	/	/

Band26b 5MHz 16QAM LCH 826.5MHz RB 1 0 NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.710	-35.28	-13	Pass
823	824	0.053	CHP	2	823.990	-27.07	-13	Pass
824	829	0.053	CHP	/	/	/	/	/


Band26b 5MHz 16QAM MCH 836.5MHz RB 1 0 NTV



Band26b 5MHz 16QAM HCH 846.5MHz RB 1 0 NTV




Band26b 5MHz 16QAM HCH 846.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-32.57	-13	Pass
850	854	0.1	CHP	2	850.050	-47.48	-13	Pass

Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.053	CHP	/	/	/	/	/
849	850	0.053	CHP	1	849.010	-27.95	-13	Pass
850	854	0.1	CHP	2	850.190	-37.08	-13	Pass

Band26b 5MHz 64QAM LCH 826.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.948	-49.11	-13	Pass
823	824	0.003	/	2	823.999	-32.50	-13	Pass
824	829	0.003	/	/	/	/	/	/

Band26b_5MHz_64QAM_LCH_826.5MHz_RB_1_0_NTNV




Band26b 5MHz 64QAM LCH 826.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.420	-35.88	-13	Pass
823	824	0.052	CHP	2	823.990	-26.25	-13	Pass
824	829	0.052	CHP	/	/	/	/	/


Band26b 5MHz 64QAM MCH 836.5MHz RB 1 0 NTNV



Band26b 5MHz 64QAM HCH 846.5MHz RB 1 0 NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.015	-33.91	-13	Pass
850	854	0.1	CHP	2	850.050	-49.13	-13	Pass

Band26b 5MHz 64QAM HCH 846.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.053	CHP	/	/	/	/	/
849	850	0.053	CHP	1	849.010	-28.88	-13	Pass
850	854	0.1	CHP	2	850.100	-37.17	-13	Pass

5.2.4 B26b_10MHz




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.740	-33.17	-13	Pass
823	824	0.102	CHP	2	823.980	-29.68	-13	Pass
824	834	0.102	CHP	/	/	/	/	/


Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b 10MHz QPSK HCH 844MHz RB 1 0 NTN




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.004	-44.63	-13	Pass
850	859	0.1	CHP	2	850.051	-50.37	-13	Pass


Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 16QAM LCH 829MHz RB 1 0 NTNV



Band26b 10MHz 16QAM LCH 829MHz RB 1 0 NTV




Band26b 10MHz 16QAM LCH 829MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.340	-34.01	-13	Pass
823	824	0.101	CHP	2	823.980	-30.20	-13	Pass
824	834	0.101	CHP	/	/	/	/	/


Band26b_10MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_10MHz_16QAM_HCH_844MHz_RB_1_0_NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-43.85	-13	Pass
850	859	0.1	CHP	2	850.051	-50.81	-13	Pass

Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.101	CHP	/	/	/	/	/
849	850	0.101	CHP	1	849.020	-33.07	-13	Pass
850	859	0.1	/	2	850.100	-37.77	-13	Pass

Band26b_10MHz_64QAM_LCH_829MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.949	-51.70	-13	Pass
823	824	0.003	/	2	823.995	-45.70	-13	Pass
824	834	0.003	/	/	/	/	/	/


Band26b_10MHz_64QAM_LCH_829MHz_RB_1_0_NTNV




Band26b 10MHz 64QAM LCH 829MHz RB 50 0 NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b 10MHz 64QAM HCH 844MHz RB 1 0 NTNV




Band26b 10MHz 64QAM HCH 844MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.004	-44.61	-13	Pass
850	859	0.1	CHP	2	850.051	-51.53	-13	Pass

Band26b 10MHz 64QAM HCH 844MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.103	CHP	/	/	/	/	/
849	850	0.103	CHP	1	849.060	-33.07	-13	Pass
850	859	0.1	/	2	850.180	-37.07	-13	Pass

5.2.5 B26b_15MHz




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	822.080	-37.45	-13	Pass
823	824	0.152	CHP	2	823.970	-33.75	-13	Pass
824	839	0.152	CHP	/	/	/	/	/


Band26b 15MHz QPSK MCH 836.5MHz RB 1 0 NTNV



Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-42.48	-13	Pass
850	864	0.1	CHP	2	850.231	-51.75	-13	Pass

Band26b 15MHz QPSK HCH 841.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.152	CHP	/	/	/	/	/
849	850	0.152	CHP	1	849.030	-36.64	-13	Pass
850	864	0.1	/	2	851.190	-37.82	-13	Pass

Band26b 15MHz 16QAM LCH 831.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	CHP	1	822.764	-51.72	-13	Pass
823	824	0.003	/	2	823.985	-43.85	-13	Pass
824	839	0.003	/	/	/	/	/	/

Band26b 15MHz 16QAM LCH 831.5MHz RB 1 0 NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	822.680	-37.97	-13	Pass
823	824	0.152	CHP	2	823.970	-33.66	-13	Pass
824	839	0.152	CHP	/	/	/	/	/


Band26b_15MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b_15MHz_16QAM_HCH_841.5MHz_RB_1_0_NTNV




Band26b 15MHz 16QAM HCH 841.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-42.18	-13	Pass
850	864	0.1	CHP	2	850.218	-51.83	-13	Pass

Band26b 15MHz 16QAM HCH 841.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.152	CHP	/	/	/	/	/
849	850	0.152	CHP	1	849.210	-36.93	-13	Pass
850	864	0.1	/	2	850.320	-39.77	-13	Pass

Band26b 15MHz 64QAM LCH 831.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	CHP	1	822.769	-51.98	-13	Pass
823	824	0.003	/	2	823.995	-43.23	-13	Pass
824	839	0.003	/	/	/	/	/	/

Band26b 15MHz 64QAM LCH 831.5MHz RB 1 0 NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	820.700	-38.17	-13	Pass
823	824	0.152	CHP	2	823.970	-32.69	-13	Pass
824	839	0.152	CHP	/	/	/	/	/


Band26b_15MHz_64QAM_MCH_836.5MHz_RB_1_0_NTNV



Band26b 15MHz 64QAM HCH 841.5MHz RB 1 0 NTNV




Band26b_15MHz_64QAM_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-42.82	-13	Pass
850	864	0.1	CHP	2	850.176	-52.28	-13	Pass

Band26b 15MHz 64QAM HCH 841.5MHz RB 75 0 NTNv



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.151	CHP	/	/	/	/	/
849	850	0.151	CHP	1	849.060	-36.88	-13	Pass
850	864	0.1	/	2	851.040	-40.46	-13	Pass

6. Field Strength of Spurious Radiation

LTE Band 26b(824-849MHz) ANT1-Low channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1649.5	-58.33	-13	-45.33	-61.21	2.62	5.5	Horizontal	Pass
2474.25	-68.62	-13	-55.62	-71.32	3.06	5.76	Horizontal	Pass
3299.0	-66.94	-13	-53.94	-71.31	3.3	7.67	Horizontal	Pass
1649.5	-61.66	-13	-48.66	-64.54	2.62	5.5	Vertical	Pass
2474.25	-68.8	-13	-55.8	-71.5	3.06	5.76	Vertical	Pass
3299.0	-66.76	-13	-53.76	-71.13	3.3	7.67	Vertical	Pass

LTE Band 26b(824-849MHz) ANT1-Middle channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1659.5	-66.92	-13	-53.92	-69.78	2.62	5.48	Horizontal	Pass
2489.25	-69.45	-13	-56.45	-72.17	3.07	5.79	Horizontal	Pass
3319.0	-67.11	-13	-54.11	-71.52	3.31	7.72	Horizontal	Pass
1659.5	-71.19	-13	-58.19	-74.05	2.62	5.48	Vertical	Pass
2489.25	-69.66	-13	-56.66	-72.38	3.07	5.79	Vertical	Pass
3319.0	-67.54	-13	-54.54	-71.95	3.31	7.72	Vertical	Pass

LTE Band 26b(824-849MHz) ANT1-High channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1669.5	-71.59	-13	-58.59	-74.41	2.63	5.45	Horizontal	Pass
2504.5	-68.43	-13	-55.43	-71.18	3.08	5.83	Horizontal	Pass
3339.0	-66.55	-13	-53.55	-71.0	3.32	7.77	Horizontal	Pass
1669.5	-72.15	-13	-59.15	-74.97	2.63	5.45	Vertical	Pass
2504.5	-68.91	-13	-55.91	-71.66	3.08	5.83	Vertical	Pass
3339.0	-66.59	-13	-53.59	-71.04	3.32	7.77	Vertical	Pass