

TX Channel	Burst Average Power (dBm)			Tune-up Limit (dBm)	Frame-Average Power (dBm)			Tune-up Limit (dBm)
	128	188	251		128	188	251	
Frequency (MHz)	834.2	836.4	848.8		834.2	836.4	848.8	
GSM 1 Tx slot	32.00	32.16	32.05	33.10	23.00	23.16	23.05	24.10
GPRS/EDGE(GMSK) 1 Tx slot	31.90	32.12	32.00	33.10	22.90	23.12	23.00	24.10
GPRS/EDGE(GMSK) 2 Tx slots	29.50	29.63	29.55	30.60	23.30	23.63	23.55	24.60
GPRS/EDGE(GMSK) 3 Tx slots	27.96	28.11	28.09	29.10	23.70	23.85	23.83	24.84
GPRS/EDGE(GMSK) 4 Tx slots	26.88	27.05	26.93	27.60	23.88	24.05	23.93	24.60
EDGE 1 Tx slot	26.28	26.30	26.35	26.80	17.28	17.30	17.35	17.80
EDGE 2 Tx slot	25.20	25.25	25.18	25.60	16.30	16.35	16.18	16.60
EDGE 3 Tx slot	23.00	23.03	22.98	23.60	18.74	18.77	18.72	19.34
EDGE 4 Tx slot	21.43	21.45	21.37	22.10	18.43	18.45	18.37	19.10

Full&Default Power Mode								
GSM850_Ant1	Burst Average Power (dBm)			Tune-up	Frame-Average Power (dBm)			Tune-up
TX Channel	128	188	251	Limit (dBm)	128	188	251	Limit (dBm)
Frequency (MHz)	834.2	836.4	848.8		834.2	836.4	848.8	
GSM 1 Tx slot	32.16	32.17	32.05	33.50	23.16	23.17	23.05	24.50
GPRS/EDGE(GMSK) 1 Tx slot	32.12	32.15	32.01	33.50	23.12	23.15	23.01	24.50
GPRS/EDGE(GMSK) 2 Tx slots	29.59	29.70	29.65	31.00	23.59	23.70	23.65	25.00
GPRS/EDGE(GMSK) 3 Tx slots	28.01	28.13	28.05	29.50	23.75	23.87	23.70	25.24
GPRS/EDGE(GMSK) 4 Tx slots	26.94	27.08	26.97	28.00	23.94	24.08	23.97	25.00
EDGE 1 Tx slot	26.17	26.30	26.29	27.20	17.17	17.30	17.29	18.20
EDGE 2 Tx slot	25.00	25.12	25.00	26.00	16.00	16.12	16.00	20.00
EDGE 3 Tx slot	22.95	22.96	22.86	24.00	18.69	18.70	18.62	19.74
EDGE 4 Tx slot	21.23	21.35	21.26	22.50	18.23	18.35	18.26	19.50

GSM1900_Ant 5	Burst Average Power (dBm)				Tuneup	Frame-Average Power (dBm)				Tuneup
TX Channel	512	661	810	Limit	512	661	810	Limit	512	
Frequency (MHz)	1850.2	1860	1909.8		1850.2	1860	1909.8			
GSM 1 Tx slot	29.78	29.83	29.85	30.50	20.78	20.83	20.85	21.50		
GPRS/EDGE(GMSK) 1 Tx slot	29.78	29.80	29.78	30.50	20.78	20.80	20.78	21.50		
GPRS/EDGE(GMSK) 2 Tx slots	27.27	27.42	27.31	28.50	21.27	21.42	21.31	22.50		
GPRS/EDGE(GMSK) 3 Tx slots	25.77	25.83	25.73	26.50	21.51	21.57	21.47	22.54		
GPRS/EDGE(GMSK) 4 Tx slots	24.61	24.65	24.53	25.00	21.61	21.65	21.53	22.00		
EDGE 1 Tx slot	25.64	25.70	25.56	26.50	16.64	16.70	16.56	17.50		
EDGE 2 Tx slot	23.83	23.85	23.82	24.50	17.83	17.85	17.82	18.50		
EDGE 3 Tx slot	21.62	21.70	21.57	22.50	17.36	17.44	17.31	18.24		
EDGE 4 Tx slot	20.62	20.69	20.65	21.50	17.62	17.69	17.65	18.50		

GSM1800_Ant 6	Burst Average Power (dBm)				Tune-up Limit (dBm)	Frame-Average Power (dBm)				Tune-up Limit (dBm)
	TX Channel	512	661	810		512	661	810		
Frequency (MHz)	1850.2	1860	1909.8		1850.2	1860	1909.8			
GSM 1 Tx slot	29.43	29.48	29.42	29.70	20.43	20.48	20.42	20.70		
GPRS/EDGE(GMSK) 1 Tx slot	29.41	29.45	29.39	29.70	20.41	20.45	20.39	20.70		
GPRS/EDGE(GMSK) 2 Tx slots	26.90	26.95	26.88	27.70	20.90	20.95	20.88	21.70		
GPRS/EDGE(GMSK) 3 Tx slots	25.28	25.33	25.30	26.70	21.02	21.07	21.04	21.44		
GPRS/EDGE(GMSK) 4 Tx slots	24.15	24.19	24.12	24.20	21.15	21.19	21.12	21.20		
EDGE 1 Tx slot	25.31	25.48	25.39	25.70	16.31	16.48	16.39	16.70		
EDGE 2 Tx slot	23.23	23.46	23.37	23.70	17.23	17.46	17.37	17.70		
EDGE 3 Tx slot	21.09	21.30	21.20	21.70	16.83	17.04	16.94	17.44		
EDGE 4 Tx slot	20.31	20.50	20.48	20.70	17.31	17.50	17.48	17.70		

Band	WCDMA IV_Ant 5				Tune-up Limit (dBm)	WCDMA IV_Ant 6				Tune-up Limit (dBm)
	TX Channel	5692	5690	5698		5692	5690	5698		
Rx Channel		5692	5690	5698		5692	5690	5698		
Frequency (MHz)		1892.4	1880	1907.6		1892.4	1880	1907.6		
3GPP Rel 99	AMR 12.2Kbps	23.03	23.08	23.00	23.80	22.77	22.83	22.79	23.40	
3GPP Rel 99	RM 12.2Kbps	23.05	23.10	23.02	23.80	22.80	22.88	22.85	23.40	
3GPP Rel 6	HS2PA Subset-1	21.99	22.09	22.00	22.80	21.84	21.89	21.77	22.40	
3GPP Rel 6	HS2PA Subset-2	22.00	22.07	21.97	22.80	21.83	21.87	21.80	22.40	
3GPP Rel 6	HS2PA Subset-3	21.56	21.60	21.51	22.30	21.35	21.42	21.31	21.90	
3GPP Rel 6	HS2PA Subset-4	21.48	21.56	21.49	22.30	21.30	21.38	21.29	21.90	
3GPP Rel 6	DC-HS2PA Subset-1	21.88	22.06	21.96	22.80	21.69	21.82	21.73	22.40	
3GPP Rel 6	DC-HS2PA Subset-2	21.88	22.02	21.90	22.80	21.73	21.78	21.69	22.40	
3GPP Rel 6	DC-HS2PA Subset-3	21.55	21.57	21.42	22.30	21.30	21.28	21.19	21.90	
3GPP Rel 6	DC-HS2PA Subset-4	21.37	21.43	21.46	22.30	21.27	21.25	21.22	21.90	
3GPP Rel 6	HS2PA Subset-1	21.05	21.12	21.04	22.80	20.85	20.96	20.87	22.40	
3GPP Rel 6	HS2PA Subset-2	21.04	21.10	21.05	22.80	20.82	20.93	20.85	22.40	
3GPP Rel 6	HS2PA Subset-3	21.06	21.13	21.05	22.80	20.85	20.91	20.88	22.40	
3GPP Rel 6	HS2PA Subset-4	20.55	20.65	20.60	22.30	20.40	20.45	20.38	21.90	
3GPP Rel 6	HS2PA Subset-5	22.00	22.10	22.00	23.80	21.80	21.90	21.80	23.40	
3GPP Rel 7	HS2PA+ (H2M) Subset-1	21.07	21.10	21.04	22.30	20.81	20.82	20.87	21.90	

Band	WCDMA IV_Ant5				Tune-up Limit (dBm)	WCDMA IV_Ant6				Tune-up Limit (dBm)	WCDMA IV_Ant11				Tune-up Limit (dBm)	WCDMA IV_Ant7				Tune-up Limit (dBm)
	TX Channel	1312	1413	1513		1312	1413	1513	1312		1413	1513	1312	1413		1513				
Rx Channel		1337	1638	1738		1337	1638	1738		1337	1638	1738		1337	1638	1738		1337	1638	1738
Frequency (MHz)		1712.4	1732.6	1752.6		1712.4	1732.6	1752.6		1712.4	1732.6	1752.6		1712.4	1732.6	1752.6		1712.4	1732.6	1752.6
3GPP Rel 99	AMR 12.2Kbps	24.08	24.12	24.10	24.80	23.88	23.91	23.85	24.40	23.66	23.72	23.62	24.30	20.78	20.80	20.77	21.60			
3GPP Rel 99	RM-12.2Kbps	24.12	24.15	24.13	24.80	23.90	23.95	23.92	24.40	23.70	23.75	23.68	24.30	20.80	20.88	20.83	21.60			
3GPP Rel 6	HS-PA Subset-1	23.17	23.18	23.18	23.80	22.98	22.99	23.01	23.40	22.74	22.66	22.75	23.30	19.99	19.88	19.83	20.60			
3GPP Rel 6	HS-PA Subset-2	23.13	23.11	23.14	23.80	22.96	22.97	22.96	23.40	22.72	22.61	22.71	23.30	19.97	19.90	19.85	20.60			
3GPP Rel 6	HS-PA Subset-3	22.70	22.68	22.71	23.30	22.50	22.49	22.52	22.90	22.24	22.19	22.25	22.80	19.45	19.37	19.34	20.10			
3GPP Rel 6	HS-PA Subset-4	22.63	22.62	22.65	23.30	22.43	22.51	22.48	22.90	22.20	22.15	22.23	22.80	19.47	19.40	19.30	20.10			
3GPP Rel 6	DC-HS-PA Subset-1	23.11	23.07	23.16	23.80	22.96	22.86	22.86	23.40	22.73	22.65	22.65	23.30	19.92	19.78	19.77	20.60			
3GPP Rel 6	DC-HS-PA Subset-2	23.04	22.98	23.08	23.80	22.83	22.88	22.98	23.40	22.66	22.46	22.66	23.30	19.89	19.85	19.84	20.60			
3GPP Rel 6	DC-HS-PA Subset-3	22.64	22.59	22.62	23.30	22.37	22.47	22.40	22.90	22.13	22.08	22.14	22.80	19.44	19.24	19.28	20.10			
3GPP Rel 6	DC-HS-PA Subset-4	22.51	22.50	22.50	23.30	22.33	22.49	22.45	22.90	22.18	22.14	22.08	22.80	19.36	19.32	19.16	20.10			
3GPP Rel 6	HS-PA Subset-1	22.18	22.14	22.22	22.80	22.02	22.07	22.04	22.40	21.70	21.69	21.72	22.30	19.63	18.83	18.86	19.60			
3GPP Rel 6	HS-PA Subset-2	22.21	22.16	22.25	22.80	22.10	22.08	22.05	22.40	21.74	21.66	21.76	22.30	19.00	18.80	18.84	19.60			
3GPP Rel 6	HS-PA Subset-3	22.21	22.15	22.18	22.80	22.03	22.06	22.02	22.40	21.68	21.72	21.70	22.30	18.82	18.89	18.86	19.60			
3GPP Rel 6	HS-PA Subset-4	21.70	21.70	21.72	22.30	21.54	21.56	21.50	21.90	21.32	21.16	21.27	21.80	18.50	18.38	18.44	19.10			
3GPP Rel 6	HS-PA Subset-5	23.20	23.20	23.20	23.80	23.00	23.00	23.00	23.40	22.80	22.70	22.80	23.30	20.00	19.90	19.90	20.60			
3GPP Rel 7	HS-PA+ (HSDPA) Subset-1	21.98	22.09	22.05	23.80	21.84	21.87	21.76	23.40	21.76	21.82	21.72	23.30	18.84	18.62	18.91	20.60			

Band	WCDMA V_Ant_0				WCDMA V_Ant_1				
	TX Channel	4132	4162	4233	Tune-up Limit (dBm)	4132	4162	4233	Tune-up Limit (dBm)
Rx Channel	4387	4407	4468			4387	4407	4468	
Frequency (MHz)	834.4	836.4	848.6			834.4	836.4	848.6	
3GPP Rel 99	AMR 12.2Kbps	23.85	23.83	23.82	24.40	24.30	24.33	24.35	24.60
3GPP Rel 99	RM 12.2Kbps	23.86	23.87	23.84	24.40	24.24	24.28	24.27	24.60
3GPP Rel 6	HS-PA Subset-1	22.85	22.84	22.87	23.40	23.30	23.24	23.33	23.80
3GPP Rel 6	HS-PA Subset-2	22.83	22.84	22.84	23.40	23.29	23.26	23.29	23.80
3GPP Rel 6	HS-PA Subset-3	22.37	22.35	22.41	22.90	22.83	22.80	22.89	23.30
3GPP Rel 6	HS-PA Subset-4	22.33	22.35	22.34	22.90	22.81	22.73	22.85	23.30
3GPP Rel 6	DC-HS-PA Subset-1	22.83	22.77	22.73	23.40	23.26	23.22	23.26	23.80
3GPP Rel 6	DC-HS-PA Subset-2	22.77	22.71	22.62	23.40	23.18	23.19	23.19	23.80
3GPP Rel 6	DC-HS-PA Subset-3	22.25	22.30	22.26	22.80	22.12	22.15	22.17	23.30
3GPP Rel 6	DC-HS-PA Subset-4	22.25	22.28	22.27	22.80	22.12	22.15	22.17	23.30
3GPP Rel 6	HS-PA Subset-1	21.84	21.82	21.86	22.40	22.25	22.26	22.29	22.80
3GPP Rel 6	HS-PA Subset-2	21.83	21.83	21.85	22.40	22.28	22.28	22.28	22.80
3GPP Rel 6	HS-PA Subset-3	21.84	21.84	21.86	22.40	22.29	22.27	22.28	22.80
3GPP Rel 6	HS-PA Subset-4	21.36	21.34	21.36	21.90	21.21	21.73	21.73	23.30
3GPP Rel 6	HS-PA Subset-1	22.80	22.81	22.80	23.40	23.30	23.30	23.30	23.80
3GPP Rel 7	HSPA+ (16QAM) Subset-1	21.75	21.86	21.84	22.40	22.25	22.31	22.31	22.80

Band 2_Ant 5										Band 2_Ant 6										Band 2_Ant 11										Band 2_Ant 7												
BW [MHz]	Modulation	RB Size	RB Offset	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Turn-up (dB)	MPE (dB)	BW [MHz]	Modulation	RB Size	RB Offset	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Turn-up (dB)	MPE (dB)	BW [MHz]	Modulation	RB Size	RB Offset	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Power Ch / Freq [dBm]	Turn-up (dB)	MPE (dB)		
Channel										Channel										Channel										Channel												
18700, 18800, 18900, 19000										18600, 18800, 18900, 19000										18700, 18800, 18900, 19000										18700, 18800, 18900, 19000												
20	QPSK	1	0	23.00	23.00	23.00	23.00	23.00	23.00	23.8	0	20	QPSK	1	0	22.91	22.91	22.91	22.91	22.91	23.4	0	20	QPSK	1	0	22.44	22.44	22.44	22.44	22.44	22.44	22.44	22.44	22.44	22.44	22.44	22.44	22.44			
20	QPSK	1	90	23.00	23.02	23.01	23.01	23.01	23.01			20	QPSK	1	90	22.77	22.78	22.80	22.80	22.80			20	QPSK	1	90	22.35	22.38	22.37	22.37	22.37	22.37	22.37	22.37	22.37	22.37	22.37	22.37	22.37	22.37		
20	QPSK	50	0	22.62	22.61	22.64	22.64	22.64	22.64			20	QPSK	50	0	22.43	22.48	22.43	22.43	22.43			20	QPSK	50	0	21.94	22.02	21.94	21.94	22.02	21.94	21.94	22.02	21.94	21.94	21.94	21.94	21.94	21.94		
20	QPSK	50	90	22.61	22.64	22.64	22.64	22.64	22.64			20	QPSK	50	90	22.41	22.49	22.38	22.38	22.38			20	QPSK	50	90	22.37	22.42	22.32	22.32	22.42	22.32	22.32	22.42	22.32	22.32	22.32	22.32	22.32	22.32	22.32	
20	QPSK	100	0	23.18	22.86	23.00	23.00	23.00	23.00			20	QPSK	100	0	22.95	22.68	22.75	22.75	22.75			20	QPSK	100	0	21.99	22.06	21.96	21.96	22.06	21.96	21.96	22.06	21.96	21.96	21.96	21.96	21.96	21.96	21.96	21.96
20	QPSK	100	90	23.00	23.17	23.00	23.00	23.00	23.00			20	QPSK	100	90	22.95	22.59	22.59	22.59	22.59			20	QPSK	100	90	21.98	22.05	21.99	21.99	22.05	21.99	21.99	22.05	21.99	21.99	21.99	21.99	21.99	21.99	21.99	21.99
20	QPSK	50	0	22.19	22.21	22.19	22.19	22.19	22.19			20	QPSK	50	0	21.98	22.00	21.97	21.97	21.97			20	QPSK	50	0																

Band 5_Ant 1														
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freqs	Power Med Ch / Freqs	Power High Ch / Freqs	Turnup (int)	MFR (dB)						
Channel				26625	26625	26625								
Frequency (MHz)				829	838.5	944								
10	QPSK	1	0	24.12	24.15	24.38	24.5	0	24	0				
10	QPSK	1	25	23.98	24.10	24.01								
10	QPSK	1	49	24.07	23.99	24.07								
10	QPSK	25	0	23.55	23.60	23.52								
10	QPSK	25	12	23.52	23.49	23.48								
10	QPSK	25	25	23.52	23.52	23.38								
10	QPSK	1	0	23.65	23.79	23.86	24.5	0.5	24	0.5				
10	QPSK	1	25	23.62	23.77	23.66								
10	QPSK	1	49	23.89	23.88	23.75								
10	QPSK	25	0	23.63	23.68	23.65								
10	QPSK	25	12	23.63	23.63	23.61								
10	QPSK	25	12	23.63	23.63	23.61	24	2	24	2				
10	QPSK	50	0	23.60	23.68	23.65								
10	QPSK	1	0	23.69	23.43	23.53								
10	QPSK	1	25	22.98	22.94	22.51								
10	QPSK	1	49	22.65	22.65	22.49								
10	QPSK	25	0	21.94	21.97	22.00	23	2	23	2				
10	QPSK	25	12	21.96	21.98	21.84								
10	QPSK	25	25	21.96	22.01	21.90								
10	SSBDM	1	0	18.62	18.66	18.54								
10	SSBDM	1	25	18.62	18.63	18.52								
10	SSBDM	1	49	18.58	18.57	18.46	20	5	20	5				
10	SSBDM	25	0	18.44	18.59	18.55								
10	SSBDM	25	12	18.44	18.52	18.42								
10	SSBDM	25	25	18.47	18.57	18.44								
10	SSBDM	50	0	18.52	18.62	18.50								
Channel				26625	26625	26625	Turnup (int)	MFR (dB)						
Frequency (MHz)				829.5	838.5	944.5								
5	QPSK	1	0	24.08	24.13	24.36	24.5	0.5	24	0.5				
5	QPSK	1	12	24.08	24.14	23.98								
5	QPSK	1	24	23.93	23.97	23.83								
5	QPSK	12	0	23.42	23.51	23.48								
5	QPSK	12	7	23.42	23.41	23.40								
5	QPSK	12	13	23.62	23.65	23.59	24	1	24	1				
5	QPSK	25	0	23.50	23.52	23.42								
5	QPSK	1	0	23.72	23.70	23.73								
5	QPSK	1	24	23.67	23.68	23.65								
5	QPSK	1	24	23.67	23.58	23.74								
5	QPSK	12	0	22.78	22.82	23.02	24	1	24	1				
5	QPSK	12	7	22.83	22.85	22.80								
5	QPSK	12	13	22.79	22.94	22.80								
5	QPSK	25	0	22.60	22.65	22.63								
5	QPSK	25	12	22.60	22.64	22.38								
5	QPSK	1	12	22.57	22.59	22.40	24	2	24	2				
5	QPSK	1	24	22.54	22.64	22.38								
5	QPSK	12	0	21.96	21.99	21.85								
5	QPSK	12	7	21.97	21.96	21.94								
5	QPSK	12	13	21.94	21.96	21.76								
5	SSBDM	1	0	18.40	18.54	18.43	20	5	20	5				
5	SSBDM	1	12	18.52	18.60	18.47								
5	SSBDM	1	24	18.44	18.51	18.36								
5	SSBDM	12	0	18.50	18.55	18.46								
5	SSBDM	12	7	18.42	18.57	18.31								
5	SSBDM	12	13	18.43	18.42	18.35	20	5	20	5				
5	SSBDM	25	0	18.48	18.52	18.46								
Channel				26615	26615	26615					Turnup (int)	MFR (dB)		
Frequency (MHz)				825.5	838.5	947.5								
3	QPSK	1	0	23.97	24.08	23.93	24.5	0	24	0				
3	QPSK	1	8	23.98	24.01	24.01								
3	QPSK	1	14	23.95	23.94	23.87								
3	QPSK	8	0	23.43	23.45	23.51								
3	QPSK	8	4	23.48	23.47	23.38								
3	QPSK	8	4	23.48	23.47	23.35	24	0.5	24	0.5				
3	QPSK	16	0	23.41	23.50	23.41								
3	QPSK	16	7	23.64	23.74	23.78								
3	QPSK	16	7	23.67	23.67	23.67								
3	QPSK	16	14	23.78	23.56	23.74								
3	QPSK	1	0	22.85	22.83	23.04	24	1	24	1				
3	QPSK	8	4	22.97	22.98	22.96								
3	QPSK	8	7	22.79	22.89	22.85								
3	QPSK	15	0	22.86	22.96	22.82								
3	QPSK	1	0	22.45	22.34	22.47								
3	QPSK	1	8	22.58	22.62	22.50	24	1	24	1				
3	QPSK	1	14	22.57	22.60	22.38								
3	QPSK	8	0	21.75	21.85	21.88								
3	QPSK	8	4	21.81	21.86	21.84								
3	QPSK	15	0	21.86	21.91	21.76								
3	SSBDM	1	0	18.40	18.63	18.49	20	5	20	5				
3	SSBDM	1	8	18.55	18.58	18.42								
3	SSBDM	1	14	18.54	18.56	18.44								
3	SSBDM	8	0	18.41	18.47	18.52								
3	SSBDM	8	4	18.39	18.43	18.37								
3	SSBDM	8	7	18.50	18.57	18.40	20	5	20	5				
3	SSBDM	15	0	18.41	18.57	18.47								
Channel				26607	26607	26607					Turnup (int)	MFR (dB)		
Frequency (MHz)				824.7	838.5	948.3								
1.4	QPSK	1	0	23.95	23.97	23.91	24.5	0	24	0				
1.4	QPSK	1	3	24.00	24.11	24.05								
1.4	QPSK	1	6	23.93	23.98	23.90								
1.4	QPSK	3	0	23.90	24.09	24.00								
1.4	QPSK	3	1	24.08	24.08	24.00								
1.4	QPSK	3	3	23.93	23.94	23.83	24	0.5	24	0.5				
1.4	QPSK	6	0	23.47	23.43	23.44								
1.4	QPSK	1	0	23.70	23.75	23.76								
1.4	QPSK	1	3	23.47	23.75	23.63								
1.4	QPSK	1	6	23.77	23.83	23.66								
1.4	QPSK	1	0	23.81	23.75	23.72	24	1	24	1				
1.4	QPSK	3	0	23.91	23.83	23.83								
1.4	QPSK	3	3	23.69	23.83	23.66								
1.4	QPSK	6	0	22.67	22.62	22.60								
1.4	QPSK	1	0	22.80	22.38	22.45								
1.4	QPSK	1	3	22.63	22.58	22.44	24	1	24	1				
1.4	QPSK	1	6	22.55	22.61	22.48								
1.4	QPSK	3	0	22.50	22.28	22.49								
1.4	QPSK	3	1	22.54	22.49	22.41								
1.4	QPSK	3	3	22.50	22.63	22.44								
1.4	SSBDM	1	0	21.86	21.93	21.85	23	2	23	2				
1.4	SSBDM	1	3	21.90	21.93	21.85								
1.4	SSBDM	1	6	18.54	18.54	18.45								
1.4	SSBDM	1	3	18.50	18.54	18.45								
1.4	SSBDM	3	0	18.50	18.54	18.53								
1.4	SSBDM	3	3	18.39	18.56	18.29	20	5	20	5				
1.4	SSBDM	3	6	18.39	18.56	18.29								
1.4	SSBDM	6	0	18.46	18.58	18.49								
1.4	SSBDM	6	3	18.46	18.58	18.49								

Band 7_Ant 11									
BW (MHz)	Modulation	RE Box	RB Offset	Power Low Ch. / Freq.	Power Mids Ch. / Freq.	Power High Ch. / Freq.	Turnup int. (dB)	MFR (dB)	
Channel									
Frequency (MHz)									
20550 20560 20560									
20	QPSK	1	0	23.55	23.59	23.58			
20	QPSK	1	40	23.62	23.52	23.94	24.4	0	
20	QPSK	1	80	23.67	23.75	23.62			
20	QPSK	50	0	23.55	23.62	23.44			
20	QPSK	50	24	23.55	23.42	23.37			
20	QPSK	50	50	23.62	23.41	23.37	23.0	0.5	
20	QPSK	100	0	23.41	23.42	23.37			
20	HQAM	1	5	23.74	23.71	23.66			
20	HQAM	1	40	23.72	23.75	23.71	23.0	0.5	
20	HQAM	1	80	23.44	23.64	23.56			
20	HQAM	50	0	22.65	22.61	22.62			
20	HQAM	50	24	22.65	22.61	22.62			
20	HQAM	50	50	22.67	22.63	22.84	23.4	1	
20	HQAM	100	0	22.65	22.66	22.66			
20	HQAM	1	0	22.75	22.71	22.75			
20	HQAM	1	40	22.70	22.29	22.15	23.4	1	
20	HQAM	1	80	22.65	22.30	22.18			
20	HQAM	50	0	21.85	21.88	21.83			
20	HQAM	50	24	21.91	21.93	21.88			
20	HQAM	50	50	21.94	21.92	21.84	22.4	2	
20	HQAM	100	0	21.87	21.86	21.85			
20	SSBQAM	1	0	18.40	18.60	18.55			
20	SSBQAM	1	40	18.55	18.54	18.44	19.4	5	
20	SSBQAM	1	80	18.43	18.55	18.44			
20	SSBQAM	50	0	18.50	18.49	18.41			
20	SSBQAM	50	24	18.47	18.50	18.46	19.4	5	
20	SSBQAM	50	50	18.40	18.49	18.37			
20	SSBQAM	100	0	18.41	18.53	18.41			
Channel									
20575 21160 21175									
Frequency (MHz)									
20575.5 20615 20625.5									
15	QPSK	1	0	23.69	23.81	23.83			
15	QPSK	1	37	23.64	23.67	23.52	24.4	0	
15	QPSK	1	74	23.72	23.66	23.61			
15	QPSK	36	0	23.52	23.36	23.30			
15	QPSK	36	20	23.28	23.35	23.26	23.0	0.5	
15	QPSK	36	39	23.29	23.26	23.24			
15	QPSK	75	0	23.27	23.26	23.29			
15	HQAM	1	0	23.68	23.62	23.62			
15	HQAM	1	37	23.77	23.81	23.79	23.0	0.5	
15	HQAM	1	74	23.58	23.72	23.69			
15	HQAM	36	0	22.62	22.56	22.78			
15	HQAM	36	20	22.72	22.64	22.67	23.4	1	
15	HQAM	36	39	22.68	22.90	22.82			
15	HQAM	75	0	22.70	22.79	22.73			
15	HQAM	1	0	22.72	22.69	22.18			
15	HQAM	1	37	22.07	22.25	22.05	23.4	1	
15	HQAM	1	74	21.95	22.76	22.69			
15	HQAM	36	0	21.52	21.52	21.80			
15	HQAM	36	20	21.67	21.79	21.82	22.4	2	
15	SSBQAM	1	0	18.50	18.59	18.45			
15	SSBQAM	1	37	18.46	18.51	18.42	19.4	5	
15	SSBQAM	1	74	18.45	18.45	18.40			
15	SSBQAM	36	0	18.51	18.49	18.40			
15	SSBQAM	36	20	18.44	18.54	18.44	19.4	5	
15	SSBQAM	36	39	18.39	18.44	18.36			
15	SSBQAM	75	0	18.52	18.52	18.37			
Channel									
20590 21160 21400									
Frequency (MHz)									
20590 20615 20625									
10	QPSK	1	0	23.80	23.81	23.83			
10	QPSK	1	25	23.80	23.68	23.88	24.4	0	
10	QPSK	1	40	23.84	23.65	23.80			
10	QPSK	25	0	23.40	23.43	23.33			
10	QPSK	25	12	23.50	23.41	23.28	23.0	0.5	
10	QPSK	25	25	23.35	23.26	23.22			
10	QPSK	50	0	23.34	23.36	23.25			
10	HQAM	1	0	23.65	23.67	23.84			
10	HQAM	1	25	23.62	23.67	23.88	23.0	0.5	
10	HQAM	1	40	23.63	23.77	23.84			
10	HQAM	25	0	22.83	22.56	22.85			
10	HQAM	25	12	22.81	22.78	22.79			
10	HQAM	25	25	22.77	22.89	22.83	23.4	1	
10	HQAM	50	0	22.68	22.74	22.71			
10	HQAM	1	0	22.65	22.14	22.18			
10	HQAM	1	25	22.05	22.20	22.10	23.4	1	
10	HQAM	1	40	22.65	22.24	22.08			
10	HQAM	25	0	21.74	21.83	21.87			
10	HQAM	25	12	21.90	21.85	21.83	22.4	2	
10	HQAM	25	25	21.76	21.75	21.69			
10	HQAM	50	0	21.86	21.80	21.76			
10	SSBQAM	1	0	18.54	18.49	18.54	19.4	5	
10	SSBQAM	1	25	18.56	18.53	18.37			
10	SSBQAM	1	40	18.37	18.46	18.41			
10	SSBQAM	25	0	18.54	18.55	18.31			
10	SSBQAM	25	12	18.40	18.36	18.34	19.4	5	
10	SSBQAM	25	25	18.32	18.36	18.25			
10	SSBQAM	50	0	18.52	18.39	18.40			
Channel									
20775 21160 21425									
Frequency (MHz)									
20775.5 20815 20825.5									
5	QPSK	1	0	23.67	23.81	23.89			
5	QPSK	1	12	23.65	23.68	23.88	24.4	0	
5	QPSK	1	24	23.72	23.65	23.86			
5	QPSK	12	0	23.30	23.39	23.34			
5	QPSK	12	7	23.28	23.34	23.28	23.0	0.5	
5	QPSK	12	13	23.23	23.26	23.31			
5	QPSK	25	0	23.36	23.31	23.25			
5	HQAM	1	0	23.90	23.83	23.87			
5	HQAM	1	12	23.85	23.85	23.88	23.0	0.5	
5	HQAM	1	24	23.54	23.84	23.73			
5	HQAM	12	0	22.84	22.50	22.83			
5	HQAM	12	7	22.87	22.89	22.83	23.4	1	
5	HQAM	12	13	22.77	22.84	22.75			
5	HQAM	25	0	22.76	22.79	22.79			
5	HQAM	1	0	22.69	22.15	22.12			
5	HQAM	1	12	21.99	22.19	22.04	23.4	1	
5	HQAM	1	24	21.95	22.23	22.08			
5	HQAM	12	0	21.68	21.84	21.82			
5	HQAM	12	7	21.81	21.89	21.83	22.4	2	
5	HQAM	12	13	21.75	21.88	21.76			
5	HQAM	25	0	21.82	21.79	21.80			
5	SSBQAM	1	0	18.57	18.57	18.54	19.4	5	
5	SSBQAM	1	12	18.48	18.44	18.43			
5	SSBQAM	1	24	18.35	18.45	18.35			
5	SSBQAM	12	0	18.28	18.45	18.27			
5	SSBQAM	12	7	18.20	18.26	18.21	19.4	5	
5	SSBQAM	12	13	18.38	18.36	18.25			
5	SSBQAM	25	0	18.55	18.50	18.36			

Band 7_Ant 7									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mids Ch. / Freq.	Power High Ch. / Freq.	Turn-up int. (dBm)	MFR (dB)	
Channel									
Frequency (MHz)									
20550 20560 20560									
20	QPSK	1	0	19.33	19.78	20.00			
20	QPSK	1	40	19.24	19.67	19.88	21	0	
20	QPSK	1	80	19.26	19.67	19.81			
20	QPSK	50	0	19.33	19.75	19.56			
20	QPSK	50	24	19.19	19.70	19.50	21	0	
20	QPSK	50	50	19.25	19.72	19.84			
20	QPSK	100	0	19.28	19.75	19.57			
20	HQAM	1	5	19.25	19.72	19.53			
20	HQAM	1	40	19.32	19.68	19.85	21	0	
20	HQAM	1	80	19.20	19.67	19.88			
20	HQAM	50	0	18.52	18.85	19.22			
20	HQAM	50	24	18.45	18.85	19.10			
20	HQAM	50	50	18.40	18.79	19.07	20	1	
20	HQAM	100	0	18.43	18.81	19.09			
20	HQAM	1	0	18.40	18.80	19.19			
20	HQAM	1	40	18.51	18.71	19.08	20	1	
20	HQAM	1	80	18.42	18.76	19.08			
20	HQAM	50	0	17.69	18.00	19.25			
20	HQAM	50	24	17.75	18.92	19.22			
20	HQAM	50	50	17.80	18.85	19.23	19	2	
20	HQAM	100	0	17.83	18.00	19.28			
20	SSBQAM	1	0	14.50	14.87	15.17			
20	SSBQAM	1	40	14.53	14.82	15.14	16	5	
20	SSBQAM	1	80	14.45	14.85	15.07			
20	SSBQAM	50	0	14.50	14.82	15.14			
20	SSBQAM	50	24	14.36	14.77	15.08	16	5	
20	SSBQAM	50	50	14.52	14.87	15.15			
20	SSBQAM	100	0	14.50	14.82	15.08	16	5	
Channel									
Frequency (MHz)									
20555 20560 20565									
15	QPSK	1	0	19.33	19.78	19.73			
15	QPSK	1	40	19.24	19.67	19.73	21	0	
15	QPSK	1	80	19.16	19.57	19.83			
15	QPSK	38	0	19.17	19.61	19.86			
15	QPSK	38	20	19.08	19.58	19.83	21	0	
15	QPSK	38	50	19.20	19.60	19.79			
15	QPSK	74	0	19.20	19.60	19.83			
15	HQAM	1	37	19.31	19.63	19.87	21	0	
15	HQAM	1	74	19.22	19.54	19.83			
15	HQAM	38	0	18.38	18.83	19.14			
15	HQAM	38	20	18.33	18.68	18.98	20	1	
15	HQAM	38	50	18.36	18.77	19.07			
15	HQAM	74	0	18.36	18.77	19.07			
15	HQAM	1	0	18.26	18.74	19.07			
15	HQAM	1	37	18.68	18.98	19.07	20	1	
15	HQAM	1	74	18.38	18.75	19.06			
15	HQAM	38	0	17.65	17.83	19.20			
15	HQAM	38	20	17.68	17.85	19.23			
15	HQAM	38	50	17.68	17.85	19.13	19	2	
15	HQAM	74	0	17.53	17.88	19.13			
15	SSBQAM	1	37	14.38	14.73	15.04	16	5	
15	SSBQAM	1	74	14.41	14.79	15.02			
15	SSBQAM	38	0	14.38	14.73	15.04			
15	SSBQAM	38	20	14.29	14.73	15.03	16	5	
15	SSBQAM	38	50	14.46	14.80	15.13			
15	SSBQAM	74	0	14.46	14.80	15.01	16	5	
Channel									
Frequency (MHz)									
20555 20555 20565									
10	QPSK	1	0	19.33	19.60	19.81			
10	QPSK	1	40	19.27	19.54	19.81	21	0	
10	QPSK	1	80	19.21	19.53	19.79			
10	QPSK	25	0	19.22	19.63	19.81			
10	QPSK	25	12	19.15	19.56	19.81	21	0	
10	QPSK	25	25	19.20	19.65	19.80			
10	QPSK	50	0	19.25	19.70	19.78			
10	QPSK	50	12	19.24	19.61	19.81	21	0	
10	QPSK	50	25	19.24	19.54	19.88			
10	QPSK	100	0	19.28	19.68	19.81			
10	HQAM	1	25	19.51	19.76	19.79			
10	HQAM	25	12	19.25	19.77	19.77	20	1	
10	HQAM	25	25	19.26	19.70	19.83			
10	HQAM	50	0	19.22	19.68	19.71			
10	HQAM	50	12	19.24	19.68	19.71	20	1	
10	HQAM	50	25	19.24	19.68	19.71			
10	HQAM	1	0	18.27	18.72	19.06			
10	HQAM	1	25	18.28	18.69	19.03			
10	HQAM	1	40	18.40	18.61	19.01	19	2	
10	HQAM	25	0	17.65	17.82	19.22			
10	HQAM	25	12	17.68	17.85	19.23			
10	HQAM	25	25	17.75	18.04	19.22	19	2	
10	HQAM	50	0	17.81	17.88	19.17			
10	SSBQAM	1	25	14.38	14.73	15.04	16	5	
10	SSBQAM	1	40	14.42	14.79	15.08			
10	SSBQAM	25	0	14.38	14.73	15.04			
10	SSBQAM	25	12	14.27	14.81	14.97	16	5	
10	SSBQAM	25	25	14.51	14.81	15.05			
10	SSBQAM	50	0	14.50	14.79	15.05	16	5	
Channel									
Frequency (MHz)									
20555 20555 20567.5									
5	QPSK	1	0	19.32	19.63	19.81			
5	QPSK	1	24	19.16	19.54	19.86	21	0	
5	QPSK	12	0	19.26	19.60	19.84			
5	QPSK	12	12	19.27	19.56	19.81	21	0	
5	QPSK	12	13	19.21	19.70	19.80			
5	QPSK	25	0	19.21	19.70	19.80			
5	HQAM	1	12	19.48	19.70	19.81	21	0	
5	HQAM	12	0	19.26	19.54	19.81			
5	HQAM	12	0	19.26	19.57	19.81			
5	HQAM	12	7	19.26	18.89	19.09	20	1	
5	HQAM	12	13	19.26	18.89	19.09			
5	HQAM	25	0	19.30	19.75	19.93			
5	HQAM	25	0	18.29	18.77	19.17			
5	HQAM	1	0	18.38	18.67	19.01	20	1	
5	HQAM	1	24	19.37	19.65	19.92			
5	HQAM	12	0	17.84	17.84	19.14			
5	HQAM	12	7	17.84	17.84	19.14			
5	HQAM	12	13	17.67	18.00	18.17	18	0	
5	HQAM	25	0	17.51	17.88	18.16			
5	SSBQAM	1	12	14.50	14.82	15.13	16	5	
5	SSBQAM	1	24	14.52	14.87	15.15			
5	SSBQAM	12	0	14.50	14.81	15.13			
5	SSBQAM	12	7	14.26	14.68	14.98	16	5	
5	SSBQAM	12	13	14.50	14.81	15.11			

Band 12_Ant 1														
BW (MHz)	Modulation	RE Res	RB Offset	Power Low Ch / Freq	Power Med Ch / Freq	Power High Ch / Freq	Timeuse (int)	MFR (dB)						
Channel														
Frequency (MHz)														
				704	702.5	711								
10	QPSK	1	0	22.85	22.88	22.94	23.8	0						
10	QPSK	1	25	22.73	22.80	22.87								
10	QPSK	1	49	22.73	22.80	22.87								
10	QPSK	25	0	22.25	22.33	22.38								
10	QPSK	25	12	22.25	22.17	22.16								
10	QPSK	25	25	22.32	22.32	22.25	23.3	0.5						
10	QPSK	50	0	22.27	22.30	22.23								
10	HQAM	1	0	21.61	21.63	21.64								
10	HQAM	1	25	21.45	21.42	21.45								
10	HQAM	1	49	21.79	21.81	21.76								
10	HQAM	25	0	21.67	21.64	21.68	22.8	1						
10	HQAM	25	12	21.72	21.62	21.70								
10	HQAM	25	25	21.79	21.80	21.74								
10	HQAM	50	0	21.77	21.84	21.79								
10	HQAM	50	1	21.58	21.58	21.58								
10	HQAM	1	25	21.50	21.52	21.50	22.8	1						
10	HQAM	1	49	21.35	21.33	21.47								
10	HQAM	25	0	20.70	20.64	20.65								
10	HQAM	25	12	20.74	20.59	20.70								
10	HQAM	25	25	20.74	20.70	20.68								
10	HQAM	50	0	20.71	20.66	20.72	21.8	2						
10	SSBQAM	1	0	17.67	17.78	17.71								
10	SSBQAM	1	25	17.62	17.65	17.67								
10	SSBQAM	1	49	17.65	17.66	17.68								
10	SSBQAM	25	0	17.68	17.74	17.59								
10	SSBQAM	25	12	17.62	17.74	17.64	18.8	5						
10	SSBQAM	25	25	17.62	17.74	17.64								
10	SSBQAM	50	0	17.71	17.72	17.69								
Channel														
Frequency (MHz)														
				703.5	702.5	711.5	100%	MFR (dB)						
5	QPSK	1	0	22.85	22.79	22.86	23.8	0						
5	QPSK	1	12	22.73	22.84	22.73								
5	QPSK	1	24	22.73	22.80	22.77								
5	QPSK	12	0	22.18	22.27	22.18								
5	QPSK	12	7	22.15	22.15	22.09								
5	QPSK	12	13	22.32	22.32	22.15	23.3	0.5						
5	QPSK	25	0	22.17	22.25	22.08								
5	HQAM	1	0	21.54	21.59	21.67								
5	HQAM	1	24	21.42	21.38	21.44								
5	HQAM	1	24	22.02	22.08	22.04								
5	HQAM	12	0	21.60	21.50	21.67	22.8	1						
5	HQAM	12	7	21.59	21.50	21.68								
5	HQAM	12	13	21.69	21.56	21.67								
5	HQAM	25	0	21.66	21.54	21.69								
5	HQAM	25	13	21.62	21.43	21.63								
5	HQAM	1	12	21.47	21.42	21.43	22.8	1						
5	HQAM	1	24	21.34	21.27	21.46								
5	HQAM	12	0	20.92	20.92	20.94								
5	HQAM	12	7	20.95	20.94	20.97								
5	HQAM	12	13	20.86	20.85	20.92								
5	HQAM	25	0	20.90	20.85	20.95	21.8	2						
5	SSBQAM	1	0	17.59	17.71	17.61								
5	SSBQAM	1	12	17.62	17.65	17.61								
5	SSBQAM	1	24	17.57	17.65	17.44								
5	SSBQAM	12	0	17.63	17.65	17.44								
5	SSBQAM	12	7	17.62	17.65	17.44	18.8	5						
5	SSBQAM	12	13	17.52	17.62	17.55								
5	SSBQAM	25	0	17.57	17.70	17.64								
Channel														
Frequency (MHz)														
				703.5	702.5	711.5	100%	MFR (dB)						
3	QPSK	1	0	22.85	22.87	22.98	23.8	0						
3	QPSK	1	8	22.72	22.86	22.83								
3	QPSK	1	14	22.73	22.75	22.76								
3	QPSK	8	0	22.32	22.32	22.13								
3	QPSK	8	4	22.21	22.11	22.11								
3	QPSK	1	14	22.12	22.04	21.87	23.3	0.5						
3	QPSK	15	0	22.13	22.16	22.15								
3	HQAM	1	0	22.48	22.43	22.39								
3	HQAM	1	8	22.48	22.28	22.46								
3	HQAM	1	14	22.59	22.48	22.41								
3	HQAM	8	0	21.54	21.53	21.61	22.8	1						
3	HQAM	8	4	21.68	21.55	21.62								
3	HQAM	8	7	21.69	21.47	21.70								
3	HQAM	15	0	21.66	21.63	21.67								
3	HQAM	1	0	21.43	21.52	21.55								
3	HQAM	1	8	21.45	21.41	21.37	22.8	1						
3	HQAM	1	14	21.25	21.19	21.33								
3	HQAM	8	0	20.59	20.55	20.57								
3	HQAM	8	4	20.70	20.50	20.69								
3	HQAM	15	0	20.66	20.62	20.57								
3	SSBQAM	1	0	17.63	17.69	17.64	18.8	5						
3	SSBQAM	1	8	17.66	17.68	17.46								
3	SSBQAM	1	14	17.54	17.60	17.48								
3	SSBQAM	8	0	17.67	17.69	17.52								
3	SSBQAM	8	4	17.59	17.67	17.45								
3	SSBQAM	8	7	17.52	17.73	17.53	18.8	5						
3	SSBQAM	15	0	17.68	17.67	17.58								
Channel														
Frequency (MHz)														
				22917	22905	22913	100%	MFR (dB)						
1.4	QPSK	1	0	22.85	22.71	22.84	23.8	0						
1.4	QPSK	1	3	22.72	22.75	22.82								
1.4	QPSK	1	6	22.72	22.74	22.70								
1.4	QPSK	3	0	22.71	22.85	22.55								
1.4	QPSK	3	1	22.74	22.74	22.78								
1.4	QPSK	3	3	22.73	22.73	22.68	23.3	0.5						
1.4	QPSK	6	0	22.34	22.17	22.22								
1.4	HQAM	1	0	22.50	22.41	22.44								
1.4	HQAM	3	0	22.47	22.38	22.56								
1.4	HQAM	1	6	22.69	22.81	22.49								
1.4	HQAM	1	0	22.49	22.40	22.42	23.3	0.5						
1.4	HQAM	3	0	22.38	22.39	22.56								
1.4	HQAM	3	3	22.71	22.82	22.43								
1.4	HQAM	6	0	21.66	21.59	21.72								
1.4	HQAM	6	0	21.40	21.46	21.46								
1.4	HQAM	1	3	21.49	21.39	21.45	22.8	1						
1.4	HQAM	1	6	21.34	21.29	21.33								
1.4	HQAM	3	0	21.41	21.48	21.43								
1.4	HQAM	3	1	21.49	21.48	21.47								
1.4	HQAM	6	0	21.27	21.21	21.41								
1.4	HQAM	6	0	20.87	20.83	20.98	21.8	2						
1.4	SSBQAM	1												

Band 17_Ant 1													
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Mide Ch / Freq	Power High Ch / Freq	Turnup Int. (dBm)	MFR (dB)					
Channel													
				22795	23565	23905							
Frequency (MHz)				7595	7615	7635							
10	QPSK	1	0	22.55	22.56	22.51	23.8	0					
10	QPSK	1	25	22.68	22.64	22.82							
10	QPSK	1	49	22.85	22.91	22.82							
10	QPSK	25	0	22.55	22.42	22.46							
10	QPSK	25	12	22.59	22.40	22.37							
10	QPSK	25	25	22.57	22.34	22.38	23.3	0.5					
10	QPSK	50	0	22.34	22.46	22.38							
10	QPSK	1	0	22.61	22.65	22.72							
10	QPSK	1	25	22.52	22.57	22.70							
10	QPSK	1	49	22.58	22.76	22.65							
10	QPSK	25	0	21.85	21.73	21.85	22.8	1					
10	QPSK	25	12	21.84	21.82	21.85							
10	QPSK	25	25	21.79	21.88	21.87							
10	QPSK	50	0	21.85	21.79	21.89							
10	QPSK	1	0	21.82	21.89	21.84							
10	QPSK	1	25	21.54	21.50	21.50	22.8	1					
10	QPSK	1	49	21.73	21.66	21.60							
10	QPSK	25	0	20.85	20.77	20.93							
10	QPSK	25	12	20.89	20.88	20.89							
10	QPSK	25	25	20.97	20.84	20.86							
10	QPSK	50	0	20.82	20.81	20.86	21.8	2					
10	QPSK	1	0	17.77	17.66	17.61							
10	QPSK	1	25	17.72	17.76	17.81							
10	QPSK	1	49	17.74	17.76	17.81							
10	QPSK	25	0	17.72	17.62	17.78							
10	QPSK	25	12	17.80	17.72	17.86	18.8	5					
10	QPSK	25	25	17.87	17.74	17.70							
10	QPSK	50	0	17.68	17.74	17.70							
Channel													
Frequency (MHz)				22795	23565	23905	Turnup Int. (dBm)				MFR (dB)		
				7595	7615	7635							
5	QPSK	1	0	22.77	22.71	22.77	23.8	0					
5	QPSK	1	12	22.89	22.83	22.77							
5	QPSK	1	24	22.71	22.87	22.81							
5	QPSK	12	0	22.28	22.36	22.38							
5	QPSK	12	7	22.31	22.37	22.32							
5	QPSK	12	13	22.35	22.32	22.34	23.3	0.5					
5	QPSK	25	0	22.24	22.27	22.32							
5	QPSK	1	0	22.58	22.62	22.70							
5	QPSK	1	12	22.39	22.46	22.57							
5	QPSK	1	24	22.51	22.63	22.58							
5	QPSK	12	0	21.72	21.58	21.76	22.8	1					
5	QPSK	12	7	21.70	21.74	21.80							
5	QPSK	12	13	21.77	21.83	21.73							
5	QPSK	25	0	21.70	21.73	21.78							
5	QPSK	1	0	21.49	21.53	21.59							
5	QPSK	1	12	21.52	21.46	21.45	22.8	1					
5	QPSK	1	24	21.66	21.62	21.41							
5	QPSK	12	0	20.77	20.82	20.82							
5	QPSK	12	7	20.84	20.80	20.79							
5	QPSK	12	13	20.81	20.89	20.82							
5	QPSK	25	0	20.85	20.78	20.80	21.8	2					
5	QPSK	1	0	17.64	17.71	17.77							
5	QPSK	1	12	17.61	17.67	17.70							
5	QPSK	1	24	17.59	17.67	17.65							
5	QPSK	12	0	17.68	17.79	17.77							
5	QPSK	12	7	17.44	17.61	17.54	18.8	5					
5	QPSK	12	13	17.68	17.62	17.68							
5	QPSK	25	0	17.61	17.69	17.68							

Band 17_Ant 0										
BW (MHz)	Modulation	RB Size	RB Offset	Power Ch. / Freq	Power Ch. / Freq	Power Ch. / Freq	Time-use (int / sec)	MFR (dB)		
Channel				23795	23795	23805				
Frequency (MHz)				7595	7595	7595				
10	QPSK	1	0	22.43	22.41	22.46	23.3	0		
10	QPSK	1	25	22.42	22.41	22.38				
10	QPSK	1	49	22.40	22.41	22.35				
10	QPSK	25	0	21.81	21.84	21.80	22.8	0.5		
10	QPSK	25	12	21.78	21.79	21.84				
10	QPSK	25	25	21.75	21.80	21.83				
10	QPSK	50	0	21.80	21.87	21.83	22.8	0.5		
10	QPSK	1	0	21.86	22.16	22.10				
10	QPSK	1	25	21.82	22.12	22.06				
10	QPSK	1	49	22.08	22.16	22.16	22.3	1		
10	QPSK	25	12	21.53	21.54	21.57				
10	QPSK	25	25	21.59	21.59	21.36				
10	QPSK	50	0	21.28	21.38	21.42	22.3	1		
10	QPSK	1	0	20.90	21.12	20.86				
10	QPSK	1	25	20.95	21.02	20.85				
10	QPSK	1	49	20.93	21.10	20.81	21.3	2		
10	QPSK	25	0	20.30	20.25	20.30				
10	QPSK	25	12	20.30	20.34	20.35				
10	QPSK	25	25	20.35	20.28	20.36	21.3	2		
10	QPSK	50	0	20.38	20.27	20.40				
10	QPSK	1	0	17.37	17.38	17.24				
10	QPSK	1	25	17.46	17.25	17.15	18.3	5		
10	QPSK	1	49	17.16	17.24	17.18				
10	QPSK	25	0	17.19	17.31	17.28				
10	QPSK	25	12	17.32	17.28	17.27	18.3	5		
10	QPSK	25	25	17.19	17.34	17.30				
10	QPSK	50	0	17.20	17.34	17.26				
Channel				23795	23795	23805				
Frequency (MHz)				7595	7595	7595				
5	QPSK	1	0	22.40	22.34	22.38	23.3	0		
5	QPSK	1	12	22.31	22.44	22.28				
5	QPSK	1	24	22.33	22.30	22.26				
5	QPSK	12	0	21.79	21.82	21.77	22.8	0.5		
5	QPSK	12	7	21.66	21.65	21.79				
5	QPSK	12	13	21.68	21.78	21.68				
5	QPSK	25	0	21.68	21.80	21.70	22.8	0.5		
5	QPSK	1	0	21.91	22.04	22.07				
5	QPSK	1	12	21.78	22.04	22.04				
5	QPSK	1	24	22.03	22.06	22.07	22.3	1		
5	QPSK	12	0	21.30	21.27	21.30				
5	QPSK	12	7	21.24	21.28	21.23				
5	QPSK	12	13	21.31	21.30	21.33	21.3	2		
5	QPSK	25	0	21.21	21.24	21.21				
5	QPSK	1	0	20.81	20.88	20.85				
5	QPSK	1	12	20.88	21.00	20.90	22.3	1		
5	QPSK	1	24	20.92	21.03	20.97				
5	QPSK	12	0	20.20	20.15	20.21				
5	QPSK	12	7	20.20	20.24	20.20	21.3	2		
5	QPSK	12	13	20.24	20.21	20.26				
5	QPSK	25	0	20.14	20.17	20.26				
5	QPSK	25	12	20.14	20.17	20.18	18.3	5		
5	QPSK	25	25	20.17	20.12	20.17				
5	QPSK	50	0	20.16	20.17	20.12				
5	QPSK	12	0	17.30	17.22	17.24	18.3	5		
5	QPSK	12	7	17.30	17.25	17.16				
5	QPSK	12	13	17.17	17.31	17.16				

Band 66_Ant 5													
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Mode Ch / Freq	Power High Ch / Freq	Time-use (min)	APR (dB)					
Channel													
Frequency (MHz)				17202	17252	17372							
				1720	1745	1770							
20	QPSK	1	0	24.35	24.30	24.32	25	0					
20	QPSK	1	40	24.22	24.26	24.15							
20	QPSK	1	80	24.03	24.10	24.12							
20	QPSK	50	0	23.35	23.32	23.26							
20	QPSK	50	24	23.32	23.32	23.20							
20	QPSK	50	50	23.28	23.32	23.20	24.5	0.5					
20	QPSK	100	0	23.23	23.32	23.25							
20	HQDM	1	0	23.80	23.83	23.79							
20	HQDM	1	40	23.71	23.79	23.73							
20	HQDM	1	80	23.73	23.71	23.64							
20	HQDM	50	0	22.75	22.80	22.84	24	1					
20	HQDM	50	24	22.72	22.72	22.65							
20	HQDM	50	50	22.74	22.70	22.68							
20	HQDM	100	0	22.75	22.76	22.70							
20	HQDM	100	0	22.90	22.88	22.83							
20	HQDM	1	40	22.90	22.76	22.74	24	1					
20	HQDM	1	80	22.96	22.77	22.82							
20	HQDM	50	0	22.20	22.22	22.26							
20	HQDM	50	24	22.25	22.29	22.24							
20	HQDM	50	50	22.21	22.26	22.17							
20	HQDM	100	0	22.26	22.24	22.25	23	2					
20	HQDM	1	0	19.07	19.10	19.07							
20	HQDM	1	40	18.91	18.94	18.92							
20	HQDM	1	80	18.91	18.94	18.91							
20	HQDM	50	0	18.90	18.96	18.91							
20	HQDM	50	24	18.95	18.96	18.92	20	5					
20	HQDM	50	50	18.93	18.94	18.87							
20	HQDM	50	100	18.84	18.95	18.92							
Channel													
Frequency (MHz)				17172	1745	1773.5							
15	QPSK	1	0	24.19	24.20	24.14	25	0					
15	QPSK	1	37	24.14	24.23	24.08							
15	QPSK	1	74	24.08	24.16	24.11							
15	QPSK	36	0	23.25	23.30	23.25							
15	QPSK	36	20	23.24	23.19	23.25							
15	QPSK	36	36	23.18	23.28	23.10	24.5	0.5					
15	HQDM	1	0	23.97	23.84	23.98							
15	HQDM	1	37	23.81	23.87	23.80							
15	HQDM	1	74	23.78	23.82	23.76							
15	HQDM	36	0	22.75	22.75	22.71							
15	HQDM	36	20	22.65	22.66	22.75	24	1					
15	HQDM	36	36	22.72	22.68	22.55							
15	HQDM	75	0	22.68	22.67	22.58							
15	HQDM	1	0	22.83	22.75	22.78							
15	HQDM	1	37	22.81	22.70	22.82							
15	HQDM	1	74	22.76	22.70	22.67	24	1					
15	HQDM	1	0	22.15	22.18	22.21							
15	HQDM	36	20	22.20	22.25	22.21							
15	HQDM	36	36	22.06	22.02	22.12							
15	HQDM	36	0	22.18	22.18	22.22							
15	HQDM	1	0	19.02	18.99	19.02	20	5					
15	HQDM	1	37	18.81	18.91	18.88							
15	HQDM	1	74	18.82	18.91	18.86							
15	HQDM	36	0	18.90	18.99	18.90							
15	HQDM	36	20	18.90	18.97	18.86							
15	HQDM	36	36	18.75	18.91	18.94	20	5					
15	HQDM	75	0	18.78	18.85	18.80							
Channel													
Frequency (MHz)				17197	1745	1773.5							
10	QPSK	1	0	24.11	24.11	24.04	25	0					
10	QPSK	1	25	24.23	24.28	24.19							
10	QPSK	1	49	23.93	24.02	23.83							
10	QPSK	26	0	23.21	23.32	23.26							
10	QPSK	26	12	23.20	23.31	23.21							
10	QPSK	26	25	23.23	23.32	23.08	24.5	0.5					
10	QPSK	50	0	23.14	23.24	23.11							
10	HQDM	1	0	23.88	23.86	23.82							
10	HQDM	1	26	23.82	23.87	23.86							
10	HQDM	1	49	23.82	23.76	23.78							
10	HQDM	26	0	22.77	22.75	22.78	24	1					
10	HQDM	26	12	22.65	22.59	22.75							
10	HQDM	26	25	22.59	22.67	22.62							
10	HQDM	50	0	22.68	22.67	22.69							
10	HQDM	50	0	22.88	22.80	22.73							
10	HQDM	1	49	22.78	22.63	22.58	24	1					
10	HQDM	1	26	22.82	22.74	22.70							
10	HQDM	26	0	22.11	22.24	22.26							
10	HQDM	26	12	22.21	22.23	22.16							
10	HQDM	26	25	22.08	22.16	22.04							
10	HQDM	50	0	22.14	22.11	22.31	23	2					
10	HQDM	1	0	19.04	18.99	19.02							
10	HQDM	1	26	18.75	18.86	18.79							
10	HQDM	1	49	18.75	18.93	18.88							
10	HQDM	26	0	18.90	18.98	18.78							
10	HQDM	26	12	18.97	18.95	18.85	20	5					
10	HQDM	26	25	18.85	18.92	18.82							
10	HQDM	50	0	18.73	18.88	18.84							
Channel													
Frequency (MHz)				17197	1745	1773.5							
5	QPSK	1	0	24.18	24.15	24.03	25	0					
5	QPSK	1	12	24.11	24.19	24.20							
5	QPSK	1	24	23.93	23.95	23.83							
5	QPSK	12	0	23.29	23.35	23.23							
5	QPSK	12	7	23.24	23.29	23.21							
5	QPSK	12	13	23.11	23.13	23.07	24.5	0.5					
5	QPSK	26	0	23.15	23.22	23.16							
5	HQDM	1	0	23.95	24.02	23.86							
5	HQDM	1	12	23.77	23.98	23.81							
5	HQDM	1	24	23.85	23.77	23.85							
5	HQDM	12	0	22.78	22.72	22.81	24	1					
5	HQDM	12	7	22.66	22.71	22.70							
5	HQDM	12	13	22.69	22.68	22.67							
5	HQDM	26	0	22.67	22.73	22.66							
5	HQDM	1	0	22.84	22.81	22.80							
5	HQDM	1	12	22.70	22.74	22.84	24	1					
5	HQDM	1	24	22.86	22.67	22.70							
5	HQDM	12	0	22.21	22.28	22.15							
5	HQDM	12	7	22.29	22.28	22.17							
5	HQDM	12	13	22.07	22.10	22.05							
5	HQDM	26	0	22.25	22.19	22.26	23	2					
5	HQDM	1	0	19.07	19.05	19.00							
5	HQDM	1	12	18.91	18.95	18.92							
5	HQDM	1	24	18.75	18.95	18.92							
5	HQDM	12	0	18.									

GSM850_Ant 0				Burst Average Power (dBm)				Frame-Average Power (dBm)				Tune-up			
TX Channel				128	188	251	Limit	128	188	251	Limit	Tune-up			
Frequency (MHz)				824.2	836.4	848.8	(dBm)	824.2	836.4	848.8	(dBm)	Tune-up			
GSM 1 Tx slot				31.70	31.80	31.76	32.60	22.70	22.80	22.76	23.60				
GPRS/EDGE(GMSK) 1 Tx slot				31.67	31.78	31.64	32.60	22.67	22.78	22.64	23.60				
GPRS/EDGE(GMSK) 2 Tx slots				29.23	29.26	29.15	30.10	23.23	23.26	23.15	24.10				
GPRS/EDGE(GMSK) 3 Tx slots				27.49	27.53	27.46	28.60	23.23	23.27	23.20	24.34				
GPRS/EDGE(GMSK) 4 Tx slots				26.19	26.24	26.21	27.10	23.19	23.24	23.21	24.10				
EDGE 1 Tx slot				26.28	26.30	26.35	26.80	17.28	17.30	17.35	17.80				
EDGE 2 Tx slot				25.20	25.25	25.18	25.60	16.30	16.35	16.18	16.60				
EDGE 3 Tx slot				23.00	23.03	22.98	23.60	18.74	18.77	18.72	19.34				
EDGE 4 Tx slot				21.43	21.45	21.37	22.10	18.43	18.45	18.37	19.10				

GSM850_Ant 1				Burst Average Power (dBm)				Frame-Average Power (dBm)				Tune-up			
TX Channel				128	188	251	Limit	128	188	251	Limit	Tune-up			
Frequency (MHz)				824.2	836.4	848.8	(dBm)	824.2	836.4	848.8	(dBm)	Tune-up			
GSM 1 Tx slot				32.16	32.17	32.05	33.50	23.16	23.17	23.05	24.50				
GPRS/EDGE(GMSK) 1 Tx slot				32.12	32.15	32.01	33.50	23.12	23.15	23.01	24.50				
GPRS/EDGE(GMSK) 2 Tx slots				29.59	29.70	29.65	31.00	23.59	23.70	23.65	25.00				
GPRS/EDGE(GMSK) 3 Tx slots				28.01	28.13	28.05	29.50	23.75	23.87	23.79	25.24				
GPRS/EDGE(GMSK) 4 Tx slots				26.94	27.08	26.97	28.00	23.94	24.08	23.97	25.00				
EDGE 1 Tx slot				26.17	26.30	26.29	27.20	17.17	17.30	17.29	18.20				
EDGE 2 Tx slot				25.00	25.12	25.00	26.00	16.00	16.12	16.00	20.00				
EDGE 3 Tx slot				22.95	22.96	22.86	24.00	18.69	18.70	18.62	19.74				
EDGE 4 Tx slot				21.23	21.35	21.26	22.50	18.23	18.35	18.26	19.50				

GSM1900_Ant 5				Burst Average Power (dBm)				Frame-Average Power (dBm)				Tune-up			
TX Channel				812	861	810	Limit	812	861	810	Limit	Tune-up			
Frequency (MHz)				1850.2	1860	1909.8	(dBm)	1850.2	1860	1909.8	(dBm)	Tune-up			
GSM 1 Tx slot				29.80	29.83	29.85	30.50	20.80	20.83	20.85	21.50				
GPRS/EDGE(GMSK) 1 Tx slot				29.78	29.80	29.78	30.50	20.78	20.80	20.78	21.50				
GPRS/EDGE(GMSK) 2 Tx slots				27.27	27.42	27.31	28.50	21.27	21.42	21.31	22.50				
GPRS/EDGE(GMSK) 3 Tx slots				25.77	25.83	25.73	26.50	21.51	21.57	21.47	22.54				
GPRS/EDGE(GMSK) 4 Tx slots				24.61	24.65	24.53	25.00	21.61	21.65	21.53	22.00				
EDGE 1 Tx slot				25.64	25.70	25.56	26.50	16.64	16.70	16.56	17.50				
EDGE 2 Tx slot				23.83	23.85	23.82	24.50	17.83	17.85	17.82	18.50				
EDGE 3 Tx slot				21.62	21.70	21.57	22.50	17.36	17.44	17.31	18.24				
EDGE 4 Tx slot				20.62	20.69	20.65	21.50	17.62	17.69	17.65	18.50				

GSM1900_Ant 6				Burst Average Power (dBm)				Frame-Average Power (dBm)				Tune-up			
TX Channel				812	861	810	Limit	812	861	810	Limit	Tune-up			
Frequency (MHz)				1850.2	1860	1909.8	(dBm)	1850.2	1860	1909.8	(dBm)	Tune-up			
GSM 1 Tx slot				29.43	29.48	29.42	29.70	20.43	20.48	20.42	20.70				
GPRS/EDGE(GMSK) 1 Tx slot				29.41	29.45	29.39	29.70	20.41	20.45	20.39	20.70				
GPRS/EDGE(GMSK) 2 Tx slots				26.90	26.95	26.88	27.70	20.90	20.95	20.88	21.70				
GPRS/EDGE(GMSK) 3 Tx slots				25.28	25.33	25.30	25.70	21.02	21.07	21.04	21.44				
GPRS/EDGE(GMSK) 4 Tx slots				24.15	24.19	24.12	24.20	21.15	21.19	21.12	21.20				
EDGE 1 Tx slot				25.31	25.48	25.39	25.70	16.31	16.48	16.39	16.70				
EDGE 2 Tx slot				23.23	23.46	23.37	23.70	17.23	17.46	17.37	17.70				
EDGE 3 Tx slot				21.09	21.30	21.20	21.70	16.83	17.04	16.94	17.44				
EDGE 4 Tx slot				20.31	20.50	20.48	20.70	17.31	17.50	17.48	17.70				

Band				WCDMA II_Ant 5				WCDMA II_Ant 6				Tune-up			
TX Channel				9502	9600	9598	Limit	9502	9600	9598	Limit	Tune-up			
Rx Channel				9602	9600	9598	Limit	9602	9600	9598	Limit	Tune-up			
Frequency (MHz)				1852.4	1860	1907.6	(dBm)	1852.4	1860	1907.6	(dBm)	Tune-up			
3GPP Rel 99				18.93	18.99	18.96	19.80	20.29	20.34	20.29	20.90				
3GPP Rel 99				18.00	19.05	19.02	19.80	20.36	20.40	20.33	20.90				
3GPP Rel 6				18.92	18.96	18.99	19.80	20.21	20.24	20.28	20.90				
3GPP Rel 6				18.91	18.92	18.91	19.80	20.30	20.36	20.21	20.90				
3GPP Rel 6				18.85	18.95	18.90	19.80	20.26	20.33	20.18	20.90				
3GPP Rel 6				18.95	18.95	18.97	19.80	20.28	20.30	20.24	20.90				
3GPP Rel 8				18.87	18.99	18.96	19.80	20.26	20.31	20.26	20.90				
3GPP Rel 8				18.98	18.97	18.98	19.80	20.31	20.26	20.29	20.90				
3GPP Rel 8				18.90	19.02	18.87	19.80	20.23	20.32	20.26	20.90				
3GPP Rel 8				18.94	18.91	18.87	19.80	20.21	20.33	20.19	20.90				
3GPP Rel 6				18.88	18.95	18.93	19.80	20.26	20.28	20.26	20.90				
3GPP Rel 6				18.90	18.92	18.95	19.80	20.32	20.25	20.32	20.90				
3GPP Rel 6				18.97	19.03	18.91	19.80	20.35	20.38	20.25	20.90				
3GPP Rel 6				18.90	19.00	18.93	19.80	20.27	20.31	20.26	20.90				
3GPP Rel 6				18.87	19.04	19.01	19.80	20.34	20.25	20.31	20.90				
3GPP Rel 7				18.94	18.98	19.00	19.80	20.30	20.36	20.27	20.90				

Band		WCDMA IV_Ant5						WCDMA IV_Ant6						WCDMA IV_Ant11						WCDMA IV_Ant5					
TX Channel		1312	1413	1513			Tune-up	1312	1413	1513			Tune-up	1312	1413	1513			Tune-up	1312	1413	1513			Tune-up
RX Channel		1537	1638	1738			(dBm)	1537	1638	1738			(dBm)	1537	1638	1738			(dBm)	1537	1638	1738			(dBm)
Frequency (MHz)		1712.4	1752.6	1752.6				1712.4	1752.6	1752.6				1712.4	1752.6	1752.6				1712.4	1752.6	1752.6			
3GPP Rel 99	RMC 12.25mcps	20.08	20.08	20.08	20.08	20.08	19.86	19.85	19.85	20.00	20.09	20.11	20.15	20.00	19.34	19.33	19.21	20.10	20.10	20.10	19.34	19.32	19.20	20.10	20.10
3GPP Rel 99	RMC 12.25mcps	20.16	20.20	20.17	20.10	20.85	19.95	19.98	19.90	20.40	20.15	20.22	20.20	20.80	19.36	19.47	19.34	20.10	20.10	20.10	19.36	19.47	19.34	20.10	20.10
3GPP Rel 6	HS2PA Subset-1	20.01	20.06	20.07	20.80	19.84	19.95	19.76	20.40	20.12	20.07	20.07	20.80	19.30	19.37	19.25	20.10	20.10	20.10	19.30	19.37	19.25	20.10	20.10	
3GPP Rel 6	HS2PA Subset-2	20.11	20.13	20.04	20.80	19.89	19.96	19.78	20.40	20.12	20.09	20.08	20.80	19.21	19.37	19.25	20.10	20.10	20.10	19.21	19.37	19.25	20.10	20.10	
3GPP Rel 6	HS2PA Subset-3	20.06	20.03	20.07	20.80	19.83	19.87	19.85	20.40	20.12	20.07	20.07	20.80	19.30	19.37	19.25	20.10	20.10	20.10	19.30	19.37	19.25	20.10	20.10	
3GPP Rel 6	HS2PA Subset-4	20.13	20.13	20.02	20.80	19.83	19.95	19.81	20.40	20.10	20.18	20.12	20.80	19.28	19.28	19.27	20.10	20.10	20.10	19.28	19.28	19.27	20.10	20.10	
3GPP Rel 6	DC-HSPA Subset-1	20.15	20.19	20.03	20.80	19.83	19.95	19.77	20.40	20.10	20.04	20.09	20.10	20.80	19.30	19.34	19.21	20.10	20.10	20.10	19.30	19.34	19.21	20.10	
3GPP Rel 6	DC-HSPA Subset-2	20.07	20.08	20.03	20.80	19.91	19.95	19.85	20.40	20.08	20.07	20.05	20.80	19.30	19.34	19.21	20.10	20.10	20.10	19.30	19.34	19.21	20.10	20.10	
3GPP Rel 6	DC-HSPA Subset-3	20.09	20.10	20.10	20.80	19.89	19.93	19.85	20.40	20.12	20.08	20.08	20.80	19.30	19.37	19.25	20.10	20.10	20.10	19.30	19.37	19.25	20.10	20.10	
3GPP Rel 6	DC-HSPA Subset-4	20.14	20.08	20.03	20.80	19.82	19.83	19.76	20.40	20.10	20.13	20.06	20.80	19.30	19.32	19.18	20.10	20.10	20.10	19.30	19.32	19.18	20.10	20.10	
3GPP Rel 6	HS2PA Subset-1	20.15	20.12	20.09	20.80	19.85	19.97	19.81	20.40	20.13	20.14	20.13	20.80	19.03	18.83	18.86	19.60	20.10	20.10	20.10	19.03	18.83	18.86	19.60	
3GPP Rel 6	HS2PA Subset-2	20.06	20.09	20.10	20.80	19.87	19.93	19.83	20.40	20.08	20.08	20.08	20.80	19.00	18.90	18.84	19.60	20.10	20.10	20.10	19.00	18.90	18.84	19.60	
3GPP Rel 6	HS2PA Subset-3	20.06	20.11	20.10	20.80	19.89	19.83	19.86	20.40	20.14	20.16	20.06	20.80	18.82	18.69	18.86	19.60	20.10	20.10	20.10	18.82	18.69	18.86	19.60	
3GPP Rel 6	HS2PA Subset-4	20.15	20.15	20.04	20.80	19.83	19.89	19.87	20.40	20.13	20.13	20.13	20.80	19.30	19.34	19.21	20.10	20.10	20.10	19.30	19.34	19.21	20.10	20.10	
3GPP Rel 6	HS2PA Subset-5	20.14	20.07	20.07	20.80	19.83	19.92	19.82	20.40	20.06	20.10	20.11	20.80	19.21	19.28	19.30	20.10	20.10	20.10	19.21	19.28	19.30	20.10	20.10	
3GPP Rel 7	HS2PA (150M) Subset-1	20.14	20.07	20.00	20.80	19.81	19.85	19.82	20.40	20.07	20.10	20.08	20.80	18.84	18.62	18.91	20.10	20.10	20.10	18.84	18.62	18.91	20.10	20.10	

[illegible]

Band 5_Ant 1									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Med Ch / Freq.	Power High Ch / Freq.	Timeuse (int)	MFR (dB)	
Channel									
Frequency (MHz)				24645	24645	24645			
10	QPSK	1	0	24.645	24.645	24.645			
10	QPSK	1	25	23.99	24.10	24.01	25	0	
10	QPSK	1	49	24.07	23.93	23.97	24		
10	QPSK	25	0	23.55	23.60	23.52			
10	QPSK	25	12	23.52	23.49	23.48	24.5	0.5	
10	QPSK	25	25	23.52	23.52	23.58			
10	QPSK	50	0	23.51	23.79	23.66			
10	QPSK	1	25	23.62	23.77	23.65	24.5	0.5	
10	QPSK	1	49	23.89	23.88	23.75			
10	QPSK	25	0	23.63	23.68	23.65			
10	QPSK	25	12	23.63	23.63	23.61	24		
10	QPSK	25	25	23.63	23.63	23.61			
10	QPSK	50	0	23.60	23.68	23.65			
10	QPSK	1	0	23.95	23.95	23.95			
10	QPSK	1	25	23.95	23.94	23.91	24		
10	QPSK	1	49	23.85	23.85	23.49			
10	QPSK	25	0	23.84	23.97	23.90			
10	QPSK	25	12	22.90	23.97	23.90	23	2	
10	QPSK	25	25	23.96	23.91	23.90			
10	QPSK	50	0	18.62	18.66	18.54			
10	QPSK	1	26	18.62	18.63	18.52	20		
10	QPSK	1	49	18.52	18.57	18.46			
10	QPSK	1	73	18.44	18.59	18.55			
10	QPSK	25	0	18.44	18.59	18.42			
10	QPSK	25	12	18.47	18.52	18.44	20	5	
10	QPSK	25	25	18.47	18.57	18.44			
10	QPSK	50	0	18.52	18.62	18.50			
Channel									
Frequency (MHz)				24625	24625	24625	Timeuse (int)	MFR (dB)	
5	QPSK	1	0	24.625	24.625	24.625			
5	QPSK	1	12	24.08	24.14	23.98	25	0	
5	QPSK	1	24	23.93	23.97	23.84			
5	QPSK	12	0	23.42	23.51	23.48			
5	QPSK	12	7	23.42	23.41	23.40	24.5	0.5	
5	QPSK	12	13	23.41	23.46	23.38			
5	QPSK	25	0	23.50	23.52	23.42			
5	QPSK	1	0	23.72	23.70	23.73	24.5	0.5	
5	QPSK	1	12	23.69	23.71	23.55			
5	QPSK	1	24	23.67	23.67	23.65			
5	QPSK	12	0	22.78	22.92	23.02			
5	QPSK	12	7	22.93	22.95	22.95	24	1	
5	QPSK	12	13	22.92	22.94	22.80			
5	QPSK	25	0	22.50	23.05	23.05			
5	QPSK	1	0	22.49	22.94	22.98			
5	QPSK	1	12	22.57	22.59	22.40	24	1	
5	QPSK	1	24	22.54	22.84	22.85			
5	QPSK	12	0	21.74	21.89	21.85			
5	QPSK	12	7	21.87	21.86	21.84	23	2	
5	QPSK	12	13	21.84	21.86	21.76			
5	QPSK	25	0	21.87	21.89	21.83			
5	QPSK	1	0	18.44	18.54	18.43	20	5	
5	QPSK	1	12	18.55	18.60	18.42			
5	QPSK	1	24	18.44	18.51	18.36			
5	QPSK	12	0	18.30	18.55	18.46			
5	QPSK	12	7	18.47	18.57	18.44	20	5	
5	QPSK	12	13	18.43	18.42	18.30			
5	QPSK	25	0	18.48	18.52	18.48			
Channel									
Frequency (MHz)				24615	24615	24615	Timeuse (int)	MFR (dB)	
3	QPSK	1	0	24.615	24.615	24.615			
3	QPSK	1	8	23.98	24.01	24.01	25	0	
3	QPSK	1	16	23.95	23.94	23.87			
3	QPSK	8	0	23.43	23.45	23.51			
3	QPSK	8	4	23.48	23.47	23.38	24.5	0.5	
3	QPSK	8	12	23.43	23.41	23.45			
3	QPSK	16	0	23.41	23.50	23.41			
3	QPSK	1	0	23.64	23.74	23.78	24.5	0.5	
3	QPSK	1	8	23.66	23.67	23.61			
3	QPSK	1	14	23.78	23.56	23.74			
3	QPSK	8	0	22.85	22.83	23.04			
3	QPSK	8	4	22.87	22.88	22.86	24	1	
3	QPSK	8	7	22.79	22.89	22.85			
3	QPSK	15	0	22.86	23.06	22.82			
3	QPSK	1	0	22.45	22.34	22.47			
3	QPSK	1	8	22.58	22.62	22.50	24	1	
3	QPSK	1	14	22.57	22.60	22.38			
3	QPSK	8	0	21.75	21.85	21.88			
3	QPSK	8	4	21.80	21.86	21.84	23	2	
3	QPSK	8	7	21.85	21.87	21.75			
3	QPSK	15	0	21.86	21.91	21.76			
3	QPSK	1	0	18.40	18.63	18.49	20	5	
3	QPSK	1	8	18.55	18.58	18.42			
3	QPSK	1	14	18.54	18.56	18.44			
3	QPSK	8	0	18.41	18.47	18.52			
3	QPSK	8	4	18.46	18.43	18.37			
3	QPSK	8	7	18.50	18.47	18.40	20	5	
3	QPSK	15	0	18.41	18.57	18.47			
Channel									
Frequency (MHz)				24607	24607	24607	Timeuse (int)	MFR (dB)	
1.4	QPSK	1	0	24.607	24.607	24.607			
1.4	QPSK	1	3	24.00	24.11	24.05	25	0	
1.4	QPSK	1	6	23.93	23.98	23.90			
1.4	QPSK	3	0	23.90	24.09	24.00			
1.4	QPSK	3	1	24.08	24.08	24.06	24.5	0.5	
1.4	QPSK	3	3	23.98	23.94	23.83			
1.4	QPSK	6	0	23.47	23.43	23.44	24.5	0.5	
1.4	QPSK	1	0	23.70	23.75	23.76			
1.4	QPSK	1	3	23.47	23.75	23.63			
1.4	QPSK	1	6	23.81	23.75	23.72	24.5	0.5	
1.4	QPSK	1	3	23.81	23.83	23.63			
1.4	QPSK	3	0	23.69	23.83	23.66	24	1	
1.4	QPSK	1	0	22.67	23.02	22.90			
1.4	QPSK	1	3	22.66	22.38	22.45			
1.4	QPSK	1	6	22.63	22.58	22.44	24	1	
1.4	QPSK	1	0	22.55	22.61	22.48			
1.4	QPSK	1	3	22.52	22.58	22.46			
1.4	QPSK	1	6	22.49	22.54	22.44	24	1	
1.4	QPSK	3	0	22.50	22.63	22.44			
1.4	QPSK	3	1	21.98	21.93	21.84	23	2	
1.4	QPSK	3	3	21.94	21.94	21.84			
1.4	QPSK	6	0	18.55	18.48	18.38			
1.4	QPSK	1	0	18.54	18.54	18.48			
1.4	QPSK	1	3	18.44	18.44	18.38	20	5	
1.4	QPSK	3	1	18.38	18.42	18.32			
1.4	QPSK	3	3	18.39	18.39	18.32			
1.4	QPSK	6	0	18.52	18.58	18.50	20	5	

Band 7_Ant 11									
BW (MHz)	Modulation	RE Size	RB Offset	Power Low Ch. / Freq.	Power Mids Ch. / Freq.	Power High Ch. / Freq.	Timeup int. (dBm)	MFR (dB)	
Channel									
Frequency (MHz)				2050	2150	2550			
20	QPSK	1	0	18.75	18.68	18.77			
20	QPSK	1	48	18.71	18.78	18.76	19.4	0	
20	QPSK	1	96	18.65	18.77	18.81			
20	QPSK	50	0	18.75	18.65	18.76			
20	QPSK	50	24	18.63	18.84	18.83	19.4	0	
20	QPSK	50	50	18.72	18.74	18.74			
20	QPSK	100	0	18.61	18.74	18.73			
20	HQAM	1	0	18.64	18.73	18.70			
20	HQAM	1	48	18.67	18.77	18.68	19.4	0	
20	HQAM	1	96	18.68	18.73	18.66			
20	HQAM	50	0	18.64	18.78	18.74			
20	HQAM	50	24	18.65	18.77	18.71	19.4	0	
20	HQAM	50	50	18.65	18.61	18.65			
20	HQAM	100	0	18.60	18.85	18.76			
20	HQAM	1	0	18.62	18.78	18.65			
20	HQAM	1	48	18.67	18.63	18.71	19.4	0	
20	HQAM	1	96	18.72	18.78	18.67			
20	HQAM	50	0	18.72	18.74	18.70	19.4	0	
20	HQAM	50	50	18.65	18.84	18.87			
20	HQAM	100	0	18.60	18.78	18.65			
20	SSBQAM	1	0	18.48	18.60	18.55			
20	SSBQAM	1	48	18.55	18.54	18.44	19.4	0	
20	SSBQAM	1	96	18.43	18.65	18.44			
20	SSBQAM	50	0	18.59	18.49	18.41			
20	SSBQAM	50	24	18.47	18.58	18.48	19.4	0	
20	SSBQAM	50	50	18.40	18.49	18.37			
20	SSBQAM	100	0	18.41	18.63	18.41			
Channel									
Frequency (MHz)				2050.5	2150	2157.5	18dBc int. (dBm)	MFR (dB)	
15	QPSK	1	0	18.65	18.84	18.82			
15	QPSK	1	37	18.68	18.66	18.75	19.4	0	
15	QPSK	1	74	18.71	18.68	18.63			
15	QPSK	36	0	18.68	18.74	18.71			
15	QPSK	36	20	18.50	18.70	18.62	19.4	0	
15	QPSK	36	39	18.70	18.72	18.68			
15	QPSK	75	0	18.54	18.66	18.71			
15	HQAM	1	0	18.62	18.61	18.56			
15	HQAM	1	37	18.63	18.65	18.66	19.4	0	
15	HQAM	1	74	18.67	18.72	18.52			
15	HQAM	36	0	18.56	18.68	18.72	19.4	0	
15	HQAM	36	20	18.54	18.71	18.70			
15	HQAM	36	39	18.59	18.67	18.52			
15	HQAM	75	0	18.45	18.74	18.62			
15	HQAM	1	0	18.54	18.67	18.59			
15	HQAM	1	37	18.52	18.71	18.65	19.4	0	
15	HQAM	1	74	18.57	18.73	18.64			
15	HQAM	36	0	18.57	18.61	18.57			
15	HQAM	36	20	18.57	18.63	18.59	19.4	0	
15	HQAM	36	39	18.56	18.77	18.60			
15	HQAM	75	0	18.55	18.75	18.64			
15	SSBQAM	1	0	18.58	18.59	18.45			
15	SSBQAM	1	37	18.56	18.51	18.42	19.4	0	
15	SSBQAM	1	74	18.45	18.45	18.40			
15	SSBQAM	36	0	18.51	18.49	18.40			
15	SSBQAM	36	20	18.54	18.44	18.44	19.4	0	
15	SSBQAM	36	39	18.38	18.44	18.36			
15	SSBQAM	75	0	18.32	18.52	18.37			
Channel									
Frequency (MHz)				2058.5	2150	2140	18dBc int. (dBm)	MFR (dB)	
15	QPSK	1	0	18.61	18.77	18.69			
15	QPSK	1	25	18.70	18.75	18.74	19.4	0	
15	QPSK	1	48	18.64	18.62	18.55			
15	QPSK	25	0	18.61	18.71	18.61			
15	QPSK	25	12	18.48	18.80	18.59	19.4	0	
15	QPSK	25	25	18.60	18.66	18.62			
15	QPSK	50	0	18.50	18.62	18.69			
15	HQAM	1	0	18.50	18.72	18.58	19.4	0	
15	HQAM	1	25	18.54	18.62	18.60			
15	HQAM	1	48	18.57	18.66	18.65			
15	HQAM	25	0	18.52	18.65	18.67	19.4	0	
15	HQAM	25	12	18.57	18.70	18.69			
15	HQAM	25	25	18.58	18.70	18.50			
15	HQAM	50	0	18.52	18.63	18.69			
15	HQAM	1	0	18.54	18.70	18.53			
15	HQAM	1	25	18.58	18.73	18.66	19.4	0	
15	HQAM	1	48	18.56	18.74	18.60			
15	HQAM	25	0	18.58	18.68	18.59			
15	HQAM	25	12	18.59	18.73	18.65	19.4	0	
15	HQAM	25	25	18.62	18.61	18.64			
15	HQAM	50	0	18.48	18.67	18.54			
15	SSBQAM	1	0	18.54	18.49	18.54			
15	SSBQAM	1	25	18.56	18.53	18.37	19.4	0	
15	SSBQAM	1	48	18.31	18.46	18.41			
15	SSBQAM	25	0	18.54	18.55	18.31			
15	SSBQAM	25	12	18.50	18.60	18.34	19.4	0	
15	SSBQAM	25	25	18.32	18.36	18.25			
15	SSBQAM	50	0	18.32	18.39	18.40			
Channel									
Frequency (MHz)				2077.5	2150	2142.5	18dBc int. (dBm)	MFR (dB)	
5	QPSK	1	0	18.68	18.79	18.82			
5	QPSK	1	12	18.70	18.66	18.75	19.4	0	
5	QPSK	1	24	18.50	18.71	18.54			
5	QPSK	12	0	18.59	18.84	18.61			
5	QPSK	12	7	18.51	18.62	18.52	19.4	0	
5	QPSK	12	13	18.61	18.59	18.71			
5	QPSK	25	0	18.48	18.68	18.70			
5	HQAM	1	0	18.50	18.63	18.58			
5	HQAM	1	12	18.64	18.68	18.62	19.4	0	
5	HQAM	1	24	18.67	18.72	18.53			
5	HQAM	12	0	18.57	18.76	18.63			
5	HQAM	12	7	18.64	18.76	18.62	19.4	0	
5	HQAM	12	13	18.62	18.67	18.61			
5	HQAM	25	0	18.48	18.63	18.72			
5	HQAM	1	0	18.58	18.64	18.59			
5	HQAM	1	12	18.59	18.60	18.67	19.4	0	
5	HQAM	1	24	18.61	18.71	18.52			
5	HQAM	12	0	18.60	18.66	18.61			
5	HQAM	12	7	18.64	18.71	18.54	19.4	0	
5	HQAM	12	13	18.58	18.69	18.58			
5	HQAM	25	0	18.57	18.74	18.53			
5	SSBQAM	1	0	18.57	18.57	18.54			
5	SSBQAM	1	12	18.48	18.44	18.43	19.4	0	
5	SSBQAM	1	24	18.35	18.45	18.35			
5	SSBQAM	12	0	18.28	18.45	18.27			
5	SSBQAM	12	7	18.20	18.24	18.21	19.4	0	
5	SSBQAM	12	13	18.38	18.36	18.25			
5	SSBQAM	25	0	18.38	18.50	18.36			

Band 7_Ant 7									
BW (MHz)	Modulation	RE Size	RB Offset	Power Low Ch. / Freq.	Power Mids Ch. / Freq.	Power High Ch. / Freq.	Time-up int. (dBm)	MFR (dB)	
Channel									
Frequency (MHz)				20500	21100	21500			
20	QPSK	1	0	18.51	20.53	20.50			
20	QPSK	1	48	18.33	19.37	20.01	21	0	
20	QPSK	1	96	18.29	19.37	19.95			
20	QPSK	50	0	18.51	19.70	19.80			
20	QPSK	50	24	19.19	19.70	19.80	21	0	
20	QPSK	50	50	19.25	19.72	19.84			
20	QPSK	100	0	19.28	19.73	19.87			
20	HQAM	1	0	19.25	19.72	19.93	21	0	
20	HQAM	1	48	19.32	19.68	19.85			
20	HQAM	1	96	19.29	19.67	19.88			
20	HQAM	50	0	18.52	19.85	19.22			
20	HQAM	50	24	18.45	19.85	19.10	20	1	
20	HQAM	50	50	18.40	19.79	19.07			
20	HQAM	100	0	18.43	19.81	19.09			
20	HQAM	1	0	18.40	19.80	19.19	20	1	
20	HQAM	1	48	18.51	19.71	19.08			
20	HQAM	1	96	18.42	18.76	19.08			
20	HQAM	50	0	17.89	19.00	19.25			
20	HQAM	50	24	17.75	18.92	19.22	19	2	
20	HQAM	50	50	17.87	18.85	19.23			
20	HQAM	100	0	17.83	18.90	19.28			
20	SSBQAM	1	0	14.50	14.87	15.17			
20	SSBQAM	1	48	14.53	14.82	15.14	16	5	
20	SSBQAM	1	96	14.45	14.85	15.07			
20	SSBQAM	50	0	14.50	14.81	15.05			
20	SSBQAM	50	24	14.28	14.78	15.02	16	5	
20	SSBQAM	50	50	14.52	14.87	15.15			
20	SSBQAM	100	0	14.42	14.82	15.08			
Channel									
Frequency (MHz)				20502.5	21100	2142.5	18dBc int. (dBm)	MFR (dB)	
15	QPSK	1	0	19.19	19.84	19.73			
15	QPSK	1	37	19.20	19.64	19.91	21	0	
15	QPSK	1	74	19.18	19.57	19.83			
15	QPSK	25	0	19.17	19.77	19.87			
15	QPSK	25	12	19.08	19.68	19.78	21	0	
15	QPSK	25	36	19.20	19.69	19.79			
15	QPSK	75	0	19.27	19.67	19.87			
15	HQAM	1	0	19.20	19.69	19.90	21	0	
15	HQAM	1	37	19.21	19.63	19.87			
15	HQAM	1	74	19.19	19.57	19.83			
15	HQAM	25	0	19.18	19.68	19.78			
15	HQAM	25	12	19.32	19.63	19.74	20	1	
15	HQAM	25	36	19.33	19.69	19.80			
15	HQAM	75	0	19.37	19.67	19.87			
15	HQAM	75	0	19.32	19.77	19.95			
15	HQAM	1	0	18.28	18.74	19.07			
15	HQAM	1	37	18.29	18.74	19.07			
15	HQAM	1	74	18.25	18.67	18.96			
15	HQAM	25	0	17.85	17.83	18.20	19	2	
15	HQAM	25	12	17.85	17.83	18.20			
15	HQAM	25	36	17.85	17.86	18.13			
15	HQAM	75	0	17.53	17.88	18.13			
15	SSBQAM	1	0	14.45	14.85	15.07			
15	SSBQAM	1	37	14.38	14.73	15.04	16	5	
15	SSBQAM	1	74	14.41	14.78	15.02			
15	SSBQAM	25	0	14.23	14.63	14.93	16	5	
15	SSBQAM	25	12	14.29	14.73	15.02			
15	SSBQAM	25	36	14.48	14.80	15.13	16	5	
15	SSBQAM	75	0	14.48	14.82	15.05			
Channel									
Frequency (MHz)				20502.5	21100	2142.5	18dBc int. (dBm)	MFR (dB)	
15	QPSK	1	0	19.19	19.84	19.73			
15	QPSK	1	25	19.22	19.63	19.84	21	0	
15	QPSK	1	49	19.21	19.53	19.79			
15	QPSK	25	0	19.22	19.63	19.84			
15	QPSK	25	12	19.16	19.50	19.76	21	0	
15	QPSK	25	25	19.20	19.60	19.80			
15	QPSK	50	0	19.20	19.70	19.78			
15	QPSK	50	12	19.24	19.61	19.81	21	0	
15	QPSK	50	25	19.24	19.54	19.88			
15	HQAM	1	0	19.19	19.74	19.87			
15	HQAM	1	49	19.21	19.51	19.79			
15	HQAM	25	0	19.21	19.51	19.79			
15	HQAM	25	12	19.25	19.72	19.97			
15	HQAM	25	25	19.28	19.69	19.90	20	1	
15	HQAM	50	0	19.22	19.62	19.91			
15	HQAM	50	12	19.24	19.58	19.90			
15	HQAM	1	0	18.27	18.78	19.07			
15	HQAM	1	49	18.43	18.68	18.92	19	2	
15	HQAM	1	96	18.40	18.67	18.92			
15	HQAM	25	0	17.85	17.82	18.22			
15	HQAM	25	12	17.85	17.82	18.22			
15	HQAM	25	25	17.75	18.04	18.22	19	2	
15	HQAM	50	0	17.81	17.88	18.17			
15	SSBQAM	1	0	14.38	14.67	15.06	16	5	
15	SSBQAM	1	49	14.42	14.78	15.03			
15	SSBQAM	1	96	14.38	14.73	15.03			
15	SSBQAM	25	0	14.27	14.63	14.92	16	5	
15	SSBQAM	25	12	14.32	14.61	15.05			
15	SSBQAM	25	25	14.51	14.81	15.05			
15	SSBQAM	50	0	14.51	14.73	15.05			
Channel									
Frequency (MHz)				20577.5	21100	2142.5	18dBc int. (dBm)	MFR (dB)	
15	QPSK	1	0	19.12	19.83	19.81			
15	QPSK	1	12	19.12	19.62	19.81	21	0	
15	QPSK	1	24	19.13	19.54	19.80			
15	QPSK	12	0	19.26	19.60	19.84			
15	QPSK	12	7	19.26	19.50	19.81	21	0	
15	QPSK	12	13	19.21	19.70	19.79			
15	QPSK	25	0	19.26	19.70	19.81			
15	HQAM	1	0	19.18	19.70	19.81	21	0	
15	HQAM	1	12	19.26	19.54	19.81			
15	HQAM	12	7	19.23	19.53	19.81			
15	HQAM	12	0	19.40	19.72	19.90			
15	HQAM	12	7	19.26	19.68	19.95			
15	HQAM	12	13	19.28	19.70	19.95	20	1	
15	HQAM	25	0	19.30	19.70	19.97			
15	HQAM	1	0	18.29	18.77	19.13			
15	HQAM	1	12	18.38	18.68	19.07	18	1	
15	HQAM	1	24	18.37	18.60	18.94			
15	HQAM	12	0	17.54	17.84	18.12			
15	HQAM	12	7	17.54	17.84	18.12			
15	HQAM	12	13	17.67	18.00	18.17	19	2	
15	HQAM	25	0	17.51	17.88	18.18			
15	SSBQAM	1	0	14.32	14.71	15.02	16	5	
15	SSBQAM	1	12	14.32	14.62	14.93			
15	SSBQAM	12	7	14.26	14.68	14.94	16	5	
15	SSBQAM	12	13	14.50	14.81	15.11			

Band 12_Ant 1										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Med Ch / Freq	Power High Ch / Freq	Timeuse Int (dBm)	MRR (dB)		
Channel										
Frequency (MHz)				23605	23605	23710				
				704	707.5	711				
10	QPSK	1	0	22.85	22.79	22.86				
10	QPSK	1	25	22.73	22.80	22.87	23.8	0		
10	QPSK	1	49	22.73	22.80	22.78				
10	QPSK	25	0	22.25	22.33	22.38				
10	QPSK	25	12	22.25	22.17	22.16	23.3	0.5		
10	QPSK	25	25	22.32	22.32	22.25				
10	HQAM	1	0	21.61	21.64	21.68	23.3	0.5		
10	HQAM	1	25	21.45	21.42	21.35				
10	HQAM	25	0	21.67	21.64	21.68				
10	HQAM	25	12	21.72	21.62	21.70	22.8	1		
10	HQAM	25	25	21.79	21.80	21.74				
10	HQAM	50	0	21.77	21.84	21.79				
10	HQAM	1	0	21.55	21.58	21.58				
10	HQAM	1	25	21.50	21.52	21.50	22.8	1		
10	HQAM	1	49	21.35	21.33	21.47				
10	HQAM	25	0	20.70	20.64	20.65				
10	HQAM	25	12	20.74	20.70	20.68	21.8	2		
10	HQAM	25	25	20.74	20.70	20.68				
10	HQAM	50	0	20.71	20.66	20.72				
10	SSBQAM	1	0	17.67	17.78	17.71				
10	SSBQAM	1	25	17.62	17.65	17.66	18.8	5		
10	SSBQAM	1	49	17.65	17.66	17.68				
10	SSBQAM	25	0	17.68	17.74	17.59				
10	SSBQAM	25	12	17.68	17.74	17.69	18.8	5		
10	SSBQAM	25	25	17.62	17.74	17.64				
10	SSBQAM	50	0	17.71	17.72	17.69				
Channel										
Frequency (MHz)				23605 <th>23605<th>23710</th><th>Timeuse Int (dBm)</th><th>MRR (dB)</th><th colspan="2"></th></th>	23605 <th>23710</th> <th>Timeuse Int (dBm)</th> <th>MRR (dB)</th> <th colspan="2"></th>	23710	Timeuse Int (dBm)	MRR (dB)		
				701.5	707.5	713.5				
5	QPSK	1	0	22.85	22.79	22.86				
5	QPSK	1	12	22.75	22.84	22.73	23.8	0		
5	QPSK	1	24	22.75	22.80	22.76				
5	QPSK	12	0	22.18	22.27	22.18				
5	QPSK	12	7	22.15	22.15	22.09	23.3	0.5		
5	QPSK	12	13	22.15	22.15	22.15				
5	HQAM	1	0	21.54	21.49	21.41	23.3	0.5		
5	HQAM	1	12	21.47	21.38	21.53				
5	HQAM	1	24	22.62	22.58	22.44				
5	HQAM	12	0	21.60	21.50	21.67				
5	HQAM	12	7	21.59	21.50	21.68	22.8	1		
5	HQAM	12	13	21.69	21.56	21.67				
5	HQAM	25	0	21.68	21.54	21.67				
5	HQAM	1	0	21.43	21.43	21.43				
5	HQAM	1	12	21.47	21.42	21.43	22.8	1		
5	HQAM	1	24	21.24	21.27	21.46				
5	HQAM	12	0	20.92	20.92	20.94				
5	HQAM	12	7	20.95	20.49	20.57	21.8	2		
5	HQAM	12	13	20.86	20.85	20.58				
5	HQAM	25	0	20.86	20.86	20.86				
5	SSBQAM	1	0	17.59	17.71	17.51				
5	SSBQAM	1	12	17.64	17.65	17.68	18.8	5		
5	SSBQAM	1	24	17.57	17.65	17.41				
5	SSBQAM	12	0	17.63	17.65	17.44				
5	SSBQAM	12	7	17.64	17.65	17.44	18.8	5		
5	SSBQAM	12	13	17.61	17.62	17.55				
5	SSBQAM	25	0	17.57	17.70	17.64				
Channel										
Frequency (MHz)				23605 <th>23605<th>23715</th><th>Timeuse Int (dBm)</th><th>MRR (dB)</th><th colspan="2"></th></th>	23605 <th>23715</th> <th>Timeuse Int (dBm)</th> <th>MRR (dB)</th> <th colspan="2"></th>	23715	Timeuse Int (dBm)	MRR (dB)		
				700.5	707.5	714.5				
3	QPSK	1	0	22.85	22.87	22.98				
3	QPSK	1	8	22.72	22.86	22.83	23.8	0		
3	QPSK	1	14	22.75	22.75	22.75				
3	QPSK	8	0	22.32	22.32	22.13				
3	QPSK	8	4	22.21	22.11	22.11	23.3	0.5		
3	QPSK	8	14	22.12	22.04	21.67				
3	QPSK	16	0	22.13	22.16	22.15				
3	HQAM	1	0	22.48	22.43	22.39	23.3	0.5		
3	HQAM	1	8	22.46	22.28	22.56				
3	HQAM	1	14	22.59	22.48	22.41				
3	HQAM	8	0	21.54	21.53	21.61				
3	HQAM	8	4	21.68	21.55	21.62	22.8	1		
3	HQAM	8	7	21.69	21.47	21.70				
3	HQAM	15	0	21.66	21.63	21.67				
3	HQAM	1	0	21.43	21.52	21.55				
3	HQAM	1	8	21.45	21.41	21.37	22.8	1		
3	HQAM	1	14	21.25	21.19	21.33				
3	HQAM	8	0	20.59	20.55	20.57				
3	HQAM	8	4	20.70	20.50	20.59	21.8	2		
3	HQAM	15	0	20.66	20.62	20.57				
3	HQAM	1	0	17.63	17.69	17.64				
3	SSBQAM	1	8	17.66	17.68	17.46	18.8	5		
3	SSBQAM	1	14	17.54	17.60	17.48				
3	SSBQAM	8	0	17.67	17.69	17.52				
3	SSBQAM	8	4	17.64	17.67	17.47	18.8	5		
3	SSBQAM	8	7	17.52	17.73	17.53				
3	SSBQAM	15	0	17.68	17.67	17.58				
Channel										
Frequency (MHz)				23607 <th>23605<th>23713</th><th>Timeuse Int (dBm)</th><th>MRR (dB)</th><th colspan="2"></th></th>	23605 <th>23713</th> <th>Timeuse Int (dBm)</th> <th>MRR (dB)</th> <th colspan="2"></th>	23713	Timeuse Int (dBm)	MRR (dB)		
				699.7	707.5	715.3				
1.4	QPSK	1	0	22.85	22.71	22.54				
1.4	QPSK	1	3	22.72	22.75	22.82	23.8	0		
1.4	QPSK	1	5	22.72	22.74	22.70				
1.4	QPSK	3	0	22.71	22.85	22.55				
1.4	QPSK	3	1	22.74	22.74	22.78				
1.4	QPSK	3	3	22.75	22.73	22.68				
1.4	QPSK	6	0	22.24	22.17	22.22	23.3	0.5		
1.4	HQAM	1	0	22.50	22.41	22.44				
1.4	HQAM	1	3	22.47	22.38	22.56	23.3	0.5		
1.4	HQAM	1	5	22.69	22.61	22.49				
1.4	HQAM	1	0	22.45	22.40	22.42				
1.4	HQAM	3	0	22.38	22.39	22.56				
1.4	HQAM	3	3	22.71	22.62	22.43				
1.4	HQAM	6	0	21.66	21.59	21.72	22.8	1		
1.4	HQAM	1	0	21.40	21.46	21.46				
1.4	HQAM	1	3	21.49	21.39	21.46				
1.4	HQAM	1	5	21.24	21.29	21.33	22.8	1		
1.4	HQAM	3	0	21.41	21.48	21.43				
1.4	HQAM	3	1	21.49	21.48	21.47				
1.4	HQAM	3	3	21.27	21.21	21.41				
1.4	HQAM	6	0	20.87	20.83	20.58	21.8	2		
1.4	SSBQAM	1	0	17.73	17.74	17.65				
1.4	SSBQAM	1	5	17.68	17.67	17.47	18.8	5		
1.4	SSBQAM	3	0	17.44	17.48	17.42				
1.4	SSBQAM	3	3	17.60	17.71	17.56				
1.4	SSBQAM	6	0	17.63	17.63	17.56	18.8	5		

Band 12_Ant 0												
BW (MHz)	Modulation	RE Res	RB Offset	Power Low Ch / Freq	Power Med Ch / Freq	Power High Ch / Freq	Timeuse Int (dBm)	MRR (dB)				
Channel												
Frequency (MHz)												
704 702.5 711												
10	QPSK	1	0	21.85	21.89	21.98						
10	QPSK	1	25	21.78	21.78	21.72	22.8	0				
10	QPSK	1	49	21.78	21.82	21.82						
10	QPSK	25	0	21.71	21.76	21.74						
10	QPSK	25	12	21.68	21.64	21.67	22.8	0				
10	QPSK	25	25	21.70	21.65	21.71						
10	QPSK	50	0	21.63	21.72	21.67						
10	HQAM	1	0	21.78	21.81	21.71	22.8	0				
10	HQAM	1	25	21.62	21.68	21.64						
10	HQAM	1	49	21.61	21.72	21.81						
10	HQAM	25	0	21.54	21.51	21.15						
10	HQAM	25	12	21.51	21.32	21.09	22.3	0.5				
10	HQAM	25	25	21.51	21.50	21.21						
10	HQAM	50	0	21.25	21.34	21.24						
10	HQAM	1	0	20.90	21.03	21.02						
10	HQAM	1	25	20.85	20.96	20.88	22.3	0.5				
10	HQAM	1	49	20.86	21.01	21.10						
10	HQAM	25	0	20.14	20.19	20.17						
10	HQAM	25										

Band 17_Ant 1												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Med Ch / Freq	Power High Ch / Freq	Time-use (int / dec)	MFR (dB)				
Channel												
				22750	23560	23950						
Frequency (MHz)				710								
10	QPSK	1	0	22.50	22.50	22.51	23.8	0				
10	QPSK	1	25	22.88	22.84	22.82						
10	QPSK	1	49	22.85	22.91	22.87						
10	QPSK	25	0	22.50	22.42	22.40						
10	QPSK	25	12	22.50	22.37	22.34						
10	QPSK	25	25	22.37	22.34	22.38	23.3	0.5				
10	QPSK	50	0	22.34	22.40	22.38						
10	QPSK	1	0	22.61	22.65	22.72						
10	QPSK	1	25	22.52	22.57	22.70						
10	QPSK	1	49	22.58	22.76	22.85						
10	QPSK	25	0	21.80	21.73	21.85	22.8	1				
10	QPSK	25	12	21.84	21.82	21.88						
10	QPSK	25	25	21.82	21.87	21.83						
10	QPSK	50	0	21.82	21.79	21.85						
10	QPSK	1	0	21.82	21.89	21.94						
10	QPSK	1	25	21.80	21.90	21.86	22.8	0				
10	QPSK	1	49	21.73	21.86	21.80						
10	QPSK	25	0	21.80	21.87	21.83						
10	QPSK	25	12	21.80	21.87	21.83						
10	QPSK	25	25	21.80	21.89	21.86						
10	QPSK	50	0	21.82	21.81	21.86	21.8	2				
10	QPSK	1	0	17.77	17.86	17.85						
10	QPSK	1	25	17.72	17.76	17.81						
10	QPSK	1	49	17.62	17.76	17.80						
10	QPSK	25	0	17.72	17.82	17.78						
10	QPSK	25	12	17.80	17.72	17.86	18.8	5				
10	QPSK	25	25	17.87	17.74	17.70						
Channel												
				22750	23560	23950						
Frequency (MHz)				710								
5	QPSK	1	0	22.77	22.71	22.77	23.8		0			
5	QPSK	1	12	22.89	22.83	22.77						
5	QPSK	1	24	22.71	22.87	22.81						
5	QPSK	12	0	22.28	22.36	22.38						
5	QPSK	12	7	22.31	22.37	22.39						
5	QPSK	12	13	22.30	22.32	22.34	23.3	0.5				
5	QPSK	25	0	22.24	22.27	22.32						
5	QPSK	1	0	22.58	22.62	22.70						
5	QPSK	1	12	22.30	22.46	22.57						
5	QPSK	1	24	22.51	22.63	22.58						
5	QPSK	12	0	21.72	21.58	21.76	22.8	1				
5	QPSK	12	7	21.70	21.74	21.80						
5	QPSK	12	13	21.77	21.83	21.73						
5	QPSK	25	0	21.70	21.73	21.78						
5	QPSK	1	0	21.49	21.53	21.59						
5	QPSK	1	12	21.52	21.46	21.45	22.8	1				
5	QPSK	1	24	21.86	21.82	21.89						
5	QPSK	12	0	20.77	20.82	20.82						
5	QPSK	12	7	20.84	20.80	20.79						
5	QPSK	12	13	20.81	20.89	20.82						
5	QPSK	25	0	20.85	20.78	20.80	21.8	2				
5	QPSK	25	12	20.85	20.79	20.80						
5	QPSK	25	25	20.77	20.81	20.80						
5	QPSK	1	0	17.64	17.71	17.70						
5	QPSK	1	24	17.59	17.67	17.66						
5	QPSK	12	0	17.68	17.79	17.77	18.8	5				
5	QPSK	12	7	17.64	17.61	17.54						
5	QPSK	12	13	17.68	17.62	17.68						
5	QPSK	25	0	17.61	17.69	17.68						
5	QPSK	25	12	17.61	17.69	17.68						

Band 17_Ant 0										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Med Ch / Freq	Power High Ch / Freq	Time-use (int / dec)	MFR (dB)		
Channel										
				22750	23560	23950				
Frequency (MHz)				711						
10	QPSK	1	0	21.50	21.50	21.50	22.8	0		
10	QPSK	1	25	21.86	21.87	21.87				
10	QPSK	1	49	21.82	21.92	21.82				
10	QPSK	25	0	21.81	21.84	21.90				
10	QPSK	25	12	21.78	21.79	21.84				
10	QPSK	25	25	21.73	21.78	21.83	22.8	0		
10	QPSK	50	0	21.80	21.87	21.83				
10	QPSK	1	0	21.79	21.88	21.94				
10	QPSK	1	25	21.82	21.92	21.86				
10	QPSK	1	49	21.80	21.92	21.86				
10	QPSK	25	0	21.80	21.87	21.83	22.3	0.5		
10	QPSK	25	12	21.80	21.87	21.83				
10	QPSK	25	25	21.79	21.89	21.86				
10	QPSK	50	0	21.82	21.79	21.89				
10	QPSK	1	0	21.82	21.89	21.94				
10	QPSK	1	25	21.80	21.90	21.90	22.3	0.5		
10	QPSK	1	49	21.73	21.86	21.80				
10	QPSK	25	0	21.85	21.97	21.93				
10	QPSK	25	12	21.80	21.88	21.89				
10	QPSK	25	25	21.87	21.94	21.89				
10	QPSK	50	0	21.82	21.81	21.86	21.3	1.5		
10	QPSK	1	0	17.57	17.58	17.24				
10	QPSK	1	25	17.56	17.54	17.23				
10	QPSK	1	49	17.56	17.54	17.23				
10	QPSK	25	0	17.59	17.51	17.28				
10	QPSK	25	12	17.59	17.51	17.27	18.3	4.5		
10	QPSK	25	25	17.59	17.54	17.28				
10	QPSK	50	0	17.59	17.54	17.28				
10	QPSK	1	0	17.57	17.58	17.24				
10	QPSK	1	25	17.56	17.54	17.23				
10	QPSK	1	49	17.56	17.54	17.23	18.3	4.5		
10	QPSK	25	0	17.59	17.51	17.28				
10	QPSK	25	12	17.59	17.51	17.27				
10	QPSK	25	25	17.59	17.54	17.28				
10	QPSK	50	0	17.59	17.54	17.28				
Channel										
				22750	23560					
Frequency (MHz)				711.5						
10	QPSK	1	0	21.62	21.64	21.64	22.8	0		
10	QPSK	1	12	21.84	21.91	21.73				
10	QPSK	1	24	21.80	21.91	21.60				
10	QPSK	12	0	21.79	21.88	21.67				
10	QPSK	12	7	21.66	21.65	21.79				
10	QPSK	12	12	21.68	21.78	21.68	22.8	0		
10	QPSK	25	0	21.68	21.78	21.68				
10	QPSK	1	0	21.67	21.80	21.65				
10	QPSK	1	12	21.78	21.80	21.71				
10	QPSK	1	24	21.81	21.81	21.73				
10	QPSK	12	0	21.30	21.27	21.23	22.3	0.5		
10	QPSK	12	7	21.24	21.28	21.23				
10	QPSK	12	12	21.23	21.24	21.23				
10	QPSK	25	0	21.23	21.24	21.21				
10	QPSK	1	0	20.81	20.96	20.91				
10	QPSK	1	12	20.98	21.02	20.93	22.3	0.5		
10	QPSK	1	24	20.92	21.01	20.93				
10	QPSK	12	0	20.94	21.03	20.90				
10	QPSK	12	7	20.84	20.91	20.78				
10	QPSK	12	12	20.80	20.91	20.71				
10	QPSK	25	0	20.14	20.21	20.35	21.5	1.5		
10	QPSK	25	12	20.17	20.22	20.25				
10	QPSK	25	24	20.18	20.21	20.25				
10	QPSK	50	0	20.17	20.21	20.25				
10	QPSK	1	0	17.52	17.52	17.17				
10	QPSK	1	24	17.58	17.51	17.12	18.3	4.5		
10	QPSK	1	48	17.58	17.51	17.12				
10	QPSK	12	0	17.52	17.52	17.17				
10	QPSK	12	7	17.57	17.52	17.17				
10	QPSK	12	12	17.57	17.52	17.14				
10	QPSK	25	0	17.57	17.52	17.17	17.5	1.5		
10	QPSK	25	12	17.57	17.52	17.17				
10	QPSK	25	24	17.57	17.52	17.17				
10	QPSK	50	0	17.57	17.52	17.17				
10	QPSK	1	0	17.57	17.52	17.17				

Band 66_Ant 5											
WV	Modulation	RE	RB	Offset	Power Low Ch / Freq	Power Med Ch / Freq	Power High Ch / Freq	Time-use (min)			
Channel											
Frequency (MHz)											
1320.2 1322.2 1324.2											
20	QPSK	1	0		20.15	20.24	20.18				
20	QPSK	1	48		20.67	20.29	20.63	21	0		
20	QPSK	1	88		20.13	20.13	20.13				
20	QPSK	50	0		20.15	20.20	20.15				
20	QPSK	50	24		20.12	20.09	20.10	21	0		
20	QPSK	50	50		20.08	20.10	20.11				
20	HQDM	1	0		20.13	20.18	20.13				
20	HQDM	1	48		20.13	20.18	20.11	21	0		
20	HQDM	1	88		20.00	20.15	20.08				
20	HQDM	50	0		20.10	20.21	20.06				
20	HQDM	50	24		20.11	20.11	20.06	21	0		
20	HQDM	100	0		20.05	20.15	20.07				
20	HQDM	1	0		20.00	20.22	20.15				
20	HQDM	1	48		20.03	20.23	20.06	21	0		
20	HQDM	1	88		20.15	20.12	20.03				
20	HQDM	50	0		20.11	20.22	20.17				
20	HQDM	50	24		20.10	20.14	20.05	21	0		
20	HQDM	50	50		20.07	20.21	20.11				
20	HQDM	100	0		20.00	20.15	20.14				
20	SSQDM	1	0		19.97	19.10	19.07				
20	SSQDM	1	48		18.91	18.94	18.91	20	1		
20	SSQDM	1	88		18.91	18.94	18.91				
20	SSQDM	50	0		18.90	18.98	18.90				
20	SSQDM	50	24		18.95	18.96	18.92	20	1		
20	SSQDM	50	50		18.93	18.94	18.97				
20	SSQDM	100	0		18.84	18.95	18.92				
Channel											
Frequency (MHz)											
1717.2 1745.2 1773.2											
15	QPSK	1	0		20.10	20.17	20.03				
15	QPSK	1	37		20.01	20.11	19.93	21	0		
15	QPSK	1	74		19.98	20.09	19.97				
15	QPSK	36	0		20.06	20.09	20.01				
15	QPSK	36	20		20.08	20.08	20.08	21	0		
15	QPSK	36	36		20.07	20.07	20.07				
15	QPSK	75	0		20.03	20.16	20.04				
15	HQDM	1	0		19.93	20.13	19.98	21	0		
15	HQDM	1	37		20.02	20.13	19.94				
15	HQDM	1	74		19.90	20.01	19.96				
15	HQDM	36	0		20.04	20.07	19.90				
15	HQDM	36	20		20.01	20.10	19.90	21	0		
15	HQDM	36	36		20.00	20.09	19.94				
15	HQDM	75	0		20.04	20.00	19.99				
15	HQDM	1	0		20.01	20.08	19.93	21	0		
15	HQDM	1	37		19.97	20.09	19.91				
15	HQDM	1	74		19.97	20.06	19.97				
15	HQDM	36	0		20.00	20.11	19.98				
15	HQDM	36	20		20.06	19.99	19.92	21	0		
15	HQDM	36	36		19.96	20.00	19.93				
15	SSQDM	1	0		19.97	19.06	19.12				
15	SSQDM	1	0		19.92	19.90	19.95				
15	SSQDM	1	37		18.91	18.91	18.98	20	1		
15	SSQDM	1	74		18.92	18.91	18.96				
15	SSQDM	50	0		18.90	18.99	18.90				
15	SSQDM	50	24		18.90	18.97	18.86	20	1		
15	SSQDM	50	36		18.79	18.91	18.94				
15	SSQDM	75	0		18.78	18.85	18.80				
Channel											
Frequency (MHz)											
1718.2 1746.2 1774.2											
10	QPSK	1	0		20.10	20.12	20.14				
10	QPSK	1	25		19.96	20.10	19.92	21	0		
10	QPSK	1	48		19.91	20.11	19.92				
10	QPSK	25	0		20.02	20.07	20.07				
10	QPSK	25	12		20.03	19.97	20.05	21	0		
10	QPSK	25	25		19.91	20.16	19.96				
10	QPSK	50	0		20.04	20.08	20.04				
10	HQDM	1	0		19.95	20.15	19.98	21	0		
10	HQDM	1	25		20.04	20.07	20.02				
10	HQDM	1	48		19.96	20.05	20.07				
10	HQDM	25	0		20.06	20.07	20.04				
10	HQDM	25	12		20.05	20.20	19.94	21	0		
10	HQDM	25	25		20.10	20.04	20.04				
10	HQDM	50	0		19.97	20.09	19.96				
10	HQDM	50	0		20.00	20.16	20.03				
10	HQDM	1	0		19.92	20.15	19.96	21	0		
10	HQDM	1	48		20.01	20.07	19.97				
10	HQDM	25	0		20.05	20.07	19.98				
10	HQDM	25	12		20.02	19.99	19.94	21	0		
10	HQDM	25	25		19.97	20.10	20.06				
10	HQDM	50	0		19.96	20.10	20.04				
10	SSQDM	1	0		19.94	18.99	19.03				
10	SSQDM	1	48		18.78	18.90	18.79	20	1		
10	SSQDM	1	88		18.78	18.93	18.89				
10	SSQDM	25	0		18.90	18.99	18.78	20	1		
10	SSQDM	25	12		18.97	18.97	18.86				
10	SSQDM	25	25		18.85	18.92	18.82				
10	SSQDM	50	0		18.73	18.88	18.84				
10	SSQDM	50	24		18.79	18.91	18.94				
10	SSQDM	75	0		18.78	18.85	18.80				
Channel											
Frequency (MHz)											
1719.2 1747.2 1775.2											
5	QPSK	1	0		20.00	20.10	20.09				
5	QPSK	1	8		20.00	20.19	19.98	21	0		
5	QPSK	1	14		20.01	20.12	19.97				
5	QPSK	6	0		19.98	20.09	20.07				
5	QPSK	6	4		19.97	20.07	20.05	21	0		
5	QPSK	6	7		19.94	20.17	19.95				
5	QPSK	16	0		20.01	20.12	20.08				
5	HQDM	1	0		19.89	20.12	19.98	21	0		
5	HQDM	1	8		20.00	20.11	19.97				
5	HQDM	1	14		19.97	20.13	19.97				
5	HQDM	6	0		20.06	20.09	19.97				
5	HQDM	6	4		20.06	20.19	19.92				
5	HQDM	6	7		20.02	19.97	19.99	21	0		
5	HQDM	16	0		20.02	20.12	20.08				
5	HQDM	1	0		19.98	20.08	20.02	21	0		
5	HQDM	1	8		19.99	20.09	19.99				
5	HQDM	1	14		19.99	20.14	19.94				
5	HQDM	6	0		20.00	20.13	20.02				
5	HQDM	6	4		20.01	20.09	20.01	21	0		
5	HQDM	6	7		20.17	20.09	20.05				
5	HQDM	16	0		19.99	20.09	20.08				
5	SSQDM	1	0		19.05	19.05	19.05				
5	SSQDM	1	8		18.83	18.83	18.83	20	1		
5	SSQDM	1	14		18.86	18.90	18.88				
5	SSQDM	6	0		19.92	19.99	19.92				
5	SSQDM	6	4		19.91	19.98	19.91	21	0		
5	SSQDM	6	7		18.83	18.83	18.81				
5	SSQDM	16	0		18.83	18.91	18.84				
5	SSQDM	16	8		18.83	18.83	18.83				
Channel											
Frequency (MHz)											
1719.2 1747.2 1775.2											
1	QPSK	1	0		20.02	20.11	20.04				
1	QPSK	1	8		20.02	20.19	19.93	21	0		
1	QPSK	1	14		20.09	20.12	19.98				
1	QPSK	3	0		20.09	20.13	20.09				
1	QPSK	3	8		20.00	20.19	19.93	21	0		
1	QPSK	3	14		20.00	20.03	20.10				
1	HQDM	1	0		20.00	20.03	20.10				
1	HQDM	1	8		19.99	20.19	19.92				
1	HQDM	1	14		19.99	20.14	19.94	21	0		
1	HQDM	3	0		20.00	20.09	20.02				
1	HQDM	3	8		20.00	20.14	20.02				
1	HQDM	3	14		20.06	20.04	20.04				
1	HQDM	6	0		20.00	20.13	19.93	21	0		
1	HQDM	6	8		20.07	20.20	20.05				
1	HQDM	6	14		19.99	20.13	19.97				
1	HQDM	16	0		20.01	20.09	20.03	21	0		
1	HQDM	16	8		20.17	20.09	20.05				
1	HQDM	16	14		19.85	20.02	20.04	21	0		
1	SSQDM	1	0		19.04	18.98	19.05				
1	SSQDM	1	8		18.84	18.84	18.84	20	1		
1	SSQDM	1	14		18.82	18.92	18.88				
1	SSQDM	3	0		18.84	18.94	18.77				
1	SSQDM	3	8		18.81	18.88	18.81	21	0		
1	SSQDM	3	14		18.82	18.90	18.85				

Band 66_Ant 11										Band 66_Ant 7									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch.1/Freq.	Power Middle Ch.2/Freq.	Power High Ch.3/Freq.	Time-use int (dB)	MRR (dB)		BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch.1/Freq.	Power Middle Ch.2/Freq.	Power High Ch.3/Freq.	Time-use int (dB)	MRR (dB)	
Channel										Channel									
Frequency (MHz)										Frequency (MHz)									
17202.1745117272										17202.1745117272									
20	QPSK	1	0	21.15	21.09	21.15				20	QPSK	1	0	19.55	19.59	19.55			
20	QPSK	1	49	21.07	21.14	21.06	21.9	0		20	QPSK	1	49	19.60	19.61	19.59	20.3	0	
20	QPSK	1	99	21.10	21.13	21.08				20	QPSK	1	99	19.62	19.63	19.61			
20	QPSK	50	0	21.05	21.17	21.12				20	QPSK	50	0	19.55	19.63	19.58			
20	QPSK	50	24	20.97	21.15	21.05	21.9	0		20	QPSK	50	24	19.58	19.61	19.56	20.3	0	
20	QPSK	50	50	21.01	21.17	21.05				20	QPSK	50	50	19.62	19.66	19.60			
20	QPSK	100	0	20.98	21.15	21.10				20	QPSK	100	0	19.56	19.60	19.57			
20	HQAM	1	0	21.06	21.08	21.00	21.9	0		20	HQAM	1	0	19.60	19.61	19.56	20.3	0	
20	HQAM	1	49	21.02	21.08	21.14				20	HQAM	1	49	19.59	19.80	19.59			
20	HQAM	1	99	21.11	21.19	21.06				20	HQAM	1	99	19.58	19.04	19.92			
20	HQAM	50	0	21.05	21.13	21.13				20	HQAM	50	0	19.60	19.62	19.54	20.3	0	
20	HQAM	50	24	21.10	21.15	21.06	21.9	0		20	HQAM	50	24	19.57	19.62	19.54			
20	HQAM	50	50	21.05	21.06	21.05				20	HQAM	50	50	19.58	19.62	19.54			
20	HQAM	100	0	20.96	21.13	21.08				20	HQAM	100	0	19.56	19.61	19.53			
20	HQAM	1	0	21.05	21.16	21.03				20	HQAM	1	0	19.56	19.66	19.57			
20	HQAM	1	49	20.97	21.06	21.02	21.9	0		20	HQAM	1	49	19.58	19.50	19.55	20.3	0	
20	HQAM	1	99	21.01	21.17	21.05				20	HQAM	1	99	19.60	19.64	19.59			
20	HQAM	50	0	21.05	21.12	21.13				20	HQAM	50	0	19.59	19.70	19.70			
20	HQAM	50	24	21.10	21.15	21.02	21.9	0		20	HQAM	50	24	19.55	19.73	19.55	19.8	0.5	
20	HQAM	50	50	20.97	21.16	21.04				20	HQAM	50	50	19.77	19.71	19.59			
20	HQAM	100	0	21.07	21.07	21.04				20	HQAM	100	0	19.59	19.69	19.55			
20	SSBQAM	1	0	19.62	19.68	19.61				20	SSBQAM	1	0	19.60	19.62	19.51			
20	SSBQAM	1	49	19.65	19.64	19.58	19.4	2.5		20	SSBQAM	1	49	19.58	19.59	19.50	16.8	3.5	
20	SSBQAM	1	99	19.65	19.68	19.63				20	SSBQAM	1	99	19.43	19.48	19.39			
20	SSBQAM	50	0	19.57	19.65	19.68				20	SSBQAM	50	0	19.49	19.51	19.47			
20	SSBQAM	50	24	19.63	19.68	19.59	19.4	2.5		20	SSBQAM	50	24	19.52	19.55	19.43	16.8	3.5	
20	SSBQAM	50	50	19.65	19.63	19.61				20	SSBQAM	50	50	19.39	19.45	19.43			
20	SSBQAM	100	0	19.59	19.68	19.57				20	SSBQAM	100	0	19.50	19.59	19.57			
Channel										Channel									
Frequency (MHz)										Frequency (MHz)									
17204.1745117272										17204.1745117272									
15	QPSK	1	0	21.15	21.09	21.15				15	QPSK	1	0	19.50	19.50	19.50			
15	QPSK	1	37	21.05	21.06	20.97	21.9	0		15	QPSK	1	37	19.51	19.51	19.49	20.3	0	
15	QPSK	1	74	21.00	21.08	21.02				15	QPSK	1	74	19.71	19.78	19.84			
15	QPSK	36	0	21.00	21.16	21.00				15	QPSK	36	0	19.66	19.69	19.66			
15	QPSK	36	20	20.99	21.03	21.00	21.9	0		15	QPSK	36	20	19.64	19.66	19.59	20.3	0	
15	QPSK	36	39	20.99	21.11	21.05				15	QPSK	36	39	19.64	19.63	19.60			
15	QPSK	75	0	20.93	21.00	20.97				15	QPSK	75	0	19.67	19.60	19.66			
15	HQAM	1	0	20.92	21.04	20.96	21.9	0		15	HQAM	1	0	19.71	19.64	19.61	20.3	0	
15	HQAM	1	37	21.00	20.98	21.04				15	HQAM	1	37	19.47	19.55	19.65			
15	HQAM	1	74	20.95	21.03	20.94				15	HQAM	1	74	19.94	19.91	19.76			
15	HQAM	36	0	21.02	21.12	21.02				15	HQAM	36	0	19.66	19.64	19.63			
15	HQAM	36	20	21.08	21.08	21.03	21.9	0		15	HQAM	36	20	19.70	19.62	19.64	20.3	0	
15	HQAM	36	39	20.90	21.03	20.90				15	HQAM	36	39	19.66	19.63	19.61			
15	HQAM	75	0	20.87	21.11	21.00				15	HQAM	75	0	19.67	19.66	19.67			
15	HQAM	1	0	20.93	21.10	20.97				15	HQAM	1	0	19.62	19.62	19.64			
15	HQAM	1	37	20.92	20.97	20.94	21.9	0		15	HQAM	1	37	19.52	19.58	19.70	20.3	0	
15	HQAM	1	74	20.95	21.02	20.94				15	HQAM	1	74	19.95	19.96	19.76			
15	HQAM	36	0	21.07	21.09	21.04				15	HQAM	36	0	19.78	19.70	19.55	19.8	0.5	
15	HQAM	36	20	21.02	21.00	20.86	21.9	0		15	HQAM	36	20	19.74	19.70	19.55			
15	HQAM	36	39	20.85	21.15	20.92				15	HQAM	36	39	19.63	19.65	19.47			
15	HQAM	75	0	20.85	20.94	20.89				15	HQAM	75	0	19.69	19.67	19.48			
15	SSBQAM	1	0	19.59	19.59	19.57				15	SSBQAM	1	0	19.49	19.50	19.50			
15	SSBQAM	1	37	19.61	19.61	19.49	19.4	2.5		15	SSBQAM	1	37	19.45	19.49	19.42	16.8	3.5	
15	SSBQAM	1	74	19.45	19.67	19.57				15	SSBQAM	1	74	19.38	19.44	19.35			
15	SSBQAM	36	0	19.43	19.62	19.57				15	SSBQAM	36	0	19.42	19.45	19.40			
15	SSBQAM	36	20	19.58	19.63	19.49				15	SSBQAM	36	20	19.44	19.51	19.42	16.8	3.5	
15	SSBQAM	36	39	19.44	19.52	19.57				15	SSBQAM	36	39	19.35	19.36	19.42			
15	SSBQAM	75	0	19.47	19.55	19.48				15	SSBQAM	75	0	19.42	19.47	19.43			
Channel										Channel									
Frequency (MHz)										Frequency (MHz)									
17212.1745117272										17212.1745117272									
5	QPSK	1	0	21.03	21.14	21.02				5	QPSK	1	0	19.50	19.53	19.54			
5	QPSK	1	25	20.97	21.09	21.01				5	QPSK	1	25	19.79	19.57	19.92	20.3	0	
5	QPSK	1	49	20.95	21.04	20.95				5	QPSK	1	49	19.72	19.75	19.70			
5	QPSK	12	0	20.93	21.09	21.07				5	QPSK	12	0	19.90	19.82	19.86			
5	QPSK	12	12	20.92	21.05	21.00	21.9	0		5	QPSK	12	12	19.93	19.65	19.92	20.3	0	
5	QPSK	12	13	20.90	21.08	21.04				5	QPSK	12	13	19.80	19.62	19.86			
5	QPSK	25	0	20.93	21.08	20.96				5	QPSK	25	0	19.94	19.86	19.89			
5	QPSK	25	12	21.02	20.93	20.91	21.9	0		5	QPSK	25	12	19.78	19.61	19.85	20.3	0	
5	HQAM	1	0	20.92	21.03	20.91	21.9	0		5	HQAM	1	0	19.98	19.77	19.83			
5	HQAM	1	24	21.09	21.17	21.07				5	HQAM	1	24	19.89	19.93	19.88			
5	HQAM	12	0	20.99	21.11	21.04				5	HQAM	12	0	19.79	19.78	19.83			
5	HQAM	12	7	20.95	21.09	21.03	21.9	0		5	HQAM	12	7	19.78	19.77	19.84			
5	HQAM	13	0	20.92	21.04	20.91				5	HQAM	12	13	19.84	19.82	19.91			
5	HQAM	13	20	20.96	21.11	21.06	21.9	0		5	HQAM	12	13	19.93	19.88	19.89			
5	HQAM	15	0	20.91	21.12	21.02				5	HQAM	1	0	19.83	19.83	19.82			
5	HQAM	15	12	20.89	21.05	20.95	21.9	0		5	HQAM	1	12	19.87	19.87	19.87			
5	HQAM	15	24	20.92	21.15	21.07				5	HQAM	1	24	19.87	19.87	19.87			
5	HQAM	12	0	21.00	21.09	21.03				5	HQAM	12	0	19.76	19.72	19.71			
5	HQAM	12	7	20.93	21.07	21.02	21.9	0		5	HQAM	12	7	19.78	19.78	19.78			
5	HQAM	12	13	20.91	21.09	21.01				5	HQAM	12	13	19.85	19.84	19.85			
5	HQAM	12	20	20.91	21.09	20.95	21.9	0		5	HQAM	12	20	19.85	19.84	19.85	19.8	0.5	
5	HQAM	25	0	20.92	20.93	20.95				5	HQAM	25	0	19.80	19.84	19.82			
5	HQAM	25	12	20.95	21.05	20.95				5	HQAM	25	12	19.85	19.85	19.85			
5	HQAM	25	13	20.94	21.04	19.98				5	HQAM	25	13	19.83	19.83	19.83			
5	SSBQAM	1	0																

Band 38_Ant 5												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq.	Power Middle Ch. 1 Freq.	Power High Ch. 1 Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel												
Frequency (MHz)				2580	2595	2610						
20	QPSK	1	0	20.82	20.90	20.85	21.5	0				
20	QPSK	1	49	20.67	20.78	20.71						
20	QPSK	1	99	20.75	20.86	20.77						
20	QPSK	50	0	20.79	20.85	20.75						
20	QPSK	50	24	20.71	20.83	20.76	21.5	0				
20	QPSK	50	50	20.67	20.80	20.70						
20	QPSK	100	0	20.70	20.79	20.73						
20	16QAM	1	0	20.80	20.88	20.81						
20	16QAM	1	49	20.71	20.82	20.77	21.5	0				
20	16QAM	1	99	20.80	20.85	20.74						
20	16QAM	50	0	20.68	20.76	20.70						
20	16QAM	50	24	20.69	20.77	20.70						
20	16QAM	50	50	20.70	20.82	20.84	21.5	0				
20	16QAM	100	0	20.76	20.78	20.76						
20	64QAM	1	0	20.68	20.84	20.73						
20	64QAM	1	49	20.68	20.79	20.83	21.5	0				
20	64QAM	1	99	20.76	20.81	20.77						
20	64QAM	50	0	20.68	20.86	20.83						
20	64QAM	50	24	20.80	20.88	20.70						
20	64QAM	50	50	20.80	20.82	20.82	21.5	0				
20	64QAM	100	0	20.79	20.82	20.81						
20	256QAM	1	0	18.91	19.02	18.95						
20	256QAM	1	49	18.86	18.91	18.90	20	1.5				
20	256QAM	1	99	18.90	18.91	18.91						
20	256QAM	50	0	18.93	18.97	18.84						
20	256QAM	50	24	18.73	18.89	18.81						
20	256QAM	50	50	18.96	18.99	18.88	20	1.5				
20	256QAM	100	0	18.90	18.96	18.94						
Channel												
Frequency (MHz)				25725	25900	26175	Tune-up limit (dBm)	MPR (dB)				
15	QPSK	1	0	20.70	20.80	20.71	21.5	0				
15	QPSK	1	37	20.52	20.76	20.63						
15	QPSK	1	74	20.61	20.80	20.70						
15	QPSK	36	0	20.72	20.78	20.73						
15	QPSK	36	20	20.61	20.68	20.66	21.5	0				
15	QPSK	36	39	20.53	20.77	20.69						
15	QPSK	36	59	20.58	20.73	20.68						
15	QPSK	75	0	20.58	20.73	20.68						
15	16QAM	1	0	20.76	20.76	20.71	21.5	0				
15	16QAM	1	37	20.68	20.75	20.63						
15	16QAM	1	74	20.72	20.73	20.64						
15	16QAM	36	0	20.64	20.76	20.63						
15	16QAM	36	20	20.64	20.64	20.61	21.5	0				
15	16QAM	36	39	20.63	20.69	20.79						
15	16QAM	75	0	20.64	20.63	20.73						
15	64QAM	1	0	20.53	20.82	20.58						
15	64QAM	1	37	20.61	20.65	20.81	21.5	0				
15	64QAM	1	74	20.63	20.71	20.67						
15	64QAM	36	0	20.60	20.71	20.78						
15	64QAM	36	20	20.74	20.77	20.63						
15	64QAM	36	39	20.73	20.73	20.69	21.5	0				
15	64QAM	75	0	20.58	20.68	20.76						
15	256QAM	1	0	18.85	18.91	18.86						
15	256QAM	1	37	18.74	18.86	18.81						
15	256QAM	1	74	18.93	18.92	18.76	20	1.5				
15	256QAM	36	0	18.91	18.93	18.69						
15	256QAM	36	20	18.68	18.86	18.72						
15	256QAM	36	39	18.82	18.84	18.87						
15	256QAM	75	0	18.89	18.89	18.88	20	1.5				
Channel												
Frequency (MHz)				25760	25965	26165				Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	0	20.79	20.88	20.80	21.5	0				
10	QPSK	1	25	20.54	20.74	20.70						
10	QPSK	1	49	20.66	20.76	20.62						
10	QPSK	25	0	20.66	20.82	20.65						
10	QPSK	25	12	20.66	20.76	20.59	21.5	0				
10	QPSK	25	25	20.58	20.70	20.60						
10	QPSK	50	0	20.67	20.78	20.62						
10	16QAM	1	0	20.71	20.78	20.76						
10	16QAM	1	25	20.56	20.69	20.64	21.5	0				
10	16QAM	1	49	20.67	20.70	20.65						
10	16QAM	25	0	20.61	20.72	20.55						
10	16QAM	25	12	20.66	20.70	20.58						
10	16QAM	25	25	20.56	20.69	20.62	21.5	0				
10	16QAM	50	0	20.61	20.73	20.73						
10	64QAM	1	0	20.53	20.69	20.58						
10	64QAM	1	25	20.61	20.73	20.82						
10	64QAM	1	49	20.70	20.72	20.76	21.5	0				
10	64QAM	25	0	20.57	20.82	20.80						
10	64QAM	25	12	20.75	20.83	20.59						
10	64QAM	25	25	20.68	20.81	20.70						
10	64QAM	50	0	20.76	20.81	20.74	20	1.5				
10	256QAM	1	0	18.85	19.01	18.84						
10	256QAM	1	25	18.74	18.81	18.80						
10	256QAM	1	49	18.96	18.90	18.85						
10	256QAM	25	0	18.91	18.94	18.77	20	1.5				
10	256QAM	25	12	18.68	18.79	18.79						
10	256QAM	25	25	18.67	18.91	18.75						
10	256QAM	50	0	18.75	18.81	18.82						
Channel												
Frequency (MHz)				25775	26000	26225	Tune-up limit (dBm)	MPR (dB)				
5	QPSK	1	0	20.75	20.83	20.79	21.5	0				
5	QPSK	1	12	20.55	20.69	20.67						
5	QPSK	1	24	20.72	20.76	20.64						
5	QPSK	12	0	20.69	20.79	20.72						
5	QPSK	12	7	20.65	20.69	20.58	21.5	0				
5	QPSK	12	13	20.58	20.65	20.57						
5	QPSK	25	0	20.56	20.71	20.67						
5	16QAM	1	0	20.69	20.77	20.73						
5	16QAM	1	12	20.65	20.73	20.62	21.5	0				
5	16QAM	1	24	20.78	20.76	20.73						
5	16QAM	12	0	20.53	20.67	20.59						
5	16QAM	12	7	20.61	20.76	20.69						
5	16QAM	12	13	20.56	20.70	20.72	21.5	0				
5	16QAM	25	0	20.61	20.63	20.73						
5	64QAM	1	0	20.67	20.70	20.71						
5	64QAM	1	12	20.67	20.77	20.68						
5	64QAM	1	24	20.70	20.76	20.63	21.5	0				
5	64QAM	12	0	20.60	20.77	20.75						
5	64QAM	12	7	20.69	20.74	20.56						
5	64QAM	12	13	20.75	20.78	20.72						
5	64QAM	25	0	20.77	20.81	20.68	20	1.5				
5	256QAM	1	0	18.79	18.98	18.92						
5	256QAM	1	12	18.75	18.81	18.75						
5	256QAM	1	24	18.93	19.00	18.76						
5	256QAM	12	0	18.85	18.88	18.77						
5	256QAM	12	7	18.79	18.87	18.79	20	1.5				
5	256QAM	12	13	18.81	18.92	18.73						
5	256QAM	25	0	18.87	18.93	18.89						

Band 38_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq.	Power Middle Ch. 1 Freq.	Power High Ch. 1 Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				2580	2595	2610			
20	QPSK	1	0	19.82	19.90	19.88	20.4	0	
20	QPSK	1	49	19.76	19.75	19.87			
20	QPSK	1	99	19.79	19.79	19.78			
20	QPSK	50	0	19.78	19.89	19.85			
20	QPSK	50	24	19.68	19.87	19.77		0	
20	QPSK	50	50	19.74	19.85	19.80			
20	QPSK	100	0	19.73	19.84	19.83			
20	16QAM	1	0	19.79	19.84	19.78			
20	16QAM	1	49	19.80	19.81	19.84	20.4	0	
20	16QAM	1	99	19.80	19.76	19.84			
20	16QAM	1	49	19.80	19.81	19.84			
20	16QAM	50	24	19.67	19.89	19.73			
20	16QAM	50	24	19.67	19.89	19.73	20.4	0	
20	16QAM	50	50	19.76	19.81	19.75			
20	16QAM	100	0	19.79	19.75	19.86			
20	16QAM	100	0	19.75	19.76	19.86			
20	64QAM	1	0	19.80	19.80	19.85			
20	64QAM	1	99	19.68	19.84	19.83			
20	64QAM	50	0	19.79	19.75	19.86			
20	64QAM	50	24	19.75	19.84	19.80			
20	64QAM	50	50	19.68	19.89	19.77	20.4	0	
20	64QAM	100	0	19.70	19.76	19.87			
20	256QAM	1	0	18.35	18.50	18.37			
20	256QAM	1	49	18.47	18.49	18.48			
20	256QAM	1	99	18.45	18.47	18.44	19.4	1	
20	256QAM	50	0	18.38	18.42	18.37			
20	256QAM	50	24	18.30	18.41	18.31	19.4	1	
20	256QAM	50	50	18.44	18.47	18.35			
20	256QAM	100	0	18.34	18.43	18.42			
Channel									
Frequency (MHz)				37625	38000	38195			
15	QPSK	1	0	19.75	19.96	19.73	20.4	0	
15	QPSK	1	37	19.74	19.71	19.79			
15	QPSK	1	74	19.66	19.72	19.74			
15	QPSK	36	0	19.67	19.81	19.70			
15	QPSK	36	20	19.65	19.74	19.73	20.4	0	
15	QPSK	36	39	19.69	19.78	19.68			
15	QPSK	75	0	19.61	19.82	19.73			
15	16QAM	1	0	19.84	19.71	19.73			
15	16QAM	1	37	19.71	19.68	19.77	20.4	0	
15	16QAM	1	74	19.72	19.76	19.73			
15	16QAM	36	0	19.70	19.76	19.71			
15	16QAM	36	20	19.58	19.85	19.68			
15	16QAM	36	39	19.72	19.73	19.60	20.4	0	
15	16QAM	75	0	19.77	19.85	19.72			
15	64QAM	1	0	19.68	19.59	19.77			
15	64QAM	1	37	19.79	19.84	19.59			
15	64QAM	1	74	19.56	19.75	19.71	20.4	0	
15	64QAM	36	0	19.66	19.72	19.84			
15	64QAM	36	20	19.69	19.69	19.68			
15	64QAM	36	39	19.68	19.70	19.71			
15	64QAM	75	0	19.62	19.84	19.69	20.4	0	
15	256QAM	1	0	18.24	18.49	18.32			
15	256QAM	1	37	18.33	18.43	18.37	19.4		
15	256QAM	1	74	18.41	18.41	18.35			
15	256QAM	36	0	18.29	18.38	18.18			
15	256QAM	36	20	18.29	18.31	18.23			
15	256QAM	36	39	18.34	18.46	18.33	19.4	1	
15	256QAM	75	0	18.27	18.39	18.34			
Channel									
Frequency (MHz)				37675	38005	38215			
10	QPSK	1	0	19.70	19.76	19.82	20.4	0	
10	QPSK	1	25	19.66	19.85	19.80			
10	QPSK	1	49	19.64	19.68	19.63			
10	QPSK	25	0	19.71	19.88	19.70			
10	QPSK	25	12	19.57	19.82	19.63	20.4	0	
10	QPSK	25	25	19.71	19.78	19.69			
10	QPSK	50	0	19.59	19.80	19.73			
10	16QAM	1	0	19.65	19.83	19.66			
10	16QAM	1	25	19.73	19.74	19.76	20.4	0	
10	16QAM	1	49	19.72	19.65	19.72			
10	16QAM	25	0	19.72	19.73	19.79			
10	16QAM	25	12	19.61	19.88	19.62			
10	16QAM	25	25	19.75	19.71	19.71	20.4	0	
10	16QAM	50	0	19.76	19.72	19.77			
10	64QAM	1	0	19.70	19.72	19.83			
10	64QAM	1	25	19.75	19.70	19.63			
10	64QAM	1	49	19.62	19.80	19.82	20.4	0	
10	64QAM	25	0	19.76	19.85	19.65			
10	64QAM	25	12	19.63	19.95	19.78			
10	64QAM	25	25	19.65	19.71	19.84			
10	64QAM	50	0	19.63	19.62	19.66	20.4	0	
10	256QAM	1	0	18.20	18.48	18.28			
10	256QAM	1	25	18.42	18.38	18.38	19.4	1	
10	256QAM	1	49	18.34	18.44	18.43			
10	256QAM	25	0	18.30	18.39	18.27			
10	256QAM	25	12	18.28	18.33	18.20			
10	256QAM	25	25	18.42	18.33	18.22	19.4	1	
10	256QAM	50	0	18.24	18.33	18.35			
Channel									
Frequency (MHz)				37775	38000	38225			
5	QPSK	1	0	19.75	19.79	19.87	20.4	0	
5	QPSK	1	12	19.74	19.82	19.74			
5	QPSK	1	24	19.70	19.71	19.72			
5	QPSK	12	0	19.71	19.74	19.74			
5	QPSK	12	7	19.60	19.80	19.73	20.4	0	
5	QPSK	12	13	19.69	19.78	19.79			
5	QPSK	25	0	19.58	19.79	19.78			
5	16QAM	1	0	19.87	19.83	19.66			
5	16QAM	1	12	19.72	19.82	19.70	20.4	0	
5	16QAM	1	24	19.72	19.66	19.72			
5	16QAM	12	0	19.78	19.75	19.68			
5	16QAM	12	7	19.66	19.80	19.67			
5	16QAM	12	13	19.63	19.72	19.72	20.4	0	
5	16QAM	25	0	19.76	19.85	19.72			
5	64QAM	1	0	19.67	19.75	19.85			
5	64QAM	1	12	19.71	19.74	19.62			
5	64QAM	1	24	19.63	19.79	19.71	20.4	0	
5	64QAM	12	0	19.68	19.78	19.85			
5	64QAM	12	7	19.74	19.81	19.79			
5	64QAM	12	13	19.67	19.88	19.71			
5	64QAM	25	0	19.55	19.85	19.73	19.4	1	
5	256QAM	1	0	18.29	18.37	18.35			
5	256QAM	1	12	18.43	18.41	18.42			
5	256QAM	1	24	18.43	18.39	18.39			
5	256QAM	12	0	18.32	18.39	18.19	19.4	1	
5	256QAM	12	0	18.25	18.26	18.18			
5	256QAM	12	7	18.33	18.28	18.28			
5	256QAM	12	13	18.33	18.33	18.32			
5	256QAM	25	0	18.28	18.35	18.32			
5	256QAM	25	0	18.28	18.35	18.32			

Band 38_Ant 7										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. Freq.	Power Middle Ch. Freq.	Power High Ch. Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)				37860	38000	38150				
20	QPSK	1	0	2580	2595	2610	21	0		
20	QPSK	1	49	20.32	20.26	20.31				
20	QPSK	1	99	20.39	20.44	20.42				
20	QPSK	50	0	19.85	19.90	19.97				
20	QPSK	50	24	19.91	19.81	19.93	20.5	0.5		
20	QPSK	50	50	19.88	19.85	19.95				
20	QPSK	100	0	19.93	19.96	19.95				
20	16QAM	1	0	19.92	19.87	19.77				
20	16QAM	1	49	20.01	19.99	20.03	20.0	0.5		
20	16QAM	1	99	20.02	20.03	20.00				
20	16QAM	50	0	19.39	19.28	19.48				
20	16QAM	50	24	19.47	19.29	19.49				
20	16QAM	50	50	19.42	19.32	19.66	20	1		
20	16QAM	100	0	19.40	19.35	19.50				
20	64QAM	1	0	18.64	18.53	18.59				
20	64QAM	1	49	18.66	18.71	18.78				
20	64QAM	1	99	18.70	18.65	18.73	20	1		
20	64QAM	50	0	18.42	18.39	18.46				
20	64QAM	50	24	18.48	18.41	18.57				
20	64QAM	50	50	18.49	18.44	18.61				
20	64QAM	100	0	18.48	18.42	18.55	19	2		
20	256QAM	1	0	15.48	15.53	15.39				
20	256QAM	1	49	15.46	15.44	15.42				
20	256QAM	1	99	15.43	15.49	15.52				
20	256QAM	50	0	15.46	15.48	15.43	16	5		
20	256QAM	50	24	15.44	15.45	15.41				
20	256QAM	50	50	15.44	15.42	15.44				
20	256QAM	100	0	15.42	15.46	15.47				
Channel										
Frequency (MHz)				37825	38000	38175	Tune-up limit (dBm)	MPR (dB)		
15	QPSK	1	0	20.28	20.19	20.26	21	0		
15	QPSK	1	37	20.26	20.39	20.44				
15	QPSK	1	74	20.25	20.38	20.28				
15	QPSK	36	0	19.82	19.91	19.90				
15	QPSK	36	20	19.78	19.77	19.91	20.5	0.5		
15	QPSK	36	39	19.77	19.71	19.88				
15	QPSK	36	50	19.89	19.86	19.93				
15	16QAM	1	0	19.88	19.86	19.64				
15	16QAM	1	37	19.92	19.74	19.99	20.5	0.5		
15	16QAM	1	74	19.93	19.94	19.94				
15	16QAM	36	0	19.42	19.39	19.83				
15	16QAM	36	20	19.38	19.26	19.43				
15	16QAM	36	39	19.35	19.22	19.47	20	1		
15	16QAM	75	0	19.33	19.27	19.49				
15	64QAM	1	0	18.55	18.47	18.56				
15	64QAM	1	37	18.56	18.57	18.75				
15	64QAM	1	74	18.59	18.63	18.67	20	1		
15	64QAM	36	0	18.35	18.24	18.34				
15	64QAM	36	20	18.41	18.28	18.45				
15	64QAM	36	39	18.34	18.39	18.56				
15	64QAM	75	0	18.33	18.40	18.47	19	2		
15	256QAM	1	0	15.43	15.43	15.31				
15	256QAM	1	37	15.34	15.36	15.38				
15	256QAM	1	74	15.28	15.38	15.39				
15	256QAM	50	0	15.35	15.37	15.41	16	5		
15	256QAM	50	24	15.32	15.39	15.39				
15	256QAM	50	50	15.35	15.37	15.41				
15	256QAM	75	0	15.32	15.45	15.44				
Channel										
Frequency (MHz)				37860	38000	38020	Tune-up limit (dBm)	MPR (dB)		
10	QPSK	1	0	20.17	20.16	20.19	21	0		
10	QPSK	1	25	20.31	20.33	20.36				
10	QPSK	1	49	20.32	20.38	20.38				
10	QPSK	25	0	19.87	19.87	19.84				
10	QPSK	25	0	19.87	19.87	19.84	20.5	0.5		
10	QPSK	25	25	19.80	19.70	19.85				
10	QPSK	50	0	19.80	19.89	19.86				
10	16QAM	1	0	19.80	19.83	19.67				
10	16QAM	1	25	19.86	19.76	19.88	20.5	0.5		
10	16QAM	1	49	19.89	19.88	19.93				
10	16QAM	25	0	19.32	19.14	19.40				
10	16QAM	25	12	19.34	19.22	19.46				
10	16QAM	25	25	19.34	19.25	19.41	20	1		
10	16QAM	50	0	19.26	19.16	19.36				
10	64QAM	1	0	18.57	18.44	18.50				
10	64QAM	1	25	18.61	18.69	18.70				
10	64QAM	1	49	18.62	18.59	18.58	19	2		
10	64QAM	25	0	18.27	18.34	18.41				
10	64QAM	25	12	18.42	18.31	18.46				
10	64QAM	25	25	18.35	18.29	18.46				
10	64QAM	50	0	18.36	18.28	18.51	16	5		
10	256QAM	1	0	15.33	15.50	15.33				
10	256QAM	1	25	15.39	15.31	15.33				
10	256QAM	1	49	15.31	15.37	15.48				
10	256QAM	25	0	15.42	15.34	15.30	16	5		
10	256QAM	25	12	15.34	15.31	15.31				
10	256QAM	25	25	15.40	15.35	15.33				
10	256QAM	50	0	15.38	15.35	15.33				
Channel										
Frequency (MHz)				37775	38000	38225	Tune-up limit (dBm)	MPR (dB)		
5	QPSK	1	0	20.17	20.23	20.30	21	0		
5	QPSK	1	12	20.40	20.38	20.42				
5	QPSK	1	24	20.37	20.39	20.37				
5	QPSK	12	0	19.89	19.87	19.88				
5	QPSK	12	7	19.82	19.76	19.84	20.5	0.5		
5	QPSK	12	13	19.78	19.81	19.89				
5	QPSK	25	0	19.88	19.81	19.90				
5	16QAM	1	0	19.90	19.78	19.62				
5	16QAM	1	12	19.96	19.76	19.98	20.5	0.5		
5	16QAM	1	24	19.88	19.93	19.95				
5	16QAM	12	0	19.37	19.24	19.34				
5	16QAM	12	7	19.41	19.20	19.45				
5	16QAM	12	13	19.34	19.20	19.55	20	1		
5	16QAM	25	0	19.34	19.33	19.36				
5	16QAM	25	0	18.62	18.40	18.49				
5	64QAM	1	12	18.52	18.56	18.75				
5	64QAM	1	24	18.60	18.59	18.60	19	2		
5	64QAM	12	0	18.39	18.35	18.37				
5	64QAM	12	7	18.37	18.33	18.51				
5	64QAM	12	13	18.42	18.39	18.49				
5	64QAM	25	0	18.34	18.37	18.53	16	5		
5	64QAM	25	0	15.47	15.48	15.35				
5	256QAM	1	12	15.36	15.44	15.32				
5	256QAM	1	24	15.35	15.35	15.41				
5	256QAM	12	0	15.35	15.34	15.29				
5	256QAM	12	7	15.40	15.31	15.31	16	5		
5	256QAM	12	13	15.33	15.33	15.33				
5	256QAM	25	0	15.32	15.41	15.32				
5	256QAM	25	0	15.32	15.41	15.32				

GSM850_Ant 0	Burst Average Power (dBm)				Frame Average Power (dBm)			
	TX Channel	128	189	251	Limit	128	189	251
Frequency (MHz)		824.2	836.4	848.8	(dBm)	824.2	836.4	848.8
GBM 1 Tx slot		30.05	30.05	30.03	30.60	21.05	21.05	21.03
GPRS/EDGE(GMSK) 1 Tx slot		28.89	30.03	29.86	30.50	20.88	21.03	20.96
GPRS/EDGE(GMSK) 2 Tx slots		27.09	27.10	26.95	28.10	21.09	21.10	20.95
GPRS/EDGE(GMSK) 3 Tx slots		25.30	25.42	25.37	26.60	21.04	21.18	21.11
GPRS/EDGE(GMSK) 4 Tx slots		23.82	23.96	23.86	25.10	20.82	20.99	20.86
EDGE 1 Tx slot		26.28	26.30	26.35	26.80	17.28	17.30	17.35
EDGE 2 Tx slot		25.20	25.25	25.16	25.60	19.20	19.25	19.16
EDGE 3 Tx slot		23.05	23.03	22.98	23.60	18.74	18.77	18.72
EDGE 4 Tx slot		21.45	21.45	21.37	22.10	18.45	18.45	18.37

Reduced Power Mode for ECI 5

GSM850_Ant 1	Burst Average Power (dBm)				Frame Average Power (dBm)			
	TX Channel	128	189	251	Limit	128	189	251
Frequency (MHz)		824.2	836.4	848.8	(dBm)	824.2	836.4	848.8
GBM 1 Tx slot		32.16	32.17	32.05	33.50	23.16	23.17	23.05
GPRS/EDGE(GMSK) 1 Tx slot		32.12	32.15	32.01	33.50	23.12	23.15	23.01
GPRS/EDGE(GMSK) 2 Tx slots		29.59	29.70	29.65	31.00	23.59	23.70	23.65
GPRS/EDGE(GMSK) 3 Tx slots		28.01	28.13	28.05	29.50	23.75	23.87	23.79
GPRS/EDGE(GMSK) 4 Tx slots		26.54	27.08	26.97	28.00	23.94	24.08	23.97
EDGE 1 Tx slot		26.17	26.30	26.20	27.20	17.17	17.30	17.29
EDGE 2 Tx slot		25.00	25.12	25.00	26.00	19.00	19.12	19.00
EDGE 3 Tx slot		22.95	22.96	22.88	24.00	18.69	18.70	18.62
EDGE 4 Tx slot		21.23	21.25	21.26	22.50	18.23	18.25	18.26

GSM1900_Ant 5	Burst Average Power (dBm)				Frame Average Power (dBm)			
	TX Channel	512	661	810	Limit	512	661	810
Frequency (MHz)		1852.2	1868	1883.8	(dBm)	1852.2	1868	1883.8
GBM 1 Tx slot		29.83	29.83	29.85	30.50	20.83	20.83	20.85
GPRS/EDGE(GMSK) 1 Tx slot		29.78	29.80	29.78	30.50	20.78	20.80	20.78
GPRS/EDGE(GMSK) 2 Tx slots		27.27	27.42	27.31	28.50	21.27	21.42	21.31
GPRS/EDGE(GMSK) 3 Tx slots		25.77	25.83	25.73	26.50	21.51	21.57	21.47
GPRS/EDGE(GMSK) 4 Tx slots		24.61	24.65	24.53	25.00	21.61	21.65	21.53
EDGE 1 Tx slot		25.64	25.70	25.56	26.50	18.64	18.70	18.56
EDGE 2 Tx slot		23.85	23.85	23.82	24.50	17.85	17.85	17.82
EDGE 3 Tx slot		21.62	21.70	21.57	22.50	17.36	17.44	17.31
EDGE 4 Tx slot		20.62	20.69	20.65	21.50	17.62	17.69	17.65

GSM1900_Ant 6	Burst Average Power (dBm)				Frame Average Power (dBm)			
	TX Channel	512	661	810	Limit	512	661	810
Frequency (MHz)		1852.2	1868	1883.8	(dBm)	1852.2	1868	1883.8
GBM 1 Tx slot		26.03	26.10	26.01	26.20	17.03	17.10	17.01
GPRS/EDGE(GMSK) 1 Tx slot		26.00	26.05	26.01	26.20	17.00	17.05	17.01
GPRS/EDGE(GMSK) 2 Tx slots		23.24	23.34	23.31	24.20	17.24	17.34	17.31
GPRS/EDGE(GMSK) 3 Tx slots		21.83	21.85	21.77	22.20	17.57	17.59	17.51
GPRS/EDGE(GMSK) 4 Tx slots		20.02	20.16	20.08	20.70	17.02	17.16	17.08
EDGE 1 Tx slot		24.71	24.85	24.75	25.20	15.71	15.85	15.75
EDGE 2 Tx slot		22.79	22.82	22.77	23.20	16.79	16.82	16.77
EDGE 3 Tx slot		20.84	20.95	20.93	21.20	16.58	16.69	16.67
EDGE 4 Tx slot		19.18	19.33	19.25	19.70	16.18	16.33	16.25

Band	WCDMA IV_Ant 5				WCDMA IV_Ant 6			
	TX Channel	9652	9450	9638	Limit	9652	9450	9638
Frequency (MHz)		1852.4	1860	1867.6	(dBm)	1852.4	1860	1867.6
3GPP Rel 99	AMR 12.2Kbps	23.03	23.08	23.00	23.80	16.23	16.35	16.25
3GPP Rel 99	RMC 12.2Kbps	23.05	23.10	23.02	23.80	16.32	16.40	16.33
3GPP Rel 6	HSRPA Subclass-1	21.96	22.99	22.50	22.80	16.27	16.37	16.19
3GPP Rel 6	HSRPA Subclass-2	22.90	22.97	21.97	22.80	16.27	16.29	16.25
3GPP Rel 6	HSRPA Subclass-3	21.86	21.60	21.51	22.30	16.20	16.34	16.23
3GPP Rel 6	HSRPA Subclass-4	21.48	21.56	21.49	22.30	16.31	16.31	16.27
3GPP Rel 6	DC-HSRPA Subclass-1	21.89	22.06	21.96	22.80	16.21	16.30	16.21
3GPP Rel 6	DC-HSRPA Subclass-2	21.88	22.02	21.90	22.80	16.18	16.25	16.30
3GPP Rel 6	DC-HSRPA Subclass-3	21.55	21.57	21.42	22.30	16.27	16.32	16.19
3GPP Rel 6	DC-HSRPA Subclass-4	21.27	21.42	21.40	22.30	16.19	16.30	16.19
3GPP Rel 6	HSUPA Subclass-1	21.05	21.12	21.04	22.80	16.26	16.26	16.28
3GPP Rel 6	HSUPA Subclass-2	21.04	21.10	21.05	22.80	16.28	16.30	16.25
3GPP Rel 6	HSUPA Subclass-3	21.06	21.13	21.05	22.80	16.23	16.36	16.32
3GPP Rel 6	HSUPA Subclass-4	20.55	20.65	20.60	22.30	16.28	16.37	16.31
3GPP Rel 6	HSUPA Subclass-5	22.00	22.10	22.00	23.80	16.26	16.36	16.25
3GPP Rel 7	HSFPA (16QAM) Subclass-1	21.07	21.10	21.04	22.30	16.27	16.25	16.28

Band	WCDMA IV_Ant 5				WCDMA IV_Ant 6				WCDMA IV_Ant 11				WCDMA IV_Ant 7			
	TX Channel	1512	1413	1513	Limit	1537	1536	1738	Limit	1512	1413	1513	Limit	1537	1536	1738
Frequency (MHz)		1712.4	1732.6	1752.6	(dBm)	1712.4	1732.6	1752.6	(dBm)	1712.4	1732.6	1752.6	(dBm)	1712.4	1732.6	1752.6
3GPP Rel 99	AMR 12.2Kbps	24.08	24.12	24.10	24.80	15.93	15.90	15.84	16.40	16.60	16.62	16.73	16.30	15.75	15.83	15.77
3GPP Rel 99	RMC 12.2Kbps	24.12	24.15	24.13	24.80	15.95	15.99	15.90	16.40	16.72	16.77	16.75	16.30	15.85	15.90	15.82
3GPP Rel 6	HSRPA Subclass-1	23.17	23.18	23.16	23.80	15.89	15.89	15.87	16.40	16.68	16.63	16.66	16.30	15.70	15.84	15.76
3GPP Rel 6	HSRPA Subclass-2	23.13	23.11	23.14	23.80	15.86	15.86	15.76	16.40	16.71	16.63	16.62	16.30	15.81	15.84	15.73
3GPP Rel 6	HSRPA Subclass-3	22.70	22.63	22.71	23.30	15.87	15.94	15.87	16.40	16.59	16.70	16.67	16.30	15.81	15.85	15.74
3GPP Rel 6	HSRPA Subclass-4	22.63	22.62	22.65	23.30	15.86	15.84	15.78	16.40	16.64	16.71	16.63	16.30	15.74	15.86	15.76
3GPP Rel 6	DC-HSRPA Subclass-1	22.11	22.07	22.10	23.80	15.81	15.85	15.75	16.40	16.66	16.73	16.73	16.30	15.80	15.87	15.79
3GPP Rel 6	DC-HSRPA Subclass-2	22.04	22.08	22.06	23.80	15.90	15.88	15.86	16.40	16.71	16.75	16.74	16.30	15.77	15.79	15.80
3GPP Rel 6	DC-HSRPA Subclass-3	22.84	22.59	22.62	23.30	15.86	15.91	15.79	16.40	16.59	16.74	16.68	16.30	15.77	15.78	15.72
3GPP Rel 6	DC-HSRPA Subclass-4	22.51	22.50	22.50	23.30	15.84	15.90	15.89	16.40	16.66	16.73	16.73	16.30	15.74	15.79	15.80
3GPP Rel 6	HSUPA Subclass-1	22.18	22.14	22.22	22.80	15.90	15.85	15.85	16.40	16.67	16.73	16.64	16.30	15.80	15.78	15.68
3GPP Rel 6	HSUPA Subclass-2	22.21	22.16	22.25	22.80	15.92	15.86	15.84	16.40	16.66	16.68	16.67	16.30	15.80	15.79	15.76
3GPP Rel 6	HSUPA Subclass-3	22.21	22.15	22.18	22.80	15.86	15.92	15.85	16.40	16.64	16.62	16.67	16.30	15.84	15.88	15.81
3GPP Rel 6	HSUPA Subclass-4	21.70	21.70	21.72	22.30	15.82	15.91	15.84	16.40	16.63	16.67	16.61	16.30	15.75	15.77	15.71
3GPP Rel 6	HSUPA Subclass-5	23.20	23.20	23.20	23.80	15.86	15.96	15.84	16.40	16.71	16.67	16.64	16.30	15.79	15.77	15.79
3GPP Rel 7	HSFPA (16QAM) Subclass-1	21.98	22.09	22.05	23.80	15.93	15.93	15.77	16.40	16.64	16.68	16.63	16.30	15.83	15.85	15.74

Band	WCDMA IV_Ant 0				WCDMA IV_Ant 1			
	TX Channel	4192	4182	4233	Limit	4192	4182	4233
Frequency (MHz)		826.4	836.4	846.6	(dBm)	826.4	836.4	846.6
3GPP Rel 99	AMR 12.2Kbps	23.31	23.26	23.32	23.90	24.20	24.23	24.25
3GPP Rel 99	RMC 12.2Kbps	23.32	23.40	23.35	23.90	24.24	24.26	24.27
3GPP Rel 6	HSRPA Subclass-1	22.85	22.84	22.87	23.40	23.30	23.34	23.33
3GPP Rel 6	HSRPA Subclass-2	22.83	22.84	22.84	23.40	23.29	23.26	23.29
3GPP Rel 6	HSRPA Subclass-3	22.37	22.35	22.41	22.90	22.65	22.80	22.89
3GPP Rel 6	HSRPA Subclass-4	22.33	22.35	22.34	22.90	22.61	22.73	22.85
3GPP Rel 6	DC-HSRPA Subclass-1	22.83	22.77	22.73	23.40	23.26	23.22	23.26
3GPP Rel 6	DC-HSRPA Subclass-2	22.77	22.71	22.82	23.40	23.18	23.18	23.19
3GPP Rel 6	DC-HSRPA Subclass-3	22.25	22.30	22.28	22.90	22.72	22.75	22.77
3GPP Rel 6	DC-HSRPA Subclass-4	22.25	22.31	22.30	22.90	22.73	22.67	22.73
3GPP Rel 6	HSUPA Subclass-1	21.84	21.82	21.86	22.40	22.25	22.25	22.29
3GPP Rel 6	HSUPA Subclass-2	21.83	21.83	21.85	22.40	22.28	22.28	22.28
3GPP Rel 6	HSUPA Subclass-3	21.84	21.84	21.86	22.40	22.29	22.27	22.28
3GPP Rel 6	HSUPA Subclass-4	21.38	21.34	21.36	21.90	21.81	21.75	21.83
3GPP Rel 6	HSUPA Subclass-5	22.80	22.80	22.90	23.40	23.30	23.30	23.30
3GPP Rel 7	HSFPA (16QAM) Subclass-1	21.75	21.86	21.84	23.40	22.25	22.31	22.21

Band 5_Ant 1											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Med Ch / Freq.	Power High Ch / Freq.	Turnup Int. (dBm)	MFR (dB)			
Channel											
Frequency (MHz)				250.5	338.5	344					
10	QPSK	1	0	24.12	24.15	24.38	25	0			
10	QPSK	1	25	23.98	24.10	24.10					
10	QPSK	1	49	24.07	23.99	23.97					
10	QPSK	25	0	23.55	23.60	23.52					
10	QPSK	25	12	23.52	23.49	23.48					
10	QPSK	25	25	23.52	23.52	23.38	24.5	0.5			
10	QPSK	50	0	23.51	23.53	23.51					
10	QPSK	1	0	23.65	23.79	23.86					
10	QPSK	1	25	23.62	23.77	23.65					
10	QPSK	1	49	23.89	23.88	23.75					
10	QPSK	25	0	23.63	23.68	23.65	24	1			
10	QPSK	25	12	23.63	23.63	23.61					
10	QPSK	25	25	22.90	23.93	23.91					
10	QPSK	50	0	23.60	23.68	23.65					
10	QPSK	50	1	0	22.90	22.93					
10	QPSK	1	25	22.98	22.94	22.51	24	1			
10	QPSK	1	49	22.65	22.65	22.49					
10	QPSK	25	0	21.94	21.97	22.00					
10	QPSK	25	12	22.00	21.97	22.00					
10	QPSK	25	25	21.96	21.98	21.94					
10	QPSK	50	0	21.96	22.01	21.90	23	2			
10	QPSK	50	1	0	18.62	18.66					
10	QPSK	1	25	18.62	18.63	18.52					
10	QPSK	1	49	18.65	18.67	18.48					
10	QPSK	25	0	18.44	18.59	18.55					
10	QPSK	25	12	18.44	18.59	18.42	20	5			
10	QPSK	25	25	18.47	18.57	18.44					
10	QPSK	50	0	18.52	18.62	18.50					
Channel											
Frequency (MHz)				242.5	266.5	266.5			Turnup Int. (dBm)	MFR (dB)	
				242.5	266.5	266.5					
5	QPSK	1	0	23.97	24.08	23.93	25	0			
5	QPSK	1	12	24.08	24.14	23.98					
5	QPSK	1	24	23.93	23.97	23.98					
5	QPSK	12	0	23.42	23.51	23.48					
5	QPSK	12	7	23.42	23.41	23.40					
5	QPSK	12	19	23.47	23.56	23.44	24.5	0.5			
5	QPSK	25	0	23.50	23.52	23.42					
5	QPSK	1	0	23.72	23.70	23.73					
5	QPSK	1	24	23.67	23.69	23.65					
5	QPSK	1	24	23.67	23.58	23.74					
5	QPSK	12	0	22.78	22.92	23.02	24	1			
5	QPSK	12	7	22.92	22.95	22.90					
5	QPSK	12	12	22.79	22.94	22.80					
5	QPSK	25	0	22.60	22.65	22.40					
5	QPSK	25	12	22.60	22.54	22.38					
5	QPSK	1	24	22.57	22.59	22.40	24	1			
5	QPSK	1	24	22.54	22.64	22.50					
5	QPSK	12	0	21.97	21.99	21.85					
5	QPSK	12	7	21.97	21.96	21.94					
5	QPSK	12	12	21.94	21.96	21.76					
5	QPSK	25	0	21.95	21.98	21.87	20	5			
5	QPSK	1	0	18.40	18.54	18.43					
5	QPSK	1	12	18.52	18.60	18.46					
5	QPSK	1	24	18.44	18.51	18.36					
5	QPSK	12	0	18.30	18.55	18.46					
5	QPSK	12	7	18.50	18.57	18.45	20	5			
5	QPSK	12	12	18.43	18.42	18.35					
5	QPSK	25	0	18.48	18.52	18.46					
Channel											
Frequency (MHz)				242.5	266.5	266.5			Turnup Int. (dBm)	MFR (dB)	
				242.5	266.5	266.5					
3	QPSK	1	0	23.98	24.05	23.96	25	0			
3	QPSK	1	8	23.98	24.01	24.01					
3	QPSK	1	16	23.93	23.97	23.98					
3	QPSK	8	0	23.43	23.45	23.51					
3	QPSK	8	4	23.48	23.47	23.38					
3	QPSK	8	12	23.43	23.41	23.34	24.5	0.5			
3	QPSK	16	0	23.41	23.35	23.41					
3	QPSK	1	0	23.64	23.74	23.78					
3	QPSK	1	16	23.66	23.67	23.61					
3	QPSK	1	14	23.78	23.56	23.74					
3	QPSK	8	0	22.85	22.83	23.04	24	1			
3	QPSK	8	4	22.87	22.98	22.96					
3	QPSK	8	7	22.79	22.89	22.85					
3	QPSK	15	0	22.86	22.96	22.90					
3	QPSK	1	0	22.45	22.34	22.47					
3	QPSK	1	8	22.58	22.62	22.50	24	1			
3	QPSK	1	16	22.57	22.60	22.38					
3	QPSK	8	0	21.75	21.85	21.88					
3	QPSK	8	4	21.86	21.96	21.94					
3	QPSK	15	0	21.86	21.91	21.76					
3	QPSK	1	0	18.40	18.63	18.49	20	5			
3	QPSK	1	8	18.55	18.58	18.42					
3	QPSK	1	14	18.54	18.46	18.44					
3	QPSK	8	0	18.41	18.47	18.52					
3	QPSK	8	4	18.40	18.43	18.37					
3	QPSK	8	7	18.39	18.47	18.40	20	5			
3	QPSK	15	0	18.41	18.37	18.47					
Channel											
Frequency (MHz)				242.5	266.5	266.5			Turnup Int. (dBm)	MFR (dB)	
				242.5	266.5	266.5					
1.4	QPSK	1	0	23.95	23.97	23.95	25	0			
1.4	QPSK	1	3	24.00	24.11	24.05					
1.4	QPSK	1	6	23.93	23.98	23.90					
1.4	QPSK	3	0	23.90	24.09	24.06					
1.4	QPSK	3	1	24.08	24.08	24.00					
1.4	QPSK	3	3	23.93	23.94	23.83	24.5				
1.4	QPSK	3	5	23.93	23.93	23.79	24.5	0.5			
1.4	QPSK	6	0	23.70	23.75	23.76					
1.4	QPSK	3	3	23.61	23.75	23.63					
1.4	QPSK	3	5	23.61	23.63	23.63					
1.4	QPSK	6	0	23.81	23.75	23.72					
1.4	QPSK	3	1	23.51	23.63	23.63	24	1			
1.4	QPSK	3	3	23.51	23.53	23.53					
1.4	QPSK	6	0	23.87	23.82	23.90					
1.4	QPSK	3	0	22.56	22.39	22.45					
1.4	QPSK	3	3	22.58	22.38	22.45					
1.4	QPSK	1	0	22.55	22.61	22.48	24	1			
1.4	QPSK	3	0	22.52	22.39	22.45					
1.4	QPSK	3	3	22.49	22.49	22.45					
1.4	QPSK	3	5	22.55	22.61	22.45					
1.4	QPSK	6	0	21.90	21.93	21.86					
1.4	QPSK	3	1	21.84	21.94	21.83	24.5	2			
1.4	QPSK	3	3	21.95	21.98	21.85					
1.4	QPSK	6	0	18.54	18.54	18.48					
1.4	QPSK	3	1	18.44	18.44	18.33					
1.4	QPSK	3	3	18.38	18.48	18.35					
1.4	QPSK	3	5	18.39	18.56	18.50	20	5			
1.4	QPSK	3	7	18.39	18.56	18.50					
Channel											
Frequency (MHz)				242.5	266.5	266.5			Turnup Int. (dBm)	MFR (dB)	
				242.5	266.5	266.5					

Band 7_Ant 11									
BW (MHz)	Modulation	RE Size	RB Offset	Power Low Ch. / Freq.	Power Mids Ch. / Freq.	Power High Ch. / Freq.	Turnup int. (dB)	MFR (dB)	
Channel									
Frequency (MHz)				20500	21500	21600			
20	QPSK	1	0	16.56	16.69	16.82			
20	QPSK	1	40	16.74	16.76	16.75	17.4	0	
20	QPSK	1	80	16.85	16.87	16.83			
20	QPSK	50	0	16.75	16.85	16.78			
20	QPSK	50	24	16.66	16.80	16.69	17.4	0	
20	QPSK	50	50	16.73	16.74	16.76			
20	QPSK	100	0	16.76	16.82	16.75			
20	HQAM	1	0	16.67	16.67	16.78	17.4	0	
20	HQAM	1	40	16.70	16.76	16.77			
20	HQAM	1	80	16.74	16.75	16.69			
20	HQAM	50	0	16.68	16.75	16.79			
20	HQAM	50	24	16.69	16.85	16.70	17.4	0	
20	HQAM	50	50	16.76	16.74	16.67			
20	HQAM	100	0	16.67	16.74	16.73			
20	HQAM	1	0	16.77	16.66	16.74			
20	HQAM	1	40	16.69	16.80	16.66	17.4	0	
20	HQAM	1	80	16.70	16.75	16.75			
20	HQAM	50	0	16.71	16.84	16.70	17.4	0	
20	HQAM	50	24	16.69	16.75	16.79			
20	HQAM	50	50	16.80	16.80	16.81			
20	HQAM	100	0	16.71	16.84	16.70			
20	SSBQAM	1	0	16.76	16.78	16.78			
20	SSBQAM	1	40	16.80	16.75	16.72	17.4	0	
20	SSBQAM	1	80	16.76	16.80	16.68			
20	SSBQAM	50	0	16.76	16.73	16.71			
20	SSBQAM	50	24	16.76	16.73	16.79	17.4	0	
20	SSBQAM	50	50	16.86	16.73	16.79			
20	SSBQAM	100	0	16.71	16.73	16.80			
Channel									
Frequency (MHz)				20900	21500	21575	16.90	MFR (dB)	
15	QPSK	1	0	16.76	16.86	16.79			
15	QPSK	1	37	16.67	16.65	16.74	17.4	0	
15	QPSK	1	74	16.61	16.63	16.66			
15	QPSK	36	0	16.64	16.61	16.73			
15	QPSK	36	20	16.63	16.75	16.64	17.4	0	
15	QPSK	36	39	16.62	16.69	16.63			
15	QPSK	75	0	16.69	16.80	16.65			
15	HQAM	1	0	16.66	16.74	16.70	17.4	0	
15	HQAM	1	37	16.69	16.77	16.63			
15	HQAM	1	74	16.61	16.63	16.62			
15	HQAM	36	0	16.61	16.67	16.76			
15	HQAM	36	20	16.61	16.74	16.64	17.4	0	
15	HQAM	36	39	16.64	16.69	16.59			
15	HQAM	75	0	16.63	16.62	16.72			
15	HQAM	1	0	16.64	16.76	16.61			
15	HQAM	1	37	16.59	16.66	16.63	17.4	0	
15	HQAM	1	74	16.61	16.62	16.72			
15	HQAM	36	0	16.66	16.70	16.75			
15	HQAM	36	20	16.59	16.63	16.71	17.4	0	
15	HQAM	36	39	16.59	16.72	16.76			
15	HQAM	75	0	16.65	16.76	16.68			
15	HQAM	1	0	16.70	16.74	16.68	17.4	0	
15	HQAM	1	37	16.68	16.74	16.58			
15	HQAM	1	74	16.61	16.65	16.63			
15	SSBQAM	36	0	16.71	16.59	16.57			
15	SSBQAM	36	20	16.69	16.64	16.66	17.4	0	
15	SSBQAM	36	39	16.54	16.64	16.72			
15	SSBQAM	75	0	16.57	16.64	16.66			
Channel									
Frequency (MHz)				20900	21500	21400	16.90	MFR (dB)	
10	QPSK	1	0	16.76	16.83	16.74			
10	QPSK	1	25	16.69	16.63	16.72	17.4	0	
10	QPSK	48	0	16.64	16.63	16.70			
10	QPSK	25	0	16.70	16.77	16.65			
10	QPSK	25	12	16.64	16.74	16.58	17.4	0	
10	QPSK	25	24	16.67	16.71	16.66			
10	QPSK	50	0	16.76	16.69	16.69			
10	HQAM	1	0	16.54	16.61	16.71	17.4	0	
10	HQAM	1	25	16.71	16.72	16.70			
10	HQAM	1	48	16.69	16.62	16.55			
10	HQAM	25	0	16.63	16.67	16.75			
10	HQAM	25	12	16.69	16.79	16.57	17.4	0	
10	HQAM	25	24	16.71	16.65	16.58			
10	HQAM	50	0	16.69	16.70	16.59			
10	HQAM	1	0	16.72	16.80	16.65			
10	HQAM	1	25	16.59	16.73	16.62	17.4	0	
10	HQAM	1	48	16.62	16.74	16.74			
10	HQAM	25	0	16.69	16.62	16.79			
10	HQAM	25	12	16.69	16.69	16.77	17.4	0	
10	HQAM	25	24	16.56	16.76	16.70			
10	HQAM	50	0	16.61	16.71	16.59			
10	SSBQAM	1	0	16.77	16.73	16.73			
10	SSBQAM	1	25	16.56	16.74	16.71	17.4	0	
10	SSBQAM	1	48	16.67	16.68	16.61			
10	SSBQAM	25	0	16.70	16.69	16.67			
10	SSBQAM	25	12	16.67	16.68	16.66	17.4	0	
10	SSBQAM	25	24	16.59	16.65	16.74			
10	SSBQAM	50	0	16.58	16.63	16.69			
Channel									
Frequency (MHz)				20775	21500	21425	16.90	MFR (dB)	
5	QPSK	1	0	16.71	16.82	16.71			
5	QPSK	1	12	16.72	16.73	16.69	17.4	0	
5	QPSK	1	24	16.50	16.63	16.72			
5	QPSK	12	0	16.68	16.82	16.75			
5	QPSK	12	7	16.51	16.68	16.65	17.4	0	
5	QPSK	12	13	16.65	16.61	16.70			
5	QPSK	25	0	16.63	16.67	16.66			
5	HQAM	1	0	16.56	16.60	16.76	17.4	0	
5	HQAM	1	12	16.72	16.79	16.62			
5	HQAM	1	24	16.63	16.67	16.63			
5	HQAM	12	0	16.64	16.67	16.68			
5	HQAM	12	7	16.69	16.60	16.55	17.4	0	
5	HQAM	12	13	16.62	16.70	16.64			
5	HQAM	25	0	16.62	16.62	16.59			
5	HQAM	1	0	16.62	16.62	16.67			
5	HQAM	1	12	16.57	16.66	16.64	17.4	0	
5	HQAM	1	24	16.67	16.62	16.67			
5	HQAM	12	0	16.66	16.62	16.76			
5	HQAM	12	7	16.62	16.63	16.64	17.4	0	
5	HQAM	12	13	16.56	16.70	16.76			
5	HQAM	25	0	16.57	16.61	16.69			
5	SSBQAM	1	0	16.74	16.69	16.72	17.4	0	
5	SSBQAM	1	12	16.64	16.73	16.63			
5	SSBQAM	1	24	16.63	16.77	16.62			
5	SSBQAM	12	0	16.69	16.62	16.66			
5	SSBQAM	12	7	16.73	16.68	16.70	17.4	0	
5	SSBQAM	12	13	16.63	16.63	16.76			
5	SSBQAM	25	0	16.66	16.65	16.68			

Band 7_Ant 7									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mids Ch. / Freq.	Power High Ch. / Freq.	Turn-up int. (dB)	MFR (dB)	
Channel									
Frequency (MHz)				20500	21500	21600			
20	QPSK	1	0	16.56	16.50	16.47			
20	QPSK	1	40	16.75	16.76	16.44	17.5	0	
20	QPSK	1	80	16.70	16.80	16.45			
20	QPSK	50	0	16.61	16.62	16.46			
20	QPSK	50	24	15.75	16.19	16.40	17.5	0	
20	QPSK	50	50	15.62	16.18	16.34			
20	QPSK	100	0	15.67	16.02	16.41			
20	HQAM	1	0	15.64	16.16	16.44	17.5	0	
20	HQAM	1	40	15.65	16.16	16.38			
20	HQAM	1	80	15.66	16.26	16.46			
20	HQAM	50	0	15.60	16.16	16.39			
20	HQAM	50	24	15.60	16.16	16.45	17.5	0	
20	HQAM	50	50	15.71	16.21	16.40			
20	HQAM	100	0	15.65	16.03	16.34			
20	HQAM	1	0	15.70	16.16	16.39			
20	HQAM	1	40	15.70	16.17	16.34	17.5	0	
20	HQAM	1	80	15.61	16.26	16.39			
20	HQAM	50	0	15.70	16.20	16.34	17.5	0	
20	HQAM	50	24	15.67	16.16	16.47			
20	HQAM	50	50	15.65	16.26	16.34			
20	SSBQAM	1	0	14.50	14.67	15.17			
20	SSBQAM	1	40	14.50	14.62	15.14	16	1.5	
20	SSBQAM	1	80	14.45	14.65	15.07			
20	SSBQAM	50	0	14.50	14.61	15.05			
20	SSBQAM	50	24	14.50	14.76	15.06	16	1.5	
20	SSBQAM	50	50	14.62	14.67	15.15			
20	SSBQAM	100	0	14.42	14.62	15.08			
Channel									
Frequency (MHz)				20900	21500	21400	16.90	MFR (dB)	
15	QPSK	1	0	15.75	16.04	16.36			
15	QPSK	1	37	15.71	16.13	16.42	17.5	0	
15	QPSK	1	74	15.64	16.11	16.40			
15	QPSK	36	0	15.62	16.01	16.39			
15	QPSK	36	24	14.86	15.88	16.27	17.5	0	
15	QPSK	36	50	14.72	15.92	16.19			
15	QPSK	75	0	15.61	16.11	16.35			
15	HQAM	1	0	15.63	16.13	16.35	17.5	0	
15	HQAM	1	37	15.71	16.02	16.30			
15	HQAM	1	74	15.74	16.05	16.32			
15	HQAM	36	0	15.74	16.05	16.32			
15	HQAM	36	24	14.75	16.10	16.42	17.5	0	
15	HQAM	36	50	14.62	16.09	16.35			
15	HQAM	75	0	15.77	16.15	16.25			
15	HQAM	1	0	15.67	16.13	16.35	17.5	0	
15	HQAM	1	37	15.74	16.04	16.32			
15	HQAM	1	74	15.74	16.13	16.35			
15	HQAM	36	0	15.75	16.10	16.26			
15	HQAM	36	24	14.74	16.11	16.43	17.5	0	
15	HQAM	36	50	14.74	16.11	16.25			
15	HQAM	75	0	15.80	16.14	16.25			
15	HQAM	1	0	15.79	16.09	16.32	17.5	0	
15	SSBQAM	1	0	14.48	14.73	15.04	16	1.5	
15	SSBQAM	1	37	14.48	14.73	15.04			
15	SSBQAM	1	74	14.41	14.78	15.05			
15	SSBQAM	36	0	14.48	14.62	15.03	16	1.5	
15	SSBQAM	36	24	14.28	14.73	15.02			
15	SSBQAM	36	50	14.46	14.80	15.13	16	1.5	
15	SSBQAM	75	0	14.52	14.68	15.01			
Channel									
Frequency (MHz)				20900	21500	21400	16.90	MFR (dB)	
10	QPSK	1	0	15.83	16.24	16.46			
10	QPSK	1	25	15.81	16.22	16.43	17.5	0	
10	QPSK	1	49	15.70	16.20	16.31			
10	QPSK	25	0	15.80	16.24	16.38			
10	QPSK	25	12	14.98	16.02	16.37	17.5	0	
10	QPSK	25	25	14.86	16.07	16.33			
10	QPSK	50	0	15.76	16.23	16.31			
10	HQAM	1	0	15.82	16.23	16.31	17.5	0	
10	HQAM	1	25	15.82	16.03	16.27			
10	HQAM	25	0	15.83	16.17	16.45			
10	HQAM	25	12	14.92	16.02	16.35	17.5	0	
10	HQAM	25	25	14.82	16.07	16.34			
10	HQAM	50	0	15.72	16.23	16.35			
10	HQAM	50	12	14.91	16.11	16.38	17.5	0	
10	HQAM	1	0	15.70	16.04	16.30			
10	HQAM	1	49	15.76	16.18	16.29			
10	HQAM	25	0	15.75	16.18	16.27	17.5	0	
10	HQAM	25	12	14.87	16.03	16.32			
10	HQAM	25	25	14.76	16.08	16.31			
10	HQAM	50	0	15.82	16.26	16.31			
10	HQAM	50	12	14.92	16.15	16.38	17.5	0	
10	SSBQAM	1	0	14.30	14.67	15.08	16	1.5	
10	SSBQAM	1	49	14.32	14.67	15.03			
10	SSBQAM	1	98	14.27	14.62	14.97	16	1.5	
10	SSBQAM	25	0	14.42	14.78	15.03			
10	SSBQAM	25	12	14.27	14.60	14.97	16	1.5	
10	SSBQAM	25	25	14.51	14.81	15.05			
10	SSBQAM	50	0	14.42	14.78	15.05			
Channel									
Frequency (MHz)				20975	21500	21425	16.90	MFR (dB)	
5	QPSK	1	0	15.84	16.26	16.46			
5	QPSK	1	12	15.81	16.22	16.42	17.5	0	
5	QPSK	1	24	15.74	16.21	16.43			
5	QPSK	12	0	15.78	16.21	16.38			
5	QPSK	12	7	14.92	16.01	16.32	17.5	0	
5	QPSK	12	13	14.79	16.07	16.28			
5	QPSK	25	0	15.77	16.17	16.38			
5	HQAM	1	0	15.78	16.18	16.39	17.5	0	
5	HQAM	1	12	15.71	16.14	16.27			
5	HQAM	12	7	14.72	16.15	16.45			
5	HQAM	12	13	14.66	16.02	16.32	17.5	0	
5	HQAM	25	0	15.70	16.08	16.38			
5	HQAM	25	7	14.79	16.14	16.42	17.5	0	
5	HQAM	25	13	14.66	16.02	16.32			
5	HQAM	50	0	15.64	16.07	16.38			
5	HQAM	50	12	14.68	16.11	16.39	17.5	0	
5	HQAM	50	25	14.66	16.18	16.38			
5	HQAM	12	0	15.74	16.13	16.23	17.5	0	
5	HQAM	12	13	14.68	16.13	16.42			
5	HQAM	12	25	14.66	16.15	16.28			
5	HQAM	25	0	15.84	16.13	16.28			
5	SSBQAM	1	0	14.30	14.67	15.06	16	1.5	
5	SSBQAM	1	12	14.25	14.61	14.96			
5	SSBQAM	12	7	14.25	14.65	14.98	16	1.5	
5	SSBQAM	12	13	14.50	14.81	15.11			

Band 12_Ant 1										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Med Ch / Freq	Power High Ch / Freq	Turnup Int. (dBm)	MFR (dB)		
Channel										
Frequency (MHz)				23605	23605	23130				
10	QPSK	1	0	22.85	22.89	22.93				
10	QPSK	1	25	22.73	22.80	22.87	23.8	0		
10	QPSK	1	49	22.73	22.80	22.78				
10	QPSK	25	0	22.25	22.33	22.38				
10	QPSK	25	12	22.25	22.17	22.16	23.3	0.5		
10	QPSK	25	25	22.32	22.35	22.25				
10	HQAM	1	0	22.61	22.63	22.54				
10	HQAM	1	25	22.45	22.42	22.58	23.3	0.5		
10	HQAM	1	49	22.79	22.81	22.96				
10	HQAM	25	0	21.67	21.64	21.68				
10	HQAM	25	12	21.72	21.62	21.70	22.8	1		
10	HQAM	25	25	21.69	21.68	21.78				
10	HQAM	50	0	21.77	21.84	21.78				
10	HQAM	1	0	21.55	21.56	21.56				
10	HQAM	1	25	21.52	21.52	21.52	22.8	1		
10	HQAM	1	49	21.35	21.33	21.47				
10	HQAM	25	0	20.70	20.64	20.65				
10	HQAM	25	12	20.74	20.59	20.70	21.8	2		
10	HQAM	25	25	20.76	20.70	20.68				
10	HQAM	50	0	20.71	20.66	20.72				
10	SSBDM	1	0	17.78	17.78	17.77				
10	SSBDM	1	25	17.62	17.65	17.60	18.8	5		
10	SSBDM	1	49	17.65	17.66	17.68				
10	SSBDM	25	0	17.68	17.74	17.59				
10	SSBDM	25	12	17.68	17.74	17.59	18.8	5		
10	SSBDM	25	25	17.62	17.74	17.64				
10	SSBDM	50	0	17.71	17.72	17.69				
Channel										
Frequency (MHz)				23605	23605	23130	Turnup Int. (dBm)	MFR (dB)		
5	QPSK	1	0	22.83	22.79	22.86				
5	QPSK	1	12	22.75	22.84	22.73	23.8	0		
5	QPSK	1	24	22.73	22.75	22.72				
5	QPSK	12	0	22.18	22.27	22.18				
5	QPSK	12	7	22.15	22.15	22.09	23.3	0.5		
5	QPSK	12	19	22.12	22.12	22.15				
5	HQAM	1	0	22.54	22.48	22.41				
5	HQAM	1	12	22.41	22.29	22.35	23.3	0.5		
5	HQAM	1	24	22.62	22.58	22.47				
5	HQAM	12	0	21.60	21.50	21.67				
5	HQAM	12	7	21.59	21.50	21.68	22.8	1		
5	HQAM	12	13	21.69	21.56	21.67				
5	HQAM	25	0	21.69	21.54	21.69				
5	HQAM	1	13	21.62	21.43	21.53				
5	HQAM	1	12	21.41	21.42	21.43	22.8	1		
5	HQAM	1	24	21.44	21.27	21.46				
5	HQAM	12	0	20.92	20.92	20.94				
5	HQAM	12	7	20.95	20.49	20.57	21.8	2		
5	HQAM	12	13	20.86	20.85	20.92				
5	HQAM	25	0	20.80	20.89	20.86				
5	SSBDM	1	0	17.59	17.55	17.58				
5	SSBDM	1	12	17.56	17.65	17.68	18.8	5		
5	SSBDM	1	24	17.57	17.65	17.41				
5	SSBDM	12	0	17.63	17.65	17.44				
5	SSBDM	12	7	17.64	17.65	17.44	18.8	5		
5	SSBDM	12	13	17.67	17.62	17.55				
5	SSBDM	25	0	17.57	17.70	17.64				
Channel										
Frequency (MHz)				703.5	702.5	743.5	Turnup Int. (dBm)	MFR (dB)		
3	QPSK	1	0	22.85	22.87	22.98				
3	QPSK	1	8	22.72	22.86	22.83	23.8	0		
3	QPSK	1	14	22.70	22.75	22.76				
3	QPSK	8	0	22.32	22.32	22.11				
3	QPSK	8	4	22.21	22.11	22.13	23.3	0.5		
3	QPSK	1	14	22.12	22.14	22.17				
3	QPSK	15	0	22.13	22.16	22.15				
3	HQAM	1	0	22.48	22.43	22.39	23.3	0.5		
3	HQAM	1	8	22.46	22.28	22.46				
3	HQAM	1	14	22.59	22.48	22.41				
3	HQAM	8	0	21.54	21.53	21.61				
3	HQAM	8	4	21.68	21.55	21.42	22.8	1		
3	HQAM	8	7	21.69	21.47	21.70				
3	HQAM	15	0	21.66	21.63	21.67				
3	HQAM	1	0	21.43	21.52	21.55				
3	HQAM	1	8	21.45	21.41	21.37	22.8	1		
3	HQAM	1	14	21.25	21.19	21.33				
3	HQAM	8	0	20.59	20.55	20.57				
3	HQAM	8	4	20.70	20.50	20.59	21.8	2		
3	HQAM	15	0	20.86	20.84	20.64				
3	SSBDM	1	0	17.63	17.69	17.54				
3	SSBDM	1	8	17.66	17.66	17.46	18.8	5		
3	SSBDM	1	14	17.56	17.60	17.48				
3	SSBDM	8	0	17.67	17.67	17.41				
3	SSBDM	8	4	17.60	17.62	17.41	18.8	5		
3	SSBDM	8	7	17.52	17.73	17.53				
3	SSBDM	15	0	17.68	17.67	17.58				
Channel										
Frequency (MHz)				23617	23605	23130	Turnup Int. (dBm)	MFR (dB)		
1.4	QPSK	1	0	22.85	22.71	22.54				
1.4	QPSK	1	3	22.72	22.75	22.82	23.8	0		
1.4	QPSK	1	5	22.72	22.74	22.70				
1.4	QPSK	3	0	22.71	22.85	22.55				
1.4	QPSK	3	1	22.74	22.74	22.78				
1.4	QPSK	3	3	22.73	22.73	22.66				
1.4	QPSK	6	0	22.34	22.17	22.22	23.3	0.5		
1.4	HQAM	1	0	22.50	22.41	22.44				
1.4	HQAM	1	3	22.41	22.39	22.56				
1.4	HQAM	1	5	22.69	22.61	22.49	23.3	0.5		
1.4	HQAM	1	0	22.49	22.40	22.42				
1.4	HQAM	1	3	22.39	22.39	22.56				
1.4	HQAM	3	3	22.71	22.62	22.43				
1.4	HQAM	6	0	21.66	21.59	21.72	22.8	1		
1.4	HQAM	1	5	21.45	21.46	21.46				
1.4	HQAM	1	3	21.49	21.39	21.45				
1.4	HQAM	1	5	21.24	21.29	21.33	22.8	1		
1.4	HQAM	3	0	21.41	21.48	21.43				
1.4	HQAM	3	1	21.49	21.48	21.47				
1.4	HQAM	6	0	21.27	21.21	21.41	21.8	2		
1.4	HQAM	6	0	20.87	20.53	20.58				
1.4	SSBDM	1	0	17.69	17.74	17.65				
1.4	SSBDM	1	5	17.66	17.64	17.46	18.8	5		
1.4	SSBDM	1	3	17.54	17.54	17.46				
1.4	SSBDM	3	0	17.44	17.48	17.46				
1.4	SSBDM	3	3	17.60	17.71	17.56				
1.4	SSBDM	6	0	17.64	17.63	17.56	18.8	5		

Band 12_Ant 0										
BW (MHz)	Modulation	RB Size	RB Offset	Power Ch / Freq	Power Ch / Freq	Power Ch / Freq	Turn-up time (dBm)	MFR (dB)		
Channel										
Channel				23000	20000	21100				
Frequency (MHz)				704	707.6	711				
10	QPSK	1	0	19.75	19.79	19.88				
10	QPSK	1	25	19.61	19.68	19.59	20.8	0		
10	QPSK	1	49	19.59	19.74	19.83				
10	QPSK	25	0	19.69	19.74	19.53				
10	QPSK	25	12	19.58	19.65	19.62	20.8	0		
10	QPSK	25	25	19.62	19.73	19.54				
10	QPSK	50	0	19.62	19.70	19.56				
10	HQAM	1	0	19.64	19.73	19.59				
10	HQAM	1	25	19.67	19.68	19.60	20.8	0		
10	HQAM	1	49	19.60	19.65	19.53				
10	HQAM	25	0	19.61	19.71	19.58				
10	HQAM	25	12	19.65	19.65	19.63	20.8	0		
10	HQAM	25	25	19.62	19.68	19.62				
10	HQAM	50	0	19.60	19.62	19.64				
10	HQAM	1	0	19.65	19.65	19.67				
10	HQAM	1	25	19.67	19.66	19.57	20.8	0		
10	HQAM	1	49	19.61	19.61	19.58				
10	HQAM	25	0	19.65	19.74	19.53				
10	HQAM	25	12	19.65	19.65	19.63	20.8	0		
10	HQAM	25	25	19.61	19.71	19.64				
10	HQAM	50	0	19.60	19.62	19.64				
10	HQAM	1	0	19.74	19.74	19.74				
10	HQAM	1	25	17.13	17.22	17.18	18.3	2.5		
10	HQAM	1	49	17.13	17.18	17.05				
10	HQAM	25	0	17.22	17.22	17.22				
10	HQAM	25	12	17.00	17.11	17.01	18.3	2.5		
10	HQAM	25	25	17.10	17.21	17.09				
10	HQAM	50	0	17.24	17.24	17.24				
Channel				23000	20000	21100	Turn-up time (dBm)	MFR (dB)		
Frequency (MHz)				701.6	707.6	713.5				
10	QPSK	1	0	19.75	19.79	19.88				
10	QPSK	1	25	19.50	19.53	19.59	20.8	0		
10	QPSK	1	49	19.55	19.64	19.87				
10	QPSK	25	0	19.58	19.60	19.48				
10	QPSK	25	12	19.48	19.51	19.57				
10	QPSK	25	13	19.62	19.70	19.39				
10	QPSK	25	25	19.58	19.63	19.51				
10	HQAM	1	0	19.58	19.64	19.48				
10	HQAM	1	25	19.58	19.63	19.48	20.8	0		
10	HQAM	1	49	19.58	19.63	19.48				
10	HQAM	25	0	19.51	19.55	19.48				
10	HQAM	25	12	19.51	19.55	19.48	20.8	0		
10	HQAM	25	13	19.55	19.62	19.39				
10	HQAM	25	25	19.55	19.62	19.48				
10	HQAM	50	0	19.55	19.57	19.47				
10	HQAM	1	0	19.58	19.65	19.40				
10	HQAM	1	25	19.58	19.65	19.40	20.8	0		
10	HQAM	1	49	19.58	19.65	19.40				
10	HQAM	25	0	19.53	19.57	19.55				
10	HQAM	25	12	19.53	19.57	19.55				
10	HQAM	25	13	19.53	19.57	19.55				
10	HQAM	25	25	19.53	19.57	19.55				
10	HQAM	50	0	19.53	19.57	19.55				
10	HQAM	1	0	17.06	17.11	17.14	18.3	2.5		
10	HQAM	1	25	17.07	17.15	17.08				
10	HQAM	1	49	17.05	17.05	16.97				
10	HQAM	25	0	17.06	17.06	17.06				
10	HQAM	25	12	17.04	17.12	17.09	18.3	2.5		
10	HQAM	25	13	17.04	17.12	17.09				
10	HQAM	25	25	17.04	17.12	17.09				
Channel				23000	20000	21100	Turn-up time (dBm)	MFR (dB)		
Frequency (MHz)				709.6	707.6	714.5				
10	QPSK	1	0	19.75	19.79	19.88				
10	QPSK	1	25	19.55	19.58	19.49	20.8	0		
10	QPSK	1	49	19.57	19.60	19.51				
10	QPSK	25	0	19.58	19.60	19.48				
10	QPSK	25	8	19.50	19.50	19.50				
10	QPSK	25	7	19.68	19.81	19.43				
10	QPSK	25	12	19.68	19.81	19.43				
10	QPSK	25	13	19.68	19.81	19.43				
10	HQAM	1	0	19.57	19.68	19.51				
10	HQAM	1	8	19.64	19.82	19.33	20.8	0		
10	HQAM	1	15	19.50	19.50	19.50				
10	HQAM	8	0	19.48	19.70	19.48				
10	HQAM	8	4	19.60	19.67	19.58				
10	HQAM	8	7	19.60	19.67	19.58				
10	HQAM	15	0	19.55	19.58	19.54				
10	HQAM	15	4	19.51	19.59	19.54	20.8	0		
10	HQAM	15	7	19.51	19.59	19.54				
10	HQAM	15	14	19.51	19.58	19.43				
10	HQAM	8	0	19.52	19.60	19.40				
10	HQAM	8	4	19.60	19.67	19.58				
10	HQAM	8	7	19.60	19.67	19.58				
10	HQAM	15	0	19.50	19.60	19.50	20.8	0		
10	HQAM	15	4	19.50	19.60	19.50				
10	HQAM	15	7	19.50	19.60	19.50				
10	HQAM	15	14	19.50	19.60	19.43				
10	HQAM	8	0	19.52	19.60	19.40				
10	HQAM	8	4	19.60	19.67	19.58				
10	HQAM	8	7	19.60	19.67	19.58				
10	HQAM	15	0	19.50	19.60	19.50	20.8	0		
10	HQAM	15	4	19.50	19.60	19.50				
10	HQAM	15	7	19.50	19.60	19.50				
10	HQAM	15	14	19.50	19.60	19.43				
10	HQAM	8	0	19.52	19.60	19.43				
10	HQAM	8	4	19.60	19.67	19.58				
10	HQAM	8	7	19.60	19.67	19.58				
10	HQAM	15	0	19.50	19.60	19.50	20.8	0		
10	HQAM	15	4	19.50	19.60	19.50				
10	HQAM	15	7	19.50	19.60	19.50				
10	HQAM	15	14	19.50	19.60	19.43				
Channel				23010	20000	21100	Turn-up time (dBm)	MFR (dB)		
Frequency (MHz)				699.7	700.6	710.3				
1.4	QPSK	1	0	19.75	19.79	19.88				
1.4	QPSK	1	3	19.48	19.60	19.53				
1.4	QPSK	1	6	19.52	19.64	19.57	20.8	0		
1.4	QPSK	3	0	19.54	19.72	19.54				
1.4	QPSK	3	1	19.48	19.51	19.58				
1.4	QPSK	3	3	19.57	19.67	19.43				
1.4	QPSK	3	6	19.60	19.70	19.48	20.8	0		
1.4	HQAM	1	0	19.51	19.68	19.58				
1.4	HQAM	1	3	19.63	19.62	19.58				
1.4	HQAM	3	0	19.54	19.64	19.48				
1.4	HQAM	3	1	19.53	19.57	19.61				
1.4	HQAM	3	3	19.53	19.56	19.58				
1.4	HQAM	3	6	19.53	19.56	19.58	20.8	0		
1.4	HQAM	6	0	19.48	19.60	19.48				
1.4	HQAM	6	3	19.55	19.69	19.61				
1.4	HQAM	6	6	19.45	19.69	19.52	20.8	0		
1.4	HQAM	6	9	19.55	19.72	19.57				
1.4	HQAM	6	3	17.06	17.17	17.09				
1.4	HQAM	1	0	17.05	17.05	16.98	18.3	2.5		
1.4	HQAM	1	3	17.05	17.07	16.98				
1.4	HQAM	1	6	17.05	17.07	16.98				
1.4	HQAM	3	0	17.09	17.09	16.96	18.3	2.5		
1.4	HQAM	3	3	17.11	17.19	17.06				

Band 38_Ant 5												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. Freq.	Power Middle Ch. Freq.	Power High Ch. Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel												
Frequency (MHz)				2580	2595	2610						
20	QPSK	1	0	24.45	24.40	24.42	24.5	0				
20	QPSK	1	49	24.33	24.23	24.29						
20	QPSK	1	99	24.42	24.41	24.38						
20	QPSK	50	0	23.85	24.05	24.02						
20	QPSK	50	24	23.85	23.87	23.94						
20	QPSK	50	50	23.81	23.91	23.98	24.5	0.5				
20	QPSK	100	0	23.89	24.00	23.96						
20	16QAM	1	0	23.89	23.92	23.93						
20	16QAM	1	49	23.83	23.90	24.10						
20	16QAM	1	99	23.99	24.04	24.16						
20	16QAM	50	0	23.34	23.38	23.42	24	1				
20	16QAM	50	24	23.35	23.43	23.47						
20	16QAM	50	50	23.42	23.43	23.57						
20	16QAM	100	0	23.34	23.44	23.48						
20	64QAM	1	0	22.58	22.59	22.65						
20	64QAM	1	49	22.60	22.61	22.81	23	2				
20	64QAM	1	99	22.67	22.70	22.81						
20	64QAM	50	0	22.40	22.40	22.48						
20	64QAM	50	24	22.35	22.47	22.58						
20	64QAM	50	50	22.50	22.45	22.63						
20	64QAM	100	0	22.47	22.42	22.55	23	2				
20	256QAM	1	0	18.91	18.92	18.95						
20	256QAM	1	49	18.86	18.91	18.90						
20	256QAM	1	99	18.00	18.01	18.91						
20	256QAM	50	0	18.93	18.97	18.84						
20	256QAM	50	24	18.53	18.89	18.81	20	5				
20	256QAM	50	50	18.96	18.99	18.88						
20	256QAM	100	0	18.90	18.96	18.94						
Channel												
Frequency (MHz)				3725	3800	3817.5	Tune-up limit (dBm)	MPR (dB)				
15	QPSK	1	0	24.23	24.20	24.20	25	0				
15	QPSK	1	37	24.40	24.46	24.33						
15	QPSK	1	74	24.27	24.36	24.35						
15	QPSK	36	0	23.87	23.94	23.90						
15	QPSK	36	20	23.76	23.76	23.93						
15	QPSK	36	39	23.85	23.90	23.93	24.5	0.5				
15	QPSK	36	50	23.87	23.93	23.87						
15	16QAM	1	0	23.81	23.80	23.78						
15	16QAM	1	37	23.82	23.86	23.96						
15	16QAM	1	74	23.91	24.03	24.03						
15	16QAM	36	0	23.33	23.24	23.27	24	1				
15	16QAM	36	20	23.23	23.35	23.42						
15	16QAM	36	39	23.38	23.41	23.46						
15	16QAM	75	0	23.21	23.35	23.42						
15	64QAM	1	0	22.56	22.46	22.56						
15	64QAM	1	37	22.55	22.46	22.68	23	2				
15	64QAM	1	74	22.59	22.56	22.74						
15	64QAM	36	0	22.34	22.32	22.35						
15	64QAM	36	20	22.23	22.33	22.46						
15	64QAM	36	39	22.43	22.30	22.55						
15	64QAM	75	0	22.43	22.29	22.40	23	2				
15	256QAM	1	0	18.85	18.91	18.86						
15	256QAM	1	37	18.74	18.86	18.81						
15	256QAM	1	74	18.93	18.92	18.76						
15	256QAM	36	0	18.91	18.93	18.69						
15	256QAM	36	20	18.68	18.86	18.72	20	5				
15	256QAM	36	39	18.62	18.84	18.87						
15	256QAM	75	0	18.89	18.89	18.88						
Channel												
Frequency (MHz)				3767.5	3800	3825	Tune-up limit (dBm)	MPR (dB)				
10	QPSK	1	0	24.24	24.17	24.14	25	0				
10	QPSK	1	25	24.33	24.39	24.33						
10	QPSK	1	49	24.41	24.30	24.27						
10	QPSK	25	0	23.96	23.98	23.97						
10	QPSK	25	12	23.71	23.73	23.80						
10	QPSK	25	25	23.76	23.96	23.93	24.5	0.5				
10	QPSK	50	0	23.85	23.97	23.94						
10	16QAM	1	0	23.87	23.91	23.87						
10	16QAM	1	25	23.81	23.80	24.14						
10	16QAM	1	49	23.82	23.98	24.14						
10	16QAM	25	0	23.30	23.25	23.30	24	1				
10	16QAM	25	12	23.29	23.30	23.46						
10	16QAM	25	25	23.29	23.36	23.43						
10	16QAM	50	0	23.26	23.36	23.45						
10	64QAM	1	0	22.44	22.26	22.59						
10	64QAM	1	25	22.57	22.56	22.73	23	2				
10	64QAM	1	49	22.52	22.62	22.68						
10	64QAM	25	0	22.38	22.25	22.43						
10	64QAM	25	12	22.31	22.32	22.47						
10	64QAM	25	25	22.38	22.40	22.49						
10	64QAM	50	0	22.37	22.32	22.40	20	5				
10	256QAM	1	0	18.85	19.01	18.84						
10	256QAM	1	25	18.74	18.81	18.80						
10	256QAM	1	49	18.96	18.90	18.85						
10	256QAM	25	0	18.91	18.94	18.77						
10	256QAM	25	12	18.68	18.79	18.79	20	5				
10	256QAM	25	25	18.67	18.91	18.75						
10	256QAM	50	0	18.75	18.81	18.82						
Channel												
Frequency (MHz)				3777.5	3800	3822.5	Tune-up limit (dBm)	MPR (dB)				
5	QPSK	1	0	24.29	24.20	24.15	25	0				
5	QPSK	1	12	24.35	24.44	24.33						
5	QPSK	1	24	24.37	24.27	24.34						
5	QPSK	12	0	23.96	23.96	23.98						
5	QPSK	12	7	23.81	23.74	23.91						
5	QPSK	12	13	23.80	23.96	23.88	24.5	0.5				
5	QPSK	25	0	23.88	23.90	23.89						
5	16QAM	1	0	23.88	23.77	23.81						
5	16QAM	1	12	23.71	23.82	23.98						
5	16QAM	1	24	23.97	23.93	24.10						
5	16QAM	12	0	23.24	23.33	23.36	24	1				
5	16QAM	12	7	23.20	23.35	23.34						
5	16QAM	12	13	23.37	23.30	23.53						
5	16QAM	25	0	23.30	23.34	23.45						
5	64QAM	1	0	22.55	22.55	22.55						
5	64QAM	1	12	22.51	22.55	22.72	23	2				
5	64QAM	1	24	22.56	22.64	22.70						
5	64QAM	12	0	22.37	22.39	22.38						
5	64QAM	12	7	22.31	22.34	22.52						
5	64QAM	12	13	22.42	22.30	22.50						
5	64QAM	25	0	22.34	22.35	22.45	20	5				
5	256QAM	1	0	18.79	18.96	18.92						
5	256QAM	1	12	18.75	18.81	18.75						
5	256QAM	1	24	18.93	19.00	18.76						
5	256QAM	12	0	18.85	18.88	18.77						
5	256QAM	12	7	18.79	18.87	18.79						

Reduced Power Mode For EC18						
Global Name	Start Average Power (mW)	End Average Power (mW)	Time-span (min)	Frame-Average Power (mW)	Time-span (min)	
Frequency (MHz)	30.2	30.2	30.2	30.2	30.2	
OPRRSDEDC(CM0SG) 1 Tx, 1 Rx	32.12	32.15	34.01	33.52	32.12	
OPRRSDEDC(CM0SG) 2 Tx, 1 Rx	32.12	32.15	34.01	33.52	32.12	
OPRRSDEDC(CM0SG) 2 Tx, 2 Rx	32.12	32.15	34.01	33.52	32.12	
OPRRSDEDC(CM0SG) 4 Tx, 4 Rx	26.94	27.00	26.95	28.01	23.79	
OPRRSDEDC(CM0SG) 4 Tx, 4 Rx, 100ms	26.94	27.00	26.95	28.01	23.79	
OPRRSDEDC(CM0SG) 4 Tx, 4 Rx, 500ms	26.94	27.00	26.95	28.01	23.79	
OPRRSDEDC(CM0SG) 4 Tx, 4 Rx, 1s	26.94	27.00	26.95	28.01	23.79	
EDGE 1 Tx	25.15	25.17	25.20	27.00	17.25	
EDGE 2 Tx	25.00	25.12	25.00	26.00	19.00	
EDGE 3 Tx	22.95	22.92	22.88	24.00	16.89	
EDGE 4 Tx	22.95	22.90	22.85	24.00	16.89	

[illegible]

TX Channel	WCMA-IV_A, 1x5				WCMA-IV_A, 5x5				WCMA-IV_A, 1x11				WCMA-IV_A, 5x7				
	1512	1517	1522	1527	1532	1537	1542	1547	1552	1557	1562	1567	1572	1577	1582	1587	
Frequency (MHz)	17124	17326	17526	17626	17124	17326	17526	17626	17124	17326	17526	17626	17124	17326	17526	17626	
WCMM Rel 0	AMN-12Kbps	20.08	20.08	20.07	20.80	18.40	18.41	18.39	18.60	18.60	18.62	18.73	19.30	17.28	17.38	17.28	18.10
WCMM Rel 6	RMF-12.2Kbps	20.16	20.20	20.15	20.80	18.42	18.50	18.45	18.60	18.72	18.77	18.75	19.30	17.30	17.45	17.30	18.10
WCMM Rel 8	HSMA-Subclass1	20.08	20.08	20.08	20.80	18.38	18.38	18.37	18.60	18.60	18.60	18.60	19.30	17.28	17.38	17.28	18.10
WCMM Rel 8	HSMA-Subclass2	20.11	20.13	20.14	20.80	18.41	18.46	18.31	18.60	18.71	18.83	18.62	19.30	17.38	17.42	17.38	18.10
WCMM Rel 6	HSMA-Subclass3	20.05	20.07	20.03	20.80	18.39	18.38	18.32	18.60	18.59	18.70	18.67	19.30	17.26	17.39	17.34	18.10
WCMM Rel 8	HSMA-Subclass4	20.08	20.08	20.08	20.80	18.34	18.34	18.34	18.60	18.64	18.64	18.64	19.30	17.26	17.39	17.34	18.10
WCMM Rel 8	DC-HSMA-Subclass1	20.05	20.19	20.03	20.80	18.36	18.41	18.31	18.60	18.68	18.73	18.73	19.30	17.36	17.44	17.22	18.10
WCMM Rel 8	DC-HSMA-Subclass2	20.07	20.08	20.03	20.80	18.39	18.47	18.62	18.60	18.71	18.75	18.74	19.30	17.27	17.36	17.34	18.10
WCMM Rel 8	DC-HSMA-Subclass3	20.08	20.08	20.08	20.80	18.37	18.37	18.37	18.60	18.68	18.73	18.73	19.30	17.28	17.37	17.37	18.10
WCMM Rel 8	DC-HSMA-Subclass4	20.14	20.08	20.03	20.80	18.34	18.48	18.31	18.60	18.68	18.73	18.70	19.30	17.25	17.39	17.24	18.10
WCMM Rel 6	HSMA-Subclass1	20.05	20.12	20.09	20.80	18.33	18.40	18.30	18.60	18.67	18.73	18.64	19.30	17.33	17.42	17.25	18.10
WCMM Rel 6	HSMA-Subclass2	20.08	20.08	20.08	20.80	18.36	18.36	18.36	18.60	18.68	18.73	18.64	19.30	17.26	17.39	17.34	18.10
WCMM Rel 6	HSMA-Subclass3	20.06	20.11	20.10	20.80	18.31	18.39	18.64	18.60	18.64	18.62	18.67	19.30	17.27	17.44	17.31	18.10
WCMM Rel 6	HSMA-Subclass4	20.05	20.05	20.13	20.80	18.37	18.38	18.43	18.60	18.63	18.67	18.61	19.30	17.25	17.30	17.20	18.10
WCMM Rel 6	HSMA-Subclass5	20.14	20.07	20.07	20.80	18.31	18.32	18.33	18.60	18.64	18.64	18.64	19.30	17.27	17.33	17.31	18.10
WCMM Rel 7	HSMA-Subclass1	20.14	20.07	20.07	20.80	18.39	18.52	18.33	18.60	18.63	18.69	18.68	19.30	17.27	17.37	17.18	18.10
WCMM Rel 7	HSMA-Subclass2	20.14	20.07	20.07	20.80	18.39	18.52	18.33	18.60	18.63	18.69	18.68	19.30	17.27	17.37	17.18	18.10

Band	WCMA-V_Ant				WCMA-V_Ant			
	TX Channel	4130	4182	4293	Time Up (min)	4130	4182	4293
Frequency (MHz)	4080	4087	4092	4097	4080	4087	4092	4097
Rate (Mbps)	800	803	804	806.6	800	803	804	806.6
3GPP Rel 99	AMR 12.2kps	20.25	20.36	20.31	20.30	23.17	23.20	23.22
3GPP Rel 99	AMR 12.2kps	20.32	20.40	20.30	20.30	23.22	23.30	23.26
3GPP Rel 6	HSPA_Subset1	20.27	20.29	20.28	20.27	22.81	22.82	22.83
3GPP Rel 6	HSPA_Subset1	20.32	20.34	20.32	20.30	23.26	23.26	23.29
3GPP Rel 6	HSPA_Subset2	20.29	20.33	20.21	20.83	22.80	22.80	22.89
3GPP Rel 6	HSPA_Subset2	20.37	20.38	20.34	20.31	22.81	22.82	22.83
3GPP Rel 6	DC-HSPA_Subset1	20.30	20.37	20.31	20.30	23.26	23.22	23.36
3GPP Rel 6	DC-HSPA_Subset2	20.29	20.29	20.27	20.27	23.18	23.19	23.19
3GPP Rel 6	DC-HSPA_Subset2	20.31	20.34	20.31	20.30	22.81	22.82	22.83
3GPP Rel 6	HSPA_Subset1	20.21	20.34	20.26	20.27	22.77	22.67	22.73
3GPP Rel 6	HSPA_Subset1	20.18	20.33	20.34	20.34	22.26	22.26	22.29
3GPP Rel 6	HSPA_Subset1	20.27	20.28	20.22	20.22	22.29	22.29	22.29
3GPP Rel 6	HSPA_Subset1	20.17	20.38	20.26	20.26	22.28	22.28	22.28
3GPP Rel 6	HSPA_Subset1	20.22	20.27	20.22	20.20	21.81	21.73	21.83
3GPP Rel 6	HSPA_Subset1	20.17	20.29	20.31	20.29	22.07	22.19	23.15
3GPP Rel 6	HSPA-TS0-AMR12.2kps	20.27	20.27	20.27	20.27	22.81	22.81	22.81

Band 17_Ant 1													
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Mide Ch / Freq	Power High Ch / Freq	Turnup (int / dBm)	MFR (dB)					
Channel													
Frequency (MHz)				22780	23560	23960							
				756	715	711							
10	QPSK	1	0	21.85	21.89	21.82	22.8	0					
10	QPSK	1	25	21.77	21.78	21.78							
10	QPSK	1	49	21.71	21.75	21.75							
10	QPSK	25	0	21.75	21.86	21.56							
10	QPSK	25	12	21.70	21.74	21.79							
10	QPSK	25	25	21.78	21.75	21.71	22.8	0					
10	QPSK	50	0	21.74	21.75	21.72							
10	HQAM	1	0	21.66	21.83	21.71							
10	HQAM	1	25	21.69	21.80	21.78							
10	HQAM	1	49	21.71	21.81	21.79							
10	HQAM	25	0	21.60	21.84	21.76	22.8	0					
10	HQAM	25	12	21.60	21.86	21.79							
10	HQAM	25	25	21.71	21.78	21.79							
10	HQAM	50	0	21.82	21.79	21.80							
10	HQAM	50	0	21.82	21.89	21.84							
10	HQAM	1	25	21.50	21.90	21.50	22.8	0					
10	HQAM	1	49	21.73	21.66	21.60							
10	HQAM	25	0	20.85	20.77	20.83							
10	HQAM	25	12	20.80	20.88	20.80							
10	HQAM	25	25	20.87	20.84	20.86							
10	SSBDM	80	0	20.82	20.81	20.86	21.8	1					
10	SSBDM	1	0	17.77	17.86	17.81							
10	SSBDM	1	25	17.72	17.76	17.81							
10	SSBDM	1	49	17.62	17.76	17.81							
10	SSBDM	25	0	17.72	17.82	17.78							
10	SSBDM	25	12	17.80	17.72	17.86	18.8	4					
10	SSBDM	25	25	17.87	17.74	17.70							
10	SSBDM	80	0	17.60	17.74	17.70							
Channel													
Frequency (MHz)				22785	23560	23960							
				766.5	766	713.5							
5	QPSK	1	0	21.78	21.79	21.77	22.8	0					
5	QPSK	1	12	21.69	21.72	21.74							
5	QPSK	1	24	21.60	21.65	21.68							
5	QPSK	12	0	21.72	21.75	21.78							
5	QPSK	12	7	21.66	21.68	21.67							
5	QPSK	12	13	21.60	21.66	21.63	22.8	0					
5	QPSK	25	0	21.71	21.64	21.63							
5	HQAM	1	0	21.66	21.79	21.68							
5	HQAM	1	12	21.60	21.70	21.73							
5	HQAM	1	24	21.60	21.74	21.78							
5	HQAM	12	0	21.57	21.74	21.69	22.8	0					
5	HQAM	12	7	21.60	21.75	21.77							
5	HQAM	12	13	21.61	21.68	21.68							
5	HQAM	25	0	21.73	21.75	21.85							
5	HQAM	1	0	21.49	21.53	21.59							
5	HQAM	1	12	21.52	21.46	21.35	22.8	0					
5	SSBDM	1	24	21.86	21.82	21.49							
5	SSBDM	12	0	20.77	20.82	20.82							
5	SSBDM	12	7	20.84	20.80	20.79							
5	SSBDM	12	13	20.81	20.80	20.82							
5	SSBDM	1	12	17.80	17.80	17.80	18.8	4					
5	SSBDM	1	24	17.59	17.67	17.80							
5	SSBDM	12	0	17.80	17.79	17.77							
5	SSBDM	12	7	17.44	17.61	17.54							
5	SSBDM	12	13	17.60	17.62	17.68							
5	SSBDM	25	0	17.81	17.89	17.88	18.8	4					

Band 17_Ant 0													
BW (MHz)	Modulation	RE Size	RB Offset	Power Low Ch / Freq	Power Mide Ch / Freq	Power High Ch / Freq	Timeuse (int / dec)	MFR (dB)					
Channel													
Frequency (MHz)				22780	23560	23960							
				7576	7576	7111							
10	QPSK	1	0	20.35	20.35	20.38	21.3	0					
10	QPSK	1	25	20.17	20.25	20.13							
10	QPSK	1	49	20.17	20.32	20.15							
10	QPSK	25	0	20.25	20.35	20.38							
10	QPSK	25	12	20.10	20.32	20.22							
10	QPSK	25	25	20.25	20.22	20.15	21.3	0					
10	QPSK	50	0	20.25	20.26	20.22							
10	HQAM	1	0	20.28	20.22	20.21							
10	HQAM	1	25	20.10	20.30	20.14							
10	HQAM	1	49	20.27	20.33	20.26							
10	HQAM	25	0	20.10	20.25	20.18	21.3	0					
10	HQAM	25	12	20.20	20.28	20.26							
10	HQAM	25	25	20.19	20.27	20.22							
10	HQAM	50	0	20.15	20.22	20.15							
10	HQAM	50	0	20.26	20.26	20.14							
10	HQAM	1	25	20.18	20.35	20.15	21.3	0					
10	HQAM	1	49	20.18	20.28	20.19							
10	HQAM	25	0	20.23	20.22	20.22							
10	HQAM	25	12	20.20	20.25	20.24							
10	HQAM	25	25	20.18	20.27	20.22							
10	HQAM	50	0	20.22	20.32	20.16	21.3	0					
10	SSBDM	1	0	17.37	17.38	17.24							
10	SSBDM	1	25	17.16	17.25	17.15							
10	SSBDM	1	49	17.16	17.24	17.18							
10	SSBDM	25	0	17.19	17.34	17.30							
10	SSBDM	25	12	17.32	17.28	17.27	18.3	3					
10	SSBDM	25	25	17.19	17.34	17.30							
10	SSBDM	80	0	17.20	17.34	17.26							
Channel													
Frequency (MHz)				22785	23560	23960							
				7566.5	7570	7113.5							
5	QPSK	1	0	20.37	20.32	20.18	21.3	0					
5	QPSK	1	12	20.07	20.21	20.02							
5	QPSK	1	24	20.07	20.23	20.16							
5	QPSK	12	0	20.14	20.20	20.20							
5	QPSK	12	7	20.00	20.28	20.13							
5	QPSK	12	13	20.10	20.28	20.01	21.3	0					
5	HQAM	1	0	20.28	20.10	20.15							
5	HQAM	1	12	20.14	20.17	20.10							
5	HQAM	1	24	20.18	20.31	20.19							
5	HQAM	12	0	20.04	20.15	20.10							
5	HQAM	12	7	20.07	20.20	20.22	21.3	0					
5	HQAM	12	13	20.10	20.22	20.16							
5	HQAM	25	0	20.04	20.09	20.00							
5	HQAM	1	0	20.12	20.25	19.99							
5	HQAM	1	12	20.00	20.25	20.07							
5	HQAM	1	24	20.10	20.22	20.08	21.3	0					
5	SSBDM	12	0	20.22	20.10	20.16							
5	SSBDM	12	7	20.20	20.15	20.16							
5	SSBDM	12	13	20.04	20.16	20.07							
5	SSBDM	1	0	17.27	17.38	17.21							
5	SSBDM	1	12	17.27	17.38	17.21							
5	SSBDM	1	24	17.06	17.17	17.12	18.3	3					
5	SSBDM	12	0	17.26	17.25	17.24							
5	SSBDM	12	7	17.30	17.22	17.24							
5	SSBDM	12	13	17.17	17.31	17.16							

Band 66_Ant 5														
BW (MHz)	Modulation	RE Size	RB Offset	Power Low Ch / Freq	Power Middle Ch / Freq	Power High Ch / Freq	Time-use int (sec)	MPR (dB)						
Channel														
Frequency (MHz)				12072	12072	12072								
				1745	1745	1745								
20	QPSK	1	0	20.15	20.24	20.18	21	0						
20	QPSK	1	48	20.07	20.20	20.03								
20	QPSK	1	96	20.03	20.13	19.92								
20	QPSK	50	0	20.15	20.20	20.15								
20	QPSK	50	24	20.12	20.09	20.10								
20	QPSK	50	50	20.05	20.10	20.05	21	0						
20	QPSK	100	0	20.13	20.18	20.13								
20	HQDM	1	0	20.03	20.17	20.12								
20	HQDM	1	48	20.13	20.18	20.18								
20	HQDM	1	96	20.00	20.15	20.08								
20	HQDM	50	0	20.10	20.21	20.05	21	0						
20	HQDM	50	24	20.10	20.21	20.07								
20	HQDM	50	50	20.11	20.11	20.06								
20	HQDM	100	0	20.05	20.15	20.07								
20	HQDM	1	0	20.00	20.22	20.15								
20	HQDM	1	48	20.02	20.23	20.05	21	0						
20	HQDM	1	96	20.10	20.12	20.03								
20	HQDM	50	0	20.11	20.22	20.17								
20	HQDM	50	24	20.10	20.14	20.05								
20	HQDM	50	50	20.07	20.21	20.11								
20	HQDM	100	0	20.00	20.15	20.14	21	0						
20	SSBQAM	1	0	19.97	19.10	19.07								
20	SSBQAM	1	48	18.91	18.95	18.92								
20	SSBQAM	1	96	18.91	18.94	18.91								
20	SSBQAM	50	0	18.90	18.98	18.91								
20	SSBQAM	50	24	18.90	18.96	18.92	20	1						
20	SSBQAM	50	50	18.93	18.96	18.92								
20	SSBQAM	50	96	18.93	18.94	18.97								
20	SSBQAM	100	0	18.84	18.95	18.92								
Channel <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>														
Frequency (MHz)				1717.2	17445	1777.3								
15	QPSK	1	0	20.10	20.17	20.03	21	0						
15	QPSK	1	37	20.01	20.11	19.93								
15	QPSK	1	74	19.85	20.09	19.97								
15	QPSK	36	0	20.08	20.09	20.01								
15	QPSK	36	20	20.08	20.08	20.08								
15	QPSK	36	36	20.08	20.08	20.08	21	0						
15	QPSK	75	0	20.03	20.16	20.04								
15	HQDM	1	0	19.80	20.12	19.98								
15	HQDM	1	37	20.02	20.13	20.04								
15	HQDM	1	74	19.90	20.01	19.96								
15	HQDM	36	0	20.04	20.10	19.90	21	0						
15	HQDM	36	20	20.01	20.10	19.90								
15	HQDM	36	36	20.00	20.09	19.94								
15	HQDM	75	0	20.04	20.00	19.99								
15	HQDM	1	0	20.01	20.08	19.93								
15	HQDM	1	37	19.97	20.09	20.01	21	0						
15	HQDM	1	74	19.87	20.08	19.97								
15	HQDM	36	0	20.00	20.11	19.98								
15	HQDM	36	20	20.00	19.99	19.92								
15	HQDM	36	36	19.95	20.02	20.03								
15	SSBQAM	1	0	19.92	19.90	19.95	21	0						
15	SSBQAM	1	48	18.85	18.95	18.90								
15	SSBQAM	1	96	18.85	18.91	18.96								
15	SSBQAM	50	0	18.80	18.89	18.90								
15	SSBQAM	50	24	18.80	18.87	18.86								
15	SSBQAM	50	50	18.79	18.91	18.94	20	1						
15	SSBQAM	50	96	18.79	18.91	18.94								
15	SSBQAM	75	0	18.78	18.85	18.80								
Channel <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>														
Frequency (MHz)				1717.2	17445	1777.3								
10	QPSK	1	0	20.10	20.12	20.14	21	0						
10	QPSK	1	25	19.98	20.10	19.92								
10	QPSK	1	48	19.91	20.11	19.92								
10	QPSK	25	0	20.02	20.07	20.07								
10	QPSK	25	12	20.03	19.97	20.05								
10	QPSK	25	25	19.91	20.18	19.96	21	0						
10	QPSK	50	0	20.04	20.08	20.04								
10	HQDM	1	0	19.95	20.15	19.98								
10	HQDM	1	25	20.04	20.07	20.02								
10	HQDM	1	48	19.86	20.05	20.07								
10	HQDM	25	0	20.06	20.07	20.04	21	0						
10	HQDM	25	12	20.05	20.20	19.94								
10	HQDM	25	25	20.10	20.04	20.04								
10	HQDM	50	0	19.97	20.09	19.96								
10	HQDM	1	0	20.00	20.16	20.03								
10	HQDM	1	25	19.92	20.15	19.96	21	0						
10	HQDM	1	48	19.87	20.07	19.97								
10	HQDM	25	0	20.05	20.07	20.16								
10	HQDM	25	12	20.02	19.99	19.94								
10	HQDM	25	25	19.97	20.10	20.08								
10	SSBQAM	1	0	19.86	19.93	19.94	21	0						
10	SSBQAM	1	48	18.79	18.86	18.79								
10	SSBQAM	1	96	18.79	18.93	18.89								
10	SSBQAM	25	0	18.80	18.89	18.78								
10	SSBQAM	25	12	18.87	18.92	18.86								
10	SSBQAM	25	25	18.85	18.92	18.82	20	1						
10	SSBQAM	50	0	18.73	18.88	18.84								
Channel <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>														
Frequency (MHz)				1711.9	17445	1777.3								
5	QPSK	1	0	20.00	20.09	20.07	21	0						
5	QPSK	1	12	20.08	20.07	19.96								
5	QPSK	1	24	19.85	19.98	19.97								
5	QPSK	12	0	20.08	20.07	20.13								
5	QPSK	12	7	19.98	20.04	20.07								
5	QPSK	12	13	19.90	20.18	19.96	21	0						
5	QPSK	25	0	20.00	20.15	20.09								
5	HQDM	1	0	19.88	20.10	19.98								
5	HQDM	1	12	19.90	20.07	19.95								
5	HQDM	1	24	19.92	20.00	20.06								
5	HQDM	12	0	20.02	20.15	20.01	21	0						
5	HQDM	12	7	20.00	20.19	19.92								
5	HQDM	12	13	20.00	19.98	19.94								
5	HQDM	25	0	20.04	20.14	20.03								
5	HQDM													

Band 41(HPUe)_Ant 11														
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Low Middle Ch./Freq.	Power Low High Ch./Freq.	Power High Middle Ch./Freq.	Power High Low Ch./Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel														
Frequency (MHz)				39750	40165	40620	41065	41490						
20	QPSK	1	0	19.30	19.33	19.33	19.42	19.40	19.39	20.2	0			
20	QPSK	1	49	19.23	19.33	19.41	19.36	19.27						
20	QPSK	1	99	19.31	19.33	19.33	19.25	19.27						
20	QPSK	50	0	19.35	19.35	19.40	19.36	19.38						
20	QPSK	50	24	19.31	19.32	19.30	19.27	19.36						
20	QPSK	50	50	19.25	19.24	19.35	19.26	19.29		20.2	0			
20	QPSK	100	0	19.32	19.28	19.38	19.31	19.27						
20	16QAM	1	0	19.31	19.26	19.27	19.31	19.26						
20	16QAM	1	49	19.35	19.30	19.28	19.33	19.32						
20	16QAM	1	99	19.36	19.21	19.33	19.33	19.25						
20	16QAM	50	0	19.24	19.25	19.30	19.32	19.30		20.2	0			
20	16QAM	50	24	19.35	19.26	19.31	19.27	19.33						
20	16QAM	50	50	19.36	19.22	19.40	19.30	19.28						
20	16QAM	100	0	19.24	19.28	19.29	19.30	19.29						
20	64QAM	1	0	19.30	19.21	19.38	19.31	19.31						
20	64QAM	1	49	19.30	19.20	19.36	19.35	19.37		20.2	0			
20	64QAM	1	99	19.34	19.28	19.33	19.31	19.24						
20	64QAM	50	0	19.27	19.23	19.33	19.33	19.33						
20	64QAM	50	24	19.33	19.27	19.29	19.28	19.25						
20	64QAM	50	50	19.23	19.24	19.36	19.37	19.38						
20	64QAM	100	0	19.30	19.20	19.40	19.25	19.31		20.2	0			
20	256QAM	1	0	19.34	19.32	19.27	19.26	19.18						
20	256QAM	1	49	19.29	19.26	19.30	19.32	19.37						
20	256QAM	1	99	19.27	19.33	19.33	19.33	19.24						
20	256QAM	50	0	19.29	19.23	19.29	19.26	19.26						
20	256QAM	50	24	19.29	19.20	19.36	19.38	19.38		20.2	0			
20	256QAM	50	50	19.36	19.30	19.38	19.26	19.36						
20	256QAM	100	0	19.37	19.24	19.40	19.26	19.35						
Channel														
Frequency (MHz)				39725	40173	40620	41068	41515	Tune-up limit (dBm)	MPR (dB)				
15	QPSK	1	0	19.29	19.26	19.29	19.28	19.27	20.2	0				
15	QPSK	1	37	19.36	19.20	19.34	19.27	19.13						
15	QPSK	1	74	19.22	19.27	19.23	19.10	19.20						
15	QPSK	36	0	19.33	19.29	19.26	19.34	19.30						
15	QPSK	36	20	19.24	19.25	19.16	19.25	19.14						
15	QPSK	36	39	19.22	19.23	19.27	19.15	19.14		20.2	0			
15	QPSK	75	0	19.24	19.23	19.27	19.26	19.18						
15	16QAM	1	0	19.19	19.21	19.15	19.24	19.17						
15	16QAM	1	37	19.21	19.23	19.23	19.36	19.29						
15	16QAM	1	74	19.33	19.13	19.31	19.28	19.16						
15	16QAM	36	0	19.36	19.35	19.26	19.32	19.32		20.2	0			
15	16QAM	36	20	19.24	19.23	19.16	19.14	19.18						
15	16QAM	36	39	19.21	19.09	19.35	19.24	19.24						
15	16QAM	75	0	19.17	19.14	19.23	19.15	19.17						
15	64QAM	1	0	19.23	19.13	19.24	19.16	19.26						
15	64QAM	1	37	19.18	19.05	19.36	19.27	19.18		20.2	0			
15	64QAM	1	74	19.20	19.19	19.32	19.26	19.15						
15	64QAM	36	0	19.12	19.18	19.24	19.21	19.21						
15	64QAM	36	20	19.32	19.15	19.21	19.15	19.11						
15	64QAM	36	39	19.15	19.14	19.29	19.22	19.32						
15	64QAM	75	0	19.25	19.09	19.37	19.15	19.27		20.2	0			
15	256QAM	1	0	19.26	19.17	19.36	19.29	19.18						
15	256QAM	1	37	19.20	19.21	19.28	19.30	19.25						
15	256QAM	1	74	19.21	19.31	19.24	19.27	19.16						
15	256QAM	1	99	19.25	19.09	19.17	19.18	19.18						
15	256QAM	36	20	19.18	19.09	19.24	19.30	19.34		20.2	0			
15	256QAM	36	39	19.23	19.29	19.31	19.20	19.21						
15	256QAM	75	0	19.31	19.20	19.32	19.11	19.27						
Channel														
Frequency (MHz)				39700	40160	40620	41080	41540	Tune-up limit (dBm)	MPR (dB)				
10	QPSK	1	0	19.37	19.26	19.35	19.39	19.27	20.2	0				
10	QPSK	1	25	19.20	19.25	19.34	19.23	19.17						
10	QPSK	1	49	19.30	19.21	19.32	19.11	19.12						
10	QPSK	25	0	19.34	19.22	19.39	19.28	19.31						
10	QPSK	25	12	19.21	19.31	19.27	19.23	19.26						
10	QPSK	25	25	19.18	19.13	19.24	19.12	19.15		20.2	0			
10	QPSK	50	0	19.26	19.15	19.29	19.16	19.16						
10	16QAM	1	0	19.29	19.21	19.26	19.30	19.22						
10	16QAM	1	25	19.33	19.24	19.31	19.30	19.22						
10	16QAM	1	49	19.33	19.14	19.32	19.20	19.23						
10	16QAM	25	0	19.21	19.10	19.25	19.30	19.26		20.2	0			
10	16QAM	25	12	19.29	19.18	19.20	19.22	19.29						
10	16QAM	25	25	19.32	19.16	19.31	19.17	19.16						
10	16QAM	50	0	19.21	19.16	19.34	19.16	19.20						
10	64QAM	1	25	19.15	19.17	19.34	19.27	19.34						
10	64QAM	1	49	19.33	19.19	19.27	19.30	19.09		20.2	0			
10	64QAM	25	0	19.22	19.23	19.22	19.28	19.22						
10	64QAM	25	12	19.28	19.19	19.18	19.13	19.13						
10	64QAM	25	25	19.16	19.13	19.24	19.32	19.33						
10	64QAM	50	0	19.20	19.07	19.27	19.15	19.17						
10	256QAM	1	0	19.23	19.30	19.38	19.38	19.19		20.2	0			
10	256QAM	1	25	19.14	19.24	19.21	19.18	19.30						
10	256QAM	1	49	19.22	19.29	19.21	19.28	19.22						
10	256QAM	25	0	19.16	19.21	19.28	19.22	19.19						
10	256QAM	25	12	19.17	19.11	19.32	19.36	19.33						
10	256QAM	25	25	19.29	19.29	19.32	19.18	19.33		20.2	0			
10	256QAM	50	0	19.35	19.11	19.37	19.17	19.30						
Channel														
Frequency (MHz)				39675	40148	40620	41093	41565	Tune-up limit (dBm)	MPR (dB)				
5	QPSK	1	0	19.31	19.25	19.29	19.34	19.29	20.2	0				
5	QPSK	1	12	19.16	19.18	19.26	19.32	19.25						
5	QPSK	1	24	19.30	19.19	19.18	19.16	19.26						
5	QPSK	12	0	19.34	19.24	19.32	19.32	19.23						
5	QPSK	12	7	19.25	19.20	19.28	19.14	19.21						
5	QPSK	12	13	19.23	19.09	19.23	19.20	19.25		20.2	0			
5	QPSK	25	0	19.21	19.24	19.29	19.18	19.21						
5	16QAM	1	0	19.21	19.13	19.21	19.19	19.22						
5	16QAM	1	12	19.21	19.25	19.18	19.33	19.20						
5	16QAM	1	24	19.23	19.07	19.26	19.21	19.10						
5	16QAM	12	0	19.20										

GSM850_Ant 0	Burst Average Power (dBm)				Frame Average Power (dBm)			
	TX Channel	512	589	651	Limit	512	589	651
Frequency (MHz)	924.2	936.4	948.8	960.8	924.2	936.4	948.8	960.8
GSM 1 Tx slot	29.45	29.53	29.52	30.10	20.45	20.53	20.52	21.10
GPRS-EDGE(GMSK) 1 Tx slot	28.42	28.50	28.42	30.10	20.42	20.50	20.42	21.10
GPRS-EDGE(GMSK) 2 Tx slots	26.34	26.45	26.42	27.60	20.34	20.45	20.42	21.60
GPRS-EDGE(GMSK) 3 Tx slots	24.37	24.52	24.48	26.10	20.11	20.26	20.22	21.84
GPRS-EDGE(GMSK) 4 Tx slots	23.31	23.40	23.39	24.60	20.31	20.40	20.39	21.60
EDGE 1 Tx slot	26.28	26.30	26.35	26.80	17.28	17.30	17.35	17.80
EDGE 2 Tx slot	25.20	25.25	25.18	25.60	18.20	18.25	18.18	19.60
EDGE 3 Tx slot	23.03	23.03	22.98	23.60	18.74	18.77	18.72	19.34
EDGE 4 Tx slot	21.43	21.45	21.37	22.10	18.43	18.45	18.37	19.10

Reduced Power Mode for ECI 10

GSM850_Ant 1	Burst Average Power (dBm)				Frame Average Power (dBm)			
	TX Channel	512	589	651	Limit	512	589	651
Frequency (MHz)	924.2	936.4	948.8	960.8	924.2	936.4	948.8	960.8
GSM 1 Tx slot	32.16	32.17	32.05	33.50	23.16	23.17	23.05	24.50
GPRS-EDGE(GMSK) 1 Tx slot	32.12	32.15	32.01	33.50	23.12	23.15	23.01	24.50
GPRS-EDGE(GMSK) 2 Tx slots	29.59	29.70	29.65	31.00	23.59	23.70	23.65	25.00
GPRS-EDGE(GMSK) 3 Tx slots	28.01	28.13	28.05	29.50	23.75	23.87	23.79	25.24
GPRS-EDGE(GMSK) 4 Tx slots	26.34	27.08	26.97	28.00	23.94	24.08	23.97	25.00
EDGE 1 Tx slot	26.17	26.30	26.20	27.20	17.17	17.30	17.20	18.20
EDGE 2 Tx slot	25.00	25.12	25.00	26.00	19.00	19.12	19.00	20.00
EDGE 3 Tx slot	22.95	22.96	22.88	24.00	18.69	18.70	18.62	19.74
EDGE 4 Tx slot	21.23	21.25	21.20	22.50	18.23	18.25	18.20	19.50

GSM1900_Ant 5	Burst Average Power (dBm)				Frame Average Power (dBm)			
	TX Channel	512	661	810	Limit	512	661	810
Frequency (MHz)	1852.2	1862.2	1872.2	1882.2	1852.2	1862.2	1872.2	1882.2
GSM 1 Tx slot	29.83	29.83	29.85	30.50	20.83	20.83	20.85	21.50
GPRS-EDGE(GMSK) 1 Tx slot	29.78	29.80	29.78	30.50	20.78	20.80	20.78	21.50
GPRS-EDGE(GMSK) 2 Tx slots	27.27	27.42	27.31	28.50	21.27	21.42	21.31	22.50
GPRS-EDGE(GMSK) 3 Tx slots	25.77	25.83	25.73	26.50	21.51	21.57	21.47	22.24
GPRS-EDGE(GMSK) 4 Tx slots	24.61	24.65	24.53	25.00	21.61	21.65	21.53	22.00
EDGE 1 Tx slot	25.64	25.70	25.56	26.50	18.64	18.70	18.56	17.50
EDGE 2 Tx slot	23.63	23.85	23.82	24.50	17.83	17.85	17.82	18.50
EDGE 3 Tx slot	21.62	21.70	21.57	22.50	17.38	17.44	17.31	18.24
EDGE 4 Tx slot	20.62	20.69	20.65	21.50	17.62	17.69	17.65	18.50

GSM1900_Ant 6	Burst Average Power (dBm)				Frame Average Power (dBm)			
	TX Channel	512	661	810	Limit	512	661	810
Frequency (MHz)	1852.2	1862.2	1872.2	1882.2	1852.2	1862.2	1872.2	1882.2
GSM 1 Tx slot	25.45	25.49	25.43	25.70	16.45	16.49	16.43	16.70
GPRS-EDGE(GMSK) 1 Tx slot	25.41	25.45	25.37	25.70	16.41	16.45	16.37	16.70
GPRS-EDGE(GMSK) 2 Tx slots	22.31	22.40	22.30	23.70	16.31	16.40	16.30	17.70
GPRS-EDGE(GMSK) 3 Tx slots	20.50	20.62	20.50	21.70	16.26	16.36	16.20	17.44
GPRS-EDGE(GMSK) 4 Tx slots	19.30	19.33	19.24	20.20	16.30	16.33	16.24	17.20
EDGE 1 Tx slot	24.71	24.85	24.75	25.20	15.71	15.85	15.75	16.20
EDGE 2 Tx slot	21.71	21.85	21.83	22.20	15.71	15.85	15.83	16.20
EDGE 3 Tx slot	19.30	19.32	19.70	20.20	15.64	15.66	15.53	15.94
EDGE 4 Tx slot	18.37	18.40	18.36	18.70	15.37	15.40	15.36	15.70

Band	WCDMA IV_Ant 5				WCDMA IV_Ant 6			
	TX Channel	9652	9450	9638	Limit	9652	9450	9638
Frequency (MHz)	1852.4	1860	1867.6	1874	1852.4	1860	1867.6	1874
3GPP Rel 99	AMR 12.2Kbps	23.03	23.08	23.00	23.80	15.28	15.27	15.32
3GPP Rel 99	RMC 12.2Kbps	23.05	23.10	23.02	23.80	15.32	15.40	15.36
3GPP Rel 6	HSDPA Subtest-1	21.96	22.99	22.50	22.80	15.21	15.36	15.29
3GPP Rel 6	HSDPA Subtest-2	22.90	22.97	21.97	22.80	15.26	15.36	15.30
3GPP Rel 6	HSDPA Subtest-3	21.86	21.60	21.51	22.30	15.18	15.35	15.30
3GPP Rel 6	HSDPA Subtest-4	21.48	21.56	21.49	22.30	15.24	15.27	15.30
3GPP Rel 6	DC-HSDPA Subtest-1	21.88	22.06	21.96	22.80	15.21	15.25	15.33
3GPP Rel 6	DC-HSDPA Subtest-2	21.88	22.02	21.90	22.80	15.20	15.37	15.35
3GPP Rel 6	DC-HSDPA Subtest-3	21.58	21.57	21.42	22.30	15.30	15.36	15.28
3GPP Rel 6	DC-HSDPA Subtest-4	21.20	21.42	21.40	22.30	15.17	15.31	15.26
3GPP Rel 6	HSPA Subtest-1	21.05	21.12	21.04	22.50	15.26	15.28	15.20
3GPP Rel 6	HSPA Subtest-2	21.04	21.10	21.05	22.80	15.22	15.28	15.34
3GPP Rel 6	HSPA Subtest-3	21.06	21.13	21.05	22.80	15.29	15.38	15.25
3GPP Rel 6	HSPA Subtest-4	20.55	20.65	20.60	22.30	15.24	15.35	15.30
3GPP Rel 6	HSPA Subtest-5	22.00	22.10	22.00	23.80	15.23	15.38	15.23
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	21.07	21.10	21.04	22.30	15.30	15.36	15.23

Band	WCDMA IV_Ant 5				WCDMA IV_Ant 6				WCDMA IV_Ant 1				WCDMA IV_Ant 7			
	TX Channel	1312	1413	1513	Limit	1312	1413	1513	Limit	1312	1413	1513	Limit	1312	1413	1513
Frequency (MHz)	1712.4	1722.6	1732.6	1742.6	1712.4	1722.6	1732.6	1742.6	1712.4	1722.6	1732.6	1742.6	1712.4	1722.6	1732.6	1742.6
3GPP Rel 99	AMR 12.2Kbps	24.08	24.12	24.10	24.80	14.90	14.90	14.88	15.40	16.18	16.19	16.22	16.80	15.26	15.39	15.23
3GPP Rel 99	RMC 12.2Kbps	24.12	24.15	24.13	24.80	14.88	14.94	14.85	15.40	16.22	16.23	16.26	16.80	15.32	15.42	15.35
3GPP Rel 6	HSDPA Subtest-1	23.17	23.18	23.16	23.80	14.73	14.89	14.81	15.40	16.15	16.19	16.17	16.80	15.22	15.36	15.30
3GPP Rel 6	HSDPA Subtest-2	23.13	23.11	23.14	23.80	14.77	14.88	14.77	15.40	16.19	16.27	16.22	16.80	15.30	15.29	15.22
3GPP Rel 6	HSDPA Subtest-3	22.70	22.63	22.71	23.30	14.87	14.88	14.81	15.40	16.07	16.24	16.15	16.80	15.24	15.36	15.21
3GPP Rel 6	HSDPA Subtest-4	22.63	22.62	22.65	23.30	14.74	14.85	14.81	15.40	16.16	16.20	16.14	16.80	15.31	15.30	15.21
3GPP Rel 6	DC-HSDPA Subtest-1	22.11	22.07	22.10	23.80	14.83	14.82	14.80	15.40	16.06	16.14	16.24	16.80	15.26	15.28	15.10
3GPP Rel 6	DC-HSDPA Subtest-2	22.04	22.08	22.06	23.80	14.80	14.77	14.79	15.40	16.14	16.23	16.11	16.80	15.23	15.27	15.26
3GPP Rel 6	DC-HSDPA Subtest-3	22.84	22.59	22.62	23.30	14.76	14.78	14.70	15.40	16.17	16.21	16.19	16.80	15.30	15.37	15.23
3GPP Rel 6	DC-HSDPA Subtest-4	22.51	22.50	22.50	23.30	14.84	14.75	14.75	15.40	16.16	16.26	16.16	16.80	15.22	15.40	15.21
3GPP Rel 6	HSPA Subtest-1	22.18	22.14	22.22	22.80	14.83	14.78	14.71	15.40	16.14	16.24	16.20	16.80	15.17	15.33	15.20
3GPP Rel 6	HSPA Subtest-2	22.21	22.16	22.25	22.80	14.85	14.89	14.75	15.40	16.20	16.23	16.19	16.80	15.26	15.33	15.32
3GPP Rel 6	HSPA Subtest-3	22.21	22.15	22.18	22.80	14.80	14.83	14.75	15.40	16.21	16.27	16.14	16.80	15.30	15.36	15.28
3GPP Rel 6	HSPA Subtest-4	21.70	21.70	21.72	22.30	14.76	14.77	14.80	15.40	16.07	16.14	16.17	16.80	15.31	15.28	15.31
3GPP Rel 6	HSPA Subtest-5	23.20	23.20	23.20	23.80	14.78	14.85	14.81	15.40	16.17	16.18	16.15	16.80	15.20	15.38	15.23
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	21.98	22.09	22.05	23.80	14.83	14.75	14.75	15.40	16.19	16.16	16.20	16.80	15.28	15.36	15.25

Band	WCDMA V_Ant 0				WCDMA V_Ant 1			
	TX Channel	4192	4182	4233	Limit	4192	4182	4233
Frequency (MHz)	826.4	836.4	846.6	856.6	826.4	836.4	846.6	856.6
3GPP Rel 99	AMR 12.2Kbps	22.18	22.37	22.32	22.90	24.20	24.23	24.25
3GPP Rel 99	RMC 12.2Kbps	22.23	22.40	22.36	22.90	24.24	24.26	24.27
3GPP Rel 6	HSDPA Subtest-1	22.18	22.31	22.30	22.90	23.30	23.34	23.33
3GPP Rel 6	HSDPA Subtest-2	22.29	22.31	22.28	22.90	23.29	23.26	23.29
3GPP Rel 6	HSDPA Subtest-3	22.21	22.27	22.29	22.90	22.63	22.80	22.89
3GPP Rel 6	HSDPA Subtest-4	22.23	22.35	22.34	22.90	22.61	22.73	22.85
3GPP Rel 6	DC-HSDPA Subtest-1	22.27	22.32	22.23	22.90	23.26	23.22	23.26
3GPP Rel 6	DC-HSDPA Subtest-2	22.23	22.31	22.21	22.90	23.18	23.19	23.19
3GPP Rel 6	DC-HSDPA Subtest-3	22.25	22.30	22.28	22.90	22.72	22.75	22.77
3GPP Rel 6	DC-HSDPA Subtest-4	22.25	22.31	22.30	22.90	22.73	22.67	22.73
3GPP Rel 6	HSPA Subtest-1	21.84	21.82	21.86	22.40	22.25	22.25	22.29
3GPP Rel 6	HSPA Subtest-2	21.83	21.83	21.85	22.40	22.28	22.28	22.28
3GPP Rel 6	HSPA Subtest-3	21.84	21.84	21.86	22.40	22.29	22.27	22.28
3GPP Rel 6	HSPA Subtest-4	21.38	21.34	21.36	21.90	21.61	21.75	21.83
3GPP Rel 6	HSPA Subtest-5	22.26	22.37	22.30	22.90	23.30	23.30	23.30
3GPP Rel 7	HSPA+ (16QAM) Subtest-1	21.75	21.86	21.84	22.90	22.25	22.31	22.21



Band 2_Ant 5									
RF (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Mode Ch / Freq	Power High Ch / Freq	Turn-on Time (min)	MFR (dB)	
Channel									
Frequency (MHz)									
20	QPSK	1	0	13.13	23.24	23.13	23.8	0	
20	QPSK	1	48	23.19	23.17	23.01			
20	QPSK	1	96	23.09	23.07	22.91			
20	QPSK	50	0	22.86	22.74	22.70			
20	QPSK	50	24	22.82	22.71	22.64			
20	QPSK	50	48	22.81	22.69	22.64			
20	QPSK	100	0	22.82	22.70	22.61			
20	WQAM	1	0	23.18	22.86	23.16	23.3	0.5	
20	WQAM	1	48	23.09	23.17	23.06			
20	WQAM	1	96	22.90	22.88	22.94			
20	WQAM	50	24	22.74	22.75	22.72			
20	WQAM	50	48	22.79	22.74	22.67			
20	WQAM	100	0	22.13	22.20	22.17			
20	WQAM	100	0	21.71	21.90	21.83			
20	WQAM	1	48	21.71	21.81	21.87			
20	WQAM	1	96	21.69	21.66	21.76			
20	WQAM	50	0	21.19	21.20	21.11			
20	WQAM	50	24	21.15	21.21	21.10			
20	WQAM	50	48	21.14	21.12	21.08			
20	WQAM	100	0	21.19	21.17	21.11			
20	WQAM	1	0	17.21	17.35	17.20			
20	WQAM	1	48	17.28	17.28	17.28			
20	WQAM	1	96	17.28	17.28	17.21			
20	WQAM	50	0	17.19	17.21	17.19			
20	WQAM	50	24	17.19	17.21	17.22			
20	WQAM	50	48	17.20	17.25	17.21			
20	WQAM	100	0	17.19	17.27	17.17			
Channel									
Frequency (MHz)									
15	QPSK	1	0	22.99	23.04	22.87	23.8	0	
15	QPSK	1	48	23.01	23.14	23.02			
15	QPSK	1	96	23.06	23.07	22.91			
15	QPSK	36	0	22.84	22.83	22.69			
15	QPSK	36	20	22.85	22.81	22.59			
15	QPSK	36	40	22.85	22.82	22.69			
15	QPSK	75	0	22.80	22.85	22.80			
15	WQAM	1	0	23.14	22.81	23.04	23.3	0.5	
15	WQAM	1	48	23.03	23.02	22.84			
15	WQAM	1	96	22.80	22.80	22.82			
15	WQAM	36	0	22.13	22.06	22.17			
15	WQAM	36	20	22.15	22.09	22.06			
15	WQAM	36	40	22.12	22.03	21.95			
15	WQAM	75	0	22.08	22.19	22.16			
15	WQAM	75	0	21.60	21.76	21.75			
15	WQAM	1	48	21.62	21.71	21.83			
15	WQAM	1	96	21.67	21.79	21.70			
15	WQAM	36	0	21.04	21.12	21.09			
15	WQAM	36	20	21.14	21.14	21.04			
15	WQAM	36	40	20.99	21.01	20.94			
15	WQAM	75	0	21.06	21.13	21.07			
15	WQAM	1	0	17.19	17.24	17.18			
15	WQAM	1	48	17.17	17.22	17.18			
15	WQAM	1	96	17.16	17.23	17.14			
15	WQAM	36	0	17.05	17.14	17.04			
15	WQAM	36	20	17.05	17.14	17.04			
15	WQAM	36	40	17.10	17.13	17.16			
15	WQAM	75	0	17.08	17.25	17.15			
Channel									
Frequency (MHz)									
10	QPSK	1	0	22.97	23.05	22.98	23.8	0	
10	QPSK	1	25	23.01	23.11	23.11			
10	QPSK	1	50	23.06	23.07	22.91			
10	QPSK	25	0	22.81	22.89	22.81			
10	QPSK	25	12	22.82	22.85	22.59			
10	QPSK	25	37	22.83	22.84	22.60			
10	QPSK	50	0	22.81	22.87	22.86			
10	WQAM	1	0	23.17	22.83	22.96	23.3	0.5	
10	WQAM	1	48	23.07	23.11	23.01			
10	WQAM	1	49	22.79	22.79	22.86			
10	WQAM	25	0	22.06	22.07	22.06			
10	WQAM	25	13	22.08	22.13	22.09			
10	WQAM	25	26	22.11	22.11	21.96			
10	WQAM	50	0	21.98	22.09	22.02			
10	WQAM	50	0	21.61	21.79	21.68			
10	WQAM	1	25	21.63	21.75	21.79			
10	WQAM	1	49	21.68	21.75	21.67			
10	WQAM	25	0	21.03	21.10	21.06			
10	WQAM	25	12	21.10	21.19	21.07			
10	WQAM	25	50	21.10	21.11	21.03			
10	WQAM	50	0	20.95	21.12	21.00			
10	WQAM	1	0	17.20	17.20	17.19			
10	WQAM	1	25	17.21	17.19	17.22			
10	WQAM	1	49	17.11	17.21	17.10			
10	WQAM	25	0	17.12	17.15	17.12			
10	WQAM	25	12	17.05	17.14	17.04			
10	WQAM	25	50	17.05	17.15	17.15			
10	WQAM	50	0	17.13	17.23	17.12			
Channel									
Frequency (MHz)									
5	QPSK	1	0	22.99	23.08	22.90	23.8	0	
5	QPSK	1	12	23.08	23.17	23.04			
5	QPSK	1	25	23.01	23.06	22.91			
5	QPSK	12	0	22.89	22.81	22.55			
5	QPSK	12	7	22.81	22.89	22.51			
5	QPSK	12	14	22.87	22.90	22.58			
5	QPSK	25	0	22.84	22.85	22.57			
5	WQAM	1	0	23.04	22.73	23.03	23.3	0.5	
5	WQAM	1	25	23.06	23.02	23.04			
5	WQAM	1	24	22.88	22.84	22.83			
5	WQAM	12	0	22.04	22.15	22.07			
5	WQAM	12	14	22.00	22.14	22.08			
5	WQAM	12	13	22.14	22.10	21.95			
5	WQAM	25	0	22.01	22.11	22.06			
5	WQAM	25	0	21.58	21.68	21.69			
5	WQAM	1	12	21.63	21.69	21.77			
5	WQAM	1	24	21.59	21.75	21.61			
5	WQAM	12	0	21.11	21.18	21.13			
5	WQAM	12	7	21.01	21.09	21.05			
5	WQAM	12	13	21.12	21.02	21.01			
5	WQAM	25	0	20.97	21.04	21.07			
5	WQAM	1	0	17.08	17.27	17.12			
5	WQAM	1	12	17.11	17.20	17.19			
5	WQAM	12	0	17.12	17.14	17.08			
5	WQAM	12	13	17.05	17.14	17.04			
5	WQAM	12	13	17.16	17.21	17.09			
5	WQAM	25	0	17.16	17.23	17.08			
Channel									
Frequency (MHz)									
1.4	QPSK	1	0	22.96	23.15	22.98	23.8	0	
1.4	QPSK	1	8	23.04	23.21	22.98			
1.4	QPSK	1	16	23.01	23.01	22.94			
1.4	QPSK	8	0	22.87	22.76	22.84			
1.4	QPSK	8	4	22.88	22.85	22.56			
1.4	QPSK	8	8	22.86	22.86	22.54			
1.4	QPSK	16	0	22.80	22.69	22.54			
1.4	WQAM	1	0	23.03	22.73	23.02	23.3	0.5	
1.4	WQAM	1	16	23.01	23.11	23.07			
1.4	WQAM	1	14	22.83	22.80	22.88			
1.4	WQAM	8	0	22.10	22.06	22.17			
1.4	WQAM	8	8	22.12	22.11	22.06			
1.4	WQAM	8	7	22.08	22.10	21.93			
1.4	WQAM	16	0	22.08	22.13	22.16			
1.4	WQAM	1	8	21.68	21.79	21.70			
1.4	WQAM	1	8	21.68	21.79	21.77			
1.4	WQAM	1	14	21.54	21.67	21.67			
1.4	WQAM	8	0	21.15	21.12	21.08			
1.4	WQAM	8	4	21.06	21.09	20.95			
1.4	WQAM	8	7	21.04	20.94	20.97			
1.4	WQAM	16	0	21.09	21.03	21.02			
1.4	WQAM	1	0	17.08	17.24	17.18			
1.4	WQAM	1	8	17.14	17.23	17.13			
1.4	WQAM	1	14	17.15	17.17	17.19			
1.4	WQAM	8	0	17.04	17.14	17.05			
1.4	WQAM	8	7	17.05	17.14	17.04			
1.4	WQAM	8	7	17.16	17.12	17.09			
1.4	WQAM	16	0	17.18	17.25	17.02			
Channel									
Frequency (MHz)									
1.4	QPSK	1	0	15.07	15.09	15.04	15.8	0	
1.4	QPSK	1	8	15.02	15.07	15.04			
1.4	QPSK	1	16	15.05	15.06	15.01			
1.4	QPSK	8	0	15.04	15.12	14.95			
1.4	QPSK	8	4	15.00	15.09	14.91			
1.4	QPSK	8	8	14.99	14.97	14.94			
1.4	QPSK	16	0	14.98	15.08	14.92			
1.4	WQAM	1	0	14.97	15.04	15.05	15.8	0	
1.4									

Band 4_Ant 5										Band 4_Ant 6										Band 4_Ant 11										Band 4_Ant 7									
RV (MHz)	Modulation	RB Size	RB Offset	Power (Ch / Freq)	Power (Ch / Freq)	Power (Ch / Freq)	Turnup (dB)	MPR (dB)		RV (MHz)	Modulation	RB Size	RB Offset	Power (Ch / Freq)	Power (Ch / Freq)	Power (Ch / Freq)	Turnup (dB)	MPR (dB)		RV (MHz)	Modulation	RB Size	RB Offset	Power (Ch / Freq)	Power (Ch / Freq)	Power (Ch / Freq)	Turnup (dB)	MPR (dB)		RV (MHz)	Modulation	RB Size	RB Offset	Power (Ch / Freq)	Power (Ch / Freq)	Power (Ch / Freq)	Turnup (dB)	MPR (dB)	
Channel										Channel										Channel										Channel									
Frequency (MHz)										Frequency (MHz)										Frequency (MHz)										Frequency (MHz)									
20	QPSK	1	0	20.60	17.05	17.05				20	QPSK	1	0	17.05	17.05	17.05				20	QPSK	1	0	17.05	17.05	17.05				20	QPSK	1	0	17.05	17.05	17.05			
20	QPSK	1	9	24.05	24.22	24.22				20	QPSK	1	9	14.57	14.58	14.58				20	QPSK	1	9	19.57	19.59	19.59	20.5	0		20	QPSK	1	9	14.58	14.58	14.58			
20	QPSK	1	99	24.05	24.09	24.13	25	0		20	QPSK	1	99	14.56	14.74	14.69		15.6	0		20	QPSK	1	99	19.49	19.67	19.49				20	QPSK	1	99	14.49	14.58	14.54		
20	QPSK	50	0	23.61	23.76	23.61				20	QPSK	50	0	14.58	14.73	14.66				20	QPSK	50	0	19.46	19.62	19.51				20	QPSK	50	0	14.43	14.57	14.50			
20	QPSK	50	24	23.60	23.61	23.62	24.5	0.5		20	QPSK	50	24	14.58	14.73	14.66				20	QPSK	50	24	19.52	19.65	19.56	20.5	0		20	QPSK	50	24	14.48	14.67	14.47			
20	QPSK	100	0	24.11	23.86	24.00				20	QPSK	100	0	14.61	14.72	14.61				20	QPSK	100	0	19.49	19.54	19.48				20	QPSK	100	0	14.56	14.54	14.45			
20	QPSK	1	49	24.03	24.18	23.98	24.5	0.5		20	QPSK	1	49	14.52	14.65	14.56			0		20	QPSK	1	49	19.47	19.54	19.48	20.5	0		20	QPSK	1	49	14.47	14.52	14.40		
20	QPSK	50	24	23.10	23.16	23.18				20	QPSK	50	24	14.52	14.65	14.56					20	QPSK	50	24	19.52	19.59	19.49	20.5	0		20	QPSK	50	24	14.46	14.48	14.45		
20	QPSK	100	0	23.08	23.22	23.15				20	QPSK	100	0	14.70	14.85	14.71					20	QPSK	100	0	19.52	19.65	19.57				20	QPSK	100	0	14.53	14.53	14.54		
20	QAM	1	0	22.83	22.82	22.87				20	QAM	1	0	14.68	14.67	14.68					20	QAM	1	0	19.48	19.56	19.56				20	QAM	1	0	14.56	14.48	14.50		
20	QAM	1	99	22.81	22.82	22.83	24	1		20	QAM	1	99	14.70	14.78	14.70		15.6	0		20	QAM	1	99	19.45	19.56	19.45				20	QAM	1	99	14.53	14.48	14.45		
20	QAM	1	99	22.81	22.89	22.73				20	QAM	1	99	14.71	14.70	14.74					20	QAM	1	99	19.44	19.54	19.47				20	QAM	1	99	14.48	14.55	14.44		
20	QAM	50	0	22.03	22.25	22.19				20	QAM	50	0	14.58	14.69	14.67					20	QAM	50	0	19.57	19.64	19.61				20	QAM	50	0	14.43	14.47	14.44		
20	QAM	50	24	22.03	22.03	22.16				20	QAM	50	24	14.58	14.73	14.73					20	QAM	50	24	19.57	19.67	19.50				20	QAM	50	24	14.43	14.47	14.43		
20	QAM	50	24	22.03	22.11	22.10	23	2		20	QAM	50	24	14.61	14.74	14.69					20	QAM	50	24	19.51	19.67	19.53	20.5	0		20	QAM	50	24	14.44	14.48	14.48		
20	QAM	100	0	22.04	22.11	22.09				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.02	22.03	24	1		20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.52	19.55	19.48				20	QAM	100	0	14.43	14.57	14.44		
20	QAM	100	0	22.04	22.05	22.06				20	QAM	100	0	14.63	14.79	14.71					20	QAM	100	0	19.5														



Band 5_Ant 1										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Med Ch / Freq.	Power High Ch / Freq.	Timeuse (int. (dB))	MFR (dB)		
Channel										
Frequency (MHz)				2500	2500	2500				
				320	336.5	344				
10	QPSK	1	0	23.12	24.10	24.01	25	0		
10	QPSK	1	25	23.98	24.10	24.01				
10	QPSK	1	49	24.07	23.99	24.07				
10	QPSK	25	0	23.55	23.60	23.52				
10	QPSK	25	12	23.52	23.49	23.48	24.5	0.5		
10	QPSK	25	25	23.53	23.52	23.38				
10	QPSK	50	0	23.51	23.53	23.51				
10	HQAM	1	0	23.65	23.79	23.86	24.5	0.5		
10	HQAM	1	25	23.65	23.77	23.66				
10	HQAM	1	49	23.89	23.88	23.75				
10	HQAM	25	0	23.63	23.68	23.65				
10	HQAM	25	12	23.63	23.63	23.61	24	1		
10	HQAM	25	25	23.60	23.63	23.61				
10	HQAM	50	0	23.60	23.68	23.65				
10	HQAM	1	0	22.95	22.93	22.93				
10	HQAM	1	25	22.98	22.94	22.91	24	1		
10	HQAM	1	49	22.85	22.85	22.49				
10	HQAM	25	0	21.94	21.97	22.00				
10	HQAM	25	12	22.00	21.97	22.00	23	2		
10	HQAM	25	25	21.96	21.98	21.84				
10	HQAM	50	0	21.99	22.01	21.90				
10	SSBDM	1	0	18.52	18.58	18.54				
10	SSBDM	1	25	18.52	18.63	18.52	20	5		
10	SSBDM	1	49	18.55	18.57	18.46				
10	SSBDM	25	0	18.44	18.59	18.55				
10	SSBDM	25	12	18.44	18.52	18.42	20	5		
10	SSBDM	25	25	18.47	18.57	18.44				
10	SSBDM	50	0	18.52	18.62	18.50				
Channel										
Frequency (MHz)				2500	2500	2500	Timeuse (int. (dB))	MFR (dB)		
				320	336.5	344				
5	QPSK	1	0	23.97	24.08	23.93	25	0		
5	QPSK	1	12	24.08	24.14	24.39				
5	QPSK	1	25	23.97	24.08	24.01				
5	QPSK	12	0	23.42	23.51	23.48				
5	QPSK	12	7	23.42	23.41	23.40	24.5	0.5		
5	QPSK	12	25	23.41	23.48	23.35				
5	QPSK	25	0	23.50	23.52	23.42				
5	HQAM	1	0	23.72	23.70	23.73	24.5	0.5		
5	HQAM	1	24	23.62	23.71	23.65				
5	HQAM	1	24	23.67	23.58	23.74				
5	HQAM	12	0	22.75	22.92	23.02				
5	HQAM	12	7	22.82	22.85	22.80	24	1		
5	HQAM	12	13	22.79	22.94	22.80				
5	HQAM	25	0	22.62	22.65	22.63				
5	HQAM	25	12	22.64	22.64	22.38				
5	HQAM	1	12	22.57	22.59	22.40	24	1		
5	HQAM	1	24	22.54	22.64	22.49				
5	SSBDM	1	0	21.89	21.89	21.85				
5	SSBDM	12	0	21.87	21.86	21.87	23	2		
5	SSBDM	12	13	21.84	21.86	21.76				
5	SSBDM	1	12	21.85	21.85	21.87				
5	SSBDM	1	0	18.48	18.54	18.43				
5	SSBDM	1	12	18.52	18.60	18.36	20	5		
5	SSBDM	1	24	18.44	18.51	18.36				
5	SSBDM	12	0	18.30	18.55	18.46				
5	SSBDM	12	7	18.37	18.48	18.37	20	5		
5	SSBDM	12	13	18.43	18.42	18.35				
5	SSBDM	25	0	18.48	18.52	18.48				
Channel										
Frequency (MHz)				2500	2500	2500	Timeuse (int. (dB))	MFR (dB)		
				320	336.5	344				
3	QPSK	1	0	23.96	24.04	23.96				
3	QPSK	1	8	23.98	24.01	24.01	25	0		
3	QPSK	1	14	23.95	24.05	24.05				
3	QPSK	8	0	23.43	23.45	23.51				
3	QPSK	8	4	23.48	23.47	23.40	24.5	0.5		
3	QPSK	8	14	23.41	23.41	23.35				
3	QPSK	15	0	23.41	23.35	23.41				
3	HQAM	1	0	23.64	23.74	23.78	24.5	0.5		
3	HQAM	1	24	23.67	23.67	23.61				
3	HQAM	1	14	23.78	23.56	23.74				
3	HQAM	8	0	22.85	22.83	23.04				
3	HQAM	8	4	22.87	22.88	22.86	24	1		
3	HQAM	8	7	22.79	22.89	22.85				
3	HQAM	15	0	22.86	22.96	22.82				
3	SSBDM	1	0	22.45	22.34	22.47				
3	SSBDM	1	8	22.58	22.62	22.50	24	1		
3	SSBDM	1	14	22.57	22.60	22.38				
3	SSBDM	8	0	21.75	21.85	21.88				
3	SSBDM	8	4	21.81	21.86	21.94	23	2		
3	SSBDM	15	0	21.86	21.87	21.76				
3	SSBDM	1	0	18.40	18.63	18.49				
3	SSBDM	1	8	18.55	18.58	18.42	20	5		
3	SSBDM	1	14	18.54	18.56	18.44				
3	SSBDM	8	0	18.41	18.47	18.52				
3	SSBDM	8	4	18.49	18.43	18.37	20	5		
3	SSBDM	8	7	18.39	18.47	18.40				
3	SSBDM	15	0	18.41	18.47	18.47				
Channel										
Frequency (MHz)				2500	2500	2500	Timeuse (int. (dB))	MFR (dB)		
				320	336.5	344				
1.4	QPSK	1	0	23.95	23.97	23.91				
1.4	QPSK	1	3	24.00	24.11	24.05	25	0		
1.4	QPSK	1	6	23.93	23.98	23.90				
1.4	QPSK	3	0	23.90	24.09	24.00				
1.4	QPSK	3	1	24.08	24.08	24.00	24.5	0.5		
1.4	QPSK	3	3	23.98	23.94	23.83				
1.4	HQAM	1	0	23.70	23.75	23.76				
1.4	HQAM	1	3	23.61	23.73	23.63	24.5	0.5		
1.4	HQAM	1	6	23.77	23.83	23.66				
1.4	HQAM	1	0	23.81	23.75	23.72	24.5	0.5		
1.4	HQAM	1	3	23.81	23.83	23.63				
1.4	HQAM	3	0	23.69	23.83	23.66				
1.4	HQAM	6	0	22.67	22.62	22.60	24	1		
1.4	HQAM	1	0	22.86	22.38	22.45				
1.4	HQAM	1	3	22.63	22.58	22.44	24	1		
1.4	HQAM	1	6	22.55	22.61	22.48				
1.4	HQAM	3	0	22.52	22.28	22.49	23	2		
1.4	HQAM	3	1	22.54	22.49	22.41				
1.4	HQAM	3	3	22.50	22.63	22.44				
1.4	HQAM	6	0	21.96	21.93	21.85	23	2		
1.4	SSBDM	1	0	18.54	18.54	18.45				
1.4	SSBDM	1	3	18.56	18.56	18.36	20	5		
1.4	SSBDM	1	6	18.50	18.48	18.38				
1.4	SSBDM	3	0	18.39	18.56	18.53				
1.4	SSBDM	3	3	18.39	18.56	18.20	20	5		
1.4	SSBDM	6	0	18.46	18.58	18.49				

Band 5_Ant 0										
BW (MHz)	Modulation	RE Size	RB Offset	Power Low Ch / Freq.	Power Med Ch / Freq.	Power High Ch / Freq.	Timeuse (int.)	MFR (dB)		
Channel										
Frequency (MHz)				2500	2500	2500				
				320	336.5	344				
10	QPSK	1	0	18.42	18.50	18.45				
10	QPSK	1	25	18.38	18.40	18.34	19.5	0		
10	QPSK	1	49	18.41	18.49	18.35				
10	QPSK	25	0	18.40	18.48	18.43				
10	QPSK	25	12	18.39	18.41	18.40	19.5	0		
10	QPSK	25	25	18.39	18.39	18.43				
10	QPSK	50	0	18.31	18.45	18.40				
10	HQAM	1	0	18.38	18.35	18.30	19.5	0		
10	HQAM	1	25	18.30	18.41	18.33				
10	HQAM	1	49	18.30	18.46	18.33				
10	HQAM	25	0	18.38	18.41	18.42				
10	HQAM	25	12	18.32	18.39	18.42				
10	HQAM	25	25	18.39	18.49	18.36	19.5	0		
10	HQAM	50	0	18.31	18.35	18.30				
10	HQAM	1	0	18.40	18.37	18.35				
10	HQAM	1	25	18.32	18.48	18.44	19.5	0		
10	HQAM	1	49	18.31	18.40	18.34				
10	HQAM	25	0	18.40	18.37	18.30				
10	HQAM	25	12	18.39	18.41	18.43				
10	HQAM	25	25	18.32	18.38	18.44				
10	HQAM	50	0	18.30	18.37	18.36				
10	SSBDM	1	0	18.31	18.35	18.25				
10	SSBDM									

Band 7_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mids Ch. / Freq.	Power High Ch. / Freq.	Timeup int. (dB)	MRR (dB)	
Channel									
Channel				20850	21000	21550			
Frequency (MHz)				20850	21000	21550			
20	QPSK	1	0	15.55	15.55	15.52			
20	QPSK	1	45	15.74	15.53	15.81	16.4	0	
20	QPSK	1	90	15.74	15.52	15.74			
20	QPSK	50	0	15.55	15.52	15.52			
20	QPSK	50	24	15.77	15.55	15.75	16.4	0	
20	QPSK	50	50	15.81	15.55	15.73			
20	QPSK	100	0	15.73	15.57	15.69			
20	HQAM	1	0	15.53	15.55	15.55	16.4	0	
20	HQAM	1	45	15.73	15.52	15.65			
20	HQAM	1	90	15.75	15.55	15.77			
20	HQAM	50	0	15.75	15.55	15.75			
20	HQAM	50	24	15.74	15.50	15.79	16.4	0	
20	HQAM	50	50	15.77	15.53	15.78			
20	HQAM	100	0	15.77	15.53	15.78			
20	HQAM	1	0	15.55	15.52	15.71	16.4	0	
20	HQAM	1	45	15.80	15.51	15.71			
20	HQAM	1	90	15.84	15.50	15.78			
20	HQAM	50	0	15.87	15.51	15.75			
20	HQAM	50	24	15.79	15.54	15.81	16.4	0	
20	HQAM	50	50	15.84	15.52	15.72			
20	HQAM	100	0	15.82	15.55	15.72			
20	SSBQAM	1	0	15.57	15.52	15.57			
20	SSBQAM	1	45	15.87	15.52	15.69	16.4	0	
20	SSBQAM	1	90	15.85	15.50	15.75			
20	SSBQAM	50	0	15.78	15.46	15.77	16.4	0	
20	SSBQAM	50	24	15.75	15.46	15.74			
20	SSBQAM	50	50	15.73	15.46	15.72			
20	SSBQAM	100	0	15.81	15.51	15.75			
Channel									
Channel				20925 <th>21075<th>21625<th></th><th></th><th></th></th></th>	21075 <th>21625<th></th><th></th><th></th></th>	21625 <th></th> <th></th> <th></th>			
Frequency (MHz)				20925 <th>21075<th>21625<th></th><th></th><th></th></th></th>	21075 <th>21625<th></th><th></th><th></th></th>	21625 <th></th> <th></th> <th></th>			
15	QPSK	1	0	15.57	15.52	15.81			
15	QPSK	1	37	15.72	15.75	15.71	16.4	0	
15	QPSK	1	74	15.45	15.51	15.46			
15	QPSK	36	0	15.50	15.75	15.70			
15	QPSK	36	20	15.69	15.70	15.63	16.4	0	
15	QPSK	36	39	15.72	15.77	15.67			
15	QPSK	75	0	15.57	15.75	15.57			
15	HQAM	1	0	15.73	15.75	15.65	16.4	0	
15	HQAM	1	37	15.65	15.75	15.53			
15	HQAM	1	74	15.74	15.68	15.64			
15	HQAM	36	0	15.65	15.70	15.71	16.4	0	
15	HQAM	36	20	15.65	15.73	15.73			
15	HQAM	36	39	15.72	15.67	15.65			
15	HQAM	75	0	15.73	15.69	15.68			
15	HQAM	1	0	15.71	15.50	15.70	16.4	0	
15	HQAM	1	37	15.70	15.53	15.65			
15	HQAM	1	74	15.81	15.75	15.66			
15	HQAM	36	0	15.77	15.77	15.61	16.4	0	
15	HQAM	36	20	15.71	15.70	15.75			
15	HQAM	36	39	15.75	15.67	15.59	16.4	0	
15	HQAM	75	0	15.73	15.74	15.60			
15	SSBQAM	1	0	15.75	15.51	15.65	16.4	0	
15	SSBQAM	1	37	15.71	15.57	15.63			
15	SSBQAM	1	74	15.87	15.77	15.73			
15	SSBQAM	36	0	15.71	15.74	15.64			
15	SSBQAM	36	20	15.72	15.65	15.62	16.4	0	
15	SSBQAM	36	39	15.55	15.75	15.61			
15	SSBQAM	75	0	15.77	15.53	15.63			
Channel									
Channel				20950 <th>21100<th>21650<th></th><th></th><th></th></th></th>	21100 <th>21650<th></th><th></th><th></th></th>	21650 <th></th> <th></th> <th></th>			
Frequency (MHz)				20950 <th>21100<th>21650<th></th><th></th><th></th></th></th>	21100 <th>21650<th></th><th></th><th></th></th>	21650 <th></th> <th></th> <th></th>			
10	QPSK	1	0	15.59	15.54	15.67			
10	QPSK	1	25	15.61	15.55	15.71	16.4	0	
10	QPSK	1	49	15.62	15.62	15.67			
10	QPSK	12	0	15.70	15.59	15.75			
10	QPSK	12	12	15.74	15.67	15.72	16.4	0	
10	QPSK	25	0	15.73	15.73	15.65			
10	QPSK	25	12	15.74	15.67	15.72			
10	HQAM	1	0	15.67	15.65	15.62	16.4	0	
10	HQAM	1	25	15.65	15.63	15.58			
10	HQAM	1	49	15.64	15.75	15.75			
10	HQAM	25	0	15.65	15.77	15.71			
10	HQAM	25	12	15.67	15.75	15.75	16.4	0	
10	HQAM	25	25	15.62	15.53	15.57			
10	HQAM	50	0	15.71	15.70	15.73			
10	HQAM	1	0	15.71	15.50	15.60	16.4	0	
10	HQAM	1	25	15.73	15.59	15.57			
10	HQAM	1	49	15.73	15.75	15.66			
10	HQAM	25	0	15.62	15.75	15.65	16.4	0	
10	HQAM	25	12	15.74	15.73	15.72			
10	HQAM	25	25	15.75	15.54	15.70			
10	HQAM	50	0	15.75	15.71	15.69			
10	SSBQAM	1	0	15.59	15.59	15.55	16.4	0	
10	SSBQAM	1	25	15.71	15.62	15.56			
10	SSBQAM	1	49	15.55	15.77	15.74			
10	SSBQAM	25	0	15.71	15.73	15.74			
10	SSBQAM	25	12	15.54	15.65	15.73	16.4	0	
10	SSBQAM	25	25	15.72	15.55	15.65			
10	SSBQAM	50	0	15.72	15.55	15.70			
Channel									
Channel				20975 <th>21125<th>21675<th></th><th></th><th></th></th></th>	21125 <th>21675<th></th><th></th><th></th></th>	21675 <th></th> <th></th> <th></th>			
Frequency (MHz)				20975 <th>21125<th>21675<th></th><th></th><th></th></th></th>	21125 <th>21675<th></th><th></th><th></th></th>	21675 <th></th> <th></th> <th></th>			
5	QPSK	1	0	15.62	15.62	15.77			
5	QPSK	1	12	15.70	15.54	15.69	16.4	0	
5	QPSK	1	24	15.61	15.55	15.55			
5	QPSK	12	0	15.73	15.55	15.69			
5	QPSK	12	7	15.65	15.77	15.71	16.4	0	
5	QPSK	12	13	15.65	15.54	15.63			
5	QPSK	25	0	15.72	15.72	15.63			
5	HQAM	1	0	15.74	15.70	15.58	16.4	0	
5	HQAM	1	12	15.70	15.55	15.64			
5	HQAM	1	24	15.67	15.77	15.71			
5	HQAM	12	0	15.71	15.65	15.65	16.4	0	
5	HQAM	12	7	15.64	15.65	15.69			
5	HQAM	12	13	15.70	15.75	15.67			
5	HQAM	25	0	15.67	15.74	15.69			
5	HQAM	1	0	15.63	15.54	15.63	16.4	0	
5	HQAM	1	12	15.65	15.67	15.56			
5	HQAM	1	24	15.85	15.74	15.64			
5	HQAM	12	0	15.75	15.74	15.71			
5	HQAM	12	7	15.72	15.75	15.74	16.4	0	
5	HQAM	12	13	15.77	15.50	15.67			
5	HQAM	25	0	15.75	15.72	15.57			
5	SSBQAM	1	0	15.75	15.52	15.55	16.4	0	
5	SSBQAM	1	12	15.66	15.65	15.59			
5	SSBQAM	1	24	15.74	15.51	15.60			
5	SSBQAM	12	0	15.67	15.59	15.72			
5	SSBQAM	12	7	15.75	15.50	15.71	16.4	0	
5	SSBQAM	12	13	15.68	15.50	15.59			
5	SSBQAM	25	0	15.75	15.50	15.74			

Band 7_Ant 7									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq (MHz)	Power Mids Ch / Freq (MHz)	Power High Ch / Freq (MHz)	Time-up int. (dBm)	MRR (dB)	
Channel									
Frequency (MHz)									
20	QPSK	1	0	14.55	14.35	14.55			
20	QPSK	1	45	13.94	14.35	14.55	15.5	0	
20	QPSK	1	90	13.93	14.30	14.54			
20	QPSK	50	0	14.55	14.52	14.55			
20	QPSK	50	24	13.95	14.35	14.55	15.5	0	
20	QPSK	50	50	13.92	14.31	14.53			
20	HQAM	1	0	13.97	14.25	14.55	15.5	0	
20	HQAM	1	45	13.95	14.30	14.55			
20	HQAM	1	90	13.87	14.34	14.53			
20	HQAM	50	0	13.95	14.30	14.57			
20	HQAM	50	24	13.95	14.25	14.53	15.5	0	
20	HQAM	50	50	13.91	14.32	14.53			
20	HQAM	100	0	13.91	14.25	14.53			
20	SSBQAM	1	0	13.95	14.23	14.52	15.5	0	
20	SSBQAM	1	45	13.95	14.35	14.55			
20	SSBQAM	1	90	13.95	14.25	14.57			
20	SSBQAM	50	0	13.94	14.25	14.57	15.5	0	
20	SSBQAM	50	24	13.95	14.25	14.55			
20	SSBQAM	50	50	14.01	14.24	14.55			
20	SSBQAM	100	0	13.95	14.25	14.55	15.5	0	
20	SSBQAM	1	0	13.97	14.33	14.44			
20	SSBQAM	1	90	13.87	14.20	14.35			
20	SSBQAM	50	0	13.83	14.25	14.42			
20	SSBQAM	50	24	13.85	14.35	14.55	15.5	0	
20	SSBQAM	50	50	13.82	14.23	14.44			
20	SSBQAM	100	0	13.81	14.15	14.53			
Channel									
Frequency (MHz)									
15	QPSK	1	0	13.55	14.35	14.50			
15	QPSK	1	37	13.75	14.35	14.50	15.5	0	
15	QPSK	1	74	13.88	14.18	14.42			
15	QPSK	50	0	13.55	14.35	14.50			
15	QPSK	50	24	13.86	14.27	14.48	15.5	0	
15	QPSK	50	50	13.84	14.28	14.48			
15	QPSK	75	0	13.84	14.25	14.45			
15	HQAM	1	0	13.87	14.17	14.44	15.5	0	
15	HQAM	1	37	13.95	14.21	14.58			
15	HQAM	1	74	14.11	14.21	14.42			
15	HQAM	36	0	13.97	14.10	14.33	15.5	0	
15	HQAM	36	20	13.91	14.32	14.48			
15	HQAM	36	39	13.82	14.28	14.52			
15	HQAM	75	0	13.85	14.15	14.39			
15	SSBQAM	1	0	13.98	14.20	14.51	15.5	0	
15	SSBQAM	1	37	13.95	14.25	14.55			
15	SSBQAM	1	74	13.95	14.27	14.54			
15	SSBQAM	36	0	13.81	14.24	14.52			
15	SSBQAM	36	20	14.23	14.27	14.51	15.5	0	
15	SSBQAM	36	39	13.78	14.25	14.52			
15	SSBQAM	75	0	13.99	14.26	14.51			
15	SSBQAM	75	20	14.21	14.25	14.55	15.5	0	
15	SSBQAM	75	39	13.78	14.25	14.53			
15	SSBQAM	1	0	13.74	14.30	14.52	15.5	0	
15	SSBQAM	36	0	13.72	14.08	14.35			
15	SSBQAM	36	20	13.78	14.35	14.51			
Channel									
Frequency (MHz)									
10	QPSK	1	0	13.55	14.35	14.50			
10	QPSK	1	37	13.75	14.35	14.50	15.5	0	
10	QPSK	1	74	13.79	14.17	14.43			
10	QPSK	25	0	13.55	14.35	14.50			
10	QPSK	25	12	13.91	14.33	14.54	15.5	0	
10	QPSK	25	25	13.79	14.25	14.48			
10	QPSK	25	37	13.85	14.21	14.51			
10	HQAM	1	0	13.85	14.25	14.55	15.5	0	
10	HQAM	1	25	13.91	14.25	14.55			
10	HQAM	1	49	13.88	14.25	14.55			
10	HQAM	25	0	13.85	14.27	14.51	15.5	0	
10	HQAM	25	12	13.94	14.28	14.52			
10	HQAM	25	25	13.88	14.28	14.52	15.5	0	
10	HQAM	25	37	13.88	14.25	14.51			
10	HQAM	50	0	13.88	14.25	14.51			
10	SSBQAM	1	0	13.98	14.31	14.47	15.5	0	
10	SSBQAM	1	25	13.92	14.28	14.51			
10	SSBQAM	1	49	13.98	14.25	14.51			
10	SSBQAM	25	0	13.86	14.30	14.54	15.5	0	
10	SSBQAM	25	12	13.78	14.31	14.46			
10	SSBQAM	25	25	13.85	14.28	14.51	15.5	0	
10	SSBQAM	25	37	13.75	14.28	14.46			
10	SSBQAM	50	0	14.00	14.18	14.52			
10	SSBQAM	50	25	14.00	14.18	14.52	15.5	0	
10	SSBQAM	1	0	13.84	14.27	14.38	15.5	0	
10	SSBQAM	1	25	13.78	14.30	14.35			
10	SSBQAM	1	49	13.85	14.27	14.48	15.5	0	
10	SSBQAM	25	12	13.80	14.25	14.48			
10	SSBQAM	25	25	13.76	14.12	14.29	15.5	0	
10	SSBQAM	25	37	13.78	14.12	14.29			
10	SSBQAM	50	0	13.79	14.30	14.42	15.5	0	
Channel									
Frequency (MHz)									
5	QPSK	1	0	13.55	14.35	14.55			
5	QPSK	1	12	13.87	14.24	14.48	15.5	0	
5	QPSK	1	24	13.78	14.10	14.43			
5	QPSK	12	0	13.55	14.35	14.55			
5	QPSK	12	7	13.92	14.28	14.51	15.5	0	
5	QPSK	12	13	13.87	14.21	14.47			
5	QPSK	25	0	13.79	14.21	14.45			
5	HQAM	1	0	13.91	14.17	14.48	15.5	0	
5	HQAM	1	12	13.83	14.27	14.42			
5	HQAM	1	24	13.84	14.24	14.45			
5	HQAM	12	0	13.90	14.19	14.55	15.5	0	
5	HQAM	12	7	13.84	14.33	14.51			
5	HQAM	12	13	13.79	14.28	14.48	15.5	0	
5	HQAM	25	0	13.83	14.17	14.55			
5	HQAM	25	12	13.90	14.28	14.60	15.5	0	
5	HQAM	25	13	13.85	14.28	14.54			
5	HQAM	25	0	13.97	14.21	14.57	15.5	0	
5	SSBQAM	1	0	13.83	14.23	14.43	15.5	0	
5	SSBQAM	1	12	13.88	14.27	14.29			
5	SSBQAM	1	24	13.72	14.15	14.28	15.5	0	
5	SSBQAM	12	0	13.81	14.28	14.42			
5	SSBQAM	12	7	13.79	14.29	14.41	15.5	0	
5	SSBQAM	12	13	13.78	14.20	14.27			

Band 12_Ant 1										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Med Ch / Freq	Power High Ch / Freq	Timeuse Int (dBm)	MRR (dB)		
Channel										
Frequency (MHz)				23605	23605	23130				
				754	757.5	711				
10	QPSK	1	0	22.85	22.79	22.86				
10	QPSK	1	25	22.73	22.80	22.87	23.8	0		
10	QPSK	1	49	22.73	22.80	22.78				
10	QPSK	25	0	22.25	22.33	22.38				
10	QPSK	25	12	22.25	22.17	22.16	23.3	0.5		
10	QPSK	25	25	22.32	22.35	22.25				
10	HQAM	1	0	22.61	22.63	22.54	23.3	0.5		
10	HQAM	1	25	22.48	22.42	22.38				
10	HQAM	1	49	22.79	22.81	22.96				
10	HQAM	25	0	21.67	21.64	21.68				
10	HQAM	25	12	21.72	21.62	21.70	22.8	1		
10	HQAM	25	25	21.79	21.80	21.74				
10	HQAM	50	0	21.77	21.84	21.79				
10	HQAM	1	0	21.59	21.58	21.58				
10	HQAM	1	25	21.50	21.52	21.50	22.8	1		
10	HQAM	1	49	21.35	21.33	21.47				
10	HQAM	25	0	20.70	20.64	20.65				
10	HQAM	25	12	20.74	20.70	20.68	21.8	2		
10	HQAM	25	25	20.74	20.68	20.72				
10	SSBQAM	1	0	17.67	17.78	17.64				
10	SSBQAM	1	25	17.62	17.65	17.60	18.8	5		
10	SSBQAM	1	49	17.65	17.68	17.68				
10	SSBQAM	25	0	17.68	17.74	17.59				
10	SSBQAM	25	12	17.68	17.63	17.50	18.8	5		
10	SSBQAM	25	25	17.62	17.74	17.64				
10	SSBQAM	50	0	17.71	17.72	17.69				
Channel										
Frequency (MHz)				23605 <th>23605<th>23130</th><th>Timeuse Int (dBm)</th><th>MRR (dB)</th><th colspan="2"></th></th>	23605 <th>23130</th> <th>Timeuse Int (dBm)</th> <th>MRR (dB)</th> <th colspan="2"></th>	23130	Timeuse Int (dBm)	MRR (dB)		
				751.5	757.5	713.5				
5	QPSK	1	0	22.85	22.79	22.86				
5	QPSK	1	12	22.73	22.84	22.73	23.8	0		
5	QPSK	1	24	22.73	22.85	22.72				
5	QPSK	12	0	22.18	22.27	22.18				
5	QPSK	12	7	22.15	22.15	22.09	23.3	0.5		
5	QPSK	12	13	22.22	22.32	22.15				
5	HQAM	1	0	22.54	22.49	22.41	23.3	0.5		
5	HQAM	1	12	22.47	22.28	22.38				
5	HQAM	1	24	22.62	22.58	22.44				
5	HQAM	12	0	21.60	21.50	21.67				
5	HQAM	12	7	21.60	21.50	21.68	22.8	1		
5	HQAM	12	13	21.69	21.56	21.67				
5	HQAM	25	0	21.66	21.54	21.69				
5	HQAM	1	0	21.52	21.43	21.53				
5	HQAM	1	12	21.47	21.42	21.43	22.8	1		
5	HQAM	1	24	21.44	21.27	21.46				
5	HQAM	12	0	20.85	20.52	20.64				
5	HQAM	12	7	20.85	20.49	20.57	21.8	2		
5	HQAM	12	13	20.86	20.65	20.58				
5	HQAM	25	0	20.80	20.39	20.68				
5	SSBQAM	1	0	17.59	17.71	17.61				
5	SSBQAM	1	12	17.64	17.65	17.58	18.8	5		
5	SSBQAM	1	24	17.57	17.65	17.44				
5	SSBQAM	12	0	17.63	17.65	17.44				
5	SSBQAM	12	7	17.64	17.66	17.45				
5	SSBQAM	12	13	17.61	17.62	17.55	18.8	5		
5	SSBQAM	25	0	17.57	17.70	17.64				
Channel										
Frequency (MHz)				23605 <th>23605<th>23135</th><th>Timeuse Int (dBm)</th><th>MRR (dB)</th><th colspan="2"></th></th>	23605 <th>23135</th> <th>Timeuse Int (dBm)</th> <th>MRR (dB)</th> <th colspan="2"></th>	23135	Timeuse Int (dBm)	MRR (dB)		
				750.5	757.5	713.5				
3	QPSK	1	0	22.85	22.87	22.98				
3	QPSK	1	8	22.72	22.86	22.83	23.8	0		
3	QPSK	1	14	22.74	22.75	22.76				
3	QPSK	8	0	22.32	22.32	22.13				
3	QPSK	8	4	22.21	22.11	22.11	23.3	0.5		
3	QPSK	1	14	22.12	22.04	22.17				
3	QPSK	15	0	22.13	22.16	22.15				
3	HQAM	1	0	22.48	22.43	22.39	23.3	0.5		
3	HQAM	1	8	22.48	22.28	22.56				
3	HQAM	1	14	22.59	22.48	22.41				
3	HQAM	8	0	21.54	21.53	21.61				
3	HQAM	8	4	21.68	21.55	21.62	22.8	1		
3	HQAM	8	7	21.69	21.47	21.70				
3	HQAM	15	0	21.66	21.63	21.67				
3	HQAM	1	0	21.43	21.52	21.55				
3	HQAM	1	8	21.45	21.41	21.37	22.8	1		
3	HQAM	1	14	21.25	21.19	21.33				
3	HQAM	8	0	20.59	20.55	20.57				
3	HQAM	8	4	20.70	20.50	20.59	21.8	2		
3	HQAM	15	0	20.66	20.62	20.57				
3	HQAM	1	0	17.63	17.69	17.64				
3	SSBQAM	1	8	17.66	17.68	17.46	18.8	5		
3	SSBQAM	1	14	17.64	17.60	17.48				
3	SSBQAM	8	0	17.67	17.69	17.52				
3	SSBQAM	8	4	17.64	17.68	17.47	18.8	5		
3	SSBQAM	8	7	17.52	17.73	17.53				
3	SSBQAM	15	0	17.68	17.67	17.58				
Channel										
Frequency (MHz)				23617 <th>23605<th>23173</th><th>Timeuse Int (dBm)</th><th>MRR (dB)</th><th colspan="2"></th></th>	23605 <th>23173</th> <th>Timeuse Int (dBm)</th> <th>MRR (dB)</th> <th colspan="2"></th>	23173	Timeuse Int (dBm)	MRR (dB)		
				697.7	707.5	715.3				
1.4	QPSK	1	0	22.85	22.71	22.54				
1.4	QPSK	1	3	22.72	22.75	22.82	23.8	0		
1.4	QPSK	1	5	22.72	22.74	22.70				
1.4	QPSK	3	0	22.71	22.85	22.55				
1.4	QPSK	3	1	22.74	22.74	22.78				
1.4	QPSK	3	3	22.73	22.73	22.68				
1.4	QPSK	6	0	22.34	22.17	22.22	23.3	0.5		
1.4	HQAM	1	0	22.50	22.41	22.44				
1.4	HQAM	1	3	22.41	22.38	22.56				
1.4	HQAM	1	5	22.69	22.61	22.49	23.3	0.5		
1.4	HQAM	1	0	22.49	22.40	22.42				
1.4	HQAM	1	3	22.38	22.39	22.56				
1.4	HQAM	3	3	22.71	22.62	22.43				
1.4	HQAM	6	0	21.66	21.59	21.72	22.8	1		
1.4	HQAM	1	0	21.40	21.46	21.46				
1.4	HQAM	1	3	21.49	21.39	21.46				
1.4	HQAM	1	5	21.24	21.29	21.33	22.8	1		
1.4	HQAM	3	0	21.41	21.48	21.43				
1.4	HQAM	3	1	21.48	21.47	21.47				
1.4	HQAM	6	0	21.27	21.21	21.41				
1.4	HQAM	6	0	20.87	20.53	20.58	21.8	2		
1.4	SSBQAM	1	0	17.73	17.74	17.65				
1.4	SSBQAM	1	3	17.68	17.67	17.48	18.8	5		
1.4	SSBQAM	1	5	17.64	17.63	17.47				
1.4	SSBQAM	3	0	17.72	17.74	17.48				
1.4	SSBQAM	3	1	17.44	17.48	17.42				
1.4	SSBQAM	3	3	17.60	17.71	17.56				
1.4	SSBQAM	6	0	17.64	17.63	17.56	18.8	5		

Band 12_Ant 0												
BW (MHz)	Modulation	RE Res	RB Offset	Power Low Ch / Freq	Power Med Ch / Freq	Power High Ch / Freq	Timeuse Int (dBm)	MRR (dB)				
Channel												
Frequency (MHz)												
754												
10	QPSK	1	0	19.17	19.22	19.15						
10	QPSK	1	25	19.18	19.10	19.04	20.3	0				
10	QPSK	1	49	19.02	19.00	19.03						
10	QPSK	25	0	19.15	19.20	19.13						
10	QPSK	25	12	19.03	19.19	19.11	20.3	0				
10	QPSK	25	25	19.12	19.09	19.05						
10	QPSK	50	0	19.09	19.15	19.07						
10	HQAM	1	0	19.08	19.21	19.05	20.3	0				
10	HQAM	1	25	19.12	19.21	19.12						
10	HQAM	1	49	19.06	19.21	19.01						
10	HQAM	25	0	19.10	19.11	19.09						
10	HQAM	25	12	19.09	19.16	19.07	20.3	0				
10	HQAM	25	25	19.04	19.08	19.06						
10	HQAM	50	0	19.05	19.07	19.13						
10	HQAM	1	0	19.09	19.16	19.02						
10	HQAM	1	25	19.03	19.10	19.05	20.3	0				
10	HQAM	1	49	19.05	19.19	19.00						
10	HQAM	25	0	19.02	19.19	19.00						

Band 17_Ant 1										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Mide Ch / Freq.	Power High Ch / Freq.	Timeup (int (dB))	MFR (dB)		
Channel										
Frequency (MHz)				22780	23560	23940				
				756	756	756				
10	QPSK	1	0	22.55	22.56	22.51			23.8	0
10	QPSK	1	25	22.68	22.64	22.82				
10	QPSK	1	49	22.85	22.91	22.82				
10	QPSK	25	0	22.58	22.42	22.46			23.3	0.5
10	QPSK	25	12	22.59	22.40	22.37				
10	QPSK	25	25	22.57	22.34	22.38				
10	QPSK	50	0	22.34	22.40	22.38				
10	SSBQAM	1	0	22.61	22.65	22.72				
10	SSBQAM	1	25	22.52	22.57	22.70			23.3	0.5
10	SSBQAM	1	49	22.58	22.76	22.65				
10	SSBQAM	25	0	21.83	21.73	21.85				
10	SSBQAM	25	12	21.84	21.62	21.85			22.8	1
10	SSBQAM	25	25	21.79	21.88	21.87				
10	SSBQAM	50	0	21.82	21.79	21.89				
10	SSBQAM	1	0	21.52	21.59	21.64				
10	SSBQAM	1	25	21.54	21.50	21.50			22.8	1
10	SSBQAM	1	49	21.73	21.66	21.70				
10	SSBQAM	25	0	20.85	20.77	20.83				
10	SSBQAM	25	12	20.80	20.88	20.89			21.8	2
10	SSBQAM	25	25	20.87	20.84	20.86				
10	SSBQAM	50	0	20.82	20.81	20.86				
10	SSBQAM	24	0	17.77	17.66	17.81				
10	SSBQAM	24	24	17.72	17.76	17.81			18.8	5
10	SSBQAM	49	0	17.62	17.76	17.89				
10	SSBQAM	49	24	17.68	17.82	17.86			18.8	5
10	SSBQAM	25	12	17.68	17.72	17.85			18.8	5
10	SSBQAM	25	25	17.67	17.74	17.79				
10	SSBQAM	50	0	17.68	17.74	17.70				
Channel										
Frequency (MHz)				22780	23560	23940	Timeup (int (dB))	MFR (dB)		
				756	756	756	21.5			
5	QPSK	1	0	22.77	22.71	22.77			23.8	0
5	QPSK	1	25	22.88	22.93	22.83				
5	QPSK	1	24	22.73	22.87	22.81				
5	QPSK	12	0	22.28	22.36	22.36			23.3	0.5
5	QPSK	12	12	22.39	22.37	22.39				
5	QPSK	12	18	22.35	22.32	22.34				
5	QPSK	12	24	22.44	22.37	22.35				
5	SSBQAM	25	0	22.58	22.42	22.46			23.3	0.5
5	SSBQAM	25	12	22.59	22.40	22.37				
5	SSBQAM	25	24	22.57	22.34	22.38				
5	SSBQAM	12	0	21.83	21.73	21.85				
5	SSBQAM	12	12	21.72	21.65	21.68			21.8	1
5	SSBQAM	12	24	21.70	21.74	21.80			22.8	1
5	SSBQAM	25	0	21.83	21.73	21.85				
5	SSBQAM	25	0	21.76	21.73	21.78				
5	SSBQAM	1	0	21.49	21.53	21.59				
5	SSBQAM	1	24	21.46	21.46	21.51			22.8	1
5	SSBQAM	1	24	21.68	21.62	21.64				
5	SSBQAM	12	0	20.77	20.62	20.62			21.8	2
5	SSBQAM	12	12	20.88	20.80	20.80				
5	SSBQAM	12	18	20.89	20.80	20.85				
5	SSBQAM	25	0	20.89	20.78	20.86				
5	SSBQAM	25	12	20.77	20.71	20.77			17.8	5
5	SSBQAM	25	12	20.71	20.73	20.77				
5	SSBQAM	25	24	20.79	20.67	20.67			17.8	5
5	SSBQAM	50	0	17.73	17.76	17.81				
5	SSBQAM	12	7	17.44	17.61	17.64			18.8	5
5	SSBQAM	12	18	17.66	17.62	17.68				

Band 17_Ant 0										
BW (MHz)	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Ch. / Freq.	Power Ch. / Freq.	Turn-up int. (s)	MFR (dB)		
Channel										
Frequency (MHz)				23780	23780	23880				
				705	710	711				
10	QPSK	1	0	19.22	19.20	19.27				
10	QPSK	1	25	19.14	19.27	19.16	20.3	0		
10	QPSK	1	49	19.13	19.15	19.17				
10	QPSK	25	0	19.17	19.27	19.26				
10	QPSK	25	12	19.13	19.21	19.15	20.3	0		
10	QPSK	25	25	19.08	19.22	19.22				
10	QPSK	50	0	19.16	19.24	19.16				
10	SSBQAM	1	0	19.17	19.26	19.21	20.3	0		
10	SSBQAM	1	25	19.09	19.21	19.25				
10	SSBQAM	1	49	19.19	19.25	19.14				
10	SSBQAM	25	0	19.14	19.25	19.21	20.3	0		
10	SSBQAM	25	12	19.10	19.15	19.12				
10	SSBQAM	25	25	19.08	19.17	19.25				
10	SSBQAM	50	0	19.08	19.16	19.25				
10	SSBQAM	1	0	19.17	19.25	19.24				
10	SSBQAM	1	25	19.10	19.28	19.17	20.3	0		
10	SSBQAM	1	49	19.15	19.18	19.20				
10	SSBQAM	25	0	19.10	19.19	19.14				
10	SSBQAM	25	12	19.10	19.19	19.23	20.3	0		
10	SSBQAM	25	25	19.12	19.17	19.29				
10	SSBQAM	50	0	19.15	19.19	19.22				
10	SSBQAM	1	0	17.37	17.38	17.24				
10	SSBQAM	1	25	17.36	17.25	17.15	18.3	2		
10	SSBQAM	25	0	17.36	17.24	17.31				
10	SSBQAM	25	12	17.32	17.33	17.27				
10	SSBQAM	25	25	17.19	17.34	17.28	18.3	2		
10	SSBQAM	50	0	17.20	17.34	17.28				
Channel										
Frequency (MHz)				23675 <th>23780</th> <th>23885<th>Turn-up int. (s)</th><th>MFR (dB)</th><th colspan="2"></th></th>	23780	23885 <th>Turn-up int. (s)</th> <th>MFR (dB)</th> <th colspan="2"></th>	Turn-up int. (s)	MFR (dB)		
				706	710	711				
5	QPSK	1	0	19.18	19.19	19.21				
5	QPSK	1	25	19.04	19.21	19.07	20.3	0		
5	QPSK	1	49	19.12	19.02	19.16				
5	QPSK	12	0	19.16	19.19	19.15				
5	QPSK	12	7	19.00	19.10	19.05				
5	QPSK	12	13	18.99	19.01	19.13				
5	QPSK	26	0	19.02	19.15	19.16				
5	SSBQAM	1	0	19.02	19.15	19.16				
5	SSBQAM	1	12	18.94	19.14	19.14	20.3	0		
5	SSBQAM	1	24	19.02	19.12	19.15				
5	SSBQAM	12	0	19.13	19.15	19.07				
5	SSBQAM	12	7	18.99	19.11	19.06				
5	SSBQAM	12	13	18.99	19.13	19.05				
5	SSBQAM	26	0	18.96	19.02	19.13				
5	SSBQAM	1	0	19.07	19.21	19.22				
5	SSBQAM	1	12	19.06	19.17	19.14				
5	SSBQAM	1	24	19.01	19.13	19.19				
5	SSBQAM	12	0	19.02	19.04	19.02				
5	SSBQAM	12	7	18.97	19.07	19.04	20.3	0		
5	SSBQAM	12	13	19.02	19.06	19.12				
5	SSBQAM	26	0	19.02	19.08	19.13				
5	SSBQAM	1	0	17.37	17.22	17.34				
5	SSBQAM	12	0	17.32	17.15	17.05	18.3	2		
5	SSBQAM	1	24	17.06	17.17	17.12				
5	SSBQAM	12	7	17.06	17.14	17.04				
5	SSBQAM	12	7	17.30	17.22	17.17	18.3	2		
5	SSBQAM	12	13	17.17	17.31	17.16				

Band 26(FCC)_Ant 1										
BW (MHz)	Modulation	RE Size	RB Offset	Power Low Ch / Freq.	Power Mide Ch / Freq.	Power High Ch / Freq.	Timeup (int (sec))	MFR (dB)		
Channel										
Frequency (MHz)				24115	24315	24515				
15	QPSK	1	0	24.17	24.20	24.10				
15	QPSK	1	37	24.17	24.20	24.10	25	0		
15	QPSK	1	74	24.19	24.09	24.09				
15	QPSK	36	0	23.80	23.87	23.86				
15	QPSK	36	20	23.60	23.57	23.56	24.5	0.5		
15	QPSK	36	39	23.69	23.52	23.54				
15	QPSK	72	0	23.55	23.61	23.55				
15	QPSK	1	0	23.62	23.59	23.65	24.5	0.5		
15	QPSK	1	37	23.61	23.67	23.60				
15	QPSK	1	74	23.66	23.62	23.61				
15	QPSK	36	0	23.16	23.01	23.06				
15	QPSK	36	20	23.15	23.05	23.15	24	1		
15	QPSK	36	39	23.10	23.01	23.01				
15	QPSK	72	0	23.12	23.07	23.09				
15	QPSK	1	0	22.79	22.99	22.85				
15	QPSK	1	37	23.00	22.95	22.92	24	1		
15	QPSK	1	74	22.75	22.89	22.88				
15	QPSK	36	0	22.97	23.04	23.00				
15	QPSK	36	20	22.99	22.95	22.95	23			
15	QPSK	36	39	22.77	22.84	22.84				
15	QPSK	72	0	22.97	23.04	23.00				
15	SSBQAM	1	0	19.82	19.85	19.88				
15	SSBQAM	1	37	19.86	19.83	19.87				
15	SSBQAM	1	74	19.86	19.83	19.87				
15	SSBQAM	36	0	19.91	19.98	19.95				
15	SSBQAM	36	20	19.89	19.84	19.91	20	5		
15	SSBQAM	36	39	19.85	19.84	19.90				
15	SSBQAM	72	0	19.82	19.88	19.87				
Channel										
Frequency (MHz)				24115	24315	24515	Timeup (int (sec))	MFR (dB)		
15	QPSK	1	0	24.00	24.00	23.99				
15	QPSK	1	25	24.06	24.12	23.99	25	0		
15	QPSK	1	50	24.02	24.02	24.03				
15	QPSK	26	0	23.45	23.58	23.46				
15	QPSK	26	12	23.40	23.44	23.46	24.5	0.5		
15	QPSK	26	25	23.42	23.45	23.41				
15	QPSK	50	0	23.44	23.43	23.38				
15	QPSK	1	0	23.53	23.77	23.50				
15	QPSK	1	25	23.42	23.61	23.52	24.5	0.5		
15	QPSK	1	49	23.49	23.72	23.50				
15	QPSK	25	0	23.54	22.87	22.87				
15	QPSK	25	12	22.86	22.85	22.86				
15	QPSK	25	25	22.90	22.94	22.82	24	1		
15	QPSK	50	0	22.96	22.87	22.81				
15	QPSK	1	0	22.85	22.85	22.84				
15	QPSK	1	25	22.54	22.56	22.73	24	1		
15	QPSK	1	49	22.56	22.75	22.74				
15	QPSK	25	0	22.97	23.04	23.09				
15	QPSK	25	12	21.98	21.99	21.91	23	2		
15	QPSK	25	25	22.06	21.91	21.89				
15	QPSK	50	0	21.98	21.81	21.85	19.3	2		
15	SSBQAM	1	0	19.90	19.97	19.96				
15	SSBQAM	1	49	19.72	19.81	19.77				
15	SSBQAM	25	0	19.75	19.82	19.74				
15	SSBQAM	25	12	19.77	19.89	19.80				
15	SSBQAM	25	25	19.79	19.83	19.83	20	5		
15	SSBQAM	25	0	19.80	19.87	19.84				
Channel										
Frequency (MHz)				24115	24315	24515	Timeup (int (sec))	MFR (dB)		
15	QPSK	1	0	24.01	24.00	23.94				
15	QPSK	1	37	24.01	24.00	23.94	25	0		
15	QPSK	1	74	24.03	23.98	23.91				
15	QPSK	36	0	23.59	23.58	23.56				
15	QPSK	36	20	23.38	23.36	23.36	24.5	0.5		
15	QPSK	36	7	23.32	23.40	23.36				
15	QPSK	72	0	23.44	23.44	23.44				
15	QPSK	1	0	23.53	23.83	23.57				
15	QPSK	1	8	23.41	23.70	23.40	24.5	0.5		
15	QPSK	1	24	23.49	23.68	23.49				
15	QPSK	36	0	22.98	22.99	22.96				
15	QPSK	36	8	22.98	22.99	22.94				
15	QPSK	36	15	22.90	22.87	22.97				
15	QPSK	1	0	22.53	22.74	22.89				
15	QPSK	1	8	22.68	22.83	22.86	24	1		
15	QPSK	1	14	22.67	22.77	22.77				
15	QPSK	36	0	22.66	21.88	21.94				
15	QPSK	36	8	22.66	21.88	21.94				
15	QPSK	36	15	22.60	21.90	21.99	23	2		
15	QPSK	72	0	22.62	21.86	21.95				
15	SSBQAM	1	0	18.96	18.97	18.96				
15	SSBQAM	1	8	18.71	18.80	18.76				
15	SSBQAM	1	14	18.71	18.70	18.86				
15	SSBQAM	36	0	18.76	18.87	18.86				
15	SSBQAM	36	8	18.76	18.87	18.86				
15	SSBQAM	36	14	18.76	18.86	18.78	20	5		
15	SSBQAM	72	0	18.70	18.88	18.77				
15	SSBQAM	72	8	18.80	18.87	18.86				
Channel										
Frequency (MHz)				24115	24315	24515	Timeup (int (sec))	MFR (dB)		
14	QPSK	1	0	24.00	23.99	24.00				
14	QPSK	1	25	24.06	24.14	24.00	25	0		
14	QPSK	1	50	24.08	23.98	24.01				
14	QPSK	26	0	23.46	23.49	23.46				
14	QPSK	26	12	23.41	23.35	23.33	24.5	0.5		
14	QPSK	26	25	23.47	23.37	23.37				
14	QPSK	50	0	23.49	23.46	23.46				
14	QPSK	1	0	23.51	23.71	23.50				
14	QPSK	1	25	23.43	23.69	23.47	24.5	0.5		
14	QPSK	1	50	23.47	23.73	23.45				
14	QPSK	26	0	23.46	23.52	23.45				
14	QPSK	26	12	23.46	23.51	23.45				
14	QPSK	26	25	23.41	23.28	23.40	24	1		
14	QPSK	50	0	23.64	22.74	22.83				
14	QPSK	1	0	22.83	22.83	22.83	24	1		
14	QPSK	1	50	22.95	22.76	22.77				
14	QPSK	36	0	22.86	22.86	22.77				
14	QPSK	36	20	22.81	22.75	22.75	23	2		
14	QPSK	36	7	22.64	22.69	22.71				
14	QPSK	6	0	22.20	21.81	21.87	23	2		
14	QPSK	6	18	21.86	18.85	18.82				
14	SSBQAM	1	0	18.81	18.87	18.79				
14	SSBQAM	1	18	18.76	18.82	18.86				
14	SSBQAM	36	0	18.80	18.86	18.83				
14	SSBQAM	36	18	18.76	18.86	18.82	20	5		
14	SSBQAM	72	0	18.80	18.87	18.86				

Band 66_Ant 5											
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Mid Ch / Freq	Power High Ch / Freq	Time-use (min)	APR (dB)			
Channel											
Frequency (MHz)											
				1720	1745	1770					
20	QPSK	1	0	24.35	24.30	24.32					
20	QPSK	1	40	24.22	24.26	24.15	25	0			
20	QPSK	1	80	24.03	24.10	24.20					
20	QPSK	50	0	23.35	23.32	23.32					
20	QPSK	50	24	23.52	23.32	23.26	24.5	0.5			
20	QPSK	50	50	23.26	23.32	23.20					
20	QPSK	100	0	23.23	23.32	23.25					
20	HQDM	1	0	23.80	23.83	23.79	24.5	0.5			
20	HQDM	1	40	23.71	23.79	23.73					
20	HQDM	1	80	23.73	23.71	23.84					
20	HQDM	50	0	22.75	22.80	22.84					
20	HQDM	50	24	22.72	22.72	22.85	24	1			
20	HQDM	50	50	22.74	22.70	22.88					
20	HQDM	100	0	22.75	22.76	22.70					
20	HQDM	1	0	22.90	22.88	22.83					
20	HQDM	1	40	22.90	22.76	22.74	24	1			
20	HQDM	1	80	22.90	22.77	22.82					
20	HQDM	50	0	22.20	22.22	22.27					
20	HQDM	50	24	22.22	22.20	22.24					
20	HQDM	50	50	22.21	22.22	22.17	23	2			
20	HQDM	100	0	22.26	22.24	22.32					
20	ZSSBDM	1	0	19.07	19.10	19.07					
20	ZSSBDM	1	40	18.91	18.94	18.92	20	5			
20	ZSSBDM	1	80	18.91	18.94	18.91					
20	ZSSBDM	50	0	18.90	18.98	18.91					
20	ZSSBDM	50	24	18.90	18.96	18.92					
20	ZSSBDM	50	50	18.93	18.94	18.87	20	5			
20	ZSSBDM	100	0	18.84	18.95	18.92					
Channel											
Frequency (MHz)											
				1747.5	1722.5	1697.5	Time-use (min)	APR (dB)			
15	QPSK	1	0	24.19	24.20	24.14					
15	QPSK	1	37	24.14	24.23	24.08	25	0			
15	QPSK	1	74	24.08	24.16	24.14					
15	QPSK	36	0	23.25	23.30	23.25					
15	QPSK	36	20	23.24	23.19	23.25	24.5	0.5			
15	QPSK	36	36	23.18	23.22	23.25					
15	QPSK	75	0	23.18	23.17	23.10					
15	HQDM	1	0	23.97	23.84	23.98	24.5	0.5			
15	HQDM	1	37	23.81	23.87	23.90					
15	HQDM	1	74	23.78	23.82	23.76					
15	HQDM	36	0	22.75	22.75	22.71					
15	HQDM	36	20	22.65	22.68	22.75					
15	HQDM	36	36	22.72	22.68	22.55	24	1			
15	HQDM	75	0	22.68	22.67	22.58					
15	HQDM	1	0	22.83	22.75	22.78					
15	HQDM	1	37	22.82	22.70	22.82	24	1			
15	HQDM	1	74	22.76	22.70	22.87					
15	HQDM	36	0	22.15	22.18	22.21					
15	HQDM	36	20	22.20	22.25	22.21	23	2			
15	HQDM	36	36	22.06	22.02	22.12					
15	HQDM	75	0	22.18	22.18	22.22					
15	ZSSBDM	1	0	19.02	19.00	19.05					
15	ZSSBDM	1	37	18.81	18.91	18.88	20	5			
15	ZSSBDM	1	74	18.82	18.91	18.96					
15	ZSSBDM	36	0	18.90	18.99	18.90					
15	ZSSBDM	36	20	18.90	18.87	18.86					
15	ZSSBDM	36	36	18.79	18.91	18.94	20	5			
15	ZSSBDM	75	0	18.78	18.85	18.80					
Channel											
Frequency (MHz)											
				1722.5	1745	1767.5	Time-use (min)	APR (dB)			
10	QPSK	1	0	24.11	24.11	24.04					
10	QPSK	1	25	24.23	24.08	24.19	25	0			
10	QPSK	1	40	23.93	24.02	23.83					
10	QPSK	25	0	23.21	23.32	23.26					
10	QPSK	25	12	23.20	23.31	23.25	24.5	0.5			
10	QPSK	25	25	23.23	23.32	23.08					
10	QPSK	50	0	23.14	23.24	23.11					
10	HQDM	1	0	23.88	23.86	23.82	24.5	0.5			
10	HQDM	1	40	23.82	23.87	23.86					
10	HQDM	1	80	23.82	23.76	23.78					
10	HQDM	25	0	22.77	22.75	22.78					
10	HQDM	25	12	22.65	22.59	22.75					
10	HQDM	25	25	22.59	22.67	22.82	24	1			
10	HQDM	50	0	22.68	22.67	22.69					
10	HQDM	50	0	22.88	22.80	22.73					
10	HQDM	1	0	22.78	22.63	22.58	24	1			
10	HQDM	1	40	22.82	22.74	22.70					
10	HQDM	25	0	22.11	22.24	22.26					
10	HQDM	25	12	22.21	22.23	22.16	23	2			
10	HQDM	25	25	22.08	22.16	22.04					
10	HQDM	50	0	22.14	22.11	22.31					
10	ZSSBDM	1	0	18.94	18.99	19.02					
10	ZSSBDM	1	40	18.75	18.86	18.79	20	5			
10	ZSSBDM	1	80	18.75	18.93	18.88					
10	ZSSBDM	25	0	18.90	18.98	18.78					
10	ZSSBDM	25	12	18.87	18.92	18.86					
10	ZSSBDM	25	25	18.80	18.92	18.82	20	5			
10	ZSSBDM	50	0	18.73	18.88	18.84					
Channel											
Frequency (MHz)											
				1747.5	1722.5	1697.5	Time-use (min)	APR (dB)			
5	QPSK	1	0	24.10	24.22	24.08					
5	QPSK	1	8	24.21	24.23	24.09	25	0			
5	QPSK	1	14	23.96	24.07	23.80					
5	QPSK	6	0	23.31	23.39	23.24					
5	QPSK	6	4	23.23	23.30	23.25	24.5	0.5			
5	QPSK	15	0	23.11	23.15	23.05					
5	QPSK	15	0	23.19	23.21	23.12					
5	HQDM	1	0	23.97	24.01	23.94	24.5	0.5			
5	HQDM	1	8	23.86	23.89	23.85					
5	HQDM	1	14	23.87	23.76	23.83					
5	HQDM	6	0	22.76	22.70	22.77					
5	HQDM	6	4	22.66	22.64	22.72					
5	HQDM	15	0	22.81	22.81	22.80					
5	HQDM	15	0	22.85	22.75	22.85	24	1			
5	HQDM	15	4	22.15	22.24	22.12					
5	HQDM	15	4	22.14	22.14	22.24	23	2			
5	HQDM	15	0	22.19	22.20	22.25					
5	HQDM	1	0	22.05	22.09	22.06					
5	HQDM	1	8	21.85	21.98	21.93	20	5			
5	HQDM	1	14	21.76	21.99	21.98					
5	HQDM	6	0	21.90	21.94	21.91					
5	HQDM	6	4	21.82	21.88	21.87					
5	HQDM	15	0	21.84	21.89	21.81					
5	HQDM	15	0	21.83	21.91	21.84	20	5			
5	HQDM	15	4	21.75	21.87	21.82					
Channel											
Frequency (MHz)											
				1717.5	1745	1773.5	Time-use (min)	APR (dB)			
14	QPSK	1	0	24.19	24.21	24.14					
14	QPSK	1	10	24.20	24.20	24.13	25	0			
14	QPSK	1	5	23.93	23.99	23.82					
14	QPSK	3	0	24.20	24.15	24.04					
14	QPSK	3	10	24.17	24.17	24.01	24.5	0.5			
14	QPSK	6	0	23.18	23.17	23.24					
14	QPSK	6	10	23.09	23.09	23.17	24	1			
14	HQDM	1	0	23.78	23.88	23.79					
14	HQDM	1	5	23.82	23.78	23.83					
14	HQDM	1	10	23.80	23.83	23.77	24.5	0.5			
14	HQDM	3	0	23.78	23.76	23.82					
14	HQDM	3	10	22.84	22.84	22.94					
14	HQDM	3	1	22.80	22.74	22.85	24	1			
14	HQDM	6	0	22.21	22.24	22.24					
14	HQDM	6	10	22.24	22.22	22.27					
14	HQDM	6	0	22.18	22.22	22.28	23	2			
14	ZSSBDM	1	0	19.04	19.08	19.06					
14	ZSSBDM	1	5	19.04	18.94	18.97					
14	ZSSBDM	1	10	18.84	18.97	18.91	20	5			
14	ZSSBDM	3	0	18.82	19.02	18.98					
14	ZSSBDM	3	10	18.84	18.94	18.77					
14	ZSSBDM	3	1	18.84	18.94	18.91					
14	ZSSBDM	6	0	18.82	18.90	18.91					

Band 66_Ant 11														
WV (MHz)	Modulation	RE Box	RB Offset	Power Low Ch.7 (W)	Power Middle Ch.7 (W)	Power High Ch.7 (W)	Time-use (min)	MFR (dB)						
Channel														
Frequency (MHz)														
1720.7 1745.5 1770.3														
20	QPSK	1	0	19.55	19.69	19.56	20.4	0						
20	QPSK	1	49	19.55	19.65	19.64								
20	QPSK	1	99	19.55	19.54	19.52								
20	QPSK	50	0	19.55	19.67	19.55								
20	QPSK	50	24	19.51	19.65	19.62	20.4	0						
20	QPSK	50	50	19.52	19.54	19.54								
20	QPSK	100	0	19.49	19.56	19.52								
20	HQDM	1	0	19.60	19.60	19.53								
20	HQDM	1	49	19.51	19.59	19.52	20.4	0						
20	HQDM	1	99	19.52	19.54	19.59								
20	HQDM	50	0	19.55	19.67	19.63								
20	HQDM	50	24	19.51	19.67	19.58								
20	HQDM	50	50	19.51	19.67	19.58	20.4	0						
20	HQDM	100	0	19.51	19.56	19.51								
20	HQDM	1	0	19.59	19.61	19.54								
20	HQDM	1	49	19.59	19.58	19.55								
20	HQDM	1	99	19.51	19.57	19.63	20.4	0						
20	HQDM	50	0	19.59	19.67	19.60								
20	HQDM	50	24	19.49	19.55	19.57								
20	HQDM	50	50	19.49	19.63	19.62								
20	HQDM	100	0	19.60	19.63	19.58	20.4	0						
20	SSQDM	1	0	18.62	18.68	18.61								
20	SSQDM	1	49	18.65	18.64	18.58								
20	SSQDM	1	99	18.67	18.68	18.63								
20	SSQDM	50	0	18.57	18.65	18.68	19.4	1						
20	SSQDM	50	24	18.58	18.64	18.59								
20	SSQDM	50	50	18.65	18.63	18.61								
20	SSQDM	100	0	18.59	18.68	18.57								
Channel														
Frequency (MHz)														
1771.5 1745.5 1770.3														
15	QPSK	1	0	19.61	19.54	19.55	20.4	0						
15	QPSK	1	37	19.43	19.55	19.56								
15	QPSK	1	49	19.53	19.61	19.58								
15	QPSK	36	0	19.52	19.53	19.52								
15	QPSK	36	20	19.38	19.64	19.50	20.4	0						
15	QPSK	36	39	19.43	19.39	19.39								
15	QPSK	75	0	19.45	19.43	19.43								
15	HQDM	1	0	19.48	19.45	19.38								
15	HQDM	1	37	19.45	19.49	19.45	20.4	0						
15	HQDM	1	74	19.44	19.42	19.49								
15	HQDM	36	0	19.44	19.59	19.55								
15	HQDM	36	20	19.48	19.52	19.45								
15	HQDM	36	39	19.48	19.54	19.57	20.4	0						
15	HQDM	75	0	19.46	19.43	19.45								
15	HQDM	1	0	19.49	19.53	19.50								
15	HQDM	1	37	19.49	19.58	19.56								
15	HQDM	1	74	19.45	19.50	19.54	20.4	0						
15	HQDM	36	0	19.49	19.59	19.52								
15	HQDM	36	20	19.42	19.48	19.52								
15	HQDM	36	39	19.47	19.54	19.51								
15	SSQDM	1	0	18.59	18.62	18.47	19.4	1						
15	SSQDM	1	0	18.59	18.59	19.57								
15	SSQDM	1	74	18.63	18.61	18.49								
15	SSQDM	36	0	18.43	18.62	18.57								
15	SSQDM	36	20	18.58	18.55	18.49	19.4	1						
15	SSQDM	36	39	18.44	18.52	18.57								
15	SSQDM	75	0	18.57	18.65	18.48								
Channel														
Frequency (MHz)														
1771.5 1745.5 1770.3														
15	QPSK	1	0	19.59	19.67	19.53	20.4	0						
10	QPSK	1	25	19.43	19.59	19.53								
10	QPSK	1	49	19.53	19.61	19.58								
10	QPSK	25	0	19.58	19.65	19.59								
10	QPSK	25	12	19.47	19.55	19.54	20.4	0						
10	QPSK	25	24	19.54	19.51	19.50								
10	QPSK	50	0	19.38	19.42	19.51								
10	HQDM	1	0	19.54	19.58	19.52								
10	HQDM	1	25	19.45	19.48	19.48	20.4	0						
10	HQDM	1	49	19.44	19.41	19.44								
10	HQDM	25	0	19.46	19.61	19.53								
10	HQDM	25	12	19.48	19.55	19.36								
10	HQDM	25	25	19.41	19.53	19.50	20.4	0						
10	HQDM	50	0	19.39	19.52	19.48								
10	HQDM	50	0	19.41	19.58	19.62								
10	HQDM	1	0	19.49	19.68	19.56								
10	HQDM	1	49	19.45	19.49	19.51	20.4	0						
10	HQDM	25	0	19.42	19.60	19.54								
10	HQDM	25	12	19.43	19.49	19.49								
10	HQDM	25	25	19.45	19.61	19.58								
10	HQDM	50	0	19.50	19.61	19.49	20.4	0						
10	SSQDM	1	0	18.59	18.57	18.50								
10	SSQDM	1	0	18.59	18.54	18.50								
10	SSQDM	1	49	18.49	18.66	18.51								
10	SSQDM	25	0	18.44	18.59	18.53	19.4	1						
10	SSQDM	25	12	18.57	18.55	18.49								
10	SSQDM	25	25	18.53	18.56	18.52								
10	SSQDM	50	0	18.47	18.53	18.54								
Channel														
Frequency (MHz)														
1771.5 1745.5 1770.3														
5	QPSK	1	0	19.47	19.59	19.50	20.4	0						
5	QPSK	1	12	19.52	19.53	19.53								
5	QPSK	1	24	19.42	19.49	19.49								
5	QPSK	12	0	19.58	19.60	19.60								
5	QPSK	12	7	19.38	19.60	19.49	20.4	0						
5	QPSK	12	13	19.42	19.43	19.39								
5	QPSK	25	0	19.39	19.47	19.47								
5	HQDM	1	0	19.52	19.52	19.49								
5	HQDM	1	12	19.42	19.44	19.37	20.4	0						
5	HQDM	1	24	19.44	19.43	19.54								
5	HQDM	12	0	19.41	19.60	19.52								
5	HQDM	12	7	19.54	19.57	19.48								
5	HQDM	12	13	19.39	19.65	19.54	20.4	0						
5	HQDM	25	0	19.44	19.55	19.50								
5	HQDM	1	0	19.38	19.54	19.55								
5	HQDM	1	12	19.51	19.62	19.53								
5	HQDM	24	0	19.38	19.52	19.55								

Band 38_Ant 5										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. Freq.	Power Middle Ch. Freq.	Power High Ch. Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)				2580	2595	2610				
20	QPSK	1	0	24.45	24.40	24.42	25	0		
20	QPSK	1	49	24.33	24.23	24.29				
20	QPSK	1	99	24.42	24.41	24.38				
20	QPSK	50	0	23.85	24.05	24.02				
20	QPSK	50	24	23.85	23.87	23.94				
20	QPSK	50	50	23.81	23.91	23.98	24.5	0.5		
20	QPSK	100	0	23.89	24.00	23.96				
20	16QAM	1	0	23.89	23.92	23.93				
20	16QAM	1	49	23.83	23.90	24.10				
20	16QAM	1	99	23.99	24.04	24.16				
20	16QAM	50	0	23.34	23.38	23.42	24	1		
20	16QAM	50	24	23.35	23.43	23.47				
20	16QAM	50	50	23.42	23.43	23.57				
20	16QAM	100	0	23.34	23.44	23.48				
20	16QAM	1	0	22.58	22.59	22.65				
20	16QAM	1	49	22.60	22.61	22.81	23	2		
20	16QAM	1	99	22.67	22.70	22.81				
20	16QAM	50	0	22.40	22.40	22.48				
20	16QAM	50	24	22.35	22.47	22.58				
20	16QAM	50	50	22.50	22.45	22.63				
20	16QAM	100	0	22.47	22.42	22.55	23	2		
20	256QAM	1	0	18.91	18.92	18.95				
20	256QAM	1	49	18.86	18.91	18.90				
20	256QAM	1	99	18.00	18.01	18.91				
20	256QAM	50	0	18.93	18.97	18.84				
20	256QAM	50	24	18.53	18.89	18.81	20	5		
20	256QAM	50	50	18.96	18.99	18.88				
20	256QAM	100	0	18.90	18.96	18.94				
Channel										
Frequency (MHz)				3725	3800	3817.5	Tune-up limit (dBm)	MPR (dB)		
15	QPSK	1	0	24.23	24.20	24.20	25	0		
15	QPSK	1	37	24.40	24.46	24.33				
15	QPSK	1	74	24.27	24.36	24.35				
15	QPSK	36	0	23.87	23.94	23.90				
15	QPSK	36	20	23.76	23.76	23.93				
15	QPSK	36	39	23.85	23.90	23.93	24.5	0.5		
15	QPSK	36	50	23.87	23.93	23.87				
15	16QAM	1	0	23.81	23.80	23.78				
15	16QAM	1	37	23.82	23.86	23.96				
15	16QAM	1	74	23.91	24.03	24.03				
15	16QAM	36	0	23.33	23.34	23.27	24	1		
15	16QAM	36	20	23.23	23.35	23.42				
15	16QAM	36	39	23.38	23.41	23.46				
15	16QAM	75	0	23.21	23.35	23.42				
15	16QAM	1	0	22.56	22.46	22.56				
15	16QAM	1	37	22.55	22.46	22.68	23	2		
15	16QAM	1	74	22.59	22.56	22.74				
15	16QAM	36	0	22.34	22.32	22.35				
15	16QAM	36	20	22.23	22.33	22.46				
15	16QAM	36	39	22.43	22.30	22.55				
15	16QAM	75	0	22.43	22.29	22.40	23	2		
15	256QAM	1	0	18.85	18.91	18.86				
15	256QAM	1	37	18.74	18.86	18.81				
15	256QAM	1	74	18.93	18.92	18.76				
15	256QAM	36	0	18.91	18.93	18.69				
15	256QAM	36	20	18.68	18.86	18.72	20	5		
15	256QAM	36	39	18.62	18.84	18.87				
15	256QAM	75	0	18.89	18.89	18.88				
Channel										
Frequency (MHz)				3760	3800	3820	Tune-up limit (dBm)	MPR (dB)		
10	QPSK	1	0	24.24	24.17	24.14	25	0		
10	QPSK	1	25	24.33	24.39	24.33				
10	QPSK	1	49	24.41	24.30	24.27				
10	QPSK	25	0	23.96	23.98	23.97				
10	QPSK	25	13	23.71	23.73	23.80				
10	QPSK	25	25	23.76	23.96	23.93	24.5	0.5		
10	QPSK	50	0	23.85	23.97	23.94				
10	16QAM	1	0	23.87	23.91	23.87				
10	16QAM	1	25	23.81	23.80	24.14				
10	16QAM	1	49	23.82	23.98	24.14				
10	16QAM	25	0	23.30	23.25	23.30	24	1		
10	16QAM	25	12	23.29	23.30	23.46				
10	16QAM	25	25	23.29	23.38	23.43				
10	16QAM	50	0	23.26	23.26	23.45				
10	16QAM	1	0	22.44	22.26	22.59				
10	16QAM	1	25	22.57	22.56	22.73	23	2		
10	16QAM	1	49	22.52	22.62	22.68				
10	16QAM	25	0	22.26	22.25	22.43				
10	16QAM	25	12	22.31	22.32	22.47				
10	16QAM	25	25	22.38	22.40	22.49				
10	16QAM	50	0	22.37	22.32	22.40	20	5		
10	256QAM	1	0	18.85	19.01	18.84				
10	256QAM	1	25	18.74	18.81	18.80				
10	256QAM	1	49	18.96	18.90	18.85				
10	256QAM	25	0	18.91	18.94	18.77				
10	256QAM	25	12	18.68	18.79	18.79	20	5		
10	256QAM	25	25	18.67	18.91	18.75				
10	256QAM	50	0	18.75	18.81	18.82				
Channel										
Frequency (MHz)				3775	3800	3822.5	Tune-up limit (dBm)	MPR (dB)		
5	QPSK	1	0	24.29	24.20	24.15	25	0		
5	QPSK	1	12	24.35	24.44	24.33				
5	QPSK	1	24	24.37	24.27	24.34				
5	QPSK	12	0	23.96	23.96	23.98				
5	QPSK	12	7	23.81	23.74	23.91				
5	QPSK	12	13	23.80	23.96	23.88	24.5	0.5		
5	QPSK	25	0	23.88	23.90	23.89				
5	16QAM	1	0	23.88	23.77	23.81				
5	16QAM	1	12	23.71	23.82	23.98				
5	16QAM	1	24	23.97	23.93	24.10				
5	16QAM	12	0	23.24	23.33	23.36	24	1		
5	16QAM	12	7	23.20	23.35	23.34				
5	16QAM	12	13	23.37	23.36	23.53				
5	16QAM	25	0	23.30	23.34	23.45				
5	16QAM	1	0	22.55	22.55	22.55				
5	16QAM	1	12	22.51	22.55	22.72	23	2		
5	16QAM	1	24	22.56	22.64	22.70				
5	16QAM	12	0	22.37	22.39	22.38				
5	16QAM	12	7	22.31	22.34	22.52				
5	16QAM	12	13	22.42	22.30	22.50				
5	16QAM	25	0	22.34	22.35	22.45	20	5		
5	256QAM	1	0	18.79	18.98	18.92				
5	256QAM	1	12	18.75	18.81	18.75				
5	256QAM	1	24	18.93	19.00	18.76				
5	256QAM	12	0	18.85	18.88	18.77				
5	256QAM	12	7	18.79	18.87	18.79	20	5		
5	256QAM	12	13	18.81	18.92	18.73				
5	256QAM	25	0	18.87	18.93	18.89				

Band 38_Ant 6												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch./ Freq.	Power Middle Ch./ Freq.	Power High Ch./ Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel												
Frequency (MHz)				2580	2595	2610						
20	QPSK	1	0	17.28	17.39	17.30	17.9	0				
20	QPSK	1	49	17.26	17.24	17.27						
20	QPSK	1	99	17.23	17.35	17.29						
20	QPSK	50	0	17.25	17.38	17.27						
20	QPSK	50	24	17.19	17.26	17.20	17.9	0				
20	QPSK	50	49	17.22	17.30	17.27						
20	QPSK	100	0	17.23	17.30	17.22						
20	16QAM	1	0	17.27	17.27	17.25						
20	16QAM	1	49	17.21	17.34	17.17	17.9	0				
20	16QAM	1	99	17.23	17.28	17.18						
20	16QAM	50	24	17.18	17.24	17.25						
20	16QAM	50	50	17.20	17.28	17.22						
20	16QAM	100	0	17.20	17.25	17.23	17.9	0				
20	16QAM	50	50	17.23	17.26	17.29						
20	8QAM	1	99	17.24	17.37	17.19						
20	8QAM	50	24	17.17	17.38	17.25						
20	8QAM	50	24	17.23	17.30	17.23	17.9	0				
20	8QAM	100	0	17.21	17.38	17.28						
20	256QAM	1	0	17.21	17.38	17.28						
20	256QAM	1	49	17.18	17.37	17.23						
20	256QAM	1	99	17.16	17.37	17.23	17.9	0				
20	256QAM	50	24	17.26	17.30	17.29						
20	256QAM	50	24	17.18	17.28	17.29						
20	256QAM	50	50	17.27	17.36	17.18						
20	256QAM	100	0	17.14	17.37	17.37	17.9	0				
Channel												
Frequency (MHz)				25725	25850	25975				Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	0	17.21	17.24	17.24				17.9	0	
15	QPSK	1	37	17.22	17.21	17.18						
15	QPSK	1	74	17.22	17.28	17.18						
15	QPSK	36	0	17.15	17.23	17.16						
15	QPSK	36	20	17.09	17.13	17.09	17.9	0				
15	QPSK	36	37	17.12	17.28	17.05						
15	QPSK	75	0	17.11	17.23	17.16						
15	16QAM	1	0	17.25	17.21	17.15						
15	16QAM	1	37	17.11	17.31	17.16	17.9	0				
15	16QAM	1	74	17.14	17.29	17.08						
15	16QAM	36	0	17.13	17.15	17.12						
15	16QAM	36	20	17.08	17.17	17.11						
15	16QAM	36	39	17.12	17.17	17.09	17.9	0				
15	16QAM	75	0	17.05	17.20	17.12						
15	8QAM	1	37	17.13	17.12	17.25						
15	8QAM	1	74	17.09	17.24	17.14						
15	8QAM	1	74	17.08	17.35	17.12	17.9	0				
15	8QAM	36	0	17.04	17.25	17.23						
15	8QAM	36	20	17.11	17.16	17.15						
15	8QAM	36	39	17.20	17.19	17.15						
15	8QAM	75	0	17.18	17.19	17.23	17.9	0				
15	256QAM	1	0	17.19	17.35	17.13						
15	256QAM	1	37	17.10	17.36	17.12						
15	256QAM	1	74	17.09	17.30	17.14						
15	256QAM	36	0	17.09	17.17	17.28	17.9	0				
15	256QAM	36	20	17.11	17.19	17.27						
15	256QAM	36	39	17.12	17.22	17.17						
15	256QAM	75	0	17.03	17.36	17.16						
Channel												
Frequency (MHz)				25975	26095	26215	Tune-up limit (dBm)	MPR (dB)				
10	QPSK	1	0	17.15	17.34	17.15	17.9	0				
10	QPSK	1	25	17.15	17.13	17.18						
10	QPSK	1	49	17.15	17.30	17.19						
10	QPSK	25	0	17.22	17.34	17.23						
10	QPSK	25	0	17.24	17.30	17.25	17.9	0				
10	QPSK	25	25	17.17	17.27	17.10						
10	QPSK	50	0	17.09	17.15	17.09						
10	16QAM	1	0	17.23	17.19	17.10						
10	16QAM	1	25	17.15	17.29	17.04	17.9	0				
10	16QAM	1	49	17.14	17.20	17.16						
10	16QAM	25	0	17.09	17.20	17.15						
10	16QAM	25	12	17.15	17.12	17.12						
10	16QAM	25	25	17.10	17.20	17.15	17.9	0				
10	8QAM	1	25	17.16	17.24	17.17						
10	8QAM	1	49	17.16	17.20	17.14						
10	8QAM	1	25	17.15	17.35	17.14						
10	8QAM	1	49	17.16	17.22	17.15	17.9	0				
10	8QAM	25	0	17.12	17.27	17.13						
10	8QAM	25	12	17.16	17.18	17.18						
10	8QAM	25	25	17.18	17.18	17.19						
10	8QAM	50	0	17.14	17.16	17.22	17.9	0				
10	256QAM	1	0	17.08	17.34	17.18						
10	256QAM	1	25	17.11	17.14	17.20						
10	256QAM	1	49	17.13	17.24	17.21						
10	256QAM	25	0	17.11	17.29	17.25	17.9	0				
10	256QAM	25	12	17.07	17.21	17.17						
10	256QAM	25	25	17.20	17.27	17.09						
10	256QAM	50	0	17.10	17.25	17.19						
Channel												
Frequency (MHz)				25775	25995	26175	Tune-up limit (dBm)	MPR (dB)				
5	QPSK	1	0	17.18	17.24	17.22	17.9	0				
5	QPSK	1	12	17.21	17.14	17.23						
5	QPSK	1	24	17.08	17.20	17.16						
5	QPSK	12	7	17.21	17.30	17.17						
5	QPSK	12	7	17.13	17.17	17.18	17.9	0				
5	QPSK	12	13	17.16	17.31	17.14						
5	QPSK	25	0	17.22	17.17	17.14						
5	16QAM	1	0	17.20	17.19	17.23						
5	16QAM	1	12	17.08	17.32	17.02	17.9	0				
5	16QAM	1	24	17.20	17.17	17.16						
5	16QAM	12	7	17.18	17.17	17.17						
5	16QAM	12	13	17.12	17.17	17.17						
5	16QAM	25	0	17.22	17.26	17.25	17.9	0				
5	16QAM	25	0	17.20	17.31	17.24						
5	256QAM	1	0	17.15	17.37	17.08						
5	256QAM	1	24	17.15	17.28	17.22						
5	256QAM	12	0	17.11	17.19	17.14	17.9	0				
5	256QAM	12	7	17.07	17.26	17.15						
5	256QAM	12	13	17.16	17.18	17.25						
5	256QAM	25	0	17.00	17.33	17.22						

Band 38_Ant 7										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)				37860	38000	38150				
20	QPSK	1	0	18.20	18.25	18.10	17	0		
20	QPSK	1	49	18.13	18.10	18.08				
20	QPSK	1	99	18.17	18.08	18.16				
20	QPSK	50	0	18.17	18.20	18.15				
20	QPSK	50	24	18.08	18.19	18.11	17	0		
20	QPSK	50	50	18.14	18.18	18.09				
20	QPSK	100	0	18.06	18.19	18.12				
20	16QAM	1	0	18.17	18.17	18.09				
20	16QAM	1	49	18.13	18.18	18.10	17	0		
20	16QAM	1	99	18.08	18.14	18.07				
20	16QAM	50	0	18.19	18.16	18.12				
20	16QAM	50	24	18.19	18.15	18.13				
20	16QAM	50	50	18.11	18.17	18.10	17	0		
20	16QAM	100	0	18.18	18.15	18.11				
20	64QAM	1	0	18.08	18.12	18.17				
20	64QAM	1	49	18.14	18.19	18.14				
20	64QAM	1	99	18.14	18.11	18.10	17	0		
20	64QAM	50	0	18.12	18.13	18.09				
20	64QAM	50	24	18.05	18.19	18.14				
20	64QAM	50	50	18.19	18.13	18.15				
20	64QAM	100	0	18.12	18.10	18.06	17	0		
20	256QAM	1	0	15.48	15.53	15.39				
20	256QAM	1	49	15.46	15.44	15.42				
20	256QAM	1	99	15.43	15.49	15.52				
20	256QAM	50	0	15.46	15.48	15.43	16	1		
20	256QAM	50	24	15.44	15.45	15.41				
20	256QAM	50	50	15.44	15.42	15.44				
20	256QAM	100	0	15.42	15.46	15.47				
Channel										
Frequency (MHz)				37775	38000	38175	Tune-up limit (dBm)	MPR (dB)		
15	QPSK	1	0	18.12	18.21	18.07	17	0		
15	QPSK	1	37	18.06	18.01	18.07				
15	QPSK	1	74	18.10	18.02	18.09				
15	QPSK	36	0	18.10	18.15	18.01				
15	QPSK	36	20	15.96	18.16	18.10	17	0		
15	QPSK	36	39	18.11	15.94	15.98				
15	QPSK	36	50	15.92	18.08	18.06				
15	16QAM	1	0	18.14	18.15	18.05				
15	16QAM	1	37	18.04	18.03	18.01	17	0		
15	16QAM	1	74	18.01	18.07	15.98				
15	16QAM	36	0	18.05	18.01	18.07				
15	16QAM	36	20	18.15	18.01	18.05				
15	16QAM	36	39	15.96	18.16	15.98	17	0		
15	16QAM	75	0	18.04	18.05	15.98				
15	64QAM	1	0	15.96	18.03	18.06				
15	64QAM	1	37	18.04	18.14	18.06				
15	64QAM	1	74	18.00	18.08	15.98	17	0		
15	64QAM	36	0	18.07	18.07	18.01				
15	64QAM	36	20	18.04	18.16	18.07				
15	64QAM	36	39	18.11	15.98	18.05				
15	64QAM	75	0	15.97	15.96	16.00	16	1		
15	256QAM	1	0	15.43	15.43	15.31				
15	256QAM	1	37	15.34	15.36	15.38				
15	256QAM	1	74	15.28	15.38	15.39				
15	256QAM	36	0	15.35	15.37	15.41	16	1		
15	256QAM	36	20	15.37	15.39	15.39				
15	256QAM	36	39	15.35	15.37	15.41				
15	256QAM	75	0	15.32	15.45	15.44				
15	256QAM	100	0	15.32	15.45	15.45				
Channel										
Frequency (MHz)				37860	38000	38200	Tune-up limit (dBm)	MPR (dB)		
10	QPSK	1	0	18.13	18.21	18.16	17	0		
10	QPSK	1	25	15.98	18.07	18.07				
10	QPSK	1	49	18.16	15.99	18.06				
10	QPSK	25	0	18.04	18.18	18.11				
10	QPSK	25	12	18.07	18.04	18.10	17	0		
10	QPSK	25	25	18.09	15.97	18.10				
10	QPSK	50	0	18.05	18.08	15.98				
10	16QAM	1	0	18.02	18.08	15.99				
10	16QAM	1	25	18.08	18.12	18.04	17	0		
10	16QAM	1	49	18.01	18.06	18.08				
10	16QAM	25	0	18.13	18.01	18.00				
10	16QAM	25	12	18.07	18.06	18.02				
10	16QAM	25	25	15.98	18.11	18.09	17	0		
10	16QAM	50	0	18.14	18.13	18.07				
10	16QAM	50	12	15.93	18.10	18.07				
10	64QAM	1	25	18.08	18.13	18.01				
10	64QAM	1	49	18.09	15.97	15.99	17	0		
10	64QAM	25	0	18.05	18.04	18.00				
10	64QAM	25	12	18.00	18.07	18.09				
10	64QAM	25	25	18.10	18.07	18.05				
10	64QAM	50	0	18.07	18.00	18.02	16	1		
10	64QAM	50	12	15.93	18.00	18.00				
10	256QAM	1	0	15.33	15.50	15.33				
10	256QAM	1	48	15.31	15.37	15.48				
10	256QAM	25	0	15.42	15.34	15.30	16	1		
10	256QAM	25	12	15.34	15.31	15.31				
10	256QAM	25	25	15.40	15.35	15.33				
10	256QAM	50	0	15.38	15.35	15.33				
10	256QAM	50	0	15.36	15.35	15.33				
Channel										
Frequency (MHz)				37775	38000	38225	Tune-up limit (dBm)	MPR (dB)		
5	QPSK	1	0	18.05	18.13	18.06	17	0		
5	QPSK	1	12	18.12	18.05	18.03				
5	QPSK	1	24	18.08	15.96	18.01				
5	QPSK	12	0	18.11	18.08	18.09				
5	QPSK	12	7	15.98	18.08	18.10	17	0		
5	QPSK	12	13	18.07	18.05	18.03				
5	QPSK	25	0	15.99	18.16	18.00				
5	16QAM	1	0	18.13	18.12	18.04				
5	16QAM	1	12	18.08	18.15	18.00	17	0		
5	16QAM	1	24	18.06	18.12	15.93				
5	16QAM	12	0	18.09	15.98	18.03				
5	16QAM	12	7	18.07	18.12	15.98				
5	16QAM	12	13	18.04	18.02	18.03	17	0		
5	16QAM	25	0	18.00	18.03	18.03				
5	64QAM	1	0	15.94	18.08	18.12				
5	64QAM	1	12	18.02	18.16	18.08				
5	64QAM	1	24	18.08	15.96	18.08	17	0		
5	64QAM	12	0	18.09	15.98	18.08				
5	64QAM	12	0	18.04	18.09	18.03				
5	64QAM	12	7	15.98	18.04	18.06				
5	64QAM	12	13	18.14	18.11	18.08	17	0		
5	64QAM	25	0	18.03	18.08	15.99				
5	256QAM	1	0	15.44	15.42	15.35				
5	256QAM	1	12	15.44	15.42	15.28				
5	256QAM	1	24	15.35	15.36	15.41	16	1		
5	256QAM	12	0	15.35	15.34	15.29				
5	256QAM	12	7	15.40	15.35	15.33				
5	256QAM	12	13	15.33	15.35	15.30				
5	256QAM	25	0	15.32	15.41	15.32	16	1		
5	256QAM	25	0	15.32	15.41	15.32				
5	256QAM	25	0	15.32	15.41	15.32				
5	256QAM	25	0	15.32	15.41	15.32				

Band 41_Ant 6														
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch./Freq.	Power Low Middle Ch./Freq.	Power High Middle Ch./Freq.	Power High Ch./Freq.	Power High Ch./Freq.	Tune-up limit (dBm)	MPR (dB)				
Channel														
Frequency (MHz)				2506	2549.5	2593	2636.5	2680						
20	QPSK	1	0	17.07	17.02	17.10	17.09	17.02	17.8	0				
20	QPSK	1	49	17.02	17.01	17.06	17.01	16.97						
20	QPSK	1	99	17.02	16.90	17.01	17.07	16.92						
20	QPSK	50	0	17.05	17.01	17.08	17.02	17.00						
20	QPSK	50	24	17.04	16.95	16.97	17.06	16.99						
20	QPSK	50	50	16.98	16.97	17.05	17.06	16.87	17.8	0				
20	QPSK	100	0	17.03	16.90	17.05	17.00	16.95						
20	16QAM	1	0	16.99	16.98	17.07	17.00	16.97						
20	16QAM	1	49	16.96	16.95	16.96	16.97	16.94						
20	16QAM	1	99	17.02	16.97	17.07	16.99	17.01						
20	16QAM	50	0	16.92	16.94	17.01	17.02	16.93	17.8	0				
20	16QAM	50	24	17.02	16.95	16.95	17.05	16.88						
20	16QAM	50	50	17.04	17.00	17.09	16.97	16.89						
20	16QAM	100	0	17.04	17.03	17.06	17.05	17.00						
20	64QAM	1	0	16.93	17.03	16.98	16.94	16.92						
20	64QAM	1	99	16.95	16.91	17.09	17.03	16.95	17.8	0				
20	64QAM	50	0	16.99	16.95	16.96	17.06	16.91						
20	64QAM	50	24	17.01	16.93	16.96	16.98	16.90						
20	64QAM	50	50	17.03	16.97	17.06	17.08	17.00						
20	64QAM	100	0	17.04	16.91	17.08	17.03	16.96						
20	256QAM	1	0	16.97	16.40	16.48	16.37	16.45	17.3	0.5				
20	256QAM	1	49	16.92	16.38	16.43	16.30	16.38						
20	256QAM	1	99	16.40	16.37	16.48	16.35	16.45						
20	256QAM	50	0	16.40	16.41	16.44	16.42	16.41						
20	256QAM	50	24	16.35	16.37	16.46	16.37	16.35						
20	256QAM	50	50	16.45	16.39	16.50	16.45	16.48	17.3	0.5				
20	256QAM	100	0	16.50	16.48	16.51	16.48	16.48						
Channel														
Frequency (MHz)				3972.5	40173	40620	41068	41515			Tune-up limit (dBm)	MPR (dB)		
15	QPSK	1	0	17.04	17.02	17.05	16.94	16.87	17.8	0				
15	QPSK	1	37	17.01	16.93	16.96	16.93	16.92						
15	QPSK	1	74	16.96	16.83	16.92	17.06	16.95						
15	QPSK	36	0	17.01	17.00	16.98	16.95	16.90						
15	QPSK	36	20	16.99	16.88	16.95	16.98	16.86						
15	QPSK	36	39	16.94	16.86	17.02	16.94	16.73	17.8	0				
15	QPSK	75	0	16.93	16.87	17.03	16.85	16.94						
15	16QAM	1	0	16.98	16.91	17.01	16.89	16.89						
15	16QAM	1	37	16.81	16.94	16.87	16.85	16.88						
15	16QAM	1	74	16.99	16.86	16.94	16.93	16.91						
15	16QAM	36	0	16.81	16.92	16.96	16.97	16.90	17.8	0				
15	16QAM	36	20	16.89	16.93	16.94	16.98	16.83						
15	16QAM	36	39	16.99	16.88	17.02	16.95	16.79						
15	16QAM	75	0	17.01	16.95	16.96	16.93	16.98						
15	64QAM	1	0	16.90	17.02	16.85	16.81	16.88						
15	64QAM	1	37	16.87	16.87	16.89	16.95	16.87	17.8	0				
15	64QAM	1	74	16.85	16.88	17.06	16.89	16.94						
15	64QAM	36	0	16.90	16.89	16.91	17.03	16.85						
15	64QAM	36	20	16.92	16.80	16.89	16.91	16.77						
15	64QAM	36	39	16.90	16.94	16.99	16.95	16.86						
15	256QAM	1	0	16.95	16.84	17.06	16.99	16.83	17.3	0.5				
15	256QAM	1	37	16.27	16.39	16.46	16.26	16.43						
15	256QAM	1	74	16.18	16.28	16.31	16.25	16.28						
15	256QAM	1	37	16.26	16.26	16.42	16.27	16.34						
15	256QAM	1	37	16.36	16.39	16.37	16.41	16.38						
15	256QAM	36	20	16.28	16.24	16.44	16.30	16.24	17.3	0.5				
15	256QAM	36	39	16.34	16.34	16.35	16.38	16.34						
15	256QAM	75	0	16.36	16.43	16.40	16.43	16.33						
Channel														
Frequency (MHz)				39700	40160	40620	41080	41540	Tune-up limit (dBm)	MPR (dB)				
10	QPSK	1	0	16.97	17.04	17.02	17.07	16.94	17.8	0				
10	QPSK	1	25	16.90	16.90	17.05	16.98	16.85						
10	QPSK	1	49	16.96	16.83	16.93	17.01	16.77						
10	QPSK	25	0	17.03	17.02	16.95	16.99	16.86						
10	QPSK	25	12	16.92	16.90	16.93	16.90	16.80						
10	QPSK	25	25	16.88	16.85	17.01	16.83	16.76	17.8	0				
10	QPSK	50	0	16.90	16.76	16.98	16.86	16.89						
10	16QAM	1	0	16.94	16.95	17.06	16.86	16.90						
10	16QAM	1	25	16.92	16.86	16.92	16.99	16.93						
10	16QAM	1	49	16.98	16.89	16.92	16.92	16.88						
10	16QAM	25	0	16.89	16.80	16.91	16.99	16.88	17.8	0				
10	16QAM	25	12	16.93	16.94	16.86	17.04	16.78						
10	16QAM	25	25	16.94	16.85	16.97	16.86	16.87						
10	16QAM	50	0	16.97	17.06	17.00	16.99	16.93						
10	64QAM	1	0	16.82	17.02	16.88	16.88	16.89						
10	64QAM	1	25	16.92	16.85	16.91	16.95	16.88	17.8	0				
10	64QAM	1	49	16.84	16.87	17.05	17.00	16.83						
10	64QAM	25	0	16.94	16.83	16.92	16.96	16.78						
10	64QAM	25	12	16.99	16.85	16.92	16.94	16.89						
10	64QAM	25	25	16.94	16.95	16.97	17.00	16.99						
10	64QAM	50	0	16.92	16.80	17.05	16.89	16.89	17.3	0.5				
10	256QAM	1	0	16.34	16.38	16.37	16.27	16.41						
10	256QAM	1	25	16.19	16.29	16.32	16.26	16.28						
10	256QAM	1	49	16.39	16.32	16.35	16.31	16.44						
10	256QAM	25	0	16.36	16.37	16.42	16.39	16.36						
10	256QAM	25	12	16.27	16.29	16.33	16.31	16.33	17.3	0.5				
10	256QAM	25	25	16.31	16.36	16.47	16.35	16.47						
10	256QAM	50	0	16.40	16.43	16.50	16.46	16.45						
Channel														
Frequency (MHz)				39675	40148	40620	41093	41665	Tune-up limit (dBm)	MPR (dB)				
5	QPSK	1	0	16.94	16.91	17.05	16.94	16.99	17.8	0				
5	QPSK	1	12	16.89	16.97	16.97	16.95	16.82						
5	QPSK	1	24	17.01	16.98	16.97	17.00	16.89						
5	QPSK	12	0	17.01	16.91	17.04	17.06	16.98	17.8	0				
5	QPSK	12	7	16.98	16.86	16.93	17.05	16.88						
5	QPSK	12	13	16.88	16.83	16.97	16.90	16.86						
5	QPSK	25	0	16.97	16.87	16.97	16.97	16.85						
5	16QAM	1	0	16.87	16.83	17.00	16.87	16.96						
5	16QAM	1	12	16.93	16.83	16.93	16.87	16.86	17.8	0				
5	16QAM	1	24	16.91	16.85	17.02	16.88	16.86						
5	16QAM	12	0	16.86	16.80	16.96	16.97	16.85						
5	16QAM	12	7	16.94	16.83	16.96	16.90	16.78						
5	16QAM	12	13	16.95	16.98	16.98	16.89	16.79						
5	16QAM	25	0	16.90	16.99	17.03	16.91	16.85	17.3	0.5				
5	16QAM	25	0	16.84	16.97	16.92	16.82	16.88						
5	16QAM	1	12	16.97	16.92	16.98	17.03	16.82						
5	64QAM	1	0	16.90	16.81	16.98	17.01	16.82						
5	64QAM	12	7	16.91	16.90	16.92	16.90	16.77						
5	64QAM	12	13	17.00	16.90	16.94	16.93	16.85	17.8	0				
5	256QAM	25	0	16.36	16.79	17.00	16.82	16.90						
5	256QAM	0	0	16.35	16.38	16.35	16.27	16.35						
5	256QAM	1	12	16.26	16.35	16.36	16.28	16.30						
5	256QAM	1	24	16.30	16.34	16.47	16.26	16.40						
5	256QAM	12	0	16.30	16.31	16.37	16.30	16.34	17.3	0.5				
5	256QAM	12	7	16.33	16.32	16.32	16.30	16.32						
5	256QAM	12	13	16.33	16.26	16.47	16.38	16.42						
5	256QAM	25	0	16.35	16.45	16.36	16.38	16.33						

Band 41(HPUe)_Ant 11												
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch / Freq	Power Low Middle Ch / Freq	Power Middle Ch / Freq	Power High Middle Ch / Freq	Power High Ch / Freq	Turn-up limit (dBm)	MPR (dB)		
Channel												
Frequency (MHz)				2506	2549.5	2593	2636.5	2680				
20	QPSK	1	0	15.83	15.83	15.92	15.88	15.80	16.7	0		
20	QPSK	1	49	15.78	15.75	15.88	15.83	15.76	16.7	0		
20	QPSK	1	99	15.77	15.78	15.78	15.79	15.82	16.7	0		
20	QPSK	50	0	15.84	15.77	15.90	15.85	15.87	16.7	0		
20	QPSK	50	24	15.76	15.74	15.86	15.84	15.77	16.7	0		
20	QPSK	50	50	15.82	15.87	15.79	15.73	15.80	16.7	0		
20	QPSK	100	0	15.82	15.88	15.89	15.79	15.82	16.7	0		
20	16QAM	1	0	15.73	15.69	15.90	15.81	15.76	16.7	0		
20	16QAM	1	49	15.83	15.86	15.82	15.86	15.85	16.7	0		
20	16QAM	1	99	15.79	15.66	15.81	15.75	15.83	16.7	0		
20	16QAM	50	0	15.73	15.75	15.91	15.82	15.75	16.7	0		
20	16QAM	50	24	15.84	15.77	15.89	15.81	15.81	16.7	0		
20	16QAM	50	50	15.72	15.66	15.87	15.78	15.78	16.7	0		
20	16QAM	100	0	15.72	15.79	15.81	15.77	15.85	16.7	0		
20	64QAM	1	0	15.72	15.79	15.91	15.79	15.86	16.7	0		
20	64QAM	1	49	15.78	15.69	15.89	15.79	15.80	16.7	0		
20	64QAM	1	99	15.75	15.73	15.82	15.82	15.79	16.7	0		
20	64QAM	50	0	15.71	15.82	15.86	15.76	15.77	16.7	0		
20	64QAM	50	24	15.75	15.78	15.87	15.81	15.79	16.7	0		
20	64QAM	50	50	15.76	15.66	15.84	15.87	15.78	16.7	0		
20	64QAM	100	0	15.84	15.65	15.78	15.84	15.80	16.7	0		
20	256QAM	1	0	15.80	15.76	15.90	15.81	15.77	16.7	0		
20	256QAM	1	49	15.83	15.72	15.84	15.81	15.79	16.7	0		
20	256QAM	1	99	15.70	15.77	15.77	15.85	15.82	16.7	0		
20	256QAM	50	0	15.75	15.77	15.86	15.79	15.75	16.7	0		
20	256QAM	50	24	15.76	15.65	15.90	15.74	15.83	16.7	0		
20	256QAM	50	50	15.70	15.75	15.88	15.75	15.84	16.7	0		
20	256QAM	100	0	15.83	15.79	15.86	15.81	15.84	16.7	0		
Channel												
Frequency (MHz)				39725	40173	40620	41068	41515	Turn-up limit (dBm)	MPR (dB)		
15	QPSK	1	0	15.78	15.66	15.91	15.75	15.87	16.7	0		
15	QPSK	1	37	15.85	15.64	15.73	15.74	15.70	16.7	0		
15	QPSK	1	74	15.63	15.67	15.71	15.70	15.74	16.7	0		
15	QPSK	36	0	15.69	15.73	15.88	15.73	15.80	16.7	0		
15	QPSK	36	20	15.61	15.68	15.73	15.82	15.73	16.7	0		
15	QPSK	36	39	15.79	15.63	15.72	15.69	15.66	16.7	0		
15	QPSK	36	50	15.78	15.64	15.74	15.78	15.78	16.7	0		
15	16QAM	1	0	15.58	15.56	15.80	15.69	15.64	16.7	0		
15	16QAM	1	37	15.76	15.66	15.72	15.71	15.70	16.7	0		
15	16QAM	1	74	15.70	15.65	15.74	15.61	15.60	16.7	0		
15	16QAM	36	0	15.66	15.65	15.89	15.76	15.82	16.7	0		
15	16QAM	36	20	15.81	15.74	15.87	15.78	15.69	16.7	0		
15	16QAM	36	39	15.68	15.56	15.72	15.65	15.71	16.7	0		
15	16QAM	75	0	15.58	15.78	15.69	15.73	15.81	16.7	0		
15	64QAM	1	0	15.71	15.71	15.83	15.68	15.82	16.7	0		
15	64QAM	1	37	15.84	15.58	15.86	15.76	15.88	16.7	0		
15	64QAM	1	74	15.68	15.58	15.81	15.76	15.78	16.7	0		
15	64QAM	36	0	15.66	15.64	15.82	15.66	15.69	16.7	0		
15	64QAM	36	20	15.70	15.77	15.82	15.70	15.67	16.7	0		
15	64QAM	36	39	15.86	15.60	15.70	15.86	15.67	16.7	0		
15	64QAM	75	0	15.81	15.61	15.73	15.78	15.75	16.7	0		
15	256QAM	1	0	15.78	15.68	15.83	15.77	15.71	16.7	0		
15	256QAM	1	37	15.82	15.71	15.80	15.70	15.71	16.7	0		
15	256QAM	1	74	15.63	15.64	15.76	15.63	15.81	16.7	0		
15	256QAM	36	0	15.74	15.65	15.86	15.74	15.82	16.7	0		
15	256QAM	36	20	15.66	15.52	15.84	15.64	15.82	16.7	0		
15	256QAM	36	39	15.59	15.65	15.85	15.72	15.82	16.7	0		
15	256QAM	75	0	15.73	15.71	15.83	15.66	15.75	16.7	0		
Channel												
Frequency (MHz)				39700	40160	40620	41080	41540	Turn-up limit (dBm)	MPR (dB)		
10	QPSK	1	0	15.83	15.63	15.89	15.81	15.78	16.7	0		
10	QPSK	1	25	15.66	15.69	15.87	15.77	15.81	16.7	0		
10	QPSK	1	49	15.75	15.68	15.71	15.73	15.74	16.7	0		
10	QPSK	25	0	15.77	15.62	15.88	15.81	15.86	16.7	0		
10	QPSK	25	12	15.76	15.63	15.74	15.70	15.62	16.7	0		
10	QPSK	25	25	15.77	15.52	15.67	15.64	15.71	16.7	0		
10	QPSK	50	0	15.75	15.68	15.77	15.77	15.78	16.7	0		
10	16QAM	1	0	15.67	15.59	15.82	15.69	15.61	16.7	0		
10	16QAM	1	25	15.77	15.67	15.71	15.72	15.76	16.7	0		
10	16QAM	1	49	15.76	15.59	15.86	15.74	15.68	16.7	0		
10	16QAM	25	0	15.67	15.64	15.86	15.70	15.77	16.7	0		
10	16QAM	25	12	15.83	15.69	15.75	15.71	15.82	16.7	0		
10	16QAM	25	25	15.71	15.57	15.72	15.72	15.69	16.7	0		
10	16QAM	50	0	15.68	15.57	15.76	15.76	15.78	16.7	0		
10	64QAM	1	0	15.81	15.73	15.82	15.65	15.84	16.7	0		
10	64QAM	1	25	15.76	15.61	15.85	15.76	15.75	16.7	0		
10	64QAM	1	49	15.71	15.60	15.67	15.75	15.74	16.7	0		
10	64QAM	25	0	15.65	15.53	15.79	15.65	15.64	16.7	0		
10	64QAM	25	12	15.66	15.70	15.81	15.76	15.65	16.7	0		
10	64QAM	25	25	15.71	15.64	15.81	15.78	15.65	16.7	0		
10	64QAM	50	0	15.81	15.58	15.75	15.75	15.76	16.7	0		
10	256QAM	1	0	15.79	15.71	15.75	15.68	15.70	16.7	0		
10	256QAM	1	25	15.81	15.61	15.78	15.69	15.68	16.7	0		
10	256QAM	1	49	15.62	15.62	15.76	15.83	15.78	16.7	0		
10	256QAM	25	0	15.71	15.69	15.81	15.72	15.73	16.7	0		
10	256QAM	25	12	15.68	15.62	15.83	15.65	15.77	16.7	0		
10	256QAM	25	25	15.66	15.63	15.82	15.70	15.77	16.7	0		
10	256QAM	50	0	15.72	15.66	15.81	15.72	15.80	16.7	0		
Channel												
Frequency (MHz)				39675	40148	40620	41093	41565	Turn-up limit (dBm)	MPR (dB)		
5	QPSK	1	0	15.76	15.67	15.83	15.77	15.79	16.7	0		
5	QPSK	1	12	15.65	15.67	15.86	15.71	15.63	16.7	0		
5	QPSK	1	24	15.72	15.77	15.72	15.75	15.75	16.7	0		
5	QPSK	12	0	15.79	15.70	15.83	15.82	15.73	16.7	0		
5	QPSK	12	7	15.67	15.68	15.84	15.79	15.69	16.7	0		
5	QPSK	12	13	15.68	15.53	15.70	15.65	15.79	16.7	0		
5	QPSK	25	0	15.81	15.65	15.83	15.76	15.74	16.7	0		
5	16QAM	1	0	15.67	15.59	15.82	15.69	15.61	16.7	0		
5	16QAM	1	12	15.72	15.66	15.69	15.76	15.77	16.7	0		
5	16QAM	1	24	15.67	15.61	15.66	15.70	15.77	16.7	0		
5	16QAM	12	0	15.58	15.60	15.81	15.75	15.74	16.7	0		
5	16QAM	12	7	15.80	15.65	15.81	15.79	15.73	16.7	0		
5	16QAM	12	13	15.64	15.52	15.72	15.70	15.72	16.7	0		
5	16QAM	25	0	15.68	15.76	15.73	15.62	15.77	16.7	0		
5	64QAM	1	0	15.67	15.65	15.76	15.65	15.82	16.7	0		
5	64QAM	1	12	15.70	15.56	15.82	15.64	15.77	16.7	0		
5	64QAM	1	24	15.80	15.60	15.81	15.75	15.76	16.7	0		
5	64QAM	12	0	15.60	15.84	15.76	15.75	15.75	16.7	0		
5	64QAM	12	13	15.60	15.77	15.74	15.77	15.74	16.7	0		
5	64QAM	12	13	15.71	15.65	15.75	15.72	15.67	16.7	0		
5	64QAM	25	0	15.77	15.50	15.77	15.62	15.75	16.7	0		
5	256QAM	1	0	15.71	15.72	15.77	15.77	15.78	16.7	0		
5	256QAM	1	12	15.72	15.60	15.78	15.80	15.72	16.7	0		
5	256QAM	1	24	15.61	15.63	15.76	15.81	15.76	16.7	0		
5	256QAM	12	0	15.61	15.63	15.78	15.65	15.68	16.7	0		
5	256QAM	12	7	15.68	15.57	15.81	15.75	15.78	16.7	0		
5	256QAM	12	13	15.60	15.60	15.85	15.70	15.73	16.7	0		
5	256QAM	25	0	15.81	15.72	15.73	15.75	15.75	16.7	0		

CA_7C_Ant 5											
Combination 20MHz+20MHz (100RB+100RB)											
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Power Reduction	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset					
20850	21048	QPSK	1	0	0	0	1	0	Full	24.35	25.00
21100	21298	QPSK	1	0	0	0	1	0	Full	24.40	25.00
21350	21152	QPSK	1	0	0	0	1	0	Full	24.33	25.00
20850	21048	QPSK	1	0	0	0	1	0	ECI 5	24.35	25.00
21100	21298	QPSK	1	0	0	0	1	0	ECI 5	24.40	25.00
21350	21152	QPSK	1	0	0	0	1	0	ECI 5	24.33	25.00
20850	21048	QPSK	1	0	0	0	1	0	ECI 10	24.35	25.00
21100	21298	QPSK	1	0	0	0	1	0	ECI 10	24.40	25.00
21350	21152	QPSK	1	0	0	0	1	0	ECI 10	24.33	25.00
20850	21048	QPSK	1	0	0	0	1	0	ECI 3	18.74	19.50
21100	21298	QPSK	1	0	0	0	1	0	ECI 3	18.82	19.50
21350	21152	QPSK	1	0	0	0	1	0	ECI 3	18.77	19.50
20850	21048	QPSK	1	0	0	0	1	0	ECI 8	18.74	19.50
21100	21298	QPSK	1	0	0	0	1	0	ECI 8	18.82	19.50
21350	21152	QPSK	1	0	0	0	1	0	ECI 8	18.77	19.50

CA_7C_Ant 6											
Combination 20MHz+20MHz (100RB+100RB)											
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Power Reduction	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset					
20850	21048	QPSK	1	0	0	0	1	0	Full	23.68	24.50
21100	21298	QPSK	1	0	0	0	1	0	Full	23.79	24.50
21350	21152	QPSK	1	0	0	0	1	0	Full	23.75	24.50
20850	21048	QPSK	1	0	0	0	1	0	ECI 5	15.50	16.50
21100	21298	QPSK	1	0	0	0	1	0	ECI 5	15.60	16.50
21350	21152	QPSK	1	0	0	0	1	0	ECI 5	15.49	16.50
20850	21048	QPSK	1	0	0	0	1	0	ECI 10	15.42	15.50
21100	21298	QPSK	1	0	0	0	1	0	ECI 10	14.60	15.50
21350	21152	QPSK	1	0	0	0	1	0	ECI 10	14.55	15.50
20850	21048	QPSK	1	0	0	0	1	0	ECI 3	18.70	19.50
21100	21298	QPSK	1	0	0	0	1	0	ECI 3	18.80	19.50
21350	21152	QPSK	1	0	0	0	1	0	ECI 3	18.77	19.50
20850	21048	QPSK	1	0	0	0	1	0	ECI 8	16.30	17.50
21100	21298	QPSK	1	0	0	0	1	0	ECI 8	16.50	17.50
21350	21152	QPSK	1	0	0	0	1	0	ECI 8	16.38	17.50

CA_7C_Ant 11											
Combination 20MHz+20MHz (100RB+100RB)											
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Power Reduction	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset					
20850	21048	QPSK	1	0	0	0	1	0	Full	23.83	24.40
21100	21298	QPSK	1	0	0	0	1	0	Full	23.88	24.40
21350	21152	QPSK	1	0	0	0	1	0	Full	23.80	24.40
20850	21048	QPSK	1	0	0	0	1	0	ECI 5	16.70	17.40
21100	21298	QPSK	1	0	0	0	1	0	ECI 5	16.78	17.40
21350	21152	QPSK	1	0	0	0	1	0	ECI 5	16.74	17.40
20850	21048	QPSK	1	0	0	0	1	0	ECI 10	15.80	16.40
21100	21298	QPSK	1	0	0	0	1	0	ECI 10	15.87	16.40
21350	21152	QPSK	1	0	0	0	1	0	ECI 10	15.78	16.40
20850	21048	QPSK	1	0	0	0	1	0	ECI 3	18.72	19.40
21100	21298	QPSK	1	0	0	0	1	0	ECI 3	18.79	19.40
21350	21152	QPSK	1	0	0	0	1	0	ECI 3	18.75	19.40
20850	21048	QPSK	1	0	0	0	1	0	ECI 8	16.70	17.40
21100	21298	QPSK	1	0	0	0	1	0	ECI 8	16.78	17.40
21350	21152	QPSK	1	0	0	0	1	0	ECI 8	16.74	17.40

CA_7C_Ant 7											
Combination 20MHz+20MHz (100RB+100RB)											
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Power Reduction	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset					
20850	21048	QPSK	1	0	0	0	1	0	Full	19.30	21.00
21100	21298	QPSK	1	0	0	0	1	0	Full	19.72	21.00
21350	21152	QPSK	1	0	0	0	1	0	Full	19.96	21.00
20850	21048	QPSK	1	0	0	0	1	0	ECI 5	15.85	17.50
21100	21298	QPSK	1	0	0	0	1	0	ECI 5	16.25	17.50
21350	21152	QPSK	1	0	0	0	1	0	ECI 5	16.40	17.50
20850	21048	QPSK	1	0	0	0	1	0	ECI 10	13.87	15.50
21100	21298	QPSK	1	0	0	0	1	0	ECI 10	14.26	15.50
21350	21152	QPSK	1	0	0	0	1	0	ECI 10	14.52	15.50
20850	21048	QPSK	1	0	0	0	1	0	ECI 3	19.30	21.00
21100	21298	QPSK	1	0	0	0	1	0	ECI 3	19.72	21.00
21350	21152	QPSK	1	0	0	0	1	0	ECI 3	19.96	21.00
20850	21048	QPSK	1	0	0	0	1	0	ECI 8	17.45	19.00
21100	21298	QPSK	1	0	0	0	1	0	ECI 8	17.97	19.00
21350	21152	QPSK	1	0	0	0	1	0	ECI 8	18.23	19.00

CA_38C_Ant 5											
Combination 20MHz+20MHz (100RB+100RB)											
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Power Reduction	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset					
37850	38048	QPSK	1	0	0	0	1	0	Full	24.35	25.00
37901	38099	QPSK	1	0	0	0	1	0	Full	24.42	25.00
38150	37952	QPSK	1	0	0	0	1	0	Full	24.30	25.00
37850	38048	QPSK	1	0	0	0	1	0	ECI 5	24.35	25.00
37901	38099	QPSK	1	0	0	0	1	0	ECI 5	24.42	25.00
38150	37952	QPSK	1	0	0	0	1	0	ECI 5	24.30	25.00
37850	38048	QPSK	1	0	0	0	1	0	ECI 10	24.35	25.00
37901	38099	QPSK	1	0	0	0	1	0	ECI 10	24.42	25.00
38150	37952	QPSK	1	0	0	0	1	0	ECI 10	24.30	25.00
37850	38048	QPSK	1	0	0	0	1	0	ECI 3	20.74	21.50
37901	38099	QPSK	1	0	0	0	1	0	ECI 3	20.81	21.50
38150	37952	QPSK	1	0	0	0	1	0	ECI 3	20.77	21.50
37850	38048	QPSK	1	0	0	0	1	0	ECI 8	20.74	21.50
37901	38099	QPSK	1	0	0	0	1	0	ECI 8	20.81	21.50
38150	37952	QPSK	1	0	0	0	1	0	ECI 8	20.77	21.50

CA_38C_Ant 6											
Combination 20MHz+20MHz (100RB+100RB)											
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Power Reduction	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset					
37850	38048	QPSK	1	0	0	0	1	0	Full	23.72	24.40
37901	38099	QPSK	1	0	0	0	1	0	Full	23.80	24.40
38150	37952	QPSK	1	0	0	0	1	0	Full	23.69	24.40
37850	38048	QPSK	1	0	0	0	1	0	ECI 5	17.77	18.40
37901	38099	QPSK	1	0	0	0	1	0	ECI 5	17.83	18.40
38150	37952	QPSK	1	0	0	0	1	0	ECI 5	17.80	18.40
37850	38048	QPSK	1	0	0	0	1	0	ECI 10	17.18	17.90
37901	38099	QPSK	1	0	0	0	1	0	ECI 10	17.20	17.90
38150	37952	QPSK	1	0	0	0	1	0	ECI 10	17.15	17.90
37850	38048	QPSK	1	0	0	0	1	0	ECI 3	19.72	20.40
37901	38099	QPSK	1	0	0	0	1	0	ECI 3	19.76	20.40
38150	37952	QPSK	1	0	0	0	1	0	ECI 3	19.69	20.40
37850	38048	QPSK	1	0	0	0	1	0	ECI 8	18.15	18.90
37901	38099	QPSK	1	0	0	0	1	0	ECI 8	18.22	18.90
38150	37952	QPSK	1	0	0	0	1	0	ECI 8	18.18	18.90

CA_38C_Ant 11											
Combination 20MHz+20MHz (100RB+100RB)											
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Target MPR Level (dB)	Power Reduction	Measured Power (dBm)	Tune up Power (dBm)
			RB Size	RB offset	RB Size	RB offset					
37850	38048	QPSK	1	0	0	0	1	0	Full	24.00	24.40
37901	38099	QPSK	1	0	0	0	1	0	Full	24.00	24.40
38150	37962	QPSK	1	0	0	0	1	0	Full	23.97	24.40
37850	38048	QPSK	1	0	0	0	1	0	ECI 5	15.30	15.90
37901	38099	QPSK	1	0	0	0	1	0	ECI 5	15.38	15.90
38150	37962	QPSK	1	0	0	0	1	0	ECI 5	15.28	15.90
37850	38048	QPSK	1	0	0	0	1	0	ECI 10	14.77	15.40
37901	38099	QPSK	1	0	0	0	1	0	ECI 10	14.83	15.40
38150	37962	QPSK	1	0	0	0	1	0	ECI 10	14.75	15.40
37850	38048	QPSK	1	0	0	0	1	0	ECI 3	19.85	20.40
37901	38099	QPSK	1	0	0	0	1	0	ECI 3	19.96	20.40
38150	37962	QPSK	1	0	0	0	1	0	ECI 3	19.88	20.40
37850	38048	QPSK	1	0	0	0	1	0	ECI 8	18.16	18.90
37901	38099	QPSK	1	0	0	0	1	0	ECI 8	18.24	18.90
38150	37962	QPSK	1	0	0	0	1	0	ECI 8	18.20	18.90

n2_Ant 5									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 372000	Power Middle Ch. 1 Freq. 376000	Power High Ch. 1 Freq. 380000	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1860	1900			
Frequency (MHz)									
20	Pl2 BPSK	1	1	22.91	22.92	22.91	24.2	0.0	
20	Pl2 BPSK	1	53	22.86	22.93	22.84			
20	Pl2 BPSK	1	104	22.78	22.89	22.83			
20	Pl2 BPSK	50	0	22.31	22.42	22.32	23.7	0.5	
20	Pl2 BPSK	50	28	22.86	22.92	22.87	24.2	0.0	
20	Pl2 BPSK	50	56	22.36	22.38	22.35			
20	Pl2 BPSK	100	0	22.38	22.43	22.32	23.7	0.5	
20	QPSK	1	1	22.87	22.96	22.93			
20	QPSK	1	53	22.77	22.87	22.83	24.2	0.0	
20	QPSK	1	104	22.73	22.86	22.72			
20	QPSK	50	0	22.28	22.40	22.28	23.7	0.5	
20	QPSK	50	28	22.83	22.89	22.85	24.2	0.0	
20	QPSK	50	56	22.33	22.36	22.30			
20	QPSK	100	0	22.34	22.37	22.27	23.7	0.5	
20	16QAM	1	1	22.17	22.18	22.09	23.2	1.0	
20	64QAM	1	1	21.72	21.78	21.67	22.7	1.5	
20	256QAM	1	1	21.24	21.32	21.30	22.2	2.0	
Channel				371500	376000	380500	Tune-up limit	MPR	
Frequency (MHz)				1857.5	1860	1902.5	(dBm)		
15	QPSK	1	1	22.83	22.89	22.90	24.2	0.0	
Channel				371000	376000	381000	Tune-up limit	MPR	
Frequency (MHz)				1855	1860	1905	(dBm)		
10	QPSK	1	1	22.81	22.84	22.85	24.2	0.0	
Channel				370500	376000	381500	Tune-up limit	MPR	
Frequency (MHz)				1852.5	1860	1907.5	(dBm)		
5	QPSK	1	1	22.74	22.87	22.83	24.2	0.0	

Full&Default Power Mode									
n2_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 372000	Power Middle Ch. 1 Freq. 376000	Power High Ch. 1 Freq. 380000	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1860	1900			
Frequency (MHz)									
20	Pl2 BPSK	1	1	22.69	22.75	22.69	23.8	0.0	
20	Pl2 BPSK	1	53	22.66	22.72	22.64			
20	Pl2 BPSK	1	104	22.63	22.70	22.55			
20	Pl2 BPSK	50	0	22.17	22.24	22.22	23.3	0.5	
20	Pl2 BPSK	50	28	22.70	22.74	22.65	23.8	0.0	
20	Pl2 BPSK	50	56	22.20	22.22	22.09			
20	Pl2 BPSK	100	0	22.10	22.24	22.18	23.3	0.5	
20	QPSK	1	1	22.73	22.78	22.68			
20	QPSK	1	53	22.60	22.70	22.68	23.8	0.0	
20	QPSK	1	104	22.66	22.67	22.60			
20	QPSK	50	0	22.13	22.20	22.08	23.3	0.5	
20	QPSK	50	28	22.57	22.69	22.64	23.8	0.0	
20	QPSK	50	56	21.99	22.13	22.06			
20	QPSK	100	0	22.07	22.16	22.06	23.3	0.5	
20	16QAM	1	1	21.93	21.99	21.84	22.8	1.0	
20	64QAM	1	1	21.57	21.58	21.48	22.3	1.5	
20	256QAM	1	1	21.04	21.15	21.02	21.8	2.0	
Channel				371500	376000	380500	Tune-up limit	MPR	
Frequency (MHz)				1857.5	1860	1902.5	(dBm)		
15	QPSK	1	1	22.58	22.70	22.56	23.8	0.0	
Channel				371000	376000	381000	Tune-up limit	MPR	
Frequency (MHz)				1855	1860	1905	(dBm)		
10	QPSK	1	1	22.70	22.70	22.61	23.8	0.0	
Channel				370500	376000	381500	Tune-up limit	MPR	
Frequency (MHz)				1852.5	1860	1907.5	(dBm)		
5	QPSK	1	1	22.60	22.72	22.57	23.8	0.0	

n5_Ant 1									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 166800	Power Middle Ch. 1 Freq. 167500	Power High Ch. 1 Freq. 167800	Tune-up limit (dBm)	MPR (dB)	
Channel				834	836.5	839			
Frequency (MHz)									
20	Pl2 BPSK	1	1	24.32	24.40	24.25			
20	Pl2 BPSK	1	53	24.31	24.41	24.33	25.7	0.0	
20	Pl2 BPSK	1	104	24.29	24.39	24.36			
20	Pl2 BPSK	50	0	23.95	24.02	23.99	25.2	0.5	
20	Pl2 BPSK	50	28	24.40	24.45	24.48	25.7	0.0	
20	Pl2 BPSK	50	56	23.87	23.95	23.82			
20	Pl2 BPSK	100	0	23.90	24.03	23.90	25.2	0.5	
20	QPSK	1	1	24.44	24.50	24.46			
20	QPSK	1	53	24.32	24.38	24.33	25.7	0.0	
20	QPSK	1	104	24.31	24.33	24.32			
20	QPSK	50	0	23.88	23.98	23.86	25.2	0.5	
20	QPSK	50	28	24.47	24.48	24.35	25.7	0.0	
20	QPSK	50	56	23.87	23.95	23.86			
20	QPSK	100	0	23.81	23.89	23.84	25.2	0.5	
20	16QAM	1	1	23.52	23.62	23.50	24.7	1.0	
20	64QAM	1	1	23.17	23.18	23.05	24.2	1.5	
20	256QAM	1	1	22.66	22.77	22.66	23.7	2.0	
Channel				166300	167500	168300	Tune-up limit	MPR	
Frequency (MHz)				831.5	836.5	841.5	(dBm)		
15	QPSK	1	1	24.31	24.36	24.43	25.7	0.0	
Channel				165800	167500	168800	Tune-up limit	MPR	
Frequency (MHz)				829	836.5	844	(dBm)		
10	QPSK	1	1	24.41	24.42	24.32	25.7	0.0	
Channel				165300	167500	169300	Tune-up limit	MPR	
Frequency (MHz)				826.5	836.5	846.5	(dBm)		
5	QPSK	1	1	24.31	24.48	24.45	25.7	0.0	

n5_Ant 0								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 50400	Power Middle Ch. Freq. 50700	Power High Ch. Freq. 51000	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
20	PQ2 BPSK	1	1	23.90	23.95	23.82	25.3	0.0
20	PQ2 BPSK	1	53	23.91	23.91	23.87		
20	PQ2 BPSK	1	104	23.85	23.98	23.86		
20	PQ2 BPSK	50	0	23.60	23.61	23.52	24.8	0.5
20	PQ2 BPSK	50	28	23.79	23.62	23.89	25.3	0.0
20	PQ2 BPSK	50	56	23.52	23.55	23.52	24.8	0.5
20	PQ2 BPSK	100	0	23.48	23.57	23.42		
20	QPSK	1	1	23.98	24.07	23.91	25.3	0.0
20	QPSK	1	53	23.82	23.97	23.87		
20	QPSK	1	104	23.90	23.94	23.84		
20	QPSK	50	0	23.40	23.53	23.43	24.8	0.5
20	QPSK	50	28	23.98	24.08	23.94	25.3	0.0
20	QPSK	50	56	23.38	23.50	23.46	24.8	0.5
20	QPSK	100	0	23.44	23.52	23.46		
20	16QAM	1	1	23.13	23.16	23.04	24.3	1.0
20	64QAM	1	1	22.67	22.73	22.61	23.8	1.5
20	256QAM	1	1	22.37	22.38	22.26	23.3	2.0
Channel								
Frequency (MHz)								
15	QPSK	1	1	23.83	23.94	23.80	25.3	0.0
Channel								
Frequency (MHz)								
10	QPSK	1	1	23.83	23.97	23.77	25.3	0.0
Channel								
Frequency (MHz)								
5	QPSK	1	1	23.84	23.96	23.81	25.3	0.0

n7_Ant 5								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 50400	Power Middle Ch. Freq. 50700	Power High Ch. Freq. 51000	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
40	PQ2 BPSK	1	1	24.04	24.15	24.00	25.4	0.0
40	PQ2 BPSK	1	108	24.04	24.13	24.09		
40	PQ2 BPSK	1	214	24.10	24.20	24.14		
40	PQ2 BPSK	108	0	23.60	23.70	23.67	24.9	0.5
40	PQ2 BPSK	108	54	24.03	24.08	23.96	25.4	0.0
40	PQ2 BPSK	108	108	23.59	23.71	23.69	24.9	0.5
40	PQ2 BPSK	216	0	23.54	23.61	23.58		
40	QPSK	1	1	24.10	24.22	24.16	25.4	0.0
40	QPSK	1	108	24.05	24.14	23.99		
40	QPSK	1	214	24.18	24.20	24.15		
40	QPSK	108	0	23.49	23.56	23.53	24.9	0.5
40	QPSK	108	54	23.95	24.10	23.97	25.4	0.0
40	QPSK	108	108	23.58	23.59	23.48	24.9	0.5
40	QPSK	216	0	23.48	23.53	23.46		
40	16QAM	1	1	23.24	23.28	23.20	24.4	1.0
40	64QAM	1	1	22.89	22.90	22.83	23.9	1.5
40	256QAM	1	1	22.26	22.39	22.29	23.4	2.0
Channel								
Frequency (MHz)								
30	QPSK	1	1	24.17	24.18	24.05	25.4	0.0
Channel								
Frequency (MHz)								
25	QPSK	1	1	24.17	24.07	24.11	25.4	0.0
Channel								
Frequency (MHz)								
20	QPSK	1	1	24.06	24.09	24.03	25.4	0.0
Channel								
Frequency (MHz)								
15	QPSK	1	1	24.05	24.08	24.07	25.4	0.0
Channel								
Frequency (MHz)								
10	QPSK	1	1	24.17	24.20	24.14	25.4	0.0
Channel								
Frequency (MHz)								
5	QPSK	1	1	24.17	24.19	24.14	25.4	0.0

n7_Ant 6								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 50400	Power Middle Ch. Freq. 50700	Power High Ch. Freq. 51000	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
40	PQ2 BPSK	1	1	23.58	23.72	23.57	24.9	0.0
40	PQ2 BPSK	1	108	23.68	23.75	23.62		
40	PQ2 BPSK	1	214	23.65	23.76	23.65		
40	PQ2 BPSK	108	0	23.11	23.21	23.10	24.4	0.5
40	PQ2 BPSK	108	54	23.62	23.76	23.65	24.9	0.0
40	PQ2 BPSK	108	108	23.05	23.20	23.17	24.4	0.5
40	PQ2 BPSK	216	0	23.12	23.14	23.03		
40	QPSK	1	1	23.76	23.78	23.71	24.9	0.0
40	QPSK	1	108	23.58	23.73	23.69		
40	QPSK	1	214	23.67	23.67	23.62		
40	QPSK	108	0	23.10	23.14	22.99	24.4	0.5
40	QPSK	108	54	23.69	23.72	23.67	24.9	0.0
40	QPSK	108	108	23.05	23.16	23.10	24.4	0.5
40	QPSK	216	0	23.07	23.11	23.08		
40	16QAM	1	1	22.80	22.94	22.89	23.9	1.0
40	64QAM	1	1	22.34	22.47	22.35	23.4	1.5
40	256QAM	1	1	21.92	21.98	21.88	22.9	2.0
Channel								
Frequency (MHz)								
30	QPSK	1	1	23.63	23.67	23.57	24.9	0.0
Channel								
Frequency (MHz)								
25	QPSK	1	1	23.73	23.73	23.69	24.9	0.0
Channel								
Frequency (MHz)								
20	QPSK	1	1	23.73	23.63	23.60	24.9	0.0
Channel								
Frequency (MHz)								
15	QPSK	1	1	23.69	23.69	23.69	24.9	0.0
Channel								
Frequency (MHz)								
10	QPSK	1	1	23.70	23.71	23.59	24.9	0.0
Channel								
Frequency (MHz)								
5	QPSK	1	1	23.72	23.72	23.60	24.9	0.0

n7_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 504000	Power Middle Ch. 1 Freq. 507000	Power High Ch. 1 Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel				2520	2535	2550	24.8	0.0	
40	Pl2 BPSK	1	1	23.80	23.85	23.75			
40	Pl2 BPSK	1	108	23.30	23.84	23.87			
40	Pl2 BPSK	1	214	23.89	23.92	23.88			
40	Pl2 BPSK	108	0	23.25	23.36	23.31	24.3	0.5	
40	Pl2 BPSK	108	54	23.86	23.92	23.91	24.8	0.0	
40	Pl2 BPSK	108	108	23.35	23.37	23.23	24.3	0.5	
40	Pl2 BPSK	216	0	23.21	23.33	23.25	24.3	0.5	
40	QPSK	1	1	23.92	23.96	23.94	24.8	0.0	
40	QPSK	1	108	23.87	23.92	23.85			
40	QPSK	1	214	23.79	23.90	23.85			
40	QPSK	108	0	23.21	23.33	23.26	24.3	0.5	
40	QPSK	108	54	23.78	23.84	23.71	24.8	0.0	
40	QPSK	108	108	23.32	23.35	23.23	24.3	0.5	
40	QPSK	216	0	23.16	23.26	23.26	24.3	0.5	
40	16QAM	1	1	23.00	23.08	23.00	24.3	0.5	
40	64QAM	1	1	22.56	22.64	22.52	23.3	1.5	
40	256QAM	1	1	22.01	22.11	22.02	22.8	2.0	
Channel				508000	507000	510000	Tune-up limit	MPR	
Frequency (MHz)				2515	2535	2555	(dBm)		
30	QPSK	1	1	23.85	23.87	23.93	24.8	0.0	
Channel				502500	507000	511500	Tune-up limit	MPR	
Frequency (MHz)				2512.5	2535	2557.5	(dBm)		
25	QPSK	1	1	23.50	23.81	23.81	24.8	0.0	
Channel				502000	507000	512000	Tune-up limit	MPR	
Frequency (MHz)				2510	2535	2560	(dBm)		
20	QPSK	1	1	23.85	23.82	23.90	24.8	0.0	
Channel				512000	512000	512000	Tune-up limit	MPR	
Frequency (MHz)				2507.5	2535	2562.5	(dBm)		
15	QPSK	1	1	23.86	23.85	23.81	24.8	0.0	
Channel				501000	507000	513000	Tune-up limit	MPR	
Frequency (MHz)				2495	2495	2495	(dBm)		
10	QPSK	1	1	23.79	23.89	23.82	24.8	0.0	
Channel				500500	507000	513500	Tune-up limit	MPR	
Frequency (MHz)				2502.5	2535	2567.5	(dBm)		
5	QPSK	1	1	23.50	23.55	23.93	24.8	0.0	

n7_Ant 7									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 504000	Power Middle Ch. 1 Freq. 507000	Power High Ch. 1 Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel				2520	2535	2550	21.4	0.0	
40	Pl2 BPSK	1	1	19.97	20.12	20.09			
40	Pl2 BPSK	1	108	19.93	20.05	19.91			
40	Pl2 BPSK	1	214	20.13	20.12	20.10			
40	Pl2 BPSK	108	0	19.37	19.44	19.36	20.9	0.5	
40	Pl2 BPSK	108	54	20.04	20.07	19.94	21.4	0.0	
40	Pl2 BPSK	108	108	19.51	19.60	19.48	20.9	0.5	
40	Pl2 BPSK	216	0	19.35	19.47	19.39	20.9	0.5	
40	QPSK	1	1	20.05	20.18	20.11	21.4	0.0	
40	QPSK	1	108	19.96	20.15	20.03			
40	QPSK	1	214	20.03	20.15	20.06			
40	QPSK	108	0	19.31	19.40	19.38	20.9	0.5	
40	QPSK	108	54	20.02	20.03	20.00	21.4	0.0	
40	QPSK	108	108	19.44	19.57	19.49	20.9	0.5	
40	QPSK	216	0	19.42	19.45	19.34	20.9	0.5	
40	16QAM	1	1	18.91	19.03	19.01	19.9	0.5	
40	64QAM	1	1	18.53	18.57	18.47	18.9	1.5	
40	256QAM	1	1	18.03	18.10	18.01	18.4	2.0	
Channel				508000	507000	510000	Tune-up limit	MPR	
Frequency (MHz)				2515	2535	2555	(dBm)		
30	QPSK	1	1	20.03	20.10	20.03	21.4	0.0	
Channel				502500	507000	511500	Tune-up limit	MPR	
Frequency (MHz)				2512.5	2535	2557.5	(dBm)		
25	QPSK	1	1	19.98	20.05	19.96	21.4	0.0	
Channel				502000	507000	512000	Tune-up limit	MPR	
Frequency (MHz)				2510	2535	2560	(dBm)		
20	QPSK	1	1	20.05	20.09	19.97	21.4	0.0	
Channel				512000	512000	512000	Tune-up limit	MPR	
Frequency (MHz)				2507.5	2535	2562.5	(dBm)		
15	QPSK	1	1	19.98	20.04	20.06	21.4	0.0	
Channel				501000	507000	513000	Tune-up limit	MPR	
Frequency (MHz)				2495	2495	2495	(dBm)		
10	QPSK	1	1	19.96	20.14	20.04	21.4	0.0	
Channel				500500	507000	513500	Tune-up limit	MPR	
Frequency (MHz)				2502.5	2535	2567.5	(dBm)		
5	QPSK	1	1	19.97	20.08	20.06	21.4	0.0	

n12_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 141300	Power Middle Ch. 1 Freq. 141500	Power High Ch. 1 Freq. 141700	Tune-up limit (dBm)	MPR (dB)	
Channel				706.5	707.5	708.5	24.2	0.0	
15	Pl2 BPSK	1	1	22.46	22.58	22.45			
15	Pl2 BPSK	1	40	22.60	22.66	22.56			
15	Pl2 BPSK	1	77	22.62	22.69	22.59			
15	Pl2 BPSK	36	0	22.15	22.26	22.25	23.7	0.5	
15	Pl2 BPSK	36	22	22.64	22.74	22.71	24.2	0.0	
15	Pl2 BPSK	36	43	22.19	22.25	22.16	23.7	0.5	
15	Pl2 BPSK	75	0	22.20	22.26	22.19	23.7	0.5	
15	QPSK	1	1	22.58	22.77	22.75	24.2	0.0	
15	QPSK	1	40	22.62	22.66	22.62			
15	QPSK	1	77	22.60	22.69	22.57			
15	QPSK	36	0	22.19	22.27	22.18	23.7	0.5	
15	QPSK	36	22	22.74	22.75	22.72	24.2	0.0	
15	QPSK	36	43	22.22	22.25	22.23	23.7	0.5	
15	QPSK	75	0	22.20	22.26	22.16	23.7	0.5	
15	16QAM	1	1	21.84	21.90	21.84	23.2	1.0	
15	64QAM	1	1	21.35	21.45	21.35	22.7	1.5	
15	256QAM	1	1	21.05	21.17	21.11	22.2	2.0	
Channel				140300	141500	142700	Tune-up limit	MPR	
Frequency (MHz)				704	707.5	711	(dBm)		
10	QPSK	1	1	22.55	22.62	22.73	24.2	0.0	
Channel				140300	141500	142700	Tune-up limit	MPR	
Frequency (MHz)				701.5	707.5	713.5	(dBm)		
5	QPSK	1	1	22.53	22.67	22.62	24.2	0.0	

n12_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 141300	Power Middle Ch. F Freq. 141500	Power High Ch. F Freq. 141700	Tune-up limit (dBm)	MPR (dB)	
Channel				706.5	707.5	706.5			
Frequency (MHz)				21.97	22.09	21.98			
15	Pl2 BPSK	1	1	21.97	22.09	21.98	23.8	0.0	
15	Pl2 BPSK	1	40	22.02	22.10	21.98			
15	Pl2 BPSK	1	77	22.06	22.08	21.95			
15	Pl2 BPSK	36	0	21.63	21.73	21.70	23.3	0.5	
15	Pl2 BPSK	36	22	22.05	22.15	22.07	23.8	0.0	
15	Pl2 BPSK	36	43	21.50	21.64	21.49			
15	Pl2 BPSK	75	0	21.64	21.71	21.66	23.3	0.5	
15	QPSK	1	1	22.01	22.16	22.10			
15	QPSK	1	40	21.99	22.12	22.08	23.8	0.0	
15	QPSK	1	77	21.95	22.10	22.03			
15	QPSK	36	0	21.63	21.72	21.65	23.3	0.5	
15	QPSK	36	22	22.11	22.16	22.15	23.8	0.0	
15	QPSK	36	43	21.51	21.66	21.63			
15	QPSK	75	0	21.51	21.64	21.58	23.3	0.5	
15	16QAM	1	1	21.51	21.35	21.27	22.8	1.0	
15	64QAM	1	1	20.87	20.95	20.82	22.3	1.5	
15	256QAM	1	1	20.58	20.62	20.54	21.8	2.0	
Channel				140300	141500	142700	Tune-up limit	MPR	
Frequency (MHz)				704	707.5	711	(dBm)		
10	QPSK	1	1	21.90	22.12	21.97	23.8	0.0	
Channel				140300	141500	142700	Tune-up limit	MPR	
Frequency (MHz)				707.5	707.5	707.5	(dBm)		
5	QPSK	1	1	21.34	22.07	22.01	23.8	0.0	

n26(FCC)_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 164800	Power Middle Ch. F Freq. 165300	Power High Ch. F Freq. 165800	Tune-up limit (dBm)	MPR (dB)	
Channel				824	831.5	839			
Frequency (MHz)				24.32	24.38	24.27			
20	Pl2 BPSK	1	1	24.32	24.38	24.27	25.7	0.0	
20	Pl2 BPSK	1	53	24.29	24.39	24.24			
20	Pl2 BPSK	1	104	24.39	24.40	24.36			
20	Pl2 BPSK	50	0	23.89	23.97	23.90	25.2	0.5	
20	Pl2 BPSK	50	28	24.34	24.42	24.39	25.7	0.0	
20	Pl2 BPSK	50	56	23.94	24.00	23.93			
20	Pl2 BPSK	100	0	23.85	23.97	23.90	25.2	0.5	
20	QPSK	1	1	24.44	24.51	24.38			
20	QPSK	1	53	24.32	24.35	24.30	25.7	0.0	
20	QPSK	1	104	24.25	24.39	24.37			
20	QPSK	50	0	23.86	23.92	23.85	25.2	0.5	
20	QPSK	50	28	24.43	24.45	24.33	25.7	0.0	
20	QPSK	50	56	23.90	23.96	23.95			
20	QPSK	100	0	23.86	23.91	23.89	25.2	0.5	
20	16QAM	1	1	23.94	23.87	23.80	24.7	1.0	
20	64QAM	1	1	23.14	23.24	23.10	24.2	1.5	
20	256QAM	1	1	22.67	22.82	22.73	23.7	2.0	
Channel				164300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				821.5	831.5	841.5	(dBm)		
15	QPSK	1	1	24.30	24.43	24.26	25.7	0.0	
Channel				163800	165300	166800	Tune-up limit	MPR	
Frequency (MHz)				810	831.5	844	(dBm)		
10	QPSK	1	1	24.31	24.42	24.30	25.7	0.0	
Channel				163300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				816.5	831.5	846.5	(dBm)		
5	QPSK	1	1	24.39	24.30	24.25	25.7	0.0	

n26(FCC)_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 164800	Power Middle Ch. F Freq. 165300	Power High Ch. F Freq. 165800	Tune-up limit (dBm)	MPR (dB)	
Channel				824	831.5	839			
Frequency (MHz)				24.06	24.10	23.98			
20	Pl2 BPSK	1	1	24.06	24.10	23.98	25.3	0.0	
20	Pl2 BPSK	1	53	24.14	24.15	24.12			
20	Pl2 BPSK	1	104	23.92	24.05	24.12			
20	Pl2 BPSK	50	0	23.61	23.75	23.72	24.8	0.5	
20	Pl2 BPSK	50	28	24.02	24.12	24.11	25.3	0.0	
20	Pl2 BPSK	50	56	23.67	23.80	23.71			
20	Pl2 BPSK	100	0	23.67	23.78	23.70	24.8	0.5	
20	QPSK	1	1	24.07	24.16	24.10			
20	QPSK	1	53	24.00	24.13	24.07	25.3	0.0	
20	QPSK	1	104	24.03	24.15	24.08			
20	QPSK	50	0	23.61	23.70	23.65	24.8	0.5	
20	QPSK	50	28	23.99	24.05	24.00	25.3	0.0	
20	QPSK	50	56	23.67	23.74	23.66			
20	QPSK	100	0	23.66	23.70	23.69	24.8	0.5	
20	16QAM	1	1	23.37	23.46	23.40	24.3	1.0	
20	64QAM	1	1	22.91	22.98	22.87	23.8	1.5	
20	256QAM	1	1	22.53	22.65	22.63	23.3	2.0	
Channel				164300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				821.5	831.5	841.5	(dBm)		
15	QPSK	1	1	23.92	24.14	24.06	25.3	0.0	
Channel				163800	165300	166800	Tune-up limit	MPR	
Frequency (MHz)				810	831.5	844	(dBm)		
10	QPSK	1	1	23.95	24.14	24.09	25.3	0.0	
Channel				163300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				816.5	831.5	846.5	(dBm)		
5	QPSK	1	1	23.97	24.05	24.06	25.3	0.0	

n66_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 352000	Tune-up limit (dBm)	MPR (dB)	
Channel				1730	1745	1760			
40	PlZ BPSK	1	1	24.10	24.20	24.08	25.4	0.0	
40	PlZ BPSK	1	108	23.13	24.23	24.20			
40	PlZ BPSK	1	214	23.94	24.08	23.99			
40	PlZ BPSK	108	0	23.74	23.80	23.74	24.9	0.5	
40	PlZ BPSK	108	54	24.14	24.22	24.07	25.4	0.0	
40	PlZ BPSK	108	108	23.61	23.75	23.71			
40	PlZ BPSK	216	0	23.68	23.76	23.71	24.9	0.5	
40	QPSK	1	1	24.18	24.26	24.20			
40	QPSK	1	108	24.16	24.25	24.15	25.4	0.0	
40	QPSK	1	214	24.09	24.13	24.07			
40	QPSK	108	0	22.95	22.98	22.93	24.4	1.0	
40	QPSK	108	54	24.05	24.20	24.06	25.4	0.0	
40	QPSK	108	108	22.93	22.91	22.98			
40	QPSK	216	0	22.96	23.00	22.98	24.4	1.0	
40	16QAM	1	1	23.30	23.38	23.28	24.4	1.0	
40	64QAM	1	1	22.82	22.88	22.87	23.9	1.5	
40	256QAM	1	1	22.50	22.51	22.41	23.4	2.0	
Channel				346000	349000	352000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	24.07	24.12	24.09	25.4	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1720	1740	1760			
20	QPSK	1	1	24.10	24.23	24.15	25.4	0.0	
Channel				343000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	24.08	24.18	24.06	25.4	0.0	
Channel				342000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	24.10	24.20	24.06	25.4	0.0	
Channel				342500	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	24.09	24.20	24.18	25.4	0.0	

n66_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 352000	Tune-up limit (dBm)	MPR (dB)	
Channel				1730	1745	1760			
40	PlZ BPSK	1	1	23.97	23.98	23.94	24.8	0.0	
40	PlZ BPSK	1	108	23.86	24.04	23.90			
40	PlZ BPSK	1	214	23.77	23.86	23.71			
40	PlZ BPSK	108	0	23.55	23.58	23.48	24.1	0.5	
40	PlZ BPSK	108	54	23.83	23.98	23.93	24.6	0.0	
40	PlZ BPSK	108	108	23.46	23.52	23.42			
40	PlZ BPSK	216	0	23.53	23.55	23.42	24.1	0.5	
40	QPSK	1	1	24.05	24.06	23.96			
40	QPSK	1	108	23.91	23.98	23.88	24.6	0.0	
40	QPSK	1	214	23.71	23.81	23.66			
40	QPSK	108	0	22.42	22.54	22.47	23.8	1.0	
40	QPSK	108	54	23.71	23.84	23.76	24.6	0.0	
40	QPSK	108	108	22.24	22.39	22.36			
40	QPSK	216	0	22.34	22.44	22.42	23.6	1.0	
40	16QAM	1	1	22.97	23.12	22.98	23.8	1.0	
40	64QAM	1	1	22.59	22.62	22.60	23.1	1.5	
40	256QAM	1	1	22.18	22.28	22.21	22.6	2.0	
Channel				346000	349000	352000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	24.04	23.94	23.88	24.8	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1720	1740	1760			
20	QPSK	1	1	23.94	23.96	23.86	24.6	0.0	
Channel				343000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	24.02	23.91	23.93	24.6	0.0	
Channel				342000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	23.97	23.93	23.87	24.6	0.0	
Channel				342500	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	24.02	24.00	23.90	24.6	0.0	

n66_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 352000	Tune-up limit (dBm)	MPR (dB)	
Channel				1730	1745	1760			
40	PlZ BPSK	1	1	23.59	23.74	23.61	24.8	0.0	
40	PlZ BPSK	1	108	23.66	23.77	23.73			
40	PlZ BPSK	1	214	23.64	23.65	23.52			
40	PlZ BPSK	108	0	23.22	23.27	23.13	24.3	0.5	
40	PlZ BPSK	108	54	23.70	23.72	23.68	24.8	0.0	
40	PlZ BPSK	108	108	23.19	23.23	23.13			
40	PlZ BPSK	216	0	23.21	23.25	23.11	24.3	0.5	
40	QPSK	1	1	23.75	23.78	23.64			
40	QPSK	1	108	23.74	23.75	23.63	24.8	0.0	
40	QPSK	1	214	23.64	23.66	23.57			
40	QPSK	108	0	22.31	22.35	22.20	23.8	1.0	
40	QPSK	108	54	23.59	23.68	23.54	24.8	0.0	
40	QPSK	108	108	22.32	22.33	22.35			
40	QPSK	216	0	22.31	22.35	22.33	23.8	1.0	
40	16QAM	1	1	22.80	22.82	22.84	23.8	1.0	
40	64QAM	1	1	22.36	22.42	22.37	23.3	1.5	
40	256QAM	1	1	21.86	22.01	21.99	22.8	2.0	
Channel				346000	349000	352000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	23.73	23.77	23.62	24.8	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1720	1740	1760			
20	QPSK	1	1	23.94	23.63	23.59	24.8	0.0	
Channel				343000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	23.65	23.71	23.60	24.8	0.0	
Channel				342000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	23.70	23.74	23.63	24.8	0.0	
Channel				342500	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	23.63	23.77	23.50	24.8	0.0	

n66_Ant 7									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 350000	Tune-up limit (dBm)	MPR (dB)	
Channel									
40	PI2 BPSK	1	1	20.76	20.79	20.75	22.5	0.0	
40	PI2 BPSK	1	108	20.67	20.79	20.84			20.75
40	PI2 BPSK	1	214	20.67	20.72	20.62			20.75
40	PI2 BPSK	108	0	20.38	20.43	20.30			20.20
40	PI2 BPSK	108	54	20.74	20.87	20.74	22.5	0.0	
40	PI2 BPSK	108	108	20.10	20.23	20.18	22.0	0.5	
40	PI2 BPSK	216	0	20.31	20.36	20.28	22.5	0.0	
40	QPSK	1	1	20.83	20.95	20.83			20.93
40	QPSK	1	108	20.78	20.90	20.88			20.96
40	QPSK	1	214	20.65	20.76	20.74			20.74
40	QPSK	108	0	19.50	19.52	19.51	21.5	1.0	
40	QPSK	108	54	20.79	20.85	20.83	22.5	0.0	
40	QPSK	108	108	19.53	19.58	19.54	21.5	1.0	
40	QPSK	216	0	19.55	19.66	19.52	21.5	1.0	
40	16QAM	1	1	20.17	20.18	20.11			21.5
40	64QAM	1	1	19.66	19.72	19.67			21.0
40	256QAM	1	1	19.25	19.30	19.24			20.5
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765	22.5	0.0	
30	QPSK	1	1	20.89	20.94	20.86			22.5
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1720	1745	1770	22.5	0.0	
20	QPSK	1	1	20.78	20.86	20.88			22.5
Channel				343000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5	22.5	0.0	
15	QPSK	1	1	20.79	20.89	20.90			22.5
Channel				342000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775	22.5	0.0	
10	QPSK	1	1	20.84	20.90	20.89			22.5
Channel				342500	349000	355500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5	22.5	0.0	
5	QPSK	1	1	20.86	20.87	20.79			22.5

n38_Ant 5									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl/2 BPSK	1	1	24.08	24.18	24.04	25.4	0.0	
40	Pl/2 BPSK	1	53	24.00	24.01	23.96			
40	Pl/2 BPSK	1	104	24.09	24.15	24.07			
40	Pl/2 BPSK	50	0	23.42	23.56	23.53	24.9	0.5	
40	Pl/2 BPSK	50	28	24.03	24.05	24.01	25.4	0.0	
40	Pl/2 BPSK	50	56	23.53	23.63	23.48	24.9	0.5	
40	Pl/2 BPSK	100	0	23.45	23.56	23.44			
40	QPSK	1	1	23.18	23.20	23.11			
40	QPSK	1	53	23.96	23.99	23.91	25.4	0.0	
40	QPSK	1	104	24.09	24.15	24.03			
40	QPSK	50	0	23.45	23.50	23.46			
40	QPSK	50	28	23.78	23.76	23.75	25.4	0.0	
40	QPSK	50	56	23.80	23.64	23.56			
40	QPSK	100	0	23.46	23.48	23.46			
40	16QAM	1	1	22.20	22.30	22.19	24.4	1.0	
40	64QAM	1	1	22.83	22.86	22.83	23.6	1.5	
40	256QAM	1	1	22.33	22.45	22.41	23.4	2.0	
Channel									
Frequency (MHz)				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	24.11	24.11	24.08	25.4	0.0	
Channel									
Frequency (MHz)				518000	519000	520000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	24.10	24.05	24.04	25.4	0.0	
Channel									
Frequency (MHz)				2577.51	2595	2612.49	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	24.13	24.16	24.03	25.4	0.0	
Channel									
Frequency (MHz)				515004	519000	522996	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	24.15	24.17	24.04	25.4	0.0	

n38_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				518004	519000	519998			
40	P2 BPSK	1	1	23.47	23.62	23.47	24.8	0.0	
40	P2 BPSK	1	53	23.60	23.63	23.54			
40	P2 BPSK	1	104	23.57	23.70	23.68			
40	P2 BPSK	50	0	22.99	23.11	22.98	24.3	0.5	
40	P2 BPSK	50	28	23.50	23.62	23.52	24.8	0.0	
40	P2 BPSK	50	56	23.09	23.11	23.00	24.3	0.5	
40	P2 BPSK	100	0	23.04	23.12	23.05			
40	QPSK	1	1	23.04	23.77	23.75			
40	QPSK	1	53	23.58	23.66	23.60	24.8	0.0	
40	QPSK	1	104	23.63	23.72	23.60			
40	QPSK	50	0	22.98	23.11	22.97			
40	QPSK	50	28	23.13	23.07	23.15	24.8	0.0	
40	QPSK	50	56	22.94	23.07	22.98			
40	QPSK	100	0	23.00	23.05	23.02			
40	16QAM	1	1	22.92	22.95	22.80	23.8	1.0	
40	64QAM	1	1	22.35	22.45	22.34	23.3	1.5	
40	256QAM	1	1	21.87	21.93	21.88	22.8	2.0	
Channel				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	23.56	23.62	23.72	24.8	0.0	
Channel				516000	519000	520000	Tune-up limit (dBm)		
20	QPSK	1	1	23.63	23.70	23.71	24.8	0.0	
Channel				515002	519000	520498	Tune-up limit (dBm)		
15	QPSK	1	1	23.58	23.68	23.60	24.8	0.0	
Channel				514004	519000	520596	Tune-up limit (dBm)		
10	QPSK	1	1	23.56	23.64	23.65	24.8	0.0	

n38_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Base Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				518002	519000	519996	2590.02	2595	2599.98
40	Pl/2 BPSK	1	1	23.68	23.75	23.65	24.8	0.0	
40	Pl/2 BPSK	1	53	23.68	23.78	23.63			
40	Pl/2 BPSK	1	104	23.74	23.85	23.62			
40	Pl/2 BPSK	50	0	23.16	23.23	23.09	24.3	0.5	
40	Pl/2 BPSK	50	28	23.67	23.77	23.69	24.8	0.0	
40	Pl/2 BPSK	50	56	23.28	23.36	23.35	24.3	0.5	
40	Pl/2 BPSK	100	0	23.11	23.24	23.21			
40	QPSK	1	1	23.75	23.80	23.84			
40	QPSK	1	53	23.74	23.84	23.83	24.8	0.0	
40	QPSK	1	104	23.75	23.88	23.78			
40	QPSK	50	0	23.23	23.25	23.20			
40	QPSK	50	28	23.78	23.85	23.75	24.8	0.0	
40	QPSK	50	56	23.33	23.38	23.31			
40	QPSK	100	0	23.21	23.32	23.22			
40	16QAM	1	1	22.98	23.09	23.03	23.8	1.0	
40	64QAM	1	1	22.54	22.64	22.49	23.3	1.5	
40	256QAM	1	1	22.08	22.19	22.08	22.8	2.0	
Channel									
Frequency (MHz)				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	23.63	23.81	23.82	24.8	0.0	
Channel									
Frequency (MHz)				518000	519000	520000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	23.74	23.85	23.75	24.8	0.0	
Channel									
Frequency (MHz)				2577.51	2595	2612.49	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	23.60	23.85	23.82	24.8	0.0	
Channel									
Frequency (MHz)				515004	519000	522996	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	23.68	23.75	23.71	24.8	0.0	

n38_Ant 7									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
40	P12 BPSK	1	1	20.02	20.06	20.09			
40	P12 BPSK	1	53	20.01	20.14	20.02	21.6		0.0
40	P12 BPSK	1	104	20.15	20.20	20.12			
40	P12 BPSK	50	0	19.53	19.61	19.52	21.1		0.5
40	P12 BPSK	50	28	20.04	20.09	19.97	21.6		0.0
40	P12 BPSK	50	56	19.57	19.72	19.64	21.1		0.5
40	P12 BPSK	100	0	19.65	19.70	19.57			
40	QPSK	1	1	20.18	20.22	20.14			
40	QPSK	1	53	19.95	20.07	19.98	21.6		0.0
40	QPSK	1	104	20.06	20.20	20.10			
40	QPSK	50	0	19.65	19.66	19.68			
40	QPSK	50	28	20.10	20.15	20.07	21.6		0.0
40	QPSK	50	56	19.65	19.72	19.65			
40	QPSK	100	0	19.57	19.66	19.51	21.1		0.5
40	16QAM	1	1	19.44	19.50	19.47	20.6		1.0
40	64QAM	1	1	19.95	19.02	19.01	20.1		1.5
40	256QAM	1	1	19.38	18.82	18.43	19.8		2.0
Channel									
517002	516900	520988					Tune-up limit (dBm)	MPR (dB)	
2567.01	2565	2564.99							
30	QPSK	1	1	20.11	20.12	20.12	21.6		0.0
Channel									
516930	516900	522000					Tune-up limit (dBm)	MPR (dB)	
2560	2555	2610							
20	QPSK	1	1	20.17	20.09	20.01	21.6		0.0
Channel									
517552	516900	522596					Tune-up limit (dBm)	MPR (dB)	
2577.51	2555	2612.49							
15	QPSK	1	1	20.03	20.13	20.04	21.6		0.0
Channel									
515004	516900	522996					Tune-up limit (dBm)	MPR (dB)	
2415.49	2555	2614.98							
10	QPSK	1	1	20.16	20.07	20.06	21.6		0.0

FCC_n41_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	P12 BPSK	1	1	21.94	22.03	21.91			
100	P12 BPSK	1	137	22.00	22.06	22.02	23.2	0.0	
100	P12 BPSK	1	271	21.95	22.05	21.97			
100	P12 BPSK	135	0	21.94	22.01	21.88	23.2	0.0	
100	P12 BPSK	135	69	21.89	22.02	22.00	23.2	0.0	
100	P12 BPSK	135	138	21.92	22.05	21.95	23.2	0.0	
100	P12 BPSK	270	0	21.86	21.98	21.93			
100	QPSK	1	1	21.98	22.06	22.02			
100	QPSK	1	137	21.94	22.06	21.96	23.2	0.0	
100	QPSK	1	271	21.95	22.04	21.90			
100	QPSK	135	0	21.90	22.02	21.85			
100	QPSK	135	69	21.85	22.05	22.01	23.2	0.0	
100	QPSK	135	138	21.92	22.04	21.89			
100	QPSK	270	0	21.92	21.94	21.86	23.2	0.0	
100	16QAM	1	1	21.90	21.98	21.87	23.2	0.0	
100	64QAM	1	1	21.88	21.86	21.87	23.2	0.0	
100	256QAM	1	1	21.93	22.00	21.90	23.2	0.0	
Channel									
Frequency (MHz)				509200	518988	528996	Tune-up limit (dBm)	MPR (dB)	
				2541	2592.99	2544.98			
90	QPSK	1	1	21.80	22.01	21.83	23.2	0.0	
Channel									
Frequency (MHz)				507204	518988	528996	Tune-up limit (dBm)	MPR (dB)	
				2536.02	2592.99	2540.99			
80	QPSK	1	1	21.83	21.96	21.89	23.2	0.0	
Channel									
Frequency (MHz)				505500	518988	531000	Tune-up limit (dBm)	MPR (dB)	
				2526	2592.99	2559.98			
70	QPSK	1	1	21.90	21.98	21.92	23.2	0.0	
Channel									
Frequency (MHz)				504204	518988	532998	Tune-up limit (dBm)	MPR (dB)	
				2521.02	2592.99	2564.99			
60	QPSK	1	1	21.83	22.07	22.00	23.2	0.0	
Channel									
Frequency (MHz)				503202	518988	534000	Tune-up limit (dBm)	MPR (dB)	
				2516.01	2592.99	2570			
50	QPSK	1	1	21.87	21.95	22.00	23.2	0.0	
Channel									
Frequency (MHz)				501204	518988	535998	Tune-up limit (dBm)	MPR (dB)	
				2506.02	2592.99	2679.99			
40	QPSK	1	1	21.89	22.09	22.01	23.2	0.0	
Channel									
Frequency (MHz)				499200	518988	537996	Tune-up limit (dBm)	MPR (dB)	
				2496	2592.99	2689.98			
30	QPSK	1	1	21.84	22.04	21.94	23.2	0.0	
Channel									
Frequency (MHz)				499200	518988	537996	Tune-up limit (dBm)	MPR (dB)	
				2496	2592.99	2689.98			
20	QPSK	1	1	21.80	22.00	21.87	23.2	0.0	

FCC_n41(HPUE)_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	P12 BPSK	1	1	25.03	25.12	24.98			
100	P12 BPSK	1	137	24.76	24.83	24.77	26.2	0.0	
100	P12 BPSK	1	271	24.85	25.02	24.96			
100	P12 BPSK	135	0	24.41	24.47	24.33	25.7	0.5	
100	P12 BPSK	135	69	24.87	25.02	24.99	26.2	0.0	
100	P12 BPSK	135	138	24.27	24.36	24.30	25.7	0.5	
100	P12 BPSK	270	0	24.32	24.35	24.28	25.7		
100	QPSK	1	1	25.21	25.22	25.20			
100	QPSK	1	137	24.87	24.93	24.91	26.2	0.0	
100	QPSK	1	271	24.95	24.97	24.87			
100	QPSK	135	0	24.43	24.51	24.49			
100	QPSK	135	69	25.05	25.10	25.01	26.2	0.0	
100	QPSK	135	138	24.36	24.39	24.32			
100	QPSK	270	0	24.30	24.37	24.22	25.7	0.5	
100	16QAM	1	1	24.47	24.50	24.43	25.7	0.5	
100	64QAM	1	1	23.88	23.91	23.90	25.2	1.0	
100	256QAM	1	1	23.58	23.68	23.59	24.2	2.0	
Channel									
506200	518988	528996					Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)									
2541	2592.99	2544.98							
90	QPSK	1	1	25.14	25.18	25.19	25.2	0.0	
Channel									
507204	518988	528996					Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)									
80	QPSK	1	1	25.08	25.20	25.12	26.2	0.0	
80	QPSK	1	137	24.85	24.93	24.89	25.7	0.5	
80	QPSK	1	271	25.28	25.02	25.09	26.2		
70	QPSK	1	1	25.08	25.21	25.10	26.2	0.0	
40	QPSK	1	1	25.04	25.18	25.09	25.7	0.0	
40	QPSK	1	137	24.87	24.92	24.84	25.7	0.0	
60	QPSK	1	1	25.14	25.13	25.19	26.2	0.0	
40	QPSK	1	1	25.03	25.18	25.04	25.7	0.0	
40	QPSK	1	137	24.87	24.92	24.80	25.7	0.0	
40	QPSK	1	271	25.09	25.13	25.19	26.2	0.0	
40	QPSK	1	137	24.85	24.93	24.89	25.7	0.0	
30	QPSK	1	1	25.08	25.12	25.10	26.2	0.0	
20	QPSK	1	1	49.020	51898	53796	25.7	0.0	
20	QPSK	1	137	24.88	24.92	24.88	25.7	0.0	
20	QPSK	1	1	25.19	25.15	25.19	26.2	0.0	

FCC_n41_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				5060020	5180988	5260000			
Frequency (MHz)				25401	26401	26401			
100	Pl2 BPSK	1	1	21.51	21.50	21.51			
100	Pl2 BPSK	1	137	21.48	21.51	21.49	22.7		0.0
100	Pl2 BPSK	1	271	21.30	21.42	21.29			
100	Pl2 BPSK	135	0	21.43	21.46	21.35	22.7		0.0
100	Pl2 BPSK	135	69	21.34	21.47	21.40	22.7		0.0
100	Pl2 BPSK	135	138	21.40	21.49	21.39			
100	Pl2 BPSK	270	0	21.37	21.47	21.45	22.7		0.0
100	QPSK	1	1	21.58	21.53	21.45			
100	QPSK	1	137	21.39	21.49	21.35	22.7		0.0
100	QPSK	1	271	21.30	21.33	21.27			
100	QPSK	135	0	21.35	21.45	21.40			
100	QPSK	135	69	21.37	21.50	21.41	22.7		0.0
100	QPSK	135	138	21.42	21.47	21.33			
100	QPSK	270	0	21.39	21.44	21.43	22.7		0.0
100	16QAM	1	1	21.42	21.46	21.41	22.7		0.0
100	16QAM	1	1	21.32	21.42	21.33	22.7		0.0
100	256QAM	1	1	21.44	21.48	21.39	22.7		0.0
Channel				5060000	5180998	5260000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				2541	26409	26448			
90	QPSK	1	1	21.42	21.41	21.31	22.7		0.0
Channel				5072028	5180998	5260000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				25306 <td>26292</td> <td>26498</td> <td></td> <th></th> <th></th>	26292	26498			
80	QPSK	1	1	21.45	21.41	21.34	22.7		0.0
Channel				5062000	5180998	5260000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				25206 <td>26292</td> <td>26698</td> <td></td> <th></th> <th></th>	26292	26698			
70	QPSK	1	1	21.40	21.49	21.31	22.7		0.0
Channel				5042000	5180998	5260000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				25012 <td>26292</td> <td>26498</td> <td></td> <th></th> <th></th>	26292	26498			
60	QPSK	1	1	21.33	21.41	21.33	22.7		0.0
Channel				5012000	5180998	5340000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				21618 <td>26292</td> <td>26701</td> <td></td> <th></th> <th></th>	26292	26701			
50	QPSK	1	1	21.53	21.53	21.40	22.7		0.0
Channel				5012000	5180988	5360000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				25060 <td>26292</td> <td>26799</td> <td></td> <th></th> <th></th>	26292	26799			
40	QPSK	1	1	21.36	21.51	21.44	22.7		0.0
Channel				4760000	5180998	5310000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				4486 <td>26292</td> <td>26698</td> <td></td> <th></th> <th></th>	26292	26698			
30	QPSK	1	1	21.35	21.43	21.36	22.7		0.0
Channel				4960000	5180988	5370000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				47602 <td>26292</td> <td>26698</td> <td></td> <th></th> <th></th>	26292	26698			
20	QPSK	1	1	21.42	21.50	21.37	22.7		0.0

FCC_n41(HPUe)_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	PQ2 BPSK	1	1	24.53	24.62	24.57			
100	PQ2 BPSK	1	137	24.36	24.44	24.30	25.7	0.0	
100	PQ2 BPSK	1	271	24.36	24.43	24.28			
100	PQ2 BPSK	135	0	23.96	24.02	23.95	25.2	0.5	
100	PQ2 BPSK	135	69	24.43	24.52	24.48	25.7	0.0	
100	PQ2 BPSK	135	138	23.92	23.95	23.90			
100	PQ2 BPSK	270	0	23.87	23.92	23.78	25.2	0.5	
100	QPSK	1	1	24.51	24.65	24.62			
100	QPSK	1	137	24.35	24.43	24.36	25.7	0.0	
100	QPSK	1	271	24.37	24.38	24.28			
100	QPSK	135	0	23.93	23.96	23.81			
100	QPSK	135	69	24.37	24.46	24.38	25.7	0.0	
100	QPSK	135	138	23.85	23.92	23.83			
100	QPSK	270	0	23.84	23.86	23.84	25.2	0.5	
100	16QAM	1	1	23.90	23.95	23.93	25.2	0.5	
100	16QAM	1	1	23.41	23.51	23.44	24.7	1.0	
100	256QAM	1	1	22.97	23.12	23.11	23.7	2.0	
Channel									
Frequency (MHz)									
90	QPSK	1	1	24.49	24.63	24.58	25.7	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	24.45	24.54	24.50	25.7	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	24.45	24.57	24.48	25.7	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	24.36	24.56	24.50	25.7	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	24.43	24.51	24.48	25.7	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	24.38	24.52	24.52	25.7	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	24.49	24.60	24.54	25.7	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	24.40	24.58	24.49	25.7	0.0	

FCC_n41_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mid Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	21.63	21.67	21.64			
100	Pl2 BPSK	1	137	21.73	21.76	21.64	22.6	0.0	
100	Pl2 BPSK	1	271	21.79	21.80	21.72			
100	Pl2 BPSK	135	0	21.50	21.63	21.61	22.6	0.0	
100	Pl2 BPSK	135	69	21.68	21.75	21.69	22.6	0.0	
100	Pl2 BPSK	135	138	21.75	21.78	21.70	22.6	0.0	
100	Pl2 BPSK	270	0	21.56	21.66	21.57			
100	QPSK	1	1	21.75	21.85	21.70			
100	QPSK	1	137	21.66	21.78	21.65	22.6	0.0	
100	QPSK	1	271	21.73	21.81	21.67			
100	QPSK	135	0	21.56	21.64	21.58			
100	QPSK	135	69	21.76	21.73	21.72	22.6	0.0	
100	QPSK	135	138	21.62	21.71	21.67			
100	QPSK	270	0	21.58	21.70	21.56	22.6	0.0	
100	16QAM	1	1	21.61	21.75	21.66	22.6	0.0	
100	16QAM	1	1	21.71	21.77	21.71	22.6	0.0	
100	256QAM	1	1	21.72	21.82	21.73	22.6	0.0	
Channel									
Frequency (MHz)									
90	QPSK	1	1	21.65	21.71	21.66	22.6	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	21.62	21.78	21.61	22.6	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	21.66	21.80	21.63	22.6	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	21.74	21.72	21.61	22.6	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	21.70	21.70	21.62	22.6	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	21.74	21.80	21.68	22.6	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	21.60	21.83	21.72	22.6	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	21.64	21.74	21.63	22.6	0.0	

FCC_n41(HPUE)_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				508202	518598	528996			
100	Pl2 BPSK	1	1	24.67	24.81	24.73	25.6	0.0	
100	Pl2 BPSK	1	137	24.53	24.67	24.66			
100	Pl2 BPSK	1	271	24.56	24.77	24.64			
100	Pl2 BPSK	135	0	24.05	24.17	24.04	25.1	0.5	
100	Pl2 BPSK	135	69	24.84	24.74	24.64	25.6	0.0	
100	Pl2 BPSK	135	138	24.19	24.21	24.11	25.1	0.5	
100	Pl2 BPSK	270	0	24.12	24.16	24.11			
100	QPSK	1	1	24.73	24.82	24.76			
100	QPSK	1	137	24.56	24.68	24.60	25.6	0.0	
100	QPSK	1	271	24.68	24.80	24.67			
100	QPSK	135	0	24.04	24.17	24.08			
100	QPSK	135	69	24.76	24.71	24.65	25.6	0.0	
100	QPSK	135	138	24.16	24.18	24.13			
100	QPSK	270	0	24.00	24.08	23.97			
100	16QAM	1	1	23.96	23.89	23.82	25.1	0.5	
100	64QAM	1	1	23.41	23.48	23.46	24.6	1.0	
100	256QAM	1	1	23.16	23.17	23.05	23.6	2.0	
Channel									
Frequency (MHz)				508200	518598	528996	Tune-up limit (dBm)	MPR	
80	QPSK	1	1	24.70	24.72	24.60	25.6	0.0	
Channel									
Frequency (MHz)				507204	518598	529998	Tune-up limit (dBm)	MPR	
80	QPSK	1	1	24.71	24.72	24.65	25.6	0.0	
Channel									
Frequency (MHz)				2526	2592.99	2659.98	Tune-up limit (dBm)	MPR	
70	QPSK	1	1	24.62	24.81	24.67	25.6	0.0	
Channel									
Frequency (MHz)				504204	518598	532998	Tune-up limit (dBm)	MPR	
60	QPSK	1	1	24.62	24.79	24.75	25.6	0.0	
Channel									
Frequency (MHz)				503202	518598	534000	Tune-up limit (dBm)	MPR	
50	QPSK	1	1	24.63	24.76	24.71	25.6	0.0	
Channel									
Frequency (MHz)				501204	518598	535998	Tune-up limit (dBm)	MPR	
40	QPSK	1	1	24.59	24.71	24.66	25.6	0.0	
Channel									
Frequency (MHz)				2456	2562.99	2659.98	Tune-up limit (dBm)	MPR	
30	QPSK	1	1	24.61	24.70	24.75	25.6	0.0	
Channel									
Frequency (MHz)				2458	2562.99	2659.98	Tune-up limit (dBm)	MPR	
20	QPSK	1	1	24.00	24.73	24.64	25.6	0.0	

FCC_n41_Ant 7									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Med. Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				2546.01	2552.99	2560			
100	Pl2 BPSK	1	1	17.88	17.90	17.75	19.2	0.0	
100	Pl2 BPSK	1	137	17.96	18.09	17.97			
100	Pl2 BPSK	1	271	18.08	18.11	18.13			
100	Pl2 BPSK	135	0	18.00	18.07	18.01	19.2	0.0	
100	Pl2 BPSK	135	69	18.07	18.12	18.08	19.2	0.0	
100	Pl2 BPSK	135	138	18.03	18.10	18.11	19.2	0.0	
100	Pl2 BPSK	270	0	17.99	18.13	18.10			
100	QPSK	1	1	18.12	18.15	18.05			
100	QPSK	1	137	18.06	18.10	18.04	19.2	0.0	
100	QPSK	1	271	18.02	18.12	18.01			
100	QPSK	135	0	17.98	18.04	17.93			
100	QPSK	135	69	18.11	18.13	18.12	19.2	0.0	
100	QPSK	135	138	18.07	18.10	18.03			
100	QPSK	270	0	18.00	18.09	17.99			
100	16QAM	1	1	18.02	18.12	18.02	19.2	0.0	
100	64QAM	1	1	18.06	18.10	18.06	19.2	0.0	
100	256QAM	1	1	18.03	18.08	18.03	19.2	0.0	
Channel									
Frequency (MHz)				508200	518598	528996	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	18.09	18.05	17.95	19.2	0.0	
Channel									
Frequency (MHz)				507204	518598	529998	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	18.05	18.09	17.95	19.2	0.0	
Channel									
Frequency (MHz)				2526	2592.99	2659.98	Tune-up limit (dBm)	MPR (dB)	
70	QPSK	1	1	18.07	18.07	17.96	19.2	0.0	
Channel									
Frequency (MHz)				504204	518598	532998	Tune-up limit (dBm)	MPR (dB)	
60	QPSK	1	1	18.07	18.00	18.06	19.2	0.0	
Channel									
Frequency (MHz)				503202	518598	534000	Tune-up limit (dBm)	MPR (dB)	
50	QPSK	1	1	2516.01 <td>2562.99</td> <td>2670</td> <td>19.2</td> <td>0.0</td> <td></td>	2562.99	2670	19.2	0.0	
Channel									
Frequency (MHz)				501204	518598	535998	Tune-up limit (dBm)	MPR (dB)	
40	QPSK	1	1	18.06 <td>18.03<td>17.97</td><td>19.2</td><td>0.0</td><td></td></td>	18.03 <td>17.97</td> <td>19.2</td> <td>0.0</td> <td></td>	17.97	19.2	0.0	
Channel									
Frequency (MHz)				2486	2592.99	2659.98	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	17.99 <td>18.05<td>17.95</td><td>19.2</td><td>0.0</td><td></td></td>	18.05 <td>17.95</td> <td>19.2</td> <td>0.0</td> <td></td>	17.95	19.2	0.0	
Channel									
Frequency (MHz)				496200	518598	529996	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	2486 <th>2592.99</th> <th>2659.98</th> <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	2592.99	2659.98	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	18.10 <td>18.02</td> <td>18.03</td> <td>19.2</td> <td>0.0</td> <td></td>	18.02	18.03	19.2	0.0	

FCC_n41(HPUE)_Ant 7									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				508202	518598	528900	2640		
100	Pl2 BPSK	1	1	21.001	21.07	21.00	22.2	0.0	
100	Pl2 BPSK	1	137	20.82	20.97	20.96			
100	Pl2 BPSK	1	271	21.06	21.15	21.01			
100	Pl2 BPSK	135	0	20.50	20.54	20.42	21.7	0.5	
100	Pl2 BPSK	135	69	21.01	21.10	20.99	22.2	0.0	
100	Pl2 BPSK	135	138	20.54	20.62	20.56	21.7	0.5	
100	Pl2 BPSK	270	0	20.43	20.55	20.42			
100	QPSK	1	1	21.13	21.18	21.15			
100	QPSK	1	137	21.03	21.10	21.09	22.2	0.0	
100	QPSK	1	271	21.02	21.15	21.02			
100	QPSK	135	0	20.40	20.46	20.34			
100	QPSK	135	69	20.95	21.06	21.01	22.2	0.0	
100	QPSK	135	138	20.45	20.56	20.43			
100	QPSK	270	0	20.36	20.50	20.49			
100	16QAM	1	1	20.29	20.32	20.22	21.7	0.5	
100	64QAM	1	1	19.80	19.85	19.70	21.2	1.0	
100	256QAM	1	1	19.37	19.82	19.49	20.2	2.0	
Channel									
Frequency (MHz)				508200 <th>518598<th>528998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th></th>	518598 <th>528998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th>	528998 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR</th>	Tune-up limit (dBm)	MPR	
80	QPSK	1	1	21.12	21.05	21.06	22.2	0.0	
Channel									
Frequency (MHz)				507204 <th>518598<th>529998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th></th>	518598 <th>529998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th>	529998 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR</th>	Tune-up limit (dBm)	MPR	
80	QPSK	1	1	21.00	21.10	21.06	22.2	0.0	
Channel									
Frequency (MHz)				2526 <th>2592.99<th>2659.98<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th></th>	2592.99 <th>2659.98<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th>	2659.98 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR</th>	Tune-up limit (dBm)	MPR	
70	QPSK	1	1	20.98	21.08	21.00	22.2	0.0	
Channel									
Frequency (MHz)				504204 <th>518598<th>532998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th></th>	518598 <th>532998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th>	532998 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR</th>	Tune-up limit (dBm)	MPR	
60	QPSK	1	1	21.08	21.16	21.12	22.2	0.0	
Channel									
Frequency (MHz)				503202 <th>518598<th>534000<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th></th>	518598 <th>534000<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th>	534000 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR</th>	Tune-up limit (dBm)	MPR	
50	QPSK	1	1	2516.01	2562.99	2670	21.0	0.0	
Channel									
Frequency (MHz)				501204 <th>518598<th>535998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th></th>	518598 <th>535998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th>	535998 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR</th>	Tune-up limit (dBm)	MPR	
40	QPSK	1	1	21.00	21.14	21.05	22.2	0.0	
Channel									
Frequency (MHz)				499200 <th>518598<th>537998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th></th>	518598 <th>537998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th>	537998 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR</th>	Tune-up limit (dBm)	MPR	
30	QPSK	1	1	20.98	21.17	21.14	22.2	0.0	
Channel									
Frequency (MHz)				497200 <th>518598<th>539998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th></th>	518598 <th>539998<th>Tune-up limit (dBm)</th><th colspan="2">MPR</th></th>	539998 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR</th>	Tune-up limit (dBm)	MPR	
25	QPSK	1	1	21.12	21.14	21.11	22.2	0.0	

Part27Q_n77_Ant 9									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332		3499.98	24.2	0.0	
Frequency (MHz)				3499.98					
100	Pl2 BPSK	1	1		23.33		24.2	0.0	
100	Pl2 BPSK	1	137		23.35				
100	Pl2 BPSK	1	271		22.84				
100	Pl2 BPSK	135	0		22.82		23.7	0.5	
100	Pl2 BPSK	135	69		23.27		24.2	0.0	
100	Pl2 BPSK	135	138		22.71		23.7	0.5	
100	Pl2 BPSK	270	0		22.83				
100	QPSK	1	1		23.42				
100	QPSK	1	137		23.40		24.2	0.0	
100	QPSK	1	271		22.95				
100	QPSK	135	0		22.84		24.2	0.0	
100	QPSK	135	69		23.30				
100	QPSK	135	138		22.73				
100	QPSK	270	0		22.75		23.7	0.5	
100	16QAM	1	1		22.58		23.7	0.5	
100	64QAM	1	1		22.08		23.2	1.0	
100	256QAM	1	1		21.75		22.2	2.0	
Channel				633000	633332	633668	Tune-up limit	MPR	
Frequency (MHz)				3495	3499.98	3504.98	(dBm)	(dB)	
80	QPSK	1	1		23.15	23.15	23.38	24.2	0.0
Channel				632668	633332	634000	Tune-up limit	MPR	
Frequency (MHz)				3496.02	3499.98	3510	(dBm)	(dB)	
80	QPSK	1	1		23.40	23.38	23.41	24.2	0.0
Channel				632334	633332	634332	Tune-up limit	MPR	
Frequency (MHz)				3485.01	3499.98	3514.98	(dBm)	(dB)	
70	QPSK	1	1		23.39	23.34	23.33	24.2	0.0
Channel				632000	633332	634668	Tune-up limit	MPR	
Frequency (MHz)				3480	3499.98	3518.98	(dBm)	(dB)	
60	QPSK	1	1		23.39	23.37	23.27	24.2	0.0
Channel				631668	633332	635000	Tune-up limit	MPR	
Frequency (MHz)				3475.02	3499.98	3525	(dBm)	(dB)	
50	QPSK	1	1		23.35	23.35	23.39	24.2	0.0
Channel				631334	633332	635332	Tune-up limit	MPR	
Frequency (MHz)				3470.01	3499.98	3529.98	(dBm)	(dB)	
40	QPSK	1	1		23.36	23.31	23.34	24.2	0.0
Channel				631000	633332	635668	Tune-up limit	MPR	
Frequency (MHz)				3465	3499.98	3534.98	(dBm)	(dB)	
30	QPSK	1	1		23.38	23.33	23.39	24.2	0.0
Channel				630668	633332	636000	Tune-up limit	MPR	
Frequency (MHz)				3460.02	3499.98	3540	(dBm)	(dB)	
20	QPSK	1	1		23.35	23.29	23.38	24.2	0.0

Part27Q_n77_Ant 9									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000	656000	662000			
Frequency (MHz)				3750	3840	3930			
100	Pl2 BPSK	1	1	22.96	23.05	22.96	24.2	0.0	
100	Pl2 BPSK	1	137	22.99	23.10	22.95			
100	Pl2 BPSK	1	271	23.11	23.12	23.17			
100	Pl2 BPSK	135	0	22.45	22.49	22.39	23.7	0.5	
100	Pl2 BPSK	135	69	22.83	22.87	22.80	24.2	0.0	
100	Pl2 BPSK	135	138	22.52	22.57	22.49	23.7	0.5	
100	Pl2 BPSK	270	0	22.37	22.50	22.40			
100	QPSK	1	1	23.17	23.18	23.15			
100	QPSK	1	137	23.03	23.08	23.02	24.2	0.0	
100	QPSK	1	271	23.06	23.11	23.05			
100	QPSK	135	0	22.48	22.50	22.40	24.2	0.0	
100	QPSK	135	69	22.95	22.97	22.91			
100	QPSK	135	138	22.46	22.53	22.47			
100	QPSK	270	0	22.44	22.47	22.34	23.7	0.5	
100	16QAM	1	1	22.29	22.30	22.21	23.7	0.5	
100	64QAM	1	1	21.72	21.83	21.72	23.2	1.0	
100	256QAM	1	1	21.38	21.42	21.36	22.2	2.0	
Channel				649668	656000	662332	Tune-up limit	MPR	
Frequency (MHz)				3742.02	3840	3934.98	(dBm)	(dB)	
80	QPSK	1	1	23.12	23.10	23.03	24.2	0.0	
Channel				648334	656000	662668	Tune-up limit	MPR	
Frequency (MHz)				3740.01	3840	3939.98	(dBm)	(dB)	
80	QPSK	1	1	23.15	23.11	22.97	24.2	0.0	
Channel				648000	656000	663000	Tune-up limit	MPR	
Frequency (MHz)				3735	3840	3945	(dBm)	(dB)	
70	QPSK	1	1	23.08	23.12	22.97	24.2	0.0	
Channel				648668	656000	663332	Tune-up limit	MPR	
Frequency (MHz)				3742.02	3840	3941.98	(dBm)	(dB)	
60	QPSK	1	1	23.08	23.07	22.96	24.2	0.0	
Channel				648334	656000	663668	Tune-up limit	MPR	
Frequency (MHz)				3725.01	3840	3954.98	(dBm)	(dB)	
50	QPSK	1	1	23.04	23.12	23.06	24.2	0.0	
Channel				648000	656000	663332	Tune-up limit	MPR	
Frequency (MHz)				3720	3840	3960	(dBm)	(dB)	
40	QPSK	1	1	23.07	23.05	23.03	24.2	0.0	
Channel				647668	656000	663668	Tune-up limit	MPR	
Frequency (MHz)				3715.02	3840	3954.98	(dBm)	(dB)	
30	QPSK	1	1	23.02	23.15	22.96	24.2	0.0	
Channel				647334	656000	664000	Tune-up limit	MPR	
Frequency (MHz)				3710.01	3840	3959.98	(dBm)	(dB)	
20	QPSK	1	1	23.05	23.04	22.99	24.2	0.0	

Part27Q_n77_Ant 8									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332		3499.98	24.2	0.0	
Frequency (MHz)				3499.98					
100	Pl2 BPSK	1	1		22.58		24.2	0.0	
100	Pl2 BPSK	1	137		22.23				
100	Pl2 BPSK	1	271		21.95				
100	Pl2 BPSK	135	0		21.95		23.7	0.5	
100	Pl2 BPSK	135	69		22.25		24.2	0.0	
100	Pl2 BPSK	135	138		21.72		23.7	0.5	
100	Pl2 BPSK	270	0		21.85				
100	QPSK	1	1		22.02				
100	QPSK	1	137		22.22		24.2	0.0	
100	QPSK	1	271		22.20				
100	QPSK	135	0		22.21		24.2	0.0	
100	QPSK	135	69		22.35				
100	QPSK	135	138		22.23				
100	QPSK	270	0		21.88		23.7	0.5	
100	16QAM	1	1		21.90		23.7	0.5	
100	64QAM	1	1		21.65		23.2	1.0	
100	256QAM	1	1		21.18		22.2	2.0	
Channel				633000	633332	633668	Tune-up limit	MPR	
Frequency (MHz)				3495	3499.98	3504.98	(dBm)	(dB)	
80	QPSK	1	1		22.57	22.55	22.58	24.2	0.0
Channel				632668	633332	634000	Tune-up limit	MPR	
Frequency (MHz)				3496.02	3499.98	3510	(dBm)	(dB)	
80	QPSK	1	1		22.48	22.57	22.47	24.2	0.0
Channel				632334	633332	634332	Tune-up limit	MPR	
Frequency (MHz)				3485.01	3499.98	3514.98	(dBm)	(dB)	
70	QPSK	1	1		22.50	22.47	22.54	24.2	0.0
Channel				632000	633332	634668	Tune-up limit	MPR	
Frequency (MHz)				3480	3499.98	3518.98	(dBm)	(dB)	
60	QPSK	1	1		22.53	22.60	22.61	24.2	0.0
Channel				631668	633332	635000	Tune-up limit	MPR	
Frequency (MHz)				3475.02	3499.98	3525	(dBm)	(dB)	
50	QPSK	1	1		22.59	22.61	22.54	24.2	0.0

Part270_n77_Ant 8									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				65000	65000	66000			
				3750	3840	3930			
100	Pl2 BPSK	1	1	22.54	22.39	22.44			
100	Pl2 BPSK	1	137	22.52	22.40	22.43	24.2	0.0	
100	Pl2 BPSK	1	271	22.45	22.31	22.38			
100	Pl2 BPSK	135	0	21.99	21.86	21.93	23.7	0.5	
100	Pl2 BPSK	135	69	22.47	22.39	22.36	24.2	0.0	
100	Pl2 BPSK	135	138	21.95	21.82	21.80	23.7	0.5	
100	Pl2 BPSK	270	0	21.95	21.80	21.81			
100	QPSK	1	1	22.38	22.59	22.48			
100	QPSK	1	137	22.48	22.35	22.35	24.2	0.0	
100	QPSK	1	271	22.40	22.39	22.28			
100	QPSK	135	0	22.20	22.23	22.25			
100	QPSK	135	69	22.41	22.53	22.42	24.2	0.0	
100	QPSK	135	138	22.22	22.23	22.21			
100	QPSK	270	0	21.94	21.95	21.91	23.7	0.5	
100	16QAM	1	1	21.90	21.76	21.79	23.7	0.5	
100	64QAM	1	1	21.36	21.24	21.34	20.2	1.0	
100	256QAM	1	1	20.90	20.84	20.82	20.2	2.0	
Channel									
Frequency (MHz)				649668	650000	662332	Tune-up limit (dBm)	MPR	
				3745.02	3840	3924.98	(dB)	(dB)	
80	QPSK	1	1	22.49	22.47	22.40	24.2	0.0	
Channel									
Frequency (MHz)				648334	650000	662666	Tune-up limit (dBm)	MPR	
				3740.01	3840	3929.99	(dBm)	(dB)	
80	QPSK	1	1	22.46	22.43	22.36	24.2	0.0	
Channel									
Frequency (MHz)				648000	650000	662000	Tune-up limit (dBm)	MPR	
				3735	3840	3945	(dBm)	(dB)	
70	QPSK	1	1	22.50	22.41	22.33	24.2	0.0	
Channel									
Frequency (MHz)				648668	650000	663332	Tune-up limit (dBm)	MPR	
				3728.02	3840	3924.98	(dBm)	(dB)	
60	QPSK	1	1	22.49	22.40	22.42	24.2	0.0	
Channel									
Frequency (MHz)				648334	650000	663666	Tune-up limit (dBm)	MPR	
				3725.01	3840	3924.98	(dBm)	(dB)	
50	QPSK	1	1	22.47	22.40	22.41	24.2	0.0	
Channel									
Frequency (MHz)				648000	650000	664000	Tune-up limit (dBm)	MPR	
				3720	3840	3960	(dBm)	(dB)	
40	QPSK	1	1	22.49	22.38	22.33	24.2	0.0	
Channel									
Frequency (MHz)				647668	650000	664332	Tune-up limit (dBm)	MPR	
				3715.02	3840	3924.98	(dBm)	(dB)	
30	QPSK	1	1	22.52	22.51	22.57	24.2	0.0	
Channel									
Frequency (MHz)				647334	650000	664666	Tune-up limit (dBm)	MPR	
				3710.01	3840	3929.99	(dBm)	(dB)	
20	QPSK	1	1	22.54	22.41	22.34	24.2	0.0	

Part27Q_n77_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Mid Ch. / Freq.	Power Hd Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				63900	63332	6349.98			
100	Pl2 BPSK	1	1		20.33				
100	Pl2 BPSK	1	137		20.61		22.2	0.0	
100	Pl2 BPSK	1	271		20.73				
100	Pl2 BPSK	135	0		19.98		21.7	0.5	
100	Pl2 BPSK	135	69		20.57		22.2	0.0	
100	Pl2 BPSK	135	138		20.16		21.7	0.5	
100	Pl2 BPSK	270	0		20.07				
100	QPSK	1	1		20.77				
100	QPSK	1	137		20.63		22.2	0.0	
100	QPSK	1	271		20.68				
100	QPSK	135	0		20.21		22.2	0.0	
100	QPSK	135	69		20.05				
100	QPSK	135	138		20.25				
100	QPSK	270	0		20.03		21.7	0.5	
100	16QAM	1	1		19.71		21.7	0.5	
100	64QAM	1	1		19.23		21.2	1.0	
100	256QAM	1	1		18.73		20.2	2.0	
Channel									
Frequency (MHz)				639000	633332	633666	Tune-up limit (dBm)	MPR	
				3405	3499.98	3504.98	(dBm)	(dB)	
90	QPSK	1	1	20.75	20.67	20.70	22.2	0.0	
Channel									
Frequency (MHz)				632668	633332	634000	Tune-up limit (dBm)	MPR	
				3400.02	3499.98	3510	(dBm)	(dB)	
80	QPSK	1	1	20.65	20.73	20.65	22.2	0.0	
Channel									
Frequency (MHz)				632334	633332	634112	Tune-up limit (dBm)	MPR	
				3400	3499.98	3514.98	(dBm)	(dB)	
70	QPSK	1	1	20.73	20.62	20.75	22.2	0.0	
Channel									
Frequency (MHz)				632000	633332	634666	Tune-up limit (dBm)	MPR	
				3400	3499.98	3518.98	(dBm)	(dB)	
60	QPSK	1	1	20.73	20.72	20.69	22.2	0.0	
Channel									
Frequency (MHz)				631668	633332	635000	Tune-up limit (dBm)	MPR	
				3475.02	3499.98	3525	(dBm)	(dB)	
50	QPSK	1	1	20.75	20.64	20.73	22.2	0.0	
Channel									
Frequency (MHz)				631334	633332	635332	Tune-up limit (dBm)	MPR	
				3470.01	3499.98	3529.98	(dBm)	(dB)	
40	QPSK	1	1	20.64	20.63	20.65	22.2	0.0	
Channel									
Frequency (MHz)				631000	633332	635666	Tune-up limit (dBm)	MPR	
				3465	3499.98	3534.98	(dBm)	(dB)	
30	QPSK	1	1	20.75	20.64	20.70	22.2	0.0	
Channel									
Frequency (MHz)				630668	633332	636000	Tune-up limit (dBm)	MPR	
				3460.02	3499.98	3540	(dBm)	(dB)	
20	QPSK	1	1	20.68	20.66	20.73	22.2	0.0	

Part270_n77_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				650000	650000	662000			
				3840	3840	3930			
100	Pl2 BPSK	1	1	20.754	20.83	20.68			
100	Pl2 BPSK	1	137	20.76	20.81	20.76	22.2	0.0	
100	Pl2 BPSK	1	271	20.90	20.92	20.89			
100	Pl2 BPSK	135	0	20.05	20.16	20.03	21.7	0.5	
100	Pl2 BPSK	135	69	20.60	20.70	20.61	22.2	0.0	
100	Pl2 BPSK	135	138	20.20	20.31	20.23			
100	Pl2 BPSK	270	0	20.16	20.22	20.09	21.7	0.5	
100	QPSK	1	1	20.53	20.55	20.53			
100	QPSK	1	137	20.77	20.85	20.80	22.2	0.0	
100	QPSK	1	271	20.87	20.92	20.81			
100	QPSK	135	0	20.33	20.40	20.37			
100	QPSK	135	69	20.76	20.80	20.75	22.2	0.0	
100	QPSK	135	138	20.35	20.38	20.29			
100	QPSK	270	0	20.23	20.32	20.19	21.7	0.5	
100	16QAM	1	1	20.07	20.15	20.06	21.7	0.5	
100	64QAM	1	1	19.61	19.70	19.68	21.2	1.0	
100	256QAM	1	1	18.90	19.05	18.98	20.2	2.0	
Channel									
Frequency (MHz)				649668	650000	662332	Tune-up limit (dBm)	MPR	
				3745.02	3840	3924.98	(dBm)	(dB)	
90	QPSK	1	1	20.81	20.82	20.86	22.2	0.0	
Channel									
Frequency (MHz)				648334	650000	662666	Tune-up limit (dBm)	MPR	
				3740.01	3840	3929.99	(dBm)	(dB)	
80	QPSK	1	1	20.89	20.88	20.80	22.2	0.0	
Channel									
Frequency (MHz)				648000	650000	662000	Tune-up limit (dBm)	MPR	
				37	3840	3945	(dBm)	(dB)	
70	QPSK	1	1	20.86	20.85	20.80	22.2	0.0	
Channel									
Frequency (MHz)				648000	650000	662332	Tune-up limit (dBm)	MPR	
				3742.00	3840	3949.98	(dBm)	(dB)	
60	QPSK	1	1	20.92	20.88	20.87	22.2	0.0	
Channel									
Frequency (MHz)				648334	650000	662666	Tune-up limit (dBm)	MPR	
				3745.01	3840	3949.99	(dBm)	(dB)	
50	QPSK	1	1	20.90	20.82	20.77	22.2	0.0	
Channel									
Frequency (MHz)				650000	650000	664000	Tune-up limit (dBm)	MPR	
				3732	3740	3960	(dBm)	(dB)	
40	QPSK	1	1	20.83	20.92	20.84	22.2	0.0	
Channel									
Frequency (MHz)				651500	3840	3964.08	Tune-up limit (dBm)	MPR	
				3745.02	650000	664332	(dBm)	(dB)	
30	QPSK	1	1	20.79	20.81	20.86	22.2	0.0	
Channel									
Frequency (MHz)				651031	650000	662666	Tune-up limit (dBm)	MPR	
				3743.01	3840	3969.99	(dBm)	(dB)	
20	QPSK	1	1	20.82	20.84	20.88	22.2	0.0	

Part27Q_n77_Ant 0										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				633332		3499.98				
Frequency (MHz)										
100	Pl2 BPSK	1	1	19.58			21.2	0.0		
100	Pl2 BPSK	1	137	19.62						
100	Pl2 BPSK	1	271	19.60						
100	Pl2 BPSK	135	0	19.10			20.7	0.5		
100	Pl2 BPSK	135	69	19.55						
100	Pl2 BPSK	135	138	19.15						
100	Pl2 BPSK	270	0	19.12			20.7	0.5		
100	QPSK	1	1	19.60						
100	QPSK	1	137	19.60						
100	QPSK	1	271	19.62			21.2	0.0		
100	QPSK	135	0	19.21						
100	QPSK	135	69	19.58						
100	QPSK	135	138	19.23			20.7	0.5		
100	QPSK	270	0	19.08						
100	16QAM	1	1	19.10						
100	64QAM	1	1	19.60			20.2	1.0		
100	256QAM	1	1	17.63						
Channel				633000	633332	633666	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3495	3499.98	3504.98	(dBm)			
80	QPSK	1	1	19.39	19.53	19.54	21.2	0.0		
Channel				632668	633332	634000	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3486.02	3499.98	3510	(dBm)			
80	QPSK	1	1	19.46	19.49	19.56	21.2	0.0		
Channel				632334	633332	634332	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3485.01	3499.98	3514.98	(dBm)			
70	QPSK	1	1	19.38	19.57	19.59	21.2	0.0		
Channel				632000	633332	634666	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3480	3499.98	3518.98	(dBm)			
60	QPSK	1	1	19.48	19.47	19.58	21.2	0.0		
Channel				631668	633332	635000	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3475.02	3499.98	3525	(dBm)			
50	QPSK	1	1	19.49	19.55	19.60	21.2	0.0		
Channel				631334	633332	635332	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3470.01	3499.98	3529.98	(dBm)			
40	QPSK	1	1	19.45	19.55	19.50	21.2	0.0		
Channel				631000	633332	635666	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3465	3499.98	3534.98	(dBm)			
30	QPSK	1	1	19.36	19.52	19.52	21.2	0.0		
Channel				630668	633332	636000	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3460.02	3499.98	3540	(dBm)			
20	QPSK	1	1	19.38	19.47	19.56	21.2	0.0		

Part27Q_n77_Ant 0										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				650000	650000	650000	3840			
Frequency (MHz)										
100	Pl2 BPSK	1	1	19.46	19.31	19.34	21.2	0.0		
100	Pl2 BPSK	1	137	19.47	19.34	19.40				
100	Pl2 BPSK	1	271	19.54	19.50	19.49				
100	Pl2 BPSK	135	0	18.98	18.83	18.89	20.7	0.5		
100	Pl2 BPSK	135	69	19.47	19.43	19.39				
100	Pl2 BPSK	135	138	19.06	19.03	19.02				
100	Pl2 BPSK	270	0	19.04	18.99	19.00	20.7	0.5		
100	QPSK	1	1	19.01	19.02	19.05				
100	QPSK	1	137	19.54	19.47	19.46				
100	QPSK	1	271	19.49	19.47	19.40	21.2	0.0		
100	QPSK	135	0	19.21	19.23	19.22				
100	QPSK	135	69	19.55	19.53	19.50				
100	QPSK	135	138	19.22	19.25	19.21	20.7	0.5		
100	QPSK	270	0	19.07	19.10	19.09				
100	16QAM	1	1	19.01	18.88	18.89				
100	64QAM	1	1	19.46	19.35	19.36	20.2	1.0		
100	256QAM	1	1	17.58	17.54	17.53				
Channel				649668	650000	650332	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3742.02	3740	3741.98	(dBm)			
90	QPSK	1	1	19.59	19.36	19.45	21.2	0.0		
Channel				649334	650000	650666	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3740.01	3840	3859.98	(dBm)			
80	QPSK	1	1	19.56	19.50	19.54	21.2	0.0		
Channel				649000	650000	652000	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3735	3840	3945	(dBm)			
70	QPSK	1	1	19.52	19.46	19.42	21.2	0.0		
Channel				648668	650000	653332	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3732.02	3840	3948.98	(dBm)			
60	QPSK	1	1	19.46	19.41	19.41	21.2	0.0		
Channel				648334	650000	653668	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3725.01	3840	3954.98	(dBm)			
50	QPSK	1	1	19.47	19.43	19.47	21.2	0.0		
Channel				648000	650000	654000	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3720	3840	3960	(dBm)			
40	QPSK	1	1	19.52	19.43	19.51	21.2	0.0		
Channel				647668	650000	654332	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3715.02	3840	3964.98	(dBm)			
30	QPSK	1	1	19.50	19.47	19.46	21.2	0.0		
Channel				647334	650000	654668	Tune-up limit (dBm)	MPR (dB)		
Frequency (MHz)				3710.01	3840	3969.98	(dBm)			
20	QPSK	1	1	19.56	19.50	19.53	21.2	0.0		

Part27Q_n78_Ant 9										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				633332		3499.98				
Frequency (MHz)										
100	Pl2 BPSK	1	1	22.98			24.2	0.0		
100	Pl2 BPSK	1	137	23.03						
100	Pl2 BPSK	1	271	23.05						
100	Pl2 BPSK	135	0	23.07			24.2	0.0		
100	Pl2 BPSK	135	69	23.07						
100	Pl2 BPSK	135	138	23.02						
100	Pl2 BPSK	270	0	23.00			24.2	0.0		
100	QPSK	1	1	23.10						
100	QPSK	1	137	23.03						
100	QPSK	1	271	22.99			24.2	0.0		
100	QPSK	135	0	22.98						
100	QPSK	135	69	23.07						
100	QPSK	135	138	23.01			24.2	0.0		
100	QPSK	270	0	22.95						
100	16QAM	1	1	23.01						
100	64QAM	1	1	23.01			24.2	0.0		
100	256QAM	1	1	23.06						
Channel				633000	633332	633666	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3495	3499.98	3504.98	(dBm)			
90	QPSK	1	1	23.02	22.95	22.96	24.2	0.0		
Channel				632668	633332	634000	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3490.02	3499.98	3510	(dBm)			
80	QPSK	1	1	22.92	22.93	22.96	24.2	0.0		
Channel				632334	633332	634332	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3485.01	3499.98	3514.98	(dBm)			
70	QPSK	1	1	22.95	23.01	23.03	24.2	0.0		
Channel				632000	633332	634666	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3480	3499.98	3518.98	(dBm)			
60	QPSK	1	1	22.99	22.99	23.05	24.2	0.0		
Channel				631668	633332	635000	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3475.02	3499.98	3524.98	(dBm)			
50	QPSK	1	1	22.94	23.04	22.97	24.2	0.0		
Channel				631334	633332	635332	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3470.01	3499.98	3529.98	(dBm)			
40	QPSK	1	1	22.92	23.06	22.92	24.2	0.0		
Channel				631000	633332	635666	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3465	3499.98	3534.98	(dBm)			
30	QPSK	1	1	22.96	22.93	22.96	24.2	0.0		
Channel				630666	633332	636000	Tune-up limit (dBm)	MPR		
Frequency (MHz)				3460.02	3499.98	3540	(dBm)			
25	QPSK	1	1	23.04	23.03	23.02	24.2	0.0		

n2_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 372000	Power Middle Ch. F Freq. 376000	Power High Ch. F Freq. 380000	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1880	1900			
Frequency (MHz)									
20	Pl2 BPSK	1	1	19.71	19.88	19.74	21.2	0.0	
20	Pl2 BPSK	1	53	19.79	19.75	19.72			
20	Pl2 BPSK	1	104	19.74	19.82	19.76			
20	Pl2 BPSK	50	0	19.68	19.84	19.80	21.2	0.0	
20	Pl2 BPSK	50	28	19.68	19.85	19.82	21.2	0.0	
20	Pl2 BPSK	50	56	19.77	19.88	19.83			
20	Pl2 BPSK	100	0	19.69	19.89	19.81	21.2	0.0	
20	QPSK	1	1	19.85	19.90	19.85			
20	QPSK	1	53	19.87	19.77	19.81	21.2	0.0	
20	QPSK	1	104	19.70	19.85	19.84			
20	QPSK	50	0	19.69	19.87	19.75	21.2	0.0	
20	QPSK	50	28	19.75	19.89	19.83	21.2	0.0	
20	QPSK	50	56	19.89	19.81	19.70			
20	QPSK	100	0	19.71	19.85	19.81	21.2	0.0	
20	16QAM	1	1	19.81	19.78	19.74	21.2	0.0	
20	64QAM	1	1	19.73	19.78	19.79	21.2	0.0	
20	256QAM	1	1	19.75	19.84	19.82	21.2	0.0	
Channel				371500	376000	380500	Tune-up limit	MPR	
Frequency (MHz)				1867.5	1880	1902.5	(dBm)		
15	QPSK	1	1	19.75	19.88	19.82	21.2	0.0	
Channel				371000	376000	381000	Tune-up limit	MPR	
Frequency (MHz)				1865	1880	1905	(dBm)		
10	QPSK	1	1	19.72	19.86	19.84	21.2	0.0	
Channel				370500	376000	381500	Tune-up limit	MPR	
Frequency (MHz)				1862.5	1880	1907.5	(dBm)		
5	QPSK	1	1	19.76	19.78	19.78	21.2	0.0	

Reduced Power Mode for ECI 3									
n2_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 372000	Power Middle Ch. F Freq. 376000	Power High Ch. F Freq. 380000	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1880	1900			
Frequency (MHz)									
20	Pl2 BPSK	1	1	20.65	20.67	20.61	21.8	0.0	
20	Pl2 BPSK	1	53	20.60	20.69	20.71			
20	Pl2 BPSK	1	104	20.65	20.76	20.83			
20	Pl2 BPSK	50	0	20.63	20.74	20.59	21.8	0.0	
20	Pl2 BPSK	50	28	20.69	20.68	20.82	21.8	0.0	
20	Pl2 BPSK	50	56	20.74	20.71	20.84			
20	Pl2 BPSK	100	0	20.61	20.65	20.57	21.8	0.0	
20	QPSK	1	1	20.75	20.80	20.72			
20	QPSK	1	53	20.65	20.68	20.59	21.8	0.0	
20	QPSK	1	104	20.68	20.70	20.68			
20	QPSK	50	0	20.69	20.68	20.85	21.8	0.0	
20	QPSK	50	28	20.71	20.76	20.65	21.8	0.0	
20	QPSK	50	56	20.64	20.75	20.67			
20	QPSK	100	0	20.61	20.72	20.65	21.8	0.0	
20	16QAM	1	1	20.70	20.78	20.81	21.8	0.0	
20	64QAM	1	1	20.67	20.67	20.57	21.8	0.0	
20	256QAM	1	1	20.60	20.79	20.62	21.8	0.0	
Channel				371500	376000	380500	Tune-up limit	MPR	
Frequency (MHz)				1867.5	1880	1902.5	(dBm)		
15	QPSK	1	1	20.68	20.79	20.58	21.8	0.0	
Channel				371000	376000	381000	Tune-up limit	MPR	
Frequency (MHz)				1865	1880	1905	(dBm)		
10	QPSK	1	1	20.68	20.74	20.65	21.8	0.0	
Channel				370500	376000	381500	Tune-up limit	MPR	
Frequency (MHz)				1862.5	1880	1907.5	(dBm)		
5	QPSK	1	1	20.68	20.78	20.71	21.8	0.0	

n5_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 166800	Power Middle Ch. F Freq. 167500	Power High Ch. F Freq. 167800	Tune-up limit (dBm)	MPR (dB)	
Channel				834	836.5	839			
Frequency (MHz)									
20	Pl2 BPSK	1	1	24.32	24.40	24.25	25.7	0.0	
20	Pl2 BPSK	1	53	24.31	24.41	24.33			
20	Pl2 BPSK	1	104	24.29	24.39	24.30			
20	Pl2 BPSK	50	0	23.95	24.02	23.99	25.2	0.5	
20	Pl2 BPSK	50	28	24.40	24.45	24.48	25.7	0.0	
20	Pl2 BPSK	50	56	23.87	23.95	23.82			
20	Pl2 BPSK	100	0	23.90	24.03	23.90	25.2	0.5	
20	QPSK	1	1	24.44	24.50	24.46			
20	QPSK	1	53	24.32	24.38	24.33	25.7	0.0	
20	QPSK	1	104	24.31	24.33	24.32			
20	QPSK	50	0	23.88	23.98	23.86	25.2	0.5	
20	QPSK	50	28	24.47	24.48	24.35	25.7	0.0	
20	QPSK	50	56	23.87	23.95	23.85			
20	QPSK	100	0	23.81	23.89	23.84	25.2	0.5	
20	16QAM	1	1	23.82	23.82	23.50	24.7	1.0	
20	64QAM	1	1	23.17	23.18	23.05	24.2	1.5	
20	256QAM	1	1	22.66	22.77	22.66	23.7	2.0	
Channel				166300	167500	168300	Tune-up limit	MPR	
Frequency (MHz)				831.5	836.5	841.5	(dBm)		
15	QPSK	1	1	24.31	24.36	24.43	25.7	0.0	
Channel				166800	167500	168800	Tune-up limit	MPR	
Frequency (MHz)				839	841.5	844	(dBm)		
10	QPSK	1	1	24.41	24.42	24.32	25.7	0.0	
Channel				166300	167500	169300	Tune-up limit	MPR	
Frequency (MHz)				836.5	836.5	846.5	(dBm)		
5	QPSK	1	1	24.31	24.48	24.45	25.7	0.0	

n5_Ant 0								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 504000	Power Middle Ch. Freq. 507000	Power High Ch. Freq. 510000	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
20	PQ2 BPSK	1	1	21.91	22.01	21.98	23.3	0.0
20	PQ2 BPSK	1	53	21.94	21.99	21.99		
20	PQ2 BPSK	1	104	21.94	22.05	22.04	23.3	0.0
20	PQ2 BPSK	50	0	22.01	22.09	21.93		
20	PQ2 BPSK	50	28	21.95	22.03	22.02	23.3	0.0
20	PQ2 BPSK	50	56	21.92	22.06	22.02	23.3	0.0
20	PQ2 BPSK	100	0	21.93	22.07	22.00		
20	QPSK	1	1	22.02	22.10	22.05	23.3	0.0
20	QPSK	1	53	21.90	22.03	21.90		
20	QPSK	1	104	22.00	22.08	21.98	23.3	0.0
20	QPSK	50	0	21.95	22.02	21.98		
20	QPSK	50	28	21.91	22.07	22.03	23.3	0.0
20	QPSK	50	56	21.90	22.02	22.02	23.3	0.0
20	QPSK	100	0	21.94	22.05	22.04		
20	16QAM	1	1	21.90	22.01	22.00	23.3	0.0
20	16QAM	1	1	21.98	22.00	21.90		
20	256QAM	1	1	21.98	22.05	21.93	23.3	0.0
Channel								
Frequency (MHz)								
15	QPSK	1	1	21.90	22.08	21.94	23.3	0.0
Channel								
Frequency (MHz)								
10	QPSK	1	1	21.94	22.07	21.90	23.3	0.0
Channel								
Frequency (MHz)								
5	QPSK	1	1	21.92	22.04	21.93	23.3	0.0

n7_Ant 5								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 504000	Power Middle Ch. Freq. 507000	Power High Ch. Freq. 510000	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
40	PQ2 BPSK	1	1	18.67	18.74	18.62	19.9	0.0
40	PQ2 BPSK	1	108	18.58	18.67	18.58		
40	PQ2 BPSK	1	214	18.67	18.73	18.61	19.9	0.0
40	PQ2 BPSK	108	0	18.56	18.67	18.66		
40	PQ2 BPSK	108	54	18.56	18.68	18.68	19.9	0.0
40	PQ2 BPSK	108	108	18.57	18.70	18.68	19.9	0.0
40	PQ2 BPSK	216	0	18.64	18.65	18.67		
40	QPSK	1	1	18.68	18.75	18.70	19.9	0.0
40	QPSK	1	108	18.63	18.66	18.64		
40	QPSK	1	214	18.62	18.70	18.58	19.9	0.0
40	QPSK	108	0	18.58	18.62	18.64		
40	QPSK	108	54	18.60	18.73	18.65	19.9	0.0
40	QPSK	108	108	18.60	18.68	18.59	19.9	0.0
40	QPSK	216	0	18.64	18.70	18.66		
40	16QAM	1	1	18.65	18.73	18.69	19.9	0.0
40	16QAM	1	1	18.63	18.62	18.59		
40	256QAM	1	1	18.57	18.63	18.60	19.9	0.0
Channel								
Frequency (MHz)								
30	QPSK	1	1	18.54	18.68	18.66	19.9	0.0
Channel								
Frequency (MHz)								
25	QPSK	1	1	18.54	18.71	18.57	19.9	0.0
Channel								
Frequency (MHz)								
20	QPSK	1	1	18.61	18.72	18.61	19.9	0.0
Channel								
Frequency (MHz)								
15	QPSK	1	1	18.65	18.67	18.64	19.9	0.0
Channel								
Frequency (MHz)								
10	QPSK	1	1	18.68	18.69	18.55	19.9	0.0
Channel								
Frequency (MHz)								
5	QPSK	1	1	18.58	18.68	18.58	19.9	0.0

n7_Ant 6								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 504000	Power Middle Ch. Freq. 507000	Power High Ch. Freq. 510000	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)								
40	PQ2 BPSK	1	1	18.60	18.62	18.47	19.9	0.0
40	PQ2 BPSK	1	108	18.61	18.58	18.50		
40	PQ2 BPSK	1	214	18.55	18.59	18.54	19.9	0.0
40	PQ2 BPSK	108	0	18.59	18.62	18.60		
40	PQ2 BPSK	108	54	18.52	18.69	18.51	19.9	0.0
40	PQ2 BPSK	108	108	18.52	18.66	18.51	19.9	0.0
40	PQ2 BPSK	216	0	18.53	18.68	18.57		
40	QPSK	1	1	18.68	18.70	18.62	19.9	0.0
40	QPSK	1	108	18.63	18.67	18.61		
40	QPSK	1	214	18.58	18.69	18.58	19.9	0.0
40	QPSK	108	0	18.58	18.66	18.58		
40	QPSK	108	54	18.63	18.68	18.60	19.9	0.0
40	QPSK	108	108	18.60	18.57	18.53	19.9	0.0
40	QPSK	216	0	18.62	18.65	18.47		
40	16QAM	1	1	18.55	18.60	18.51	19.9	0.0
40	16QAM	1	1	18.62	18.57	18.58		
40	256QAM	1	1	18.54	18.64	18.57	19.9	0.0
Channel								
Frequency (MHz)								
30	QPSK	1	1	18.57	18.68	18.56	19.9	0.0
Channel								
Frequency (MHz)								
25	QPSK	1	1	18.52	18.61	18.48	19.9	0.0
Channel								
Frequency (MHz)								
20	QPSK	1	1	18.63	18.69	18.47	19.9	0.0
Channel								
Frequency (MHz)								
15	QPSK	1	1	18.65	18.68	18.58	19.9	0.0
Channel								
Frequency (MHz)								
10	QPSK	1	1	18.52	18.62	18.50	19.9	0.0
Channel								
Frequency (MHz)								
5	QPSK	1	1	18.63	18.57	18.54	19.9	0.0

n7_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 504000	Power Middle Ch. 1 Freq. 507000	Power High Ch. 1 Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel				2520	2535	2550			
40	PlZ BPSK	1	1	18.30	18.38	18.34			
40	PlZ BPSK	1	108	18.31	18.36	18.43	19.3	0.0	
40	PlZ BPSK	1	214	18.39	18.40	18.44			
40	PlZ BPSK	108	0	18.33	18.39	18.42	19.3	0.0	
40	PlZ BPSK	108	54	18.33	18.46	18.34	19.3	0.0	
40	PlZ BPSK	108	108	18.32	18.37	18.31			
40	PlZ BPSK	216	0	18.37	18.35	18.36	19.3	0.0	
40	QPSK	1	1	18.32	18.50	18.45			
40	QPSK	1	108	18.29	18.45	18.30	19.3	0.0	
40	QPSK	1	214	18.36	18.37	18.38			
40	QPSK	108	0	18.36	18.40	18.42	19.3	0.0	
40	QPSK	108	54	18.41	18.47	18.43	19.3	0.0	
40	QPSK	108	108	18.37	18.44	18.39			
40	QPSK	216	0	18.40	18.44	18.34	19.3	0.0	
40	16QAM	1	1	18.37	18.45	18.44	19.3	0.0	
40	64QAM	1	1	18.30	18.48	18.34	19.3	0.0	
40	256QAM	1	1	18.31	18.49	18.37	19.3	0.0	
Channel				502000	507000	511000	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	2515	2535	2555			
30	QPSK	1	1	18.39	18.48	18.41	19.3	0.0	
Channel				502500	507000	511500	Tune-up limit (dBm)	MPR (dB)	
25	QPSK	1	1	19.29	19.40	19.42	19.3	0.0	
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	18.40	18.35	18.39	19.3	0.0	
Channel				503500	507000	512500	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	2507.5	2535	2562.5			
15	QPSK	1	1	18.38	18.42	18.35	19.3	0.0	
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	18.29	18.36	18.44	19.3	0.0	
Channel				500500	507000	513500	Tune-up limit (dBm)	MPR (dB)	
5	QPSK	1	1	2502.5	2535	2567.5			
5	QPSK	1	1	18.35	18.47	18.30	19.3	0.0	

n7_Ant 7									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 504000	Power Middle Ch. 1 Freq. 507000	Power High Ch. 1 Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel				2520	2535	2550			
40	PlZ BPSK	1	1	19.97	20.12	20.09			
40	PlZ BPSK	1	108	19.93	20.05	19.91	21.4	0.0	
40	PlZ BPSK	1	214	20.13	20.12	20.10			
40	PlZ BPSK	108	0	19.37	19.44	19.36	20.9	0.5	
40	PlZ BPSK	108	54	20.04	20.07	19.94	21.4	0.0	
40	PlZ BPSK	108	108	19.91	19.60	19.48			
40	PlZ BPSK	216	0	19.35	19.47	19.38	20.9	0.5	
40	QPSK	1	1	20.05	20.18	20.11			
40	QPSK	1	108	19.96	20.15	20.03	21.4	0.0	
40	QPSK	1	214	20.03	20.15	20.08			
40	QPSK	108	0	19.31	19.40	19.38	20.9	0.5	
40	QPSK	108	54	20.02	20.03	20.00	21.4	0.0	
40	QPSK	108	108	19.44	19.57	19.49			
40	QPSK	216	0	19.42	19.45	19.34	20.9	0.5	
40	16QAM	1	1	18.91	19.03	19.01	20.9	0.5	
40	64QAM	1	1	18.83	18.87	18.47	18.9	1.5	
40	256QAM	1	1	18.03	18.10	18.01	19.4	2.0	
Channel				503000	507000	511000	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	20.03	20.10	20.03	21.4	0.0	
Channel				502500	507000	511500	Tune-up limit (dBm)	MPR (dB)	
25	QPSK	1	1	19.98	20.05	19.96	21.4	0.0	
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	20.05	20.08	19.97	21.4	0.0	
Channel				501500	507000	512500	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	19.98	20.04	20.06	21.4	0.0	
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	19.96	20.14	20.04	21.4	0.0	
Channel				500500	507000	513500	Tune-up limit (dBm)	MPR (dB)	
5	QPSK	1	1	19.97	20.08	20.06	21.4	0.0	

n12_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 141300	Power Middle Ch. 1 Freq. 141500	Power High Ch. 1 Freq. 141700	Tune-up limit (dBm)	MPR (dB)	
Channel				706.5	707.5	708.5			
15	PlZ BPSK	1	1	20.69	20.75	20.55			
15	PlZ BPSK	1	40	20.60	20.79	20.62	22.2	0.0	
15	PlZ BPSK	1	77	20.57	20.71	20.59			
15	PlZ BPSK	36	0	20.67	20.68	20.61	22.2	0.0	
15	PlZ BPSK	36	22	20.68	20.74	20.56	22.2	0.0	
15	PlZ BPSK	36	43	20.64	20.75	20.69			
15	PlZ BPSK	75	0	20.61	20.70	20.66	22.2	0.0	
15	QPSK	1	1	20.72	20.80	20.70			
15	QPSK	1	40	20.60	20.68	20.55	22.2	0.0	
15	QPSK	1	77	20.59	20.66	20.61			
15	QPSK	36	0	20.57	20.72	20.60	22.2	0.0	
15	QPSK	36	22	20.70	20.76	20.60	22.2	0.0	
15	QPSK	36	43	20.58	20.75	20.62			
15	QPSK	75	0	20.66	20.76	20.63	22.2	0.0	
15	16QAM	1	1	20.61	20.76	20.58	22.2	0.0	
15	64QAM	1	1	20.71	20.77	20.65	22.2	0.0	
15	256QAM	1	1	20.59	20.70	20.65	22.2	0.0	
Channel				140300	141500	142700	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	20.71	20.74	20.65	22.2	0.0	
Channel				140300	141500	142700	Tune-up limit (dBm)	MPR (dB)	
5	QPSK	1	1	20.60	20.70	20.59	22.2	0.0	

n12_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 141300	Power Middle Ch. F Freq. 141500	Power High Ch. F Freq. 141700	Tune-up limit (dBm)	MPR (dB)	
Channel				706.5	707.5	706.5			
Frequency (MHz)									
15	PlZ BPSK	1	1	19.92	20.11	20.01	21.8	0.0	
15	PlZ BPSK	1	40	19.96	20.06	19.99			
15	PlZ BPSK	1	77	19.91	20.00	19.99			
15	PlZ BPSK	36	0	19.93	19.98	19.97	21.8	0.0	
15	PlZ BPSK	36	22	19.93	19.98	19.97	21.8	0.0	
15	PlZ BPSK	36	43	20.01	20.03	20.07	21.8	0.0	
15	PlZ BPSK	75	0	20.01	19.99	19.97			
15	QPSK	1	1	20.05	20.12	20.08			
15	QPSK	1	40	20.01	20.10	20.00	21.8	0.0	
15	QPSK	1	77	19.92	20.09	20.06			
15	QPSK	36	0	19.96	20.08	20.06	21.8	0.0	
15	QPSK	36	22	20.02	20.10	20.07	21.8	0.0	
15	QPSK	36	43	19.95	20.02	19.95			
15	QPSK	75	0	20.00	20.08	20.02	21.8	0.0	
15	16QAM	1	1	19.90	19.98	20.04	21.8	0.0	
15	64QAM	1	1	19.84	20.01	20.03	21.8	0.0	
15	256QAM	1	1	19.84	20.06	20.04	21.8	0.0	
Channel				16300	141500	142200	Tune-up limit	MPR	
Frequency (MHz)				704	707.5	711	(dBm)	(dB)	
10	QPSK	1	1	19.90	20.06	20.01	21.8	0.0	
Channel				16300	141500	142700	Tune-up limit	MPR	
Frequency (MHz)				704.5	707.5	713.5	(dBm)	(dB)	
5	QPSK	1	1	19.94	20.07	20.02	21.8	0.0	

n26(FCC)_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 164800	Power Middle Ch. F Freq. 165300	Power High Ch. F Freq. 165800	Tune-up limit (dBm)	MPR (dB)	
Channel				824	831.5	839			
Frequency (MHz)									
20	PlZ BPSK	1	1	24.32	24.38	24.27	25.7	0.0	
20	PlZ BPSK	1	53	24.29	24.39	24.24			
20	PlZ BPSK	1	104	24.39	24.40	24.36			
20	PlZ BPSK	50	0	23.89	23.97	23.90	25.2	0.5	
20	PlZ BPSK	50	28	24.34	24.42	24.39	25.7	0.0	
20	PlZ BPSK	50	56	23.94	24.00	23.93	25.2	0.5	
20	PlZ BPSK	100	0	23.85	23.97	23.90			
20	QPSK	1	1	24.44	24.51	24.38			
20	QPSK	1	53	24.32	24.35	24.30	25.7	0.0	
20	QPSK	1	104	24.25	24.39	24.37			
20	QPSK	50	0	23.86	23.92	23.85	25.2	0.5	
20	QPSK	50	28	24.43	24.45	24.33	25.7	0.0	
20	QPSK	50	56	23.90	23.96	23.95	25.2	0.5	
20	QPSK	100	0	23.86	23.91	23.80			
20	16QAM	1	1	23.94	23.97	23.90	24.7	1.0	
20	64QAM	1	1	23.14	23.24	23.10	24.2	1.5	
20	256QAM	1	1	22.67	22.82	22.73	23.7	2.0	
Channel				164300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				821.5	831.5	841.5	(dBm)	(dB)	
15	QPSK	1	1	24.30	24.43	24.26	25.7	0.0	
Channel				163800	166300	166800	Tune-up limit	MPR	
Frequency (MHz)				810	831.5	844	(dBm)	(dB)	
10	QPSK	1	1	24.31	24.42	24.30	25.7	0.0	
Channel				163300	166300	166900	Tune-up limit	MPR	
Frequency (MHz)				816.5	831.5	846.5	(dBm)	(dB)	
5	QPSK	1	1	24.39	24.30	24.25	25.7	0.0	

n26(FCC)_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 164800	Power Middle Ch. F Freq. 165300	Power High Ch. F Freq. 165800	Tune-up limit (dBm)	MPR (dB)	
Channel				824	831.5	839			
Frequency (MHz)									
20	PlZ BPSK	1	1	21.97	22.10	21.95	23.3	0.0	
20	PlZ BPSK	1	53	21.89	22.11	21.98			
20	PlZ BPSK	1	104	21.97	22.07	21.94			
20	PlZ BPSK	50	0	21.96	21.97	22.07	23.3	0.0	
20	PlZ BPSK	50	28	21.95	21.99	22.05	23.3	0.0	
20	PlZ BPSK	50	56	22.00	22.06	22.07	23.3	0.0	
20	PlZ BPSK	100	0	21.88	21.99	21.99			
20	QPSK	1	1	22.02	22.12	22.09			
20	QPSK	1	53	21.90	22.02	22.03	23.3	0.0	
20	QPSK	1	104	21.95	22.09	22.06			
20	QPSK	50	0	21.89	22.10	22.02	23.3	0.0	
20	QPSK	50	28	21.93	22.11	22.08	23.3	0.0	
20	QPSK	50	56	21.90	22.04	22.05	23.3	0.0	
20	QPSK	100	0	22.01	22.07	22.01			
20	16QAM	1	1	21.96	22.07	21.95	23.3	0.0	
20	64QAM	1	1	21.91	22.07	21.94	23.3	0.0	
20	256QAM	1	1	21.91	22.03	22.01	23.3	0.0	
Channel				164300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				821.5	831.5	841.5	(dBm)	(dB)	
15	QPSK	1	1	21.95	22.09	21.95	23.3	0.0	
Channel				163800	166300	166800	Tune-up limit	MPR	
Frequency (MHz)				810	831.5	844	(dBm)	(dB)	
10	QPSK	1	1	22.01	22.11	22.05	23.3	0.0	
Channel				163300	166300	166900	Tune-up limit	MPR	
Frequency (MHz)				816.5	831.5	846.5	(dBm)	(dB)	
5	QPSK	1	1	21.94	21.98	22.08	23.3	0.0	

n66_Ant 7								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 350000	Tune-up limit (dBm)	MPR (dB)
Channel				1730	1745	1760	21.0	0.0
Frequency (MHz)								
40	PI2 BPSK	1	1	19.38	19.38	19.42		
40	PI2 BPSK	1	108	19.42	19.43	19.42		
40	PI2 BPSK	1	214	19.39	19.43	19.39	21.0	0.0
40	PI2 BPSK	108	0	19.32	19.43	19.45		
40	PI2 BPSK	108	54	19.31	19.42	19.39		
40	PI2 BPSK	108	108	19.38	19.42	19.36		
40	PI2 BPSK	216	0	19.38	19.48	19.32	21.0	0.0
40	QPSK	1	1	19.45	19.52	19.46		
40	QPSK	1	108	19.30	19.43	19.53		
40	QPSK	1	214	19.35	19.40	19.40	21.0	0.0
40	QPSK	108	0	19.38	19.50	19.33		
40	QPSK	108	54	19.43	19.51	19.45		
40	QPSK	108	108	19.42	19.43	19.37		
40	QPSK	216	0	19.32	19.49	19.57	21.0	0.0
40	16QAM	1	1	19.35	19.50	19.42		
40	64QAM	1	1	19.35	19.37	19.41		
40	256QAM	1	1	19.25	19.30	19.24	20.5	0.5
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1725	1745	1765	21.0	0.0
30	QPSK	1	1	19.30	19.37	19.45		
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1720	1745	1742	21.0	0.0
20	QPSK	1	1	19.34	19.46	19.37		
Channel				343000	349000	354000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1717.5	1745	1772.5	21.0	0.0
15	QPSK	1	1	19.38	19.42	19.33		
Channel				342000	349000	355000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1715	1745	1775	21.0	0.0
10	QPSK	1	1	19.32	19.38	19.36		
Channel				342500	349000	355000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1712.5	1745	1777.5	21.0	0.0
5	QPSK	1	1	19.39	19.37	19.44		

n38_Ant 5									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				518004	519000	519996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	18.45	18.51	18.52	19.9	0.0	
40	Pl2 BPSK	1	53	18.51	18.52	18.51			
40	Pl2 BPSK	1	104	18.50	18.53	18.52			
40	Pl2 BPSK	50	0	18.59	18.52	18.53	19.9	0.0	
40	Pl2 BPSK	50	28	18.47	18.53	18.46	19.9	0.0	
40	Pl2 BPSK	50	56	18.50	18.57	18.54	19.9	0.0	
40	Pl2 BPSK	100	0	18.50	18.56	18.43	19.9	0.0	
40	QPSK	1	1	18.50	18.60	18.55			
40	QPSK	1	53	18.53	18.60	18.43			
40	QPSK	1	104	18.54	18.60	18.46	19.9	0.0	
40	QPSK	50	0	18.54	18.60	18.54			
40	QPSK	50	28	18.56	18.53	18.56			
40	QPSK	50	56	18.50	18.59	18.47	19.9	0.0	
40	QPSK	100	0	18.57	18.60	18.45			
40	16QAM	1	1	18.51	18.58	18.50	19.9	0.0	
40	64QAM	1	1	18.57	18.63	18.56	19.9	0.0	
40	256QAM	1	1	18.47	18.63	18.57	19.9	0.0	
Channel				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2595.01	2595	2604.99			
30	QPSK	1	1	18.49	18.52	18.54	19.9	0.0	
Channel				518000	519000	520000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2610.01	2610	2619.99			
20	QPSK	1	1	18.58	18.65	18.46	19.9	0.0	
Channel				515002	519000	522998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2677.51	2595	2612.49			
15	QPSK	1	1	18.53	18.62	18.48	19.9	0.0	
Channel				517002	519000	520996	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2575.72	2595	2614.98			
10	QPSK	1	1	18.46	18.64	18.45	19.9	0.0	

n38_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				518004	519000	519996			
40	P2 BPSK	1	1	19.14	19.28	19.26	20.3	0.0	
40	P2 BPSK	1	53	19.22	19.29	19.16			
40	P2 BPSK	1	104	19.09	19.20	19.21			
40	P2 BPSK	50	0	19.10	19.15	19.20	20.3	0.0	
40	P2 BPSK	50	28	19.20	19.23	19.24	20.3	0.0	
40	P2 BPSK	50	56	19.10	19.17	19.23	20.3	0.0	
40	P2 BPSK	100	0	19.21	19.21	19.13	20.3	0.0	
40	QPSK	1	1	19.23	19.30	19.27			
40	QPSK	1	53	19.10	19.18	19.25			
40	QPSK	1	104	19.10	19.25	19.15	20.3	0.0	
40	QPSK	50	0	19.19	19.23	19.20			
40	QPSK	50	28	19.22	19.26	19.23			
40	QPSK	50	56	19.16	19.27	19.17	20.3	0.0	
40	QPSK	100	0	19.21	19.24	19.18			
40	16QAM	1	1	19.20	19.15	19.13	20.3	0.0	
40	64QAM	1	1	19.06	19.26	19.26	20.3	0.0	
40	256QAM	1	1	19.22	19.23	19.19	20.3	0.0	
Channel									
Frequency (MHz)				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	19.17	19.15	19.23	20.3	0.0	
Channel									
Frequency (MHz)				516000	519000	522000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	19.12	19.27	19.21	20.3	0.0	
Channel									
Frequency (MHz)				515002	519000	522498	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	19.21	19.22	19.18	20.3	0.0	
Channel									
Frequency (MHz)				517002	519000	520996	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	19.22	19.19	19.26	20.3	0.0	

n38_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				518004	519000	519996	2590.02	2595	2590.98
40	Pl2 BPSK	1	1	18.74	18.71	18.76	19.8	0.0	
40	Pl2 BPSK	1	53	18.70	18.80	18.72			
40	Pl2 BPSK	1	104	18.73	18.69	18.75			
40	Pl2 BPSK	50	0	18.75	18.77	18.68	19.8	0.0	
40	Pl2 BPSK	50	28	18.66	18.70	18.67	19.8	0.0	
40	Pl2 BPSK	50	56	18.75	18.74	18.72	19.8	0.0	
40	Pl2 BPSK	100	0	18.77	18.81	18.69	19.8	0.0	
40	QPSK	1	1	18.80	18.83	18.73			
40	QPSK	1	53	18.76	18.69	18.65			
40	QPSK	1	104	18.65	18.75	18.69	19.8	0.0	
40	QPSK	50	0	18.67	18.77	18.65			
40	QPSK	50	28	18.76	18.81	18.76			
40	QPSK	50	56	18.73	18.75	18.75	19.8	0.0	
40	QPSK	100	0	18.75	18.79	18.70			
40	16QAM	1	1	18.68	18.80	18.68	19.8	0.0	
40	64QAM	1	1	18.68	18.75	18.66	19.8	0.0	
40	256QAM	1	1	18.78	18.77	18.71	19.8	0.0	
Channel									
Frequency (MHz)				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	18.73	18.68	18.77	19.8	0.0	
Channel									
Frequency (MHz)				518000	519000	520000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	18.76	18.74	18.73	19.8	0.0	
Channel									
Frequency (MHz)				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	18.72	18.73	18.72	19.8	0.0	
Channel									
Frequency (MHz)				515004	519000	522996	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	18.75	18.75	18.67	19.8	0.0	

FCC_n41_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pi/2 BPSK	1	1	506002	518988	528000			
				2544.01	2562.99	2600			
100	Pi/2 BPSK	1	137	17.58	17.61	17.55	18.7	0.0	
100	Pi/2 BPSK	1	271	17.52	17.54	17.55			
100	Pi/2 BPSK	135	0	17.83	17.67	17.56	18.7	0.0	
100	Pi/2 BPSK	135	69	17.55	17.56	17.55	18.7	0.0	
100	Pi/2 BPSK	135	138	17.64	17.67	17.54	18.7	0.0	
100	Pi/2 BPSK	270	0	17.52	17.66	17.51	18.7	0.0	
100	QPSK	1	1	17.60	17.68	17.60			
100	QPSK	1	137	17.57	17.68	17.48	18.7	0.0	
100	QPSK	1	271	17.60	17.65	17.48			
100	QPSK	135	0	17.54	17.65	17.53			
100	QPSK	135	69	17.76	17.66	17.71	18.7	0.0	
100	QPSK	135	138	17.60	17.59	17.53			
100	QPSK	270	0	17.52	17.63	17.55	18.7	0.0	
100	16QAM	1	1	17.65	17.58	17.52	18.7	0.0	
100	64QAM	1	1	17.52	17.65	17.57	18.7	0.0	
100	256QAM	1	1	17.61	17.65	17.56	18.7	0.0	
Channel									
80	QPSK	1	1	506200	518988	528900	Tune-up limit (dBm)	MPR (dB)	
				2541	2562.99	2644.98			
80	QPSK	1	1	17.57	17.62	17.50	18.7	0.0	
Frequency (MHz)									
80	QPSK	1	1	2536.02	2562.99	2646.99	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	17.51	17.57	17.49	18.7	0.0	
Channel									
70	QPSK	1	1	505200	518988	531900	Tune-up limit (dBm)	MPR (dB)	
				2532.02	2562.99	2658.98			
70	QPSK	1	1	17.56	17.54	17.57	18.7	0.0	
Channel									
60	QPSK	1	1	504200	518988	530900	Tune-up limit (dBm)	MPR (dB)	
				2540.02	2562.99	2654.99			
60	QPSK	1	1	17.62	17.60	17.52	18.7	0.0	
Channel									
50	QPSK	1	1	503200	518988	534000	Tune-up limit (dBm)	MPR (dB)	
				2516.01	2562.99	2670			
50	QPSK	1	1	17.57	17.64	17.50	18.7	0.0	
Frequency (MHz)									
50	QPSK	1	1	2512.01	2562.99	2658.98	Tune-up limit (dBm)	MPR (dB)	
50	QPSK	1	1	17.64	17.68	17.59	18.7	0.0	
Channel									
40	QPSK	1	1	499200	518988	531900	Tune-up limit (dBm)	MPR (dB)	
				2498	2562.99	2658.98			
40	QPSK	1	1	17.51	17.56	17.55	18.7	0.0	
Frequency (MHz)									
40	QPSK	1	1	499600	518988	531900	Tune-up limit (dBm)	MPR (dB)	
				2498	2562.99	2658.98			
40	QPSK	1	1	17.54	17.55	17.52	18.7	0.0	
Channel									
30	QPSK	1	1	498200	518988	532900	Tune-up limit (dBm)	MPR (dB)	
				2498	2562.99	2668.98			
30	QPSK	1	1	17.54	17.55	17.53	18.7	0.0	
Frequency (MHz)									
30	QPSK	1	1	498600	518988	532900	Tune-up limit (dBm)	MPR (dB)	
				2498	2562.99	2668.98			
30	QPSK	1	1	17.54	17.55	17.53	18.7	0.0	
Channel									
20	QPSK	1	1	497200	518988	533900	Tune-up limit (dBm)	MPR (dB)	
				2498	2562.99	2678.98			
20	QPSK	1	1	17.54	17.55	17.53	18.7	0.0	
Frequency (MHz)									
20	QPSK	1	1	497600	518988	533900	Tune-up limit (dBm)	MPR (dB)	
				2498	2562.99	2678.98			
20	QPSK	1	1	17.54	17.55	17.53	18.7	0.0	

FCC_n41(HPUe)_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pi/2 BPSK	1	1	17.63	17.65	17.55			
100	Pi/2 BPSK	1	137	17.58	17.61	17.55	18.7	0.0	
100	Pi/2 BPSK	1	271	17.52	17.54	17.55			
100	Pi/2 BPSK	135	0	17.83	17.67	17.56	18.7	0.0	
100	Pi/2 BPSK	135	69	17.55	17.56	17.55	18.7	0.0	
100	Pi/2 BPSK	135	138	17.64	17.67	17.54	18.7	0.0	
100	Pi/2 BPSK	270	0	17.52	17.66	17.51			
100	QPSK	1	1	17.65	17.68	17.60			
100	QPSK	1	137	17.57	17.68	17.48	18.7	0.0	
100	QPSK	1	271	17.60	17.65	17.48			
100	QPSK	135	0	17.54	17.65	17.53			
100	QPSK	135	69	17.76	17.66	17.71	18.7	0.0	
100	QPSK	135	138	17.60	17.59	17.53			
100	QPSK	270	0	17.52	17.63	17.55	18.7	0.0	
100	16QAM	1	1	17.65	17.58	17.52	18.7	0.0	
100	64QAM	1	1	17.52	17.65	17.57	18.7	0.0	
100	256QAM	1	1	17.61	17.65	17.56	18.7	0.0	
Channel									
90	QPSK	1	1	17.57	17.62	17.50	18.7	0.0	
Frequency (MHz)									
90	QPSK	1	1	17.51	17.57	17.49	18.7	0.0	
Channel									
80	QPSK	1	1	17.51	17.57	17.49	18.7	0.0	
Frequency (MHz)									
70	QPSK	1	1	17.56	17.54	17.57	18.7	0.0	
Channel									
60	QPSK	1	1	17.62	17.60	17.52	18.7	0.0	
Frequency (MHz)									
60	QPSK	1	1	17.57	17.64	17.50	18.7	0.0	
Channel									
50	QPSK	1	1	17.57	17.64	17.50	18.7	0.0	
Frequency (MHz)									
40	QPSK	1	1	17.64	17.68	17.59	18.7	0.0	
Channel									
30	QPSK	1	1	17.51	17.56	17.55	18.7	0.0	
Frequency (MHz)									
20	QPSK	1	1	17.54	17.55	17.56	18.7	0.0	

FCC_n41_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Ch. / Freq.	Power Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pi/2 BPSK	1	1	16.78	16.80	16.81			
100	Pi/2 BPSK	1	137	16.78	16.80	16.72	17.6	0.0	
100	Pi/2 BPSK	1	271	16.76	16.74	16.73			
100	Pi/2 BPSK	135	0	16.70	16.78	16.79	17.6	0.0	
100	Pi/2 BPSK	135	69	16.67	16.76	16.75	17.6	0.0	
100	Pi/2 BPSK	135	138	16.76	16.73	16.74	17.6	0.0	
100	Pi/2 BPSK	270	0	16.66	16.76	16.68			
100	QPSK	1	1	16.85	16.85	16.83			
100	QPSK	1	137	16.77	16.85	16.76	17.6	0.0	
100	QPSK	1	271	16.67	16.85	16.79			
100	QPSK	135	0	16.75	16.83	16.67			
100	QPSK	135	69	16.75	16.85	16.80	17.6	0.0	
100	QPSK	135	138	16.73	16.78	16.67			
100	QPSK	270	0	16.73	16.84	16.78	17.6	0.0	
100	16QAM	1	1	16.73	16.80	16.75	17.6	0.0	
100	64QAM	1	1	16.77	16.73	16.80	17.6	0.0	
100	256QAM	1	1	16.77	16.83	16.72	17.6	0.0	
Channel									
80	QPSK	1	1	16.72	16.85	16.70	17.6	0.0	
Frequency (MHz)									
80	QPSK	1	1	16.75	16.75	16.74	17.6	0.0	
Channel									
70	QPSK	1	1	16.77	16.81	16.70	17.6	0.0	
Frequency (MHz)									
60	QPSK	1	1	16.68	16.79	16.76	17.6	0.0	
Channel									
50	QPSK	1	1	16.73	16.83	16.68	17.6	0.0	
Frequency (MHz)									
40	QPSK	1	1	16.76	16.82	16.80	17.6	0.0	
Channel									
30	QPSK	1	1	16.76	16.77	16.68	17.6	0.0	
Frequency (MHz)									
20	QPSK	1	1	16.72	16.85	16.78	17.6	0.0	

Part270_n78_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	17.07	65000				
100	Pl2 BPSK	1	137	17.10			18.2	0.0	
100	Pl2 BPSK	1	271	17.01					
100	Pl2 BPSK	135	0	17.03			18.2	0.0	
100	Pl2 BPSK	135	69	17.02			18.2	0.0	
100	Pl2 BPSK	135	138	17.07			18.2	0.0	
100	Pl2 BPSK	270	0	17.09					
100	QPSK	1	1	17.12					
100	QPSK	1	137	17.07			18.2	0.0	
100	QPSK	1	271	16.97					
100	QPSK	135	0	17.04					
100	QPSK	135	69	17.06			18.2	0.0	
100	QPSK	135	138	17.07					
100	QPSK	270	0	17.02			18.2	0.0	
100	16QAM	1	1	17.07			18.2	0.0	
100	64QAM	1	1	17.10			18.2	0.0	
100	256QAM	1	1	17.05			18.2	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	16.94	65000	65032	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	16.96	3750	37548			
Channel									
Frequency (MHz)									
80	QPSK	1	1	16.95	65000	65006	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	17.03	3750	3759.9			
Channel									
Frequency (MHz)									
70	QPSK	1	1	17.03	65000	65132	Tune-up limit (dBm)	MPR (dB)	
70	QPSK	1	1	17.03	3750	3768.8			
Channel									
Frequency (MHz)									
60	QPSK	1	1	17.04	65006	65166	Tune-up limit (dBm)	MPR (dB)	
60	QPSK	1	1	17.04	3750	3774.9			
Channel									
Frequency (MHz)									
50	QPSK	1	1	17.04	65000	65200	Tune-up limit (dBm)	MPR (dB)	
50	QPSK	1	1	17.04	3750	3784.8			
Channel									
Frequency (MHz)									
40	QPSK	1	1	17.01	65000	65222	Tune-up limit (dBm)	MPR (dB)	
40	QPSK	1	1	17.01	3750	3794.8			
Channel									
Frequency (MHz)									
30	QPSK	1	1	16.91	65000	65266	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	16.91	3750	3798.8			
Channel									
Frequency (MHz)									
20	QPSK	1	1	17.02	65000	65296	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	17.02	3750	3808.8			

Part27Q_n78(HPUE)_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
3499.98									
100	Pl2 BPSK	1	1	16.47					
100	Pl2 BPSK	1	137	16.50			18.2	0.0	
100	Pl2 BPSK	1	271	16.50					
100	Pl2 BPSK	135	0	16.53			18.2	0.0	
100	Pl2 BPSK	135	69	16.45			18.2	0.0	
100	Pl2 BPSK	135	138	16.46			18.2	0.0	
100	Pl2 BPSK	270	0	16.45					
100	QPSK	1	1	16.00					
100	QPSK	1	137	16.45			18.2	0.0	
100	QPSK	1	271	16.49					
100	QPSK	135	0	16.50					
100	QPSK	135	69	16.56			18.2	0.0	
100	QPSK	135	138	16.55					
100	QPSK	270	0	16.55			18.2	0.0	
100	16QAM	1	1	16.58			18.2	0.0	
100	64QAM	1	1	16.51			18.2	0.0	
100	256QAM	1	1	16.49			18.2	0.0	
Channel									
Frequency (MHz)									
3500									
90	QPSK	1	1	16.58	16.49	16.43	18.2	0.0	
Channel									
Frequency (MHz)									
3499.98									
80	QPSK	1	1	16.48	16.50	16.46	18.2	0.0	
Channel									
Frequency (MHz)									
3499.98									
70	QPSK	1	1	16.52	16.49	16.42	18.2	0.0	
Channel									
Frequency (MHz)									
3499.98									
60	QPSK	1	1	16.55	16.46	16.43	18.2	0.0	
Channel									
Frequency (MHz)									
3500									
50	QPSK	1	1	16.46	16.44	16.47	18.2	0.0	
Channel									
Frequency (MHz)									
3499.98									
40	QPSK	1	1	16.48	16.57	16.48	18.2	0.0	
Channel									
Frequency (MHz)									
3499.98									
30	QPSK	1	1	16.56	16.51	16.48	18.2	0.0	
Channel									
Frequency (MHz)									
3500									
20	QPSK	1	1	16.51	16.50	16.50	18.2	0.0	

Part270_n78(HPUE)_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
3750									
100	Pl2 BPSK	1	1	17.07					
100	Pl2 BPSK	1	137	17.10			18.2	0.0	
100	Pl2 BPSK	1	271	17.01					
100	Pl2 BPSK	135	0	17.03			18.2	0.0	
100	Pl2 BPSK	135	69	17.02			18.2	0.0	
100	Pl2 BPSK	135	138	17.07			18.2	0.0	
100	Pl2 BPSK	270	0	17.09					
100	QPSK	1	1	17.12					
100	QPSK	1	137	17.07			18.2	0.0	
100	QPSK	1	271	16.97					
100	QPSK	135	0	17.04					
100	QPSK	135	69	17.06			18.2	0.0	
100	QPSK	135	138	17.07					
100	QPSK	270	0	17.02			18.2	0.0	
100	16QAM	1	1	17.07			18.2	0.0	
100	64QAM	1	1	17.10			18.2	0.0	
100	256QAM	1	1	17.05			18.2	0.0	
Channel									
Frequency (MHz)									
3750									
90	QPSK	1	1	16.94	16.96	16.96	18.2	0.0	
Channel									
Frequency (MHz)									
3750									
80	QPSK	1	1	16.95	17.03	16.91	18.2	0.0	
Channel									
Frequency (MHz)									
3750									
70	QPSK	1	1	17.03	17.03	16.98	18.2	0.0	
Channel									
Frequency (MHz)									
3750									
60	QPSK	1	1	17.04	17.06	17.01	18.2	0.0	
Channel									
Frequency (MHz)									
3750									
50	QPSK	1	1	17.04	17.06	17.01	18.2	0.0	
Channel									
Frequency (MHz)									
3750									
40	QPSK	1	1	17.20	17.04	17.04	18.2	0.0	
Channel									
Frequency (MHz)									
3750									
30	QPSK	1	1	16.91	17.02	17.03	18.2	0.0	
Channel									
Frequency (MHz)									
3750									
20	QPSK	1	1	16.72	17.02	17.01	18.2	0.0	

n2_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 372000	Power Middle Ch. F Freq. 376000	Power High Ch. F Freq. 380000	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1860	1900			
Frequency (MHz)									
20	Pl2 BPSK	1	1	22.91	22.92	22.91	24.2	0.0	
20	Pl2 BPSK	1	53	22.86	22.93	22.84			
20	Pl2 BPSK	1	104	22.78	22.89	22.83			
20	Pl2 BPSK	50	0	22.31	22.42	22.32	23.7	0.5	
20	Pl2 BPSK	50	28	22.86	22.92	22.87	24.2	0.0	
20	Pl2 BPSK	50	56	22.36	22.38	22.35	23.7	0.5	
20	Pl2 BPSK	100	0	22.38	22.43	22.32			
20	QPSK	1	1	22.87	22.96	22.93			
20	QPSK	1	53	22.77	22.87	22.83	24.2	0.0	
20	QPSK	1	104	22.75	22.86	22.72	23.7	0.5	
20	QPSK	50	0	22.28	22.40	22.28			
20	QPSK	50	28	22.83	22.89	22.85			
20	QPSK	50	56	22.33	22.36	22.30	23.7	0.5	
20	QPSK	100	0	22.34	22.37	22.27			
20	16QAM	1	1	22.17	22.18	22.09			
20	64QAM	1	1	21.72	21.78	21.67	22.7	1.5	
20	256QAM	1	1	21.24	21.32	21.30	22.2	2.0	
Channel				371500	376000	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1857.5	1860	1902.5			
15	QPSK	1	1	22.83	22.89	22.90	24.2	0.0	
Channel				371000	376000	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1855	1860	1905			
10	QPSK	1	1	22.81	22.84	22.85	24.2	0.0	
Channel				370500	376000	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1852.5	1860	1907.5			
5	QPSK	1	1	22.74	22.87	22.83	24.2	0.0	

Reduced Power Mode for ECI 5									
n2_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 372000	Power Middle Ch. F Freq. 376000	Power High Ch. F Freq. 380000	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1860	1900			
Frequency (MHz)									
20	Pl2 BPSK	1	1	16.64	16.78	16.66	17.8	0.0	
20	Pl2 BPSK	1	53	16.61	16.77	16.64			
20	Pl2 BPSK	1	104	16.66	16.65	16.72			
20	Pl2 BPSK	50	0	16.62	16.71	16.65	17.8	0.0	
20	Pl2 BPSK	50	28	16.70	16.70	16.62	17.8	0.0	
20	Pl2 BPSK	50	56	16.71	16.71	16.63	17.8	0.0	
20	Pl2 BPSK	100	0	16.60	16.72	16.72			
20	QPSK	1	1	16.72	16.80	16.76			
20	QPSK	1	53	16.60	16.72	16.69	17.8	0.0	
20	QPSK	1	104	16.70	16.70	16.61	17.8	0.0	
20	QPSK	50	0	16.65	16.76	16.72			
20	QPSK	50	28	16.63	16.76	16.70			
20	QPSK	50	56	16.62	16.72	16.72	17.8	0.0	
20	QPSK	100	0	16.66	16.74	16.71			
20	16QAM	1	1	16.68	16.73	16.72			
20	64QAM	1	1	16.62	16.73	16.61	17.8	0.0	
20	256QAM	1	1	16.61	16.72	16.64	17.8	0.0	
Channel				371500	376000	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1857.5	1860	1902.5			
15	QPSK	1	1	16.70	16.65	16.62	17.8	0.0	
Channel				371000	376000	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1855	1860	1905			
10	QPSK	1	1	16.61	16.68	16.65	17.8	0.0	
Channel				370500	376000	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1852.5	1860	1907.5			
5	QPSK	1	1	16.66	16.70	16.71	17.8	0.0	

n5_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 166800	Power Middle Ch. F Freq. 167500	Power High Ch. F Freq. 167800	Tune-up limit (dBm)	MPR (dB)	
Channel				834	836.5	839			
Frequency (MHz)									
20	Pl2 BPSK	1	1	24.32	24.40	24.25	25.7	0.0	
20	Pl2 BPSK	1	53	24.31	24.41	24.33			
20	Pl2 BPSK	1	104	24.29	24.39	24.36			
20	Pl2 BPSK	50	0	23.95	24.02	23.99	25.2	0.5	
20	Pl2 BPSK	50	28	24.40	24.45	24.48	25.7	0.0	
20	Pl2 BPSK	50	56	23.87	23.95	23.82	25.2	0.5	
20	Pl2 BPSK	100	0	23.90	24.03	23.90			
20	QPSK	1	1	24.44	24.50	24.46			
20	QPSK	1	53	24.32	24.38	24.33	25.7	0.0	
20	QPSK	1	104	24.31	24.33	24.32	25.2	0.5	
20	QPSK	50	0	23.88	23.98	23.86			
20	QPSK	50	28	24.47	24.48	24.30			
20	QPSK	50	56	23.87	23.95	23.86	25.2	0.5	
20	QPSK	100	0	23.81	23.89	23.84			
20	16QAM	1	1	23.82	23.82	23.50			
20	64QAM	1	1	23.17	23.18	23.05	24.2	1.5	
20	256QAM	1	1	22.66	22.77	22.66	23.7	2.0	
Channel				166300	167300	168300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				831.5	836.5	841.5			
15	QPSK	1	1	24.31	24.36	24.43	25.7	0.0	
Channel				165800	167300	168800	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				829	836.5	844			
10	QPSK	1	1	24.41	24.42	24.32	25.7	0.0	
Channel				165300	167300	169300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				826.5	836.5	846.5			
5	QPSK	1	1	24.31	24.48	24.45	25.7	0.0	

n5_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F. Freq. 504000	Power Middle Ch. F. Freq. 507000	Power High Ch. F. Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				834	836.5	839			
20	PI2 BPSK	1	1	19.32	19.40	19.32			
20	PI2 BPSK	1	53	19.35	19.49	19.39	20.8	0.0	
20	PI2 BPSK	1	104	19.35	19.49	19.38			
20	PI2 BPSK	50	0	19.28	19.38	19.42	20.8	0.0	
20	PI2 BPSK	50	28	19.27	19.42	19.40	20.8	0.0	
20	PI2 BPSK	50	56	19.30	19.40	19.42			
20	PI2 BPSK	100	0	19.38	19.40	19.35	20.8	0.0	
20	QPSK	1	1	19.42	19.50	19.48			
20	QPSK	1	53	19.29	19.38	19.35	20.8	0.0	
20	QPSK	1	104	19.27	19.47	19.35			
20	QPSK	50	0	19.51	19.45	19.32	20.8	0.0	
20	QPSK	50	28	19.51	19.48	19.45	20.8	0.0	
20	QPSK	50	56	19.30	19.39	19.35			
20	QPSK	100	0	19.52	19.43	19.42	20.8	0.0	
20	16QAM	1	1	19.34	19.47	19.32	20.8	0.0	
20	64QAM	1	1	19.28	19.49	19.34	20.8	0.0	
20	256QAM	1	1	19.33	19.42	19.44	20.8	0.0	
Channel				166300	167300	168300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				831.5	836.5	841.5			
15	QPSK	1	1	19.41	19.38	19.36	20.8	0.0	
Channel				165800	167300	168800	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				820	836.5	844			
10	QPSK	1	1	19.35	19.49	19.33	20.8	0.0	
Channel				166300	167300	168300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				836.5	836.5	846.5			
5	QPSK	1	1	19.30	19.36	19.43	20.8	0.0	

n7_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F. Freq. 504000	Power Middle Ch. F. Freq. 507000	Power High Ch. F. Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				2520	2535	2550			
40	PI2 BPSK	1	1	24.04	24.15	24.00			
40	PI2 BPSK	1	108	24.04	24.13	24.09	25.4	0.0	
40	PI2 BPSK	1	214	24.10	24.20	24.14			
40	PI2 BPSK	108	0	23.60	23.70	23.67	24.9	0.5	
40	PI2 BPSK	108	54	24.03	24.08	23.96	25.4	0.0	
40	PI2 BPSK	108	108	23.59	23.71	23.69			
40	PI2 BPSK	216	0	23.54	23.61	23.58	24.9	0.5	
40	QPSK	1	1	24.10	24.22	24.16			
40	QPSK	1	108	24.05	24.14	23.99	25.4	0.0	
40	QPSK	1	214	24.18	24.20	24.15			
40	QPSK	108	0	23.49	23.56	23.53	24.9	0.5	
40	QPSK	108	54	23.95	24.10	23.97	25.4	0.0	
40	QPSK	108	108	23.58	23.59	23.48			
40	QPSK	216	0	23.48	23.53	23.46	24.9	0.5	
40	16QAM	1	1	23.24	23.28	23.25	24.4	1.0	
40	64QAM	1	1	22.89	22.90	22.83	23.9	1.5	
40	256QAM	1	1	22.26	22.39	22.29	23.4	2.0	
Channel				502000	507000	511000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2515	2535	2555			
30	QPSK	1	1	24.17	24.18	24.05	25.4	0.0	
Channel				502000	507000	511000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2512.5	2535	2557.5			
25	QPSK	1	1	24.17	24.07	24.11	25.4	0.0	
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2510	2535	2560			
20	QPSK	1	1	24.06	24.09	24.03	25.4	0.0	
Channel				501500	507000	512000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2507.5	2535	2562.5			
15	QPSK	1	1	24.05	24.08	24.07	25.4	0.0	
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2504	2535	2566			
10	QPSK	1	1	24.17	24.20	24.14	25.4	0.0	
Channel				500500	507000	513000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2502.5	2535	2567.5			
5	QPSK	1	1	24.17	24.19	24.14	25.4	0.0	

n7_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F. Freq. 504000	Power Middle Ch. F. Freq. 507000	Power High Ch. F. Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				2520	2535	2550			
40	PI2 BPSK	1	1	15.21	15.26	15.15			
40	PI2 BPSK	1	108	15.14	15.19	15.19	16.4	0.0	
40	PI2 BPSK	1	214	15.20	15.29	15.12			
40	PI2 BPSK	108	0	15.12	15.27	15.15	16.4	0.0	
40	PI2 BPSK	108	54	15.09	15.28	15.19	16.4	0.0	
40	PI2 BPSK	108	108	15.15	15.20	15.20			
40	PI2 BPSK	216	0	15.13	15.29	15.17	16.4	0.0	
40	QPSK	1	1	15.22	15.30	15.27			
40	QPSK	1	108	15.08	15.19	15.12	16.4	0.0	
40	QPSK	1	214	15.21	15.29	15.21			
40	QPSK	108	0	15.16	15.15	15.17	16.4	0.0	
40	QPSK	108	54	15.17	15.28	15.22	16.4	0.0	
40	QPSK	108	108	15.15	15.24	15.15			
40	QPSK	216	0	15.11	15.19	15.12	16.4	0.0	
40	16QAM	1	1	15.17	15.16	15.24	16.4	0.0	
40	64QAM	1	1	15.11	15.23	15.12	16.4	0.0	
40	256QAM	1	1	15.10	15.25	15.13	16.4	0.0	
Channel				502000	507000	511000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2515	2535	2555			
30	QPSK	1	1	15.21	15.28	15.23	16.4	0.0	
Channel				502000	507000	511000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2512.5	2535	2557.5			
25	QPSK	1	1	15.13	15.24	15.16	16.4	0.0	
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2510	2535	2560			
20	QPSK	1	1	15.13	15.29	15.18	16.4	0.0	
Channel				501500	507000	512000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2507.5	2535	2562.5			
15	QPSK	1	1	15.15	15.17	15.19	16.4	0.0	
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2504	2535	2566			
10	QPSK	1	1	15.14	15.18	15.15	16.4	0.0	
Channel				500500	507000	513000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2502.5	2535	2567.5			
5	QPSK	1	1	15.07	15.20	15.21	16.4	0.0	

n7_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 504000	Power Middle Ch. 1 Freq. 507000	Power High Ch. 1 Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel				2520	2535	2550			
40	Pl2 BPSK	1	1	15.84	15.89	15.92			
40	Pl2 BPSK	1	108	15.97	15.85	15.82	16.8		
40	Pl2 BPSK	1	214	15.82	15.85	15.89			
40	Pl2 BPSK	108	0	15.79	15.84	15.79	16.8		
40	Pl2 BPSK	108	54	15.81	15.86	15.86	16.8		
40	Pl2 BPSK	108	108	15.81	15.89	15.87			
40	Pl2 BPSK	216	0	15.76	15.94	15.84	16.8		
40	QPSK	1	1	15.95	15.99	15.93			
40	QPSK	1	108	15.85	15.89	15.82	16.8		
40	QPSK	1	214	15.82	15.91	15.91			
40	QPSK	108	0	15.79	15.95	15.79	16.8		
40	QPSK	108	54	15.84	15.98	15.86	16.8		
40	QPSK	108	108	15.75	15.89	15.87			
40	QPSK	216	0	15.84	15.95	15.86	16.8		
40	16QAM	1	1	15.98	15.94	15.79	16.8		
40	64QAM	1	1	15.88	15.93	15.87	16.8		
40	256QAM	1	1	15.87	15.96	15.86	16.8		
Channel				504000	507000	510000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2515	2535	2555			
30	QPSK	1	1	15.88	15.88	15.86	16.8		
Channel				502500	507000	511500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2512.5	2535	2537.5			
25	QPSK	1	1	15.94	15.91	15.81	15.8		
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2510	2535	2560			
20	QPSK	1	1	15.81	15.89	15.79	15.8		
Channel				511500	512000	512500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2507.5	2535	2562.5			
15	QPSK	1	1	15.85	15.97	15.87	16.8		
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2495	2535	2565			
10	QPSK	1	1	15.79	15.92	15.81	16.8		
Channel				500500	507000	513500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2502.5	2535	2567.5			
5	QPSK	1	1	15.76	15.98	15.83	16.8		

n7_Ant 7									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 504000	Power Middle Ch. 1 Freq. 507000	Power High Ch. 1 Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel				2520	2535	2550			
Frequency (MHz)				15.03	15.12	15.05			
40	Pl2 BPSK	1	1	15.03	15.12	15.05			
40	Pl2 BPSK	1	108	15.02	15.14	15.05	16.4		
40	Pl2 BPSK	1	214	15.09	15.07	15.00			
40	Pl2 BPSK	108	0	15.09	15.07	15.06	16.4		
40	Pl2 BPSK	108	54	15.11	15.08	15.06	16.4		
40	Pl2 BPSK	108	108	15.13	15.20	15.04			
40	Pl2 BPSK	216	0	15.10	15.10	15.10	16.4		
40	QPSK	1	1	15.17	15.22	15.15			
40	QPSK	1	108	15.13	15.19	15.05	16.4		
40	QPSK	1	214	15.07	15.16	15.01			
40	QPSK	108	0	15.04	15.16	15.11	16.4		
40	QPSK	108	54	15.16	15.20	15.13	16.4		
40	QPSK	108	108	15.12	15.11	15.08			
40	QPSK	216	0	15.02	15.15	15.06	16.4		
40	16QAM	1	1	15.14	15.20	15.10	16.4		
40	64QAM	1	1	15.13	15.19	15.06	16.4		
40	256QAM	1	1	15.10	15.08	15.10	16.4		
Channel				504000	507000	510000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2515	2535	2555			
30	QPSK	1	1	15.16	15.18	15.12	16.4		
Channel				502500	507000	511500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2512.5	2535	2537.5			
25	QPSK	1	1	15.03	15.15	15.13	15.4		
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2510	2535	2560			
20	QPSK	1	1	15.02	15.08	15.09	16.4		
Channel				511500	512000	512500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2507.5	2535	2562.5			
15	QPSK	1	1	15.11	15.10	15.03	16.4		
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2495	2535	2565			
10	QPSK	1	1	15.06	15.12	15.02	16.4		
Channel				500500	507000	513500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2502.5	2535	2567.5			
5	QPSK	1	1	15.07	15.11	15.04	16.4		

n12_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 141300	Power Middle Ch. 1 Freq. 141500	Power High Ch. 1 Freq. 141700	Tune-up limit (dBm)	MPR (dB)	
Channel				706.5	707.5	708.5			
Frequency (MHz)				22.46	22.58	22.45			
15	Pl2 BPSK	1	1	22.46	22.58	22.45			
15	Pl2 BPSK	1	40	22.60	22.66	22.56	24.2		
15	Pl2 BPSK	1	77	22.62	22.69	22.59			
15	Pl2 BPSK	36	0	22.15	22.26	22.25	23.7		
15	Pl2 BPSK	36	22	22.64	22.74	22.71	24.2		
15	Pl2 BPSK	36	43	22.19	22.25	22.16	23.7		
15	Pl2 BPSK	75	0	22.20	22.26	22.19			
15	QPSK	1	1	22.58	22.77	22.75			
15	QPSK	1	40	22.62	22.66	22.62	24.2		
15	QPSK	1	77	22.60	22.69	22.57			
15	QPSK	36	0	22.19	22.27	22.18	23.7		
15	QPSK	36	22	22.74	22.75	22.72	24.2		
15	QPSK	36	43	22.22	22.25	22.23	23.7		
15	QPSK	75	0	22.20	22.26	22.16			
15	16QAM	1	1	21.84	21.90	21.84	23.2		
15	64QAM	1	1	21.35	21.45	21.35	22.7		
15	256QAM	1	1	21.05	21.17	21.11	22.2		
Channel				140300	141500	142700	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				704	707.5	711			
10	QPSK	1	1	22.55	22.62	22.73	24.2		
Channel				140300	141500	142700	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				701.5	707.5	713.5			
5	QPSK	1	1	22.53	22.67	22.62	24.2		

n12_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 141300	Power Middle Ch. F Freq. 141500	Power High Ch. F Freq. 141700	Tune-up limit (dBm)	MPR (dB)	
Channel				706.5	707.5	706.5			
Frequency (MHz)									
15	Pl2 BPSK	1	1	18.03	18.15	18.11	19.8	0.0	
15	Pl2 BPSK	1	40	18.08	18.12	18.14			
15	Pl2 BPSK	1	77	18.05	18.15	18.02			
15	Pl2 BPSK	36	0	18.09	18.19	18.12	19.8	0.0	
15	Pl2 BPSK	36	22	18.03	18.17	18.03	19.8	0.0	
15	Pl2 BPSK	36	43	18.02	18.12	18.05			
15	Pl2 BPSK	75	0	18.04	18.17	18.03	19.8	0.0	
15	QPSK	1	1	18.12	18.20	18.15			
15	QPSK	1	40	18.01	18.07	18.10	19.8	0.0	
15	QPSK	1	77	18.02	18.16	18.12			
15	QPSK	36	0	18.08	18.09	18.03	19.8	0.0	
15	QPSK	36	22	18.11	18.19	18.12	19.8	0.0	
15	QPSK	36	43	18.07	18.18	18.08			
15	QPSK	75	0	18.06	18.16	18.11	19.8	0.0	
15	16QAM	1	1	18.02	18.18	18.12	19.8	0.0	
15	64QAM	1	1	18.10	18.07	18.01	19.8	0.0	
15	256QAM	1	1	18.06	18.10	18.02	19.8	0.0	
Channel				140300	141500	142700	Tune-up limit	MPR	
Frequency (MHz)				704	707.5	711	(dBm)	(dB)	
10	QPSK	1	1	18.07	18.16	18.10	19.8	0.0	
Channel				140300	141500	142700	Tune-up limit	MPR	
Frequency (MHz)				703.5	707.5	713.5	(dBm)	(dB)	
5	QPSK	1	1	18.10	18.12	18.02	19.8	0.0	

n26(FCC)_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 164800	Power Middle Ch. F Freq. 165300	Power High Ch. F Freq. 165800	Tune-up limit (dBm)	MPR (dB)	
Channel				824	831.5	839			
Frequency (MHz)									
20	Pl2 BPSK	1	1	24.32	24.38	24.27	25.7	0.0	
20	Pl2 BPSK	1	53	24.29	24.39	24.24			
20	Pl2 BPSK	1	104	24.39	24.40	24.36			
20	Pl2 BPSK	50	0	23.89	23.97	23.90	25.2	0.5	
20	Pl2 BPSK	50	28	24.34	24.42	24.39	25.7	0.0	
20	Pl2 BPSK	50	56	23.94	24.00	23.93			
20	Pl2 BPSK	100	0	23.85	23.97	23.90	25.2	0.5	
20	QPSK	1	1	24.44	24.51	24.38			
20	QPSK	1	53	24.32	24.35	24.30	25.7	0.0	
20	QPSK	1	104	24.25	24.39	24.37			
20	QPSK	50	0	23.88	23.92	23.85	25.2	0.5	
20	QPSK	50	28	24.43	24.45	24.31	25.7	0.0	
20	QPSK	50	56	23.90	23.96	23.95			
20	QPSK	100	0	23.86	23.91	23.80	25.2	0.5	
20	16QAM	1	1	23.84	23.87	23.80	24.7	1.0	
20	64QAM	1	1	23.14	23.24	23.10	24.2	1.5	
20	256QAM	1	1	22.67	22.82	22.73	23.7	2.0	
Channel				164300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				821.5	831.5	841.5	(dBm)	(dB)	
15	QPSK	1	1	24.30	24.43	24.26	25.7	0.0	
Channel				163800	166300	166800	Tune-up limit	MPR	
Frequency (MHz)				810	831.5	844	(dBm)	(dB)	
10	QPSK	1	1	24.31	24.42	24.30	25.7	0.0	
Channel				163300	166300	166300	Tune-up limit	MPR	
Frequency (MHz)				816.5	831.5	846.5	(dBm)	(dB)	
5	QPSK	1	1	24.39	24.30	24.25	25.7	0.0	

n26(FCC)_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 164800	Power Middle Ch. F Freq. 165300	Power High Ch. F Freq. 165800	Tune-up limit (dBm)	MPR (dB)	
Channel				824	831.5	839			
Frequency (MHz)									
20	Pl2 BPSK	1	1	19.50	19.57	19.43	20.8	0.0	
20	Pl2 BPSK	1	53	19.53	19.54	19.56			
20	Pl2 BPSK	1	104	19.58	19.66	19.49			
20	Pl2 BPSK	50	0	19.47	19.66	19.51	20.8	0.0	
20	Pl2 BPSK	50	28	19.55	19.54	19.51	20.8	0.0	
20	Pl2 BPSK	50	56	19.56	19.63	19.56			
20	Pl2 BPSK	100	0	19.52	19.64	19.46	20.8	0.0	
20	QPSK	1	1	19.62	19.69	19.58			
20	QPSK	1	53	19.59	19.56	19.55	20.8	0.0	
20	QPSK	1	104	19.67	19.65	19.53			
20	QPSK	50	0	19.48	19.66	19.54	20.8	0.0	
20	QPSK	50	28	19.60	19.67	19.50	20.8	0.0	
20	QPSK	50	56	19.54	19.59	19.53			
20	QPSK	100	0	19.53	19.59	19.55	20.8	0.0	
20	16QAM	1	1	19.56	19.56	19.53	20.8	0.0	
20	64QAM	1	1	19.52	19.60	19.54	20.8	0.0	
20	256QAM	1	1	19.47	19.64	19.55	20.8	0.0	
Channel				164300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				821.5	831.5	841.5	(dBm)	(dB)	
15	QPSK	1	1	19.58	19.61	19.50	20.8	0.0	
Channel				163800	166300	166800	Tune-up limit	MPR	
Frequency (MHz)				810	831.5	844	(dBm)	(dB)	
10	QPSK	1	1	19.47	19.55	19.52	20.8	0.0	
Channel				163300	166300	166300	Tune-up limit	MPR	
Frequency (MHz)				816.5	831.5	846.5	(dBm)	(dB)	
5	QPSK	1	1	19.60	19.54	19.46	20.8	0.0	

n66_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 352000	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				1741	1743	1760			
40	PI2 BPSK	1	1	24.10	24.20	24.08	25.4	0.0	
40	PI2 BPSK	1	108	24.13	24.23	24.20			
40	PI2 BPSK	1	214	23.94	24.08	23.99			
40	PI2 BPSK	108	0	23.74	23.80	23.74	24.9	0.5	
40	PI2 BPSK	108	54	24.14	24.22	24.07	25.4	0.0	
40	PI2 BPSK	108	108	23.91	23.75	23.71	24.9	0.5	
40	PI2 BPSK	216	0	23.68	23.76	23.71			
40	QPSK	1	1	24.18	24.26	24.20			
40	QPSK	1	108	24.16	24.25	24.15	25.4	0.0	
40	QPSK	1	214	24.09	24.13	24.07			
40	QPSK	108	0	22.95	22.98	22.93	24.4	1.0	
40	QPSK	108	54	24.05	24.20	24.06	25.4	0.0	
40	QPSK	108	108	22.93	22.91	22.98	24.4	1.0	
40	QPSK	216	0	22.96	23.00	22.98			
40	16QAM	1	1	23.30	23.38	23.28	24.4	1.0	
40	64QAM	1	1	22.82	22.88	22.87	23.9	1.5	
40	256QAM	1	1	22.50	22.51	22.41	23.4	2.0	
Channel				346000	349000	352000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	24.07	24.12	24.09	25.4	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
20	QPSK	1	1	24.10	24.23	24.15	25.4	0.0	
Channel				343000	349000	354500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	24.08	24.18	24.05	25.4	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	24.10	24.20	24.06	25.4	0.0	
Channel				342500	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	24.09	24.20	24.18	25.4	0.0	

n66_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq. 346000	Power Middle Ch. / Freq. 349000	Power High Ch. / Freq. 352000	Tune-up limit (dBm)	MPR (dB)	
Channel									
Channel				1730	1745	1760			
40	PI2 BPSK	1	1	15.91	15.99	15.94	16.6	0.0	
40	PI2 BPSK	1	108	16.00	16.04	15.93			
40	PI2 BPSK	1	214	15.98	15.97	15.91			
40	PI2 BPSK	108	0	15.90	16.09	15.92	16.6	0.0	
40	PI2 BPSK	108	54	15.98	15.96	15.96	16.6	0.0	
40	PI2 BPSK	108	108	15.90	16.03	15.97	16.6	0.0	
40	PI2 BPSK	216	0	15.97	16.09	15.99	16.6	0.0	
40	QPSK	1	1	16.02	16.10	16.00	16.6	0.0	
40	QPSK	1	108	15.97	15.96	15.89			
40	QPSK	1	214	15.91	16.00	15.93			
40	QPSK	108	0	15.90	16.05	15.90	16.6	0.0	
40	QPSK	108	54	16.00	16.08	15.95	16.6	0.0	
40	QPSK	108	108	15.89	16.02	15.93	16.6	0.0	
40	QPSK	216	0	15.90	16.05	15.97	16.6	0.0	
40	16QAM	1	1	15.96	16.00	15.92	16.6	0.0	
40	64QAM	1	1	15.98	16.01	15.88	16.6	0.0	
40	256QAM	1	1	15.95	15.99	15.92	16.6	0.0	
Channel				346000	349000	352000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	15.95	16.02	15.94	16.6	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
20	QPSK	1	1	15.94	16.07	15.93	16.6	0.0	
Channel				343000	349000	354500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	15.96	16.02	15.86	16.6	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	15.87	16.06	15.88	16.6	0.0	
Channel				342500	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	15.87	16.00	15.88	16.6	0.0	

n66_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 352000	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				1730	1745	1760			
40	PI2 BPSK	1	1	20.13	20.29	20.08	21.3	0.0	
40	PI2 BPSK	1	108	20.15	20.22	20.12			
40	PI2 BPSK	1	214	20.13	20.25	20.10			
40	PI2 BPSK	108	0	20.14	20.19	20.13	21.3	0.0	
40	PI2 BPSK	108	54	20.21	20.27	20.09	21.3	0.0	
40	PI2 BPSK	108	108	20.08	20.20	20.08	21.3	0.0	
40	PI2 BPSK	216	0	20.14	20.23	20.16			
40	QPSK	1	1	20.22	20.32	20.20			
40	QPSK	1	108	20.11	20.27	20.10	21.3	0.0	
40	QPSK	1	214	20.16	20.29	20.16			
40	QPSK	108	0	20.15	20.27	20.08	21.3	0.0	
40	QPSK	108	54	20.20	20.30	20.13	21.3	0.0	
40	QPSK	108	108	20.19	20.25	20.11	21.3	0.0	
40	QPSK	216	0	20.16	20.28	20.07	21.3	0.0	
40	16QAM	1	1	20.16	20.20	20.07	21.3	0.0	
40	64QAM	1	1	20.17	20.31	20.11	21.3	0.0	
40	256QAM	1	1	20.09	20.18	20.14	21.3	0.0	
Channel				346000	349000	352000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	20.17	20.24	20.09	21.3	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
20	QPSK	1	1	20.16	20.31	20.05	21.3	0.0	
Channel				343000	349000	354500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	20.12	20.20	20.13	21.3	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	20.16	20.23	20.11	21.3	0.0	
Channel				342500	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	20.08	20.29	20.15	21.3	0.0	

n66_Ant 7								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 350000	Tune-up limit (dBm)	MPR (dB)
Channel				1730	1745	1760	17.5	0.0
Frequency (MHz)				15.88	15.91	15.80		
40	PI2 BPSK	1	1	15.88	15.91	15.80		
40	PI2 BPSK	1	108	15.88	15.88	15.84	17.5	0.0
40	PI2 BPSK	1	214	15.82	15.93	15.84		
40	PI2 BPSK	108	0	15.80	15.92	15.80		
40	PI2 BPSK	108	54	15.77	15.94	15.80	17.5	0.0
40	PI2 BPSK	108	108	15.76	15.89	15.87	17.5	0.0
40	PI2 BPSK	216	0	15.80	15.98	15.80		
40	QPSK	1	1	15.90	15.99	15.94		
40	QPSK	1	108	15.81	15.87	15.83	17.5	0.0
40	QPSK	1	214	15.87	15.90	15.90	17.5	0.0
40	QPSK	108	0	15.77	15.84	15.92		
40	QPSK	108	54	15.80	15.96	15.93		
40	QPSK	108	108	15.76	15.89	15.85	17.5	0.0
40	QPSK	216	0	15.76	15.83	15.80		
40	16QAM	1	1	15.84	15.97	15.81	17.5	0.0
40	64QAM	1	1	15.79	15.97	15.79	17.5	0.0
40	256QAM	1	1	15.75	15.95	15.82	17.5	0.0
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1725	1745	1765	17.5	0.0
30	QPSK	1	1	15.82	15.89	15.80		
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1720	1745	1770	17.5	0.0
20	QPSK	1	1	15.81	15.98	15.90		
Channel				343000	349000	354000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1717.5	1745	1772.5	17.5	0.0
15	QPSK	1	1	15.79	15.84	15.90		
Channel				342000	349000	355000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1715	1745	1775	17.5	0.0
10	QPSK	1	1	15.84	15.84	15.89		
Channel				342500	349000	355000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1712.5	1745	1777.5	17.5	0.0
5	QPSK	1	1	15.86	15.88	15.86		

n38_Ant 5									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				518004	519000	519996			
Frequency (MHz)				2590.02	25900	2599.98			
40	Pl/2 BPSK	1	1	24.08	24.18	24.04	25.4	0.0	
40	Pl/2 BPSK	1	53	24.00	24.01	23.96			
40	Pl/2 BPSK	1	104	24.09	24.15	24.07			
40	Pl/2 BPSK	50	0	23.42	23.56	23.53	24.9	0.5	
40	Pl/2 BPSK	50	28	24.03	24.05	24.01	25.4	0.0	
40	Pl/2 BPSK	50	56	23.53	23.63	23.48	24.9	0.5	
40	Pl/2 BPSK	100	0	23.45	23.56	23.44			
40	QPSK	1	1	23.18	23.20	23.13			
40	QPSK	1	53	23.96	23.99	23.91	25.4	0.0	
40	QPSK	1	104	24.09	24.15	24.03	25.4	0.0	
40	QPSK	50	0	23.45	23.50	23.46			
40	QPSK	50	28	23.78	24.06	24.05			
40	QPSK	50	56	23.80	23.64	23.56	24.9	0.5	
40	QPSK	100	0	23.46	23.48	23.46			
40	16QAM	1	1	22.20	22.30	22.19	24.4	1.0	
40	64QAM	1	1	22.83	22.86	22.83	23.6	1.5	
40	256QAM	1	1	22.33	22.45	22.41	23.4	2.0	
Channel				517002	519000	520998	Tune-up limit (dBm)		
30	QPSK	1	1	24.11	24.11	24.08	25.4	0.0	
Channel				518000	519000	522000	Tune-up limit (dBm)		
20	QPSK	1	1	24.10	24.05	24.04	25.4	0.0	
Channel				515002	519000	522998	Tune-up limit (dBm)		
15	QPSK	1	1	24.13	24.16	24.03	25.4	0.0	
Channel				517002	519000	522998	Tune-up limit (dBm)		
10	QPSK	1	1	24.15	24.17	24.04	25.4	0.0	

n38_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				518004	519000	519996			
Frequency (MHz)				2690.02	2695	2699.98			
40	Pl/2 BPSK	1	1	15.61	15.71	15.71	16.8	0.0	
40	Pl/2 BPSK	1	53	15.65	15.68	15.74			
40	Pl/2 BPSK	1	104	15.61	15.81	15.71			
40	Pl/2 BPSK	50	0	15.63	15.73	15.66	16.8	0.0	
40	Pl/2 BPSK	50	28	15.69	15.75	15.71	16.8	0.0	
40	Pl/2 BPSK	50	56	15.73	15.75	15.75	16.8	0.0	
40	Pl/2 BPSK	100	0	15.67	15.70	15.72			
40	QPSK	1	1	15.76	15.82	15.75			
40	QPSK	1	53	15.66	15.81	15.63	16.8	0.0	
40	QPSK	1	104	15.62	15.75	15.65	16.8	0.0	
40	QPSK	50	0	15.61	15.79	15.65			
40	QPSK	50	28	15.76	15.80	15.75			
40	QPSK	50	56	15.64	15.68	15.68	16.8	0.0	
40	QPSK	100	0	15.68	15.74	15.66			
40	16QAM	1	1	15.73	15.78	15.64	16.8	0.0	
40	64QAM	1	1	15.68	15.71	15.63	16.8	0.0	
40	256QAM	1	1	15.69	15.78	15.64	16.8	0.0	
Channel				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	15.67	15.74	15.74	16.8	0.0	
Channel				516000	519000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2690.02	2695	2699.98			
20	QPSK	1	1	15.65	15.75	15.65	16.8	0.0	
Channel				515002	519000	522998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2677.51	2695	2691.49			
15	QPSK	1	1	15.66	15.70	15.71	16.8	0.0	
Channel				514004	519000	522998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2676.02	2695	2691.84			
10	QPSK	1	1	15.66	15.75	15.75	16.8	0.0	

n38_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mid Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				518024	519000	519996	2590.02	2595	2599.98
40	Pl/2 BPSK	1	1	16.80	16.89	16.84	17.8	0.0	
40	Pl/2 BPSK	1	53	16.75	16.88	16.83			
40	Pl/2 BPSK	1	104	16.73	16.87	16.89			
40	Pl/2 BPSK	50	0	16.75	16.83	16.88	17.8	0.0	
40	Pl/2 BPSK	50	28	16.80	16.85	16.83	17.8	0.0	
40	Pl/2 BPSK	50	56	16.80	16.86	16.81	17.8	0.0	
40	Pl/2 BPSK	100	0	16.78	16.91	16.87			
40	QPSK	1	1	16.88	16.95	16.93			
40	QPSK	1	53	16.82	16.93	16.79	17.8	0.0	
40	QPSK	1	104	16.84	16.88	16.86	17.8	0.0	
40	QPSK	50	0	16.80	16.80	16.76			
40	QPSK	50	28	16.76	16.93	16.76			
40	QPSK	50	56	16.82	16.82	16.76	17.8	0.0	
40	QPSK	100	0	16.83	16.88	16.82			
40	16QAM	1	1	16.81	16.81	16.88	17.8	0.0	
40	64QAM	1	1	16.76	16.84	16.88	17.8	0.0	
40	256QAM	1	1	16.74	16.94	16.81	17.8	0.0	
Channel									
Frequency (MHz)				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	16.85	16.91	16.86	17.8	0.0	
Channel									
Frequency (MHz)				518000	519000	522000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	16.87	16.92	16.87	17.8	0.0	
Channel									
Frequency (MHz)				517002	519000	522998	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	16.81	16.86	16.87	17.8	0.0	
Channel									
Frequency (MHz)				515004	519000	522998	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	16.77	16.80	16.85	17.8	0.0	

Part27Q_n77_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Mid. Ch. / Freq.	Power Hgh. Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	13.64	6353.92	3469.88			
100	Pl2 BPSK	1	137	13.60			15.2	0.0	
100	Pl2 BPSK	1	271	13.63					
100	Pl2 BPSK	135	0	13.66			15.2	0.0	
100	Pl2 BPSK	135	69	13.59			15.2	0.0	
100	Pl2 BPSK	135	138	13.62					
100	Pl2 BPSK	270	0	13.68			15.2	0.0	
100	QPSK	1	1	13.69					
100	QPSK	1	137	13.59			15.2	0.0	
100	QPSK	1	271	13.68					
100	QPSK	135	0	13.59					
100	QPSK	135	69	13.65			15.2	0.0	
100	QPSK	135	138	13.58					
100	QPSK	270	0	13.66			15.2	0.0	
100	16QAM	1	1	13.58			15.2	0.0	
100	16QAM	1	1	13.56			15.2	0.0	
100	256QAM	1	1	13.57			15.2	0.0	
Channel									
Frequency (MHz)									
90	QPSK	1	1	63500.0	63533.92	63569.88	Turn-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
80	QPSK	1	1	3490.02	3499.88	3504.99	Turn-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
80	QPSK	1	1	13.39	13.51	13.48	15.2	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	13.47	13.46	13.42	15.2	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	13.51	13.57	13.43	15.2	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	13.43	13.47	13.43	15.2	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	13.50	13.49	13.57	15.2	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	13.43	13.56	13.54	15.2	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	13.48	13.57	13.48	15.2	0.0	

Part27Q_n77_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mid Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	13.50	13.59	13.44			
100	Pl2 BPSK	1	137	13.52	13.54	13.41	15.2	0.0	
100	Pl2 BPSK	1	271	13.45	13.53	13.45			
100	Pl2 BPSK	135	0	13.43	13.56	13.48	15.2	0.0	
100	Pl2 BPSK	135	69	13.46	13.52	13.48	15.2	0.0	
100	Pl2 BPSK	135	138	13.39	13.52	13.48			
100	Pl2 BPSK	270	0	13.50	13.56	13.42			
100	QPSK	1	1	13.53	13.65	13.55			
100	QPSK	1	137	13.39	13.52	13.42	15.2	0.0	
100	QPSK	1	271	13.52	13.57	13.49			
100	QPSK	135	0	13.41	13.47	13.46			
100	QPSK	135	69	13.36	13.63	13.54	15.2	0.0	
100	QPSK	135	138	13.45	13.55	13.48			
100	QPSK	270	0	13.58	13.60	13.56	15.2	0.0	
100	16QAM	1	1	13.48	13.49	13.38	15.2	0.0	
100	16QAM	1	1	13.44	13.57	13.44	15.2	0.0	
100	256QAM	1	1	13.40	13.55	13.40	15.2	0.0	
Channel									
Frequency (MHz)									
90	QPSK	1	1	13.50	13.53	13.41	15.2	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	13.40	13.55	13.51	15.2	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	13.41	13.50	13.44	15.2	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	13.39	13.48	13.48	15.2	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	13.51	13.51	13.44	15.2	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	13.41	13.43	13.42	15.2	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	13.41	13.52	13.48	15.2	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	13.40	13.51	13.41	15.2	0.0	

Part27Q_n78_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mid Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	15.12					
100	Pl2 BPSK	1	137	15.08			16.2	0.0	
100	Pl2 BPSK	1	271	15.05					
100	Pl2 BPSK	135	0	15.02			16.2	0.0	
100	Pl2 BPSK	135	69	15.12			16.2	0.0	
100	Pl2 BPSK	135	138	15.06			16.2	0.0	
100	Pl2 BPSK	270	0	15.05					
100	QPSK	1	1	15.15					
100	QPSK	1	137	15.10			16.2	0.0	
100	QPSK	1	271	15.01					
100	QPSK	135	0	15.04					
100	QPSK	135	69	15.13			16.2	0.0	
100	QPSK	135	138	15.10					
100	QPSK	270	0	15.05			16.2	0.0	
100	16QAM	1	1	15.01			16.2	0.0	
100	16QAM	1	1	15.06			16.2	0.0	
100	256QAM	1	1	15.14			16.2	0.0	
Channel									
Frequency (MHz)									
90	QPSK	1	1	15.04	14.93	15.02	16.2	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	14.97	15.00	15.01	16.2	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	14.98	14.89	14.89	16.2	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	15.11	14.95	15.07	16.2	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	14.97	14.97	15.04	16.2	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	15.02	15.02	15.08	16.2	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	15.01	15.01	15.10	16.2	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	15.05	15.01	15.05	16.2	0.0	

Part270_n78_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Ch. / Freq.	Power Ch. / Freq.	Power Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel									
Frequency (MHz)									
100	Pi2 BPSK	1	1	15.47				16.2	0.0
100	Pi2 BPSK	1	137	15.46					
100	Pi2 BPSK	1	271	15.48					
100	Pi2 BPSK	135	0	15.47				16.2	0.0
100	Pi2 BPSK	135	69	15.52				16.2	0.0
100	Pi2 BPSK	135	138	15.43				16.2	0.0
100	Pi2 BPSK	270	0	15.47					
100	QPSK	1	1	15.55					
100	QPSK	1	137	15.43				16.2	0.0
100	QPSK	1	271	15.52					
100	QPSK	135	0	15.44					
100	QPSK	135	69	15.55				16.2	0.0
100	QPSK	135	138	15.41					
100	QPSK	270	0	15.42				16.2	0.0
100	16QAM	1	1	15.49				16.2	0.0
100	64QAM	1	1	15.47				16.2	0.0
100	256QAM	1	1	15.50				16.2	0.0
Channel									
Frequency (MHz)									
80	QPSK	1	1	15.49	15.40	15.38	15.2	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	15.53	15.42	15.43	16.2	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	15.46	15.51	15.33	16.2	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	15.47	15.49	15.38	16.2	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	15.45	15.41	15.42	16.2	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	15.42	15.42	15.34	16.2	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	15.49	15.40	15.31	16.2	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	15.45	15.53	15.42	16.2	0.0	

Part27Q_n78(HPUE)_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Middle Ch / Freq.	Power High Ch / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	PI2 BPSK	1	1	15.12	63332	3469 98			
100	PI2 BPSK	1	1	15.12	15.12				
100	PI2 BPSK	1	271	15.08	15.05		16.2	0.0	
100	PI2 BPSK	135	0	15.02	15.06		16.2	0.0	
100	PI2 BPSK	135	69	15.12	15.12		16.2	0.0	
100	PI2 BPSK	135	138	15.06	15.06		16.2	0.0	
100	PI2 BPSK	270	0	15.05	15.05				
100	QPSK	1	1	15.15	15.10		16.2	0.0	
100	QPSK	1	137	15.10	15.01				
100	QPSK	1	271	15.01	15.04				
100	QPSK	135	0	15.04	15.04				
100	QPSK	135	69	15.13	15.13		16.2	0.0	
100	QPSK	135	138	15.10	15.10				
100	QPSK	270	0	15.05	15.05		16.2	0.0	
100	16QAM	1	1	15.01	15.01		16.2	0.0	
100	64QAM	1	1	15.06	15.06		16.2	0.0	
100	256QAM	1	1	15.14	15.14		16.2	0.0	
Channel									
Frequency (MHz)									
90	QPSK	1	1	63300	63332	63366	Tune-up limit (dBm)	MPR (dB)	
				3469	3469 98	3469 98			
Channel									
Frequency (MHz)									
80	QPSK	1	1	63268	63332	63400	Tune-up limit (dBm)	MPR (dB)	
				3460.02	3469 98	3510			
Channel									
Frequency (MHz)									
70	QPSK	1	1	63200	63332	63496	Tune-up limit (dBm)	MPR (dB)	
				3468.01	3469 98	3514.98			
Channel									
Frequency (MHz)									
60	QPSK	1	1	63132	63332	63600	Tune-up limit (dBm)	MPR (dB)	
				3474.02	3469 98	3524			
Channel									
Frequency (MHz)									
50	QPSK	1	1	63100	63332	63666	Tune-up limit (dBm)	MPR (dB)	
				3470.01	3469 98	3524 98			
Channel									
Frequency (MHz)									
40	QPSK	1	1	63068	63332	63660	Tune-up limit (dBm)	MPR (dB)	
				3468	3469 98	3534 98			
Channel									
Frequency (MHz)									
30	QPSK	1	1	63006	63332	63600	Tune-up limit (dBm)	MPR (dB)	
				3460.02	3469 98	3540			
Channel									
Frequency (MHz)									
20	QPSK	1	1	63006	63332	63600	Tune-up limit (dBm)	MPR (dB)	
				15.05	15.01	15.05	16.2	0.0	

Part270_n78(HPUE)_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pi/2 BPSK	1	1	15.47				16.2	0.0
100	Pi/2 BPSK	1	137	15.46					
100	Pi/2 BPSK	1	271	15.48					
100	Pi/2 BPSK	135	0	15.47				16.2	0.0
100	Pi/2 BPSK	135	69	15.52				16.2	0.0
100	Pi/2 BPSK	135	138	15.43				16.2	0.0
100	Pi/2 BPSK	270	0	15.47					
100	QPSK	1	1	15.55					
100	QPSK	1	137	15.43				16.2	0.0
100	QPSK	1	271	15.52					
100	QPSK	135	0	15.44					
100	QPSK	135	69	15.55				16.2	0.0
100	QPSK	135	138	15.41					
100	QPSK	270	0	15.42				16.2	0.0
100	16QAM	1	1	15.49				16.2	0.0
100	64QAM	1	1	15.47				16.2	0.0
100	256QAM	1	1	15.50				16.2	0.0
Channel									
Frequency (MHz)									
90	QPSK	1	1	15.49	15.40	15.38	15.2	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	15.53	15.42	15.43	16.2	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	15.46	15.51	15.33	16.2	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	15.47	15.49	15.38	16.2	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	15.45	15.41	15.42	16.2	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	15.42	15.42	15.34	16.2	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	15.49	15.40	15.31	16.2	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	15.45	15.53	15.42	16.2	0.0	

n2_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 372000	Power Middle Ch. 1 Freq. 376000	Power High Ch. 1 Freq. 380000	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1880	1900	21.2	0.0	
Frequency (MHz)									
20	Pl2 BPSK	1	1	18.71	18.88	18.74			
20	Pl2 BPSK	1	53	18.79	18.75	18.72			
20	Pl2 BPSK	1	104	18.74	18.82	18.76	21.2	0.0	
20	Pl2 BPSK	50	0	18.68	18.84	18.80	21.2	0.0	
20	Pl2 BPSK	50	28	18.68	18.85	18.82	21.2	0.0	
20	Pl2 BPSK	50	56	18.77	18.88	18.83	21.2	0.0	
20	Pl2 BPSK	100	0	18.69	18.89	18.81	21.2	0.0	
20	QPSK	1	1	18.85	18.90	18.85	21.2	0.0	
20	QPSK	1	53	18.87	18.77	18.81	21.2	0.0	
20	QPSK	1	104	18.70	18.85	18.84	21.2	0.0	
20	QPSK	50	0	18.69	18.87	18.75	21.2	0.0	
20	QPSK	50	28	18.75	18.89	18.83	21.2	0.0	
20	QPSK	50	56	18.69	18.81	18.70	21.2	0.0	
20	QPSK	100	0	18.71	18.85	18.81	21.2	0.0	
20	16QAM	1	1	18.81	18.78	18.74	21.2	0.0	
20	64QAM	1	1	18.73	18.78	18.79	21.2	0.0	
20	256QAM	1	1	18.75	18.84	18.82	21.2	0.0	
Channel				371500	376000	380500	Tune-up limit	MPR	
Frequency (MHz)				1857.5	1880	1902.5	(dBm)	(dB)	
15	QPSK	1	1	18.75	18.88	18.82	21.2	0.0	
Channel				371000	376000	381000	Tune-up limit	MPR	
Frequency (MHz)				1865	1880	1905	(dBm)	(dB)	
10	QPSK	1	1	18.72	18.86	18.84	21.2	0.0	
Channel				370500	376000	381500	Tune-up limit	MPR	
Frequency (MHz)				1862.5	1880	1907.5	(dBm)	(dB)	
5	QPSK	1	1	18.76	18.78	18.78	21.2	0.0	

Reduced Power Mode for ECIS									
n2_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 372000	Power Middle Ch. 1 Freq. 376000	Power High Ch. 1 Freq. 380000	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1880	1900	19.8	0.0	
Frequency (MHz)									
20	Pl2 BPSK	1	1	18.63	18.71	18.57			
20	Pl2 BPSK	1	53	18.56	18.66	18.57			
20	Pl2 BPSK	1	104	18.63	18.72	18.67	19.8	0.0	
20	Pl2 BPSK	50	0	18.57	18.61	18.54	19.8	0.0	
20	Pl2 BPSK	50	28	18.61	18.62	18.64	19.8	0.0	
20	Pl2 BPSK	50	56	18.58	18.62	18.59	19.8	0.0	
20	Pl2 BPSK	100	0	18.55	18.60	18.63	19.8	0.0	
20	QPSK	1	1	18.65	18.73	18.68	19.8	0.0	
20	QPSK	1	53	18.60	18.60	18.58	19.8	0.0	
20	QPSK	1	104	18.51	18.58	18.62	19.8	0.0	
20	QPSK	50	0	18.57	18.58	18.58	19.8	0.0	
20	QPSK	50	28	18.62	18.69	18.66	19.8	0.0	
20	QPSK	50	56	18.51	18.58	18.58	19.8	0.0	
20	QPSK	100	0	18.52	18.60	18.62	19.8	0.0	
20	16QAM	1	1	18.59	18.68	18.65	19.8	0.0	
20	64QAM	1	1	18.59	18.61	18.59	19.8	0.0	
20	256QAM	1	1	18.56	18.64	18.60	19.8	0.0	
Channel				371500	376000	380500	Tune-up limit	MPR	
Frequency (MHz)				1857.5	1880	1902.5	(dBm)	(dB)	
15	QPSK	1	1	18.58	18.71	18.64	19.8	0.0	
Channel				371000	376000	381000	Tune-up limit	MPR	
Frequency (MHz)				1865	1880	1905	(dBm)	(dB)	
10	QPSK	1	1	18.60	18.64	18.57	19.8	0.0	
Channel				370500	376000	381500	Tune-up limit	MPR	
Frequency (MHz)				1862.5	1880	1907.5	(dBm)	(dB)	
5	QPSK	1	1	18.57	18.68	18.67	19.8	0.0	

n5_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 166800	Power Middle Ch. 1 Freq. 167500	Power High Ch. 1 Freq. 167800	Tune-up limit (dBm)	MPR (dB)	
Channel				834	836.5	839	24.7	0.0	
Frequency (MHz)									
20	Pl2 BPSK	1	1	23.44	23.44	23.27			
20	Pl2 BPSK	1	53	23.46	23.42	23.40			
20	Pl2 BPSK	1	104	23.45	23.39	23.32	24.7	0.0	
20	Pl2 BPSK	50	0	23.41	23.52	23.41	24.7	0.0	
20	Pl2 BPSK	50	28	23.39	23.49	23.41	24.7	0.0	
20	Pl2 BPSK	50	56	23.44	23.46	23.27	24.7	0.0	
20	Pl2 BPSK	100	0	23.46	23.48	23.35	24.7	0.0	
20	QPSK	1	1	23.48	23.53	23.42	24.7	0.0	
20	QPSK	1	53	23.46	23.43	23.35	24.7	0.0	
20	QPSK	1	104	23.35	23.46	23.36	24.7	0.0	
20	QPSK	50	0	23.44	23.46	23.33	24.7	0.0	
20	QPSK	50	28	23.45	23.50	23.40	24.7	0.0	
20	QPSK	50	56	23.41	23.48	23.33	24.7	0.0	
20	QPSK	100	0	23.37	23.42	23.39	24.7	0.0	
20	16QAM	1	1	23.45	23.46	23.35	24.7	0.0	
20	64QAM	1	1	23.17	23.18	23.05	24.2	0.5	
20	256QAM	1	1	22.66	22.77	22.66	23.7	1.0	
Channel				166300	167200	168300	Tune-up limit	MPR	
Frequency (MHz)				831.5	836.5	841.5	(dBm)	(dB)	
15	QPSK	1	1	23.48	23.51	23.40	24.7	0.0	
Channel				165800	167300	168800	Tune-up limit	MPR	
Frequency (MHz)				839	843.5	848	(dBm)	(dB)	
10	QPSK	1	1	23.43	23.51	23.32	24.7	0.0	
Channel				165300	167300	169300	Tune-up limit	MPR	
Frequency (MHz)				836.5	836.5	846.5	(dBm)	(dB)	
5	QPSK	1	1	23.41	23.43	23.41	24.7	0.0	

n5_Ant 0								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 504000	Power Middle Ch. Freq. 507000	Power High Ch. Freq. 510000	Tune-up limit (dBm)	MPR (dB)
Channel								
Frequency (MHz)				834	836.5	839		
20	PI2 BPSK	1	1	20.39	20.51	20.39	21.8	0.0
20	PI2 BPSK	1	53	20.43	20.51	20.40		
20	PI2 BPSK	1	104	20.49	20.54	20.43		
20	PI2 BPSK	50	0	20.42	20.58	20.38	21.8	0.0
20	PI2 BPSK	50	28	20.45	20.55	20.41	21.8	0.0
20	PI2 BPSK	50	56	20.51	20.56	20.35	21.8	0.0
20	PI2 BPSK	100	0	20.44	20.52	20.37		
20	QPSK	1	1	20.53	20.60	20.50		
20	QPSK	1	53	20.50	20.55	20.43	21.8	0.0
20	QPSK	1	104	20.44	20.47	20.42	21.8	0.0
20	QPSK	50	0	20.42	20.53	20.40		
20	QPSK	50	28	20.50	20.58	20.46		
20	QPSK	50	56	20.45	20.53	20.42	21.8	0.0
20	QPSK	100	0	20.50	20.54	20.35	21.8	0.0
20	16QAM	1	1	20.45	20.53	20.49		
20	64QAM	1	1	20.39	20.50	20.43		
20	256QAM	1	1	20.41	20.45	20.45	21.8	0.0
Channel				166300	167300	168300	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				831.5	836.5	841.5		
15	QPSK	1	1	20.49	20.58	20.40	21.8	0.0
Channel				166800	167300	168800	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				829	836.5	844		
10	QPSK	1	1	20.30	20.53	20.39	21.8	0.0
Channel				166300	167300	169300	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				836.5	836.5	846.5		
5	QPSK	1	1	20.46	20.49	20.40	21.8	0.0

n7_Ant 5								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 504000	Power Middle Ch. Freq. 507000	Power High Ch. Freq. 510000	Tune-up limit (dBm)	MPR (dB)
Channel				2520	2535	2550		
Frequency (MHz)				18.67	18.74	18.62		
40	PI2 BPSK	1	1	18.50	18.67	18.58	19.9	0.0
40	PI2 BPSK	1	108	18.50	18.67	18.58		
40	PI2 BPSK	1	214	18.67	18.73	18.61		
40	PI2 BPSK	108	0	18.55	18.67	18.66	19.9	0.0
40	PI2 BPSK	108	54	18.56	18.68	18.68	19.9	0.0
40	PI2 BPSK	108	108	18.57	18.70	18.68	19.9	0.0
40	PI2 BPSK	216	0	18.64	18.65	18.67		
40	QPSK	1	1	18.60	18.75	18.70		
40	QPSK	1	108	18.53	18.66	18.64	19.9	0.0
40	QPSK	1	214	18.62	18.70	18.58	19.9	0.0
40	QPSK	108	0	18.58	18.62	18.64		
40	QPSK	108	54	18.60	18.73	18.65		
40	QPSK	108	108	18.60	18.68	18.59	19.9	0.0
40	QPSK	216	0	18.64	18.70	18.66	19.9	0.0
40	16QAM	1	1	18.65	18.73	18.69		
40	64QAM	1	1	18.53	18.62	18.59		
40	256QAM	1	1	18.57	18.63	18.60	19.9	0.0
Channel				502000	507000	511000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2515	2535	2555		
30	QPSK	1	1	18.54	18.66	18.66	19.9	0.0
Channel				502000	507000	511000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2512.5	2535	2557.5		
25	QPSK	1	1	18.54	18.71	18.57	19.9	0.0
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2510	2535	2560		
20	QPSK	1	1	18.61	18.72	18.61	19.9	0.0
Channel				502500	507000	512500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2507.5	2535	2562.5		
15	QPSK	1	1	18.65	18.67	18.64	19.9	0.0
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2504	2535	2566		
10	QPSK	1	1	18.66	18.69	18.55	19.9	0.0
Channel				500500	507000	513500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2502.5	2535	2567.5		
5	QPSK	1	1	18.50	18.60	18.58	19.9	0.0

n7_Ant 6								
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 504000	Power Middle Ch. Freq. 507000	Power High Ch. Freq. 510000	Tune-up limit (dBm)	MPR (dB)
Channel				2520	2535	2550		
Frequency (MHz)				18.71	18.66	18.62		
40	PI2 BPSK	1	1	18.66	18.79	18.76	17.9	0.0
40	PI2 BPSK	1	108	18.68	18.75	18.73		
40	PI2 BPSK	1	214	18.68	18.75	18.73		
40	PI2 BPSK	108	0	18.70	18.71	18.62	17.9	0.0
40	PI2 BPSK	108	54	18.74	18.69	18.62	17.9	0.0
40	PI2 BPSK	108	108	18.63	18.67	18.75	17.9	0.0
40	PI2 BPSK	216	0	18.65	18.76	18.70		
40	QPSK	1	1	18.75	18.80	18.77		
40	QPSK	1	108	18.64	18.65	18.70	17.9	0.0
40	QPSK	1	214	18.72	18.78	18.67	17.9	0.0
40	QPSK	108	0	18.70	18.74	18.62		
40	QPSK	108	54	18.73	18.76	18.75		
40	QPSK	108	108	18.71	18.72	18.69	17.9	0.0
40	QPSK	216	0	18.61	18.72	18.68	17.9	0.0
40	16QAM	1	1	18.70	18.76	18.66		
40	64QAM	1	1	18.71	18.74	18.69		
40	256QAM	1	1	18.65	18.69	18.65	17.9	0.0
Channel				502000	507000	511000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2515	2535	2555		
30	QPSK	1	1	18.69	18.78	18.69	17.9	0.0
Channel				502000	507000	511000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2512.5	2535	2557.5		
25	QPSK	1	1	18.67	18.67	18.65	17.9	0.0
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2510	2535	2560		
20	QPSK	1	1	18.66	18.70	18.63	17.9	0.0
Channel				502500	507000	512500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2507.5	2535	2562.5		
15	QPSK	1	1	18.64	18.65	18.64	17.9	0.0
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2504	2535	2566		
10	QPSK	1	1	18.72	18.71	18.68	17.9	0.0
Channel				500500	507000	513500	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				2502.5	2535	2567.5		
5	QPSK	1	1	18.70	18.66	18.65	17.9	0.0

n7_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 504000	Power Middle Ch. 1 Freq. 507000	Power High Ch. 1 Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel				2520	2535	2550			
40	Pl2 BPSK	1	1	16.79	16.99	16.92			
40	Pl2 BPSK	1	108	16.77	16.84	16.90	17.8		
40	Pl2 BPSK	1	214	16.89	16.84	16.93			
40	Pl2 BPSK	108	0	16.82	16.86	16.88	17.8		
40	Pl2 BPSK	108	54	16.86	16.97	16.92	17.8		
40	Pl2 BPSK	108	108	16.76	16.90	16.85	17.8		
40	Pl2 BPSK	216	0	16.76	16.87	16.91			
40	QPSK	1	1	16.95	16.99	16.95			
40	QPSK	1	108	16.88	16.89	16.86	17.8		
40	QPSK	1	214	16.86	16.93	16.80			
40	QPSK	108	0	16.80	16.85	16.91	17.8		
40	QPSK	108	54	16.86	16.95	16.93	17.8		
40	QPSK	108	108	16.85	16.92	16.83	17.8		
40	QPSK	216	0	16.87	16.94	16.91			
40	16QAM	1	1	16.81	16.94	16.85	17.8		
40	64QAM	1	1	16.80	16.97	16.93	17.8		
40	256QAM	1	1	16.86	16.84	16.87	17.8		
Channel				508000	507000	511000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2515	2535	2555			
30	QPSK	1	1	16.88	16.86	16.92	17.8		
Channel				502500	507000	511500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2512.5	2535	2537.5			
25	QPSK	1	1	16.76	16.97	16.94	17.8		
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2510	2535	2560			
20	QPSK	1	1	16.77	16.87	16.87	17.8		
Channel				501500	507000	512500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2507.5	2535	2562.5			
15	QPSK	1	1	16.79	16.94	16.85	17.8		
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2506	2535	2565			
10	QPSK	1	1	16.84	16.87	16.93	17.8		
Channel				500500	507000	513500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2502.5	2535	2567.5			
5	QPSK	1	1	16.81	16.91	16.91	17.8		

n7_Ant 7									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 504000	Power Middle Ch. 1 Freq. 507000	Power High Ch. 1 Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel				2520	2535	2550			
40	Pl2 BPSK	1	1	16.40	16.57	16.44			
40	Pl2 BPSK	1	108	16.42	16.45	16.42	19.9		
40	Pl2 BPSK	1	214	16.46	16.47	16.51			
40	Pl2 BPSK	108	0	16.37	16.49	16.52	19.9		
40	Pl2 BPSK	108	54	16.37	16.58	16.41	19.9		
40	Pl2 BPSK	108	108	16.41	16.57	16.47	19.9		
40	Pl2 BPSK	216	0	16.42	16.58	16.43			
40	QPSK	1	1	16.52	16.60	16.56			
40	QPSK	1	108	16.50	16.55	16.48	19.9		
40	QPSK	1	214	16.38	16.51	16.51			
40	QPSK	108	0	16.44	16.46	16.42	19.9		
40	QPSK	108	54	16.50	16.58	16.52	19.9		
40	QPSK	108	108	16.38	16.56	16.47	19.9		
40	QPSK	216	0	16.45	16.55	16.54			
40	16QAM	1	1	16.38	16.49	16.42	19.9		
40	64QAM	1	1	16.53	16.57	16.47	19.9		
40	256QAM	1	1	16.03	16.10	16.01	19.4		
Channel				508000	507000	511000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2515	2535	2555			
30	QPSK	1	1	16.50	16.49	16.47	19.9		
Channel				502500	507000	511500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2512.5	2535	2537.5			
25	QPSK	1	1	16.50	16.51	16.48	19.9		
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2510	2535	2560			
20	QPSK	1	1	16.51	16.52	16.45	19.9		
Channel				501500	507000	512500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2507.5	2535	2562.5			
15	QPSK	1	1	16.43	16.57	16.47	19.9		
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2506	2535	2565			
10	QPSK	1	1	16.47	16.54	16.54	19.9		
Channel				500500	507000	513500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2502.5	2535	2567.5			
5	QPSK	1	1	16.51	16.49	16.53	19.9		

n12_Ant 1									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 141300	Power Middle Ch. 1 Freq. 141500	Power High Ch. 1 Freq. 141700	Tune-up limit (dBm)	MPR (dB)	
Channel				706.5	707.5	708.5			
Frequency (MHz)									
15	Pl2 BPSK	1	1	18.61	18.74	18.61			
15	Pl2 BPSK	1	40	18.62	18.66	18.65	20.2		
15	Pl2 BPSK	1	77	18.58	18.65	18.55			
15	Pl2 BPSK	36	0	18.57	18.71	18.66	20.2		
15	Pl2 BPSK	36	22	18.66	18.67	18.68	20.2		
15	Pl2 BPSK	36	43	18.65	18.75	18.65			
15	Pl2 BPSK	75	0	18.71	18.66	18.55	20.2		
15	QPSK	1	1	18.72	18.80	18.70			
15	QPSK	1	40	18.69	18.68	18.67	20.2		
15	QPSK	1	77	18.68	18.70	18.58			
15	QPSK	36	0	18.66	18.74	18.57	20.2		
15	QPSK	36	22	18.65	18.77	18.66	20.2		
15	QPSK	36	43	18.61	18.71	18.62	20.2		
15	QPSK	75	0	18.63	18.67	18.60			
15	16QAM	1	1	18.57	18.72	18.63	20.2		
15	64QAM	1	1	18.68	18.78	18.66	20.2		
15	256QAM	1	1	18.71	18.76	18.64	20.2		
Channel				140300	141500	142700	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				704	707.5	711			
10	QPSK	1	1	18.65	18.66	18.69	20.2		
Channel				140300	141500	142700	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				701.5	707.5	713.5			
5	QPSK	1	1	18.65	18.73	18.65	20.2		

n12_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 141300	Power Middle Ch. F Freq. 141500	Power High Ch. F Freq. 141700	Tune-up limit (dBm)	MPR (dB)	
Channel				706.5	707.5	706.5			
Frequency (MHz)									
15	Pl2 BPSK	1	1	18.03	18.15	18.11		19.8	0.0
15	Pl2 BPSK	1	40	18.08	18.12	18.14			
15	Pl2 BPSK	1	77	18.05	18.15	18.02			
15	Pl2 BPSK	36	0	18.09	18.19	18.12	19.8	0.0	
15	Pl2 BPSK	36	22	18.03	18.17	18.03	19.8	0.0	
15	Pl2 BPSK	36	43	18.02	18.12	18.05	19.8	0.0	
15	Pl2 BPSK	75	0	18.04	18.17	18.03			
15	QPSK	1	1	18.12	18.20	18.15			
15	QPSK	1	40	18.01	18.07	18.10	19.8	0.0	
15	QPSK	1	77	18.02	18.16	18.12			
15	QPSK	36	0	18.08	18.09	18.03	19.8	0.0	
15	QPSK	36	22	18.11	18.19	18.12	19.8	0.0	
15	QPSK	36	43	18.07	18.18	18.08			
15	QPSK	75	0	18.06	18.16	18.11	19.8	0.0	
15	16QAM	1	1	18.02	18.18	18.12	19.8	0.0	
15	64QAM	1	1	18.10	18.07	18.01	19.8	0.0	
15	256QAM	1	1	18.00	18.10	18.02	19.8	0.0	
Channel				140300	141500	142700	Tune-up limit	MPR	
Frequency (MHz)				704	707.5	711	(dBm)	(dB)	
10	QPSK	1	1	18.07	18.16	18.10	19.8	0.0	
Channel				140300	141500	142700	Tune-up limit	MPR	
Frequency (MHz)				703.5	707.5	711.5	(dBm)	(dB)	
5	QPSK	1	1	18.10	18.12	18.02	19.8	0.0	

n26(FCC)_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 164800	Power Middle Ch. F Freq. 165300	Power High Ch. F Freq. 165800	Tune-up limit (dBm)	MPR (dB)	
Channel				824	831.5	839			
Frequency (MHz)									
20	Pl2 BPSK	1	1	23.38	23.34	23.33		24.7	0.0
20	Pl2 BPSK	1	53	23.36	23.39	23.39			
20	Pl2 BPSK	1	104	23.39	23.44	23.34			
20	Pl2 BPSK	50	0	23.34	23.36	23.28	24.7	0.0	
20	Pl2 BPSK	50	28	23.32	23.36	23.30	24.7	0.0	
20	Pl2 BPSK	50	56	23.28	23.42	23.28	24.7	0.0	
20	Pl2 BPSK	100	0	23.32	23.33	23.34			
20	QPSK	1	1	23.40	23.47	23.42			
20	QPSK	1	53	23.35	23.45	23.29	24.7	0.0	
20	QPSK	1	104	23.34	23.32	23.33			
20	QPSK	50	0	23.31	23.37	23.36	24.7	0.0	
20	QPSK	50	28	23.38	23.45	23.40	24.7	0.0	
20	QPSK	50	56	23.32	23.35	23.38			
20	QPSK	100	0	23.32	23.35	23.32	24.7	0.0	
20	16QAM	1	1	23.28	23.41	23.33	24.7	0.0	
20	64QAM	1	1	23.14	23.24	23.10	24.2	0.5	
20	256QAM	1	1	22.67	22.82	22.73	23.7	1.0	
Channel				164300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				821.5	831.5	841.5	(dBm)	(dB)	
15	QPSK	1	1	23.28	23.32	23.37	24.7	0.0	
Channel				163800	165300	166800	Tune-up limit	MPR	
Frequency (MHz)				819	831.5	844	(dBm)	(dB)	
10	QPSK	1	1	23.36	23.35	23.35	24.7	0.0	
Channel				163300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				816.5	831.5	846.5	(dBm)	(dB)	
5	QPSK	1	1	23.27	23.35	23.34	24.7	0.0	

n26(FCC)_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 164800	Power Middle Ch. F Freq. 165300	Power High Ch. F Freq. 165800	Tune-up limit (dBm)	MPR (dB)	
Channel				824	831.5	839			
Frequency (MHz)									
20	Pl2 BPSK	1	1	20.56	20.66	20.63		21.8	0.0
20	Pl2 BPSK	1	53	20.60	20.55	20.65			
20	Pl2 BPSK	1	104	20.48	20.59	20.57			
20	Pl2 BPSK	50	0	20.53	20.61	20.67	21.8	0.0	
20	Pl2 BPSK	50	28	20.48	20.69	20.61	21.8	0.0	
20	Pl2 BPSK	50	56	20.58	20.58	20.59	21.8	0.0	
20	Pl2 BPSK	100	0	20.58	20.64	20.60			
20	QPSK	1	1	20.62	20.70	20.68			
20	QPSK	1	53	20.53	20.56	20.62	21.8	0.0	
20	QPSK	1	104	20.67	20.67	20.66			
20	QPSK	50	0	20.60	20.62	20.62	21.8	0.0	
20	QPSK	50	28	20.61	20.68	20.65	21.8	0.0	
20	QPSK	50	56	20.57	20.60	20.62			
20	QPSK	100	0	20.60	20.64	20.57	21.8	0.0	
20	16QAM	1	1	20.55	20.58	20.59	21.8	0.0	
20	64QAM	1	1	20.53	20.60	20.55	21.8	0.0	
20	256QAM	1	1	20.58	20.56	20.67	21.8	0.0	
Channel				164300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				821.5	831.5	841.5	(dBm)	(dB)	
15	QPSK	1	1	20.50	20.58	20.57	21.8	0.0	
Channel				163800	165300	166800	Tune-up limit	MPR	
Frequency (MHz)				819	831.5	844	(dBm)	(dB)	
10	QPSK	1	1	20.49	20.66	20.59	21.8	0.0	
Channel				163300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				816.5	831.5	846.5	(dBm)	(dB)	
5	QPSK	1	1	20.51	20.58	20.55	21.8	0.0	

n66_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 352000	Tune-up limit (dBm)	MPR (dB)	
Channel				1730	1745	1760			
Frequency (MHz)				20.71	20.75	20.88			
40	PI2 BPSK	1	1	20.71	20.75	20.88	21.9	0.0	
40	PI2 BPSK	1	108	20.71	20.65	20.63			
40	PI2 BPSK	1	214	20.66	20.77	20.64			
40	PI2 BPSK	108	0	20.58	20.67	20.66	21.9	0.0	
40	PI2 BPSK	108	54	20.66	20.73	20.68	21.9	0.0	
40	PI2 BPSK	108	108	20.68	20.73	20.63			
40	PI2 BPSK	216	0	20.61	20.65	20.75	21.9	0.0	
40	QPSK	1	1	20.72	20.80	20.76			
40	QPSK	1	108	20.57	20.69	20.68	21.9	0.0	
40	QPSK	1	214	20.80	20.72	20.72			
40	QPSK	108	0	20.68	20.69	20.63	21.9	0.0	
40	QPSK	108	54	20.70	20.79	20.74	21.9	0.0	
40	QPSK	108	108	20.65	20.71	20.67	21.9	0.0	
40	QPSK	216	0	20.66	20.76	20.67			
40	16QAM	1	1	20.68	20.67	20.72	21.9	0.0	
40	64QAM	1	1	20.58	20.70	20.61	21.9	0.0	
40	256QAM	1	1	20.62	20.66	20.74	21.9	0.0	
Channel				346000	349000	352000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	20.64	20.65	20.72	21.9	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1720	1745	1770			
20	QPSK	1	1	20.59	20.74	20.70	21.9	0.0	
Channel				343000	349000	354500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	20.68	20.77	20.71	21.9	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	20.60	20.73	20.67	21.9	0.0	
Channel				342500	349000	355500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	20.67	20.66	20.66	21.9	0.0	

n66_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 352000	Tune-up limit (dBm)	MPR (dB)	
Channel				1730	1745	1760			
Frequency (MHz)				18.38	18.47	18.52			
40	PI2 BPSK	1	1	18.38	18.47	18.52	19.1	0.0	
40	PI2 BPSK	1	108	18.47	18.56	18.46			
40	PI2 BPSK	1	214	18.44	18.53	18.51			
40	PI2 BPSK	108	0	18.38	18.49	18.40	19.1	0.0	
40	PI2 BPSK	108	54	18.40	18.49	18.48	19.1	0.0	
40	PI2 BPSK	108	108	18.43	18.54	18.50			
40	PI2 BPSK	216	0	18.46	18.58	18.43	19.1	0.0	
40	QPSK	1	1	18.52	18.60	18.56			
40	QPSK	1	108	18.40	18.47	18.43	19.1	0.0	
40	QPSK	1	214	18.46	18.56	18.43			
40	QPSK	108	0	18.46	18.52	18.40	19.1	0.0	
40	QPSK	108	54	18.50	18.58	18.46	19.1	0.0	
40	QPSK	108	108	18.48	18.55	18.44	19.1	0.0	
40	QPSK	216	0	18.45	18.55	18.41			
40	16QAM	1	1	18.38	18.46	18.42	19.1	0.0	
40	64QAM	1	1	18.39	18.45	18.51	19.1	0.0	
40	256QAM	1	1	18.44	18.58	18.54	19.1	0.0	
Channel				346000	349000	352000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	18.51	18.54	18.44	19.1	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1720	1745	1770			
20	QPSK	1	1	18.45	18.52	18.40	19.1	0.0	
Channel				343000	349000	354500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	18.38	18.46	18.43	19.1	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	18.50	18.45	18.47	19.1	0.0	
Channel				342500	349000	355500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	18.46	18.59	18.48	19.1	0.0	

n66_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 352000	Tune-up limit (dBm)	MPR (dB)	
Channel				1730	1745	1760			
Frequency (MHz)				19.63	19.64	19.61			
40	PI2 BPSK	1	1	19.63	19.64	19.61	20.8	0.0	
40	PI2 BPSK	1	108	19.58	19.63	19.66			
40	PI2 BPSK	1	214	19.55	19.61	19.58			
40	PI2 BPSK	108	0	19.52	19.59	19.55	20.8	0.0	
40	PI2 BPSK	108	54	19.64	19.67	19.58	20.8	0.0	
40	PI2 BPSK	108	108	19.51	19.62	19.66			
40	PI2 BPSK	216	0	19.51	19.71	19.62	20.8	0.0	
40	QPSK	1	1	19.65	19.72	19.68			
40	QPSK	1	108	19.63	19.62	19.54	20.8	0.0	
40	QPSK	1	214	19.54	19.66	19.59			
40	QPSK	108	0	19.50	19.57	19.54	20.8	0.0	
40	QPSK	108	54	19.60	19.69	19.66	20.8	0.0	
40	QPSK	108	108	19.54	19.60	19.62	20.8	0.0	
40	QPSK	216	0	19.57	19.66	19.54			
40	16QAM	1	1	19.55	19.71	19.55	20.8	0.0	
40	64QAM	1	1	19.50	19.70	19.67	20.8	0.0	
40	256QAM	1	1	19.50	19.58	19.57	20.8	0.0	
Channel				346000	349000	352000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	19.57	19.64	19.62	20.8	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1720	1745	1770			
20	QPSK	1	1	19.63	19.59	19.63	20.8	0.0	
Channel				343000	349000	354500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	19.58	19.57	19.62	20.8	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	19.57	19.66	19.57	20.8	0.0	
Channel				342500	349000	355500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	19.62	19.58	19.61	20.8	0.0	

n66_Ant 7								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 350000	Tune-up limit (dBm)	MPR (dB)
Channel				1730	1745	1760	19.0	0.0
Frequency (MHz)				1728	1736	1744		
40	PI2 BPSK	1	1	17.37	17.43	17.37		
40	PI2 BPSK	1	108	17.30	17.42	17.38	19.0	0.0
40	PI2 BPSK	108	0	17.33	17.38	17.35		
40	PI2 BPSK	108	54	17.27	17.44	17.30		
40	PI2 BPSK	108	108	17.40	17.46	17.31	19.0	0.0
40	PI2 BPSK	216	0	17.38	17.39	17.35		
40	QPSK	1	1	17.42	17.50	17.45		
40	QPSK	1	108	17.33	17.47	17.35	19.0	0.0
40	QPSK	1	214	17.30	17.43	17.36		
40	QPSK	108	0	17.38	17.42	17.31		
40	QPSK	108	54	17.41	17.46	17.43	19.0	0.0
40	QPSK	108	108	17.33	17.40	17.39		
40	QPSK	216	0	17.33	17.45	17.40		
40	16QAM	1	1	17.38	17.38	17.35	19.0	0.0
40	64QAM	1	1	17.40	17.35	17.40		
40	256QAM	1	1	17.36	17.39	17.40		
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1725	1745	1765		
30	QPSK	1	1	17.35	17.35	17.38		
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1720	1745	1770		
20	QPSK	1	1	17.40	17.43	17.43		
Channel				343000	349000	354000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1717.5	1745	1772.5		
15	QPSK	1	1	17.33	17.46	17.33		
Channel				342000	349000	355000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1715	1745	1775		
10	QPSK	1	1	17.28	17.47	17.33		
Channel				342500	349000	355000	Tune-up limit (dBm)	MPR (dB)
Frequency (MHz)				1712.5	1745	1777.5		
5	QPSK	1	1	17.34	17.36	17.31		

n38_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				518004	519000	519996			
Frequency (MHz)				2590.02	2595	2599.98			
40	Pl2 BPSK	1	1	18.54	18.56	18.59	19.9	0.0	
40	Pl2 BPSK	1	53	18.52	18.53	18.59		0.0	
40	Pl2 BPSK	1	104	18.56	18.54	18.47		0.0	
40	Pl2 BPSK	50	0	18.44	18.52	18.53	19.9	0.0	
40	Pl2 BPSK	50	28	18.43	18.63	18.51	19.9	0.0	
40	Pl2 BPSK	50	56	18.45	18.54	18.59	19.9	0.0	
40	Pl2 BPSK	100	0	18.56	18.54	18.56		0.0	
40	QPSK	1	1	18.58	18.66	18.02		0.0	
40	QPSK	1	53	18.54	18.59	18.49	19.9	0.0	
40	QPSK	1	104	18.57	18.62	18.47		0.0	
40	QPSK	50	0	18.44	18.56	18.59		0.0	
40	QPSK	50	28	18.35	18.05	18.11	19.9	0.0	
40	QPSK	50	56	18.50	18.63	18.50		0.0	
40	QPSK	100	0	18.52	18.60	18.48		0.0	
40	16QAM	1	1	18.44	18.53	18.48	19.9	0.0	
40	64QAM	1	1	18.47	18.56	18.49	19.9	0.0	
40	256QAM	1	1	18.48	18.62	18.48	19.9	0.0	
Channel				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2595.01	2595	2604.99			
30	QPSK	1	1	18.57	18.57	18.59	19.9	0.0	
Channel				516000	519000	522000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2610	2610	2610			
20	QPSK	1	1	18.52	18.52	18.56	19.9	0.0	
Channel				515002	519000	522998	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2577.51	2595	2612.49			
15	QPSK	1	1	18.57	18.51	18.54	19.9	0.0	
Channel				514004	519000	522996	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				2575.02	2595	2614.98			
10	QPSK	1	1	18.46	18.60	18.48	19.9	0.0	

n38_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				518004	519000	519996			
40	P2 BPSK	1	1	17.16	17.23	17.20	18.3	0.0	
40	P2 BPSK	1	53	17.21	17.29	17.23			
40	P2 BPSK	1	104	17.13	17.20	17.13			
40	P2 BPSK	50	0	17.09	17.18	17.19	18.3	0.0	
40	P2 BPSK	50	28	17.18	17.22	17.16	18.3	0.0	
40	P2 BPSK	50	56	17.20	17.27	17.20	18.3	0.0	
40	P2 BPSK	100	0	17.20	17.27	17.12			
40	QPSK	1	1	17.23	17.30	17.27			
40	QPSK	1	53	17.11	17.25	17.16	18.3	0.0	
40	QPSK	1	104	17.16	17.27	17.18			
40	QPSK	50	0	17.14	17.19	17.25			
40	QPSK	50	28	17.20	17.27	17.25	18.3	0.0	
40	QPSK	50	56	17.18	17.21	17.12			
40	QPSK	100	0	17.18	17.25	17.19			
40	16QAM	1	1	17.12	17.23	17.16	18.3	0.0	
40	64QAM	1	1	17.14	17.18	17.16	18.3	0.0	
40	256QAM	1	1	17.22	17.28	17.17	18.3	0.0	
Channel									
Frequency (MHz)				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	17.13	17.20	17.16	18.3	0.0	
Channel									
Frequency (MHz)				518000	519000	522000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	17.19	17.20	17.18	18.3	0.0	
Channel									
Frequency (MHz)				515002	519000	522998	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	2577.51	2595	2612.49	18.3	0.0	
Channel									
Frequency (MHz)				515004	519000	522996	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	17.12	17.18	17.17	18.3	0.0	

n38_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				518004	519000	519996	2590.02	2595	2599.98
40	Pl2 BPSK	1	1	16.80	16.89	16.84	17.8	0.0	
40	Pl2 BPSK	1	53	16.75	16.88	16.83			
40	Pl2 BPSK	1	104	16.73	16.87	16.69			
40	Pl2 BPSK	50	0	16.75	16.83	16.88	17.8	0.0	
40	Pl2 BPSK	50	28	16.80	16.85	16.83	17.8	0.0	
40	Pl2 BPSK	50	56	16.80	16.86	16.81	17.8	0.0	
40	Pl2 BPSK	100	0	16.78	16.91	16.87			
40	QPSK	1	1	16.88	16.95	16.93			
40	QPSK	1	53	16.82	16.93	16.79	17.8	0.0	
40	QPSK	1	104	16.84	16.88	16.86			
40	QPSK	50	0	16.80	16.80	16.76			
40	QPSK	50	28	16.86	16.93	16.76	17.8	0.0	
40	QPSK	50	56	16.82	16.82	16.76			
40	QPSK	100	0	16.83	16.88	16.82			
40	16QAM	1	1	16.81	16.81	16.88	17.8	0.0	
40	64QAM	1	1	16.76	16.84	16.88	17.8	0.0	
40	256QAM	1	1	16.74	16.94	16.81	17.8	0.0	
Channel									
Frequency (MHz)				517002	519000	520998	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	16.85	16.91	16.86	17.8	0.0	
Channel									
Frequency (MHz)				518000	519000	522000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	16.87	16.92	16.87	17.8	0.0	
Channel									
Frequency (MHz)				515002	519000	522998	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	16.81	16.86	16.87	17.8	0.0	
Channel									
Frequency (MHz)				515004	519000	522996	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	16.77	16.80	16.85	17.8	0.0	

FCC_n41_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	PQ2 BPSK	1	1	15.55	15.61	15.53		16.7	0.0
100	PQ2 BPSK	1	137	15.49	15.66	15.48			
100	PQ2 BPSK	1	271	15.51	15.63	15.55		16.7	0.0
100	PQ2 BPSK	135	0	15.52	15.56	15.58			
100	PQ2 BPSK	135	69	15.54	15.56	15.55		16.7	0.0
100	PQ2 BPSK	135	138	15.60	15.62	15.45			
100	PQ2 BPSK	270	0	15.55	15.55	15.57		16.7	0.0
100	QPSK	1	1	15.52	15.68	15.60			
100	QPSK	1	137	15.47	15.57	15.53		16.7	0.0
100	QPSK	1	271	15.60	15.66	15.59			
100	QPSK	135	0	15.51	15.60	15.51		16.7	0.0
100	QPSK	135	69	15.54	15.65	15.77			
100	QPSK	135	138	15.54	15.61	15.49		16.7	0.0
100	QPSK	270	0	15.59	15.61	15.50			
100	16QAM	1	1	15.50	15.65	15.52		16.7	0.0
100	64QAM	1	1	15.48	15.63	15.55			
100	256QAM	1	1	15.47	15.63	15.46		16.7	0.0
Channel									
Frequency (MHz)									
90	QPSK	1	1	15.56	15.55	15.46		16.7	0.0
Channel									
Frequency (MHz)									
80	QPSK	1	1	15.56	15.64	15.51		16.7	0.0
Channel									
Frequency (MHz)									
70	QPSK	1	1	15.52	15.63	15.57		16.7	0.0
Channel									
Frequency (MHz)									
60	QPSK	1	1	15.47	15.53	15.51		16.7	0.0
Channel									
Frequency (MHz)									
50	QPSK	1	1	15.55	15.61	15.54		16.7	0.0
Channel									
Frequency (MHz)									
40	QPSK	1	1	15.59	15.56	15.55		16.7	0.0
Channel									
Frequency (MHz)									
30	QPSK	1	1	15.59	15.63	15.58		16.7	0.0
Channel									
Frequency (MHz)									
20	QPSK	1	1	15.55	15.62	15.55		16.7	0.0

FCC_n41(HPUe)_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	P12 BPSK	1	1	15.55	15.61	15.53		16.7	0.0
100	P12 BPSK	1	137	15.49	15.66	15.48			
100	P12 BPSK	1	271	15.51	15.63	15.55		16.7	0.0
100	P12 BPSK	135	0	15.52	15.56	15.58			
100	P12 BPSK	135	69	15.54	15.58	15.55		16.7	0.0
100	P12 BPSK	135	138	15.60	15.62	15.45			
100	P12 BPSK	270	0	15.55	15.55	15.57		16.7	0.0
100	QPSK	1	1	15.52	15.68	15.60			
100	QPSK	1	137	15.47	15.57	15.53		16.7	0.0
100	QPSK	1	271	15.60	15.66	15.59			
100	QPSK	135	0	15.51	15.60	15.51		16.7	0.0
100	QPSK	135	69	15.50	15.65	15.70			
100	QPSK	135	138	15.54	15.61	15.49		16.7	0.0
100	QPSK	270	0	15.59	15.61	15.50			
100	16QAM	1	1	15.50	15.65	15.52		16.7	0.0
100	64QAM	1	1	15.48	15.63	15.55			
100	256QAM	1	1	15.47	15.63	15.46		16.7	0.0
Channel									
Frequency (MHz)									
90	QPSK	1	1	15.56	15.55	15.46		16.7	0.0
Channel									
Frequency (MHz)									
80	QPSK	1	1	15.52	15.64	15.51		16.7	0.0
Channel									
Frequency (MHz)									
70	QPSK	1	1	15.52	15.63	15.57		16.7	0.0
Channel									
Frequency (MHz)									
60	QPSK	1	1	15.47	15.53	15.51		16.7	0.0
Channel									
Frequency (MHz)									
50	QPSK	1	1	15.55	15.61	15.54		16.7	0.0
Channel									
Frequency (MHz)									
40	QPSK	1	1	15.59	15.56	15.55		16.7	0.0
Channel									
Frequency (MHz)									
30	QPSK	1	1	15.59	15.63	15.58		16.7	0.0
Channel									
Frequency (MHz)									
20	QPSK	1	1	15.55	15.62	15.55		16.7	0.0

FCC_n41_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	15.12	15.22	15.17		16.1	0.0
100	Pl2 BPSK	1	137	15.18	15.26	15.15			
100	Pl2 BPSK	1	271	15.08	15.33	15.28		16.1	0.0
100	Pl2 BPSK	135	0	15.07	15.30	15.18			
100	Pl2 BPSK	135	69	15.13	15.20	15.19		16.1	0.0
100	Pl2 BPSK	135	138	15.12	15.22	15.16			
100	Pl2 BPSK	270	0	15.14	15.20	15.24		16.1	0.0
100	QPSK	1	1	15.22	15.35	15.30			
100	QPSK	1	137	15.16	15.20	15.16		16.1	0.0
100	QPSK	1	271	15.18	15.28	15.25			
100	QPSK	135	0	15.09	15.24	15.17		16.1	0.0
100	QPSK	135	69	15.17	15.25	15.25			
100	QPSK	135	138	15.09	15.25	15.26		16.1	0.0
100	QPSK	270	0	15.16	15.26	15.22			
100	16QAM	1	1	15.10	15.30	15.21		16.1	0.0
100	64QAM	1	1	15.08	15.22	15.15			
100	256QAM	1	1	15.16	15.20	15.29		16.1	0.0
Channel									
Frequency (MHz)									
80	QPSK	1	1	15.241	15.292	15.244		Tune-up limit (dBm)	MPR (dB)
80	QPSK	1	1	15.132	15.26	15.16		16.1	0.0
Channel									
Frequency (MHz)									
80	QPSK	1	1	25.936	25.992	25.948		Tune-up limit (dBm)	MPR (dB)
80	QPSK	1	1	15.133	15.21	15.25		16.1	0.0
Channel									
Frequency (MHz)									
70	QPSK	1	1	50.250	51.098	53.196		Tune-up limit (dBm)	MPR (dB)
70	QPSK	1	1	50.250	50.998	50.998		Tune-up limit (dBm)	MPR (dB)
70	QPSK	1	1	50.424	51.098	53.098		Tune-up limit (dBm)	MPR (dB)
70	QPSK	1	1	50.424	50.998	50.998		Tune-up limit (dBm)	MPR (dB)
Channel									
Frequency (MHz)									
60	QPSK	1	1	15.14	15.21	15.23		16.1	0.0
Channel									
Frequency (MHz)									
50	QPSK	1	1	50.302	50.998	53.040		Tune-up limit (dBm)	MPR (dB)
50	QPSK	1	1	50.302	50.998	53.096		Tune-up limit (dBm)	MPR (dB)
50	QPSK	1	1	50.490	50.998	53.196		Tune-up limit (dBm)	MPR (dB)
50	QPSK	1	1	50.490	50.998	53.096		Tune-up limit (dBm)	MPR (dB)
Channel									
Frequency (MHz)									
40	QPSK	1	1	15.11	15.23	15.17		16.1	0.0



FCC_n41(HPUE)_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				5060202	5186986	5300700			
100	PB2 BPSK	1	1	15.12	15.22	15.17			
100	PB2 BPSK	1	137	15.18	15.26	15.15	16.1	0.0	
100	PB2 BPSK	1	271	15.08	15.33	15.28			
100	PB2 BPSK	135	0	15.07	15.30	15.18	16.1	0.0	
100	PB2 BPSK	135	69	15.13	15.20	15.19	16.1	0.0	
100	PB2 BPSK	135	138	15.12	15.22	15.16			
100	PB2 BPSK	270	0	15.14	15.20	15.24	16.1	0.0	
100	QPSK	1	1	15.22	15.35	15.30			
100	QPSK	1	137	15.16	15.20	15.16	16.1	0.0	
100	QPSK	1	271	15.18	15.28	15.25			
100	QPSK	135	0	15.09	15.24	15.17			
100	QPSK	135	69	15.17	15.26	15.26	16.1	0.0	
100	QPSK	135	138	15.09	15.25	15.26			
100	QPSK	270	0	15.16	15.26	15.22	16.1	0.0	
100	16QAM	1	1	15.10	15.30	15.21	16.1	0.0	
100	64QAM	1	1	15.08	15.22	15.15	16.1	0.0	
100	256QAM	1	1	15.16	15.20	15.26	16.1	0.0	
Channel									
Frequency (MHz)				5062000	5186986	5309996	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	15.12	15.26	15.16	15.1	0.0	
Channel									
Frequency (MHz)				5072004	5186986	5309998	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	15.13	15.21	15.25	16.1	0.0	
Channel									
Frequency (MHz)				5082008	5186986	5309998	Tune-up limit (dBm)	MPR (dB)	
70	QPSK	1	1	15.17	15.33	15.26	16.1	0.0	
Channel									
Frequency (MHz)				5092012	5186986	5309998	Tune-up limit (dBm)	MPR (dB)	
60	QPSK	1	1	15.14	15.21	15.23	16.1	0.0	
Channel									
Frequency (MHz)				5102016	5186986	5309998	Tune-up limit (dBm)	MPR (dB)	
50	QPSK	1	1	15.15	15.22	15.17	16.1	0.0	
Channel									
Frequency (MHz)				5112020	5186986	5309998	Tune-up limit (dBm)	MPR (dB)	
40	QPSK	1	1	15.08	15.25	15.19	16.1	0.0	
Channel									
Frequency (MHz)				5122024	5186986	5309998	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	15.12	15.23	15.17	16.1	0.0	
Channel									
Frequency (MHz)				5132028	5186986	5309998	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	15.11	15.32	15.17	16.1	0.0	

FCC_n41_Ant 7									
BW (MHz)	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	15.98	16.05	16.15			
100	Pl2 BPSK	1	137	16.00	16.07	16.01	17.2	0.0	
100	Pl2 BPSK	1	271	15.99	16.14	16.06			
100	Pl2 BPSK	135	0	16.04	16.08	16.11	17.2	0.0	
100	Pl2 BPSK	135	69	16.00	16.19	16.03	17.2	0.0	
100	Pl2 BPSK	135	138	16.06	16.14	16.09			
100	Pl2 BPSK	270	0	16.00	16.11	16.13	17.2	0.0	
100	QPSK	1	1	16.12	16.20	16.16			
100	QPSK	1	137	16.00	16.18	16.14	17.2	0.0	
100	QPSK	1	271	16.02	16.10	16.11			
100	QPSK	135	0	16.06	16.14	16.02			
100	QPSK	135	69	16.10	16.16	16.06	17.2	0.0	
100	QPSK	135	138	15.99	16.15	16.07			
100	QPSK	270	0	16.08	16.17	16.02	17.2	0.0	
100	16QAM	1	1	15.98	16.15	16.04	17.2	0.0	
100	64QAM	1	1	16.06	16.07	16.01	17.2	0.0	
100	256QAM	1	1	16.10	16.05	16.11	17.2	0.0	
Channel									
Frequency (MHz)									
90	QPSK	1	1	16.06	16.08	16.03	17.2	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	16.06	16.10	16.14	17.2	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	16.07	16.16	16.04	17.2	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	16.07	16.19	16.05	17.2	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	16.05	16.13	16.07	17.2	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	16.07	16.14	16.15	17.2	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	16.09	16.12	16.04	17.2	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	16.08	16.07	16.13	17.2	0.0	

FCC_n41(HPUE)_Ant 7									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	15.98	16.05	16.15			
100	Pl2 BPSK	1	137	16.00	16.07	16.01	17.2	0.0	
100	Pl2 BPSK	1	271	15.99	16.14	16.06			
100	Pl2 BPSK	135	0	16.04	16.08	16.11	17.2	0.0	
100	Pl2 BPSK	135	69	16.00	16.19	16.03	17.2	0.0	
100	Pl2 BPSK	135	138	16.06	16.14	16.09			
100	Pl2 BPSK	270	0	16.00	16.11	16.13	17.2	0.0	
100	QPSK	1	1	16.12	16.20	16.16			
100	QPSK	1	137	16.00	16.18	16.14	17.2	0.0	
100	QPSK	1	271	16.02	16.10	16.09			
100	QPSK	135	0	16.06	16.14	16.02			
100	QPSK	135	69	16.10	16.16	16.06	17.2	0.0	
100	QPSK	135	138	15.99	16.15	16.07			
100	QPSK	270	0	16.08	16.17	16.02	17.2	0.0	
100	16QAM	1	1	15.98	16.15	16.04	17.2	0.0	
100	64QAM	1	1	16.06	16.07	16.01	17.2	0.0	
100	256QAM	1	1	16.10	16.05	16.11	17.2	0.0	
Channel									
Frequency (MHz)									
90	QPSK	1	1	16.06	16.08	16.03	17.2	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	16.06	16.10	16.14	17.2	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	16.07	16.16	16.04	17.2	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	16.07	16.19	16.05	17.2	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	16.05	16.13	16.07	17.2	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	16.07	16.14	16.15	17.2	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	16.09	16.12	16.04	17.2	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	16.08	16.07	16.13	17.2	0.0	

Part27Q_n77_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332	3499.98				
Frequency (MHz)				16.41					
100	Pl2 BPSK	1	1	16.41			17.2	0.0	
100	Pl2 BPSK	1	137	16.32					
100	Pl2 BPSK	1	271	16.39					
100	Pl2 BPSK	135	0	16.44			17.2	0.0	
100	Pl2 BPSK	135	69	16.40			17.2	0.0	
100	Pl2 BPSK	135	138	16.31			17.2	0.0	
100	Pl2 BPSK	270	0	16.42					
100	QPSK	1	1	16.45					
100	QPSK	1	137	16.42			17.2	0.0	
100	QPSK	1	271	16.35					
100	QPSK	135	0	16.32					
100	QPSK	135	69	16.42			17.2	0.0	
100	QPSK	135	138	16.40					
100	QPSK	270	0	16.37			17.2	0.0	
100	16QAM	1	1	16.40			17.2	0.0	
100	64QAM	1	1	16.41			17.2	0.0	
100	256QAM	1	1	16.35			17.2	0.0	
Channel				633000	633332	633668	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3495	3499.98	3504.98	(dB)		
80	QPSK	1	1	16.31	16.29	16.31	17.2	0.0	
Channel				632668	633332	634000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3496.02	3499.98	3510	(dB)		
80	QPSK	1	1	16.26	16.24	16.30	17.2	0.0	
Channel				632334	633332	634332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3485.01	3499.98	3514.98	(dB)		
70	QPSK	1	1	16.30	16.33	16.27	17.2	0.0	
Channel				632000	633332	634668	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3480	3499.98	3518.98	(dB)		
60	QPSK	1	1	16.33	16.24	16.30	17.2	0.0	
Channel				631668	633332	635000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3475.02	3499.98	3525	(dB)		
50	QPSK	1	1	16.21	16.34	16.26	17.2	0.0	
Channel				631334	633332	635332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3470.01	3499.98	3529.98	(dB)		
40	QPSK	1	1	16.19	16.34	16.32	17.2	0.0	
Channel				631000	633332	635668	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3465	3499.98	3534.98	(dB)		
30	QPSK	1	1	16.24	16.21	16.23	17.2	0.0	
Channel				630668	633332	636000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3460.02	3499.98	3540	(dB)		
20	QPSK	1	1	16.23	16.24	16.32	17.2	0.0	

Part27Q_n77_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000	650000	650000			
Frequency (MHz)				3750	3840	3930			
100	Pl2 BPSK	1	1	16.01	16.18	16.06			
100	Pl2 BPSK	1	137	16.14	16.19	16.15	17.2	0.0	
100	Pl2 BPSK	1	271	16.14	16.14	16.16			
100	Pl2 BPSK	135	0	16.07	16.16	16.03	17.2	0.0	
100	Pl2 BPSK	135	69	16.12	16.12	16.04	17.2	0.0	
100	Pl2 BPSK	135	138	16.11	16.17	16.09	17.2	0.0	
100	Pl2 BPSK	270	0	16.07	16.17	16.14			
100	QPSK	1	1	16.15	16.22	16.18			
100	QPSK	1	137	16.04	16.20	16.14	17.2	0.0	
100	QPSK	1	271	16.13	16.11	16.06			
100	QPSK	135	0	16.04	16.17	16.12			
100	QPSK	135	69	16.08	16.20	16.15	17.2	0.0	
100	QPSK	135	138	16.05	16.18	16.07			
100	QPSK	270	0	16.03	16.18	16.11	17.2	0.0	
100	16QAM	1	1	16.01	16.18	16.05	17.2	0.0	
100	64QAM	1	1	16.06	16.08	16.17	17.2	0.0	
100	256QAM	1	1	16.07	16.13	16.07	17.2	0.0	
Channel				649668	650000	650332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3742.02	3740	3741.98	(dB)		
90	QPSK	1	1	16.08	16.18	16.17	17.2	0.0	
Channel				649334	650000	650668	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3740.01	3840	3939.98	(dB)		
80	QPSK	1	1	16.07	16.18	16.14	17.2	0.0	
Channel				649000	650000	651000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3735	3840	3945	(dB)		
70	QPSK	1	1	16.00	16.09	16.04	17.2	0.0	
Channel				648668	650000	651332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3732.02	3840	3948.98	(dB)		
60	QPSK	1	1	16.03	16.13	16.17	17.2	0.0	
Channel				648334	650000	651668	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3725.01	3840	3954.98	(dB)		
50	QPSK	1	1	16.01	16.11	16.04	17.2	0.0	
Channel				648000	650000	652000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3720	3840	3960	(dB)		
40	QPSK	1	1	16.10	16.16	16.17	17.2	0.0	
Channel				647668	650000	652332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3715.02	3840	3964.98	(dB)		
30	QPSK	1	1	16.05	16.07	16.08	17.2	0.0	
Channel				647334	650000	652668	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3710.01	3840	3969.98	(dB)		
20	QPSK	1	1	16.02	16.13	16.08	17.2	0.0	

Part27Q_n77_Ant 8									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332	3499.98				
Frequency (MHz)				16.38					
100	Pl2 BPSK	1	1	16.38			18.2	0.0	
100	Pl2 BPSK	1	137	16.46					
100	Pl2 BPSK	1	271	16.39					
100	Pl2 BPSK	135	0	16.50			18.2	0.0	
100	Pl2 BPSK	135	69	16.53			18.2	0.0	
100	Pl2 BPSK	135	138	16.46			18.2	0.0	
100	Pl2 BPSK	270	0	16.45					
100	QPSK	1	1	16.54					
100	QPSK	1	137	16.48			18.2	0.0	
100	QPSK	1	271	16.45					
100	QPSK	135	0	16.50					
100	QPSK	135	69	16.53			18.2	0.0	
100	QPSK	135	138	16.51					
100	QPSK	270	0	16.49			18.2	0.0	
100	16QAM	1	1	16.50			18.2	0.0	
100	64QAM	1	1	16.47			18.2	0.0	
100	256QAM	1	1	16.50			18.2	0.0	
Channel				633000	633332	633668	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3495	3499.98	3504.98			
80	QPSK	1	1	16.39	16.38	16.43	18.2	0.0	
Channel				632668	633332	634000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3496.02	3499.98	3510			
80	QPSK	1	1	16.43	16.32	16.37	18.2	0.0	
Channel				632334	633332	634332	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3485.01	3499.98	3514.98			
70	QPSK	1	1	16.37	16.37	16.38	18.2	0.0	
Channel				632000	633332	634668	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3480	3499.98	3518.98			
60	QPSK	1	1	16.35	16.38	16.35	18.2	0.0	
Channel				631668	633332	635000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3475.02	3499.98	3524			
50	QPSK	1	1	16.40	16.29	16.42	18.2	0.0	
Channel				631334	633332	635332	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3470.01	3499.98	3529.98			
40	QPSK	1	1	16.38	16.40	16.44	18.2	0.0	
Channel				631000	633332	635668	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3465	3499.98	3534.98			
30	QPSK	1	1	16.38	16.30	16.35	18.2	0.0	
Channel				630668	633332	636000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3460.02	3499.98	3540			
25	QPSK	1	1	16.32	16.32	16.45	18.2	0.0	

Part270_n77_Ant 8										
BW [MHz]	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Ch. / Freq.	Power Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)				650000	656000	662000				
				3750	3840	3930				
100	Pi2 BPSK	1	1	16.51	16.51	16.45				
100	Pi2 BPSK	1	137	16.51	16.58	16.54	18.2	0.0		
100	Pi2 BPSK	135	0	16.42	16.57	16.40	18.2	0.0		
100	Pi2 BPSK	135	69	16.48	16.61	16.48	18.2	0.0		
100	Pi2 BPSK	135	138	16.42	16.56	16.54	18.2	0.0		
100	Pi2 BPSK	270	0	16.45	16.50	16.52	18.2	0.0		
100	QPSK	1	1	16.57	16.53	16.55				
100	QPSK	1	137	16.46	16.56	16.40	18.2	0.0		
100	QPSK	1	271	16.45	16.53	16.52				
100	QPSK	135	0	16.51	16.59	16.48				
100	QPSK	135	69	16.56	16.62	16.53	18.2	0.0		
100	QPSK	135	138	16.55	16.59	16.51	18.2	0.0		
100	QPSK	270	0	16.56	16.60	16.45	18.2	0.0		
100	16QAM	1	1	16.56	16.54	16.54	18.2	0.0		
100	64QAM	1	1	16.55	16.48	16.45	18.2	0.0		
100	256QAM	1	1	16.56	16.54	16.48	18.2	0.0		
Channel										
Frequency (MHz)				3745.02	3840	3934.98	Tune-up limit (dBm)	MPR (dB)		
90	QPSK	1	1	16.54	16.48	16.52	18.2	0.0		
Channel										
Frequency (MHz)				3740.01	3840	3939.99	Tune-up limit (dBm)	MPR (dB)		
80	QPSK	1	1	16.48	16.61	16.49	18.2	0.0		
Channel										
Frequency (MHz)				648000 <th>650000<th>663000</th><th>Tune-up limit (dBm)</th><th colspan="3">MPR (dB)</th></th>	650000 <th>663000</th> <th>Tune-up limit (dBm)</th> <th colspan="3">MPR (dB)</th>	663000	Tune-up limit (dBm)	MPR (dB)		
70	QPSK	1	1	16.42	16.61	16.40	18.2	0.0		
Channel										
Frequency (MHz)				648668 <th>650000<th>663332</th><th>Tune-up limit (dBm)</th><th colspan="3">MPR (dB)</th></th>	650000 <th>663332</th> <th>Tune-up limit (dBm)</th> <th colspan="3">MPR (dB)</th>	663332	Tune-up limit (dBm)	MPR (dB)		
60	QPSK	1	1	16.49	16.51	16.49	18.2	0.0		
Channel										
Frequency (MHz)				648334 <th>650000<th>663666</th><th>Tune-up limit (dBm)</th><th colspan="3">MPR (dB)</th></th>	650000 <th>663666</th> <th>Tune-up limit (dBm)</th> <th colspan="3">MPR (dB)</th>	663666	Tune-up limit (dBm)	MPR (dB)		
50	QPSK	1	1	16.53	16.54	16.43	18.2	0.0		
Channel										
Frequency (MHz)				648000 <th>650000<th>664000</th><th>Tune-up limit (dBm)</th><th colspan="3">MPR (dB)</th></th>	650000 <th>664000</th> <th>Tune-up limit (dBm)</th> <th colspan="3">MPR (dB)</th>	664000	Tune-up limit (dBm)	MPR (dB)		
40	QPSK	1	1	16.53	16.56	16.45	18.2	0.0		
Channel										
Frequency (MHz)				647668 <th>650000<th>664332</th><th>Tune-up limit (dBm)</th><th colspan="3">MPR (dB)</th></th>	650000 <th>664332</th> <th>Tune-up limit (dBm)</th> <th colspan="3">MPR (dB)</th>	664332	Tune-up limit (dBm)	MPR (dB)		
30	QPSK	1	1	16.56	16.52	16.50	18.2	0.0		
Channel										
Frequency (MHz)				647334 <th>650000<th>664666</th><th>Tune-up limit (dBm)</th><th colspan="3">MPR (dB)</th></th>	650000 <th>664666</th> <th>Tune-up limit (dBm)</th> <th colspan="3">MPR (dB)</th>	664666	Tune-up limit (dBm)	MPR (dB)		
20	QPSK	1	1	16.44	16.58	16.45	18.2	0.0		

Part27Q_n77_Ant 6										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel										
Frequency (MHz)				639000	633332	634998				
100	Pi/2 BPSK	1	1		16.81					
100	Pi/2 BPSK	1	137		16.78		18.2	0.0		
100	Pi/2 BPSK	1	271		16.71					
100	Pi/2 BPSK	135	0		16.78		18.2	0.0		
100	Pi/2 BPSK	135	69		16.74		18.2	0.0		
100	Pi/2 BPSK	135	138		16.73		18.2	0.0		
100	Pi/2 BPSK	270	0		16.77					
100	QPSK	1	1		16.82					
100	QPSK	1	137		16.68		18.2	0.0		
100	QPSK	1	271		16.77					
100	QPSK	135	0		16.69					
100	QPSK	135	69		16.80		18.2	0.0		
100	QPSK	135	138		16.73					
100	QPSK	270	0		16.75		18.2	0.0		
100	16QAM	1	1		16.74		18.2	0.0		
100	64QAM	1	1		16.76		18.2	0.0		
100	256QAM	1	1		16.67		18.2	0.0		
Channel										
Frequency (MHz)				639000	633332	633666	Tune-up limit (dBm)	MPR (dB)		
				3405	3409.98	3504.98				
90	QPSK	1	1	16.67	16.63	16.76	18.2	0.0		
Channel										
Frequency (MHz)				639002	633332	634000	Tune-up limit (dBm)	MPR (dB)		
				3400.02	3409.98	3510				
80	QPSK	1	1	16.65	16.70	16.78	18.2	0.0		
Channel										
Frequency (MHz)				632334	633332	634332	Tune-up limit (dBm)	MPR (dB)		
				3405.01	3409.98	3514.98				
70	QPSK	1	1	16.65	16.75	16.70	18.2	0.0		
Channel										
Frequency (MHz)				632000	633332	634666	Tune-up limit (dBm)	MPR (dB)		
				3400	3409.98	3518.98				
60	QPSK	1	1	16.68	16.63	16.70	18.2	0.0		
Channel										
Frequency (MHz)				631668	633332	635000	Tune-up limit (dBm)	MPR (dB)		
				3475.02	3409.98	3525				
50	QPSK	1	1	16.60	16.65	16.71	18.2	0.0		
Channel										
Frequency (MHz)				631334	633332	635332	Tune-up limit (dBm)	MPR (dB)		
				3470.01	3409.98	3528.98				
40	QPSK	1	1	16.59	16.64	16.79	18.2	0.0		
Channel										
Frequency (MHz)				631000	633332	635666	Tune-up limit (dBm)	MPR (dB)		
				3465	3409.98	3534.98				
30	QPSK	1	1	16.68	16.73	16.77	18.2	0.0		
Channel										
Frequency (MHz)				630668	633332	636000	Tune-up limit (dBm)	MPR (dB)		
				3460.02	3409.98	3540				
20	QPSK	1	1	16.54	16.74	16.66	18.2	0.0		

Part270_n77_Ant 6										
BW [MHz]	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Ch. / Freq.	Power Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				650000	650000	660000				
Frequency (MHz)				3750	3840	3930				
100	Pi/2 BPSK	1	1	16.84	16.81	16.78				
100	Pi/2 BPSK	1	137	16.83	16.77	16.79	18.2	0.0		
100	Pi/2 BPSK	1	271	16.74	16.90	16.76	18.2	0.0		
100	Pi/2 BPSK	135	0	16.74	16.91	16.78	18.2	0.0		
100	Pi/2 BPSK	135	68	16.79	16.87	16.87	18.2	0.0		
100	Pi/2 BPSK	135	138	16.73	16.77	16.82	18.2	0.0		
100	Pi/2 BPSK	270	0	16.72	16.87	16.85	18.2	0.0		
100	QPSK	1	1	16.85	16.82	16.80				
100	QPSK	1	137	16.84	16.84	16.73	18.2	0.0		
100	QPSK	1	271	16.79	16.82	16.81				
100	QPSK	135	0	16.82	16.85	16.80				
100	QPSK	135	68	16.85	16.90	16.91	18.2	0.0		
100	QPSK	135	138	16.86	16.77	16.77				
100	QPSK	270	0	16.81	16.80	16.80	18.2	0.0		
100	16QAM	1	1	16.82	16.82	16.78	18.2	0.0		
100	64QAM	1	1	16.84	16.86	16.86	18.2	0.0		
100	256QAM	1	1	16.70	16.88	16.88	18.2	0.0		
Channel				649608	650000	660332	Tune-up limit (dBm)	MPR (dB)		
100	QPSK	1	1	3745.02	3840	3930.98	18.2	0.0		
Frequency (MHz)				3745.02	3840	3930.98 <td></td> <th colspan="3"></th>				
100	QPSK	1	1	16.77	16.83	16.78	18.2	0.0		
Channel				649500	650000	660500	Tune-up limit (dBm)	MPR (dB)		
100	QPSK	1	1	3740.01	3840	3930.99	18.2	0.0		
Frequency (MHz)				3740.01	3840	3930.99 <td></td> <th colspan="3"></th>				
100	QPSK	1	1	16.78	16.83	16.82	18.2	0.0		
Channel				649500	650000	660300 <th>Tune-up limit (dBm)</th> <th colspan="3">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)		
100	QPSK	1	1	3740.01	3840	3945	18.2	0.0		
Frequency (MHz)				3740.01	3840	3945				
100	QPSK	1	1	16.74	16.91	16.75	18.2	0.0		
Channel				649608	650000	660332	Tune-up limit (dBm)	MPR (dB)		
100	QPSK	1	1	3740.02	3840	3940.98	18.2	0.0		
Frequency (MHz)				3740.02	3840	3940.98				
100	QPSK	1	1	16.73	16.85	16.82	18.2	0.0		
Channel				649334	650000	660366	Tune-up limit (dBm)	MPR (dB)		
50	QPSK	1	1	3725.01	3840	3964.99	18.2	0.0		
Frequency (MHz)				3725.01	3840	3964.99				
50	QPSK	1	1	16.70	16.77	16.72	18.2	0.0		
Channel				648500	650000	660500	Tune-up limit (dBm)	MPR (dB)		
50	QPSK	1	1	3720	3840	3960	18.2	0.0		
Frequency (MHz)				3720 <th>3840<td>3960</td><td></td><th colspan="3"></th></th>	3840 <td>3960</td> <td></td> <th colspan="3"></th>	3960				
30	QPSK	1	1	16.83	16.89	16.81	18.2	0.0		
Channel				647808	650000	660432	Tune-up limit (dBm)	MPR (dB)		
30	QPSK	1	1	3715.02	3840	3954.98	18.2	0.0		
Frequency (MHz)				3715.02 <th>3840<td>3954.98</td><td></td><th colspan="3"></th></th>	3840 <td>3954.98</td> <td></td> <th colspan="3"></th>	3954.98				
30	QPSK	1	1	16.84	16.89	16.85	18.2	0.0		
Channel				647334	650000	660466	Tune-up limit (dBm)	MPR (dB)		
30	QPSK	1	1	3710.01	3840	3950.99	18.2	0.0		
Frequency (MHz)				3710.01 <th>3840<td>3950.99</td><td></td><th colspan="3"></th></th>	3840 <td>3950.99</td> <td></td> <th colspan="3"></th>	3950.99				
20	QPSK	1	1	16.75	16.85	16.79	18.2	0.0		

Part27Q_n77_Ant 0									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332		3499.98			
Frequency (MHz)									
100	Pl2 BPSK	1	1	16.11			17.7	0.0	
100	Pl2 BPSK	1	137	16.08					
100	Pl2 BPSK	1	271	16.15					
100	Pl2 BPSK	135	0	16.12			17.7	0.0	
100	Pl2 BPSK	135	69	16.09			17.7	0.0	
100	Pl2 BPSK	135	138	16.13			17.7	0.0	
100	Pl2 BPSK	270	0	16.06					
100	QPSK	1	1	16.16					
100	QPSK	1	137	16.12			17.7	0.0	
100	QPSK	1	271	16.07					
100	QPSK	135	0	16.10					
100	QPSK	135	69	16.15			17.7	0.0	
100	QPSK	135	138	16.08					
100	QPSK	270	0	16.10					
100	16QAM	1	1	16.06			17.7	0.0	
100	64QAM	1	1	16.08			17.7	0.0	
100	256QAM	1	1	16.08			17.7	0.0	
Channel				633000	633332	633666	Tune-up limit	MPR	
Frequency (MHz)				3495	3499.98	3504.98	(dBm)	(dB)	
80	QPSK	1	1	16.09	16.05	16.05	17.7	0.0	
Channel				632668	633332	634000	Tune-up limit	MPR	
Frequency (MHz)				3496.02	3499.98	3510	(dBm)	(dB)	
80	QPSK	1	1	16.03	16.10	16.13	17.7	0.0	
Channel				632334	633332	634332	Tune-up limit	MPR	
Frequency (MHz)				3485.01	3499.98	3514.98	(dBm)	(dB)	
70	QPSK	1	1	16.06	16.09	16.16	17.7	0.0	
Channel				632000	633332	634666	Tune-up limit	MPR	
Frequency (MHz)				3480	3499.98	3518.98	(dBm)	(dB)	
60	QPSK	1	1	16.07	16.04	16.10	17.7	0.0	
Channel				631668	633332	635000	Tune-up limit	MPR	
Frequency (MHz)				3475.02	3499.98	3525	(dBm)	(dB)	
50	QPSK	1	1	16.09	16.08	16.07	17.7	0.0	
Channel				631334	633332	635332	Tune-up limit	MPR	
Frequency (MHz)				3470.01	3499.98	3529.98	(dBm)	(dB)	
40	QPSK	1	1	16.09	16.06	16.12	17.7	0.0	
Channel				631000	633332	635666	Tune-up limit	MPR	
Frequency (MHz)				3465	3499.98	3534.98	(dBm)	(dB)	
30	QPSK	1	1	16.16	16.00	16.03	17.7	0.0	
Channel				630668	633332	636000	Tune-up limit	MPR	
Frequency (MHz)				3460.02	3499.98	3540	(dBm)	(dB)	
20	QPSK	1	1	16.05	16.06	16.07	17.7	0.0	

Part27Q_n77_Ant 0									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000		3840			
Frequency (MHz)									
100	Pl2 BPSK	1	1	16.14	16.06	16.12	17.7	0.0	
100	Pl2 BPSK	1	137	16.01	16.06	16.02			
100	Pl2 BPSK	1	271	16.06	16.09	16.05			
100	Pl2 BPSK	135	0	16.12	16.00	16.11	17.7	0.0	
100	Pl2 BPSK	135	69	16.12	16.12	16.10	17.7	0.0	
100	Pl2 BPSK	135	138	16.06	16.04	16.13	17.7	0.0	
100	Pl2 BPSK	270	0	16.06	16.01	16.04			
100	QPSK	1	1	16.16	16.20	16.14			
100	QPSK	1	137	16.02	16.04	16.02	17.7	0.0	
100	QPSK	1	271	16.07	16.07	16.09			
100	QPSK	135	0	16.09	16.00	16.11			
100	QPSK	135	69	16.12	16.17	16.13	17.7	0.0	
100	QPSK	135	138	16.11	16.01	16.07			
100	QPSK	270	0	16.01	16.13	16.09			
100	16QAM	1	1	16.03	16.11	16.06	17.7	0.0	
100	64QAM	1	1	16.01	16.07	16.04	17.7	0.0	
100	256QAM	1	1	16.01	16.01	16.08	17.7	0.0	
Channel				649668	650000	650332	Tune-up limit	MPR	
Frequency (MHz)				3742.02	3740	3743.98	(dBm)	(dB)	
80	QPSK	1	1	16.12	16.05	16.11	17.7	0.0	
Channel				648334	650000	650666	Tune-up limit	MPR	
Frequency (MHz)				3740.01	3840	3939.98	(dBm)	(dB)	
80	QPSK	1	1	16.15	16.05	15.99	17.7	0.0	
Channel				648000	650000	652000	Tune-up limit	MPR	
Frequency (MHz)				3735	3840	3945	(dBm)	(dB)	
70	QPSK	1	1	16.06	15.98	16.01	17.7	0.0	
Channel				648668	650000	653332	Tune-up limit	MPR	
Frequency (MHz)				3725.01	3840	3954.98	(dBm)	(dB)	
60	QPSK	1	1	16.07	16.06	16.06	17.7	0.0	
Channel				648000	650000	656000	Tune-up limit	MPR	
Frequency (MHz)				3720	3840	3960	(dBm)	(dB)	
40	QPSK	1	1	16.01	16.02	16.10	17.7	0.0	
Channel				647668	650000	656332	Tune-up limit	MPR	
Frequency (MHz)				3715.02	3840	3964.98	(dBm)	(dB)	
30	QPSK	1	1	16.07	16.02	16.06	17.7	0.0	
Channel				647334	650000	656666	Tune-up limit	MPR	
Frequency (MHz)				3710.01	3840	3969.98	(dBm)	(dB)	
20	QPSK	1	1	16.02	16.10	16.13	17.7	0.0	

Part27Q_n78_Ant 9									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mid Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332		3499.98			
Frequency (MHz)									
100	Pl2 BPSK	1	1	17.06			18.2	0.0	
100	Pl2 BPSK	1	137	17.11					
100	Pl2 BPSK	1	271	17.07					
100	Pl2 BPSK	135	0	17.03			18.2	0.0	
100	Pl2 BPSK	135	69	17.06			18.2	0.0	
100	Pl2 BPSK	135	138	17.12			18.2	0.0	
100	Pl2 BPSK	270	0	17.07					
100	QPSK	1	1	17.13					
100	QPSK	1	137	17.05			18.2	0.0	
100	QPSK	1	271	17.01					
100	QPSK	135	0	17.00					
100	QPSK	135	69	17.06			18.2	0.0	
100	QPSK	135	138	17.02					
100	QPSK	270	0	17.02					
100	16QAM	1	1	17.14			18.2	0.0	
100	64QAM	1	1	17.14			18.2	0.0	
100	256QAM	1	1	17.07			18.2	0.0	
Channel				633000	633332	633666	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3495	3499.98	3504.98			
80	QPSK	1	1	17.00	16.91	16.97	18.2	0.0	
Channel				632668	633332	634000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3490.02	3499.98	3510			
80	QPSK	1	1	16.96	16.95	17.00	18.2	0.0	
Channel				632334	633332	634332	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3485.01	3499.98	3514.98			
70	QPSK	1	1	16.94	17.01	17.08	18.2	0.0	
Channel				632000	633332	634666	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3480	3499.98	3518.98			
60	QPSK	1	1	16.98	16.95	17.04	18.2	0.0	
Channel				631668	633332	635000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3475.02	3499.98	3525			
50	QPSK	1	1	16.97	17.02	17.00	18.2	0.0	
Channel				631334	633332	635332	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3470.01	3499.98	3529.98			
40	QPSK	1	1	17.06	16.93	17.05	18.2	0.0	
Channel				631000	633332	635666	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3465	3499.98	3534.98			
30	QPSK	1	1	16.93	17.00	16.97	18.2	0.0	
Channel				630666	633332	636000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3460.02	3499.98	3540			
25	QPSK	1	1	16.92	16.98	17.00	18.2	0.0	

Part270_n78_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	17.40	66500				
100	Pl2 BPSK	1	137	17.51			18.2	0.0	
100	Pl2 BPSK	1	271	17.51					
100	Pl2 BPSK	135	0	17.48			18.2	0.0	
100	Pl2 BPSK	135	69	17.53			18.2	0.0	
100	Pl2 BPSK	135	138	17.48			18.2	0.0	
100	Pl2 BPSK	270	0	17.47					
100	QPSK	1	1	17.55			18.2	0.0	
100	QPSK	1	137	17.41					
100	QPSK	1	271	17.45					
100	QPSK	135	0	17.47					
100	QPSK	135	69	17.53			18.2	0.0	
100	QPSK	135	138	17.51					
100	QPSK	270	0	17.49			18.2	0.0	
100	16QAM	1	1	17.50			18.2	0.0	
100	4QAM	1	1	17.47			18.2	0.0	
100	256QAM	1	1	17.49			18.2	0.0	
Channel									
Frequency (MHz)									
				648968	65000	650332	Tune-up limit (dBm)	MPR (dB)	
				3745.02	3750	3754.98			
80	QPSK	1	1	17.45	17.40	17.43	18.2	0.0	
Channel									
Frequency (MHz)									
				569334	55000	550668	Tune-up limit (dBm)	MPR (dB)	
				3740.01	3750	3759.99			
80	QPSK	1	1	17.45	17.48	17.44	18.2	0.0	
Channel									
Frequency (MHz)									
				665000	66000	651000	Tune-up limit (dBm)	MPR (dB)	
				3735	3750	3765			
70	QPSK	1	1	17.41	17.44	17.43	18.2	0.0	
Channel									
Frequency (MHz)									
				648968	65000	651332	Tune-up limit (dBm)	MPR (dB)	
				3730.01	3750	3769.99			
60	QPSK	1	1	17.54	17.41	17.51	18.2	0.0	
Channel									
Frequency (MHz)									
				648334	65000	651668	Tune-up limit (dBm)	MPR (dB)	
				3725.01	3750	3774.99			
50	QPSK	1	1	17.45	17.47	17.51	18.2	0.0	
Channel									
Frequency (MHz)									
				650000	65000	652000	Tune-up limit (dBm)	MPR (dB)	
				3720	3750	3760			
40	QPSK	1	1	17.40	17.50	17.45	18.2	0.0	
Channel									
Frequency (MHz)									
				657000	65000	652332	Tune-up limit (dBm)	MPR (dB)	
				3715.02	3750	3784.98			
30	QPSK	1	1	17.51	17.54	17.47	18.2	0.0	
Channel									
Frequency (MHz)									
				647334	65000	652668	Tune-up limit (dBm)	MPR (dB)	
				3702.01	3750	3789.99			
20	QPSK	1	1	17.51	17.45	17.53	18.2	0.0	

Part27Q_n78(HPUE)_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
633332									
100	Pl2 BPSK	1	1	17.06				18.2	0.0
100	Pl2 BPSK	1	137	17.11					
100	Pl2 BPSK	1	271	17.07				18.2	0.0
100	Pl2 BPSK	135	0	17.03					
100	Pl2 BPSK	135	69	17.06				18.2	0.0
100	Pl2 BPSK	135	138	17.12				18.2	0.0
100	Pl2 BPSK	270	0	17.07				18.2	0.0
100	QPSK	1	1	17.13					
100	QPSK	1	137	17.05				18.2	0.0
100	QPSK	1	271	17.01				18.2	0.0
100	QPSK	135	0	17.00					
100	QPSK	135	69	17.06				18.2	0.0
100	QPSK	135	138	17.02					
100	QPSK	270	0	17.02				18.2	0.0
100	16QAM	1	1	17.12				18.2	0.0
100	16QAM	1	1	17.04				18.2	0.0
100	256QAM	1	1	17.07				18.2	0.0
Channel									
Frequency (MHz)									
633000									
3469.98									
80	QPSK	1	1	17.00	16.91	16.97		18.2	0.0
Channel									
Frequency (MHz)									
632668									
3469.98									
80	QPSK	1	1	16.96	16.95	17.00		18.2	0.0
Channel									
Frequency (MHz)									
63485.01									
70	QPSK	1	1	16.94	17.01	17.06		18.2	0.0
Channel									
Frequency (MHz)									
632000									
3469.98									
60	QPSK	1	1	16.98	16.95	17.04		18.2	0.0
Channel									
Frequency (MHz)									
631668									
3469.98									
50	QPSK	1	1	16.97	17.02	17.00		18.2	0.0
Channel									
Frequency (MHz)									
631334									
3469.98									
40	QPSK	1	1	17.06	16.93	17.05		18.2	0.0
Channel									
Frequency (MHz)									
631000									
3469.98									
30	QPSK	1	1	16.93	17.00	16.97		18.2	0.0
Channel									
Frequency (MHz)									
630668									
3469.98									
20	QPSK	1	1	16.92	16.98	17.05		18.2	0.0

Part270_n78(HPUE)_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	17.40				18.2	0.0
100	Pl2 BPSK	1	137	17.51					
100	Pl2 BPSK	1	271	17.51				18.2	0.0
100	Pl2 BPSK	135	0	17.48					
100	Pl2 BPSK	135	69	17.53				18.2	0.0
100	Pl2 BPSK	135	138	17.46				18.2	0.0
100	Pl2 BPSK	270	0	17.47				18.2	0.0
100	QPSK	1	1	17.55					
100	QPSK	1	137	17.41				18.2	0.0
100	QPSK	1	271	17.45				18.2	0.0
100	QPSK	135	0	17.47					
100	QPSK	135	69	17.53				18.2	0.0
100	QPSK	135	138	17.51					
100	QPSK	270	0	17.45				18.2	0.0
100	IQAM	1	1	17.50				18.2	0.0
100	IQAM	1	1	17.47				18.2	0.0
100	ZSSOAM	1	1	17.48				18.2	0.0
Channel									
				649668	650000	650332	(Tune-up limit)	MPR (dB)	
				3765.02	3750	3754.98	(Tune-up limit)	MPR (dB)	
90	QPSK	1	1	17.43	17.40	17.43	18.2	0.0	0.0
Channel									
				645334	650000	650566	(Tune-up limit)	MPR (dB)	
				3740.01	3750	3769.99	(Tune-up limit)	MPR (dB)	
80	QPSK	1	1	17.45	17.48	17.44	18.2	0.0	0.0
Channel									
				640000	650000	660000	(Tune-up limit)	MPR (dB)	
				3735	3750	3765	(Tune-up limit)	MPR (dB)	
70	QPSK	1	1	17.41	17.44	17.43	18.2	0.0	0.0
Channel									
				646668	650000	651332	(Tune-up limit)	MPR (dB)	
				3740.02	3750	3769.98	(Tune-up limit)	MPR (dB)	
60	QPSK	1	1	17.54	17.41	17.51	18.2	0.0	0.0
Channel									
				648334	650000	651666	(Tune-up limit)	MPR (dB)	
				3725.01	3750	3774.99	(Tune-up limit)	MPR (dB)	
50	QPSK	1	1	17.45	17.40	17.47	18.2	0.0	0.0
Channel									
				648000	650000	652000	(Tune-up limit)	MPR (dB)	
				3720	3750	3780	(Tune-up limit)	MPR (dB)	
40	QPSK	1	1	17.40	17.50	17.45	18.2	0.0	0.0
Channel									
				645000	650000	652500	(Tune-up limit)	MPR (dB)	
				3715.02	3750	3784.98	(Tune-up limit)	MPR (dB)	
30	QPSK	1	1	17.51	17.54	17.47	18.2	0.0	0.0
Channel									
				647334	650000	652666	(Tune-up limit)	MPR (dB)	
				3710.01	3750	3789.99	(Tune-up limit)	MPR (dB)	
20	QPSK	1	1	17.51	17.49	17.53	18.2	0.0	0.0

Part27Q_n78_Ant 8									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332		3499.98			
Frequency (MHz)									
100	Pl2 BPSK	1	1	16.87			18.7	0.0	
100	Pl2 BPSK	1	137	16.92					
100	Pl2 BPSK	1	271	16.95					
100	Pl2 BPSK	135	0	16.95			18.7	0.0	
100	Pl2 BPSK	135	69	16.94			18.7	0.0	
100	Pl2 BPSK	135	138	16.96			18.7	0.0	
100	Pl2 BPSK	270	0	16.86					
100	QPSK	1	1	17.00					
100	QPSK	1	137	16.87			18.7	0.0	
100	QPSK	1	271	16.88					
100	QPSK	135	0	16.89					
100	QPSK	135	69	16.98			18.7	0.0	
100	QPSK	135	138	16.96					
100	QPSK	270	0	16.95					
100	16QAM	1	1	16.97			18.7	0.0	
100	64QAM	1	1	16.95			18.7	0.0	
100	256QAM	1	1	16.93			18.7	0.0	
Channel				633000	633332	633666	Tune-up limit	MPR	
Frequency (MHz)				3495	3499.98	3504.98	(dBm)	(dB)	
80	QPSK	1	1	16.89	16.97	16.93	18.7	0.0	
Channel				632668	633332	634000	Tune-up limit	MPR	
Frequency (MHz)				3496.02	3499.98	3503.98	(dBm)	(dB)	
80	QPSK	1	1	16.93	16.98	16.89	18.7	0.0	
Channel				632334	633332	634332	Tune-up limit	MPR	
Frequency (MHz)				3485.01	3499.98	3514.98	(dBm)	(dB)	
70	QPSK	1	1	16.93	16.89	16.96	18.7	0.0	
Channel				632000	633332	634666	Tune-up limit	MPR	
Frequency (MHz)				3480	3499.98	3518.98	(dBm)	(dB)	
60	QPSK	1	1	16.87	16.99	16.99	18.7	0.0	
Channel				631668	633332	635000	Tune-up limit	MPR	
Frequency (MHz)				3475.02	3499.98	3525	(dBm)	(dB)	
50	QPSK	1	1	16.87	16.94	16.95	18.7	0.0	
Channel				631334	633332	635332	Tune-up limit	MPR	
Frequency (MHz)				3470.01	3499.98	3529.98	(dBm)	(dB)	
40	QPSK	1	1	16.90	16.97	16.87	18.7	0.0	
Channel				631000	633332	635666	Tune-up limit	MPR	
Frequency (MHz)				3465	3499.98	3534.98	(dBm)	(dB)	
30	QPSK	1	1	16.88	16.99	16.94	18.7	0.0	
Channel				630668	633332	636000	Tune-up limit	MPR	
Frequency (MHz)				3460.02	3499.98	3540	(dBm)	(dB)	
20	QPSK	1	1	16.95	16.95	16.95	18.7	0.0	

Part27O_n78_Ant 8									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				649968		3750			
Frequency (MHz)									
100	Pl2 BPSK	1	1	17.21			18.7	0.0	
100	Pl2 BPSK	1	137	17.19					
100	Pl2 BPSK	1	271	17.24					
100	Pl2 BPSK	135	0	17.27			18.7	0.0	
100	Pl2 BPSK	135	69	17.23			18.7	0.0	
100	Pl2 BPSK	135	138	17.31			18.7	0.0	
100	Pl2 BPSK	270	0	17.26					
100	QPSK	1	1	17.33					
100	QPSK	1	137	17.22			18.7	0.0	
100	QPSK	1	271	17.29					
100	QPSK	135	0	17.29					
100	QPSK	135	69	17.31			18.7	0.0	
100	QPSK	135	138	17.25					
100	QPSK	270	0	17.27					
100	16QAM	1	1	17.26			18.7	0.0	
100	64QAM	1	1	17.27			18.7	0.0	
100	256QAM	1	1	17.30			18.7	0.0	
Channel				649668	650000	650332	Tune-up limit	MPR	
Frequency (MHz)				3742.02	3750	3757.98	(dBm)	(dB)	
80	QPSK	1	1	17.28	17.23	17.21	18.7	0.0	
Channel				648334	650000	650666	Tune-up limit	MPR	
Frequency (MHz)				3740.01	3750	3759.98	(dBm)	(dB)	
80	QPSK	1	1	17.22	17.31	17.20	18.7	0.0	
Channel				648000	650000	651000	Tune-up limit	MPR	
Frequency (MHz)				3735	3750	3765	(dBm)	(dB)	
70	QPSK	1	1	17.30	17.25	17.18	18.7	0.0	
Channel				648668	650000	651332	Tune-up limit	MPR	
Frequency (MHz)				3725.01	3750	3774.98	(dBm)	(dB)	
60	QPSK	1	1	17.21	17.21	17.29	18.7	0.0	
Channel				648334	650000	651666	Tune-up limit	MPR	
Frequency (MHz)				3720	3750	3780	(dBm)	(dB)	
50	QPSK	1	1	17.30	17.19	17.26	18.7	0.0	
Channel				647668	650000	652332	Tune-up limit	MPR	
Frequency (MHz)				3715.02	3750	3784.98	(dBm)	(dB)	
40	QPSK	1	1	17.30	17.28	17.28	18.7	0.0	
Channel				647334	650000	652666	Tune-up limit	MPR	
Frequency (MHz)				3710.01	3750	3789.98	(dBm)	(dB)	
30	QPSK	1	1	17.15	17.32	17.18	18.7	0.0	

Part27Q_n78(HPUE)_Ant 8									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332		3499.98			
Frequency (MHz)									
100	Pl2 BPSK	1	1	16.87			18.7	0.0	
100	Pl2 BPSK	1	137	16.92					
100	Pl2 BPSK	1	271	16.95					
100	Pl2 BPSK	135	0	16.95			18.7	0.0	
100	Pl2 BPSK	135	69	16.94			18.7	0.0	
100	Pl2 BPSK	135	138	16.96			18.7	0.0	
100	Pl2 BPSK	270	0	16.88					
100	QPSK	1	1	17.00					
100	QPSK	1	137	16.87			18.7	0.0	
100	QPSK	1	271	16.88					
100	QPSK	135	0	16.89					
100	QPSK	135	69	16.98			18.7	0.0	
100	QPSK	135	138	16.96					
100	QPSK	270	0	16.95					
100	16QAM	1	1	16.97			18.7	0.0	
100	64QAM	1	1	16.95			18.7	0.0	
100	256QAM	1	1	16.93			18.7	0.0	
Channel				633000	633332	633666	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3495	3499.98	3504.98			
80	QPSK	1	1	16.89	16.97	16.93	18.7	0.0	
Channel				632668	633332	634000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3496.02	3499.98	3503.98			
80	QPSK	1	1	16.93	16.98	16.89	18.7	0.0	
Channel				632334	633332	634332	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3485.01	3499.98	3514.98			
70	QPSK	1	1	16.93	16.89	16.96	18.7	0.0	
Channel				632000	633332	634666	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3480	3499.98	3518.98			
60	QPSK	1	1	16.87	16.99	16.99	18.7	0.0	
Channel				631668	633332	635000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3475.02	3499.98	3525			
50	QPSK	1	1	16.87	16.94	16.95	18.7	0.0	
Channel				631334	633332	635332	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3470.01	3499.98	3529.98			
40	QPSK	1	1	16.90	16.97	16.87	18.7	0.0	
Channel				631000	633332	635666	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3465	3499.98	3534.98			
30	QPSK	1	1	16.88	16.99	16.94	18.7	0.0	
Channel				630668	633332	636000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3460.00	3499.98	3539.98			
20	QPSK	1	1	16.86	16.85	16.96	18.7	0.0	

Part270_n78(HPUE)_Ant 8									
BW (MHz)	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Mid. Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	17.21					
100	Pl2 BPSK	1	137	17.19			18.7	0.0	
100	Pl2 BPSK	1	271	17.24					
100	Pl2 BPSK	135	0	17.27			18.7	0.0	
100	Pl2 BPSK	135	69	17.23			18.7	0.0	
100	Pl2 BPSK	135	138	17.31			18.7	0.0	
100	Pl2 BPSK	270	0	17.20					
100	QPSK	1	1	17.33					
100	QPSK	1	137	17.22			18.7	0.0	
100	QPSK	1	271	17.29					
100	QPSK	135	0	17.29			18.7	0.0	
100	QPSK	135	69	17.31					
100	QPSK	135	138	17.25					
100	QPSK	270	0	17.27			18.7	0.0	
100	16QAM	1	1	17.20			18.7	0.0	
100	16QAM	1	1	17.27			18.7	0.0	
100	256QAM	1	1	17.30			18.7	0.0	
Channel									
Frequency (MHz)									
649668 650000 650332 Tune-up limit MPR									
3742.02 3750 3754.98 (dBm) (dB)									
80	QPSK	1	1	17.29	17.23	17.21	18.7	0.0	
Channel									
Frequency (MHz)									
648334 650000 650668 Tune-up limit MPR									
3740.01 3750 3759.99 (dBm) (dB)									
80	QPSK	1	1	17.22	17.31	17.20	18.7	0.0	
Channel									
Frequency (MHz)									
648000 650000 651000 Tune-up limit MPR									
3735 3750 3765 (dBm) (dB)									
70	QPSK	1	1	17.30	17.25	17.18	18.7	0.0	
Channel									
Frequency (MHz)									
648668 650000 651332 Tune-up limit MPR									
3725.01 3750 3774.98 (dBm) (dB)									
50	QPSK	1	1	17.19	17.25	17.29	18.7	0.0	
Channel									
Frequency (MHz)									
648334 650000 651668 Tune-up limit MPR									
3725.01 3750 3774.98 (dBm) (dB)									
50	QPSK	1	1	17.21	17.21	17.29	18.7	0.0	
Channel									
Frequency (MHz)									
648000 650000 652000 Tune-up limit MPR									
3720 3750 3780 (dBm) (dB)									
40	QPSK	1	1	17.30	17.19	17.28	18.7	0.0	
Channel									
Frequency (MHz)									
647668 650000 652332 Tune-up limit MPR									
3715.02 3750 3784.98 (dBm) (dB)									
30	QPSK	1	1	17.30	17.28	17.28	18.7	0.0	
Channel									
Frequency (MHz)									
647334 650000 652668 Tune-up limit MPR									
3710.01 3750 3789.99 (dBm) (dB)									
20	QPSK	1	1	17.15	17.32	17.18	18.7	0.0	

Part27Q_n78_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	18.85	633332				
100	Pl2 BPSK	1	137	18.96			19.7	0.0	
100	Pl2 BPSK	1	271	18.98					
100	Pl2 BPSK	135	0	18.92			19.7	0.0	
100	Pl2 BPSK	135	69	18.98			19.7	0.0	
100	Pl2 BPSK	135	138	18.97			19.7	0.0	
100	Pl2 BPSK	270	0	18.89					
100	QPSK	1	1	19.00	633332				
100	QPSK	1	137	18.89			19.7	0.0	
100	QPSK	1	271	18.98					
100	QPSK	135	0	18.91			19.7	0.0	
100	QPSK	135	69	18.96					
100	QPSK	135	138	18.94					
100	QPSK	270	0	18.92			19.7	0.0	
100	16QAM	1	1	18.97			19.7	0.0	
100	16QAM	1	1	18.85			19.7	0.0	
100	256QAM	1	1	18.95			19.7	0.0	
Channel									
Frequency (MHz)									
633000 633332 633668 Tune-up limit MPR									
3495 3499.98 3504.98 (dBm) (dB)									
80	QPSK	1	1	18.97	633332		19.7	0.0	
Channel									
Frequency (MHz)									
632668 633332 634000 Tune-up limit MPR									
3490.02 3499.98 3510 (dBm) (dB)									
80	QPSK	1	1	18.96	633332		19.7	0.0	
Channel									
Frequency (MHz)									
632334 633332 634332 Tune-up limit MPR									
3485.01 3499.98 3514.98 (dBm) (dB)									
70	QPSK	1	1	18.96	633332		19.7	0.0	
Channel									
Frequency (MHz)									
632000 633332 634668 Tune-up limit MPR									
3480 3499.98 3518.98 (dBm) (dB)									
60	QPSK	1	1	18.88	633332		19.7	0.0	
Channel									
Frequency (MHz)									
631668 633332 635000 Tune-up limit MPR									
3475.02 3499.98 3525 (dBm) (dB)									
50	QPSK	1	1	18.89	633332		19.7	0.0	
Channel									
Frequency (MHz)									
631334 633332 635332 Tune-up limit MPR									
3470.01 3499.98 3529.98 (dBm) (dB)									
40	QPSK	1	1	18.97	633332		19.7	0.0	
Channel									
Frequency (MHz)									
631000 633332 635668 Tune-up limit MPR									
3465 3499.98 3534.98 (dBm) (dB)									
30	QPSK	1	1	18.91	633332		19.7	0.0	
Channel									
Frequency (MHz)									
630668 633332 636000 Tune-up limit MPR									
3460.02 3499.98 3540 (dBm) (dB)									
20	QPSK	1	1	18.98	633332		19.7	0.0	

Part270_n78_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power High Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
650000									
100	Pl2 BPSK	1	1	19.16					
100	Pl2 BPSK	1	137	19.17			19.7	0.0	
100	Pl2 BPSK	1	271	19.23					
100	Pl2 BPSK	135	0	19.21			19.7	0.0	
100	Pl2 BPSK	135	69	19.10			19.7	0.0	
100	Pl2 BPSK	135	138	19.21			19.7	0.0	
100	Pl2 BPSK	270	0	19.22					
100	QPSK	1	1	19.25					
100	QPSK	1	137	19.12			19.7	0.0	
100	QPSK	1	271	19.20					
100	QPSK	135	0	19.20					
100	QPSK	135	69	19.23					
100	QPSK	135	138	19.21			19.7	0.0	
100	QPSK	270	0	19.17			19.7	0.0	
100	IQAM	1	1	19.15			19.7	0.0	
100	IQAM	1	1	19.24			19.7	0.0	
100	ZSSBAM	1	1	19.15			19.7	0.0	
Channel									
Frequency (MHz)				649968	650000	650332	Tune-up limit (dBm)	MPR (dB)	
90				3745.02	3750	3754.98	Tune-up limit (dBm)	MPR (dB)	
100	QPSK	1	1	19.09	19.15	19.07	19.7	0.0	
Channel									
Frequency (MHz)				653334	653500	653666	Tune-up limit (dBm)	MPR (dB)	
80				3740.01	3750	3760.99	Tune-up limit (dBm)	MPR (dB)	
100	QPSK	1	1	19.06	19.07	19.15	19.7	0.0	
Channel									
Frequency (MHz)				656000	656000	656000	Tune-up limit (dBm)	MPR (dB)	
70				3735	3750	3765	Tune-up limit (dBm)	MPR (dB)	
100	QPSK	1	1	19.04	19.09	19.09	19.7	0.0	
Channel									
Frequency (MHz)				646666	650000	653332	Tune-up limit (dBm)	MPR (dB)	
90				3740.02	3750	3760.98	Tune-up limit (dBm)	MPR (dB)	
100	QPSK	1	1	19.04	19.05	19.15	19.7	0.0	
Channel									
Frequency (MHz)				648334	650000	651666	Tune-up limit (dBm)	MPR (dB)	
90				3725.01	3750	3774.99	Tune-up limit (dBm)	MPR (dB)	
100	QPSK	1	1	19.04	19.05	19.03	19.7	0.0	
Channel									
Frequency (MHz)				646000	650000	652000	Tune-up limit (dBm)	MPR (dB)	
40				3720	3750	3780	Tune-up limit (dBm)	MPR (dB)	
100	QPSK	1	1	19.10	19.11	19.14	19.7	0.0	
Channel									
Frequency (MHz)				645000	650000	652532	Tune-up limit (dBm)	MPR (dB)	
30				3715.02	3750	3784.98	Tune-up limit (dBm)	MPR (dB)	
100	QPSK	1	1	19.06	19.07	19.05	19.7	0.0	
Channel									
Frequency (MHz)				647334	650000	652666	Tune-up limit (dBm)	MPR (dB)	
20				3710.03	3750	3789.99	Tune-up limit (dBm)	MPR (dB)	
100	QPSK	1	1	19.04	19.10	19.17	19.7	0.0	

Part27Q_n78(HPUE)_Ant 6										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				633332		3499.98				
Frequency (MHz)				3499.98						
100	Pl2 BPSK	1	1	18.85			19.7	0.0		
100	Pl2 BPSK	1	137	18.96						
100	Pl2 BPSK	1	271	18.98			19.7	0.0		
100	Pl2 BPSK	135	0	18.92						
100	Pl2 BPSK	135	69	18.98			19.7	0.0		
100	Pl2 BPSK	135	138	18.97			19.7	0.0		
100	Pl2 BPSK	270	0	18.89						
100	QPSK	1	1	19.00			19.7	0.0		
100	QPSK	1	137	18.89						
100	QPSK	1	271	18.88			19.7	0.0		
100	QPSK	135	0	18.91						
100	QPSK	135	69	18.98			19.7	0.0		
100	QPSK	135	138	18.94						
100	QPSK	270	0	18.92			19.7	0.0		
100	16QAM	1	1	18.97			19.7	0.0		
100	64QAM	1	1	18.95			19.7	0.0		
100	256QAM	1	1	18.95			19.7	0.0		
Channel				633000		633332	633666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3495		3504.98				
80	QPSK	1	1	18.97	18.95	18.92	19.7	0.0		
Channel				632668		633332	633666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3496.02		3499.98				
80	QPSK	1	1	18.98	18.88	18.94	19.7	0.0		
Channel				632334		633000	633332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3485.01		3499.98				
70	QPSK	1	1	18.98	18.88	18.85	19.7	0.0		
Channel				632000		633332	633666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3480		3499.98				
60	QPSK	1	1	18.98	18.92	18.85	19.7	0.0		
Channel				631668		633332	633666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3475.02		3499.98				
50	QPSK	1	1	18.99	18.98	18.90	19.7	0.0		
Channel				631334		633332	633666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3470.01		3499.98				
40	QPSK	1	1	18.97	18.95	18.94	19.7	0.0		
Channel				631000		633332	633666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3465		3499.98				
30	QPSK	1	1	18.91	18.95	18.97	19.7	0.0		
Channel				630668		633332	633666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3460.02		3499.98				
20	QPSK	1	1	18.92	18.93	18.90	19.7	0.0		

Part27Q_n78(HPUE)_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000					
Frequency (MHz)				3750					
100	Pl2 BPSK	1	1	19.16			19.7	0.0	
100	Pl2 BPSK	1	137	19.17					
100	Pl2 BPSK	1	271	19.23			19.7	0.0	
100	Pl2 BPSK	135	0	19.21					
100	Pl2 BPSK	135	69	19.10			19.7	0.0	
100	Pl2 BPSK	135	138	19.21			19.7	0.0	
100	Pl2 BPSK	270	0	19.22					
100	QPSK	1	1	19.25			19.7	0.0	
100	QPSK	1	137	19.12					
100	QPSK	1	271	19.20			19.7	0.0	
100	QPSK	135	0	19.20					
100	QPSK	135	69	19.23			19.7	0.0	
100	QPSK	135	138	19.21					
100	QPSK	270	0	19.17			19.7	0.0	
100	16QAM	1	1	19.15			19.7	0.0	
100	64QAM	1	1	19.24			19.7	0.0	
100	256QAM	1	1	19.15			19.7	0.0	
Channel				649668	650000	650332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3745.02	3750	3754.98	(dBm)	(dB)	
80	QPSK	1	1	19.09	19.10	19.07	19.7	0.0	
Channel				649334	650000	650066	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3740.01	3750	3759.99	(dBm)	(dB)	
80	QPSK	1	1	19.06	19.07	19.15	19.7	0.0	
Channel				649000	650000	651000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3735	3750	3765	(dBm)	(dB)	
70	QPSK	1	1	19.04	19.09	19.09	19.7	0.0	
Channel				648668	650000	651332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3730.02	3750	3768.98	(dBm)	(dB)	
60	QPSK	1	1	19.04	19.05	19.15	19.7	0.0	
Channel				648334	650000	651666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3725.01	3750	3774.99	(dBm)	(dB)	
50	QPSK	1	1	19.04	19.05	19.08	19.7	0.0	
Channel				648000	650000	652000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3720	3750	3780	(dBm)	(dB)	
40	QPSK	1	1	19.10	19.11	19.14	19.7	0.0	
Channel				647668	650000	652332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3715.02	3750	3784.98	(dBm)	(dB)	
30	QPSK	1	1	19.06	19.07	19.05	19.7	0.0	
Channel				647334	650000	652666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3710.01	3750	3786.98	(dBm)	(dB)	
20	QPSK	1	1	19.04	19.10	19.17	19.7	0.0	

Part27Q_n78_Ant 0										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mid Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				633332		3499.98				
Frequency (MHz)				3499.98						
100	Pl2 BPSK	1	1	15.05			16.7	0.0		
100	Pl2 BPSK	1	137	15.08						
100	Pl2 BPSK	1	271	15.05			16.7	0.0		
100	Pl2 BPSK	135	0	15.15						
100	Pl2 BPSK	135	69	15.15			16.7	0.0		
100	Pl2 BPSK	135	138	15.14			16.7	0.0		
100	Pl2 BPSK	270	0	15.15						
100	QPSK	1	1	15.18			16.7	0.0		
100	QPSK	1	137	15.09						
100	QPSK	1	271	15.05			16.7	0.0		
100	QPSK	135	0	15.12						
100	QPSK	135	69	15.15			16.7	0.0		
100	QPSK	135	138	15.05						
100	QPSK	270	0	15.11			16.7	0.0		
100	16QAM	1	1	15.03			16.7	0.0		
100	64QAM	1	1	15.17			16.7	0.0		
100	256QAM	1	1	15.08			16.7	0.0		
Channel				633000		633332	633666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3495		3499.98 3504.98				
90	QPSK	1	1	14.97	15.15	15.04	16.7	0.0		
Channel				632668		633332	634000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3490.02		3499.98 3510				
80	QPSK	1	1	14.92	15.11	15.02	16.7	0.0		
Channel				632334		633000	633666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3485	3499.98	3514.98				
70	QPSK	1	1	15.02	15.07	15.07	16.7	0.0		
Channel				632000		633332	634666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3480	3499.98	3519.98				
60	QPSK	1	1	14.94	15.14	15.07	16.7	0.0		
Channel				631668		633332	635000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3475.02	3499.98	3525				
50	QPSK	1	1	15.01	15.11	15.15	16.7	0.0		
Channel				631334		633332	635332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3470.01	3499.98	3529.98				
40	QPSK	1	1	14.95	15.08	15.05	16.7	0.0		
Channel				631000		633332	635666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3465	3499.98	3534.98				
30	QPSK	1	1	14.93	15.12	15.09	16.7	0.0		
Channel				630668		633332	636000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3460.02	3499.98	3540				
20	QPSK	1	1	15.00	15.08	15.14	16.7	0.0		

n2_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 372000	Power Middle Ch. F Freq. 376000	Power High Ch. F Freq. 380000	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1880	1900			
Frequency (MHz)									
20	Pl2 BPSK	1	1	22.91	22.92	22.91	24.2	0.0	
20	Pl2 BPSK	1	53	22.96	22.93	22.84			
20	Pl2 BPSK	1	104	22.78	22.89	22.83			
20	Pl2 BPSK	50	0	22.31	22.42	22.32	23.7	0.5	
20	Pl2 BPSK	50	28	22.86	22.92	22.87	24.2	0.0	
20	Pl2 BPSK	50	56	22.36	22.38	22.35			
20	Pl2 BPSK	100	0	22.38	22.43	22.32	23.7	0.5	
20	QPSK	1	1	22.87	22.96	22.93			
20	QPSK	1	53	22.77	22.87	22.83	24.2	0.0	
20	QPSK	1	104	22.75	22.86	22.72			
20	QPSK	50	0	22.28	22.40	22.28	23.7	0.5	
20	QPSK	50	28	22.83	22.89	22.85	24.2	0.0	
20	QPSK	50	56	22.33	22.36	22.30			
20	QPSK	100	0	22.34	22.37	22.27	23.7	0.5	
20	16QAM	1	1	22.17	22.18	22.09	23.2	1.0	
20	64QAM	1	1	21.72	21.78	21.67	22.7	1.5	
20	256QAM	1	1	21.24	21.32	21.30	22.2	2.0	
Channel				371500	376000	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1867.5	1880	1902.5			
15	QPSK	1	1	22.83	22.89	22.90	24.2	0.0	
Channel				371000	376000	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1865	1880	1905			
10	QPSK	1	1	22.81	22.84	22.85	24.2	0.0	
Channel				370500	376000	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1862.5	1880	1907.5			
5	QPSK	1	1	22.74	22.87	22.83	24.2	0.0	

Reduced Power Mode for ECI 10									
n2_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 372000	Power Middle Ch. F Freq. 376000	Power High Ch. F Freq. 380000	Tune-up limit (dBm)	MPR (dB)	
Channel				1860	1880	1900			
Frequency (MHz)									
20	Pl2 BPSK	1	1	15.69	15.67	15.56			
20	Pl2 BPSK	1	53	15.59	15.61	15.63	16.8	0.0	
20	Pl2 BPSK	1	104	15.55	15.59	15.57			
20	Pl2 BPSK	50	0	15.58	15.58	15.54	16.6	0.0	
20	Pl2 BPSK	50	28	15.57	15.63	15.61	16.8	0.0	
20	Pl2 BPSK	50	56	15.58	15.69	15.57			
20	Pl2 BPSK	100	0	15.69	15.57	15.57	16.8	0.0	
20	QPSK	1	1	15.70	15.72	15.65			
20	QPSK	1	53	15.65	15.61	15.51	16.8	0.0	
20	QPSK	1	104	15.67	15.60	15.50			
20	QPSK	50	0	15.65	15.64	15.52	16.8	0.0	
20	QPSK	50	28	15.63	15.70	15.62	16.8	0.0	
20	QPSK	50	56	15.63	15.69	15.50			
20	QPSK	100	0	15.66	15.68	15.58	16.8	0.0	
20	16QAM	1	1	15.58	15.69	15.57	16.8	0.0	
20	64QAM	1	1	15.65	15.60	15.62	16.8	0.0	
20	256QAM	1	1	15.68	15.71	15.52	16.8	0.0	
Channel				371500	376000	380500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1867.5	1880	1902.5			
15	QPSK	1	1	15.65	15.66	15.57	16.8	0.0	
Channel				371000	376000	381000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1865	1880	1905			
10	QPSK	1	1	15.63	15.65	15.56	16.8	0.0	
Channel				370500	376000	381500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1862.5	1880	1907.5			
5	QPSK	1	1	15.61	15.60	15.56	16.8	0.0	

n5_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 166800	Power Middle Ch. F Freq. 167500	Power High Ch. F Freq. 167800	Tune-up limit (dBm)	MPR (dB)	
Channel				834	836.5	839			
Frequency (MHz)									
20	Pl2 BPSK	1	1	24.32	24.40	24.25			
20	Pl2 BPSK	1	53	24.31	24.41	24.33	25.7	0.0	
20	Pl2 BPSK	1	104	24.29	24.39	24.36			
20	Pl2 BPSK	50	0	23.95	24.02	23.99	25.2	0.5	
20	Pl2 BPSK	50	28	24.40	24.45	24.48	25.7	0.0	
20	Pl2 BPSK	50	56	23.87	23.95	23.82			
20	Pl2 BPSK	100	0	23.90	24.03	23.90	25.2	0.5	
20	QPSK	1	1	24.44	24.50	24.46			
20	QPSK	1	53	24.32	24.38	24.33	25.7	0.0	
20	QPSK	1	104	24.31	24.33	24.32			
20	QPSK	50	0	23.88	23.98	23.86	25.2	0.5	
20	QPSK	50	28	24.47	24.48	24.35	25.7	0.0	
20	QPSK	50	56	23.87	23.95	23.86			
20	QPSK	100	0	23.81	23.89	23.84	25.2	0.5	
20	16QAM	1	1	23.52	23.62	23.50	24.7	1.0	
20	64QAM	1	1	23.17	23.18	23.05	24.2	1.5	
20	256QAM	1	1	22.66	22.77	22.66	23.7	2.0	
Channel				166300	167500	168300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				831.5	836.5	841.5			
15	QPSK	1	1	24.31	24.36	24.43	25.7	0.0	
Channel				166800	167500	168600	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				839	843.5	844			
10	QPSK	1	1	24.41	24.42	24.32	25.7	0.0	
Channel				166300	167500	168300	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				836.5	836.5	846.5			
5	QPSK	1	1	24.31	24.48	24.45	25.7	0.0	

n5_Ant 0											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 504000	Power Middle Ch. Freq. 507000	Power High Ch. Freq. 510000	Tune-up limit (dBm)	MPR (dB)			
Channel											
Frequency (MHz)											
20	P12 BPSK	1	1	18.96	19.05	18.85	20.3	0.0			
20	P12 BPSK	1	53	18.96	19.05	18.93					
20	P12 BPSK	1	104	18.94	19.01	18.90					
20	P12 BPSK	50	0	18.87	18.99	18.93	20.3	0.0			
20	P12 BPSK	50	28	18.01	19.08	18.90	20.3	0.0			
20	P12 BPSK	50	56	18.97	18.97	18.97	20.3	0.0			
20	P12 BPSK	100	0	18.93	19.09	18.90					
20	QPSK	1	1	19.02	19.10	19.00					
20	QPSK	1	53	18.87	19.03	18.89	20.3	0.0			
20	QPSK	1	104	18.96	19.07	18.88	20.3	0.0			
20	QPSK	50	0	19.00	19.00	18.88					
20	QPSK	50	28	19.01	19.06	19.05					
20	QPSK	50	56	18.90	19.02	18.87	20.3	0.0			
20	QPSK	100	0	19.00	19.03	18.93					
20	16QAM	1	1	19.07	19.08	18.94	20.3	0.0			
20	64QAM	1	1	18.90	19.08	18.91	20.3	0.0			
20	256QAM	1	1	18.90	18.99	18.90	20.3	0.0			
Channel											
Frequency (MHz)											
15	QPSK	1	1	18.90	19.07	18.85	20.3	0.0			
Channel											
Frequency (MHz)											
10	QPSK	1	1	18.93	19.04	18.98	20.3	0.0			
Channel											
Frequency (MHz)											
5	QPSK	1	1	18.87	18.97	18.93	20.3	0.0			

n7_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 504000	Power Middle Ch. Freq. 507000	Power High Ch. Freq. 510000	Tune-up limit (dbm)	MPR (db)	
Channel									
Frequency (MHz)									
40	P12 BPSK	1	1	24.04	24.15	24.00	25.4	0.0	
40	P12 BPSK	1	108	24.04	24.13	24.09			
40	P12 BPSK	1	214	24.10	24.20	24.14			
40	P12 BPSK	108	0	23.60	23.70	23.67	24.9	0.5	
40	P12 BPSK	108	54	24.03	24.08	23.96	25.4	0.0	
40	P12 BPSK	108	108	23.59	23.71	23.69	24.9	0.5	
40	P12 BPSK	216	0	23.54	23.61	23.58	25.4	0.0	
40	QPSK	1	1	24.10	24.22	24.16			
40	QPSK	1	108	24.05	24.14	23.99			
40	QPSK	1	214	24.18	24.20	24.15	24.9	0.5	
40	QPSK	108	0	23.49	23.56	23.53			
40	QPSK	108	54	23.95	24.10	23.97			
40	QPSK	108	108	23.58	23.59	23.48	24.9	0.5	
40	QPSK	216	0	23.49	23.53	23.46	24.4	1.0	
40	16QAM	1	1	23.24	23.28	23.20			
40	64QAM	1	1	22.89	22.90	22.83			
40	256QAM	1	1	22.26	22.39	22.29			
Channel									
Frequency (MHz)									
30	QPSK	1	1	24.17	24.18	24.05	Tune-up limit (dbm)	MPR (db)	
Channel									
Frequency (MHz)									
25	QPSK	1	1	24.17	24.07	24.11	Tune-up limit (dbm)	MPR (db)	
Channel									
Frequency (MHz)									
20	QPSK	1	1	24.06	24.09	24.03	Tune-up limit (dbm)	MPR (db)	
Channel									
Frequency (MHz)									
15	QPSK	1	1	24.05	24.08	24.07	Tune-up limit (dbm)	MPR (db)	
Channel									
Frequency (MHz)									
10	QPSK	1	1	24.17	24.20	24.14	Tune-up limit (dbm)	MPR (db)	
Channel									
Frequency (MHz)									
5	QPSK	1	1	24.17	24.19	24.14	Tune-up limit (dbm)	MPR (db)	

n7_Ant 6											
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. Freq. 504000	Power Middle Ch. Freq. 507000	Power High Ch. Freq. 510000	Tune-up limit (dBm)	MPR (dB)			
Channel											
Frequency (MHz)											
40	P12 BPSK	1	1	14.65	14.74	14.69	15.9	0.0			
40	P12 BPSK	1	108	14.61	14.78	14.64					
40	P12 BPSK	1	214	14.74	14.77	14.65					
40	P12 BPSK	108	0	14.71	14.69	14.62	15.9	0.0			
40	P12 BPSK	108	54	14.74	14.68	14.68	15.9	0.0			
40	P12 BPSK	108	108	14.64	14.77	14.75	15.9	0.0			
40	P12 BPSK	216	0	14.67	14.71	14.68					
40	QPSK	1	1	14.75	14.83	14.77					
40	QPSK	1	108	14.69	14.81	14.65	15.9	0.0			
40	QPSK	1	214	14.61	14.69	14.69	15.9	0.0			
40	QPSK	108	0	14.68	14.81	14.69					
40	QPSK	108	54	14.75	14.82	14.70					
40	QPSK	108	108	14.65	14.74	14.63	15.9	0.0			
40	QPSK	216	0	14.70	14.73	14.67					
40	16QAM	1	1	14.70	14.79	14.66	15.9	0.0			
40	64QAM	1	1	14.63	14.73	14.63	15.9	0.0			
40	256QAM	1	1	14.67	14.75	14.76	15.9	0.0			
Channel											
Frequency (MHz)											
30	QPSK	1	1	14.68	14.70	14.69	15.9	0.0			
Channel											
Frequency (MHz)											
25	QPSK	1	1	14.67	14.77	14.62	15.9	0.0			
Channel											
Frequency (MHz)											
20	QPSK	1	1	14.69	14.73	14.71	15.9	0.0			
Channel											
Frequency (MHz)											
15	QPSK	1	1	14.74	14.76	14.72	15.9	0.0			
Channel											
Frequency (MHz)											
10	QPSK	1	1	14.71	14.81	14.62	15.9	0.0			
Channel											
Frequency (MHz)											
5	QPSK	1	1	14.67	14.72	14.72	15.9	0.0			

n7_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 504000	Power Middle Ch. 1 Freq. 507000	Power High Ch. 1 Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel				2520	2535	2550			
40	PlZ BPSK	1	1	15.32	15.46	15.43			
40	PlZ BPSK	1	108	15.30	15.40	15.37	16.3		
40	PlZ BPSK	1	214	15.42	15.36	15.41			
40	PlZ BPSK	108	0	15.36	15.46	15.42	16.3	0.0	
40	PlZ BPSK	108	54	15.29	15.48	15.42	16.3	0.0	
40	PlZ BPSK	108	108	15.34	15.38	15.33			
40	PlZ BPSK	216	0	15.34	15.48	15.31	16.3	0.0	
40	QPSK	1	1	15.63	15.50	15.46			
40	QPSK	1	108	15.28	15.47	15.36	16.3	0.0	
40	QPSK	1	214	15.42	15.49	15.33			
40	QPSK	108	0	15.29	15.41	15.44	16.3	0.0	
40	QPSK	108	54	15.42	15.47	15.45	16.3	0.0	
40	QPSK	108	108	15.31	15.44	15.41			
40	QPSK	216	0	15.36	15.43	15.37	16.3	0.0	
40	16QAM	1	1	15.31	15.40	15.36	16.3	0.0	
40	64QAM	1	1	15.28	15.44	15.36	16.3	0.0	
40	256QAM	1	1	15.29	15.46	15.33	16.3	0.0	
Channel				504000	507000	510000	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	2515	2535	2555			
30	QPSK	1	1	15.34	15.48	15.32	16.3	0.0	
Channel				502000	507000	511500	Tune-up limit (dBm)	MPR (dB)	
25	QPSK	1	1	2512.5	2535	2537.5			
25	QPSK	1	1	15.34	15.35	15.35	16.3	0.0	
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	15.38	15.41	15.32	16.3	0.0	
Channel				510100	510100	512000	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	2507.5	2535	2502.5			
15	QPSK	1	1	15.38	15.39	15.36	16.3	0.0	
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	15.32	15.46	15.36	16.3	0.0	
Channel				500500	507000	513500	Tune-up limit (dBm)	MPR (dB)	
5	QPSK	1	1	2502.5	2535	2507.5			
5	QPSK	1	1	15.30	15.44	15.31	16.3	0.0	

n7_Ant 7									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 504000	Power Middle Ch. 1 Freq. 507000	Power High Ch. 1 Freq. 510000	Tune-up limit (dBm)	MPR (dB)	
Channel				2520	2535	2550			
40	PlZ BPSK	1	1	14.50	14.62	14.59			
40	PlZ BPSK	1	108	14.53	14.62	14.57	15.9		
40	PlZ BPSK	1	214	14.56	14.56	14.57			
40	PlZ BPSK	108	0	14.49	14.57	14.60	15.9	0.0	
40	PlZ BPSK	108	54	14.48	14.60	14.50	15.9	0.0	
40	PlZ BPSK	108	108	14.55	14.64	14.56			
40	PlZ BPSK	216	0	14.57	14.64	14.57	15.9	0.0	
40	QPSK	1	1	14.53	14.66	14.63			
40	QPSK	1	108	14.49	14.58	14.59	15.9	0.0	
40	QPSK	1	214	14.46	14.62	14.60			
40	QPSK	108	0	14.43	14.53	14.56	15.9	0.0	
40	QPSK	108	54	14.55	14.63	14.60	15.9	0.0	
40	QPSK	108	108	14.52	14.60	14.57			
40	QPSK	216	0	14.52	14.60	14.57	15.9	0.0	
40	16QAM	1	1	14.55	14.52	14.57	15.9	0.0	
40	64QAM	1	1	14.56	14.57	14.58	15.9	0.0	
40	256QAM	1	1	14.47	14.63	14.50	15.9	0.0	
Channel				504000	507000	510000	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	14.43	14.64	14.50	15.9	0.0	
Channel				502000	507000	511500	Tune-up limit (dBm)	MPR (dB)	
25	QPSK	1	1	14.50	14.55	14.52	15.9	0.0	
Channel				502000	507000	512000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	14.56	14.57	14.51	15.9	0.0	
Channel				510100	510100	512000	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	2507.5	2535	2502.5			
15	QPSK	1	1	14.48	14.51	14.51	15.9	0.0	
Channel				501000	507000	513000	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	14.54	14.65	14.51	15.9	0.0	
Channel				500500	507000	513500	Tune-up limit (dBm)	MPR (dB)	
5	QPSK	1	1	14.54	14.57	14.56	15.9	0.0	

n12_Ant 1									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 141300	Power Middle Ch. 1 Freq. 141500	Power High Ch. 1 Freq. 141700	Tune-up limit (dBm)	MPR (dB)	
Channel				706.5	707.5	708.5			
15	PlZ BPSK	1	1	22.46	22.58	22.45			
15	PlZ BPSK	1	40	22.60	22.66	22.56	24.2		
15	PlZ BPSK	1	77	22.62	22.69	22.59			
15	PlZ BPSK	36	0	22.15	22.26	22.25	23.7	0.5	
15	PlZ BPSK	36	22	22.64	22.74	22.71	24.2	0.0	
15	PlZ BPSK	36	43	22.19	22.25	22.16			
15	PlZ BPSK	75	0	22.20	22.26	22.19	23.7	0.5	
15	QPSK	1	1	22.58	22.77	22.75			
15	QPSK	1	40	22.62	22.66	22.62	24.2	0.0	
15	QPSK	1	77	22.60	22.69	22.57			
15	QPSK	36	0	22.19	22.27	22.18	23.7	0.5	
15	QPSK	36	22	22.74	22.75	22.72	24.2	0.0	
15	QPSK	36	43	22.22	22.25	22.23			
15	QPSK	75	0	22.20	22.26	22.16	23.7	0.5	
15	16QAM	1	1	21.84	21.90	21.84	23.2	1.0	
15	64QAM	1	1	21.35	21.45	21.35	22.7	1.5	
15	256QAM	1	1	21.05	21.17	21.11	22.2	2.0	
Channel				140300	141500	142700	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	704	707.5	711			
Channel				140300	141500	142700	Tune-up limit (dBm)	MPR (dB)	
5	QPSK	1	1	22.53	22.67	22.62	24.2	0.0	

n12_Ant 0									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 141300	Power Middle Ch. F Freq. 141500	Power High Ch. F Freq. 141700	Tune-up limit (dBm)	MPR (dB)	
Channel				706.5	707.5	706.5			
Frequency (MHz)				17.01	17.06	17.00			
15	Pl2 BPSK	1	1	17.01	17.06	17.00	18.8	0.0	
15	Pl2 BPSK	1	40	17.04	17.00	17.07			
15	Pl2 BPSK	1	77	17.04	16.98	17.06			
15	Pl2 BPSK	36	0	17.01	17.09	17.00	18.8	0.0	
15	Pl2 BPSK	36	22	17.04	16.99	17.02	18.8	0.0	
15	Pl2 BPSK	36	43	16.91	16.97	16.97	18.8	0.0	
15	Pl2 BPSK	75	0	16.96	17.07	17.06			
15	QPSK	1	1	17.05	17.12	17.08			
15	QPSK	1	40	17.01	17.11	17.04	18.8	0.0	
15	QPSK	1	77	17.04	16.97	16.95			
15	QPSK	36	0	16.94	17.06	17.02	18.8	0.0	
15	QPSK	36	22	17.03	17.08	17.05	18.8	0.0	
15	QPSK	36	43	17.01	17.03	17.00	18.8	0.0	
15	QPSK	75	0	17.00	17.01	16.93			
15	16QAM	1	1	16.97	16.97	17.00	18.8	0.0	
15	64QAM	1	1	16.93	17.05	17.03	18.8	0.0	
15	256QAM	1	1	16.94	17.09	17.07	18.8	0.0	
Channel				140300	141500	142700	Tune-up limit	MPR	
Frequency (MHz)				704	707.5	711	(dBm)		
10	QPSK	1	1	17.01	17.01	17.02	18.8	0.0	
Channel				140300	141500	142700	Tune-up limit	MPR	
Frequency (MHz)				701.5	707.5	713.5	(dBm)		
5	QPSK	1	1	16.97	17.00	16.98	15.8	0.0	

n26(FCC)_Ant 1									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 164800	Power Middle Ch. F Freq. 165300	Power High Ch. F Freq. 165800	Tune-up limit (dBm)	MPR (dB)	
Channel				824	831.5	836			
Frequency (MHz)				24.32	24.38	24.27			
20	Pl2 BPSK	1	1	24.32	24.38	24.27	25.7	0.0	
20	Pl2 BPSK	1	53	24.29	24.39	24.24			
20	Pl2 BPSK	1	104	24.39	24.40	24.36			
20	Pl2 BPSK	50	0	23.89	23.97	23.90	25.2	0.5	
20	Pl2 BPSK	50	28	24.34	24.42	24.39	25.7	0.0	
20	Pl2 BPSK	50	56	23.94	24.00	23.93	25.2	0.5	
20	Pl2 BPSK	100	0	23.85	23.97	23.90			
20	QPSK	1	1	24.44	24.51	24.38			
20	QPSK	1	53	24.32	24.35	24.30	25.7	0.0	
20	QPSK	1	104	24.25	24.39	24.37			
20	QPSK	50	0	23.86	23.92	23.85	25.2	0.5	
20	QPSK	50	28	24.43	24.45	24.33	25.7	0.0	
20	QPSK	50	56	23.90	23.96	23.95	25.2	0.5	
20	QPSK	100	0	23.86	23.91	23.80			
20	16QAM	1	1	23.94	23.87	23.80	24.7	1.0	
20	64QAM	1	1	23.14	23.24	23.10	24.2	1.5	
20	256QAM	1	1	22.67	22.82	22.73	23.7	2.0	
Channel				164300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				821.5	831.5	841.5	(dBm)		
15	QPSK	1	1	24.30	24.43	24.26	25.7	0.0	
Channel				163800	166300	166800	Tune-up limit	MPR	
Frequency (MHz)				810	831.5	844	(dBm)		
10	QPSK	1	1	24.31	24.42	24.30	25.7	0.0	
Channel				163300	166300	166300	Tune-up limit	MPR	
Frequency (MHz)				816.5	831.5	846.5	(dBm)		
5	QPSK	1	1	24.39	24.30	24.25	25.7	0.0	

n26(FCC)_Ant 0									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. F Freq. 164800	Power Middle Ch. F Freq. 165300	Power High Ch. F Freq. 165800	Tune-up limit (dBm)	MPR (dB)	
Channel				824	831.5	836			
Frequency (MHz)				19.11	19.11	19.05			
20	Pl2 BPSK	1	1	19.11	19.11	19.05	20.3	0.0	
20	Pl2 BPSK	1	53	19.07	19.11	19.05			
20	Pl2 BPSK	1	104	19.08	19.14	19.09			
20	Pl2 BPSK	50	0	19.06	19.17	19.04	20.3	0.0	
20	Pl2 BPSK	50	28	19.05	19.12	18.99	20.3	0.0	
20	Pl2 BPSK	50	56	18.99	19.13	18.95	20.3	0.0	
20	Pl2 BPSK	100	0	19.08	19.13	19.06			
20	QPSK	1	1	19.12	19.19	19.10			
20	QPSK	1	53	19.05	19.06	19.05	20.3	0.0	
20	QPSK	1	104	19.11	19.05	19.02			
20	QPSK	50	0	19.01	19.14	19.07	20.3	0.0	
20	QPSK	50	28	19.03	19.16	19.08	20.3	0.0	
20	QPSK	50	56	18.98	19.05	19.04	20.3	0.0	
20	QPSK	100	0	18.97	19.09	19.04			
20	16QAM	1	1	18.99	19.06	19.02	20.3	0.0	
20	64QAM	1	1	19.01	19.17	19.07	20.3	0.0	
20	256QAM	1	1	19.09	19.16	19.00	20.3	0.0	
Channel				164300	165300	166300	Tune-up limit	MPR	
Frequency (MHz)				821.5	831.5	841.5	(dBm)		
15	QPSK	1	1	18.99	19.14	18.98	20.3	0.0	
Channel				163800	166300	166800	Tune-up limit	MPR	
Frequency (MHz)				810	831.5	844	(dBm)		
10	QPSK	1	1	18.99	19.09	19.01	20.3	0.0	
Channel				163300	166300	166300	Tune-up limit	MPR	
Frequency (MHz)				816.5	831.5	846.5	(dBm)		
5	QPSK	1	1	19.06	19.16	19.07	20.3	0.0	

n66_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 352000	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				1730	1745	1760			
40	PI2 BPSK	1	1	24.10	24.20	24.08	25.4	0.0	
40	PI2 BPSK	1	108	24.13	24.23	24.20			
40	PI2 BPSK	1	214	23.94	24.08	23.99			
40	PI2 BPSK	108	0	23.74	23.80	23.74	24.9	0.5	
40	PI2 BPSK	108	54	24.14	24.22	24.07	25.4	0.0	
40	PI2 BPSK	108	108	23.91	23.75	23.71	24.9	0.5	
40	PI2 BPSK	216	0	23.68	23.76	23.71			
40	QPSK	1	1	24.18	24.26	24.20	25.4	0.0	
40	QPSK	1	108	24.16	24.25	24.15			
40	QPSK	1	214	24.09	24.13	24.07			
40	QPSK	108	0	22.95	22.98	22.93	24.4	1.0	
40	QPSK	108	54	24.05	24.20	24.06	25.4	0.0	
40	QPSK	108	108	22.93	22.91	22.98			
40	QPSK	216	0	22.96	23.00	22.96	24.4	1.0	
40	16QAM	1	1	23.30	23.36	23.28	24.4	1.0	
40	64QAM	1	1	22.82	22.88	22.87	23.9	1.5	
40	256QAM	1	1	22.50	22.51	22.41	23.4	2.0	
Channel				346000	349000	352000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	24.07	24.12	24.09	25.4	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
20	QPSK	1	1	24.10	24.23	24.15	25.4	0.0	
Channel				343000	349000	354500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	24.08	24.18	24.06	25.4	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	24.10	24.20	24.06	25.4	0.0	
Channel				342500	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	24.09	24.20	24.18	25.4	0.0	

n66_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Middle Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power Middle Ch. 1 Freq. 352000	Tune-up limit (dbm)	MPR (db)	
Channel									
Frequency (MHz)				1725	1745	1765			
40	PI2 BPSK	1	1	15.44	15.53	15.43	16.1	0.0	
40	PI2 BPSK	1	108	15.35	15.50	15.39			
40	PI2 BPSK	1	214	15.43	15.48	15.47			
40	PI2 BPSK	108	0	15.49	15.45	15.45	16.1	0.0	
40	PI2 BPSK	108	54	15.43	15.46	15.52	16.1	0.0	
40	PI2 BPSK	108	108	15.39	15.53	15.46	16.1	0.0	
40	PI2 BPSK	216	0	15.45	15.59	15.52	16.1	0.0	
40	QPSK	1	1	15.50	15.58	15.53	16.1	0.0	
40	QPSK	1	108	15.35	15.55	15.44			
40	QPSK	1	214	15.37	15.48	15.52			
40	QPSK	108	0	15.44	15.50	15.51	16.1	0.0	
40	QPSK	108	54	15.47	15.56	15.52	16.1	0.0	
40	QPSK	108	108	15.38	15.50	15.47	16.1	0.0	
40	QPSK	216	0	15.42	15.53	15.44	16.1	0.0	
40	16QAM	1	1	15.48	15.58	15.52	16.1	0.0	
40	64QAM	1	1	15.47	15.50	15.43	16.1	0.0	
40	256QAM	1	1	15.49	15.50	15.50	16.1	0.0	
Channel				346000	349000	352000	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	15.29	15.50	15.41	16.1	0.0	
Channel				344000	349000	354000	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				1725	1745	1765			
20	QPSK	1	1	15.35	15.51	15.45	16.1	0.0	
Channel				343000	349000	354500	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	15.32	15.52	15.45	16.1	0.0	
Channel				343000	349000	355000	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	15.37	15.50	15.34	16.1	0.0	
Channel				342500	349000	355000	Tune-up limit (dbm)	MPR (db)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	15.27	15.45	15.37	16.1	0.0	

n66_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 352000	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				1730	1745	1760			
40	PI2 BPSK	1	1	19.18	19.26	19.23			
40	PI2 BPSK	1	108	19.16	19.19	19.20	20.3	0.0	
40	PI2 BPSK	1	214	19.16	19.23	19.10			
40	PI2 BPSK	108	0	19.13	19.17	19.16	20.3	0.0	
40	PI2 BPSK	108	54	19.18	19.15	19.12	20.3	0.0	
40	PI2 BPSK	108	108	19.09	19.25	19.11			
40	PI2 BPSK	216	0	19.16	19.21	19.24	20.3	0.0	
40	QPSK	1	1	19.32	19.30	19.25			
40	QPSK	1	108	19.18	19.28	19.15	20.3	0.0	
40	QPSK	1	214	19.21	19.23	19.10			
40	QPSK	108	0	19.14	19.22	19.15	20.3	0.0	
40	QPSK	108	54	19.19	19.28	19.21	20.3	0.0	
40	QPSK	108	108	19.17	19.25	19.20			
40	QPSK	216	0	19.17	19.28	19.18	20.3	0.0	
40	16QAM	1	1	19.21	19.17	19.10	20.3	0.0	
40	64QAM	1	1	19.18	19.19	19.17	20.3	0.0	
40	256QAM	1	1	19.08	19.29	19.23	20.3	0.0	
Channel				345000	349000	353000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1725	1745	1765			
30	QPSK	1	1	19.17	19.21	19.24	20.3	0.0	
Channel				344000	349000	354000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1720	1745	1770			
20	QPSK	1	1	19.19	19.17	19.14	20.3	0.0	
Channel				343000	349000	354500	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1717.5	1745	1772.5			
15	QPSK	1	1	19.10	19.17	19.10	20.3	0.0	
Channel				343000	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1715	1745	1775			
10	QPSK	1	1	19.11	19.28	19.24	20.3	0.0	
Channel				342500	349000	355000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				1712.5	1745	1777.5			
5	QPSK	1	1	19.08	19.27	19.20	20.3	0.0	

n66_Ant 7								
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. 1 Freq. 346000	Power Middle Ch. 1 Freq. 349000	Power High Ch. 1 Freq. 350000	Tune-up limit (dBm)	MPR (dB)
Channel				1730	1745	1760	16.5	0.0
Frequency (MHz)				14.84	14.90	14.84		
40	PI2 BPSK	1	1	14.76	14.93	14.94		
40	PI2 BPSK	1	214	14.85	14.90	14.87		
40	PI2 BPSK	108	0	14.88	14.98	14.84	16.5	0.0
40	PI2 BPSK	108	54	14.88	14.91	14.91	16.5	0.0
40	PI2 BPSK	108	108	14.89	14.92	14.93	16.5	0.0
40	PI2 BPSK	216	0	14.79	14.91	14.92	16.5	0.0
40	QPSK	1	1	14.80	14.99	14.90	16.5	0.0
40	QPSK	1	108	14.82	14.85	14.83		
40	QPSK	1	214	14.82	14.89	14.86		
40	QPSK	108	0	14.80	14.93	14.86		
40	QPSK	108	54	14.83	14.96	14.90	16.5	0.0
40	QPSK	108	108	14.82	14.90	14.89	16.5	0.0
40	QPSK	216	0	14.89	14.95	14.83	16.5	0.0
40	16QAM	1	1	14.85	14.85	14.86	16.5	0.0
40	64QAM	1	1	14.81	14.94	14.82	16.5	0.0
40	256QAM	1	1	14.83	14.94	14.83	16.5	0.0
Channel				346000	349000	350000	Tune-up limit	MPR
Frequency (MHz)				1725	1745	1765	(dBm)	(dB)
30	QPSK	1	1	14.86	14.95	14.80	16.5	0.0
Channel				346000	349000	350000	Tune-up limit	MPR
Frequency (MHz)				1720	1745	1760	(dBm)	(dB)
20	QPSK	1	1	14.92	14.92	14.90	16.5	0.0
Channel				343500	349000	350500	Tune-up limit	MPR
Frequency (MHz)				1717.5	1745	1772.5	(dBm)	(dB)
15	QPSK	1	1	14.77	14.88	14.86	16.5	0.0
Channel				343000	349000	350000	Tune-up limit	MPR
Frequency (MHz)				1715	1745	1775	(dBm)	(dB)
10	QPSK	1	1	14.83	14.96	14.83	16.5	0.0
Channel				342500	349000	350500	Tune-up limit	MPR
Frequency (MHz)				1712.5	1745	1777.5	(dBm)	(dB)
5	QPSK	1	1	14.87	14.85	14.94	16.5	0.0

n38_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				518004	518000	518996			
Frequency (MHz)				2590.02	2590	2590.98			
40	Pl2 BPSK	1	1	34.08	24.18	24.04			
40	Pl2 BPSK	1	53	24.00	24.01	23.96	25.4		0.0
40	Pl2 BPSK	1	104	24.09	24.15	24.07			
40	Pl2 BPSK	50	0	23.42	23.56	23.53	24.9		0.5
40	Pl2 BPSK	50	28	24.03	24.05	24.01	25.4		0.0
40	Pl2 BPSK	50	56	23.53	23.63	23.48			
40	Pl2 BPSK	100	0	23.45	23.56	23.44	24.9		0.5
Channel									
Frequency (MHz)				2590.02	2590	2590.98			
40	QPSK	1	1	35.10	24.20	35.13			
40	QPSK	1	53	23.96	23.99	23.91	25.4		0.0
40	QPSK	1	104	24.09	24.15	24.03			
40	QPSK	50	0	23.45	23.50	23.46			
40	QPSK	50	28	23.78	24.06	24.05	25.4		0.0
40	QPSK	50	56	23.80	23.64	23.56			
40	QPSK	100	0	23.46	23.48	23.46	24.9		0.5
40	16QAM	1	1	22.20	22.30	22.19	24.4		1.0
40	64QAM	1	1	22.83	22.86	22.83	23.6		1.5
40	256QAM	1	1	22.33	22.45	22.41	23.4		2.0
Channel									
Frequency (MHz)				517002 <th>519000<th>520998<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th></th>	519000 <th>520998<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>	520998 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	2582.01	2295	2004.99			
Channel									
Frequency (MHz)				518000 <th>519000<th>522000<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th></th>	519000 <th>522000<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>	522000 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	24.10	24.05	24.04	25.4		0.0
Channel									
Frequency (MHz)				515002 <th>519000<th>522998<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th></th>	519000 <th>522998<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>	522998 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	2677.51	2295	2612.49			
Channel									
Frequency (MHz)				517002 <th>519000<th>522998<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th></th>	519000 <th>522998<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>	522998 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	24.15	24.17	24.04	25.4		0.0

n38_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				518004	519000	519996			
Frequency (MHz)				2260.02	2295	2299.98			
40	P2 BPSK	1	1	14.72	14.77	14.73			
40	P2 BPSK	1	53	14.58	14.75	14.63	15.8		0.0
40	P2 BPSK	1	104	14.59	14.74	14.72			
40	P2 BPSK	50	0	14.68	14.68	14.66	15.8		0.0
40	P2 BPSK	50	28	14.71	14.80	14.64	15.8		0.0
40	P2 BPSK	50	56	14.67	14.79	14.62			
40	P2 BPSK	100	0	14.71	14.66	14.66	15.8		0.0
40	QPSK	1	1	14.72	14.81	14.77			
40	QPSK	1	53	14.70	14.69	14.62	15.8		0.0
40	QPSK	1	104	14.85	14.70	14.76			
40	QPSK	50	0	14.59	14.76	14.62			
40	QPSK	50	28	14.76	14.75	14.78	15.8		0.0
40	QPSK	50	56	14.67	14.78	14.69			
40	QPSK	100	0	14.85	14.66	14.83	15.8		0.0
40	16QAM	1	1	14.70	14.66	14.74	15.8		0.0
40	64QAM	1	1	14.67	14.76	14.65	15.8		0.0
40	256QAM	1	1	14.60	14.78	14.70	15.8		0.0
Channel				517002	519000	520998	Tune-up limit (dBm)	14.78	0.0
Frequency (MHz)				2262.01	2295	2304.99			
30	QPSK	1	1	14.67	14.77	14.68			
Channel				516000	519000	522000	Tune-up limit (dBm)	14.78	0.0
Frequency (MHz)				2259.99	2295	2300.01			
20	QPSK	1	1	14.60	14.66	14.72	15.8		0.0
Channel				515002	519000	522998	Tune-up limit (dBm)	14.78	0.0
Frequency (MHz)				2277.51	2295	2312.49			
15	QPSK	1	1	14.68	14.73	14.68	15.8		0.0
Channel				514000	519000	524000	Tune-up limit (dBm)	14.78	0.0
Frequency (MHz)				2275.02	2295	2314.98			
10	QPSK	1	1	14.60	14.80	14.66	15.8		0.0

n38_Ant 11									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				518004	519000	519996	2590.02	2595	2590.98
40	Pl2 BPSK	1	1	16.32	16.29	16.26			
40	Pl2 BPSK	1	53	16.37	16.41	16.22	17.3		0.0
40	Pl2 BPSK	1	104	16.25	16.41	16.25			
40	Pl2 BPSK	50	0	16.23	16.42	16.25	17.3		0.0
40	Pl2 BPSK	50	28	16.37	16.30	16.21	17.3		0.0
40	Pl2 BPSK	50	56	16.33	16.38	16.21	17.3		0.0
40	Pl2 BPSK	100	0	16.25	16.40	16.26			
40	QPSK	1	1	16.35	16.43	16.33			
40	QPSK	1	53	16.33	16.30	16.23	17.3		0.0
40	QPSK	1	104	16.28	16.37	16.32			
40	QPSK	50	0	16.27	16.30	16.26			
40	QPSK	50	28	16.35	16.40	16.33	17.3		0.0
40	QPSK	50	56	16.30	16.30	16.20			
40	QPSK	100	0	16.33	16.38	16.31	17.3		0.0
40	16QAM	1	1	16.37	16.29	16.23	17.3		0.0
40	64QAM	1	1	16.26	16.38	16.31	17.3		0.0
40	256QAM	1	1	16.28	16.41	16.23	17.3		0.0
Channel									
Frequency (MHz)				517002	519000	520998			
30	QPSK	1	1	2582.01	2295	2004.99			
Channel									
Frequency (MHz)				518000	519000	522000			
20	QPSK	1	1	16.23	16.31	16.31	17.3		0.0
Channel									
Frequency (MHz)				517002	519000	522998			
15	QPSK	1	1	16.27	16.34	16.33	17.3		0.0
Channel									
Frequency (MHz)				515004	519000	522998			
10	QPSK	1	1	16.29	16.40	16.30	17.3		0.0

n38_Ant 7									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				2590.02	2595	2599.98			
40	P12 BPSK	1	1	13.65	13.68	13.63			
40	P12 BPSK	1	53	13.58	13.63	13.64	15.1	0.0	
40	P12 BPSK	1	104	13.56	13.70	13.67			
40	P12 BPSK	50	0	13.64	13.76	13.57	15.1	0.0	
40	P12 BPSK	50	28	13.62	13.67	13.60	15.1	0.0	
40	P12 BPSK	50	56	13.67	13.72	13.66	15.1	0.0	
40	P12 BPSK	100	0	13.56	13.65	13.62			
40	QPSK	1	1	13.65	13.77	13.72			
40	QPSK	1	53	13.54	13.68	13.65	15.1	0.0	
40	QPSK	1	104	13.56	13.64	13.69			
40	QPSK	50	0	13.62	13.71	13.60			
40	QPSK	50	28	13.65	13.75	13.65	15.1	0.0	
40	QPSK	50	56	13.55	13.68	13.63			
40	QPSK	100	0	13.57	13.73	13.62	15.1	0.0	
40	16QAM	1	1	13.66	13.68	13.67	15.1	0.0	
40	64QAM	1	1	13.58	13.65	13.59	15.1	0.0	
40	256QAM	1	1	13.57	13.64	13.61	15.1	0.0	
Channel									
Frequency (MHz)				517002	516000	509798	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	2595.01 <td>2595<td>2604.99</td><td></td><td></td></td>	2595 <td>2604.99</td> <td></td> <td></td>	2604.99			
30	QPSK	1	1	13.65	13.63	13.57	15.1	0.0	
Channel									
Frequency (MHz)				516000	519000	522000	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	2601 <td>2600<td>2601.99</td><td></td><td></td></td>	2600 <td>2601.99</td> <td></td> <td></td>	2601.99			
20	QPSK	1	1	13.62	13.74	13.70	15.1	0.0	
Channel									
Frequency (MHz)				515502	519000	522498	Tune-up limit (dBm)	MPR (dB)	
15	QPSK	1	1	2677.51 <td>2595<td>2601.49</td><td></td><td></td></td>	2595 <td>2601.49</td> <td></td> <td></td>	2601.49			
15	QPSK	1	1	13.55	13.75	13.67	15.1	0.0	
Channel									
Frequency (MHz)				519002	519000	522998	Tune-up limit (dBm)	MPR (dB)	
10	QPSK	1	1	2575.02 <td>2595</td> <td>2614.98</td> <td></td> <td></td>	2595	2614.98			
10	QPSK	1	1	13.63	13.66	13.71	15.1	0.0	

FCC_n41_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	P12 BPSK	1	1	21.94	22.03	21.91			
100	P12 BPSK	1	137	22.00	22.06	22.02	23.2	0.0	
100	P12 BPSK	1	271	21.95	22.05	21.97			
100	P12 BPSK	135	0	21.94	22.01	21.98	23.2	0.0	
100	P12 BPSK	135	69	21.89	22.02	22.00	23.2	0.0	
100	P12 BPSK	135	138	21.92	22.05	21.95	23.2	0.0	
100	P12 BPSK	270	0	21.86	21.98	21.93			
100	QPSK	1	1	21.94	22.10	22.02			
100	QPSK	1	137	21.94	22.06	21.96	23.2	0.0	
100	QPSK	1	271	21.95	22.04	21.90			
100	QPSK	135	0	21.90	22.02	21.95	23.2	0.0	
100	QPSK	135	69	21.85	22.05	22.01			
100	QPSK	135	138	21.92	22.04	21.89			
100	QPSK	270	0	21.92	21.94	21.86	23.2	0.0	
100	16QAM	1	1	21.90	21.98	21.97	23.2	0.0	
100	64QAM	1	1	21.88	21.96	21.87	23.2	0.0	
100	256QAM	1	1	21.93	22.00	21.90	23.2	0.0	
Channel									
Frequency (MHz)									
90	QPSK	1	1	21.81	22.01	21.83	23.2	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	21.83	21.96	21.99	23.2	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	21.90	21.98	21.92	23.2	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	21.83	22.07	22.00	23.2	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	21.87	21.93	22.00	23.2	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	21.89	22.09	22.01	23.2	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	21.84	22.04	21.94	23.2	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	21.85	22.04	21.87	23.2	0.0	

FCC_n41(HPUE)_Ant 5									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	P12 BPSK	1	1	25.03	25.12	24.98			
100	P12 BPSK	1	137	24.76	24.83	24.77	26.2	0.0	
100	P12 BPSK	1	271	24.95	25.02	24.96			
100	P12 BPSK	135	0	24.41	24.47	24.33	25.7	0.5	
100	P12 BPSK	135	69	24.87	25.02	24.99	26.2		
100	P12 BPSK	135	138	24.27	24.38	24.30		25.7	0.5
100	P12 BPSK	270	0	24.32	24.35	24.28			
100	QPSK	1	1	25.11	25.22	25.20			
100	QPSK	1	137	24.87	24.93	24.91	26.2	0.0	
100	QPSK	1	271	24.95	24.97	24.87			
100	QPSK	135	0	24.43	24.51	24.49			
100	QPSK	135	69	24.75	25.10	24.91	26.2	0.0	
100	QPSK	135	138	24.36	24.39	24.32			
100	QPSK	270	0	24.30	24.37	24.22	25.7	0.5	
100	16QAM	1	1	24.47	24.50	24.43	25.7	0.5	
100	64QAM	1	1	23.88	23.91	23.90	25.2	0.5	
100	256QAM	1	1	23.58	23.68	23.59	24.2	2.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	25.14	25.62	25.48	26.2		MPR (dB)
Channel									
Frequency (MHz)									
80	QPSK	1	1	25.024	25.698	25.698	Tune-up limit (dBm)		MPR (dB)
Channel									
Frequency (MHz)									
80	QPSK	1	1	25.036	25.692	25.694	Tune-up limit (dBm)		MPR (dB)
Channel									
Frequency (MHz)									
70	QPSK	1	1	25.08	25.20	25.12	26.2	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	25.024	25.698	25.698	Tune-up limit (dBm)		MPR (dB)
Channel									
Frequency (MHz)									
60	QPSK	1	1	25.036	25.692	25.694	Tune-up limit (dBm)		MPR (dB)
Channel									
Frequency (MHz)									
50	QPSK	1	1	25.14	25.13	25.19	26.2	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	25.08	25.21	25.10	26.2	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	24.96	25.02	25.09	26.2	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	25.09	25.15	25.19	26.2	0.0	

FCC_n41_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	14.34	14.54	14.34			
100	Pl2 BPSK	1	137	14.36	14.54	14.42	15.7	0.0	
100	Pl2 BPSK	1	271	14.35	14.48	14.44			
100	Pl2 BPSK	135	0	14.29	14.50	14.42	15.7	0.0	
100	Pl2 BPSK	135	69	14.34	14.45	14.49	15.7	0.0	
100	Pl2 BPSK	135	138	14.33	14.43	14.48		15.7	0.0
100	Pl2 BPSK	270	0	14.39	14.49	14.46			
100	QPSK	1	1	14.33	14.55	14.55			
100	QPSK	1	137	14.37	14.49	14.45	15.7	0.0	
100	QPSK	1	271	14.39	14.50	14.45			
100	QPSK	135	0	14.34	14.43	14.48			
100	QPSK	135	69	14.31	14.53	14.45	15.7	0.0	
100	QPSK	135	138	14.34	14.40	14.43			
100	QPSK	270	0	14.33	14.46	14.39	15.7	0.0	
100	16QAM	1	1	14.32	14.52	14.39	15.7	0.0	
100	64QAM	1	1	14.38	14.40	14.36	15.7	0.0	
100	256QAM	1	1	14.35	14.53	14.46	15.7	0.0	
Channel									
80	QPSK	1	1	508200	518998	528998	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	2541	2592.99	2644.98	15.7	0.0	
Channel									
80	QPSK	1	1	507204	518998	529998	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	2536.02	2592.99	2649.99	15.7	0.0	
Channel									
70	QPSK	1	1	14.32	14.53	14.43	15.7	0.0	
Channel									
60	QPSK	1	1	504204	518998	532998	Tune-up limit (dBm)	MPR (dB)	
60	QPSK	1	1	2516.01	2592.99	2670	15.7	0.0	
Channel									
50	QPSK	1	1	503202	518998	534000	Tune-up limit (dBm)	MPR (dB)	
50	QPSK	1	1	2516.01	2592.99	2670	15.7	0.0	
Channel									
40	QPSK	1	1	501204	518998	535998	Tune-up limit (dBm)	MPR (dB)	
40	QPSK	1	1	2506.02	2592.99	2679.99	15.7	0.0	
Channel									
30	QPSK	1	1	14.28	14.42	14.43	15.7	0.0	
Channel									
30	QPSK	1	1	14.35	14.41	14.35	15.7	0.0	
Channel									
20	QPSK	1	1	14.42	14.46	14.37	15.7	0.0	
Channel									
20	QPSK	1	1	499200	518998	537998	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	2496	2592.99	2693.98	15.7	0.0	

FCC_n41(HPUe)_Ant 6									
BW (MHz)	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Mid. Ch. / Freq.	Power Hgh. Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	14.34	14.54	14.35			
100	Pl2 BPSK	1	137	14.36	14.54	14.42	15.7	0.0	
100	Pl2 BPSK	1	271	14.35	14.48	14.44			
100	Pl2 BPSK	135	0	14.29	14.50	14.42	15.7	0.0	
100	Pl2 BPSK	135	69	14.34	14.45	14.49	15.7	0.0	
100	Pl2 BPSK	135	138	14.33	14.43	14.48			
100	Pl2 BPSK	270	0	14.39	14.49	14.46			
100	QPSK	1	1	14.33	14.55	14.55			
100	QPSK	1	137	14.37	14.49	14.45	15.7	0.0	
100	QPSK	1	271	14.39	14.50	14.45			
100	QPSK	135	0	14.34	14.43	14.48			
100	QPSK	135	69	14.31	14.53	14.45	15.7	0.0	
100	QPSK	135	138	14.34	14.40	14.43			
100	QPSK	270	0	14.33	14.46	14.39	15.7	0.0	
100	16QAM	1	1	14.32	14.52	14.39	15.7	0.0	
100	64QAM	1	1	14.38	14.40	14.36	15.7	0.0	
100	256QAM	1	1	14.35	14.53	14.46	15.7	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	508200	518998	528998	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	2541	2592.99	2644.98	15.7	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	507204	518998	529998	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	2536.02	2592.99	2649.99	15.7	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	14.32	14.53	14.43	15.7	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	504204	518998	532998	Tune-up limit (dBm)	MPR (dB)	
60	QPSK	1	1	2516.01	2592.99	2670	15.7	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	503202	518998	534000	Tune-up limit (dBm)	MPR (dB)	
50	QPSK	1	1	2516.01	2592.99	2670	15.7	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	501204	518998	535998	Tune-up limit (dBm)	MPR (dB)	
40	QPSK	1	1	2506.02	2592.99	2679.99	15.7	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	14.42	14.46	14.37	15.7	0.0	
Channel									
Frequency (MHz)									
20	QPSK	1	1	499200	518998	537998	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	2496	2592.99	2693.98	15.7	0.0	

FCC_n41_Ant 11									
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mid Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	12.70	12.75	12.74			
100	Pl2 BPSK	1	137	12.68	12.75	12.74	13.6	0.0	
100	Pl2 BPSK	1	271	12.74	12.77	12.70			
100	Pl2 BPSK	135	0	12.67	12.78	12.80	13.6	0.0	
100	Pl2 BPSK	135	69	12.72	12.87	12.69	13.6	0.0	
100	Pl2 BPSK	136	136	12.75	12.76	12.71	13.6	0.0	
100	Pl2 BPSK	270	0	12.70	12.79	12.73			
100	QPSK	1	1	12.70	12.75	12.74			
100	QPSK	1	137	12.69	12.77	12.81	13.6	0.0	
100	QPSK	1	271	12.68	12.79	12.71			
100	QPSK	135	0	12.68	12.77	12.77			
100	QPSK	135	69	12.76	12.85	12.69	13.6	0.0	
100	QPSK	135	136	12.77	12.78	12.77			
100	QPSK	270	0	12.73	12.77	12.76	13.6	0.0	
100	16QAM	1	1	12.70	12.75	12.76	13.6	0.0	
100	16QAM	1	1	12.74	12.84	12.80	13.6	0.0	
100	256QAM	1	1	12.78	12.73	12.72	13.6	0.0	
Channel									
Frequency (MHz)									
90	QPSK	1	1	12.74	12.82	12.69	13.6	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	12.75	12.82	12.80	13.6	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	12.65	12.99	12.98	13.6	0.0	
Channel									
Frequency (MHz)									
70	QPSK	1	1	12.75	12.78	12.77	13.6	0.0	
Channel									
Frequency (MHz)									
60	QPSK	1	1	12.74	12.75	12.68	13.6	0.0	
Channel									
Frequency (MHz)									
50	QPSK	1	1	12.74	12.71	12.81	13.6	0.0	
Channel									
Frequency (MHz)									
40	QPSK	1	1	12.71	12.75	12.77	13.6	0.0	
Channel									
Frequency (MHz)									
30	QPSK	1	1	12.70	12.78	12.74	13.6	0.0	
Channel									
Frequency (MHz)									
25	QPSK	1	1	12.67	12.74	12.68	13.6	0.0	

FCC_n41(HPUE)_Ant 11										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MFR (dB)		
Channel										
Frequency (MHz)				506002	518598	530000				
100	Pl2 BPSK	1	1	12.70	12.75	12.74	13.6	0.0		
100	Pl2 BPSK	1	137	12.68	12.75	12.74				
100	Pl2 BPSK	1	271	12.74	12.77	12.70				
100	Pl2 BPSK	135	0	12.67	12.78	12.69	13.6	0.0		
100	Pl2 BPSK	135	69	12.72	12.87	12.69	13.6	0.0		
100	Pl2 BPSK	135	138	12.75	12.76	12.71	13.6	0.0		
100	Pl2 BPSK	270	0	12.70	12.79	12.73	13.6	0.0		
100	QPSK	1	1	12.80	12.88	12.83				
100	QPSK	1	137	12.69	12.77	12.81				
100	QPSK	1	271	12.66	12.79	12.71	13.6	0.0		
100	QPSK	135	0	12.68	12.77	12.77	13.6	0.0		
100	QPSK	135	69	12.70	12.85	12.80				
100	QPSK	135	138	12.77	12.78	12.77				
100	QPSK	270	0	12.73	12.77	12.75	13.6	0.0		
100	16QAM	1	1	12.70	12.79	12.78	13.6	0.0		
100	64QAM	1	1	12.74	12.84	12.80	13.6	0.0		
100	256QAM	1	1	12.78	12.73	12.72	13.6	0.0		
Channel										
Frequency (MHz)				508200	518598	528996	Tune-up limit (dBm)	MFR (dB)		
80	QPSK	1	1	12.14	12.12	12.09	13.6	0.0		
Channel										
Frequency (MHz)				507204	518598	529998	Tune-up limit (dBm)	MFR (dB)		
80	QPSK	1	1	12.75	12.82	12.80	13.6	0.0		
Channel										
Frequency (MHz)				2526	2592.99	2659.98	Tune-up limit (dBm)	MFR (dB)		
70	QPSK	1	1	12.75	12.78	12.77	13.6	0.0		
Channel										
Frequency (MHz)				504204	518598	532998	Tune-up limit (dBm)	MFR (dB)		
60	QPSK	1	1	12.74	12.75	12.68	13.6	0.0		
Channel										
Frequency (MHz)				503202	518598	534000	Tune-up limit (dBm)	MFR (dB)		
50	QPSK	1	1	12.74	12.81	12.81	13.6	0.0		
Channel										
Frequency (MHz)				507204	518598	532998	Tune-up limit (dBm)	MFR (dB)		
40	QPSK	1	1	12.71	12.75	12.77	13.6	0.0		
Channel										
Frequency (MHz)				499200	518598	537998	Tune-up limit (dBm)	MFR (dB)		
30	QPSK	1	1	12.70	12.78	12.74	13.6	0.0		
Channel										
Frequency (MHz)				499200	518598	537998	Tune-up limit (dBm)	MFR (dB)		
20	QPSK	1	1	12.67	12.74	12.68	13.6	0.0		

FCC_n41_Ant 7										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MFR (dB)		
Channel										
Frequency (MHz)				506020	518598	528000	2648			
100	Pl2 BPSK	1	1	13.95	14.19	14.07	15.2	0.0		
100	Pl2 BPSK	1	137	13.99	14.05	14.05				
100	Pl2 BPSK	1	271	14.03	14.14	14.07				
100	Pl2 BPSK	135	0	13.96	14.06	14.01	15.2	0.0		
100	Pl2 BPSK	135	69	13.99	14.11	14.13	15.2	0.0		
100	Pl2 BPSK	135	138	13.96	14.16	14.09	15.2	0.0		
100	Pl2 BPSK	270	0	13.98	14.08	14.10	15.2	0.0		
100	QPSK	1	1	14.10	14.20	14.15				
100	QPSK	1	137	14.05	14.14	14.13				
100	QPSK	1	271	13.96	14.14	14.15	15.2	0.0		
100	QPSK	135	0	14.08	14.14	14.12				
100	QPSK	135	69	14.06	14.16	14.14				
100	QPSK	135	138	13.96	14.13	14.04	15.2	0.0		
100	QPSK	270	0	14.00	14.15	14.10	15.2	0.0		
100	16QAM	1	1	13.97	14.16	14.10	15.2	0.0		
100	64QAM	1	1	14.04	14.16	14.15	15.2	0.0		
100	256QAM	1	1	14.04	14.07	14.09	15.2	0.0		
Channel										
Frequency (MHz)				506200	518598	528996	Tune-up limit (dBm)	MFR (dB)		
80	QPSK	1	1	14.00	14.15	14.14	15.2	0.0		
Channel										
Frequency (MHz)				507204	518598	529998	Tune-up limit (dBm)	MFR (dB)		
80	QPSK	1	1	13.96	14.12	14.13	15.2	0.0		
Channel										
Frequency (MHz)				2526	2592.99	2659.98	Tune-up limit (dBm)	MFR (dB)		
70	QPSK	1	1	14.05	14.10	14.11	15.2	0.0		
Channel										
Frequency (MHz)				504204	518598	532998	Tune-up limit (dBm)	MFR (dB)		
60	QPSK	1	1	14.08	14.17	14.11	15.2	0.0		
Channel										
Frequency (MHz)				503202	518598	534000	Tune-up limit (dBm)	MFR (dB)		
50	QPSK	1	1	14.05	14.09	14.06	15.2	0.0		
Channel										
Frequency (MHz)				507204	518598	532998	Tune-up limit (dBm)	MFR (dB)		
40	QPSK	1	1	13.95	14.17	14.10	15.2	0.0		
Channel										
Frequency (MHz)				499200	518598	537998	Tune-up limit (dBm)	MFR (dB)		
30	QPSK	1	1	14.04	14.16	14.14	15.2	0.0		
Channel										
Frequency (MHz)				499200	518598	537998	Tune-up limit (dBm)	MFR (dB)		
20	QPSK	1	1	13.98	14.16	14.12	15.2	0.0		

FCC_n41(HPUE)_Ant 7										
BW (MHz)	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mid Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MFR (dB)		
Channel										
Frequency (MHz)				505022	518598	528000				
				2546.01	2592.99	2640.00				
100	Pl2 BPSK	1	1	13.95	14.19	14.07	15.2	0.0		
100	Pl2 BPSK	1	137	13.99	14.05	14.05				
100	Pl2 BPSK	1	271	14.03	14.14	14.07				
100	Pl2 BPSK	135	0	13.96	14.06	14.01	15.2	0.0		
100	Pl2 BPSK	135	69	13.99	14.11	14.13	15.2	0.0		
100	Pl2 BPSK	138	138	13.96	14.16	14.09	15.2	0.0		
100	Pl2 BPSK	270	0	13.98	14.09	14.15	15.2	0.0		
100	QPSK	1	1	14.10	14.20	14.15				
100	QPSK	1	137	14.05	14.14	14.13				
100	QPSK	1	271	13.96	14.14	14.15	15.2	0.0		
100	QPSK	135	0	14.08	14.14	14.12				
100	QPSK	135	69	14.06	14.16	14.14				
100	QPSK	135	138	13.96	14.13	14.04	15.2	0.0		
100	QPSK	270	0	14.00	14.15	14.10	15.2	0.0		
100	16QAM	1	1	13.97	14.16	14.10	15.2	0.0		
100	64QAM	1	1	14.04	14.16	14.15	15.2	0.0		
100	256QAM	1	1	14.04	14.07	14.09	15.2	0.0		
Channel										
Frequency (MHz)				508200	518598	528996	Tune-up limit (dBm)	MFR (dB)		
80	QPSK	1	1	14.06	14.12	14.13	15.2	0.0		
Channel										
Frequency (MHz)				507204	518598	529998	Tune-up limit (dBm)	MFR (dB)		
80	QPSK	1	1	14.06	14.12	14.13	15.2	0.0		
Channel										
Frequency (MHz)				2538.02	2592.99	2640.00	Tune-up limit (dBm)	MFR (dB)		
80	QPSK	1	1	13.96	14.12	14.13	15.2	0.0		
Channel										
Frequency (MHz)				508200	518598	528996	Tune-up limit (dBm)	MFR (dB)		
70	QPSK	1	1	14.05	14.10	14.11	15.2	0.0		
Channel										
Frequency (MHz)				504204	518598	523998	Tune-up limit (dBm)	MFR (dB)		
70	QPSK	1	1	14.05	14.10	14.11	15.2	0.0		
Channel										
Frequency (MHz)				2532.00	2592.99	2640.00	Tune-up limit (dBm)	MFR (dB)		
60	QPSK	1	1	14.08	14.17	14.11	15.2	0.0		
Channel										
Frequency (MHz)				505202	518598	534000	Tune-up limit (dBm)	MFR (dB)		
50	QPSK	1	1	14.05	14.09	14.09	15.2	0.0		
Channel										
Frequency (MHz)				501204	518598	535998	Tune-up limit (dBm)	MFR (dB)		
40	QPSK	1	1	13.96	14.17	14.10	15.2	0.0		
Channel										
Frequency (MHz)				499200	518598	527000	Tune-up limit (dBm)	MFR (dB)		
30	QPSK	1	1	14.04	14.16	14.14	15.2	0.0		
Channel										
Frequency (MHz)				495200	518598	523000	Tune-up limit (dBm)	MFR (dB)		
25	QPSK	1	1	13.95	14.16	14.12	15.2	0.0		

Part27Q_n77_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Ch. / Freq.	Power Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				633332		3499.98			
100	Pl2 BPSK	1	1	13.87					
100	Pl2 BPSK	1	137	13.87			14.7	0.0	
100	Pl2 BPSK	1	271	13.88					
100	Pl2 BPSK	135	0	13.85			14.7	0.0	
100	Pl2 BPSK	135	69	13.83			14.7	0.0	
100	Pl2 BPSK	135	138	13.85			14.7	0.0	
100	Pl2 BPSK	270	0	13.83					
100	QPSK	1	1	13.86			14.7	0.0	
100	QPSK	1	271	13.83					
100	QPSK	135	0	13.83			14.7	0.0	
100	QPSK	135	69	13.86					
100	QPSK	135	138	13.87					
100	QPSK	270	0	13.84			14.7	0.0	
100	16QAM	1	1	13.85			14.7	0.0	
100	64QAM	1	1	13.80			14.7	0.0	
100	256QAM	1	1	13.94			14.7	0.0	
Channel									
Frequency (MHz)				633000 <th>633666<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>		633666 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	13.77	13.73	13.74	14.7	0.0	
Channel									
Frequency (MHz)				632668 <th>633332<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>		633332 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	13.72	13.75	13.73	14.7	0.0	
Channel									
Frequency (MHz)				632000 <th>633666<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>		633666 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
70	QPSK	1	1	13.70	13.80	13.74	14.7	0.0	
Channel									
Frequency (MHz)				632000 <th>633332<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>		633332 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
60	QPSK	1	1	13.71	13.80	13.77	14.7	0.0	
Channel									
Frequency (MHz)				631668 <th>633666<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>		633666 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
50	QPSK	1	1	13.69	13.76	13.77	14.7	0.0	
Channel									
Frequency (MHz)				631334 <th>633332<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>		633332 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
40	QPSK	1	1	13.75	13.77	13.68	14.7	0.0	
Channel									
Frequency (MHz)				631000 <th>633332<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>		633332 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	13.74	13.73	13.72	14.7	0.0	
Channel									
Frequency (MHz)				630668 <th>633332<th>Tune-up limit (dBm)</th><th colspan="2">MPR (dB)</th></th>		633332 <th>Tune-up limit (dBm)</th> <th colspan="2">MPR (dB)</th>	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	13.80	13.72	13.68	14.7	0.0	

Part27Q_n77_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)				650000	650000	3600			
100	Pl2 BPSK	1	1	13.80	13.84	13.53			
100	Pl2 BPSK	1	137	13.80	13.87	13.84	14.7	0.0	
100	Pl2 BPSK	1	271	13.58	13.81	13.54			
100	Pl2 BPSK	135	0	13.55	13.85	13.80	14.7	0.0	
100	Pl2 BPSK	135	69	13.51	13.82	13.81	14.7	0.0	
100	Pl2 BPSK	135	138	13.59	13.88	13.55	14.7	0.0	
100	Pl2 BPSK	270	0	13.54	13.83	13.58			
100	QPSK	1	1	13.82	13.70	13.85			
100	QPSK	1	137	13.58	13.58	13.58	14.7	0.0	
100	QPSK	1	271	13.59	13.82	13.57			
100	QPSK	135	0	13.59	13.83	13.52	14.7	0.0	
100	QPSK	135	69	13.61	13.86	13.62			
100	QPSK	135	138	13.54	13.83	13.58			
100	QPSK	270	0	13.48	13.63	13.55	14.7	0.0	
100	16QAM	1	1	13.59	13.59	13.59	14.7	0.0	
100	64QAM	1	1	13.81	13.82	13.58	14.7	0.0	
100	256QAM	1	1	13.59	13.83	13.55	14.7	0.0	
Channel									
Frequency (MHz)				649668	650000	649332	Tune-up limit (dBm)	MPR (dB)	
90	QPSK	1	1	13.49	13.69	13.63	14.7	0.0	
Channel									
Frequency (MHz)				649334	650000	650266	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	13.61	13.63	13.58	14.7	0.0	
Channel									
Frequency (MHz)				649000	650000	648668	Tune-up limit (dBm)	MPR (dB)	
70	QPSK	1	1	13.61	13.58	13.59	14.7	0.0	
Channel									
Frequency (MHz)				648668	650000	648332	Tune-up limit (dBm)	MPR (dB)	
60	QPSK	1	1	13.50	13.58	13.59	14.7	0.0	
Channel									
Frequency (MHz)				648334	650000	648000	Tune-up limit (dBm)	MPR (dB)	
50	QPSK	1	1	13.58	13.58	13.59	14.7	0.0	
Channel									
Frequency (MHz)				648000	650000	647668	Tune-up limit (dBm)	MPR (dB)	
40	QPSK	1	1	13.58	13.62	13.64	14.7	0.0	
Channel									
Frequency (MHz)				647668	650000	647332	Tune-up limit (dBm)	MPR (dB)	
30	QPSK	1	1	13.50	13.65	13.54	14.7	0.0	
Channel									
Frequency (MHz)				647334	650000	646996	Tune-up limit (dBm)	MPR (dB)	
20	QPSK	1	1	13.57	13.66	13.54	14.7	0.0	

Part27Q_n77_Ant 8									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332		3499.98			
Frequency (MHz)				633332					
100	Pl2 BPSK	1	1	13.57					
100	Pl2 BPSK	1	137	13.52			15.2	0.0	
100	Pl2 BPSK	1	271	13.50					
100	Pl2 BPSK	135	0	13.61			15.2	0.0	
100	Pl2 BPSK	135	69	13.53			15.2	0.0	
100	Pl2 BPSK	135	138	13.57			15.2	0.0	
100	Pl2 BPSK	270	0	13.61					
100	QPSK	1	1	13.65					
100	QPSK	1	137	13.58			15.2	0.0	
100	QPSK	1	271	13.53					
100	QPSK	135	0	13.58			15.2	0.0	
100	QPSK	135	69	13.63					
100	QPSK	135	138	13.54					
100	QPSK	270	0	13.60			15.2	0.0	
100	16QAM	1	1	13.61			15.2	0.0	
100	64QAM	1	1	13.56			15.2	0.0	
100	256QAM	1	1	13.53			15.2	0.0	
Channel				633000	633332	633666	Tune-up limit (dBm)		
90	QPSK	1	1	13.42	13.59	13.51	15.2	0.0	
Channel				632668	633332	634000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3490.02	3499.98	3510			
80	QPSK	1	1	13.39	13.48	13.49	15.2	0.0	
Channel				632000	633332	634666	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3485.01	3499.98	3514.98			
70	QPSK	1	1	13.38	13.60	13.56	15.2	0.0	
Channel				632000	633332	634666	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3480	3499.98	3519.98			
60	QPSK	1	1	13.48	13.47	13.56	15.2	0.0	
Channel				631668	633332	635000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3475.02	3499.98	3525			
50	QPSK	1	1	13.45	13.61	13.60	15.2	0.0	
Channel				631334	633332	635332	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3470.01	3499.98	3529.98			
40	QPSK	1	1	13.50	13.57	13.57	15.2	0.0	
Channel				631000	633332	635666	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3465	3499.98	3534.99			
30	QPSK	1	1	13.43	13.53	13.59	15.2	0.0	
Channel				630668	633332	636000	Tune-up limit (dBm)	MPR (dB)	
Frequency (MHz)				3460.02	3499.98	3540			
20	QPSK	1	1	13.42	13.48	13.55	15.2	0.0	

Part27Q_n77_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332		3499.98			
Frequency (MHz)									
100	Pl2 BPSK	1	1	13.09			14.7	0.0	
100	Pl2 BPSK	1	137	13.12					
100	Pl2 BPSK	1	271	13.11			14.7	0.0	
100	Pl2 BPSK	135	0	13.17					
100	Pl2 BPSK	135	69	13.08			14.7	0.0	
100	Pl2 BPSK	135	138	13.05			14.7	0.0	
100	Pl2 BPSK	270	0	13.16					
100	QPSK	1	1	13.18			14.7	0.0	
100	QPSK	1	137	13.14					
100	QPSK	1	271	13.08			14.7	0.0	
100	QPSK	135	0	13.07					
100	QPSK	135	69	13.16			14.7	0.0	
100	QPSK	135	138	13.11					
100	QPSK	270	0	13.11			14.7	0.0	
100	16QAM	1	1	13.03			14.7	0.0	
100	16QAM	1	1	13.14			14.7	0.0	
100	256QAM	1	1	13.06			14.7	0.0	
Channel				633000	633332	633666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3495	3499.98	3504.98	(dBm)		
80	QPSK	1	1	13.12	13.09	12.98	14.7	0.0	
Channel				632668	633332	634000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3496.02	3499.98	3510	(dBm)		
80	QPSK	1	1	13.13	12.99	12.97	14.7	0.0	
Channel				632334	633332	634332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3485.01	3499.98	3514.98	(dBm)		
70	QPSK	1	1	13.01	13.04	12.96	14.7	0.0	
Channel				632000	633332	634666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3480	3499.98	3518.98	(dBm)		
60	QPSK	1	1	13.12	13.01	13.07	14.7	0.0	
Channel				631668	633332	635000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3475.02	3499.98	3525	(dBm)		
50	QPSK	1	1	13.07	13.11	13.03	14.7	0.0	
Channel				631334	633332	635332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3470.01	3499.98	3529.98	(dBm)		
40	QPSK	1	1	13.12	13.00	12.94	14.7	0.0	
Channel				631000	633332	635666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3465	3499.98	3534.98	(dBm)		
30	QPSK	1	1	13.06	13.13	13.01	14.7	0.0	
Channel				630668	633332	636000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3460.02	3499.98	3540	(dBm)		
20	QPSK	1	1	13.14	13.13	12.94	14.7	0.0	

Part27Q_n77_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000		3840			
Frequency (MHz)									
100	Pl2 BPSK	1	1	13.00	13.01	12.90	14.7	0.0	
100	Pl2 BPSK	1	137	13.00	13.03	12.83			
100	Pl2 BPSK	1	271	12.96	13.09	13.04	14.7	0.0	
100	Pl2 BPSK	135	0	13.01	13.12	13.11			
100	Pl2 BPSK	135	69	12.83	12.97	12.91	14.7	0.0	
100	Pl2 BPSK	135	138	12.84	12.92	12.89	14.7	0.0	
100	Pl2 BPSK	270	0	13.06	13.06	13.00			
100	QPSK	1	1	13.07	13.14	13.05	14.7	0.0	
100	QPSK	1	137	12.96	13.05	13.02			
100	QPSK	1	271	12.93	12.97	12.95	14.7	0.0	
100	QPSK	135	0	12.94	12.96	12.95			
100	QPSK	135	69	13.06	13.12	13.07	14.7	0.0	
100	QPSK	135	138	12.85	12.97	12.95			
100	QPSK	270	0	13.00	13.07	12.98	14.7	0.0	
100	16QAM	1	1	12.84	12.93	12.80	14.7	0.0	
100	16QAM	1	1	12.97	13.03	12.97	14.7	0.0	
100	256QAM	1	1	12.92	13.00	12.91	14.7	0.0	
Channel				649668	650000	650332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3742.02	3740	3741.98	(dBm)		
80	QPSK	1	1	13.04	13.10	13.01	14.7	0.0	
Channel				648334	650000	650666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3740.01	3840	3859.98	(dBm)		
80	QPSK	1	1	12.92	13.12	13.00	14.7	0.0	
Channel				648000	650000	651000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3735	3840	3945	(dBm)		
70	QPSK	1	1	13.04	13.05	12.96	14.7	0.0	
Channel				648668	650000	651332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3729.02	3840	3941.98	(dBm)		
60	QPSK	1	1	12.95	13.08	12.94	14.7	0.0	
Channel				648334	650000	650666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3725.01	3840	3954.98	(dBm)		
50	QPSK	1	1	12.97	13.05	13.03	14.7	0.0	
Channel				648000	650000	650332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3720	3840	3960	(dBm)		
40	QPSK	1	1	13.06	13.02	13.04	14.7	0.0	
Channel				647668	650000	650332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3715.02	3840	3954.98	(dBm)		
30	QPSK	1	1	12.93	13.01	13.01	14.7	0.0	
Channel				647334	650000	650666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3710.01	3840	3959.98	(dBm)		
20	QPSK	1	1	12.97	13.02	12.97	14.7	0.0	

Part27Q_n78_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mid Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332		3499.98			
Frequency (MHz)									
100	Pl2 BPSK	1	1	13.51			14.7	0.0	
100	Pl2 BPSK	1	137	13.54					
100	Pl2 BPSK	1	271	13.48			14.7	0.0	
100	Pl2 BPSK	135	0	13.59					
100	Pl2 BPSK	135	69	13.53			14.7	0.0	
100	Pl2 BPSK	135	138	13.57			14.7	0.0	
100	Pl2 BPSK	270	0	13.52					
100	QPSK	1	1	13.62			14.7	0.0	
100	QPSK	1	137	13.47					
100	QPSK	1	271	13.55			14.7	0.0	
100	QPSK	135	0	13.52					
100	QPSK	135	69	13.60			14.7	0.0	
100	QPSK	135	138	13.50					
100	QPSK	270	0	13.58			14.7	0.0	
100	16QAM	1	1	13.49			14.7	0.0	
100	16QAM	1	1	13.57			14.7	0.0	
100	256QAM	1	1	13.54			14.7	0.0	
Channel				633000	633332	633666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3495	3499.98	3504.98	(dBm)		
80	QPSK	1	1	13.51	13.49	13.41	14.7	0.0	
Channel				632668	633332	634000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3496.02	3499.98	3510	(dBm)		
80	QPSK	1	1	13.60	13.51	13.51	14.7	0.0	
Channel				632334	633332	634332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3485.01	3499.98	3514.98	(dBm)		
70	QPSK	1	1	13.53	13.47	13.49	14.7	0.0	
Channel				632000	633332	634666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3480	3499.98	3518.98	(dBm)		
60	QPSK	1	1	13.61	13.51	13.53	14.7	0.0	
Channel				631668	633332	635000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3475.02	3499.98	3525	(dBm)		
50	QPSK	1	1	13.51	13.50	13.60	14.7	0.0	
Channel				631334	633332	635332	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3470.01	3499.98	3529.98	(dBm)		
40	QPSK	1	1	13.53	13.48	13.48	14.7	0.0	
Channel				631000	633332	635666	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3465	3499.98	3534.98	(dBm)		
30	QPSK	1	1	13.54	13.61	13.52	14.7	0.0	
Channel				630668	633332	636000	Tune-up limit (dBm)	MPR	
Frequency (MHz)				3460.02	3499.98	3540	(dBm)		
20	QPSK	1	1	13.61	13.55	13.56	14.7	0.0	

Part270_n78_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Ch. / Freq.	Power Ch. / Freq.	Power Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	13.92	13.92	13.89	13.81	14.7	0.0
100	Pl2 BPSK	1	271	13.89	13.81	13.88	13.93	14.7	0.0
100	Pl2 BPSK	135	0	13.88	13.88	13.85	13.82	14.7	0.0
100	Pl2 BPSK	135	69	13.85	13.82	13.89	13.91	14.7	0.0
100	Pl2 BPSK	135	138	13.93	13.91	13.86	13.86	14.7	0.0
100	Pl2 BPSK	270	0	13.86	13.86	13.83	13.83	14.7	0.0
100	QPSK	1	1	13.96	13.96	13.93	13.93	14.7	0.0
100	QPSK	1	137	13.84	13.84	13.81	13.81	14.7	0.0
100	QPSK	1	271	13.88	13.82	13.85	13.85	14.7	0.0
100	QPSK	135	0	13.82	13.82	13.79	13.79	14.7	0.0
100	QPSK	135	69	13.89	13.85	13.82	13.82	14.7	0.0
100	QPSK	135	138	13.93	13.91	13.86	13.86	14.7	0.0
100	QPSK	270	0	13.91	13.91	13.88	13.88	14.7	0.0
100	16QAM	1	1	13.81	13.81	13.78	13.78	14.7	0.0
100	16QAM	1	1	13.98	13.98	13.95	13.95	14.7	0.0
100	256QAM	1	1	13.93	13.93	13.90	13.90	14.7	0.0
Channel									
Frequency (MHz)									
3745.02									
90	QPSK	1	1	648968	650000	650332	650666	Tune-up limit (dBm)	MPR (dB)
3750									
3744.98									
Channel									
Frequency (MHz)									
3740.01									
80	QPSK	1	1	648334	650000	650666	651000	Tune-up limit (dBm)	MPR (dB)
3750									
3749.99									
Channel									
Frequency (MHz)									
3750									
70	QPSK	1	1	13.95	13.95	13.90	13.81	14.7	0.0
Channel									
Frequency (MHz)									
3750									
60	QPSK	1	1	13.81	13.81	13.76	13.67	14.7	0.0
Channel									
Frequency (MHz)									
3750									
50	QPSK	1	1	648334	650000	651666	652000	Tune-up limit (dBm)	MPR (dB)
3725.01									
3750									
3744.99									
Channel									
Frequency (MHz)									
3750									
40	QPSK	1	1	13.83	13.83	13.76	13.66	14.7	0.0
Channel									
Frequency (MHz)									
3750									
30	QPSK	1	1	13.85	13.85	13.78	13.68	14.7	0.0
Channel									
Frequency (MHz)									
3750									
20	QPSK	1	1	13.92	13.92	13.85	13.75	14.7	0.0

Part27Q_n78(HPUE)_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch / Freq.	Power Middle Ch / Freq.	Power High Ch / Freq.	Tune-up limit (dBm)	MFR (dB)	
Channel									
Frequency (MHz)									
3499.98									
100	Pl2 BPSK	1	1		13.51		14.7	0.0	
100	Pl2 BPSK	1	137		13.54				
100	Pl2 BPSK	1	271		13.48				
100	Pl2 BPSK	135	0		13.59		14.7	0.0	
100	Pl2 BPSK	135	69		13.53		14.7	0.0	
100	Pl2 BPSK	135	138		13.57		14.7	0.0	
100	Pl2 BPSK	270	0		13.53		14.7	0.0	
100	QPSK	1	1		13.62				
100	QPSK	1	137		13.47				
100	QPSK	1	271		13.55		14.7	0.0	
100	QPSK	135	0		13.52				
100	QPSK	135	69		13.60				
100	QPSK	135	138		13.50		14.7	0.0	
100	QPSK	270	0		13.58				
100	16QAM	1	1		13.49		14.7	0.0	
100	16QAM	1	1		13.57		14.7	0.0	
100	256QAM	1	1		13.54		14.7	0.0	
Channel									
Frequency (MHz)									
3499.98									
80	QPSK	1	1	63300	63332	63366	Tune-up limit (dBm)	MFR	(dB)
3490.02									
3499.98									
Channel									
Frequency (MHz)									
3499.98									
80	QPSK	1	1	13.60	13.51	13.51	14.7	0.0	
Channel									
Frequency (MHz)									
3499.98									
70	QPSK	1	1	13.53	13.47	13.48	14.7	0.0	
Channel									
Frequency (MHz)									
3499.98									
60	QPSK	1	1	63200	63332	63466	Tune-up limit (dBm)	MFR	(dB)
3480.02									
3499.98									
Channel									
Frequency (MHz)									
3499.98									
60	QPSK	1	1	13.61	13.51	13.53	14.7	0.0	
Channel									
Frequency (MHz)									
3499.98									
50	QPSK	1	1	63168	63332	63500	Tune-up limit (dBm)	MFR	(dB)
3475.02									
3499.98									
Channel									
Frequency (MHz)									
3499.98									
40	QPSK	1	1	13.51	13.52	13.60	14.7	0.0	
Channel									
Frequency (MHz)									
3499.98									
40	QPSK	1	1	13.53	13.48	13.48	14.7	0.0	
Channel									
Frequency (MHz)									
3499.98									
30	QPSK	1	1	13.54	13.61	13.52	14.7	0.0	
Channel									
Frequency (MHz)									
3499.98									
20	QPSK	1	1	13.61	13.55	13.56	14.7	0.0	

Part270_n78(HPUE)_Ant 9									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MFR (dB)	
Channel									
Frequency (MHz)									
100	Pl2 BPSK	1	1	64998	65000	65032	14.7	0.0	
100	Pl2 BPSK	1	137	3741.02	3750	3754.98			
100	Pl2 BPSK	1	271	13.91	13.90	13.81			
100	Pl2 BPSK	135	0	64999	65000	65032	14.7	0.0	
100	Pl2 BPSK	135	69	3740.93	3750	3754.98	14.7	0.0	
100	Pl2 BPSK	135	138	13.91	13.90	13.81	14.7	0.0	
100	QPSK	1	1	64998	65000	65032	14.7	0.0	
100	QPSK	1	137	3741.02	3750	3754.98			
100	QPSK	1	271	13.91	13.90	13.81			
100	QPSK	135	0	64999	65000	65032	14.7	0.0	
100	QPSK	135	69	3740.93	3750	3754.98	14.7	0.0	
100	QPSK	135	138	13.91	13.90	13.81	14.7	0.0	
100	QPSK	270	0	64998	65000	65032	14.7	0.0	
100	16QAM	1	1	64998	65000	65032	14.7	0.0	
100	16QAM	1	137	3741.02	3750	3754.98			
100	16QAM	1	271	13.91	13.90	13.81			
100	256QAM	1	1	64998	65000	65032	14.7	0.0	
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0.0	
80	QPSK	1	137	3741.02	3750	3754.98			
80	QPSK	1	271	13.91	13.90	13.81			
Channel									
Frequency (MHz)									
80	QPSK	1	1	64998	65000	65032	14.7	0	

Part27Q_n78_Ant 8										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				633332			14.7	0.0		
Frequency (MHz)				3499.98						
100	Pl2 BPSK	1	1	12.81			14.7	0.0		
100	Pl2 BPSK	1	137	12.83						
100	Pl2 BPSK	1	271	12.75						
100	Pl2 BPSK	135	0	12.83			14.7	0.0		
100	Pl2 BPSK	135	69	12.78			14.7	0.0		
100	Pl2 BPSK	135	138	12.82			14.7	0.0		
100	Pl2 BPSK	270	0	12.80						
100	QPSK	1	1	12.88						
100	QPSK	1	137	12.83			14.7	0.0		
100	QPSK	1	271	12.80			14.7	0.0		
100	QPSK	135	0	12.74						
100	QPSK	135	69	12.84						
100	QPSK	135	138	12.84			14.7	0.0		
100	QPSK	270	0	12.78						
100	16QAM	1	1	12.73						
100	64QAM	1	1	12.87			14.7	0.0		
100	256QAM	1	1	12.80			14.7	0.0		
Channel				633000	633332	633668	Tune-up limit	MPR		
Frequency (MHz)				3495	3499.98	3504.98	(dBm)	(dB)		
80	QPSK	1	1	12.13	12.76	12.86	14.7	0.0		
Channel				632668	633332	634000	Tune-up limit	MPR		
Frequency (MHz)				3490.02	3499.98	3510	(dBm)	(dB)		
80	QPSK	1	1	12.85	12.85	12.81	14.7	0.0		
Channel				632334	633332	634332	Tune-up limit	MPR		
Frequency (MHz)				3485.01	3499.98	3514.98	(dBm)	(dB)		
70	QPSK	1	1	12.73	12.77	12.84	14.7	0.0		
Channel				632000	633332	634668	Tune-up limit	MPR		
Frequency (MHz)				3480	3499.98	3518.98	(dBm)	(dB)		
60	QPSK	1	1	12.76	12.84	12.82	14.7	0.0		
Channel				631668	633332	635000	Tune-up limit	MPR		
Frequency (MHz)				3475.02	3499.98	3525	(dBm)	(dB)		
50	QPSK	1	1	12.73	12.86	12.73	14.7	0.0		
Channel				631334	633332	635332	Tune-up limit	MPR		
Frequency (MHz)				3470.01	3499.98	3529.98	(dBm)	(dB)		
40	QPSK	1	1	12.86	12.76	12.80	14.7	0.0		
Channel				631000	633332	635668	Tune-up limit	MPR		
Frequency (MHz)				3465	3499.98	3534.98	(dBm)	(dB)		
30	QPSK	1	1	12.75	12.73	12.73	14.7	0.0		
Channel				630668	633332	636000	Tune-up limit	MPR		
Frequency (MHz)				3460.02	3499.98	3540	(dBm)	(dB)		
20	QPSK	1	1	12.75	12.68	12.73	14.7	0.0		

Part27O_n78_Ant 8										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				650000			14.7	0.0		
Frequency (MHz)				3750						
100	Pl2 BPSK	1	1	13.41			14.7	0.0		
100	Pl2 BPSK	1	137	13.35						
100	Pl2 BPSK	1	271	13.43						
100	Pl2 BPSK	135	0	13.35			14.7	0.0		
100	Pl2 BPSK	135	69	13.35			14.7	0.0		
100	Pl2 BPSK	135	138	13.34			14.7	0.0		
100	Pl2 BPSK	270	0	13.34						
100	QPSK	1	1	13.45						
100	QPSK	1	137	13.42			14.7	0.0		
100	QPSK	1	271	13.37			14.7	0.0		
100	QPSK	135	0	13.42						
100	QPSK	135	69	13.40						
100	QPSK	135	138	13.38			14.7	0.0		
100	QPSK	270	0	13.37						
100	16QAM	1	1	13.44						
100	64QAM	1	1	13.30			14.7	0.0		
100	256QAM	1	1	13.43			14.7	0.0		
Channel				649668	650000	650332	Tune-up limit	MPR		
Frequency (MHz)				3742.02	3750	3757.98	(dBm)	(dB)		
90	QPSK	1	1	13.16	13.27	13.29	14.7	0.0		
Channel				648334	650000	650668	Tune-up limit	MPR		
Frequency (MHz)				3740.01	3750	3759.98	(dBm)	(dB)		
80	QPSK	1	1	13.18	13.20	13.30	14.7	0.0		
Channel				648000	650000	651000	Tune-up limit	MPR		
Frequency (MHz)				3735	3750	3765	(dBm)	(dB)		
70	QPSK	1	1	13.28	13.20	13.28	14.7	0.0		
Channel				648668	650000	651332	Tune-up limit	MPR		
Frequency (MHz)				3740.02	3750	3761.98	(dBm)	(dB)		
60	QPSK	1	1	13.18	13.20	13.21	14.7	0.0		
Channel				648334	650000	651668	Tune-up limit	MPR		
Frequency (MHz)				3725.01	3750	3774.98	(dBm)	(dB)		
50	QPSK	1	1	13.18	13.20	13.25	14.7	0.0		
Channel				648000	650000	652000	Tune-up limit	MPR		
Frequency (MHz)				3720	3750	3780	(dBm)	(dB)		
40	QPSK	1	1	13.23	13.20	13.28	14.7	0.0		
Channel				647668	650000	652332	Tune-up limit	MPR		
Frequency (MHz)				3715.02	3750	3784.98	(dBm)	(dB)		
30	QPSK	1	1	13.22	13.18	13.26	14.7	0.0		
Channel				647334	650000	652668	Tune-up limit	MPR		
Frequency (MHz)				3710.01	3750	3789.98	(dBm)	(dB)		
20	QPSK	1	1	13.17	13.30	13.24	14.7	0.0		

Part27Q_n78(HPUe)_Ant 8										
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Mid Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)		
Channel				633332			14.7	0.0		
Frequency (MHz)				3499.98						
100	Pl2 BPSK	1	1	12.81			14.7	0.0		
100	Pl2 BPSK	1	137	12.83						
100	Pl2 BPSK	1	271	12.75						
100	Pl2 BPSK	135	0	12.83			14.7	0.0		
100	Pl2 BPSK	135	69	12.78			14.7	0.0		
100	Pl2 BPSK	135	138	12.82			14.7	0.0		
100	Pl2 BPSK	270	0	12.80						
100	QPSK	1	1	12.88						
100	QPSK	1	137	12.83			14.7	0.0		
100	QPSK	1	271	12.80			14.7	0.0		
100	QPSK	135	0	12.74						
100	QPSK	135	69	12.84						
100	QPSK	135	138	12.84			14.7	0.0		
100	QPSK	270	0	12.78						
100	16QAM	1	1	12.73						
100	64QAM	1	1	12.87			14.7	0.0		
100	256QAM	1	1	12.80			14.7	0.0		
Channel				633000	633332	633668	Tune-up limit	MPR		
Frequency (MHz)				3495	3499.98	3504.98	(dBm)	(dB)		
80	QPSK	1	1	12.13	12.76	12.86	14.7	0.0		
Channel				632668	633332	634000	Tune-up limit	MPR		
Frequency (MHz)				3490.02	3499.98	3510.98	(dBm)	(dB)		
80	QPSK	1	1	12.85	12.88	12.81	14.7	0.0		
Channel				632332	633332	634332	Tune-up limit	MPR		
Frequency (MHz)				3485.01	3499.98	3514.98	(dBm)	(dB)		
70	QPSK	1	1	12.73	12.77	12.84	14.7	0.0		
Channel				632000	633332	634668	Tune-up limit	MPR		
Frequency (MHz)				3480	3499.98	3518.98	(dBm)	(dB)		
60	QPSK	1	1	12.76	12.84	12.82	14.7	0.0		
Channel				631668	633332	635000	Tune-up limit	MPR		
Frequency (MHz)				3475.02	3499.98	3525	(dBm)	(dB)		
50	QPSK	1	1	12.73	12.86	12.73	14.7	0.0		
Channel				631334	633332	635332	Tune-up limit	MPR		
Frequency (MHz)				3470.01	3499.98	3529.98	(dBm)	(dB)		
40	QPSK	1	1	12.86	12.76	12.80	14.7	0.0		
Channel				631000	633332	635668	Tune-up limit	MPR		
Frequency (MHz)				3465	3499.98	3534.98	(dBm)	(dB)		
30	QPSK	1	1	12.75	12.73	12.73	14.7	0.0		
Channel				630668	633332	636000	Tune-up limit	MPR		
Frequency (MHz)				3460.09	3499.98	3540	(dBm)	(dB)		
20	QPSK	1	1	12.65	12.88	12.73	14.7	0.0		

Part27Q_n78(HPUE)_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332		3499.98	18.7	0.0	
Frequency (MHz)				3499.98					
100	Pl2 BPSK	1	1	17.75			18.7	0.0	
100	Pl2 BPSK	1	137	17.65					
100	Pl2 BPSK	1	271	17.79			18.7	0.0	
100	Pl2 BPSK	135	0	17.76					
100	Pl2 BPSK	135	69	17.78			18.7	0.0	
100	Pl2 BPSK	135	138	17.77					
100	Pl2 BPSK	270	0	17.66			18.7	0.0	
100	QPSK	1	1	17.80					
100	QPSK	1	137	17.72			18.7	0.0	
100	QPSK	1	271	17.75					
100	QPSK	135	0	17.67			18.7	0.0	
100	QPSK	135	69	17.76					
100	QPSK	135	138	17.66			18.7	0.0	
100	QPSK	270	0	17.70					
100	16QAM	1	1	17.70			18.7	0.0	
100	16QAM	1	1	17.76					
100	256QAM	1	1	17.68			18.7	0.0	
Channel				633000	633332	633668		MPR	
Frequency (MHz)				3495	3499.98	3504.98			
80	QPSK	1	1	17.72	17.67	17.74	18.7	0.0	
Channel				632668	633332	634000	18.7	0.0	
Frequency (MHz)				3496.02	3499.98	3503.90			
80	QPSK	1	1	17.78	17.73	17.73	18.7	0.0	
Channel				632334	633332	634332	18.7	0.0	
Frequency (MHz)				3485.01	3499.98	3514.98			
70	QPSK	1	1	17.77	17.72	17.77	18.7	0.0	
Channel				632000	633332	634668	18.7	0.0	
Frequency (MHz)				3480	3499.98	3519.98			
60	QPSK	1	1	17.66	17.75	17.71	18.7	0.0	
Channel				631668	633332	635000	18.7	0.0	
Frequency (MHz)				3475.02	3499.98	3525			
50	QPSK	1	1	17.65	17.67	17.74	18.7	0.0	
Channel				631334	633332	635332	18.7	0.0	
Frequency (MHz)				3470.01	3499.98	3529.98			
40	QPSK	1	1	17.78	17.78	17.78	18.7	0.0	
Channel				631000	633332	635668	18.7	0.0	
Frequency (MHz)				3465	3499.98	3534.98			
30	QPSK	1	1	17.77	17.75	17.78	18.7	0.0	
Channel				630668	633332	636000	18.7	0.0	
Frequency (MHz)				3460.02	3499.98	3530			
20	QPSK	1	1	17.74	17.68	17.72	18.7	0.0	

Part27Q_n78(HPUE)_Ant 6									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				650000		3750	18.7	0.0	
Frequency (MHz)				3750					
100	Pl2 BPSK	1	1	18.08			18.7	0.0	
100	Pl2 BPSK	1	137	18.16					
100	Pl2 BPSK	1	271	18.16			18.7	0.0	
100	Pl2 BPSK	135	0	18.10					
100	Pl2 BPSK	135	69	18.17			18.7	0.0	
100	Pl2 BPSK	135	138	18.17					
100	Pl2 BPSK	270	0	18.17			18.7	0.0	
100	QPSK	1	1	18.22					
100	QPSK	1	137	18.09			18.7	0.0	
100	QPSK	1	271	18.09					
100	QPSK	135	0	18.09			18.7	0.0	
100	QPSK	135	69	18.05					
100	QPSK	135	138	18.12			18.7	0.0	
100	QPSK	270	0	18.17					
100	16QAM	1	1	18.09			18.7	0.0	
100	16QAM	1	1	18.08					
100	256QAM	1	1	18.14			18.7	0.0	
Channel				649668	650000	650332		MPR	
Frequency (MHz)				3745.02	3750	3754.98			
80	QPSK	1	1	17.94	18.20	18.15	18.7	0.0	
Channel				648334	650000	650668	18.7	0.0	
Frequency (MHz)				3740.01	3750	3759.98			
80	QPSK	1	1	18.04	18.15	18.05	18.7	0.0	
Channel				648000	650000	651000	18.7	0.0	
Frequency (MHz)				3735	3750	3765			
70	QPSK	1	1	17.95	18.18	18.13	18.7	0.0	
Channel				648668	650000	651332	18.7	0.0	
Frequency (MHz)				3740.02	3750	3763.98			
60	QPSK	1	1	18.02	18.20	18.12	18.7	0.0	
Channel				648334	650000	651668	18.7	0.0	
Frequency (MHz)				3735.01	3750	3774.98			
50	QPSK	1	1	17.59	18.09	18.05	18.7	0.0	
Channel				648000	650000	652000	18.7	0.0	
Frequency (MHz)				3720	3750	3780			
40	QPSK	1	1	17.84	18.17	18.12	18.7	0.0	
Channel				647668	650000	652332	18.7	0.0	
Frequency (MHz)				3715.02	3750	3784.98			
30	QPSK	1	1	18.03	18.12	18.11	18.7	0.0	
Channel				647334	650000	652668	18.7	0.0	
Frequency (MHz)				3710.01	3750	3789.98			
20	QPSK	1	1	17.53	18.10	18.15	18.7	0.0	

Part27Q_n78_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel				633332		3499.98	13.7	0.0	
Frequency (MHz)				3499.98					
100	Pl2 BPSK	1	1	12.04			13.7	0.0	
100	Pl2 BPSK	1	137	12.04					
100	Pl2 BPSK	1	271	12.06			13.7	0.0	
100	Pl2 BPSK	135	0	12.03					
100	Pl2 BPSK	135	69	12.08			13.7	0.0	
100	Pl2 BPSK	135	138	11.99					
100	Pl2 BPSK	270	0	12.03			13.7	0.0	
100	QPSK	1	1	12.05					
100	QPSK	1	137	11.97			13.7	0.0	
100	QPSK	1	271	12.00					
100	QPSK	135	0	12.08			13.7	0.0	
100	QPSK	135	69	12.05					
100	QPSK	135	138	11.97			13.7	0.0	
100	QPSK	270	0	11.95					
100	16QAM	1	1	12.03			13.7	0.0	
100	16QAM	1	1	12.05					
100	256QAM	1	1	12.06			13.7	0.0	
Channel				633000	633332	633668		MPR	
Frequency (MHz)				3495	3499.98	3504.98			
80	QPSK	1	1	11.95	12.00	12.03	13.7	0.0	
Channel				632668	633332	634000	13.7	0.0	
Frequency (MHz)				3490.02	3499.98	3510			
80	QPSK	1	1	12.03	12.02	11.95	13.7	0.0	
Channel				632334	633332	634332	13.7	0.0	
Frequency (MHz)				3480	3499.98	3519.98			
70	QPSK	1	1	12.05	12.03	12.07	13.7	0.0	

Part270_n78_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Ch. / Freq.	Power Ch. / Freq.	Power Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
650000									
100	PQ2 BPSK	1	1		3750	12.48			
100	PQ2 BPSK	1	137			12.53	13.7	0.0	
100	PQ2 BPSK	1	271			12.46			
100	PQ2 BPSK	135	0			12.53		13.7	0.0
100	PQ2 BPSK	135	69			12.49		13.7	0.0
100	PQ2 BPSK	135	138			12.43			
100	PQ2 BPSK	270	0			12.51		13.7	0.0
100	QPSK	1	1		12.57				
100	QPSK	1	137			12.55	13.7	0.0	
100	QPSK	1	271			12.50			
100	QPSK	135	0			12.54			
100	QPSK	135	69			12.55		13.7	0.0
100	QPSK	135	138			12.51			
100	QPSK	270	0			12.50		13.7	0.0
100	16QAM	1	1			12.47		13.7	0.0
100	64QAM	1	1			12.50		13.7	0.0
100	256QAM	1	1			12.53		13.7	0.0
Channel									
Frequency (MHz)									
649668									
650000									
80	QPSK	1	1		3750	3754 98	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	12.40	12.44	12.38	13.7	0.0	
Channel									
Frequency (MHz)									
648334									
650000									
80	QPSK	1	1	3740.01	3750	3756 99	Tune-up limit (dBm)	MPR (dB)	
80	QPSK	1	1	12.41	12.35	12.43	13.7	0.0	
Channel									
Frequency (MHz)									
648334									
650000									
70	QPSK	1	1	3750	3754	3755	Tune-up limit (dBm)	MPR (dB)	
70	QPSK	1	1	12.46	12.31	12.40	13.7	0.0	
Channel									
Frequency (MHz)									
648668									
650000									
60	QPSK	1	1	3750.02	3750	3756 98	Tune-up limit (dBm)	MPR (dB)	
60	QPSK	1	1	12.51	12.36	12.39	13.7	0.0	
Channel									
Frequency (MHz)									
648334									
650000									
50	QPSK	1	1	3725.01	3750	3774 99	Tune-up limit (dBm)	MPR (dB)	
50	QPSK	1	1	12.40	12.30	12.37	13.7	0.0	
Channel									
Frequency (MHz)									
648000									
650000									
40	QPSK	1	1	3720	3750	3760	Tune-up limit (dBm)	MPR (dB)	
40	QPSK	1	1	12.45	12.43	12.37	13.7	0.0	
Channel									
Frequency (MHz)									
647334									
650000									
30	QPSK	1	1	12.48	12.43	12.35	13.7	0.0	
Channel									
Frequency (MHz)									
647334									
650000									
20	QPSK	1	1	12.44	12.40	12.33	13.7	0.0	

Part27Q_n78(HPUE)_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
3499.98									
100	Pl2 BPSK	1	1		12.04		13.7	0.0	
100	Pl2 BPSK	1	137		12.04				
100	Pl2 BPSK	1	271		12.06				
100	Pl2 BPSK	135	0		12.03		13.7	0.0	
100	Pl2 BPSK	135	69		12.08		13.7	0.0	
100	Pl2 BPSK	135	138		11.99				
100	Pl2 BPSK	270	0		12.03		13.7	0.0	
100	QPSK	1	1		12.10				
100	QPSK	1	137		11.97		13.7	0.0	
100	QPSK	1	271		12.00				
100	QPSK	135	0		12.08				
100	QPSK	135	69		12.05		13.7	0.0	
100	QPSK	135	138		11.97				
100	QPSK	270	0		11.95		13.7	0.0	
100	16QAM	1	1		12.03		13.7	0.0	
100	64QAM	1	1		12.03		13.7	0.0	
100	256QAM	1	1		12.06		13.7	0.0	
Channel									
Frequency (MHz)									
633000									
633332									
80	QPSK	1	1		11.95	12.00	12.03	Tune-up limit (dBm)	MPR (dB)
Channel									
Frequency (MHz)									
3490.02									
3499.98									
80	QPSK	1	1		12.03	12.02	11.95	Tune-up limit (dBm)	MPR (dB)
Channel									
Frequency (MHz)									
632668									
633332									
70	QPSK	1	1		12.05	12.03	12.07	Tune-up limit (dBm)	MPR (dB)
Channel									
Frequency (MHz)									
632000									
633332									
60	QPSK	1	1		12.03	12.03	12.04	Tune-up limit (dBm)	MPR (dB)
Channel									
Frequency (MHz)									
631668									
633332									
50	QPSK	1	1		12.07	12.09	11.97	Tune-up limit (dBm)	MPR (dB)
Channel									
Frequency (MHz)									
631334									
633332									
40	QPSK	1	1		11.96	11.99	11.97	Tune-up limit (dBm)	MPR (dB)
Channel									
Frequency (MHz)									
631000									
633332									
30	QPSK	1	1		12.05	12.07	11.98	Tune-up limit (dBm)	MPR (dB)
Channel									
Frequency (MHz)									
630668									
633332									
20	QPSK	1	1		12.05	12.01	12.04	Tune-up limit (dBm)	MPR (dB)

Part270_n78(HPUE)_Ant 0									
BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power of Ch. / Freq.	Power High Ch. / Freq.	Tune-up limit (dBm)	MPR (dB)	
Channel									
Frequency (MHz)									
3750									
100	Pl2 BPSK	1	1		12.48			13.7	0.0
100	Pl2 BPSK	1	137		12.53				
100	Pl2 BPSK	1	271		12.46				
100	Pl2 BPSK	135	0		12.53			13.7	0.0
100	Pl2 BPSK	135	69		12.49			13.7	0.0
100	Pl2 BPSK	135	138		12.43				
100	Pl2 BPSK	270	0		12.51			13.7	0.0
100	QPSK	1	1		12.57				
100	QPSK	1	137		12.55			13.7	0.0
100	QPSK	1	271		12.50				
100	QPSK	135	0		12.54				
100	QPSK	135	69		12.51			13.7	0.0
100	QPSK	270	0		12.50				
100	16QAM	1	1		12.47			13.7	0.0
100	64QAM	1	1		12.50			13.7	0.0
100	256QAM	1	1		12.53			0.0	
Channel									
Frequency (MHz)									
64960									
3745.02 3750 3754.98									
80	QPSK	1	1	12.42	12.44	12.50			0.0
Channel									
Frequency (MHz)									
3760.01									
80	QPSK	1	1	12.41	12.38	12.44	13.7	0.0	
Channel									
Frequency (MHz)									
64990									
80	QPSK	1	1	12.40	12.37	12.43	13.7	0.0	
Channel									
Frequency (MHz)									
64988									
80	QPSK	1	1	12.51	12.50	12.52	13.7	0.0	
Channel									
Frequency (MHz)									
64934									
80	QPSK	1	1	12.51	12.38	12.39	13.7	0.0	
Channel									
Frequency (MHz)									
64934									
80	QPSK	1	1	12.50	12.41	12.37	13.7	0.0	
Channel									
Frequency (MHz)									
64950									
80	QPSK	1	1	12.50	12.37	12.39	13.7	0.0	
Channel									
Frequency (MHz)									
64788									
80	QPSK	1	1	12.45	12.43	12.37	13.7	0.0	
Channel									
Frequency (MHz)									
64734									
80	QPSK	1	1	12.45	12.40	12.33	13.7	0.0	
Channel									
Frequency (MHz)									
37610									
20	QPSK	1	1	12.44	12.40	12.33	13.7	0.0	

	Mode	Channel	Frequency (MHz)	DefaultFull		Head Stimulus		Head Stimulus WWN=BT 2.4G=BT 5G=BT		Head Stimulus 2.4G=BT WWN=2.4G=BT 5G=BT		HighPriority with Stimulus Stimulus WWN=BT 2.4G=BT 5G=BT		HighPriority with Stimulus 2.4G=BT WWN=2.4G=BT 5G=BT		Duty Cycle
				Avg 12		Avg 12		Avg 12		Avg 12		Avg 12		Avg 12		
				Average power (dBm)	Turn-Up Level	Average power (dBm)	Turn-Up Level	Average power (dBm)	Turn-Up Level	Average power (dBm)	Turn-Up Level	Average power (dBm)	Turn-Up Level	Average power (dBm)	Turn-Up Level	
Bluetooth	BR / EDR 1Mbps	5	2602	18.75	19.00	17.75	18.00	15.20	15.00	10.00	11.00	18.75	19.00	14.75	15.00	76.98%
		39	2641	18.00	19.00	17.00	18.00	15.40	15.00	10.00	11.00	18.00	19.00	14.00	15.00	
		75	2680	18.00	19.00	15.00	17.00	13.30	14.00	8.70	9.00	18.00	19.00	12.00	14.00	
	BR / EDR 2Mbps	5	2602	16.00	17.00	15.00	16.00	12.50	13.00	7.00	8.00	16.00	17.00	12.00	13.00	76.87%
		39	2641	16.50	17.00	15.50	16.50	13.00	14.00	8.40	9.00	16.50	17.00	12.50	13.50	
		75	2680	14.50	16.00	13.50	15.00	10.80	12.00	6.20	8.00	14.50	16.00	10.50	12.00	
	BR / EDR 3Mbps	5	2602	16.10	17.00	15.10	16.00	12.80	13.00	8.00	9.00	16.10	17.00	12.10	13.00	76.84%
		39	2641	16.00	17.00	15.00	16.00	13.10	14.00	8.50	9.00	16.00	17.00	12.00	13.00	
		75	2680	14.40	16.00	13.40	15.00	10.90	12.00	6.30	8.00	14.40	16.00	10.40	12.00	
	LE 1Mbps	5	2602	11.40	12.00	11.40	12.00	11.40	12.00	Not Required	4.50	11.40	12.00	11.40	12.00	61.81%
		39	2640	11.50	13.00	11.50	13.00	11.50	13.00		5.00	11.50	13.00	11.50	13.00	
		75	2680	10.10	11.50	10.10	11.50	10.10	11.50		3.50	10.10	11.50	10.10	11.50	
1		2604	11.90	12.00	11.90	12.00	11.90	12.00	4.50		11.90	12.00	11.90	12.00		
39		2640	11.90	13.00	11.90	13.00	11.90	13.00	5.00		11.90	13.00	11.90	13.00		
75		2678	10.40	11.50	10.40	11.50	10.40	11.50	3.00		10.40	11.50	10.40	11.50		
LE 129Kbps	5	2602	11.50	12.50	11.50	12.50	11.50	12.50	Not Required	4.00	11.50	12.50	11.50	12.50	82.41%	
	39	2640	11.60	13.00	11.60	13.00	11.60	13.00		5.00	11.60	13.00	11.60	13.00		
	75	2680	10.30	11.00	10.30	11.00	10.30	11.00		3.50	10.30	11.00	10.30	11.00		
LE 500Kbps	5	2602	11.40	12.00	11.40	12.00	11.40	12.00	Not Required	4.50	11.40	12.00	11.40	12.00	56.48%	
	39	2640	11.50	13.00	11.50	13.00	11.50	13.00		5.00	11.50	13.00	11.50	13.00		
	75	2680	10.20	11.00	10.20	11.00	10.20	11.00		3.50	10.20	11.00	10.20	11.00		

Mode		Channel	Frequency (MHz)	RU Size	RU Index	Default Full												Host Scenario Simultaneous 2.4G+BT 2.4G+5G						Host Scenario 2.4G+BT 2.4G+5G+BT						Host Scenario 2.4G+WWAN 2.4G+WWAN+5G						Host Scenario 2.4G+WWAN+BT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
						Ant 12			Ant 7			Ant 12+7			Ant 12			Ant 7			Ant 12+7			Ant 12			Ant 7			Ant 12+7			Ant 12			Ant 7			Ant 12+7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
						Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit	Average power (dBm)	Time-Up Limit																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
802.11b 1Mbps	1	2412	FULL	N/A	20.70	21.00	20.60	21.00	23.86	24.0	13.68	14.50	13.80	14.50	16.75	17.5	11.76	12.50	11.76	12.50	14.77	15.5	11.26	12.00	11.26	12.00	14.28	15.0	10.21	11.00	10.25	11.00	13.24	14.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

[illegible]

*PLAN SGP01

Mode	Channel	Frequency (MHz)	RU Size	RU Index	Default of	Test Measurement				Test Measurement				Test Measurement				Test Measurement			
						Ant A		Ant B		Ant 3-6		Ant 9		Ant 8		Ant 5-8		Ant 9		Ant 5-8	
						Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit
5.3GHz WLAN	802.11a 6Mbps	36	5180	Fdd	N/A	14.63	16.50	14.26	16.50	13.73	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		40	5200	Fdd	N/A	14.61	16.50	14.79	16.50	13.71	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		44	5220	Fdd	N/A	14.19	16.50	14.56	16.50	13.29	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		48	5240	Fdd	N/A	13.87	16.50	14.24	16.50	12.97	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		36	5180	Fdd	N/A	14.65	16.50	14.62	16.50	13.75	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		44	5220	Fdd	N/A	14.02	16.50	14.25	16.50	13.52	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
	802.11a-HT20 MCS0	44	5220	Fdd	N/A	14.14	16.50	14.25	16.50	13.57	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		48	5240	Fdd	N/A	13.62	16.50	14.21	16.50	16.94	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		36	5180	Fdd	N/A	13.01	14.50	13.52	14.50	16.03	17.5	13.01	14.50	13.02	14.50	16.20	17.5	13.02	14.50	16.20	17.5
		48	5230	Fdd	N/A	14.02	16.50	14.41	16.50	13.32	16.5	15.50	16.50	17.25	16.5	16.3	16.50	16.3	16.50	16.3	16.50
		36	5180	Fdd	N/A	14.64	16.50	14.61	16.50	13.74	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		44	5220	Fdd	N/A	14.12	16.50	14.55	16.50	13.35	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
	802.11a-VHT20 MCS0	44	5220	Fdd	N/A	13.60	16.50	14.20	16.50	16.90	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		36	5180	Fdd	N/A	13.01	14.50	13.01	14.50	16.02	17.5	14.00	14.50	17.5	13.50	16.20	17.5	13.50	16.20	17.5	13.50
		48	5230	Fdd	N/A	14.91	16.50	14.40	16.50	13.22	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		42	5210	Fdd	N/A	14.64	16.50	14.45	16.50	13.75	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		36	5180	Fdd	N/A	14.68	16.50	14.67	16.50	13.75	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		44	5220	Fdd	N/A	14.02	16.50	14.25	16.50	13.52	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
	802.11a-VHT40 MCS0	48	5230	Fdd	N/A	14.91	16.50	14.40	16.50	13.22	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		42	5210	Fdd	N/A	14.64	16.50	14.45	16.50	13.75	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		36	5180	Fdd	N/A	14.68	16.50	14.67	16.50	13.75	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		44	5220	Fdd	N/A	14.17	16.50	14.64	16.50	13.42	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		48	5240	Fdd	N/A	13.68	16.50	14.26	16.50	16.98	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
		46	5230	Fdd	N/A	14.03	16.50	14.45	16.50	13.25	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50
	802.11a-HE20 MCS0	42	5210	Fdd	N/A	13.52	14.50	13.22	14.50	16.15	17.5	14.00	14.50	17.5	13.50	16.20	17.5	13.50	16.20	17.5	13.50

*PLAN SGP02

Mode	Channel	Frequency (MHz)	RU Size	RU Index	Default of	Test Measurement				Test Measurement				Test Measurement				Test Measurement					
						Ant A		Ant B		Ant 3-6		Ant 9		Ant 8		Ant 5-8		Ant 9		Ant 8		Ant 5-8	
						Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit	Average power (dBm)	Turn-Up Limit
						2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)	2-Antenna (100W)
5.3GHz WLAN	802.11a 6Mbps	52	5280	Fdd	N/A	15.51	16.50	15.56	17.50	16.30	20.0	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50		
		56	5300	Fdd	N/A	14.00	17.50	12.50	17.50	12.27	20.0	14.00	17.50	12.50	17.50	12.50	17.50	12.50	17.50	12.50	17.50		
		60	5320	Fdd	N/A	12.51	14.00	13.02	14.00	16.78	17.5	14.00	14.00	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50		
		64	5340	Fdd	N/A	10.99	14.00	11.62	14.00	16.37	17.5	14.00	14.00	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50		
		52	5280	Fdd	N/A	15.01	16.50	15.52	16.50	16.26	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50		
		56	5280	Fdd	N/A	16.97	17.50	16.51	17.50	16.28	20.0	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50		
	802.11a-HT20 MCS0	60	5320	Fdd	N/A	13.01	14.50	13.40	14.50	16.27	17.5	14.00	14.50	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50		
		64	5320	Fdd	N/A	13.80	15.00	14.12	15.00	16.86	18.0	15.00	15.00	17.51	14.50	16.50	16.50	16.50	16.50	16.50	16.50		
		54	5270	Fdd	N/A	16.15	16.50	15.70	16.50	16.45	19.5	14.25	14.75	15.50	17.51	16.3	16.26	13.50	15.54	16.5	16.50		
		62	5310	Fdd	N/A	14.50	15.00	14.50	15.00	17.46	19.5	13.75	15.00	15.00	17.50	12.98	15.50	15.42	16.5	16.50	16.50		
		52	5280	Fdd	N/A	16.01	16.50	15.49	16.50	16.27	19.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50		
		56	5280	Fdd	N/A	15.01	16.50	15.01	16.50	16.26	16.5	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50		
	802.11a-VHT20 MCS0	60	5320	Fdd	N/A	13.01	14.50	13.47	14.50	16.26	17.5	14.00	14.50	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50		
		64	5320	Fdd	N/A	13.58	15.00	14.10	15.00	16.86	18.0	15.00	15.00	17.5	14.50	16.50	16.50	16.50	16.50	16.50	16.50		
		54	5270	Fdd	N/A	15.15	16.50	14.50	16.50	16.43	19.5	14.00	14.50	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50		
		62	5310	Fdd	N/A	13.72	15.00	14.27	15.00	16.91	18.0	15.00	15.00	17.5	14.50	16.50	16.50	16.50	16.50	16.50	16.50		
		58	5290	Fdd	N/A	16.01	17.50	16.49	17.50	16.26	19.5	11.50	11.50	14.0	14.0	16.3	16.3	16.3	16.3	16.3	16.3		
		58	5290	Fdd	N/A	15.15	16.50	14.50	16.50	16.43	19.5	14.00	14.50	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50		
	802.11a-VHT40 MCS0	60	5320	Fdd	N/A	13.02	14.50	13.58	14.50	16.32	18.0	15.50	16.50	16.3	16.50	16.3	16.50	16.3	16.50	16.3	16.50		
		64	5320	Fdd	N/A	13.80	15.00	14.12	15.00	16.86	18.0	15.00	15.00	17.5	14.50	16.50	16.50	16.50	16.50	16.50	16.50		
		58	5290	Fdd	N/A	15.01	16.50	14.50	16.50	16.43	19.5	14.00	14.50	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50		
		62	5310	Fdd	N/A	13.01	14.50	13.47	14.50	16.26	17.5	14.00	14.50	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50		
		54	5270	Fdd	N/A	13.58	15.00	14.10	15.00	16.86	18.0	15.00	15.00	17.5	14.50	16.50	16.50	16.50	16.50	16.50	16.50		
		58	5290	Fdd	N/A	15.01	16.50	14.50	16.50	16.43	19.5	14.00	14.50	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50		
	802.11a-HE20 MCS0	64	5320	Fdd	N/A	13.02	14.50	13.56	14.50	16.31	17.5	14.00	14.50	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50		
		54	5270	Fdd	N/A	13.62	15.00	14.16	15.00	16.91	18.0	15.00	15.00	17.5	14.50	16.50	16.50	16.50	16.50	16.50	16.50		
		58	5290	Fdd	N/A	14.05	8.50	7.80	8.50	11.9	8.50	8.50	11.5	8.50	11.5	8.50	11.5	8.50	11.5	8.50	11.5		
802.11a-HE40 MCS0	64	5320	100W	RUSA	9.65	11.50	10.51	11.50	13.11	14.5	14.50	14.50	14.5	11.50	11.50	14.5	11.50	14.5	11.50	14.5	11.50		
	54	5270	100W	RUSA	12.55	14.50	13.63	14.50	16.13	17.5	14.50	14.50	14.5	13.50	13.50	14.5	13.50	14.5	13.50	14.5	13.50		
	62	5310	Fdd	N/A	13.78	15.00	14.30	15.00	17.08	18.0	15.00	15.00	17.5	14.50	16.50	16.50	16.50	16.50	16.50	16.50			
	58	5290	Fdd	N/A	10.52	11.50	10.52	11.50	13.31	14.5	11.50	11.50	14.0	11.50	14.0	11.50	14.0	11.50	14.0	11.50			
	52	5280	Fdd	N/A	13.86	14.50	13.86	14.50	16.35	17.5	14.50	14.50	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50			
	56	5280	Fdd	N/A	13.02	14.50	13.02	14.50	16.35	17.5	14.50	14.50	17.5	13.50	16.50	16.50	16.50	16.50	16.50	16.50			

Page: 161/161