

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B25_1.4MHz_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.25	2.87	26.12	<=33.01	Pass
			2	23.32	2.87	26.19	<=33.01	Pass
			5	23.24	2.87	26.11	<=33.01	Pass
		3	0	23.16	2.87	26.03	<=33.01	Pass
			2	23.24	2.87	26.11	<=33.01	Pass
			3	23.23	2.87	26.10	<=33.01	Pass
		6	0	22.27	2.87	25.14	<=33.01	Pass
	1882.5	1	0	23.31	2.87	26.18	<=33.01	Pass
			2	23.31	2.87	26.18	<=33.01	Pass
			5	23.40	2.87	26.14	<=33.01	Pass
		3	0	23.28	2.87	26.15	<=33.01	Pass
			2	23.44	2.87	26.31	<=33.01	Pass
			3	23.30	2.87	26.17	<=33.01	Pass
		6	0	22.34	2.87	25.21	<=33.01	Pass
	1914.3	1	0	23.24	2.87	26.11	<=33.01	Pass
			2	23.40	2.87	26.14	<=33.01	Pass
			5	23.24	2.87	26.11	<=33.01	Pass
		3	0	23.30	2.87	26.17	<=33.01	Pass
			2	23.33	2.87	26.20	<=33.01	Pass
			3	23.40	2.87	26.14	<=33.01	Pass
		6	0	22.31	2.87	25.18	<=33.01	Pass
16QAM	1850.7	1	0	22.34	2.87	25.21	<=33.01	Pass
			2	22.23	2.87	25.10	<=33.01	Pass
			5	22.40	2.87	25.27	<=33.01	Pass
		3	0	22.37	2.87	25.24	<=33.01	Pass
			2	22.46	2.87	25.33	<=33.01	Pass
			3	22.36	2.87	25.23	<=33.01	Pass
		6	0	21.28	2.87	24.15	<=33.01	Pass
	1882.5	1	0	22.38	2.87	25.25	<=33.01	Pass
			2	22.52	2.87	25.39	<=33.01	Pass
			5	22.40	2.87	25.27	<=33.01	Pass
		3	0	22.53	2.87	25.40	<=33.01	Pass
			2	22.60	2.87	25.47	<=33.01	Pass
			3	22.59	2.87	25.46	<=33.01	Pass
		6	0	21.39	2.87	24.26	<=33.01	Pass
	1914.3	1	0	22.53	2.87	25.40	<=33.01	Pass
			2	22.61	2.87	25.48	<=33.01	Pass
			5	22.53	2.87	25.40	<=33.01	Pass
		3	0	22.34	2.87	25.21	<=33.01	Pass
			2	22.44	2.87	25.31	<=33.01	Pass
			3	22.32	2.87	25.19	<=33.01	Pass
		6	0	21.42	2.87	24.29	<=33.01	Pass
64QAM	1850.7	1	0	22.07	2.87	24.94	<=33.01	Pass
			2	22.50	2.87	25.37	<=33.01	Pass
			5	22.43	2.87	25.3	<=33.01	Pass
		3	0	22.58	2.87	25.45	<=33.01	Pass

		6	2	22.80	2.87	25.67	<=33.01	Pass	
			3	22.52	2.87	25.39	<=33.01	Pass	
			0	21.54	2.87	24.41	<=33.01	Pass	
	1882.5	1	0	22.49	2.87	25.36	<=33.01	Pass	
			2	22.55	2.87	25.42	<=33.01	Pass	
			5	22.33	2.87	25.2	<=33.01	Pass	
		3	0	23.01	2.87	25.88	<=33.01	Pass	
			2	22.97	2.87	25.84	<=33.01	Pass	
			3	23.03	2.87	25.9	<=33.01	Pass	
		6	0	21.87	2.87	24.74	<=33.01	Pass	
		1914.3	1	0	22.68	2.87	25.55	<=33.01	Pass
				2	22.74	2.87	25.61	<=33.01	Pass
	5			22.55	2.87	25.42	<=33.01	Pass	
	3		0	23.26	2.87	26.13	<=33.01	Pass	
			2	23.16	2.87	26.03	<=33.01	Pass	
			3	23.22	2.87	26.09	<=33.01	Pass	
	6		0	22.07	2.87	24.94	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.2 B25_3MHz_EIRP

Band: 25 / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.34	2.87	26.21	<=33.01	Pass
			7	23.21	2.87	26.08	<=33.01	Pass
			14	23.30	2.87	26.17	<=33.01	Pass
		8	0	22.34	2.87	25.21	<=33.01	Pass
			4	22.37	2.87	25.24	<=33.01	Pass
			7	22.35	2.87	25.22	<=33.01	Pass
		15	0	22.34	2.87	25.21	<=33.01	Pass
	1882.5	1	0	23.45	2.87	26.32	<=33.01	Pass
			7	23.40	2.87	26.27	<=33.01	Pass
			14	23.43	2.87	26.30	<=33.01	Pass
		8	0	22.39	2.87	25.26	<=33.01	Pass
			4	22.51	2.87	25.38	<=33.01	Pass
			7	22.40	2.87	25.27	<=33.01	Pass
		15	0	22.48	2.87	25.35	<=33.01	Pass
	1913.5	1	0	23.42	2.87	26.29	<=33.01	Pass
			7	23.31	2.87	26.18	<=33.01	Pass
			14	23.35	2.87	26.22	<=33.01	Pass
		8	0	22.42	2.87	25.29	<=33.01	Pass
			4	22.49	2.87	25.36	<=33.01	Pass
			7	22.43	2.87	25.30	<=33.01	Pass
		15	0	22.40	2.87	25.27	<=33.01	Pass
16QAM	1851.5	1	0	22.94	2.87	25.81	<=33.01	Pass
			7	22.72	2.87	25.59	<=33.01	Pass
			14	22.85	2.87	25.72	<=33.01	Pass
		8	0	21.52	2.87	24.39	<=33.01	Pass
			4	21.57	2.87	24.44	<=33.01	Pass
			7	21.49	2.87	24.36	<=33.01	Pass
		15	0	21.40	2.87	24.27	<=33.01	Pass
	1882.5	1	0	22.68	2.87	25.55	<=33.01	Pass
			7	22.53	2.87	25.40	<=33.01	Pass
			14	22.51	2.87	25.38	<=33.01	Pass

		8	0	21.39	2.87	24.26	<=33.01	Pass	
			4	21.44	2.87	24.31	<=33.01	Pass	
			7	21.44	2.87	24.31	<=33.01	Pass	
	1913.5	15	0	21.40	2.87	24.27	<=33.01	Pass	
			1	0	22.46	2.87	25.33	<=33.01	Pass
				7	22.52	2.87	25.39	<=33.01	Pass
		14		22.43	2.87	25.30	<=33.01	Pass	
		8	0	21.50	2.87	24.37	<=33.01	Pass	
			4	21.44	2.87	24.31	<=33.01	Pass	
			7	21.43	2.87	24.30	<=33.01	Pass	
		15	0	21.41	2.87	24.28	<=33.01	Pass	
64QAM	1851.5	1	0	22.28	2.87	25.15	<=33.01	Pass	
			7	22.36	2.87	25.23	<=33.01	Pass	
			14	22.17	2.87	25.04	<=33.01	Pass	
		8	0	21.77	2.87	24.64	<=33.01	Pass	
			4	21.62	2.87	24.49	<=33.01	Pass	
			7	21.74	2.87	24.61	<=33.01	Pass	
		15	0	21.60	2.87	24.47	<=33.01	Pass	
	1882.5	1	0	22.55	2.87	25.42	<=33.01	Pass	
			7	22.25	2.87	25.12	<=33.01	Pass	
			14	22.59	2.87	25.46	<=33.01	Pass	
		8	0	22.06	2.87	24.93	<=33.01	Pass	
			4	22.14	2.87	25.01	<=33.01	Pass	
			7	22.23	2.87	25.1	<=33.01	Pass	
		15	0	22.16	2.87	25.03	<=33.01	Pass	
	1913.5	1	0	22.94	2.87	25.81	<=33.01	Pass	
			7	22.61	2.87	25.48	<=33.01	Pass	
			14	22.70	2.87	25.57	<=33.01	Pass	
		8	0	22.20	2.87	25.07	<=33.01	Pass	
			4	22.22	2.87	25.09	<=33.01	Pass	
			7	22.34	2.87	25.21	<=33.01	Pass	
		15	0	22.30	2.87	25.17	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.3 B25_5MHz_EIRP

Band: 25 / Bandwidth: 5MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.28	2.87	26.15	<=33.01	Pass
			13	23.31	2.87	26.18	<=33.01	Pass
			24	23.40	2.87	26.14	<=33.01	Pass
		12	0	22.37	2.87	25.24	<=33.01	Pass
			6	22.32	2.87	25.19	<=33.01	Pass
			13	22.32	2.87	25.19	<=33.01	Pass
		25	0	22.35	2.87	25.22	<=33.01	Pass
	1882.5	1	0	23.38	2.87	26.25	<=33.01	Pass
			13	23.47	2.87	26.34	<=33.01	Pass
			24	23.41	2.87	26.28	<=33.01	Pass
		12	0	22.29	2.87	25.16	<=33.01	Pass
			6	22.34	2.87	25.21	<=33.01	Pass
			13	22.41	2.87	25.28	<=33.01	Pass
		25	0	22.41	2.87	25.28	<=33.01	Pass
	1912.5	1	0	23.39	2.87	26.26	<=33.01	Pass
			13	23.36	2.87	26.23	<=33.01	Pass

		12	24	23.40	2.87	26.14	<=33.01	Pass
			0	22.46	2.87	25.33	<=33.01	Pass
			6	22.46	2.87	25.33	<=33.01	Pass
			13	22.46	2.87	25.33	<=33.01	Pass
		25	0	22.46	2.87	25.33	<=33.01	Pass
16QAM	1852.5	1	0	22.28	2.87	25.15	<=33.01	Pass
			13	22.28	2.87	25.15	<=33.01	Pass
			24	22.24	2.87	25.11	<=33.01	Pass
		12	0	21.35	2.87	24.22	<=33.01	Pass
			6	21.33	2.87	24.20	<=33.01	Pass
			13	21.33	2.87	24.20	<=33.01	Pass
		25	0	21.35	2.87	24.22	<=33.01	Pass
	1882.5	1	0	22.63	2.87	25.50	<=33.01	Pass
			13	22.69	2.87	25.56	<=33.01	Pass
			24	22.60	2.87	25.47	<=33.01	Pass
		12	0	21.44	2.87	24.31	<=33.01	Pass
			6	21.37	2.87	24.24	<=33.01	Pass
			13	21.50	2.87	24.37	<=33.01	Pass
		25	0	21.44	2.87	24.31	<=33.01	Pass
	1912.5	1	0	22.52	2.87	25.39	<=33.01	Pass
			13	22.58	2.87	25.45	<=33.01	Pass
			24	22.44	2.87	25.31	<=33.01	Pass
		12	0	21.41	2.87	24.28	<=33.01	Pass
			6	21.41	2.87	24.28	<=33.01	Pass
			13	21.36	2.87	24.23	<=33.01	Pass
		25	0	21.52	2.87	24.39	<=33.01	Pass
64QAM	1852.5	1	0	22.31	2.87	25.18	<=33.01	Pass
			13	22.27	2.87	25.14	<=33.01	Pass
			24	22.25	2.87	25.12	<=33.01	Pass
		12	0	21.55	2.87	24.42	<=33.01	Pass
			6	21.83	2.87	24.7	<=33.01	Pass
			13	21.84	2.87	24.71	<=33.01	Pass
		25	0	21.82	2.87	24.69	<=33.01	Pass
	1882.5	1	0	22.51	2.87	25.38	<=33.01	Pass
			13	22.43	2.87	25.3	<=33.01	Pass
			24	22.58	2.87	25.45	<=33.01	Pass
		12	0	22.15	2.87	25.02	<=33.01	Pass
			6	22.01	2.87	24.88	<=33.01	Pass
			13	22.12	2.87	24.99	<=33.01	Pass
		25	0	22.15	2.87	25.02	<=33.01	Pass
	1912.5	1	0	23.09	2.87	25.96	<=33.01	Pass
			13	22.65	2.87	25.52	<=33.01	Pass
			24	22.62	2.87	25.49	<=33.01	Pass
		12	0	22.27	2.87	25.14	<=33.01	Pass
			6	22.29	2.87	25.16	<=33.01	Pass
			13	22.36	2.87	25.23	<=33.01	Pass
		25	0	22.40	2.87	25.27	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B25_10MHz_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.25	2.87	26.12	<=33.01	Pass

			25	23.33	2.87	26.20	<=33.01	Pass
			49	23.17	2.87	26.04	<=33.01	Pass
			0	22.36	2.87	25.23	<=33.01	Pass
		25	13	22.38	2.87	25.25	<=33.01	Pass
			25	22.35	2.87	25.22	<=33.01	Pass
		50	0	22.35	2.87	25.22	<=33.01	Pass
	1882.5	1	0	23.35	2.87	26.22	<=33.01	Pass
			25	23.26	2.87	26.13	<=33.01	Pass
			49	23.31	2.87	26.18	<=33.01	Pass
		25	0	22.40	2.87	25.27	<=33.01	Pass
			13	22.52	2.87	25.39	<=33.01	Pass
			25	22.45	2.87	25.32	<=33.01	Pass
		50	0	22.47	2.87	25.34	<=33.01	Pass
	1910	1	0	23.48	2.87	26.35	<=33.01	Pass
			25	23.36	2.87	26.23	<=33.01	Pass
			49	23.29	2.87	26.16	<=33.01	Pass
		25	0	22.38	2.87	25.25	<=33.01	Pass
			13	22.36	2.87	25.23	<=33.01	Pass
			25	22.40	2.87	25.27	<=33.01	Pass
		50	0	22.41	2.87	25.28	<=33.01	Pass
16QAM	1855	1	0	22.94	2.87	25.81	<=33.01	Pass
			25	22.89	2.87	25.76	<=33.01	Pass
			49	22.93	2.87	25.80	<=33.01	Pass
		25	0	21.40	2.87	24.27	<=33.01	Pass
			13	21.40	2.87	24.27	<=33.01	Pass
			25	21.35	2.87	24.22	<=33.01	Pass
		50	0	21.38	2.87	24.25	<=33.01	Pass
	1882.5	1	0	22.56	2.87	25.43	<=33.01	Pass
			25	22.57	2.87	25.44	<=33.01	Pass
			49	22.58	2.87	25.45	<=33.01	Pass
		25	0	21.39	2.87	24.26	<=33.01	Pass
			13	21.45	2.87	24.32	<=33.01	Pass
			25	21.44	2.87	24.31	<=33.01	Pass
		50	0	21.46	2.87	24.33	<=33.01	Pass
	1910	1	0	22.37	2.87	25.24	<=33.01	Pass
			25	22.38	2.87	25.25	<=33.01	Pass
			49	22.30	2.87	25.17	<=33.01	Pass
		25	0	21.48	2.87	24.35	<=33.01	Pass
			13	21.44	2.87	24.31	<=33.01	Pass
			25	21.50	2.87	24.37	<=33.01	Pass
		50	0	21.42	2.87	24.29	<=33.01	Pass
64QAM	1855	1	0	22.13	2.87	25	<=33.01	Pass
			25	22.67	2.87	25.54	<=33.01	Pass
			49	22.24	2.87	25.11	<=33.01	Pass
		25	0	21.85	2.87	24.72	<=33.01	Pass
			13	21.89	2.87	24.76	<=33.01	Pass
			25	21.80	2.87	24.67	<=33.01	Pass
		50	0	21.84	2.87	24.71	<=33.01	Pass
	1882.5	1	0	22.43	2.87	25.3	<=33.01	Pass
			25	22.47	2.87	25.34	<=33.01	Pass
			49	22.43	2.87	25.3	<=33.01	Pass
		25	0	22.12	2.87	24.99	<=33.01	Pass
			13	22.19	2.87	25.06	<=33.01	Pass
			25	22.11	2.87	24.98	<=33.01	Pass
		50	0	22.21	2.87	25.08	<=33.01	Pass
	1910	1	0	22.76	2.87	25.63	<=33.01	Pass
			25	23.56	2.87	26.43	<=33.01	Pass

			49	23.65	2.87	26.52	<=33.01	Pass
			0	22.31	2.87	25.18	<=33.01	Pass
		25	13	22.34	2.87	25.21	<=33.01	Pass
			25	22.32	2.87	25.19	<=33.01	Pass
		50	0	22.23	2.87	25.1	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B25_15MHz_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.12	2.87	25.99	<=33.01	Pass
			38	23.02	2.87	25.89	<=33.01	Pass
			74	23.14	2.87	26.01	<=33.01	Pass
		36	0	22.17	2.87	25.04	<=33.01	Pass
			18	22.25	2.87	25.12	<=33.01	Pass
			39	22.22	2.87	25.09	<=33.01	Pass
		75	0	22.22	2.87	25.09	<=33.01	Pass
	1882.5	1	0	23.21	2.87	26.08	<=33.01	Pass
			38	23.19	2.87	26.06	<=33.01	Pass
			74	23.18	2.87	26.05	<=33.01	Pass
		36	0	22.25	2.87	25.12	<=33.01	Pass
			18	22.30	2.87	25.17	<=33.01	Pass
			39	22.31	2.87	25.18	<=33.01	Pass
		75	0	22.33	2.87	25.20	<=33.01	Pass
	1907.5	1	0	23.40	2.87	26.14	<=33.01	Pass
			38	23.17	2.87	26.04	<=33.01	Pass
			74	23.12	2.87	25.99	<=33.01	Pass
		36	0	22.24	2.87	25.11	<=33.01	Pass
			18	22.26	2.87	25.13	<=33.01	Pass
			39	22.29	2.87	25.16	<=33.01	Pass
		75	0	22.28	2.87	25.15	<=33.01	Pass
16QAM	1857.5	1	0	22.82	2.87	25.69	<=33.01	Pass
			38	22.69	2.87	25.56	<=33.01	Pass
			74	22.72	2.87	25.59	<=33.01	Pass
		36	0	21.24	2.87	24.11	<=33.01	Pass
			18	21.23	2.87	24.10	<=33.01	Pass
			39	21.26	2.87	24.13	<=33.01	Pass
		75	0	21.30	2.87	24.17	<=33.01	Pass
	1882.5	1	0	22.56	2.87	25.43	<=33.01	Pass
			38	22.46	2.87	25.33	<=33.01	Pass
			74	22.41	2.87	25.28	<=33.01	Pass
		36	0	21.28	2.87	24.15	<=33.01	Pass
			18	21.28	2.87	24.15	<=33.01	Pass
			39	21.31	2.87	24.18	<=33.01	Pass
		75	0	21.34	2.87	24.21	<=33.01	Pass
	1907.5	1	0	22.71	2.87	25.58	<=33.01	Pass
			38	22.66	2.87	25.53	<=33.01	Pass
			74	22.54	2.87	25.41	<=33.01	Pass
		36	0	21.26	2.87	24.13	<=33.01	Pass
			18	21.24	2.87	24.11	<=33.01	Pass
			39	21.27	2.87	24.14	<=33.01	Pass
		75	0	21.28	2.87	24.15	<=33.01	Pass
64QAM	1857.5	1	0	22.42	2.87	25.29	<=33.01	Pass

			38	22.22	2.87	25.09	<=33.01	Pass
			74	22.27	2.87	25.14	<=33.01	Pass
		36	0	21.48	2.87	24.35	<=33.01	Pass
			18	21.71	2.87	24.58	<=33.01	Pass
			39	21.80	2.87	24.67	<=33.01	Pass
		75	0	21.74	2.87	24.61	<=33.01	Pass
	1882.5	1	0	24.00	2.87	26.87	<=33.01	Pass
			38	22.35	2.87	25.22	<=33.01	Pass
			74	25.13	2.87	28	<=33.01	Pass
		36	0	21.93	2.87	24.8	<=33.01	Pass
			18	21.90	2.87	24.77	<=33.01	Pass
			39	22.00	2.87	24.87	<=33.01	Pass
		75	0	21.98	2.87	24.85	<=33.01	Pass
		1907.5	1	0	22.16	2.87	25.03	<=33.01
	38			22.73	2.87	25.6	<=33.01	Pass
	74			23.90	2.87	26.77	<=33.01	Pass
	36		0	22.07	2.87	24.94	<=33.01	Pass
			18	22.17	2.87	25.04	<=33.01	Pass
			39	22.27	2.87	25.14	<=33.01	Pass
	75		0	22.06	2.87	24.93	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B25_20MHz_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.12	2.87	25.99	<=33.01	Pass
			50	23.06	2.87	25.93	<=33.01	Pass
			99	23.11	2.87	25.98	<=33.01	Pass
		50	0	22.19	2.87	25.06	<=33.01	Pass
			25	22.25	2.87	25.12	<=33.01	Pass
			50	22.23	2.87	25.10	<=33.01	Pass
		100	0	22.27	2.87	25.14	<=33.01	Pass
	1882.5	1	0	23.19	2.87	26.06	<=33.01	Pass
			50	23.22	2.87	26.09	<=33.01	Pass
			99	23.24	2.87	26.11	<=33.01	Pass
		50	0	22.26	2.87	25.13	<=33.01	Pass
			25	22.33	2.87	25.20	<=33.01	Pass
			50	22.33	2.87	25.20	<=33.01	Pass
		100	0	22.34	2.87	25.21	<=33.01	Pass
	1905	1	0	23.25	2.87	26.12	<=33.01	Pass
			50	23.18	2.87	26.05	<=33.01	Pass
			99	23.08	2.87	25.95	<=33.01	Pass
		50	0	22.33	2.87	25.20	<=33.01	Pass
			25	22.35	2.87	25.22	<=33.01	Pass
			50	22.34	2.87	25.21	<=33.01	Pass
		100	0	22.30	2.87	25.17	<=33.01	Pass
16QAM	1860	1	0	22.48	2.87	25.35	<=33.01	Pass
			50	22.36	2.87	25.23	<=33.01	Pass
			99	22.46	2.87	25.33	<=33.01	Pass
		50	0	21.15	2.87	24.02	<=33.01	Pass
			25	21.25	2.87	24.12	<=33.01	Pass
			50	21.19	2.87	24.06	<=33.01	Pass
		100	0	21.26	2.87	24.13	<=33.01	Pass

	1882.5	1	0	22.48	2.87	25.35	<=33.01	Pass	
			50	22.43	2.87	25.30	<=33.01	Pass	
			99	22.51	2.87	25.38	<=33.01	Pass	
		50	0	21.27	2.87	24.14	<=33.01	Pass	
			25	21.36	2.87	24.23	<=33.01	Pass	
			50	21.32	2.87	24.19	<=33.01	Pass	
		100	0	21.33	2.87	24.20	<=33.01	Pass	
		50	22.86	2.87	25.73	<=33.01	Pass		
		99	22.76	2.87	25.63	<=33.01	Pass		
	50	0	21.34	2.87	24.21	<=33.01	Pass		
		25	21.36	2.87	24.23	<=33.01	Pass		
		50	21.30	2.87	24.17	<=33.01	Pass		
	100	0	21.29	2.87	24.16	<=33.01	Pass		
	64QAM	1860	1	0	22.01	2.87	24.88	<=33.01	Pass
50				22.32	2.87	25.19	<=33.01	Pass	
99				22.05	2.87	24.92	<=33.01	Pass	
50			0	21.73	2.87	24.6	<=33.01	Pass	
			25	21.82	2.87	24.69	<=33.01	Pass	
			50	21.82	2.87	24.69	<=33.01	Pass	
100			0	21.90	2.87	24.77	<=33.01	Pass	
50		22.27	2.87	25.14	<=33.01	Pass			
99		22.25	2.87	25.12	<=33.01	Pass			
50		0	22.01	2.87	24.88	<=33.01	Pass		
		25	22.10	2.87	24.97	<=33.01	Pass		
		50	22.02	2.87	24.89	<=33.01	Pass		
100		0	22.02	2.87	24.89	<=33.01	Pass		
50		22.62	2.87	25.49	<=33.01	Pass			
99		23.24	2.87	26.11	<=33.01	Pass			
50		0	22.12	2.87	24.99	<=33.01	Pass		
		25	22.26	2.87	25.13	<=33.01	Pass		
		50	22.24	2.87	25.11	<=33.01	Pass		
100		0	22.04	2.87	24.91	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 Test Result

2.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.40	12.099	0.0065	-2.5 to 2.5	Pass
					3.60	11.835	0.0064	-2.5 to 2.5	Pass
					4.20	9.753	0.0053	-2.5 to 2.5	Pass
				-30	3.60	11.632	0.0063	-2.5 to 2.5	Pass
				-20	3.60	10.865	0.0059	-2.5 to 2.5	Pass
				-10	3.60	10.144	0.0055	-2.5 to 2.5	Pass
				0	3.60	10.382	0.0056	-2.5 to 2.5	Pass
				10	3.60	9.136	0.0049	-2.5 to 2.5	Pass

				30	3.60	6.412	0.0035	-2.5 to 2.5	Pass
				40	3.60	7.236	0.0039	-2.5 to 2.5	Pass
				50	3.60	6.018	0.0033	-2.5 to 2.5	Pass
	1882.5	6	0	20	3.40	-22.207	-0.0118	-2.5 to 2.5	Pass
					3.60	-23.590	-0.0125	-2.5 to 2.5	Pass
					4.20	-22.078	-0.0117	-2.5 to 2.5	Pass
				-30	3.60	-19.702	-0.0105	-2.5 to 2.5	Pass
				-20	3.60	-16.971	-0.0090	-2.5 to 2.5	Pass
				-10	3.60	-15.820	-0.0084	-2.5 to 2.5	Pass
				0	3.60	-13.602	-0.0072	-2.5 to 2.5	Pass
				10	3.60	-11.799	-0.0063	-2.5 to 2.5	Pass
				30	3.60	-9.589	-0.0051	-2.5 to 2.5	Pass
				40	3.60	-8.024	-0.0043	-2.5 to 2.5	Pass
				50	3.60	-7.222	-0.0038	-2.5 to 2.5	Pass
	1914.3	6	0	20	3.40	5.195	0.0027	-2.5 to 2.5	Pass
					3.60	7.363	0.0038	-2.5 to 2.5	Pass
					4.20	7.180	0.0038	-2.5 to 2.5	Pass
				-30	3.60	9.497	0.0050	-2.5 to 2.5	Pass
				-20	3.60	11.793	0.0062	-2.5 to 2.5	Pass
				-10	3.60	12.538	0.0065	-2.5 to 2.5	Pass
				0	3.60	14.501	0.0076	-2.5 to 2.5	Pass
				10	3.60	13.269	0.0069	-2.5 to 2.5	Pass
				30	3.60	13.779	0.0072	-2.5 to 2.5	Pass
				40	3.60	15.633	0.0082	-2.5 to 2.5	Pass
				50	3.60	13.700	0.0072	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	3.40	4.756	0.0026	-2.5 to 2.5	Pass
					3.60	5.600	0.0030	-2.5 to 2.5	Pass
					4.20	4.517	0.0024	-2.5 to 2.5	Pass
				-30	3.60	5.146	0.0028	-2.5 to 2.5	Pass
				-20	3.60	4.886	0.0026	-2.5 to 2.5	Pass
				-10	3.60	1.937	0.0010	-2.5 to 2.5	Pass
				0	3.60	4.017	0.0022	-2.5 to 2.5	Pass
				10	3.60	3.364	0.0018	-2.5 to 2.5	Pass
				30	3.60	3.259	0.0018	-2.5 to 2.5	Pass
				40	3.60	2.295	0.0012	-2.5 to 2.5	Pass
				50	3.60	3.111	0.0017	-2.5 to 2.5	Pass
	1882.5	6	0	20	3.40	-7.859	-0.0042	-2.5 to 2.5	Pass
					3.60	-6.030	-0.0032	-2.5 to 2.5	Pass
					4.20	-4.540	-0.0024	-2.5 to 2.5	Pass
				-30	3.60	-4.512	-0.0024	-2.5 to 2.5	Pass
				-20	3.60	-2.540	-0.0013	-2.5 to 2.5	Pass
				-10	3.60	-1.626	-0.0009	-2.5 to 2.5	Pass
				0	3.60	-3.423	-0.0018	-2.5 to 2.5	Pass
				10	3.60	-1.708	-0.0009	-2.5 to 2.5	Pass
				30	3.60	-0.042	0.0000	-2.5 to 2.5	Pass
				40	3.60	0.755	0.0004	-2.5 to 2.5	Pass
				50	3.60	-1.477	-0.0008	-2.5 to 2.5	Pass
	1914.3	6	0	20	3.40	15.825	0.0083	-2.5 to 2.5	Pass
					3.60	15.626	0.0082	-2.5 to 2.5	Pass
					4.20	12.863	0.0067	-2.5 to 2.5	Pass
				-30	3.60	14.604	0.0076	-2.5 to 2.5	Pass
				-20	3.60	12.899	0.0067	-2.5 to 2.5	Pass
				-10	3.60	12.671	0.0066	-2.5 to 2.5	Pass
				0	3.60	11.002	0.0057	-2.5 to 2.5	Pass
				10	3.60	9.328	0.0049	-2.5 to 2.5	Pass
				30	3.60	10.199	0.0053	-2.5 to 2.5	Pass
				40	3.60	8.194	0.0043	-2.5 to 2.5	Pass

				50	3.60	8.198	0.0043	-2.5 to 2.5	Pass
64QAM	1850.7	6	0	20	3.40	-28.900	-0.0156	-2.5 to 2.5	Pass
					3.60	-25.200	-0.0136	-2.5 to 2.5	Pass
				40	4.20	-21.100	-0.0114	-2.5 to 2.5	Pass
					3.60	-14.000	-0.0076	-2.5 to 2.5	Pass
				-30	3.60	-16.700	-0.0090	-2.5 to 2.5	Pass
				-20	3.60	-13.900	-0.0075	-2.5 to 2.5	Pass
				-10	3.60	-15.200	-0.0082	-2.5 to 2.5	Pass
				0	3.60	-12.100	-0.0065	-2.5 to 2.5	Pass
				10	3.60	-10.900	-0.0059	-2.5 to 2.5	Pass
				30	3.60	-10.700	-0.0058	-2.5 to 2.5	Pass
	1882.5	6	0	40	3.60	-6.900	-0.0037	-2.5 to 2.5	Pass
				50	3.40	-18.300	-0.0097	-2.5 to 2.5	Pass
				20	3.60	-25.100	-0.0133	-2.5 to 2.5	Pass
					4.20	-26.400	-0.0140	-2.5 to 2.5	Pass
				-30	3.60	-22.900	-0.0122	-2.5 to 2.5	Pass
				-20	3.60	-21.700	-0.0115	-2.5 to 2.5	Pass
				-10	3.60	-22.800	-0.0121	-2.5 to 2.5	Pass
				0	3.60	-24.300	-0.0129	-2.5 to 2.5	Pass
				10	3.60	-20.600	-0.0109	-2.5 to 2.5	Pass
				30	3.60	-17.100	-0.0091	-2.5 to 2.5	Pass
	1914.3	6	0	40	3.60	-9.600	-0.0051	-2.5 to 2.5	Pass
				50	3.60	-15.400	-0.0082	-2.5 to 2.5	Pass
				20	3.40	13.600	0.0071	-2.5 to 2.5	Pass
					3.60	12.100	0.0063	-2.5 to 2.5	Pass
				40	4.20	5.400	0.0028	-2.5 to 2.5	Pass
					3.60	6.800	0.0036	-2.5 to 2.5	Pass
				-30	3.60	15.300	0.0080	-2.5 to 2.5	Pass
				-20	3.60	12.500	0.0065	-2.5 to 2.5	Pass
				-10	3.60	10.400	0.0054	-2.5 to 2.5	Pass
				0	3.60	9.100	0.0048	-2.5 to 2.5	Pass
				10	3.60	17.400	0.0091	-2.5 to 2.5	Pass
				30	3.60	8.300	0.0043	-2.5 to 2.5	Pass
				40	3.60	11.000	0.0057	-2.5 to 2.5	Pass

2.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.40	-0.287	-0.0002	-2.5 to 2.5	Pass
					3.60	-1.464	-0.0008	-2.5 to 2.5	Pass
				40	4.20	-2.012	-0.0011	-2.5 to 2.5	Pass
					3.60	-1.555	-0.0008	-2.5 to 2.5	Pass
				-30	3.60	-2.014	-0.0011	-2.5 to 2.5	Pass
				-20	3.60	-1.524	-0.0008	-2.5 to 2.5	Pass
				-10	3.60	-1.118	-0.0006	-2.5 to 2.5	Pass
				0	3.60	-0.780	-0.0004	-2.5 to 2.5	Pass
				10	3.60	-0.558	-0.0003	-2.5 to 2.5	Pass
				30	3.60	-0.192	-0.0001	-2.5 to 2.5	Pass
	1882.5	15	0	40	3.60	0.238	0.0001	-2.5 to 2.5	Pass
				50	3.40	-0.460	-0.0002	-2.5 to 2.5	Pass
				20	3.60	-0.708	-0.0004	-2.5 to 2.5	Pass
					4.20	0.619	0.0003	-2.5 to 2.5	Pass
				-30	3.60	-0.595	-0.0003	-2.5 to 2.5	Pass

				-20	3.60	-1.573	-0.0008	-2.5 to 2.5	Pass
				-10	3.60	0.835	0.0004	-2.5 to 2.5	Pass
				0	3.60	-0.944	-0.0005	-2.5 to 2.5	Pass
				10	3.60	-2.634	-0.0014	-2.5 to 2.5	Pass
				30	3.60	-0.774	-0.0004	-2.5 to 2.5	Pass
				40	3.60	-0.411	-0.0002	-2.5 to 2.5	Pass
				50	3.60	0.081	0.0000	-2.5 to 2.5	Pass
	1913.5	15	0	20	3.40	-0.522	-0.0003	-2.5 to 2.5	Pass
					3.60	2.153	0.0011	-2.5 to 2.5	Pass
					4.20	1.768	0.0009	-2.5 to 2.5	Pass
				-30	3.60	0.170	0.0001	-2.5 to 2.5	Pass
				-20	3.60	2.113	0.0011	-2.5 to 2.5	Pass
				-10	3.60	-0.098	-0.0001	-2.5 to 2.5	Pass
				0	3.60	2.388	0.0012	-2.5 to 2.5	Pass
				10	3.60	0.357	0.0002	-2.5 to 2.5	Pass
				30	3.60	2.338	0.0012	-2.5 to 2.5	Pass
				40	3.60	0.839	0.0004	-2.5 to 2.5	Pass
				50	3.60	1.207	0.0006	-2.5 to 2.5	Pass
16QAM	1851.5	15	0	20	3.40	-1.764	-0.0010	-2.5 to 2.5	Pass
					3.60	-1.683	-0.0009	-2.5 to 2.5	Pass
					4.20	0.411	0.0002	-2.5 to 2.5	Pass
				-30	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
				-20	3.60	-1.412	-0.0008	-2.5 to 2.5	Pass
				-10	3.60	-0.988	-0.0005	-2.5 to 2.5	Pass
				0	3.60	-1.251	-0.0007	-2.5 to 2.5	Pass
				10	3.60	-0.707	-0.0004	-2.5 to 2.5	Pass
				30	3.60	-1.477	-0.0008	-2.5 to 2.5	Pass
				40	3.60	-0.874	-0.0005	-2.5 to 2.5	Pass
				50	3.60	0.609	0.0003	-2.5 to 2.5	Pass
	1882.5	15	0	20	3.40	-1.487	-0.0008	-2.5 to 2.5	Pass
					3.60	-0.593	-0.0003	-2.5 to 2.5	Pass
					4.20	-0.011	0.0000	-2.5 to 2.5	Pass
				-30	3.60	0.126	0.0001	-2.5 to 2.5	Pass
				-20	3.60	1.775	0.0009	-2.5 to 2.5	Pass
				-10	3.60	0.285	0.0002	-2.5 to 2.5	Pass
				0	3.60	1.021	0.0005	-2.5 to 2.5	Pass
				10	3.60	1.024	0.0005	-2.5 to 2.5	Pass
				30	3.60	0.047	0.0000	-2.5 to 2.5	Pass
				40	3.60	-0.175	-0.0001	-2.5 to 2.5	Pass
				50	3.60	1.637	0.0009	-2.5 to 2.5	Pass
	1913.5	15	0	20	3.40	1.188	0.0006	-2.5 to 2.5	Pass
					3.60	0.984	0.0005	-2.5 to 2.5	Pass
					4.20	1.012	0.0005	-2.5 to 2.5	Pass
				-30	3.60	2.816	0.0015	-2.5 to 2.5	Pass
				-20	3.60	1.734	0.0009	-2.5 to 2.5	Pass
				-10	3.60	1.762	0.0009	-2.5 to 2.5	Pass
				0	3.60	0.917	0.0005	-2.5 to 2.5	Pass
				10	3.60	2.123	0.0011	-2.5 to 2.5	Pass
				30	3.60	3.092	0.0016	-2.5 to 2.5	Pass
				40	3.60	1.466	0.0008	-2.5 to 2.5	Pass
				50	3.60	2.082	0.0011	-2.5 to 2.5	Pass
64QAM	1851.5	15	0	20	3.40	1.600	0.0009	-2.5 to 2.5	Pass
					3.60	0.700	0.0004	-2.5 to 2.5	Pass
					4.20	1.500	0.0008	-2.5 to 2.5	Pass
				-30	3.60	0.200	0.0001	-2.5 to 2.5	Pass
				-20	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
				-10	3.60	0.700	0.0004	-2.5 to 2.5	Pass

				0	3.60	1.800	0.0010	-2.5 to 2.5	Pass
				10	3.60	1.200	0.0006	-2.5 to 2.5	Pass
				30	3.60	0.900	0.0005	-2.5 to 2.5	Pass
				40	3.60	1.200	0.0006	-2.5 to 2.5	Pass
				50	3.60	0.400	0.0002	-2.5 to 2.5	Pass
	1882.5	15	0	20	3.40	-2.600	-0.0014	-2.5 to 2.5	Pass
					3.60	-1.900	-0.0010	-2.5 to 2.5	Pass
					4.20	-2.600	-0.0014	-2.5 to 2.5	Pass
				-30	3.60	-0.800	-0.0004	-2.5 to 2.5	Pass
				-20	3.60	0.600	0.0003	-2.5 to 2.5	Pass
				-10	3.60	1.300	0.0007	-2.5 to 2.5	Pass
				0	3.60	-0.300	-0.0002	-2.5 to 2.5	Pass
				10	3.60	1.400	0.0007	-2.5 to 2.5	Pass
				30	3.60	-1.500	-0.0008	-2.5 to 2.5	Pass
				40	3.60	-0.400	-0.0002	-2.5 to 2.5	Pass
				50	3.60	-3.900	-0.0021	-2.5 to 2.5	Pass
	1913.5	15	0	20	3.40	0.800	0.0004	-2.5 to 2.5	Pass
					3.60	0.500	0.0003	-2.5 to 2.5	Pass
					4.20	-3.100	-0.0016	-2.5 to 2.5	Pass
				-30	3.60	0.700	0.0004	-2.5 to 2.5	Pass
				-20	3.60	-2.100	-0.0011	-2.5 to 2.5	Pass
				-10	3.60	-1.800	-0.0009	-2.5 to 2.5	Pass
				0	3.60	-2.300	-0.0012	-2.5 to 2.5	Pass
				10	3.60	1.800	0.0009	-2.5 to 2.5	Pass
				30	3.60	1.200	0.0006	-2.5 to 2.5	Pass
				40	3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
				50	3.60	0.800	0.0004	-2.5 to 2.5	Pass

2.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.40	0.464	0.0003	-2.5 to 2.5	Pass
					3.60	0.448	0.0002	-2.5 to 2.5	Pass
					4.20	0.314	0.0002	-2.5 to 2.5	Pass
				-30	3.60	-0.014	0.0000	-2.5 to 2.5	Pass
				-20	3.60	1.207	0.0007	-2.5 to 2.5	Pass
				-10	3.60	1.060	0.0006	-2.5 to 2.5	Pass
				0	3.60	-0.475	-0.0003	-2.5 to 2.5	Pass
				10	3.60	0.116	0.0001	-2.5 to 2.5	Pass
				30	3.60	0.243	0.0001	-2.5 to 2.5	Pass
				40	3.60	0.911	0.0005	-2.5 to 2.5	Pass
				50	3.60	0.889	0.0005	-2.5 to 2.5	Pass
	1882.5	25	0	20	3.40	-3.192	-0.0017	-2.5 to 2.5	Pass
					3.60	-2.636	-0.0014	-2.5 to 2.5	Pass
					4.20	-0.039	0.0000	-2.5 to 2.5	Pass
				-30	3.60	-0.110	-0.0001	-2.5 to 2.5	Pass
				-20	3.60	-2.394	-0.0013	-2.5 to 2.5	Pass
				-10	3.60	-1.303	-0.0007	-2.5 to 2.5	Pass
				0	3.60	-2.182	-0.0012	-2.5 to 2.5	Pass
				10	3.60	-1.767	-0.0009	-2.5 to 2.5	Pass
				30	3.60	0.036	0.0000	-2.5 to 2.5	Pass
				40	3.60	-1.682	-0.0009	-2.5 to 2.5	Pass
				50	3.60	-0.368	-0.0002	-2.5 to 2.5	Pass

	1912.5	25	0	20	3.40	0.458	0.0002	-2.5 to 2.5	Pass
					3.60	-0.052	0.0000	-2.5 to 2.5	Pass
					4.20	0.430	0.0002	-2.5 to 2.5	Pass
				-30	3.60	-0.215	-0.0001	-2.5 to 2.5	Pass
				-20	3.60	1.504	0.0008	-2.5 to 2.5	Pass
				-10	3.60	-0.051	0.0000	-2.5 to 2.5	Pass
				0	3.60	0.527	0.0003	-2.5 to 2.5	Pass
				10	3.60	0.138	0.0001	-2.5 to 2.5	Pass
				30	3.60	0.664	0.0003	-2.5 to 2.5	Pass
				40	3.60	0.011	0.0000	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.40	0.170	0.0001	-2.5 to 2.5	Pass
					3.60	-1.089	-0.0006	-2.5 to 2.5	Pass
					4.20	0.806	0.0004	-2.5 to 2.5	Pass
				-30	3.60	-1.026	-0.0006	-2.5 to 2.5	Pass
				-20	3.60	0.239	0.0001	-2.5 to 2.5	Pass
				-10	3.60	1.193	0.0006	-2.5 to 2.5	Pass
				0	3.60	1.256	0.0007	-2.5 to 2.5	Pass
				10	3.60	1.142	0.0006	-2.5 to 2.5	Pass
				30	3.60	0.276	0.0001	-2.5 to 2.5	Pass
				40	3.60	-0.152	-0.0001	-2.5 to 2.5	Pass
	1882.5	25	0	20	3.40	-2.756	-0.0015	-2.5 to 2.5	Pass
					3.60	-0.351	-0.0002	-2.5 to 2.5	Pass
					4.20	-1.104	-0.0006	-2.5 to 2.5	Pass
				-30	3.60	-1.641	-0.0009	-2.5 to 2.5	Pass
				-20	3.60	-1.246	-0.0007	-2.5 to 2.5	Pass
				-10	3.60	-1.436	-0.0008	-2.5 to 2.5	Pass
				0	3.60	-1.674	-0.0009	-2.5 to 2.5	Pass
				10	3.60	0.922	0.0005	-2.5 to 2.5	Pass
				30	3.60	-1.559	-0.0008	-2.5 to 2.5	Pass
				40	3.60	0.168	0.0001	-2.5 to 2.5	Pass
	1912.5	25	0	20	3.40	0.021	0.0000	-2.5 to 2.5	Pass
					3.60	1.209	0.0006	-2.5 to 2.5	Pass
					4.20	0.139	0.0001	-2.5 to 2.5	Pass
				-30	3.60	1.659	0.0009	-2.5 to 2.5	Pass
				-20	3.60	1.091	0.0006	-2.5 to 2.5	Pass
				-10	3.60	-0.403	-0.0002	-2.5 to 2.5	Pass
				0	3.60	0.112	0.0001	-2.5 to 2.5	Pass
				10	3.60	0.154	0.0001	-2.5 to 2.5	Pass
				30	3.60	-0.123	-0.0001	-2.5 to 2.5	Pass
				40	3.60	0.873	0.0005	-2.5 to 2.5	Pass
64QAM	1852.5	25	0	20	3.40	-1.600	-0.0009	-2.5 to 2.5	Pass
					3.60	-0.900	-0.0005	-2.5 to 2.5	Pass
					4.20	-2.700	-0.0015	-2.5 to 2.5	Pass
				-30	3.60	-0.800	-0.0004	-2.5 to 2.5	Pass
				-20	3.60	-1.500	-0.0008	-2.5 to 2.5	Pass
				-10	3.60	-3.500	-0.0019	-2.5 to 2.5	Pass
				0	3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
				10	3.60	-2.000	-0.0011	-2.5 to 2.5	Pass
				30	3.60	-2.800	-0.0015	-2.5 to 2.5	Pass
				40	3.60	-2.800	-0.0015	-2.5 to 2.5	Pass
				50	3.60	-0.600	-0.0003	-2.5 to 2.5	Pass
	1882.5	25	0	20	3.40	-0.500	-0.0003	-2.5 to 2.5	Pass
					3.60	-0.300	-0.0002	-2.5 to 2.5	Pass

					4.20	-0.700	-0.0004	-2.5 to 2.5	Pass
				-30	3.60	-1.800	-0.0010	-2.5 to 2.5	Pass
				-20	3.60	1.300	0.0007	-2.5 to 2.5	Pass
				-10	3.60	1.400	0.0007	-2.5 to 2.5	Pass
				0	3.60	0.700	0.0004	-2.5 to 2.5	Pass
				10	3.60	-1.200	-0.0006	-2.5 to 2.5	Pass
				30	3.60	1.200	0.0006	-2.5 to 2.5	Pass
				40	3.60	-0.200	-0.0001	-2.5 to 2.5	Pass
				50	3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
	1912.5	25	0	20	3.40	1.600	0.0008	-2.5 to 2.5	Pass
					3.60	0.900	0.0005	-2.5 to 2.5	Pass
					4.20	-1.100	-0.0006	-2.5 to 2.5	Pass
				-30	3.60	-1.700	-0.0009	-2.5 to 2.5	Pass
				-20	3.60	1.400	0.0007	-2.5 to 2.5	Pass
				-10	3.60	-0.900	-0.0005	-2.5 to 2.5	Pass
				0	3.60	1.200	0.0006	-2.5 to 2.5	Pass
				10	3.60	-0.100	-0.0001	-2.5 to 2.5	Pass
				30	3.60	2.800	0.0015	-2.5 to 2.5	Pass
				40	3.60	-0.700	-0.0004	-2.5 to 2.5	Pass
				50	3.60	-0.300	-0.0002	-2.5 to 2.5	Pass

2.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.40	-2.006	-0.0011	-2.5 to 2.5	Pass
					3.60	-1.495	-0.0008	-2.5 to 2.5	Pass
					4.20	0.300	0.0002	-2.5 to 2.5	Pass
				-30	3.60	-1.007	-0.0005	-2.5 to 2.5	Pass
				-20	3.60	-1.483	-0.0008	-2.5 to 2.5	Pass
				-10	3.60	1.610	0.0009	-2.5 to 2.5	Pass
				0	3.60	-0.736	-0.0004	-2.5 to 2.5	Pass
				10	3.60	-1.139	-0.0006	-2.5 to 2.5	Pass
				30	3.60	-1.882	-0.0010	-2.5 to 2.5	Pass
	1882.5	50	0	40	3.60	-0.626	-0.0003	-2.5 to 2.5	Pass
				50	3.60	-2.249	-0.0012	-2.5 to 2.5	Pass
				20	3.40	-1.236	-0.0007	-2.5 to 2.5	Pass
					3.60	-1.618	-0.0009	-2.5 to 2.5	Pass
					4.20	-0.244	-0.0001	-2.5 to 2.5	Pass
				-30	3.60	-0.838	-0.0004	-2.5 to 2.5	Pass
				-20	3.60	-2.103	-0.0011	-2.5 to 2.5	Pass
				-10	3.60	-1.209	-0.0006	-2.5 to 2.5	Pass
				0	3.60	-3.058	-0.0016	-2.5 to 2.5	Pass
	1910	50	0	10	3.60	-1.770	-0.0009	-2.5 to 2.5	Pass
				30	3.60	-1.570	-0.0008	-2.5 to 2.5	Pass
				40	3.60	-2.865	-0.0015	-2.5 to 2.5	Pass
				50	3.60	-0.706	-0.0004	-2.5 to 2.5	Pass
				20	3.40	-1.525	-0.0008	-2.5 to 2.5	Pass
					3.60	-0.427	-0.0002	-2.5 to 2.5	Pass
					4.20	-1.764	-0.0009	-2.5 to 2.5	Pass
				-30	3.60	-1.103	-0.0006	-2.5 to 2.5	Pass
				-20	3.60	-1.508	-0.0008	-2.5 to 2.5	Pass
				-10	3.60	-1.237	-0.0006	-2.5 to 2.5	Pass
				0	3.60	-3.103	-0.0016	-2.5 to 2.5	Pass

				10	3.60	-0.729	-0.0004	-2.5 to 2.5	Pass
				30	3.60	0.359	0.0002	-2.5 to 2.5	Pass
				40	3.60	-0.447	-0.0002	-2.5 to 2.5	Pass
				50	3.60	-1.775	-0.0009	-2.5 to 2.5	Pass
16QAM	1855	50	0	20	3.40	-1.473	-0.0008	-2.5 to 2.5	Pass
					3.60	-2.110	-0.0011	-2.5 to 2.5	Pass
					4.20	-0.140	-0.0001	-2.5 to 2.5	Pass
				-30	3.60	-0.847	-0.0005	-2.5 to 2.5	Pass
				-20	3.60	-1.652	-0.0009	-2.5 to 2.5	Pass
				-10	3.60	0.067	0.0000	-2.5 to 2.5	Pass
				0	3.60	-0.085	0.0000	-2.5 to 2.5	Pass
				10	3.60	-1.367	-0.0007	-2.5 to 2.5	Pass
				30	3.60	-0.315	-0.0002	-2.5 to 2.5	Pass
				40	3.60	-1.199	-0.0006	-2.5 to 2.5	Pass
				50	3.60	0.493	0.0003	-2.5 to 2.5	Pass
	1882.5	50	0	20	3.40	-1.201	-0.0006	-2.5 to 2.5	Pass
					3.60	-2.294	-0.0012	-2.5 to 2.5	Pass
					4.20	-2.610	-0.0014	-2.5 to 2.5	Pass
				-30	3.60	-1.107	-0.0006	-2.5 to 2.5	Pass
				-20	3.60	-1.756	-0.0009	-2.5 to 2.5	Pass
				-10	3.60	-1.772	-0.0009	-2.5 to 2.5	Pass
				0	3.60	-2.124	-0.0011	-2.5 to 2.5	Pass
				10	3.60	-0.929	-0.0005	-2.5 to 2.5	Pass
				30	3.60	-2.569	-0.0014	-2.5 to 2.5	Pass
				40	3.60	-2.108	-0.0011	-2.5 to 2.5	Pass
				50	3.60	-1.280	-0.0007	-2.5 to 2.5	Pass
	1910	50	0	20	3.40	-1.983	-0.0010	-2.5 to 2.5	Pass
					3.60	-1.383	-0.0007	-2.5 to 2.5	Pass
					4.20	-2.992	-0.0016	-2.5 to 2.5	Pass
				-30	3.60	-1.748	-0.0009	-2.5 to 2.5	Pass
				-20	3.60	-3.627	-0.0019	-2.5 to 2.5	Pass
				-10	3.60	-3.513	-0.0018	-2.5 to 2.5	Pass
				0	3.60	-3.967	-0.0021	-2.5 to 2.5	Pass
				10	3.60	-2.120	-0.0011	-2.5 to 2.5	Pass
				30	3.60	-2.456	-0.0013	-2.5 to 2.5	Pass
				40	3.60	-1.292	-0.0007	-2.5 to 2.5	Pass
				50	3.60	-1.580	-0.0008	-2.5 to 2.5	Pass
64QAM	1855	50	0	20	3.40	-2.200	-0.0012	-2.5 to 2.5	Pass
					3.60	-2.100	-0.0011	-2.5 to 2.5	Pass
					4.20	-4.200	-0.0023	-2.5 to 2.5	Pass
				-30	3.60	-1.600	-0.0009	-2.5 to 2.5	Pass
				-20	3.60	0.600	0.0003	-2.5 to 2.5	Pass
				-10	3.60	-1.500	-0.0008	-2.5 to 2.5	Pass
				0	3.60	-2.200	-0.0012	-2.5 to 2.5	Pass
				10	3.60	-1.300	-0.0007	-2.5 to 2.5	Pass
				30	3.60	-2.500	-0.0013	-2.5 to 2.5	Pass
				40	3.60	-4.100	-0.0022	-2.5 to 2.5	Pass
				50	3.60	-2.700	-0.0015	-2.5 to 2.5	Pass
	1882.5	50	0	20	3.40	-5.200	-0.0028	-2.5 to 2.5	Pass
					3.60	-0.800	-0.0004	-2.5 to 2.5	Pass
					4.20	-0.300	-0.0002	-2.5 to 2.5	Pass
				-30	3.60	-1.700	-0.0009	-2.5 to 2.5	Pass
				-20	3.60	-1.000	-0.0005	-2.5 to 2.5	Pass
				-10	3.60	-1.600	-0.0008	-2.5 to 2.5	Pass
				0	3.60	-0.300	-0.0002	-2.5 to 2.5	Pass
				10	3.60	-0.300	-0.0002	-2.5 to 2.5	Pass
				30	3.60	-3.300	-0.0018	-2.5 to 2.5	Pass

	1910	50	0	40	3.60	0.200	0.0001	-2.5 to 2.5	Pass
				50	3.60	-0.800	-0.0004	-2.5 to 2.5	Pass
				20	3.40	-2.000	-0.0010	-2.5 to 2.5	Pass
					3.60	-1.500	-0.0008	-2.5 to 2.5	Pass
					4.20	-2.900	-0.0015	-2.5 to 2.5	Pass
				-30	3.60	-1.000	-0.0005	-2.5 to 2.5	Pass
				-20	3.60	1.200	0.0006	-2.5 to 2.5	Pass
				-10	3.60	-3.500	-0.0018	-2.5 to 2.5	Pass
				0	3.60	-3.200	-0.0017	-2.5 to 2.5	Pass
				10	3.60	-2.400	-0.0013	-2.5 to 2.5	Pass
				30	3.60	-2.600	-0.0014	-2.5 to 2.5	Pass
				40	3.60	-2.500	-0.0013	-2.5 to 2.5	Pass
				50	3.60	0.000	0.0000	-2.5 to 2.5	Pass

2.1.5 B25_15MHz

Band: 25 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.40	-2.475	-0.0013	-2.5 to 2.5	Pass
					3.60	-0.407	-0.0002	-2.5 to 2.5	Pass
					4.20	-0.868	-0.0005	-2.5 to 2.5	Pass
				-30	3.60	-0.156	-0.0001	-2.5 to 2.5	Pass
				-20	3.60	0.054	0.0000	-2.5 to 2.5	Pass
				-10	3.60	-2.057	-0.0011	-2.5 to 2.5	Pass
				0	3.60	-0.089	0.0000	-2.5 to 2.5	Pass
				10	3.60	1.135	0.0006	-2.5 to 2.5	Pass
				30	3.60	-1.813	-0.0010	-2.5 to 2.5	Pass
				40	3.60	-2.110	-0.0011	-2.5 to 2.5	Pass
				50	3.60	-0.285	-0.0002	-2.5 to 2.5	Pass
	1882.5	75	0	20	3.40	-1.888	-0.0010	-2.5 to 2.5	Pass
					3.60	-0.772	-0.0004	-2.5 to 2.5	Pass
					4.20	-1.462	-0.0008	-2.5 to 2.5	Pass
				-30	3.60	-2.093	-0.0011	-2.5 to 2.5	Pass
				-20	3.60	-2.736	-0.0015	-2.5 to 2.5	Pass
				-10	3.60	-0.638	-0.0003	-2.5 to 2.5	Pass
				0	3.60	-2.383	-0.0013	-2.5 to 2.5	Pass
				10	3.60	-1.436	-0.0008	-2.5 to 2.5	Pass
				30	3.60	-1.231	-0.0007	-2.5 to 2.5	Pass
				40	3.60	-1.446	-0.0008	-2.5 to 2.5	Pass
				50	3.60	-1.193	-0.0006	-2.5 to 2.5	Pass
	1907.5	75	0	20	3.40	-0.598	-0.0003	-2.5 to 2.5	Pass
					3.60	-2.286	-0.0012	-2.5 to 2.5	Pass
					4.20	-1.117	-0.0006	-2.5 to 2.5	Pass
				-30	3.60	-1.328	-0.0007	-2.5 to 2.5	Pass
				-20	3.60	-0.441	-0.0002	-2.5 to 2.5	Pass
				-10	3.60	-1.902	-0.0010	-2.5 to 2.5	Pass
				0	3.60	-0.359	-0.0002	-2.5 to 2.5	Pass
				10	3.60	-0.391	-0.0002	-2.5 to 2.5	Pass
				30	3.60	-1.249	-0.0007	-2.5 to 2.5	Pass
				40	3.60	-0.061	0.0000	-2.5 to 2.5	Pass
				50	3.60	-0.159	-0.0001	-2.5 to 2.5	Pass
16QAM	1857.5	75	0	20	3.40	-0.736	-0.0004	-2.5 to 2.5	Pass
					3.60	-1.182	-0.0006	-2.5 to 2.5	Pass
					4.20	-0.488	-0.0003	-2.5 to 2.5	Pass

				-30	3.60	-0.038	0.0000	-2.5 to 2.5	Pass
				-20	3.60	-1.343	-0.0007	-2.5 to 2.5	Pass
				-10	3.60	-2.014	-0.0011	-2.5 to 2.5	Pass
				0	3.60	-0.732	-0.0004	-2.5 to 2.5	Pass
				10	3.60	-0.455	-0.0002	-2.5 to 2.5	Pass
				30	3.60	-2.384	-0.0013	-2.5 to 2.5	Pass
				40	3.60	-1.248	-0.0007	-2.5 to 2.5	Pass
				50	3.60	-1.071	-0.0006	-2.5 to 2.5	Pass
	1882.5	75	0	20	3.40	-2.553	-0.0014	-2.5 to 2.5	Pass
					3.60	-1.252	-0.0007	-2.5 to 2.5	Pass
					4.20	-2.370	-0.0013	-2.5 to 2.5	Pass
				-30	3.60	-1.702	-0.0009	-2.5 to 2.5	Pass
				-20	3.60	0.590	0.0003	-2.5 to 2.5	Pass
				-10	3.60	-2.000	-0.0011	-2.5 to 2.5	Pass
				0	3.60	-0.329	-0.0002	-2.5 to 2.5	Pass
				10	3.60	-1.401	-0.0007	-2.5 to 2.5	Pass
				30	3.60	-1.935	-0.0010	-2.5 to 2.5	Pass
				40	3.60	-1.484	-0.0008	-2.5 to 2.5	Pass
				50	3.60	-2.758	-0.0015	-2.5 to 2.5	Pass
	1907.5	75	0	20	3.40	-2.860	-0.0015	-2.5 to 2.5	Pass
					3.60	-0.108	-0.0001	-2.5 to 2.5	Pass
					4.20	-1.161	-0.0006	-2.5 to 2.5	Pass
				-30	3.60	-0.596	-0.0003	-2.5 to 2.5	Pass
				-20	3.60	-2.026	-0.0011	-2.5 to 2.5	Pass
				-10	3.60	-0.294	-0.0002	-2.5 to 2.5	Pass
				0	3.60	-0.163	-0.0001	-2.5 to 2.5	Pass
				10	3.60	0.709	0.0004	-2.5 to 2.5	Pass
				30	3.60	0.790	0.0004	-2.5 to 2.5	Pass
				40	3.60	-0.596	-0.0003	-2.5 to 2.5	Pass
				50	3.60	-1.118	-0.0006	-2.5 to 2.5	Pass
64QAM	1857.5	75	0	20	3.40	-2.700	-0.0015	-2.5 to 2.5	Pass
					3.60	-2.900	-0.0016	-2.5 to 2.5	Pass
					4.20	-1.000	-0.0005	-2.5 to 2.5	Pass
				-30	3.60	-3.100	-0.0017	-2.5 to 2.5	Pass
				-20	3.60	-2.300	-0.0012	-2.5 to 2.5	Pass
				-10	3.60	-4.100	-0.0022	-2.5 to 2.5	Pass
				0	3.60	0.300	0.0002	-2.5 to 2.5	Pass
				10	3.60	-0.100	-0.0001	-2.5 to 2.5	Pass
				30	3.60	-0.400	-0.0002	-2.5 to 2.5	Pass
				40	3.60	-3.100	-0.0017	-2.5 to 2.5	Pass
				50	3.60	-1.000	-0.0005	-2.5 to 2.5	Pass
	1882.5	75	0	20	3.40	-1.800	-0.0010	-2.5 to 2.5	Pass
					3.60	-1.800	-0.0010	-2.5 to 2.5	Pass
					4.20	-2.000	-0.0011	-2.5 to 2.5	Pass
				-30	3.60	-2.900	-0.0015	-2.5 to 2.5	Pass
				-20	3.60	-3.200	-0.0017	-2.5 to 2.5	Pass
				-10	3.60	-2.700	-0.0014	-2.5 to 2.5	Pass
				0	3.60	-2.600	-0.0014	-2.5 to 2.5	Pass
				10	3.60	-1.200	-0.0006	-2.5 to 2.5	Pass
				30	3.60	-0.700	-0.0004	-2.5 to 2.5	Pass
				40	3.60	-0.500	-0.0003	-2.5 to 2.5	Pass
				50	3.60	-2.500	-0.0013	-2.5 to 2.5	Pass
	1907.5	75	0	20	3.40	-1.300	-0.0007	-2.5 to 2.5	Pass
					3.60	0.400	0.0002	-2.5 to 2.5	Pass
					4.20	-2.900	-0.0015	-2.5 to 2.5	Pass
				-30	3.60	-0.400	-0.0002	-2.5 to 2.5	Pass
				-20	3.60	-0.900	-0.0005	-2.5 to 2.5	Pass

				-10	3.60	-1.900	-0.0010	-2.5 to 2.5	Pass
				0	3.60	-2.200	-0.0012	-2.5 to 2.5	Pass
				10	3.60	-2.400	-0.0013	-2.5 to 2.5	Pass
				30	3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
				40	3.60	0.100	0.0001	-2.5 to 2.5	Pass
				50	3.60	-2.200	-0.0012	-2.5 to 2.5	Pass

2.1.6 B25_20MHz

Band: 25 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.40	-0.668	-0.0004	-2.5 to 2.5	Pass
					3.60	-1.933	-0.0010	-2.5 to 2.5	Pass
					4.20	-0.054	0.0000	-2.5 to 2.5	Pass
				-30	3.60	-1.309	-0.0007	-2.5 to 2.5	Pass
				-20	3.60	-1.696	-0.0009	-2.5 to 2.5	Pass
				-10	3.60	-0.839	-0.0005	-2.5 to 2.5	Pass
				0	3.60	-2.200	-0.0012	-2.5 to 2.5	Pass
				10	3.60	-1.421	-0.0008	-2.5 to 2.5	Pass
				30	3.60	-0.288	-0.0002	-2.5 to 2.5	Pass
				40	3.60	-2.871	-0.0015	-2.5 to 2.5	Pass
				50	3.60	-1.385	-0.0007	-2.5 to 2.5	Pass
	1882.5	100	0	20	3.40	-0.854	-0.0005	-2.5 to 2.5	Pass
					3.60	-1.249	-0.0007	-2.5 to 2.5	Pass
					4.20	-0.780	-0.0004	-2.5 to 2.5	Pass
				-30	3.60	-2.562	-0.0014	-2.5 to 2.5	Pass
				-20	3.60	-0.087	0.0000	-2.5 to 2.5	Pass
				-10	3.60	-3.103	-0.0016	-2.5 to 2.5	Pass
				0	3.60	-1.591	-0.0008	-2.5 to 2.5	Pass
				10	3.60	-0.996	-0.0005	-2.5 to 2.5	Pass
				30	3.60	-1.790	-0.0010	-2.5 to 2.5	Pass
				40	3.60	-2.429	-0.0013	-2.5 to 2.5	Pass
				50	3.60	-1.562	-0.0008	-2.5 to 2.5	Pass
	1905	100	0	20	3.40	-1.219	-0.0006	-2.5 to 2.5	Pass
					3.60	-1.798	-0.0009	-2.5 to 2.5	Pass
					4.20	-1.826	-0.0010	-2.5 to 2.5	Pass
				-30	3.60	-0.017	0.0000	-2.5 to 2.5	Pass
				-20	3.60	-1.992	-0.0010	-2.5 to 2.5	Pass
				-10	3.60	-2.246	-0.0012	-2.5 to 2.5	Pass
				0	3.60	-2.599	-0.0014	-2.5 to 2.5	Pass
				10	3.60	-1.021	-0.0005	-2.5 to 2.5	Pass
				30	3.60	-0.553	-0.0003	-2.5 to 2.5	Pass
				40	3.60	-0.257	-0.0001	-2.5 to 2.5	Pass
				50	3.60	-2.499	-0.0013	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.40	-1.318	-0.0007	-2.5 to 2.5	Pass
					3.60	-0.864	-0.0005	-2.5 to 2.5	Pass
					4.20	-1.292	-0.0007	-2.5 to 2.5	Pass
				-30	3.60	-0.936	-0.0005	-2.5 to 2.5	Pass
				-20	3.60	-3.140	-0.0017	-2.5 to 2.5	Pass
				-10	3.60	-1.396	-0.0008	-2.5 to 2.5	Pass
				0	3.60	-1.865	-0.0010	-2.5 to 2.5	Pass
				10	3.60	-3.058	-0.0016	-2.5 to 2.5	Pass
				30	3.60	-1.533	-0.0008	-2.5 to 2.5	Pass
				40	3.60	-2.414	-0.0013	-2.5 to 2.5	Pass

	1882.5	100	0	50	3.60	-2.190	-0.0012	-2.5 to 2.5	Pass
				20	3.40	-0.164	-0.0001	-2.5 to 2.5	Pass
					3.60	-1.789	-0.0010	-2.5 to 2.5	Pass
					4.20	-1.674	-0.0009	-2.5 to 2.5	Pass
				-30	3.60	-0.546	-0.0003	-2.5 to 2.5	Pass
				-20	3.60	-1.418	-0.0008	-2.5 to 2.5	Pass
				-10	3.60	-1.941	-0.0010	-2.5 to 2.5	Pass
				0	3.60	-0.966	-0.0005	-2.5 to 2.5	Pass
				10	3.60	-2.189	-0.0012	-2.5 to 2.5	Pass
				30	3.60	-1.127	-0.0006	-2.5 to 2.5	Pass
	1905	100	0	40	3.60	-2.240	-0.0012	-2.5 to 2.5	Pass
				50	3.60	-0.355	-0.0002	-2.5 to 2.5	Pass
				20	3.40	-1.911	-0.0010	-2.5 to 2.5	Pass
					3.60	-1.812	-0.0010	-2.5 to 2.5	Pass
					4.20	-0.266	-0.0001	-2.5 to 2.5	Pass
					3.60	-0.761	-0.0004	-2.5 to 2.5	Pass
				-30	3.60	-0.922	-0.0005	-2.5 to 2.5	Pass
				-20	3.60	-2.552	-0.0013	-2.5 to 2.5	Pass
				-10	3.60	-1.808	-0.0009	-2.5 to 2.5	Pass
				0	3.60	-1.608	-0.0008	-2.5 to 2.5	Pass
64QAM	1860	100	0	10	3.60	0.762	0.0004	-2.5 to 2.5	Pass
				30	3.60	-1.145	-0.0006	-2.5 to 2.5	Pass
				40	3.60	-1.793	-0.0009	-2.5 to 2.5	Pass
				50	3.60	-5.000	-0.0027	-2.5 to 2.5	Pass
				20	3.40	-0.700	-0.0004	-2.5 to 2.5	Pass
					3.60	-2.000	-0.0011	-2.5 to 2.5	Pass
					4.20	-3.900	-0.0021	-2.5 to 2.5	Pass
					3.60	-1.900	-0.0010	-2.5 to 2.5	Pass
				-30	3.60	-1.900	-0.0010	-2.5 to 2.5	Pass
				-20	3.60	-1.900	-0.0010	-2.5 to 2.5	Pass
	1882.5	100	0	-10	3.60	-4.000	-0.0021	-2.5 to 2.5	Pass
				0	3.60	-1.400	-0.0007	-2.5 to 2.5	Pass
				10	3.60	-2.000	-0.0011	-2.5 to 2.5	Pass
				30	3.60	-1.200	-0.0006	-2.5 to 2.5	Pass
				40	3.60	-1.700	-0.0009	-2.5 to 2.5	Pass
				50	3.60	-2.200	-0.0012	-2.5 to 2.5	Pass
				20	3.40	-2.600	-0.0014	-2.5 to 2.5	Pass
					3.60	-1.100	-0.0006	-2.5 to 2.5	Pass
					4.20	-0.200	-0.0001	-2.5 to 2.5	Pass
					3.60	-2.800	-0.0015	-2.5 to 2.5	Pass
	1905	100	0	-30	3.60	-1.400	-0.0007	-2.5 to 2.5	Pass
				-20	3.60	-3.900	-0.0020	-2.5 to 2.5	Pass
				-10	3.60	-1.800	-0.0009	-2.5 to 2.5	Pass
				0	3.60	-2.600	-0.0014	-2.5 to 2.5	Pass
				10	3.60	0.100	0.0001	-2.5 to 2.5	Pass
				30	3.60	-0.200	-0.0001	-2.5 to 2.5	Pass
				40	3.60	-2.000	-0.0010	-2.5 to 2.5	Pass
				50	3.60	-2.800	-0.0015	-2.5 to 2.5	Pass
				20	3.40	-2.300	-0.0012	-2.5 to 2.5	Pass
					3.60	-3.200	-0.0017	-2.5 to 2.5	Pass
					4.20	-2.800	-0.0015	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band25_OBW

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.107	/	Pass
		1882.5	6	0	1.110	/	Pass
		1914.3	6	0	1.108	/	Pass
	16QAM	1850.7	6	0	1.104	/	Pass
		1882.5	6	0	1.105	/	Pass
		1914.3	6	0	1.110	/	Pass
	64QAM	1850.7	6	0	1.104	/	Pass
		1882.5	6	0	1.110	/	Pass
		1914.3	6	0	1.114	/	Pass
3	QPSK	1851.5	15	0	2.740	/	Pass
		1882.5	15	0	2.758	/	Pass
		1913.5	15	0	2.743	/	Pass
	16QAM	1851.5	15	0	2.743	/	Pass
		1882.5	15	0	2.743	/	Pass
		1913.5	15	0	2.739	/	Pass
	64QAM	1851.5	15	0	2.730	/	Pass
		1882.5	15	0	2.734	/	Pass
		1913.5	15	0	2.731	/	Pass
5	QPSK	1852.5	25	0	4.564	/	Pass
		1882.5	25	0	4.551	/	Pass
		1912.5	25	0	4.550	/	Pass
	16QAM	1852.5	25	0	4.552	/	Pass
		1882.5	25	0	4.578	/	Pass
		1912.5	25	0	4.550	/	Pass
	64QAM	1852.5	25	0	4.532	/	Pass
		1882.5	25	0	4.546	/	Pass
		1912.5	25	0	4.542	/	Pass
10	QPSK	1855	50	0	9.052	/	Pass
		1882.5	50	0	9.054	/	Pass
		1910	50	0	8.998	/	Pass
	16QAM	1855	50	0	9.060	/	Pass
		1882.5	50	0	9.068	/	Pass
		1910	50	0	9.017	/	Pass
	64QAM	1855	50	0	9.064	/	Pass
		1882.5	50	0	9.069	/	Pass
		1910	50	0	9.024	/	Pass
15	QPSK	1857.5	75	0	13.613	/	Pass
		1882.5	75	0	13.604	/	Pass
		1907.5	75	0	13.574	/	Pass
	16QAM	1857.5	75	0	13.627	/	Pass
		1882.5	75	0	13.604	/	Pass
		1907.5	75	0	13.588	/	Pass
	64QAM	1857.5	75	0	13.560	/	Pass
		1882.5	75	0	13.609	/	Pass
		1907.5	75	0	13.534	/	Pass
20	QPSK	1860	100	0	18.033	/	Pass

		1882.5	100	0	18.143	/	Pass
		1905	100	0	18.078	/	Pass
		1860	100	0	18.132	/	Pass
	16QAM	1882.5	100	0	18.242	/	Pass
		1905	100	0	18.119	/	Pass
		1860	100	0	18.073	/	Pass
	64QAM	1882.5	100	0	18.162	/	Pass
		1905	100	0	18.089	/	Pass


3.1.2 Band25_XDB

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.268	/	Pass
		1882.5	6	0	1.265	/	Pass
		1914.3	6	0	1.260	/	Pass
	16QAM	1850.7	6	0	1.249	/	Pass
		1882.5	6	0	1.264	/	Pass
		1914.3	6	0	1.252	/	Pass
	64QAM	1850.7	6	0	1.253	/	Pass
		1882.5	6	0	1.260	/	Pass
3	QPSK	1851.5	15	0	3.076	/	Pass
		1882.5	15	0	3.054	/	Pass
		1913.5	15	0	3.060	/	Pass
	16QAM	1851.5	15	0	3.065	/	Pass
		1882.5	15	0	3.078	/	Pass
		1913.5	15	0	3.075	/	Pass
	64QAM	1851.5	15	0	3.052	/	Pass
		1882.5	15	0	3.045	/	Pass
5	QPSK	1852.5	25	0	5.067	/	Pass
		1882.5	25	0	5.060	/	Pass
		1912.5	25	0	5.071	/	Pass
	16QAM	1852.5	25	0	5.082	/	Pass
		1882.5	25	0	5.046	/	Pass
		1912.5	25	0	5.045	/	Pass
	64QAM	1852.5	25	0	5.053	/	Pass
		1882.5	25	0	5.058	/	Pass
10	QPSK	1855	50	0	10.029	/	Pass
		1882.5	50	0	9.970	/	Pass
		1910	50	0	10.000	/	Pass
	16QAM	1855	50	0	9.946	/	Pass
		1882.5	50	0	10.019	/	Pass
		1910	50	0	9.922	/	Pass
	64QAM	1855	50	0	10.026	/	Pass
		1882.5	50	0	9.975	/	Pass
15	QPSK	1857.5	75	0	14.920	/	Pass
		1882.5	75	0	14.980	/	Pass
		1907.5	75	0	14.892	/	Pass
	16QAM	1857.5	75	0	14.912	/	Pass
		1882.5	75	0	15.024	/	Pass


	64QAM	1907.5	75	0	14.937	/	Pass
		1857.5	75	0	14.845	/	Pass
		1882.5	75	0	14.922	/	Pass
		1907.5	75	0	14.938	/	Pass
20	QPSK	1860	100	0	19.690	/	Pass
		1882.5	100	0	19.912	/	Pass
		1905	100	0	19.757	/	Pass
	16QAM	1860	100	0	19.724	/	Pass
		1882.5	100	0	19.893	/	Pass
		1905	100	0	19.901	/	Pass
	64QAM	1860	100	0	19.969	/	Pass
		1882.5	100	0	19.955	/	Pass
		1905	100	0	19.825	/	Pass

3.2 Test Graph


3.2.1 Band25_OBW




Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_6_0_NTNV




Band25_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band25_1.4MHz_16QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_16QAM_HCH_1914.3MHz_RB_6_0_NTNV




Band25_1.4MHz_64QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_64QAM_HCH_1914.3MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_HCH_1913.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_HCH_1913.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_HCH_1912.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_HCH_1912.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_HCH_1910MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_HCH_1910MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_HCH_1907.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_HCH_1907.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_QPSK_HCH_1905MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_HCH_1905MHz_RB_100_0_NTNV




Band25_20MHz_64QAM_LCH_1860MHz_RB_100_0_NTNV




Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_64QAM_HCH_1905MHz_RB_100_0_NTNV




3.2.2 Band25_XDB




Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_6_0_NTNV




Band25_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band25_1.4MHz_16QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_16QAM_HCH_1914.3MHz_RB_6_0_NTNV




Band25_1.4MHz_64QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_64QAM_HCH_1914.3MHz_RB_6_0_NTNV




Band25_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band25_3MHz_QPSK_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_HCH_1913.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_HCH_1913.5MHz_RB_15_0_NTNV




Band25_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band25_5MHz_QPSK_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_HCH_1912.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_HCH_1912.5MHz_RB_25_0_NTNV




Band25_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band25_10MHz_QPSK_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_HCH_1910MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_HCH_1910MHz_RB_50_0_NTNV




Band25_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Band25_15MHz_QPSK_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_HCH_1907.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_HCH_1907.5MHz_RB_75_0_NTNV




Band25_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band25_20MHz_QPSK_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_QPSK_HCH_1905MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_HCH_1905MHz_RB_100_0_NTNV




Band25_20MHz_64QAM_LCH_1860MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_HCH_1905MHz_RB_100_0_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.35	<=13	Pass
	1882.5	6	0	5.45	<=13	Pass
	1914.3	6	0	11.64	<=13	Pass
16QAM	1850.7	6	0	6.28	<=13	Pass
	1882.5	6	0	6.25	<=13	Pass
	1914.3	6	0	5.78	<=13	Pass
64QAM	1850.7	6	0	6.75	<=13	Pass
	1882.5	6	0	6.73	<=13	Pass
	1914.3	6	0	5.35	<=13	Pass

4.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.33	<=13	Pass
	1882.5	15	0	5.40	<=13	Pass
	1913.5	15	0	4.93	<=13	Pass
16QAM	1851.5	15	0	6.23	<=13	Pass
	1882.5	15	0	6.26	<=13	Pass
	1913.5	15	0	5.80	<=13	Pass
64QAM	1851.5	15	0	6.65	<=13	Pass
	1882.5	15	0	6.69	<=13	Pass
	1913.5	15	0	5.21	<=13	Pass

4.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.43	<=13	Pass
	1882.5	25	0	5.47	<=13	Pass
	1912.5	25	0	5.04	<=13	Pass
16QAM	1852.5	25	0	6.20	<=13	Pass
	1882.5	25	0	6.25	<=13	Pass
	1912.5	25	0	5.85	<=13	Pass
64QAM	1852.5	25	0	6.62	<=13	Pass
	1882.5	25	0	6.66	<=13	Pass
	1912.5	25	0	5.62	<=13	Pass

4.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.43	<=13	Pass
	1882.5	50	0	5.49	<=13	Pass
	1910	50	0	5.25	<=13	Pass
16QAM	1855	50	0	6.19	<=13	Pass
	1882.5	50	0	6.27	<=13	Pass
	1910	50	0	6.06	<=13	Pass
64QAM	1855	50	0	6.55	<=13	Pass
	1882.5	50	0	6.70	<=13	Pass
	1910	50	0	5.97	<=13	Pass

4.1.5 B25_15MHz


Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	8.47	<=13	Pass
	1882.5	75	0	5.76	<=13	Pass
	1907.5	75	0	5.52	<=13	Pass
16QAM	1857.5	75	0	6.28	<=13	Pass
	1882.5	75	0	6.42	<=13	Pass
	1907.5	75	0	6.24	<=13	Pass
64QAM	1857.5	75	0	6.52	<=13	Pass
	1882.5	75	0	6.67	<=13	Pass
	1907.5	75	0	6.16	<=13	Pass

4.1.6 B25_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.29	<=13	Pass
	1882.5	100	0	5.54	<=13	Pass
	1905	100	0	5.49	<=13	Pass
16QAM	1860	100	0	6.12	<=13	Pass
	1882.5	100	0	6.30	<=13	Pass
	1905	100	0	6.27	<=13	Pass
64QAM	1860	100	0	6.50	<=13	Pass
	1882.5	100	0	6.66	<=13	Pass
	1905	100	0	6.35	<=13	Pass

4.2 Test Graph


4.2.1 B25_1.4MHz




Band25_1.4MHz_QPSK_HCH_1914.3MHz_RB_6_0_NTNV




Band25_1.4MHz_16QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band25_1.4MHz_16QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_16QAM_HCH_1914.3MHz_RB_6_0_NTNV




Band25_1.4MHz_64QAM_LCH_1850.7MHz_RB_6_0_NTNV




Band25_1.4MHz_64QAM_MCH_1882.5MHz_RB_6_0_NTNV




Band25_1.4MHz_64QAM_HCH_1914.3MHz_RB_6_0_NTNV




4.2.2 B25_3MHz




Band25_3MHz_QPSK_HCH_1913.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_16QAM_HCH_1913.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_MCH_1882.5MHz_RB_15_0_NTNV




Band25_3MHz_64QAM_HCH_1913.5MHz_RB_15_0_NTNV




4.2.3 B25_5MHz




Band25_5MHz_QPSK_HCH_1912.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_16QAM_HCH_1912.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_MCH_1882.5MHz_RB_25_0_NTNV




Band25_5MHz_64QAM_HCH_1912.5MHz_RB_25_0_NTNV




4.2.4 B25_10MHz




Band25_10MHz_QPSK_HCH_1910MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_16QAM_HCH_1910MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_LCH_1855MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_MCH_1882.5MHz_RB_50_0_NTNV




Band25_10MHz_64QAM_HCH_1910MHz_RB_50_0_NTNV




4.2.5 B25_15MHz




Band25_15MHz_QPSK_HCH_1907.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_16QAM_HCH_1907.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_LCH_1857.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_MCH_1882.5MHz_RB_75_0_NTNV




Band25_15MHz_64QAM_HCH_1907.5MHz_RB_75_0_NTNV




4.2.6 B25_20MHz




Band25_20MHz_QPSK_HCH_1905MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_LCH_1860MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_MCH_1882.5MHz_RB_100_0_NTNV




Band25_20MHz_16QAM_HCH_1905MHz_RB_100_0_NTNV




Band25_20MHz_64QAM_LCH_1860MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_MCH_1882.5MHz_RB_100_0_NTNV



Band25_20MHz_64QAM_HCH_1905MHz_RB_100_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B25_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	1850.7	1	0	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1914.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass	
			6	0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1914.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass	
			6	0	Refer To Test Graph		Pass
64QAM	1850.7	1	0	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1914.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass	
			6	0	Refer To Test Graph		Pass

5.1.2 B25_3MHz

Band: 25 / Bandwidth: 3MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
64QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1913.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
	15	0	Refer To Test Graph		Pass	

5.1.3 B25_5MHz

Band: 25 / Bandwidth: 5MHz / NTVN							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	1852.5	1	0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1912.5	1	0	Refer To Test Graph		Pass
				24	Refer To Test Graph		Pass
			25	0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1912.5	1	0	Refer To Test Graph		Pass
				24	Refer To Test Graph		Pass
			25	0	Refer To Test Graph		Pass
64QAM	1852.5	1	0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1912.5	1	0	Refer To Test Graph		Pass
				24	Refer To Test Graph		Pass
			25	0	Refer To Test Graph		Pass

5.1.4 B25_10MHz

Band: 25 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
64QAM	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1882.5	1	0	Refer To Test Graph		Pass
	1910	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B25_15MHz

Band: 25 / Bandwidth: 15MHz / NTNV					
------------------------------------	--	--	--	--	--