

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B14_5MHz_ERP

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	790.5	1	0	23.88	3.17	24.90	<=44.77	Pass
			13	23.56	3.17	24.58	<=44.77	Pass
			24	23.70	3.17	24.72	<=44.77	Pass
		12	0	22.70	3.17	23.72	<=44.77	Pass
			6	22.68	3.17	23.70	<=44.77	Pass
			13	22.67	3.17	23.69	<=44.77	Pass
		25	0	22.67	3.17	23.69	<=44.77	Pass
	793	1	0	23.79	3.17	24.81	<=44.77	Pass
			13	23.69	3.17	24.71	<=44.77	Pass
			24	23.72	3.17	24.74	<=44.77	Pass
		12	0	22.82	3.17	23.84	<=44.77	Pass
			6	22.78	3.17	23.80	<=44.77	Pass
			13	22.84	3.17	23.86	<=44.77	Pass
		25	0	22.83	3.17	23.85	<=44.77	Pass
	795.5	1	0	23.79	3.17	24.81	<=44.77	Pass
			13	23.88	3.17	24.90	<=44.77	Pass
			24	23.79	3.17	24.81	<=44.77	Pass
		12	0	22.86	3.17	23.88	<=44.77	Pass
			6	22.87	3.17	23.89	<=44.77	Pass
			13	22.91	3.17	23.93	<=44.77	Pass
		25	0	22.88	3.17	23.90	<=44.77	Pass
16QAM	790.5	1	0	22.82	3.17	23.84	<=44.77	Pass
			13	22.92	3.17	23.94	<=44.77	Pass
			24	22.84	3.17	23.86	<=44.77	Pass
		12	0	21.85	3.17	22.87	<=44.77	Pass
			6	21.81	3.17	22.83	<=44.77	Pass
			13	21.72	3.17	22.74	<=44.77	Pass
		25	0	21.81	3.17	22.83	<=44.77	Pass
	793	1	0	23.03	3.17	24.05	<=44.77	Pass
			13	22.92	3.17	23.94	<=44.77	Pass
			24	22.99	3.17	24.01	<=44.77	Pass
		12	0	21.81	3.17	22.83	<=44.77	Pass
			6	21.80	3.17	22.82	<=44.77	Pass
			13	21.86	3.17	22.88	<=44.77	Pass
		25	0	21.85	3.17	22.87	<=44.77	Pass
	795.5	1	0	22.84	3.17	23.86	<=44.77	Pass
			13	22.92	3.17	23.94	<=44.77	Pass
			24	23.09	3.17	24.11	<=44.77	Pass
		12	0	21.84	3.17	22.86	<=44.77	Pass
			6	21.88	3.17	22.90	<=44.77	Pass
			13	21.89	3.17	22.91	<=44.77	Pass
		25	0	21.88	3.17	22.90	<=44.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B14_10MHz_ERP

Band: 14 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	793	1	0	23.68	3.17	24.70	<=44.77	Pass
			25	23.70	3.17	24.72	<=44.77	Pass
			49	23.63	3.17	24.65	<=44.77	Pass
		25	0	22.85	3.17	23.87	<=44.77	Pass
			13	22.85	3.17	23.87	<=44.77	Pass
			25	22.85	3.17	23.87	<=44.77	Pass
		50	0	22.83	3.17	23.85	<=44.77	Pass
16QAM	793	1	0	22.94	3.17	23.96	<=44.77	Pass
			25	22.85	3.17	23.87	<=44.77	Pass
			49	22.98	3.17	24.00	<=44.77	Pass
		12	0	22.82	3.17	23.84	<=44.77	Pass
			19	22.83	3.17	23.85	<=44.77	Pass
			38	22.88	3.17	23.90	<=44.77	Pass
		27	0	21.85	3.17	22.87	<=44.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	793	50	0	20	LV	3.800	0.0048	-2.5 to 2.5	Pass
					NV	-0.800	-0.0010	-2.5 to 2.5	Pass
					HV	0.000	0.0000	-2.5 to 2.5	Pass
				-30	NV	3.000	0.0038	-2.5 to 2.5	Pass
				-20	NV	-0.200	-0.0003	-2.5 to 2.5	Pass
				-10	NV	-0.300	-0.0004	-2.5 to 2.5	Pass
				0	NV	2.100	0.0026	-2.5 to 2.5	Pass
				10	NV	2.300	0.0029	-2.5 to 2.5	Pass
				30	NV	0.000	0.0000	-2.5 to 2.5	Pass
				40	NV	0.200	0.0003	-2.5 to 2.5	Pass
				50	NV	1.100	0.0014	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band14_OBW


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	4.544	/	Pass
	16QAM	793	25	0	4.547	/	Pass
10	QPSK	793	50	0	9.107	/	Pass
	16QAM	793	27	0	5.120	/	Pass

3.1.2 Band14_XDB


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	5.432	/	Pass
	16QAM	793	25	0	5.465	/	Pass
10	QPSK	793	50	0	10.347	/	Pass
	16QAM	793	27	0	6.578	/	Pass

3.2 Test Graph


3.2.1 Band14_OBW




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_27_0_NTNV




3.2.2 Band14_XDB



Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV



Band14_10MHz_16QAM_MCH_793MHz_RB_27_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	793	50	0	5.92	<=13	Pass
16QAM	793	27	0	6.56	<=13	Pass

4.2 Test Graph

4.2.1 B14_10MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B14_5MHz


Band: 14 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B14_5MHz




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.713	-68.07	-13	Pass
769	775	0.00625	CHP	2	772.105	-79.64	-35	Pass
775	787.9	0.1	CHP	3	787.848	-27.64	-13	Pass
787.9	788	0.03	CHP	4	787.999	-30.64	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/


Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV



Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-19.34	-13	Pass
798.1	799	0.1	CHP	2	798.345	-19.75	-13	Pass
799	805	0.00625	CHP	3	799.019	-38.27	-35	Pass
805	810	0.1	CHP	4	805.307	-64.26	-13	Pass


Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-29.66	-13	Pass
798.1	799	0.1	CHP	2	798.152	-26.87	-13	Pass
799	805	0.00625	CHP	3	799.037	-44.04	-35	Pass
805	810	0.1	CHP	4	805.628	-49.30	-13	Pass


5.2.2 B14_10MHz

Band14_10MHz_QPSK_LCH_793MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.126	-67.80	-13	Pass
769	775	0.00625	CHP	2	773.208	-79.48	-35	Pass
775	787.9	0.1	CHP	3	787.848	-18.77	-13	Pass
787.9	788	0.03	CHP	4	787.999	-20.70	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.072	-52.57	-13	Pass
798.1	799	0.1	CHP	6	798.150	-48.19	-13	Pass
799	803	0.00625	CHP	7	801.802	-64.53	-35	Pass

Band14_10MHz_QPSK_LCH_793MHz_RB_1_0_NTNV




Band14_10MHz_QPSK_LCH_793MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	768.798	-68.00	-13	Pass
769	775	0.00625	CHP	2	774.581	-79.55	-35	Pass
775	787.9	0.1	CHP	3	787.848	-33.81	-13	Pass
787.9	788	0.03	CHP	4	787.999	-36.02	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.000	-35.05	-13	Pass
798.1	799	0.1	CHP	6	798.150	-32.29	-13	Pass
799	803	0.00625	CHP	7	799.035	-48.71	-35	Pass

Band14_10MHz_QPSK_HCH_793MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.846	-49.63	-13	Pass
787.9	788	0.03	CHP	2	787.996	-54.15	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-20.78	-13	Pass
798.1	799	0.1	CHP	4	798.152	-19.09	-13	Pass
799	805	0.00625	CHP	5	799.412	-46.16	-35	Pass
805	810	0.1	CHP	6	806.220	-57.25	-13	Pass

Band14_10MHz_QPSK_HCH_793MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.850	-33.90	-13	Pass
787.9	788	0.03	CHP	2	788.000	-36.25	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-35.14	-13	Pass
798.1	799	0.1	CHP	4	798.152	-32.39	-13	Pass
799	805	0.00625	CHP	5	799.006	-49.28	-35	Pass
805	810	0.1	CHP	6	805.063	-48.25	-13	Pass

6. Emission Mask

6.1 Test Result

6.1.1 B14_5MHz

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	790.5	1	0	773	778	-65.45	-13	Pass
				778	785.5	-36.22	-13.58	Pass
				785.5	787.95	-14.74	-3.58	Pass
				787.95	793.05	21.42	21.42	Pass
				793.05	795.5	-35.89	-3.58	Pass
				795.5	803	-44.18	-13.58	Pass
				803	808	-65.84	-13	Pass
			13	773	778	-65.94	-13	Pass
				778	785.5	-40.86	-13.96	Pass
				785.5	787.95	-31.48	-3.96	Pass
				787.95	793.05	21.04	21.04	Pass
				793.05	795.5	-30.31	-3.96	Pass
				795.5	803	-41.98	-13.96	Pass
				803	808	-64.54	-13	Pass
			24	773	778	-65.85	-13	Pass
				778	785.5	-42.31	-13.66	Pass
				785.5	787.95	-34.80	-3.66	Pass
				787.95	793.05	21.34	21.34	Pass
				793.05	795.5	-14.33	-3.66	Pass
				795.5	803	-38.02	-13.66	Pass
				803	808	-65.39	-13	Pass
		12	0	773	778	-64.41	-13	Pass
				778	785.5	-38.86	-24.4	Pass
				785.5	787.95	-23.38	-14.4	Pass
				787.95	793.05	10.60	10.6	Pass
				793.05	795.5	-34.04	-14.4	Pass
				795.5	803	-42.70	-24.4	Pass
				803	808	-66.17	-13	Pass
			6	773	778	-64.66	-13	Pass
				778	785.5	-38.38	-24.35	Pass
				785.5	787.95	-29.85	-14.35	Pass
				787.95	793.05	10.65	10.65	Pass
				793.05	795.5	-31.16	-14.35	Pass
				795.5	803	-40.72	-24.35	Pass
				803	808	-65.07	-13	Pass
			13	773	778	-65.64	-13	Pass
				778	785.5	-41.83	-24.58	Pass
				785.5	787.95	-33.16	-14.58	Pass
				787.95	793.05	10.42	10.42	Pass
				793.05	795.5	-22.41	-14.58	Pass
				795.5	803	-38.30	-24.58	Pass
				803	808	-63.98	-13	Pass
		25	0	773	778	-53.84	-13	Pass

				778	785.5	-39.22	-27.38	Pass
				785.5	787.95	-26.36	-17.38	Pass
				787.95	793.05	7.62	7.62	Pass
				793.05	795.5	-24.70	-17.38	Pass
				795.5	803	-39.16	-27.38	Pass
				803	808	-53.07	-13	Pass
	793	1	0	775.5	780.5	-65.20	-13	Pass
				780.5	788	-36.46	-13.8	Pass
				788	790.45	-15.05	-3.8	Pass
				790.45	795.55	21.20	21.2	Pass
				795.55	798	-34.70	-3.8	Pass
				798	805.5	-43.69	-13.8	Pass
			805.5	810.5	-66.29	-13	Pass	
			13	775.5	780.5	-65.62	-13	Pass
				780.5	788	-40.56	-13.58	Pass
				788	790.45	-32.19	-3.58	Pass
				790.45	795.55	21.42	21.42	Pass
				795.55	798	-29.36	-3.58	Pass
				798	805.5	-41.03	-13.58	Pass
			805.5	810.5	-66.18	-13	Pass	
			24	775.5	780.5	-65.39	-13	Pass
				780.5	788	-45.46	-13.43	Pass
				788	790.45	-36.50	-3.43	Pass
				790.45	795.55	21.57	21.57	Pass
		795.55		798	-16.68	-3.43	Pass	
		798		805.5	-35.67	-13.43	Pass	
		805.5	810.5	-65.85	-13	Pass		
		12	0	775.5	780.5	-63.40	-13	Pass
				780.5	788	-39.18	-24.29	Pass
				788	790.45	-22.44	-14.29	Pass
				790.45	795.55	10.71	10.71	Pass
				795.55	798	-32.92	-14.29	Pass
				798	805.5	-41.69	-24.29	Pass
			805.5	810.5	-66.11	-13	Pass	
			6	775.5	780.5	-64.21	-13	Pass
				780.5	788	-39.10	-24.25	Pass
				788	790.45	-30.23	-14.25	Pass
				790.45	795.55	10.75	10.75	Pass
				795.55	798	-29.76	-14.25	Pass
				798	805.5	-39.45	-24.25	Pass
			805.5	810.5	-65.14	-13	Pass	
			13	775.5	780.5	-65.43	-13	Pass
				780.5	788	-41.84	-24.34	Pass
				788	790.45	-33.80	-14.34	Pass
				790.45	795.55	10.66	10.66	Pass
		795.55		798	-22.19	-14.34	Pass	
		798		805.5	-38.08	-24.34	Pass	
		805.5	810.5	-63.56	-13	Pass		
		25	0	775.5	780.5	-51.46	-13	Pass
				780.5	788	-39.97	-27.21	Pass
788	790.45			-25.07	-17.21	Pass		
790.45	795.55			7.79	7.79	Pass		
795.55	798			-25.54	-17.21	Pass		
798	805.5			-37.77	-27.21	Pass		
805.5	810.5	-53.01	-13	Pass				
795.5	1	0	778	783	-59.09	-13	Pass	

				783	790.5	-37.36	-13.72	Pass
				790.5	792.95	-17.17	-3.72	Pass
				792.95	798.05	21.28	21.28	Pass
				798.05	800.5	-34.85	-3.72	Pass
				800.5	808	-43.71	-13.72	Pass
			13	808	813	-60.41	-13	Pass
				778	783	-65.42	-13	Pass
				783	790.5	-41.90	-13.58	Pass
				790.5	792.95	-31.70	-3.58	Pass
				792.95	798.05	21.42	21.42	Pass
			24	798.05	800.5	-30.32	-3.58	Pass
				800.5	808	-42.55	-13.58	Pass
				808	813	-66.12	-13	Pass
				778	783	-65.61	-13	Pass
				783	790.5	-45.00	-13.87	Pass
			0	790.5	792.95	-36.18	-3.87	Pass
				792.95	798.05	21.13	21.13	Pass
				798.05	800.5	-14.68	-3.87	Pass
				800.5	808	-39.12	-13.87	Pass
				808	813	-65.94	-13	Pass
		12	6	778	783	-62.81	-13	Pass
				783	790.5	-39.16	-24.24	Pass
				790.5	792.95	-22.20	-14.24	Pass
				792.95	798.05	10.76	10.76	Pass
				798.05	800.5	-32.06	-14.24	Pass
			13	800.5	808	-42.72	-24.24	Pass
				808	813	-65.80	-13	Pass
				778	783	-63.15	-13	Pass
				783	790.5	-39.92	-23.93	Pass
				790.5	792.95	-30.33	-13.93	Pass
				792.95	798.05	11.07	11.07	Pass
				798.05	800.5	-29.91	-13.93	Pass
			0	800.5	808	-40.74	-23.93	Pass
				808	813	-65.49	-13	Pass
				778	783	-65.35	-13	Pass
				783	790.5	-43.31	-24.38	Pass
				790.5	792.95	-34.77	-14.38	Pass
		25	13	792.95	798.05	10.62	10.62	Pass
				798.05	800.5	-21.97	-14.38	Pass
				800.5	808	-39.04	-24.38	Pass
				808	813	-65.02	-13	Pass
				778	783	-51.51	-13	Pass
			0	783	790.5	-40.60	-27.45	Pass
				790.5	792.95	-24.93	-17.45	Pass
				792.95	798.05	7.55	7.55	Pass
				798.05	800.5	-24.15	-17.45	Pass
				800.5	808	-38.21	-27.45	Pass
				808	813	-53.91	-13	Pass
16QAM	790.5	1	0	773	778	-65.40	-13	Pass
				778	785.5	-36.08	-15.03	Pass
				785.5	787.95	-18.09	-5.03	Pass
				787.95	793.05	19.97	19.97	Pass
				793.05	795.5	-36.23	-5.03	Pass
				795.5	803	-44.10	-15.03	Pass
				803	808	-65.57	-13	Pass
			13	773	778	-64.10	-13	Pass

				778	785.5	-41.73	-14.82	Pass
				785.5	787.95	-31.78	-4.82	Pass
				787.95	793.05	20.18	20.18	Pass
				793.05	795.5	-30.18	-4.82	Pass
				795.5	803	-40.83	-14.82	Pass
				803	808	-65.64	-13	Pass
			24	773	778	-64.90	-13	Pass
				778	785.5	-43.83	-14.65	Pass
				785.5	787.95	-34.61	-4.65	Pass
				787.95	793.05	20.35	20.35	Pass
				793.05	795.5	-17.53	-4.65	Pass
				795.5	803	-37.78	-14.65	Pass
			12	803	808	-65.03	-13	Pass
				773	778	-65.24	-13	Pass
				778	785.5	-39.17	-25.62	Pass
				785.5	787.95	-23.25	-15.62	Pass
				787.95	793.05	9.38	9.38	Pass
				793.05	795.5	-34.01	-15.62	Pass
				795.5	803	-43.59	-25.62	Pass
				803	808	-66.13	-13	Pass
				773	778	-65.97	-13	Pass
				778	785.5	-40.07	-25.12	Pass
				785.5	787.95	-29.40	-15.12	Pass
				787.95	793.05	9.88	9.88	Pass
				793.05	795.5	-30.09	-15.12	Pass
				795.5	803	-42.12	-25.12	Pass
				803	808	-65.20	-13	Pass
				773	778	-66.25	-13	Pass
				778	785.5	-41.64	-25.71	Pass
				785.5	787.95	-33.56	-15.71	Pass
				787.95	793.05	9.29	9.29	Pass
				793.05	795.5	-22.62	-15.71	Pass
				795.5	803	-37.24	-25.71	Pass
				803	808	-64.86	-13	Pass
		25	0	773	778	-55.19	-13	Pass
				778	785.5	-38.46	-28.37	Pass
				785.5	787.95	-26.42	-18.37	Pass
				787.95	793.05	6.63	6.63	Pass
				793.05	795.5	-25.43	-18.37	Pass
				795.5	803	-38.97	-28.37	Pass
		793	1	803	808	-53.94	-13	Pass
				775.5	780.5	-65.23	-13	Pass
				780.5	788	-36.21	-14.23	Pass
				788	790.45	-14.11	-4.23	Pass
				790.45	795.55	20.77	20.77	Pass
				795.55	798	-34.51	-4.23	Pass
				798	805.5	-43.40	-14.23	Pass
				805.5	810.5	-66.55	-13	Pass
				775.5	780.5	-65.55	-13	Pass
				780.5	788	-40.63	-14.37	Pass
				788	790.45	-31.65	-4.37	Pass
				790.45	795.55	20.63	20.63	Pass
				795.55	798	-29.30	-4.37	Pass
				798	805.5	-39.55	-14.37	Pass
				805.5	810.5	-66.34	-13	Pass
			24	775.5	780.5	-65.85	-13	Pass

				780.5	788	-44.15	-14.68	Pass
				788	790.45	-36.85	-4.68	Pass
				790.45	795.55	20.32	20.32	Pass
				795.55	798	-15.38	-4.68	Pass
				798	805.5	-37.47	-14.68	Pass
				805.5	810.5	-66.22	-13	Pass
		12	0	775.5	780.5	-63.90	-13	Pass
				780.5	788	-39.50	-25.16	Pass
				788	790.45	-23.60	-15.16	Pass
				790.45	795.55	9.84	9.84	Pass
				795.55	798	-33.96	-15.16	Pass
				798	805.5	-43.01	-25.16	Pass
				805.5	810.5	-65.60	-13	Pass
			6	775.5	780.5	-64.93	-13	Pass
				780.5	788	-40.90	-25.02	Pass
				788	790.45	-31.85	-15.02	Pass
				790.45	795.55	9.98	9.98	Pass
				795.55	798	-31.08	-15.02	Pass
				798	805.5	-40.69	-25.02	Pass
				805.5	810.5	-66.07	-13	Pass
			13	775.5	780.5	-65.86	-13	Pass
				780.5	788	-42.79	-25.24	Pass
				788	790.45	-34.06	-15.24	Pass
				790.45	795.55	9.76	9.76	Pass
				795.55	798	-21.37	-15.24	Pass
				798	805.5	-39.07	-25.24	Pass
				805.5	810.5	-65.21	-13	Pass
		25	0	775.5	780.5	-53.12	-13	Pass
				780.5	788	-40.63	-27.95	Pass
				788	790.45	-26.49	-17.95	Pass
				790.45	795.55	7.05	7.05	Pass
				795.55	798	-25.56	-17.95	Pass
				798	805.5	-38.71	-27.95	Pass
		795.5	0	805.5	810.5	-54.57	-13	Pass
				778	783	-65.33	-13	Pass
				783	790.5	-38.06	-14.37	Pass
				790.5	792.95	-16.84	-4.37	Pass
				792.95	798.05	20.63	20.63	Pass
				798.05	800.5	-34.91	-4.37	Pass
			13	800.5	808	-44.30	-14.37	Pass
				808	813	-66.34	-13	Pass
				778	783	-65.67	-13	Pass
				783	790.5	-42.56	-14.73	Pass
				790.5	792.95	-32.15	-4.73	Pass
				792.95	798.05	20.27	20.27	Pass
				798.05	800.5	-30.57	-4.73	Pass
			24	800.5	808	-44.32	-14.73	Pass
				808	813	-66.46	-13	Pass
				778	783	-65.78	-13	Pass
				783	790.5	-46.65	-13.89	Pass
				790.5	792.95	-36.47	-3.89	Pass
				792.95	798.05	21.11	21.11	Pass
				798.05	800.5	-16.33	-3.89	Pass
				800.5	808	-37.19	-13.89	Pass
				808	813	-66.03	-13	Pass
		12	0	778	783	-63.83	-13	Pass

				783	790.5	-40.39	-24.58	Pass
				790.5	792.95	-24.59	-14.58	Pass
				792.95	798.05	10.42	10.42	Pass
				798.05	800.5	-32.88	-14.58	Pass
				800.5	808	-43.74	-24.58	Pass
				808	813	-66.66	-13	Pass
			6	778	783	-64.99	-13	Pass
				783	790.5	-41.92	-25.3	Pass
				790.5	792.95	-30.64	-15.3	Pass
				792.95	798.05	9.70	9.7	Pass
				798.05	800.5	-31.21	-15.3	Pass
				800.5	808	-41.54	-25.3	Pass
			13	808	813	-66.43	-13	Pass
				778	783	-66.31	-13	Pass
				783	790.5	-45.16	-25.07	Pass
				790.5	792.95	-34.48	-15.07	Pass
				792.95	798.05	9.93	9.93	Pass
				798.05	800.5	-21.32	-15.07	Pass
			25	800.5	808	-39.64	-25.07	Pass
				808	813	-65.69	-13	Pass
				778	783	-53.05	-13	Pass
				783	790.5	-40.22	-27.67	Pass
				790.5	792.95	-24.73	-17.67	Pass
				792.95	798.05	7.33	7.33	Pass
				798.05	800.5	-24.81	-17.67	Pass
				800.5	808	-39.86	-27.67	Pass
				808	813	-56.18	-13	Pass

6.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	793	1	0	758	768	-67.14	-13	Pass
				768	783	-57.47	-13.27	Pass
				783	787.95	-16.75	-3.27	Pass
				787.95	798.05	21.73	21.73	Pass
				798.05	803	-46.27	-3.27	Pass
				803	818	-64.01	-13.27	Pass
				818	828	-67.06	-13	Pass
			25	758	768	-66.99	-13	Pass
				768	783	-62.24	-13.58	Pass
				783	787.95	-40.84	-3.58	Pass
				787.95	798.05	21.42	21.42	Pass
				798.05	803	-40.13	-3.58	Pass
				803	818	-63.46	-13.58	Pass
				818	828	-67.09	-13	Pass
			49	758	768	-66.88	-13	Pass
				768	783	-62.51	-13.65	Pass
				783	787.95	-47.36	-3.65	Pass
				787.95	798.05	21.35	21.35	Pass
				798.05	803	-17.49	-3.65	Pass
				803	818	-57.96	-13.65	Pass
				818	828	-67.04	-13	Pass

		25	0	758	768	-67.29	-13	Pass
				768	783	-47.75	-27.6	Pass
				783	787.95	-27.91	-17.6	Pass
				787.95	798.05	7.40	7.4	Pass
				798.05	803	-43.85	-17.6	Pass
				803	818	-52.42	-27.6	Pass
				818	828	-67.39	-13	Pass
			13	758	768	-67.18	-13	Pass
				768	783	-46.51	-27.37	Pass
				783	787.95	-38.35	-17.37	Pass
				787.95	798.05	7.63	7.63	Pass
				798.05	803	-36.84	-17.37	Pass
				803	818	-46.68	-27.37	Pass
				818	828	-66.56	-13	Pass
			25	758	768	-67.28	-13	Pass
				768	783	-51.05	-27.6	Pass
				783	787.95	-44.32	-17.6	Pass
				787.95	798.05	7.40	7.4	Pass
				798.05	803	-27.69	-17.6	Pass
				803	818	-48.31	-27.6	Pass
				818	828	-66.20	-13	Pass
		50	0	758	768	-67.20	-13	Pass
				768	783	-49.01	-29.9	Pass
				783	787.95	-33.15	-19.9	Pass
				787.95	798.05	5.10	5.1	Pass
				798.05	803	-30.79	-19.9	Pass
				803	818	-45.50	-29.9	Pass
				818	828	-59.49	-13	Pass
16QAM	793	1	0	758	768	-67.40	-13	Pass
				768	783	-53.49	-14.9	Pass
				783	787.95	-17.83	-4.9	Pass
				787.95	798.05	20.10	20.1	Pass
				798.05	803	-48.08	-4.9	Pass
				803	818	-63.34	-14.9	Pass
				818	828	-67.33	-13	Pass
			25	758	768	-67.09	-13	Pass
				768	783	-63.12	-14.86	Pass
				783	787.95	-39.43	-4.86	Pass
				787.95	798.05	20.14	20.14	Pass
				798.05	803	-39.15	-4.86	Pass
				803	818	-64.03	-14.86	Pass
				818	828	-67.38	-13	Pass
			49	758	768	-67.20	-13	Pass
				768	783	-57.93	-14.59	Pass
				783	787.95	-48.52	-4.59	Pass
				787.95	798.05	20.41	20.41	Pass
				798.05	803	-16.41	-4.59	Pass
				803	818	-53.05	-14.59	Pass
				818	828	-67.29	-13	Pass
		12	0	758	768	-67.08	-13	Pass
				768	783	-50.66	-24.14	Pass
				783	787.95	-23.90	-14.14	Pass
				787.95	798.05	10.86	10.86	Pass
				798.05	803	-47.21	-14.14	Pass
				803	818	-63.28	-24.14	Pass
				818	828	-67.33	-13	Pass


			19	758	768	-67.29	-13	Pass
				768	783	-58.40	-24.42	Pass
				783	787.95	-40.97	-14.42	Pass
				787.95	798.05	10.58	10.58	Pass
				798.05	803	-41.25	-14.42	Pass
				803	818	-59.68	-24.42	Pass
				818	828	-67.29	-13	Pass
			38	758	768	-67.02	-13	Pass
				768	783	-62.07	-24.2	Pass
				783	787.95	-48.74	-14.2	Pass
				787.95	798.05	10.80	10.8	Pass
				798.05	803	-24.09	-14.2	Pass
				803	818	-51.51	-24.2	Pass
				818	828	-67.27	-13	Pass
		27	0	758	768	-67.38	-13	Pass
				768	783	-46.97	-29.03	Pass
				783	787.95	-30.19	-19.03	Pass
				787.95	798.05	5.97	5.97	Pass
				798.05	803	-42.87	-19.03	Pass
				803	818	-52.07	-29.03	Pass
				818	828	-67.03	-13	Pass

6.2 Test Graph


6.2.1 B14_5MHz




Band14_5MHz_QPSK_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_25_0_NTNV




6.2.2 B14_10MHz




Band14_10MHz_QPSK_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_13_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_25_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_12_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_12_19_NTNV



Band14_10MHz_16QAM_MCH_793MHz_RB_12_38_NTNV



Band14_10MHz_16QAM_MCH_793MHz_RB_27_0_NTNV



- End of the Appendix -