

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B41_5MHz_EIRP

Band: 41 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2498.5	1	0	23.01	2.17	25.18	<=33.01	Pass
			13	23.06	2.17	25.23	<=33.01	Pass
			24	23.05	2.17	25.22	<=33.01	Pass
		12	0	21.91	2.17	24.08	<=33.01	Pass
			6	21.92	2.17	24.09	<=33.01	Pass
			13	21.92	2.17	24.09	<=33.01	Pass
		25	0	21.90	2.17	24.07	<=33.01	Pass
	2593	1	0	22.89	2.17	25.06	<=33.01	Pass
			13	22.84	2.17	25.01	<=33.01	Pass
			24	22.78	2.17	24.95	<=33.01	Pass
		12	0	21.90	2.17	24.07	<=33.01	Pass
			6	21.88	2.17	24.05	<=33.01	Pass
			13	21.81	2.17	23.98	<=33.01	Pass
		25	0	21.84	2.17	24.01	<=33.01	Pass
	2687.5	1	0	22.90	2.17	25.07	<=33.01	Pass
			13	22.75	2.17	24.92	<=33.01	Pass
			24	22.83	2.17	25.00	<=33.01	Pass
		12	0	21.98	2.17	24.15	<=33.01	Pass
			6	21.95	2.17	24.12	<=33.01	Pass
			13	21.95	2.17	24.12	<=33.01	Pass
		25	0	21.95	2.17	24.12	<=33.01	Pass
16QAM	2498.5	1	0	21.91	2.17	24.08	<=33.01	Pass
			13	22.00	2.17	24.17	<=33.01	Pass
			24	22.02	2.17	24.19	<=33.01	Pass
		12	0	20.89	2.17	23.06	<=33.01	Pass
			6	20.89	2.17	23.06	<=33.01	Pass
			13	20.90	2.17	23.07	<=33.01	Pass
		25	0	20.92	2.17	23.09	<=33.01	Pass
	2593	1	0	21.72	2.17	23.89	<=33.01	Pass
			13	21.60	2.17	23.77	<=33.01	Pass
			24	22.05	2.17	24.22	<=33.01	Pass
		12	0	20.94	2.17	23.11	<=33.01	Pass
			6	20.94	2.17	23.11	<=33.01	Pass
			13	20.89	2.17	23.06	<=33.01	Pass
		25	0	20.96	2.17	23.13	<=33.01	Pass
	2687.5	1	0	22.05	2.17	24.22	<=33.01	Pass
			13	22.06	2.17	24.23	<=33.01	Pass
			24	22.02	2.17	24.19	<=33.01	Pass
		12	0	20.91	2.17	23.08	<=33.01	Pass
			6	20.88	2.17	23.05	<=33.01	Pass
			13	20.88	2.17	23.05	<=33.01	Pass
		25	0	20.93	2.17	23.10	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B41_10MHz_EIRP

Band: 41 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2501	1	0	22.96	2.17	25.13	<=33.01	Pass
			25	23.02	2.17	25.19	<=33.01	Pass
			49	23.07	2.17	25.24	<=33.01	Pass
		25	0	21.95	2.17	24.12	<=33.01	Pass
			13	21.99	2.17	24.16	<=33.01	Pass
			25	22.03	2.17	24.20	<=33.01	Pass
		50	0	21.97	2.17	24.14	<=33.01	Pass
	2593	1	0	23.16	2.17	25.33	<=33.01	Pass
			25	23.02	2.17	25.19	<=33.01	Pass
			49	22.92	2.17	25.09	<=33.01	Pass
		25	0	22.13	2.17	24.30	<=33.01	Pass
			13	22.05	2.17	24.22	<=33.01	Pass
			25	21.99	2.17	24.16	<=33.01	Pass
		50	0	22.04	2.17	24.21	<=33.01	Pass
	2685	1	0	22.96	2.17	25.13	<=33.01	Pass
			25	22.90	2.17	25.07	<=33.01	Pass
			49	22.81	2.17	24.98	<=33.01	Pass
		25	0	22.03	2.17	24.20	<=33.01	Pass
			13	21.97	2.17	24.14	<=33.01	Pass
			25	21.96	2.17	24.13	<=33.01	Pass
		50	0	22.00	2.17	24.17	<=33.01	Pass
16QAM	2501	1	0	21.99	2.17	24.16	<=33.01	Pass
			25	22.10	2.17	24.27	<=33.01	Pass
			49	22.15	2.17	24.32	<=33.01	Pass
		12	0	21.88	2.17	24.05	<=33.01	Pass
			19	21.96	2.17	24.13	<=33.01	Pass
			38	21.99	2.17	24.16	<=33.01	Pass
		27	0	21.01	2.17	23.18	<=33.01	Pass
	2593	1	0	21.96	2.17	24.13	<=33.01	Pass
			25	21.84	2.17	24.01	<=33.01	Pass
			49	21.73	2.17	23.90	<=33.01	Pass
		12	0	22.09	2.17	24.26	<=33.01	Pass
			19	21.99	2.17	24.16	<=33.01	Pass
			38	21.92	2.17	24.09	<=33.01	Pass
		27	0	21.06	2.17	23.23	<=33.01	Pass
	2685	1	0	22.13	2.17	24.30	<=33.01	Pass
			25	22.09	2.17	24.26	<=33.01	Pass
			49	22.00	2.17	24.17	<=33.01	Pass
		12	0	21.99	2.17	24.16	<=33.01	Pass
			19	21.96	2.17	24.13	<=33.01	Pass
			38	21.89	2.17	24.06	<=33.01	Pass
		27	23	20.92	2.17	23.09	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B41_15MHz_EIRP

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	2503.5	1	0	22.65	2.17	24.82	<=33.01	Pass	
			38	23.03	2.17	25.20	<=33.01	Pass	
			74	23.11	2.17	25.28	<=33.01	Pass	
		36	0	21.91	2.17	24.08	<=33.01	Pass	
			18	21.99	2.17	24.16	<=33.01	Pass	
			39	22.07	2.17	24.24	<=33.01	Pass	
		75	0	22.00	2.17	24.17	<=33.01	Pass	
		2593	1	0	23.06	2.17	25.23	<=33.01	Pass
				38	22.95	2.17	25.12	<=33.01	Pass
	74			22.80	2.17	24.97	<=33.01	Pass	
	36		0	22.14	2.17	24.31	<=33.01	Pass	
			18	22.08	2.17	24.25	<=33.01	Pass	
			39	21.96	2.17	24.13	<=33.01	Pass	
	75		0	22.06	2.17	24.23	<=33.01	Pass	
	2682.5		1	0	23.04	2.17	25.21	<=33.01	Pass
				38	23.03	2.17	25.20	<=33.01	Pass
		74		22.86	2.17	25.03	<=33.01	Pass	
		36	0	22.14	2.17	24.31	<=33.01	Pass	
			18	22.13	2.17	24.30	<=33.01	Pass	
			39	22.05	2.17	24.22	<=33.01	Pass	
		75	0	22.09	2.17	24.26	<=33.01	Pass	
16QAM		2503.5	1	0	21.88	2.17	24.05	<=33.01	Pass
				38	21.99	2.17	24.16	<=33.01	Pass
	74			22.07	2.17	24.24	<=33.01	Pass	
	12		0	21.83	2.17	24.00	<=33.01	Pass	
			31	21.94	2.17	24.11	<=33.01	Pass	
			63	22.07	2.17	24.24	<=33.01	Pass	
	27		0	20.94	2.17	23.11	<=33.01	Pass	
	2593		1	0	22.22	2.17	24.39	<=33.01	Pass
				38	22.14	2.17	24.31	<=33.01	Pass
		74		21.84	2.17	24.01	<=33.01	Pass	
		12	0	22.14	2.17	24.31	<=33.01	Pass	
			31	21.99	2.17	24.16	<=33.01	Pass	
			63	21.90	2.17	24.07	<=33.01	Pass	
		27	0	21.11	2.17	23.28	<=33.01	Pass	
		2682.5	1	0	22.01	2.17	24.18	<=33.01	Pass
				38	22.08	2.17	24.25	<=33.01	Pass
	74			22.07	2.17	24.24	<=33.01	Pass	
	12		0	22.11	2.17	24.28	<=33.01	Pass	
			31	22.05	2.17	24.22	<=33.01	Pass	
			63	21.98	2.17	24.15	<=33.01	Pass	
	27		48	21.02	2.17	23.19	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B41_20MHz_EIRP

Band: 41 / Bandwidth: 20MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2506	1	0	22.73	2.17	24.90	<=33.01	Pass
			50	22.96	2.17	25.13	<=33.01	Pass
			99	23.10	2.17	25.27	<=33.01	Pass
		50	0	21.87	2.17	24.04	<=33.01	Pass
			25	22.00	2.17	24.17	<=33.01	Pass

			50	22.12	2.17	24.29	<=33.01	Pass	
		100	0	22.00	2.17	24.17	<=33.01	Pass	
	2593	1	0	23.27	2.17	25.44	<=33.01	Pass	
			50	23.13	2.17	25.30	<=33.01	Pass	
			99	22.97	2.17	25.14	<=33.01	Pass	
		50	0	22.29	2.17	24.46	<=33.01	Pass	
			25	22.18	2.17	24.35	<=33.01	Pass	
			50	22.12	2.17	24.29	<=33.01	Pass	
		100	0	22.20	2.17	24.37	<=33.01	Pass	
	2680	1	0	23.24	2.17	25.41	<=33.01	Pass	
			50	23.17	2.17	25.34	<=33.01	Pass	
			99	22.95	2.17	25.12	<=33.01	Pass	
		50	0	22.21	2.17	24.38	<=33.01	Pass	
			25	22.17	2.17	24.34	<=33.01	Pass	
			50	22.10	2.17	24.27	<=33.01	Pass	
		100	0	22.17	2.17	24.34	<=33.01	Pass	
	16QAM	2506	1	0	21.99	2.17	24.16	<=33.01	Pass
				50	22.24	2.17	24.41	<=33.01	Pass
99				22.36	2.17	24.53	<=33.01	Pass	
12			0	21.75	2.17	23.92	<=33.01	Pass	
			44	21.94	2.17	24.11	<=33.01	Pass	
			88	22.28	2.17	24.45	<=33.01	Pass	
27			0	21.02	2.17	23.19	<=33.01	Pass	
2593		1	0	22.43	2.17	24.60	<=33.01	Pass	
			50	22.25	2.17	24.42	<=33.01	Pass	
			99	22.09	2.17	24.26	<=33.01	Pass	
		12	0	22.34	2.17	24.51	<=33.01	Pass	
			44	22.11	2.17	24.28	<=33.01	Pass	
			88	22.00	2.17	24.17	<=33.01	Pass	
		27	0	21.30	2.17	23.47	<=33.01	Pass	
2680		1	0	22.33	2.17	24.50	<=33.01	Pass	
			50	22.15	2.17	24.32	<=33.01	Pass	
			99	22.06	2.17	24.23	<=33.01	Pass	
		12	0	22.20	2.17	24.37	<=33.01	Pass	
			44	22.12	2.17	24.29	<=33.01	Pass	
			88	21.98	2.17	24.15	<=33.01	Pass	
	27	73	21.10	2.17	23.27	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain									

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B41_10MHz

Band: 41 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2593	50	0	20	LV	-5.379	-0.0021	-2.5 to 2.5	Pass
					NV	-2.904	-0.0011	-2.5 to 2.5	Pass
					HV	-2.546	-0.0010	-2.5 to 2.5	Pass
				-30	NV	-4.306	-0.0017	-2.5 to 2.5	Pass
				-20	NV	-1.702	-0.0007	-2.5 to 2.5	Pass

				-10	NV	-1.831	-0.0007	-2.5 to 2.5	Pass
				0	NV	-5.150	-0.0020	-2.5 to 2.5	Pass
				10	NV	-5.221	-0.0020	-2.5 to 2.5	Pass
				30	NV	-2.518	-0.0010	-2.5 to 2.5	Pass
				40	NV	-1.516	-0.0006	-2.5 to 2.5	Pass
				50	NV	-2.089	-0.0008	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band41_OBW


Band: 41 / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2593	25	0	4.558	/	Pass
	16QAM	2593	25	0	4.550	/	Pass
10	QPSK	2593	50	0	9.075	/	Pass
	16QAM	2593	27	0	5.085	/	Pass
15	QPSK	2593	75	0	13.655	/	Pass
	16QAM	2593	27	0	5.392	/	Pass
20	QPSK	2593	100	0	18.070	/	Pass
	16QAM	2593	27	0	5.606	/	Pass

3.1.2 Band41_XDB


Band: 41 / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2593	25	0	5.537	/	Pass
	16QAM	2593	25	0	5.541	/	Pass
10	QPSK	2593	50	0	10.418	/	Pass
	16QAM	2593	27	0	6.438	/	Pass
15	QPSK	2593	75	0	15.848	/	Pass
	16QAM	2593	27	0	7.254	/	Pass
20	QPSK	2593	100	0	20.239	/	Pass
	16QAM	2593	27	0	7.449	/	Pass

3.2 Test Graph


3.2.1 Band41_OBW




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_27_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_MCH_2593MHz_RB_27_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_100_0_NTNV




Band41_20MHz_16QAM_MCH_2593MHz_RB_27_0_NTNV




3.2.2 Band41_XDB




Band41_10MHz_QPSK_MCH_2593MHz_RB_50_0_NTNV




Band41_10MHz_16QAM_MCH_2593MHz_RB_27_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_75_0_NTNV




Band41_15MHz_16QAM_MCH_2593MHz_RB_27_0_NTNV



Band41_20MHz_QPSK_MCH_2593MHz_RB_100_0_NTNV



Band41_20MHz_16QAM_MCH_2593MHz_RB_27_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B41_20MHz

Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	100	0	7.68	<=13	Pass
16QAM	2593	27	0	8.24	<=13	Pass

4.2 Test Graph

4.2.1 B41_20MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2498.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2687.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2501	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2685	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2503.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2682.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.4 B41_20MHz


Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2506	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass




	2593	1	0	Refer To Test Graph	Pass
	2680	1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass

5.2 Test Graph


5.2.1 B41_5MHz




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV



Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.493	-34.93	-25	Pass
2490.5	2495	1	CHP	2	2494.486	-23.46	-13	Pass
2495	2496	0.055	CHP	3	2495.987	-27.92	-13	Pass
2496	2501	0.055	CHP	/	/	/	/	/


Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV



Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_HCH_2687.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2685	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-22.83	-10	Pass
2691	2695	1	CHP	2	2691.500	-21.36	-10	Pass
2695	2696	1	CHP	3	2695.930	-37.85	-13	Pass
2696	2700	1	CHP	4	2696.005	-37.86	-25	Pass


Band41_5MHz_QPSK_HCH_2687.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2685	2690	0.111	CHP	/	/	/	/	/
2690	2691	0.111	CHP	1	2690.010	-23.29	-10	Pass
2691	2695	1	CHP	2	2691.510	-24.72	-10	Pass
2695	2696	1	CHP	3	2695.425	-36.07	-13	Pass
2696	2700	1	CHP	4	2696.010	-36.52	-25	Pass


5.2.2 B41_10MHz

Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.485	-53.61	-25	Pass
2490.5	2495	1	CHP	2	2494.365	-27.29	-13	Pass
2495	2496	0.01	/	3	2495.995	-28.36	-13	Pass
2496	2506	0.01	/	/	/	/	/	/


Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_LCH_2501MHz_RB_50_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV



Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0_NTNV




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2680	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.015	-23.53	-10	Pass
2691	2695	1	CHP	2	2691.600	-26.27	-10	Pass
2695	2700.418	1	CHP	3	2695.005	-50.74	-13	Pass
2700.418	2705	1	CHP	4	2702.630	-44.62	-25	Pass

Band41_10MHz_QPSK_HCH_2685MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2680	2690	0.208	CHP	/	/	/	/	/
2690	2691	0.208	CHP	1	2690.175	-29.60	-10	Pass
2691	2695	1	CHP	2	2691.500	-28.04	-10	Pass
2695	2700.418	1	CHP	3	2695.825	-31.37	-13	Pass
2700.418	2705	1	CHP	4	2700.425	-39.53	-25	Pass


5.2.3 B41_15MHz




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_1_0_NTNV



Band41_15MHz_QPSK_LCH_2503.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_LCH_2503.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.732	-30.02	-25	Pass
2490.5	2495	1	CHP	2	2494.256	-26.82	-13	Pass
2495	2496	0.158	CHP	3	2495.868	-32.51	-13	Pass
2496	2511	0.158	CHP	/	/	/	/	/


Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV



Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_0_NTNV




Band41_15MHz_QPSK_HCH_2682.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-27.64	-10	Pass
2691	2695	1	CHP	2	2692.265	-33.74	-10	Pass
2695	2705.848	1	CHP	3	2695.505	-38.88	-13	Pass
2705.848	2710	1	CHP	4	2709.150	-48.73	-25	Pass


Band41_15MHz_QPSK_HCH_2682.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.317	CHP	/	/	/	/	/
2690	2691	0.317	CHP	1	2690.015	-30.86	-10	Pass
2691	2695	1	CHP	2	2691.590	-28.95	-10	Pass
2695	2705.848	1	CHP	3	2695.510	-32.18	-13	Pass
2705.848	2710	1	CHP	4	2707.060	-40.84	-25	Pass


5.2.4 B41_20MHz

Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.110	-40.82	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-36.09	-13	Pass
2495	2496	0.01	/	3	2495.940	-32.23	-13	Pass
2496	2516	0.01	/	/	/	/	/	/


Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV



Band41_20MHz_QPSK_LCH_2506MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_LCH_2506MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.208	-30.02	-25	Pass
2490.5	2495	1	CHP	2	2494.083	-28.49	-13	Pass
2495	2496	0.202	CHP	3	2495.819	-33.64	-13	Pass
2496	2516	0.202	CHP	/	/	/	/	/


Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV




Band41_20MHz_QPSK_HCH_2680MHz_RB_1_0_NTNV



Band41_20MHz_QPSK_HCH_2680MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2670	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-30.21	-10	Pass
2691	2695	1	CHP	2	2691.500	-34.95	-10	Pass
2695	2710.239	1	CHP	3	2697.600	-39.94	-13	Pass
2710.239	2715	1	CHP	4	2714.475	-55.19	-25	Pass



- End of the Appendix -