

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B14_5MHz_ERP

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	790.5	1	0	23.12	3.17	24.14	<=44.77	Pass
			13	23.05	3.17	24.07	<=44.77	Pass
			24	23.26	3.17	24.28	<=44.77	Pass
		12	0	22.28	3.17	23.30	<=44.77	Pass
			6	22.23	3.17	23.25	<=44.77	Pass
			13	22.31	3.17	23.33	<=44.77	Pass
		25	0	22.28	3.17	23.30	<=44.77	Pass
	793	1	0	23.09	3.17	24.11	<=44.77	Pass
			13	23.25	3.17	24.27	<=44.77	Pass
			24	23.37	3.17	24.39	<=44.77	Pass
		12	0	22.19	3.17	23.21	<=44.77	Pass
			6	22.23	3.17	23.25	<=44.77	Pass
			13	22.31	3.17	23.33	<=44.77	Pass
		25	0	22.26	3.17	23.28	<=44.77	Pass
	795.5	1	0	23.21	3.17	24.23	<=44.77	Pass
			13	23.36	3.17	24.38	<=44.77	Pass
			24	23.42	3.17	24.44	<=44.77	Pass
		12	0	22.45	3.17	23.47	<=44.77	Pass
			6	22.36	3.17	23.38	<=44.77	Pass
			13	22.41	3.17	23.43	<=44.77	Pass
		25	0	22.37	3.17	23.39	<=44.77	Pass
16QAM	790.5	1	0	22.54	3.17	23.56	<=44.77	Pass
			13	22.42	3.17	23.44	<=44.77	Pass
			24	22.56	3.17	23.58	<=44.77	Pass
		12	0	21.30	3.17	22.32	<=44.77	Pass
			6	21.25	3.17	22.27	<=44.77	Pass
			13	21.35	3.17	22.37	<=44.77	Pass
		25	0	21.21	3.17	22.23	<=44.77	Pass
	793	1	0	22.23	3.17	23.25	<=44.77	Pass
			13	22.35	3.17	23.37	<=44.77	Pass
			24	22.46	3.17	23.48	<=44.77	Pass
		12	0	21.21	3.17	22.23	<=44.77	Pass
			6	21.27	3.17	22.29	<=44.77	Pass
			13	21.34	3.17	22.36	<=44.77	Pass
		25	0	21.30	3.17	22.32	<=44.77	Pass
	795.5	1	0	22.46	3.17	23.48	<=44.77	Pass
			13	22.59	3.17	23.61	<=44.77	Pass
			24	22.62	3.17	23.64	<=44.77	Pass
		12	0	21.34	3.17	22.36	<=44.77	Pass
			6	21.36	3.17	22.38	<=44.77	Pass
			13	21.42	3.17	22.44	<=44.77	Pass
		25	0	21.44	3.17	22.46	<=44.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B14_10MHz_ERP

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	793	1	0	23.33	3.17	24.35	<=44.77	Pass
			25	23.30	3.17	24.32	<=44.77	Pass
			49	23.51	3.17	24.53	<=44.77	Pass
		25	0	22.28	3.17	23.30	<=44.77	Pass
			13	22.33	3.17	23.35	<=44.77	Pass
			25	22.42	3.17	23.44	<=44.77	Pass
		50	0	22.37	3.17	23.39	<=44.77	Pass
16QAM	793	1	0	22.59	3.17	23.61	<=44.77	Pass
			25	22.57	3.17	23.59	<=44.77	Pass
			49	22.80	3.17	23.82	<=44.77	Pass
		12	0	22.18	3.17	23.20	<=44.77	Pass
			19	22.39	3.17	23.41	<=44.77	Pass
			38	22.51	3.17	23.53	<=44.77	Pass
		27	0	21.24	3.17	22.26	<=44.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								



2. Frequency Stability

2.1 Test Result

2.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	793	50	0	20	LV	0.014	0.0000	-2.5 to 2.5	Pass
					NV	-0.157	-0.0002	-2.5 to 2.5	Pass
					HV	0.029	0.0000	-2.5 to 2.5	Pass
				-30	NV	-0.300	-0.0004	-2.5 to 2.5	Pass
				-20	NV	-0.072	-0.0001	-2.5 to 2.5	Pass
				-10	NV	-0.215	-0.0003	-2.5 to 2.5	Pass
				0	NV	0.086	0.0001	-2.5 to 2.5	Pass
				10	NV	0.200	0.0003	-2.5 to 2.5	Pass
				30	NV	-0.014	0.0000	-2.5 to 2.5	Pass
				40	NV	-0.243	-0.0003	-2.5 to 2.5	Pass
				50	NV	0.300	0.0004	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band14_OBW


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	4.569	/	Pass
	16QAM	793	25	0	4.573	/	Pass
10	QPSK	793	50	0	9.061	/	Pass
	16QAM	793	27	0	5.139	/	Pass

3.1.2 Band14_XDB


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	5.609	/	Pass
	16QAM	793	25	0	5.841	/	Pass
10	QPSK	793	50	0	10.082	/	Pass
	16QAM	793	27	0	6.393	/	Pass

3.2 Test Graph


3.2.1 Band14_OBW




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_27_0_NTNV




3.2.2 Band14_XDB



Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV



Band14_10MHz_16QAM_MCH_793MHz_RB_27_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	793	50	0	5.60	<=13	Pass
16QAM	793	27	0	6.26	<=13	Pass

4.2 Test Graph

4.2.1 B14_10MHz



5. Spurious Emission

5.1 Test Result

5.1.1 B14_5MHz


Band: 14 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B14_5MHz




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	766.862	-72.07	-13	Pass
769	775	0.00625	CHP	2	772.365	-83.13	-35	Pass
775	787.9	0.1	CHP	3	787.848	-27.85	-13	Pass
787.9	788	0.03	CHP	4	787.999	-30.49	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/


Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV



Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-20.52	-13	Pass
798.1	799	0.1	CHP	2	798.152	-20.93	-13	Pass
799	805	0.00625	CHP	3	799.004	-39.45	-35	Pass
805	810	0.1	CHP	4	805.194	-69.13	-13	Pass


Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-31.22	-13	Pass
798.1	799	0.1	CHP	2	798.152	-28.66	-13	Pass
799	805	0.00625	CHP	3	799.120	-45.19	-35	Pass
805	810	0.1	CHP	4	805.054	-49.62	-13	Pass


5.2.2 B14_10MHz

Band14 10MHz QPSK LCH 793MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	767.354	-52.89	-13	Pass
769	775	0.00625	CHP	2	774.197	-82.94	-35	Pass
775	787.9	0.1	CHP	3	787.848	-20.75	-13	Pass
787.9	788	0.03	CHP	4	787.999	-22.38	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.020	-55.93	-13	Pass
798.1	799	0.1	CHP	6	798.152	-51.44	-13	Pass
799	803	0.00625	CHP	7	801.804	-66.71	-35	Pass

Band14 10MHz QPSK LCH 793MHz RB 1 0 NTNV




Band14_10MHz_QPSK_LCH_793MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	767.389	-52.92	-13	Pass
769	775	0.00625	CHP	2	774.682	-82.58	-35	Pass
775	787.9	0.1	CHP	3	787.848	-32.23	-13	Pass
787.9	788	0.03	CHP	4	787.999	-36.44	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.002	-37.01	-13	Pass
798.1	799	0.1	CHP	6	798.150	-32.79	-13	Pass
799	803	0.00625	CHP	7	799.009	-46.65	-35	Pass

Band14_10MHz_QPSK_HCH_793MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.817	-51.17	-13	Pass
787.9	788	0.03	CHP	2	787.992	-55.74	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-21.96	-13	Pass
798.1	799	0.1	CHP	4	798.152	-20.53	-13	Pass
799	805	0.00625	CHP	5	799.538	-47.81	-35	Pass
805	810	0.1	CHP	6	805.052	-70.33	-13	Pass

Band14_10MHz_QPSK_HCH_793MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.845	-32.37	-13	Pass
787.9	788	0.03	CHP	2	788.000	-36.28	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-37.12	-13	Pass
798.1	799	0.1	CHP	4	798.152	-32.88	-13	Pass
799	805	0.00625	CHP	5	799.008	-47.00	-35	Pass
805	810	0.1	CHP	6	805.158	-42.82	-13	Pass

6. Emission Mask

6.1 Test Result

6.1.1 B14_5MHz

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	790.5	1	0	773	778	-71.75	-13	Pass
				778	785.5	-37.52	-15.54	Pass
				785.5	787.95	-18.29	-5.54	Pass
				787.95	793.05	19.46	19.46	Pass
				793.05	795.5	-35.68	-5.54	Pass
				795.5	803	-46.98	-15.54	Pass
				803	808	-72.18	-13	Pass
			13	773	778	-72.36	-13	Pass
				778	785.5	-42.89	-15.45	Pass
				785.5	787.95	-32.61	-5.45	Pass
				787.95	793.05	19.55	19.55	Pass
				793.05	795.5	-32.67	-5.45	Pass
				795.5	803	-44.62	-15.45	Pass
				803	808	-72.28	-13	Pass
			24	773	778	-72.81	-13	Pass
				778	785.5	-44.43	-15.64	Pass
				785.5	787.95	-36.66	-5.64	Pass
				787.95	793.05	19.36	19.36	Pass
				793.05	795.5	-18.06	-5.64	Pass
				795.5	803	-39.35	-15.64	Pass
				803	808	-72.16	-13	Pass
		12	0	773	778	-72.28	-13	Pass
				778	785.5	-38.01	-26.36	Pass
				785.5	787.95	-22.60	-16.36	Pass
				787.95	793.05	8.64	8.64	Pass
				793.05	795.5	-35.10	-16.36	Pass
				795.5	803	-45.32	-26.36	Pass
				803	808	-72.40	-13	Pass
			6	773	778	-72.41	-13	Pass
				778	785.5	-40.88	-26.21	Pass
				785.5	787.95	-28.60	-16.21	Pass
				787.95	793.05	8.79	8.79	Pass
				793.05	795.5	-29.16	-16.21	Pass
				795.5	803	-42.79	-26.21	Pass
				803	808	-72.35	-13	Pass
			13	773	778	-72.14	-13	Pass
				778	785.5	-43.85	-26.1	Pass
				785.5	787.95	-34.45	-16.1	Pass
				787.95	793.05	8.90	8.9	Pass
				793.05	795.5	-22.72	-16.1	Pass
				795.5	803	-38.66	-26.1	Pass
				803	808	-72.87	-13	Pass
		25	0	773	778	-55.29	-13	Pass

	793	1		778	785.5	-34.08	-29.16	Pass
				785.5	787.95	-26.04	-19.16	Pass
				787.95	793.05	5.84	5.84	Pass
				793.05	795.5	-25.93	-19.16	Pass
				795.5	803	-33.98	-29.16	Pass
				803	808	-58.05	-13	Pass
			0	775.5	780.5	-71.77	-13	Pass
				780.5	788	-38.50	-15.63	Pass
				788	790.45	-17.61	-5.63	Pass
				790.45	795.55	19.37	19.37	Pass
				795.55	798	-36.25	-5.63	Pass
				798	805.5	-46.89	-15.63	Pass
			13	805.5	810.5	-71.83	-13	Pass
				775.5	780.5	-71.39	-13	Pass
				780.5	788	-43.27	-15.55	Pass
				788	790.45	-31.17	-5.55	Pass
				790.45	795.55	19.45	19.45	Pass
				795.55	798	-31.71	-5.55	Pass
			24	798	805.5	-44.34	-15.55	Pass
				805.5	810.5	-72.94	-13	Pass
				775.5	780.5	-71.65	-13	Pass
				780.5	788	-44.66	-15.12	Pass
				788	790.45	-37.44	-5.12	Pass
				790.45	795.55	19.88	19.88	Pass
			0	795.55	798	-17.33	-5.12	Pass
				798	805.5	-38.50	-15.12	Pass
				805.5	810.5	-72.61	-13	Pass
				775.5	780.5	-71.82	-13	Pass
				780.5	788	-39.01	-26.26	Pass
				788	790.45	-24.87	-16.26	Pass
			6	790.45	795.55	8.74	8.74	Pass
				795.55	798	-34.81	-16.26	Pass
				798	805.5	-44.49	-26.26	Pass
				805.5	810.5	-73.15	-13	Pass
				775.5	780.5	-72.17	-13	Pass
				780.5	788	-41.74	-26.01	Pass
			13	788	790.45	-29.26	-16.01	Pass
				790.45	795.55	8.99	8.99	Pass
				795.55	798	-29.67	-16.01	Pass
				798	805.5	-43.90	-26.01	Pass
				805.5	810.5	-72.92	-13	Pass
				775.5	780.5	-72.25	-13	Pass
		25	0	780.5	788	-44.44	-25.55	Pass
				788	790.45	-33.51	-15.55	Pass
				790.45	795.55	9.45	9.45	Pass
				795.55	798	-23.69	-15.55	Pass
				798	805.5	-39.17	-25.55	Pass
				805.5	810.5	-72.28	-13	Pass
		1	0	775.5	780.5	-57.41	-13	Pass
				780.5	788	-34.86	-28.97	Pass
				788	790.45	-26.57	-18.97	Pass
				790.45	795.55	6.03	6.03	Pass
				795.55	798	-26.28	-18.97	Pass
				798	805.5	-35.35	-28.97	Pass
			0	805.5	810.5	-59.89	-13	Pass
				778	783	-72.25	-13	Pass

				783	790.5	-38.37	-15.5	Pass
				790.5	792.95	-14.19	-5.5	Pass
				792.95	798.05	19.50	19.5	Pass
				798.05	800.5	-36.39	-5.5	Pass
				800.5	808	-47.63	-15.5	Pass
				808	813	-72.05	-13	Pass
			13	778	783	-70.81	-13	Pass
				783	790.5	-44.56	-15.11	Pass
				790.5	792.95	-32.98	-5.11	Pass
				792.95	798.05	19.89	19.89	Pass
				798.05	800.5	-31.86	-5.11	Pass
				800.5	808	-44.12	-15.11	Pass
				808	813	-72.35	-13	Pass
			24	778	783	-71.58	-13	Pass
				783	790.5	-43.70	-15.53	Pass
				790.5	792.95	-37.03	-5.53	Pass
				792.95	798.05	19.47	19.47	Pass
				798.05	800.5	-17.44	-5.53	Pass
				800.5	808	-40.81	-15.53	Pass
			12	808	813	-72.39	-13	Pass
				778	783	-71.00	-13	Pass
				783	790.5	-39.89	-26.09	Pass
				790.5	792.95	-22.94	-16.09	Pass
				792.95	798.05	8.91	8.91	Pass
				798.05	800.5	-35.71	-16.09	Pass
				800.5	808	-46.33	-26.09	Pass
				808	813	-72.59	-13	Pass
				778	783	-71.81	-13	Pass
				783	790.5	-43.36	-25.51	Pass
				790.5	792.95	-28.30	-15.51	Pass
				792.95	798.05	9.49	9.49	Pass
				798.05	800.5	-31.35	-15.51	Pass
				800.5	808	-44.77	-25.51	Pass
				808	813	-73.23	-13	Pass
				778	783	-72.63	-13	Pass
				783	790.5	-45.75	-26.03	Pass
				790.5	792.95	-34.28	-16.03	Pass
				792.95	798.05	8.97	8.97	Pass
				798.05	800.5	-23.91	-16.03	Pass
				800.5	808	-40.45	-26.03	Pass
				808	813	-72.35	-13	Pass
		25	0	778	783	-58.03	-13	Pass
				783	790.5	-34.72	-28.55	Pass
				790.5	792.95	-25.53	-18.55	Pass
				792.95	798.05	6.45	6.45	Pass
				798.05	800.5	-27.10	-18.55	Pass
				800.5	808	-36.95	-28.55	Pass
				808	813	-59.80	-13	Pass
16QAM	790.5	1	0	773	778	-72.32	-13	Pass
				778	785.5	-40.17	-16.2	Pass
				785.5	787.95	-16.92	-6.2	Pass
				787.95	793.05	18.80	18.8	Pass
				793.05	795.5	-36.30	-6.2	Pass
				795.5	803	-45.37	-16.2	Pass
				803	808	-73.17	-13	Pass
			13	773	778	-72.61	-13	Pass

				778	785.5	-45.83	-16.1	Pass
				785.5	787.95	-33.09	-6.1	Pass
				787.95	793.05	18.90	18.9	Pass
				793.05	795.5	-31.26	-6.1	Pass
				795.5	803	-43.93	-16.1	Pass
				803	808	-72.61	-13	Pass
			24	773	778	-72.93	-13	Pass
				778	785.5	-45.84	-15.89	Pass
				785.5	787.95	-36.71	-5.89	Pass
				787.95	793.05	19.11	19.11	Pass
				793.05	795.5	-15.99	-5.89	Pass
				795.5	803	-39.29	-15.89	Pass
				803	808	-72.14	-13	Pass
		12	0	773	778	-72.00	-13	Pass
				778	785.5	-39.02	-26.35	Pass
				785.5	787.95	-23.42	-16.35	Pass
				787.95	793.05	8.65	8.65	Pass
				793.05	795.5	-34.77	-16.35	Pass
				795.5	803	-46.92	-26.35	Pass
				803	808	-73.13	-13	Pass
			6	773	778	-73.09	-13	Pass
				778	785.5	-43.23	-26.77	Pass
				785.5	787.95	-29.75	-16.77	Pass
				787.95	793.05	8.23	8.23	Pass
				793.05	795.5	-31.28	-16.77	Pass
				795.5	803	-43.51	-26.77	Pass
				803	808	-73.08	-13	Pass
			13	773	778	-73.21	-13	Pass
				778	785.5	-44.57	-26.83	Pass
				785.5	787.95	-35.36	-16.83	Pass
				787.95	793.05	8.17	8.17	Pass
				793.05	795.5	-23.65	-16.83	Pass
				795.5	803	-39.17	-26.83	Pass
		25	0	803	808	-72.73	-13	Pass
				773	778	-58.14	-13	Pass
				778	785.5	-34.95	-30.24	Pass
				785.5	787.95	-27.19	-20.24	Pass
				787.95	793.05	4.76	4.76	Pass
				793.05	795.5	-26.21	-20.24	Pass
	793	1	0	795.5	803	-35.37	-30.24	Pass
				803	808	-60.10	-13	Pass
				775.5	780.5	-71.40	-13	Pass
				780.5	788	-37.84	-16.55	Pass
				788	790.45	-17.01	-6.55	Pass
				790.45	795.55	18.45	18.45	Pass
			13	795.55	798	-37.82	-6.55	Pass
				798	805.5	-47.55	-16.55	Pass
				805.5	810.5	-72.23	-13	Pass
				775.5	780.5	-71.95	-13	Pass
				780.5	788	-42.01	-16.37	Pass
				788	790.45	-32.52	-6.37	Pass
				790.45	795.55	18.63	18.63	Pass
				795.55	798	-32.54	-6.37	Pass
				798	805.5	-43.51	-16.37	Pass
				805.5	810.5	-72.85	-13	Pass
			24	775.5	780.5	-72.55	-13	Pass

				780.5	788	-46.46	-15.9	Pass
				788	790.45	-37.56	-5.9	Pass
				790.45	795.55	19.10	19.1	Pass
				795.55	798	-18.46	-5.9	Pass
				798	805.5	-40.89	-15.9	Pass
				805.5	810.5	-72.55	-13	Pass
		12	0	775.5	780.5	-72.19	-13	Pass
				780.5	788	-39.43	-27.11	Pass
				788	790.45	-24.97	-17.11	Pass
				790.45	795.55	7.89	7.89	Pass
				795.55	798	-35.49	-17.11	Pass
				798	805.5	-47.81	-27.11	Pass
				805.5	810.5	-72.41	-13	Pass
			6	775.5	780.5	-72.32	-13	Pass
				780.5	788	-45.18	-27.07	Pass
				788	790.45	-28.92	-17.07	Pass
				790.45	795.55	7.93	7.93	Pass
				795.55	798	-31.30	-17.07	Pass
				798	805.5	-44.69	-27.07	Pass
				805.5	810.5	-72.79	-13	Pass
			13	775.5	780.5	-73.06	-13	Pass
				780.5	788	-47.19	-26.94	Pass
				788	790.45	-35.22	-16.94	Pass
				790.45	795.55	8.06	8.06	Pass
				795.55	798	-24.20	-16.94	Pass
				798	805.5	-39.78	-26.94	Pass
		25	0	805.5	810.5	-73.32	-13	Pass
				775.5	780.5	-58.65	-13	Pass
				780.5	788	-35.94	-30.15	Pass
				788	790.45	-25.83	-20.15	Pass
				790.45	795.55	4.85	4.85	Pass
				795.55	798	-25.90	-20.15	Pass
	795.5	1	0	798	805.5	-35.99	-30.15	Pass
				805.5	810.5	-61.67	-13	Pass
				778	783	-72.37	-13	Pass
				783	790.5	-41.43	-16.25	Pass
				790.5	792.95	-15.55	-6.25	Pass
				792.95	798.05	18.75	18.75	Pass
			13	798.05	800.5	-36.82	-6.25	Pass
				800.5	808	-47.66	-16.25	Pass
				808	813	-71.42	-13	Pass
				778	783	-72.34	-13	Pass
				783	790.5	-44.47	-16.29	Pass
				790.5	792.95	-32.52	-6.29	Pass
			24	792.95	798.05	18.71	18.71	Pass
				798.05	800.5	-31.94	-6.29	Pass
				800.5	808	-46.59	-16.29	Pass
				808	813	-72.78	-13	Pass
				778	783	-72.72	-13	Pass
				783	790.5	-46.71	-16.28	Pass
			12	790.5	792.95	-37.40	-6.28	Pass
				792.95	798.05	18.72	18.72	Pass
				798.05	800.5	-19.01	-6.28	Pass
				800.5	808	-42.99	-16.28	Pass
			0	808	813	-72.55	-13	Pass
				778	783	-72.34	-13	Pass

				783	790.5	-40.17	-27.02	Pass
				790.5	792.95	-24.62	-17.02	Pass
				792.95	798.05	7.98	7.98	Pass
				798.05	800.5	-35.22	-17.02	Pass
				800.5	808	-47.57	-27.02	Pass
				808	813	-73.06	-13	Pass
			6	778	783	-71.50	-13	Pass
				783	790.5	-44.64	-26.64	Pass
				790.5	792.95	-30.93	-16.64	Pass
				792.95	798.05	8.36	8.36	Pass
				798.05	800.5	-32.17	-16.64	Pass
				800.5	808	-45.42	-26.64	Pass
			13	808	813	-73.21	-13	Pass
				778	783	-72.60	-13	Pass
				783	790.5	-45.35	-26.81	Pass
				790.5	792.95	-34.98	-16.81	Pass
				792.95	798.05	8.19	8.19	Pass
				798.05	800.5	-25.33	-16.81	Pass
				800.5	808	-41.69	-26.81	Pass
				808	813	-72.85	-13	Pass
		25	0	778	783	-59.81	-13	Pass
				783	790.5	-35.84	-29.77	Pass
				790.5	792.95	-27.04	-19.77	Pass
				792.95	798.05	5.23	5.23	Pass
				798.05	800.5	-27.63	-19.77	Pass
				800.5	808	-37.93	-29.77	Pass
				808	813	-61.29	-13	Pass

6.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	793	1	0	758	768	-51.98	-13	Pass
				768	783	-61.08	-15.2	Pass
				783	787.95	-19.45	-5.2	Pass
				787.95	798.05	19.80	19.8	Pass
				798.05	803	-50.40	-5.2	Pass
				803	818	-61.54	-15.2	Pass
				818	828	-73.39	-13	Pass
			25	758	768	-52.04	-13	Pass
				768	783	-65.96	-15.43	Pass
				783	787.95	-42.99	-5.43	Pass
				787.95	798.05	19.57	19.57	Pass
				798.05	803	-43.08	-5.43	Pass
				803	818	-69.00	-15.43	Pass
				818	828	-73.52	-13	Pass
			49	758	768	-52.18	-13	Pass
				768	783	-61.70	-15.08	Pass
				783	787.95	-49.96	-5.08	Pass
				787.95	798.05	19.92	19.92	Pass
				798.05	803	-18.70	-5.08	Pass
				803	818	-65.51	-15.08	Pass
				818	828	-73.23	-13	Pass

		25	0	758	768	-52.15	-13	Pass
				768	783	-43.63	-29.03	Pass
				783	787.95	-28.26	-19.03	Pass
				787.95	798.05	5.97	5.97	Pass
				798.05	803	-44.20	-19.03	Pass
				803	818	-55.72	-29.03	Pass
				818	828	-72.76	-13	Pass
			13	758	768	-52.10	-13	Pass
				768	783	-46.85	-29.03	Pass
				783	787.95	-34.91	-19.03	Pass
				787.95	798.05	5.97	5.97	Pass
				798.05	803	-35.84	-19.03	Pass
				803	818	-49.53	-29.03	Pass
				818	828	-73.71	-13	Pass
			25	758	768	-51.76	-13	Pass
				768	783	-57.71	-29.13	Pass
				783	787.95	-44.43	-19.13	Pass
				787.95	798.05	5.87	5.87	Pass
				798.05	803	-30.03	-19.13	Pass
				803	818	-47.32	-29.13	Pass
				818	828	-73.60	-13	Pass
		50	0	758	768	-51.90	-13	Pass
				768	783	-37.26	-32.09	Pass
				783	787.95	-31.78	-22.09	Pass
				787.95	798.05	2.91	2.91	Pass
				798.05	803	-32.30	-22.09	Pass
				803	818	-40.30	-32.09	Pass
				818	828	-67.82	-13	Pass
16QAM	793	1	0	758	768	-51.86	-13	Pass
				768	783	-62.11	-15.58	Pass
				783	787.95	-17.04	-5.58	Pass
				787.95	798.05	19.42	19.42	Pass
				798.05	803	-51.46	-5.58	Pass
				803	818	-62.92	-15.58	Pass
				818	828	-73.66	-13	Pass
			25	758	768	-51.90	-13	Pass
				768	783	-68.35	-16.84	Pass
				783	787.95	-42.62	-6.84	Pass
				787.95	798.05	18.16	18.16	Pass
				798.05	803	-40.95	-6.84	Pass
				803	818	-69.99	-16.84	Pass
				818	828	-72.78	-13	Pass
			49	758	768	-51.61	-13	Pass
				768	783	-62.40	-16.18	Pass
				783	787.95	-51.80	-6.18	Pass
				787.95	798.05	18.82	18.82	Pass
				798.05	803	-19.28	-6.18	Pass
				803	818	-66.95	-16.18	Pass
				818	828	-73.31	-13	Pass
		12	0	758	768	-52.10	-13	Pass
				768	783	-53.95	-26.31	Pass
				783	787.95	-25.74	-16.31	Pass
				787.95	798.05	8.69	8.69	Pass
				798.05	803	-51.59	-16.31	Pass
				803	818	-70.95	-26.31	Pass
				818	828	-73.59	-13	Pass


			19	758	768	-52.18	-13	Pass
				768	783	-65.69	-25.63	Pass
				783	787.95	-44.74	-15.63	Pass
				787.95	798.05	9.37	9.37	Pass
				798.05	803	-44.38	-15.63	Pass
				803	818	-70.07	-25.63	Pass
				818	828	-73.13	-13	Pass
			38	758	768	-51.94	-13	Pass
				768	783	-67.52	-25.76	Pass
				783	787.95	-52.55	-15.76	Pass
				787.95	798.05	9.24	9.24	Pass
				798.05	803	-25.55	-15.76	Pass
				803	818	-58.54	-25.76	Pass
				818	828	-72.75	-13	Pass
		27	0	758	768	-52.08	-13	Pass
				768	783	-42.30	-30.5	Pass
				783	787.95	-29.14	-20.5	Pass
				787.95	798.05	4.50	4.5	Pass
				798.05	803	-41.28	-20.5	Pass
				803	818	-57.71	-30.5	Pass
				818	828	-73.44	-13	Pass

6.2 Test Graph


6.2.1 B14_5MHz




Band14_5MHz_QPSK_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_25_0_NTNV




6.2.2 B14_10MHz




Band14_10MHz_QPSK_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_13_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_25_25_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_25_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_1_49_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_12_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_12_19_NTNV



Band14_10MHz_16QAM_MCH_793MHz_RB_12_38_NTNV



Band14_10MHz_16QAM_MCH_793MHz_RB_27_0_NTNV



- End of the Appendix -