

APPENDIX H: TEST RESULTS FOR E-UTRA OPERATING BAND 26U

APPENDIX H.1: EFFECTIVE (ISOTROPIC) RADIATED POWER	2
Test Result	2
APPENDIX H.2: PEAK-TO AVERAGE RATIO	9
Test Result	9
Test Graphs.....	11
APPENDIX H.3: 26DB BANDWIDTH AND OCCUPIED BANDWIDTH	38
Test Result	38
Test Graphs.....	39
APPENDIX H.4: BAND EDGE	51
Test Result	51
Test Graphs.....	53
APPENDIX H.5: CONDUCTED SPURIOUS EMISSIONS.....	81
Test Result	81
General:	81
Test Graphs.....	96
General:	96
APPENDIX H.6: FREQUENCY STABILITY.....	306
Test Result	306

APPENDIX H.1: EFFECTIVE (ISOTROPIC) RADIATED POWER

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	ERP (dBm)	Limit (dBm)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	23.17	26.12	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	22.35	25.3	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#2	23.26	26.21	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#2	22.82	25.77	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#5	23.50	26.45	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#5	22.49	25.44	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#0	23.34	26.29	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#0	22.00	24.95	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#1	23.32	26.27	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#1	22.16	25.11	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#3	23.23	26.18	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#3	22.14	25.09	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	22.37	25.32	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	21.35	24.3	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	22.97	25.92	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	22.24	25.19	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#2	23.08	26.03	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#2	22.51	25.46	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#5	23.09	26.04	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#5	22.22	25.17	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#0	23.11	26.06	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#0	21.82	24.77	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#1	23.03	25.98	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#1	21.84	24.79	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#3	23.01	25.96	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#3	21.66	24.61	38.5	PASS

Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	21.99	24.94	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	21.10	24.05	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	23.25	26.2	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	22.22	25.17	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#2	23.43	26.38	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#2	21.94	24.89	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#5	22.96	25.91	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#5	21.93	24.88	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#0	23.15	26.1	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#0	22.14	25.09	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#1	23.08	26.03	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#1	22.08	25.03	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#3	22.89	25.84	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#3	21.92	24.87	38.5	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	21.78	24.73	38.5	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	21.00	23.95	38.5	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	22.63	25.58	38.5	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	21.48	24.43	38.5	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#8	22.47	25.42	38.5	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#8	21.63	24.58	38.5	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#14	22.54	25.49	38.5	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#14	21.60	24.55	38.5	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#0	21.58	24.53	38.5	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#0	20.55	23.5	38.5	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#4	21.60	24.55	38.5	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#4	20.56	23.51	38.5	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#7	21.59	24.54	38.5	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#7	20.61	23.56	38.5	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	21.51	24.46	38.5	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	20.56	23.51	38.5	PASS

Band26(824-849)	3MHz	QPSK	26915	1RB#0	22.37	25.32	38.5	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	21.49	24.44	38.5	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#8	22.31	25.26	38.5	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#8	21.29	24.24	38.5	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#14	22.80	25.75	38.5	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#14	21.46	24.41	38.5	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#0	21.34	24.29	38.5	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#0	20.21	23.16	38.5	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#4	21.35	24.3	38.5	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#4	20.40	23.35	38.5	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#7	21.55	24.5	38.5	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#7	20.60	23.55	38.5	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	21.30	24.25	38.5	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	20.27	23.22	38.5	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	21.87	24.82	38.5	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	20.63	23.58	38.5	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#8	21.76	24.71	38.5	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#8	20.58	23.53	38.5	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#14	21.39	24.34	38.5	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#14	20.24	23.19	38.5	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#0	21.74	24.69	38.5	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#0	20.79	23.74	38.5	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#4	21.74	24.69	38.5	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#4	20.78	23.73	38.5	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#7	21.54	24.49	38.5	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#7	20.59	23.54	38.5	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	21.58	24.53	38.5	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	20.56	23.51	38.5	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	22.44	25.39	38.5	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	21.10	24.05	38.5	PASS

Band26(824-849)	5MHz	QPSK	26815	1RB#12	22.60	25.55	38.5	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#12	21.45	24.4	38.5	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#24	22.61	25.56	38.5	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#24	21.57	24.52	38.5	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#0	21.58	24.53	38.5	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#0	20.41	23.36	38.5	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#6	21.50	24.45	38.5	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#6	20.33	23.28	38.5	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#13	21.54	24.49	38.5	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#13	20.56	23.51	38.5	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	21.53	24.48	38.5	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	20.47	23.42	38.5	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	22.47	25.42	38.5	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	21.23	24.18	38.5	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#12	22.57	25.52	38.5	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#12	21.39	24.34	38.5	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#24	22.49	25.44	38.5	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#24	21.40	24.35	38.5	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#0	21.33	24.28	38.5	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#0	20.35	23.3	38.5	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#6	21.34	24.29	38.5	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#6	20.36	23.31	38.5	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#13	21.47	24.42	38.5	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#13	20.50	23.45	38.5	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	21.41	24.36	38.5	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	20.42	23.37	38.5	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	22.06	25.01	38.5	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	20.94	23.89	38.5	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#12	22.01	24.96	38.5	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#12	20.94	23.89	38.5	PASS

Band26(824-849)	5MHz	QPSK	27015	1RB#24	21.35	24.3	38.5	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#24	20.30	23.25	38.5	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#0	21.92	24.87	38.5	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#0	20.69	23.64	38.5	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#6	21.72	24.67	38.5	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#6	20.69	23.64	38.5	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#13	21.63	24.58	38.5	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#13	20.70	23.65	38.5	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	21.74	24.69	38.5	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	20.82	23.77	38.5	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	22.28	25.23	38.5	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	21.33	24.28	38.5	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#24	22.79	25.74	38.5	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#24	21.84	24.79	38.5	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#49	21.82	24.77	38.5	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#49	20.87	23.82	38.5	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#0	21.68	24.63	38.5	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#0	20.46	23.41	38.5	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#12	21.71	24.66	38.5	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#12	20.47	23.42	38.5	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#25	21.53	24.48	38.5	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#25	20.58	23.53	38.5	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	21.92	24.87	38.5	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	20.80	23.75	38.5	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#24	22.87	25.82	38.5	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#24	21.77	24.72	38.5	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#49	21.83	24.78	38.5	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#49	20.73	23.68	38.5	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#0	21.42	24.37	38.5	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#0	20.45	23.4	38.5	PASS

Band26(824-849)	10MHz	QPSK	26915	25RB#12	21.41	24.36	38.5	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#12	20.56	23.51	38.5	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#25	21.55	24.5	38.5	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#25	20.60	23.55	38.5	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	22.06	25.01	38.5	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	20.81	23.76	38.5	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#24	22.21	25.16	38.5	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#24	20.99	23.94	38.5	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#49	20.77	23.72	38.5	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#49	19.60	22.55	38.5	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#0	21.59	24.54	38.5	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#0	20.54	23.49	38.5	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#12	21.50	24.45	38.5	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#12	20.65	23.6	38.5	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#25	21.64	24.59	38.5	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#25	20.68	23.63	38.5	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	21.62	24.57	38.5	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	21.52	24.47	38.5	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	21.67	24.62	38.5	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	22.19	25.14	38.5	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	21.22	24.17	38.5	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#38	22.54	25.49	38.5	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#38	21.44	24.39	38.5	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#74	21.95	24.9	38.5	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#74	21.01	23.96	38.5	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#0	21.51	24.46	38.5	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#0	21.48	24.43	38.5	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#18	21.47	24.42	38.5	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#18	21.46	24.41	38.5	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#37	21.45	24.4	38.5	PASS

Band26(824-849)	15MHz	16QAM	26865	38RB#37	21.52	24.47	38.5	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	21.63	24.58	38.5	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	20.80	23.75	38.5	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#38	22.48	25.43	38.5	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#38	21.28	24.23	38.5	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#74	21.15	24.1	38.5	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#74	20.37	23.32	38.5	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#0	21.54	24.49	38.5	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#0	21.52	24.47	38.5	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#18	21.51	24.46	38.5	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#18	21.49	24.44	38.5	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#37	21.49	24.44	38.5	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#37	21.48	24.43	38.5	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	21.66	24.61	38.5	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	20.43	23.38	38.5	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#38	22.24	25.19	38.5	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#38	21.04	23.99	38.5	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#74	20.61	23.56	38.5	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#74	19.40	22.35	38.5	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#0	21.62	24.57	38.5	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#0	21.60	24.55	38.5	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#18	21.59	24.54	38.5	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#18	21.58	24.53	38.5	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#37	21.57	24.52	38.5	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#37	21.56	24.51	38.5	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	21.51	24.46	38.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	21.41	24.36	38.5	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	21.57	24.52	38.5	PASS


APPENDIX H.2: PEAK-TO AVERAGE RATIO

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	4.40	13	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	5.58	13	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	5.12	13	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	6.00	13	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	4.62	13	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	5.78	13	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	5.24	13	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	6.12	13	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	4.50	13	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	5.60	13	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	4.98	13	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	5.88	13	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	4.44	13	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	5.32	13	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	5.20	13	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	6.08	13	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	4.76	13	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	5.60	13	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	5.30	13	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	6.16	13	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	4.60	13	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	5.52	13	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	5.12	13	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	6.00	13	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	4.46	13	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	5.46	13	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	5.20	13	PASS

849)							
Band26(824-849)	5MHz	16QAM	26815	25RB#0	6.04	13	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	4.64	13	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	5.70	13	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	5.30	13	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	6.12	13	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	4.48	13	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	5.44	13	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	5.08	13	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	5.90	13	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	4.60	13	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	5.50	13	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	4.72	13	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	5.62	13	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	4.60	13	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	5.68	13	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	5.14	13	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	5.12	13	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	5.04	13	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	4.76	13	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	5.54	13	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	4.68	13	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	5.54	13	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	4.68	13	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	5.68	13	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	5.34	13	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	5.24	13	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	5.26	13	PASS

Test Graphs



Band26(824-849)-1.4MHz-QPSK-26797-1RB#0-PASS

MultiView

Spectrum

Ref Level 30.00 dBm

Offset 8.96 dB

AnBW 2 MHz

Att 45 dB

Meas Time 5 s

1 CCDF

15a Chw

CF 824.7 MHz


Mean Pwr + 20.00 dB

2 Result Summary


Samples: 10000000

	Mean	Peak	Crest	10%	1%	0.1%	0.01%
Trace 1	20.93 dBm	26.60 dBm	5.67 dB	3.10 dB	5.06 dB	5.58 dB	5.66 dB


Band26(824-849)-1.4MHz-16QAM-26797-1RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-1RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-26915-1RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-27033-1RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-27033-1RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PASS




Band26(824-849)-3MHz-QPSK-26805-1RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-1RB#0-PASS




Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26915-1RB#0-PASS




Band26(824-849)-3MHz-16QAM-26915-1RB#0-PASS




Band26(824-849)-3MHz-QPSK-26915-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26915-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-27025-1RB#0-PASS




Band26(824-849)-3MHz-16QAM-27025-1RB#0-PASS




Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-27025-15RB#0-PASS




Band26(824-849)-5MHz-QPSK-26815-1RB#0-PASS




Band26(824-849)-5MHz-16QAM-26815-1RB#0-PASS




Band26(824-849)-5MHz-QPSK-26815-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26815-25RB#0-PASS




Band26(824-849)-5MHz-QPSK-26915-1RB#0-PASS




Band26(824-849)-5MHz-16QAM-26915-1RB#0-PASS




Band26(824-849)-5MHz-QPSK-26915-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26915-25RB#0-PASS




Band26(824-849)-5MHz-QPSK-27015-1RB#0-PASS




Band26(824-849)-5MHz-16QAM-27015-1RB#0-PASS




Band26(824-849)-5MHz-QPSK-27015-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-27015-25RB#0-PASS




Band26(824-849)-10MHz-QPSK-26840-1RB#0-PASS




Band26(824-849)-10MHz-16QAM-26840-1RB#0-PASS




Band26(824-849)-10MHz-QPSK-26915-1RB#0-PASS




Band26(824-849)-10MHz-16QAM-26915-1RB#0-PASS




Band26(824-849)-10MHz-QPSK-26990-1RB#0-PASS




Band26(824-849)-10MHz-16QAM-26990-1RB#0-PASS




Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS




Band26(824-849)-10MHz-QPSK-26915-50RB#0-PASS




Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS




Band26(824-849)-15MHz-QPSK-26865-1RB#0-PASS




Band26(824-849)-15MHz-16QAM-26865-1RB#0-PASS




Band26(824-849)-15MHz-QPSK-26915-1RB#0-PASS




Band26(824-849)-15MHz-16QAM-26915-1RB#0-PASS




Band26(824-849)-15MHz-QPSK-26965-1RB#0-PASS




Band26(824-849)-15MHz-16QAM-26965-1RB#0-PASS



Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS



Band26(824-849)-15MHz-QPSK-26915-75RB#0-PASS




Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS

APPENDIX H.3: 26dB BANDWIDTH AND OCCUPIED BANDWIDTH


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	1.096	1.31	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	1.102	1.32	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.096	1.31	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	1.103	1.32	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	1.096	1.32	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	1.102	1.32	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	2.698	2.98	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	2.69	2.98	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	2.701	2.98	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	2.69	2.99	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	2.695	2.99	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	2.692	2.98	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	4.512	5.06	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	4.502	4.98	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	4.51	5.04	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	4.503	5.02	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	4.51	5.04	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	4.503	5.01	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	8.979	10.00	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	8.965	10.00	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	8.967	9.97	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	13.479	14.90	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	13.445	14.85	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	13.436	14.90	PASS


Test Graphs




Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PASS




Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26915-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26915-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-27025-15RB#0-PASS




Band26(824-849)-5MHz-QPSK-26815-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26815-25RB#0-PASS




Band26(824-849)-5MHz-QPSK-26915-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26915-25RB#0-PASS




Band26(824-849)-5MHz-QPSK-27015-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-27015-25RB#0-PASS




Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS




Band26(824-849)-10MHz-QPSK-26915-50RB#0-PASS




Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS



Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS



Band26(824-849)-15MHz-QPSK-26915-75RB#0-PASS



Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS


APPENDIX H.4: BAND EDGE


Test Result

Band	Bandwidth	Modulation	Channel	RB Config.	Result (dBm)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	-27.37	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	-29.42	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#5	-43.90	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#5	-45.28	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	-32.97	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	-33.36	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	-51.02	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	-52.13	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#5	-27.79	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#5	-30.35	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	-33.99	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	-34.41	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	-23.70	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	-24.52	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#14	-45.56	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#14	-46.61	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	-28.94	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	-31.17	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	-47.39	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	-48.37	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#14	-25.33	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#14	-26.80	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	-31.70	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	-33.07	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	-25.04	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	-24.83	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#24	-53.99	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#24	-54.44	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	-29.79	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	-31.01	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	-54.95	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	-55.24	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#24	-25.92	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#24	-26.94	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	-31.81	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	-32.69	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	-35.91	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	-35.44	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#49	-50.71	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#49	-50.76	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	-51.88	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	-51.88	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#49	-37.49	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#49	-37.05	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	-31.39	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	-34.90	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	-31.11	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	-31.89	PASS


Band26(824-849)	15MHz	QPSK	26865	1RB#74	-49.74	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#74	-50.01	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	-49.94	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	-50.33	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#74	-33.47	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#74	-34.73	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	-33.05	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	-35.22	PASS

Test Graphs







Band26_1.4MHz_QPSK_26797_1RB#5




Band26_1.4MHz_16QAM_26797_1RB#5




Band26_1.4MHz_QPSK_26797_6RB#0




Band26_1.4MHz_16QAM_26797_6RB#0




Band26_1.4MHz_QPSK_27033_1RB#0




Band26_1.4MHz_16QAM_27033_1RB#0




Band26_1.4MHz_QPSK_27033_1RB#5




Band26_1.4MHz_16QAM_27033_1RB#5




Band26_1.4MHz_QPSK_27033_6RB#0




Band26_1.4MHz_16QAM_27033_6RB#0




Band26_3MHz_QPSK_26805_1RB#0




Band26_3MHz_16QAM_26805_1RB#0




Band26_3MHz_QPSK_26805_1RB#14




Band26_3MHz_16QAM_26805_1RB#14




Band26_3MHz_QPSK_26805_15RB#0



Band26_3MHz_16QAM_26805_15RB#0



Band26_3MHz_QPSK_27025_1RB#0



Band26_3MHz_16QAM_27025_1RB#0