

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	22.49	3.63	26.12	33	PASS
Band2	1.4	18607	1	#Mid	QPSK	22.62	3.63	26.25	33	PASS
Band2	1.4	18607	1	#Max	QPSK	22.61	3.63	26.24	33	PASS
Band2	1.4	18607	3	#0	QPSK	22.78	3.63	26.41	33	PASS
Band2	1.4	18607	3	#Mid	QPSK	22.75	3.63	26.38	33	PASS
Band2	1.4	18607	3	#Max	QPSK	22.75	3.63	26.38	33	PASS
Band2	1.4	18607	6	#0	QPSK	21.67	3.63	25.3	33	PASS
Band2	1.4	18607	1	#0	QAM16	22.11	3.63	25.74	33	PASS
Band2	1.4	18607	1	#Mid	QAM16	22.18	3.63	25.81	33	PASS
Band2	1.4	18607	1	#Max	QAM16	22.08	3.63	25.71	33	PASS
Band2	1.4	18607	3	#0	QAM16	22.15	3.63	25.78	33	PASS
Band2	1.4	18607	3	#Mid	QAM16	22.2	3.63	25.83	33	PASS
Band2	1.4	18607	3	#Max	QAM16	22.09	3.63	25.72	33	PASS
Band2	1.4	18607	6	#0	QAM16	21.03	3.63	24.66	33	PASS
Band2	1.4	18900	1	#0	QPSK	22.7	3.63	26.33	33	PASS
Band2	1.4	18900	1	#Mid	QPSK	22.8	3.63	26.43	33	PASS
Band2	1.4	18900	1	#Max	QPSK	22.69	3.63	26.32	33	PASS
Band2	1.4	18900	3	#0	QPSK	22.84	3.63	26.47	33	PASS
Band2	1.4	18900	3	#Mid	QPSK	22.95	3.63	26.58	33	PASS
Band2	1.4	18900	3	#Max	QPSK	22.88	3.63	26.51	33	PASS
Band2	1.4	18900	6	#0	QPSK	21.71	3.63	25.34	33	PASS
Band2	1.4	18900	1	#0	QAM16	22.13	3.63	25.76	33	PASS
Band2	1.4	18900	1	#Mid	QAM16	22.18	3.63	25.81	33	PASS
Band2	1.4	18900	1	#Max	QAM16	22.16	3.63	25.79	33	PASS
Band2	1.4	18900	3	#0	QAM16	22.27	3.63	25.9	33	PASS
Band2	1.4	18900	3	#Mid	QAM16	22.35	3.63	25.98	33	PASS
Band2	1.4	18900	3	#Max	QAM16	22.22	3.63	25.85	33	PASS
Band2	1.4	18900	6	#0	QAM16	21.03	3.63	24.66	33	PASS
Band2	1.4	19193	1	#0	QPSK	22.58	3.63	26.21	33	PASS
Band2	1.4	19193	1	#Mid	QPSK	22.68	3.63	26.31	33	PASS
Band2	1.4	19193	1	#Max	QPSK	22.58	3.63	26.21	33	PASS
Band2	1.4	19193	3	#0	QPSK	22.69	3.63	26.32	33	PASS
Band2	1.4	19193	3	#Mid	QPSK	22.68	3.63	26.31	33	PASS
Band2	1.4	19193	3	#Max	QPSK	22.66	3.63	26.29	33	PASS
Band2	1.4	19193	6	#0	QPSK	21.53	3.63	25.16	33	PASS
Band2	1.4	19193	1	#0	QAM16	21.61	3.63	25.24	33	PASS
Band2	1.4	19193	1	#Mid	QAM16	21.73	3.63	25.36	33	PASS
Band2	1.4	19193	1	#Max	QAM16	21.65	3.63	25.28	33	PASS
Band2	1.4	19193	3	#0	QAM16	22.01	3.63	25.64	33	PASS
Band2	1.4	19193	3	#Mid	QAM16	22.03	3.63	25.66	33	PASS
Band2	1.4	19193	3	#Max	QAM16	21.95	3.63	25.58	33	PASS

Band2	1.4	19193	6	#0	QAM16	20.83	3.63	24.46	33	PASS
Band2	3	18615	1	#0	QPSK	22.63	3.63	26.26	33	PASS
Band2	3	18615	1	#Mid	QPSK	22.8	3.63	26.43	33	PASS
Band2	3	18615	1	#Max	QPSK	22.61	3.63	26.24	33	PASS
Band2	3	18615	8	#0	QPSK	21.76	3.63	25.39	33	PASS
Band2	3	18615	8	#Mid	QPSK	21.79	3.63	25.42	33	PASS
Band2	3	18615	8	#Max	QPSK	21.71	3.63	25.34	33	PASS
Band2	3	18615	15	#0	QPSK	21.79	3.63	25.42	33	PASS
Band2	3	18615	1	#0	QAM16	22.39	3.63	26.02	33	PASS
Band2	3	18615	1	#Mid	QAM16	22.48	3.63	26.11	33	PASS
Band2	3	18615	1	#Max	QAM16	22.32	3.63	25.95	33	PASS
Band2	3	18615	8	#0	QAM16	20.97	3.63	24.6	33	PASS
Band2	3	18615	8	#Mid	QAM16	20.99	3.63	24.62	33	PASS
Band2	3	18615	8	#Max	QAM16	20.94	3.63	24.57	33	PASS
Band2	3	18615	15	#0	QAM16	20.94	3.63	24.57	33	PASS
Band2	3	18900	1	#0	QPSK	22.72	3.63	26.35	33	PASS
Band2	3	18900	1	#Mid	QPSK	22.85	3.63	26.48	33	PASS
Band2	3	18900	1	#Max	QPSK	22.74	3.63	26.37	33	PASS
Band2	3	18900	8	#0	QPSK	21.8	3.63	25.43	33	PASS
Band2	3	18900	8	#Mid	QPSK	21.85	3.63	25.48	33	PASS
Band2	3	18900	8	#Max	QPSK	21.84	3.63	25.47	33	PASS
Band2	3	18900	15	#0	QPSK	21.86	3.63	25.49	33	PASS
Band2	3	18900	1	#0	QAM16	22.18	3.63	25.81	33	PASS
Band2	3	18900	1	#Mid	QAM16	22.28	3.63	25.91	33	PASS
Band2	3	18900	1	#Max	QAM16	22.17	3.63	25.8	33	PASS
Band2	3	18900	8	#0	QAM16	20.99	3.63	24.62	33	PASS
Band2	3	18900	8	#Mid	QAM16	21	3.63	24.63	33	PASS
Band2	3	18900	8	#Max	QAM16	20.97	3.63	24.6	33	PASS
Band2	3	18900	15	#0	QAM16	20.93	3.63	24.56	33	PASS
Band2	3	19185	1	#0	QPSK	22.63	3.63	26.26	33	PASS
Band2	3	19185	1	#Mid	QPSK	22.75	3.63	26.38	33	PASS
Band2	3	19185	1	#Max	QPSK	22.63	3.63	26.26	33	PASS
Band2	3	19185	8	#0	QPSK	21.6	3.63	25.23	33	PASS
Band2	3	19185	8	#Mid	QPSK	21.62	3.63	25.25	33	PASS
Band2	3	19185	8	#Max	QPSK	21.58	3.63	25.21	33	PASS
Band2	3	19185	15	#0	QPSK	21.67	3.63	25.3	33	PASS
Band2	3	19185	1	#0	QAM16	21.65	3.63	25.28	33	PASS
Band2	3	19185	1	#Mid	QAM16	21.73	3.63	25.36	33	PASS
Band2	3	19185	1	#Max	QAM16	21.65	3.63	25.28	33	PASS
Band2	3	19185	8	#0	QAM16	20.74	3.63	24.37	33	PASS
Band2	3	19185	8	#Mid	QAM16	20.77	3.63	24.4	33	PASS
Band2	3	19185	8	#Max	QAM16	20.7	3.63	24.33	33	PASS
Band2	3	19185	15	#0	QAM16	20.83	3.63	24.46	33	PASS
Band2	5	18625	1	#0	QPSK	22.69	3.63	26.32	33	PASS

Band2	5	18625	1	#Mid	QPSK	22.72	3.63	26.35	33	PASS
Band2	5	18625	1	#Max	QPSK	22.7	3.63	26.33	33	PASS
Band2	5	18625	12	#0	QPSK	21.78	3.63	25.41	33	PASS
Band2	5	18625	12	#Mid	QPSK	21.8	3.63	25.43	33	PASS
Band2	5	18625	12	#Max	QPSK	21.77	3.63	25.4	33	PASS
Band2	5	18625	25	#0	QPSK	21.77	3.63	25.4	33	PASS
Band2	5	18625	1	#0	QAM16	22.51	3.63	26.14	33	PASS
Band2	5	18625	1	#Mid	QAM16	22.52	3.63	26.15	33	PASS
Band2	5	18625	1	#Max	QAM16	22.42	3.63	26.05	33	PASS
Band2	5	18625	12	#0	QAM16	20.97	3.63	24.6	33	PASS
Band2	5	18625	12	#Mid	QAM16	20.95	3.63	24.58	33	PASS
Band2	5	18625	12	#Max	QAM16	20.89	3.63	24.52	33	PASS
Band2	5	18625	25	#0	QAM16	20.87	3.63	24.5	33	PASS
Band2	5	18900	1	#0	QPSK	22.74	3.63	26.37	33	PASS
Band2	5	18900	1	#Mid	QPSK	22.74	3.63	26.37	33	PASS
Band2	5	18900	1	#Max	QPSK	22.68	3.63	26.31	33	PASS
Band2	5	18900	12	#0	QPSK	21.85	3.63	25.48	33	PASS
Band2	5	18900	12	#Mid	QPSK	21.84	3.63	25.47	33	PASS
Band2	5	18900	12	#Max	QPSK	21.84	3.63	25.47	33	PASS
Band2	5	18900	25	#0	QPSK	21.85	3.63	25.48	33	PASS
Band2	5	18900	1	#0	QAM16	22.31	3.63	25.94	33	PASS
Band2	5	18900	1	#Mid	QAM16	22.31	3.63	25.94	33	PASS
Band2	5	18900	1	#Max	QAM16	22.34	3.63	25.97	33	PASS
Band2	5	18900	12	#0	QAM16	21.05	3.63	24.68	33	PASS
Band2	5	18900	12	#Mid	QAM16	21.08	3.63	24.71	33	PASS
Band2	5	18900	12	#Max	QAM16	21.02	3.63	24.65	33	PASS
Band2	5	18900	25	#0	QAM16	20.97	3.63	24.6	33	PASS
Band2	5	19175	1	#0	QPSK	22.58	3.63	26.21	33	PASS
Band2	5	19175	1	#Mid	QPSK	22.59	3.63	26.22	33	PASS
Band2	5	19175	1	#Max	QPSK	22.52	3.63	26.15	33	PASS
Band2	5	19175	12	#0	QPSK	21.66	3.63	25.29	33	PASS
Band2	5	19175	12	#Mid	QPSK	21.67	3.63	25.3	33	PASS
Band2	5	19175	12	#Max	QPSK	21.62	3.63	25.25	33	PASS
Band2	5	19175	25	#0	QPSK	21.66	3.63	25.29	33	PASS
Band2	5	19175	1	#0	QAM16	22.24	3.63	25.87	33	PASS
Band2	5	19175	1	#Mid	QAM16	22.3	3.63	25.93	33	PASS
Band2	5	19175	1	#Max	QAM16	22.25	3.63	25.88	33	PASS
Band2	5	19175	12	#0	QAM16	20.79	3.63	24.42	33	PASS
Band2	5	19175	12	#Mid	QAM16	20.77	3.63	24.4	33	PASS
Band2	5	19175	12	#Max	QAM16	20.8	3.63	24.43	33	PASS
Band2	5	19175	25	#0	QAM16	20.73	3.63	24.36	33	PASS
Band2	10	18650	1	#0	QPSK	22.77	3.63	26.4	33	PASS
Band2	10	18650	1	#Mid	QPSK	22.7	3.63	26.33	33	PASS
Band2	10	18650	1	#Max	QPSK	22.74	3.63	26.37	33	PASS

Band2	10	18650	25	#0	QPSK	21.79	3.63	25.42	33	PASS
Band2	10	18650	25	#Mid	QPSK	21.82	3.63	25.45	33	PASS
Band2	10	18650	25	#Max	QPSK	21.76	3.63	25.39	33	PASS
Band2	10	18650	50	#0	QPSK	21.79	3.63	25.42	33	PASS
Band2	10	18650	1	#0	QAM16	22.5	3.63	26.13	33	PASS
Band2	10	18650	1	#Mid	QAM16	22.43	3.63	26.06	33	PASS
Band2	10	18650	1	#Max	QAM16	22.39	3.63	26.02	33	PASS
Band2	10	18650	25	#0	QAM16	20.96	3.63	24.59	33	PASS
Band2	10	18650	25	#Mid	QAM16	20.94	3.63	24.57	33	PASS
Band2	10	18650	25	#Max	QAM16	20.9	3.63	24.53	33	PASS
Band2	10	18650	50	#0	QAM16	20.85	3.63	24.48	33	PASS
Band2	10	18900	1	#0	QPSK	22.88	3.63	26.51	33	PASS
Band2	10	18900	1	#Mid	QPSK	22.84	3.63	26.47	33	PASS
Band2	10	18900	1	#Max	QPSK	22.89	3.63	26.52	33	PASS
Band2	10	18900	25	#0	QPSK	21.85	3.63	25.48	33	PASS
Band2	10	18900	25	#Mid	QPSK	21.9	3.63	25.53	33	PASS
Band2	10	18900	25	#Max	QPSK	21.85	3.63	25.48	33	PASS
Band2	10	18900	50	#0	QPSK	21.86	3.63	25.49	33	PASS
Band2	10	18900	1	#0	QAM16	22.27	3.63	25.9	33	PASS
Band2	10	18900	1	#Mid	QAM16	22.25	3.63	25.88	33	PASS
Band2	10	18900	1	#Max	QAM16	22.26	3.63	25.89	33	PASS
Band2	10	18900	25	#0	QAM16	21.03	3.63	24.66	33	PASS
Band2	10	18900	25	#Mid	QAM16	21.05	3.63	24.68	33	PASS
Band2	10	18900	25	#Max	QAM16	21.01	3.63	24.64	33	PASS
Band2	10	18900	50	#0	QAM16	21.05	3.63	24.68	33	PASS
Band2	10	19150	1	#0	QPSK	22.68	3.63	26.31	33	PASS
Band2	10	19150	1	#Mid	QPSK	22.71	3.63	26.34	33	PASS
Band2	10	19150	1	#Max	QPSK	22.67	3.63	26.3	33	PASS
Band2	10	19150	25	#0	QPSK	21.69	3.63	25.32	33	PASS
Band2	10	19150	25	#Mid	QPSK	21.67	3.63	25.3	33	PASS
Band2	10	19150	25	#Max	QPSK	21.65	3.63	25.28	33	PASS
Band2	10	19150	50	#0	QPSK	21.67	3.63	25.3	33	PASS
Band2	10	19150	1	#0	QAM16	21.68	3.63	25.31	33	PASS
Band2	10	19150	1	#Mid	QAM16	21.61	3.63	25.24	33	PASS
Band2	10	19150	1	#Max	QAM16	21.68	3.63	25.31	33	PASS
Band2	10	19150	25	#0	QAM16	20.76	3.63	24.39	33	PASS
Band2	10	19150	25	#Mid	QAM16	20.79	3.63	24.42	33	PASS
Band2	10	19150	25	#Max	QAM16	20.78	3.63	24.41	33	PASS
Band2	10	19150	50	#0	QAM16	20.74	3.63	24.37	33	PASS
Band2	15	18675	1	#0	QPSK	22.63	3.63	26.26	33	PASS
Band2	15	18675	1	#Mid	QPSK	22.62	3.63	26.25	33	PASS
Band2	15	18675	1	#Max	QPSK	22.68	3.63	26.31	33	PASS
Band2	15	18675	36	#0	QPSK	21.71	3.63	25.34	33	PASS
Band2	15	18675	36	#Mid	QPSK	21.71	3.63	25.34	33	PASS

Band2	15	18675	36	#Max	QPSK	21.69	3.63	25.32	33	PASS
Band2	15	18675	75	#0	QPSK	21.73	3.63	25.36	33	PASS
Band2	15	18675	1	#0	QAM16	22.35	3.63	25.98	33	PASS
Band2	15	18675	1	#Mid	QAM16	22.3	3.63	25.93	33	PASS
Band2	15	18675	1	#Max	QAM16	22.31	3.63	25.94	33	PASS
Band2	15	18675	36	#0	QAM16	20.86	3.63	24.49	33	PASS
Band2	15	18675	36	#Mid	QAM16	20.89	3.63	24.52	33	PASS
Band2	15	18675	36	#Max	QAM16	20.9	3.63	24.53	33	PASS
Band2	15	18675	75	#0	QAM16	20.82	3.63	24.45	33	PASS
Band2	15	18900	1	#0	QPSK	22.73	3.63	26.36	33	PASS
Band2	15	18900	1	#Mid	QPSK	22.77	3.63	26.4	33	PASS
Band2	15	18900	1	#Max	QPSK	22.77	3.63	26.4	33	PASS
Band2	15	18900	36	#0	QPSK	21.8	3.63	25.43	33	PASS
Band2	15	18900	36	#Mid	QPSK	21.85	3.63	25.48	33	PASS
Band2	15	18900	36	#Max	QPSK	21.79	3.63	25.42	33	PASS
Band2	15	18900	75	#0	QPSK	21.76	3.63	25.39	33	PASS
Band2	15	18900	1	#0	QAM16	22.11	3.63	25.74	33	PASS
Band2	15	18900	1	#Mid	QAM16	22.19	3.63	25.82	33	PASS
Band2	15	18900	1	#Max	QAM16	22.17	3.63	25.8	33	PASS
Band2	15	18900	36	#0	QAM16	21	3.63	24.63	33	PASS
Band2	15	18900	36	#Mid	QAM16	21.03	3.63	24.66	33	PASS
Band2	15	18900	36	#Max	QAM16	20.98	3.63	24.61	33	PASS
Band2	15	18900	75	#0	QAM16	20.94	3.63	24.57	33	PASS
Band2	15	19125	1	#0	QPSK	22.65	3.63	26.28	33	PASS
Band2	15	19125	1	#Mid	QPSK	22.75	3.63	26.38	33	PASS
Band2	15	19125	1	#Max	QPSK	22.66	3.63	26.29	33	PASS
Band2	15	19125	36	#0	QPSK	21.62	3.63	25.25	33	PASS
Band2	15	19125	36	#Mid	QPSK	21.68	3.63	25.31	33	PASS
Band2	15	19125	36	#Max	QPSK	21.64	3.63	25.27	33	PASS
Band2	15	19125	75	#0	QPSK	21.65	3.63	25.28	33	PASS
Band2	15	19125	1	#0	QAM16	21.82	3.63	25.45	33	PASS
Band2	15	19125	1	#Mid	QAM16	21.88	3.63	25.51	33	PASS
Band2	15	19125	1	#Max	QAM16	21.81	3.63	25.44	33	PASS
Band2	15	19125	36	#0	QAM16	20.72	3.63	24.35	33	PASS
Band2	15	19125	36	#Mid	QAM16	20.74	3.63	24.37	33	PASS
Band2	15	19125	36	#Max	QAM16	20.77	3.63	24.4	33	PASS
Band2	15	19125	75	#0	QAM16	20.73	3.63	24.36	33	PASS
Band2	20	18700	1	#0	QPSK	20.33	3.63	23.96	33	PASS
Band2	20	18700	1	#Mid	QPSK	20.45	3.63	24.08	33	PASS
Band2	20	18700	1	#Max	QPSK	20.86	3.63	24.49	33	PASS
Band2	20	18700	50	#0	QPSK	20.17	3.63	23.8	33	PASS
Band2	20	18700	50	#Mid	QPSK	20.54	3.63	24.17	33	PASS
Band2	20	18700	50	#Max	QPSK	20.16	3.63	23.79	33	PASS
Band2	20	18700	100	#0	QPSK	21.68	3.63	25.31	33	PASS

Band2	20	18700	1	#0	QAM16	22.1	3.63	25.73	33	PASS
Band2	20	18700	1	#Mid	QAM16	22.1	3.63	25.73	33	PASS
Band2	20	18700	1	#Max	QAM16	22.24	3.63	25.87	33	PASS
Band2	20	18700	50	#0	QAM16	20.8	3.63	24.43	33	PASS
Band2	20	18700	50	#Mid	QAM16	20.9	3.63	24.53	33	PASS
Band2	20	18700	50	#Max	QAM16	20.96	3.63	24.59	33	PASS
Band2	20	18700	100	#0	QAM16	20.94	3.63	24.57	33	PASS
Band2	20	18900	1	#0	QPSK	22.74	3.63	26.37	33	PASS
Band2	20	18900	1	#Mid	QPSK	22.79	3.63	26.42	33	PASS
Band2	20	18900	1	#Max	QPSK	22.77	3.63	26.4	33	PASS
Band2	20	18900	50	#0	QPSK	21.8	3.63	25.43	33	PASS
Band2	20	18900	50	#Mid	QPSK	21.85	3.63	25.48	33	PASS
Band2	20	18900	50	#Max	QPSK	21.82	3.63	25.45	33	PASS
Band2	20	18900	100	#0	QPSK	21.82	3.63	25.45	33	PASS
Band2	20	18900	1	#0	QAM16	22.15	3.63	25.78	33	PASS
Band2	20	18900	1	#Mid	QAM16	22.3	3.63	25.93	33	PASS
Band2	20	18900	1	#Max	QAM16	22.29	3.63	25.92	33	PASS
Band2	20	18900	50	#0	QAM16	20.94	3.63	24.57	33	PASS
Band2	20	18900	50	#Mid	QAM16	21.09	3.63	24.72	33	PASS
Band2	20	18900	50	#Max	QAM16	21.06	3.63	24.69	33	PASS
Band2	20	18900	100	#0	QAM16	21	3.63	24.63	33	PASS
Band2	20	19100	1	#0	QPSK	22.64	3.63	26.27	33	PASS
Band2	20	19100	1	#Mid	QPSK	22.68	3.63	26.31	33	PASS
Band2	20	19100	1	#Max	QPSK	22.63	3.63	26.26	33	PASS
Band2	20	19100	50	#0	QPSK	21.77	3.63	25.4	33	PASS
Band2	20	19100	50	#Mid	QPSK	21.73	3.63	25.36	33	PASS
Band2	20	19100	50	#Max	QPSK	21.67	3.63	25.3	33	PASS
Band2	20	19100	100	#0	QPSK	21.79	3.63	25.42	33	PASS
Band2	20	19100	1	#0	QAM16	22.15	3.63	25.78	33	PASS
Band2	20	19100	1	#Mid	QAM16	22.06	3.63	25.69	33	PASS
Band2	20	19100	1	#Max	QAM16	22.08	3.63	25.71	33	PASS
Band2	20	19100	50	#0	QAM16	20.9	3.63	24.53	33	PASS
Band2	20	19100	50	#Mid	QAM16	20.87	3.63	24.5	33	PASS
Band2	20	19100	50	#Max	QAM16	20.82	3.63	24.45	33	PASS
Band2	20	19100	100	#0	QAM16	20.87	3.63	24.5	33	PASS

2 Frequency stability

2.1 Frequency VS Voltage

Band	Bandwidth (MHz)	Voltage	Temp (°C)	UL Channel	RB Size	RB Position	Modulation	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
Band2	20	LV	NT	18700	100	#0	QPSK	0.03	0.000	±2.5	PASS
Band2	20	NV	NT	18700	100	#0	QPSK	-3.68	-0.002	±2.5	PASS
Band2	20	HV	NT	18700	100	#0	QPSK	-8.27	-0.004	±2.5	PASS
Band2	20	LV	NT	18900	100	#0	QPSK	-1.82	-0.001	±2.5	PASS
Band2	20	NV	NT	18900	100	#0	QPSK	11.19	0.006	±2.5	PASS
Band2	20	HV	NT	18900	100	#0	QPSK	1.78	0.001	±2.5	PASS
Band2	20	LV	NT	19100	100	#0	QPSK	-4.83	-0.003	±2.5	PASS
Band2	20	NV	NT	19100	100	#0	QPSK	-3.21	-0.002	±2.5	PASS
Band2	20	HV	NT	19100	100	#0	QPSK	2.60	0.001	±2.5	PASS
Band2	20	LV	NT	18700	100	#0	QAM16	-5.61	-0.003	±2.5	PASS
Band2	20	NV	NT	18700	100	#0	QAM16	-0.42	0.000	±2.5	PASS
Band2	20	HV	NT	18700	100	#0	QAM16	-8.27	-0.004	±2.5	PASS
Band2	20	LV	NT	18900	100	#0	QAM16	-3.59	-0.002	±2.5	PASS
Band2	20	NV	NT	18900	100	#0	QAM16	0.72	0.000	±2.5	PASS
Band2	20	HV	NT	18900	100	#0	QAM16	0.08	0.000	±2.5	PASS
Band2	20	LV	NT	19100	100	#0	QAM16	1.74	0.001	±2.5	PASS
Band2	20	NV	NT	19100	100	#0	QAM16	-2.71	-0.001	±2.5	PASS
Band2	20	HV	NT	19100	100	#0	QAM16	-5.37	-0.003	±2.5	PASS

2.2 .Frequency Vs Temperature


Band	Bandwidth (MHz)	Voltage	Temp (°C)	UL Channel	RB Size	RB Position	Modulation	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
Band2	20	NV	-30	18700	100	#0	QPSK	3.31	0.005	±2.5	PASS
Band2	20	NV	-20	18700	100	#0	QPSK	0.29	0.000	±2.5	PASS
Band2	20	NV	0	18700	100	#0	QPSK	-0.08	0.000	±2.5	PASS
Band2	20	NV	10	18700	100	#0	QPSK	-0.38	-0.001	±2.5	PASS
Band2	20	NV	20	18700	100	#0	QPSK	0.20	0.000	±2.5	PASS
Band2	20	NV	30	18700	100	#0	QPSK	-0.43	-0.001	±2.5	PASS
Band2	20	NV	40	18700	100	#0	QPSK	-1.18	-0.002	±2.5	PASS
Band2	20	NV	50	18700	100	#0	QPSK	-3.27	-0.004	±2.5	PASS
Band2	20	NV	-30	18900	100	#0	QPSK	-6.59	-0.009	±2.5	PASS
Band2	20	NV	-20	18900	100	#0	QPSK	-0.15	0.000	±2.5	PASS
Band2	20	NV	0	18900	100	#0	QPSK	1.52	0.002	±2.5	PASS
Band2	20	NV	10	18900	100	#0	QPSK	-0.43	-0.001	±2.5	PASS
Band2	20	NV	20	18900	100	#0	QPSK	0.76	0.001	±2.5	PASS
Band2	20	NV	30	18900	100	#0	QPSK	-1.02	-0.001	±2.5	PASS
Band2	20	NV	40	18900	100	#0	QPSK	-4.93	-0.003	±2.5	PASS
Band2	20	NV	50	18900	100	#0	QPSK	-2.08	-0.001	±2.5	PASS
Band2	20	NV	-30	19100	100	#0	QPSK	3.32	0.002	±2.5	PASS
Band2	20	NV	-20	19100	100	#0	QPSK	14.03	0.007	±2.5	PASS

Band2	20	NV	0	19100	100	#0	QPSK	-8.29	-0.004	±2.5	PASS
Band2	20	NV	10	19100	100	#0	QPSK	0.85	0.000	±2.5	PASS
Band2	20	NV	20	19100	100	#0	QPSK	-6.76	-0.003	±2.5	PASS
Band2	20	NV	30	19100	100	#0	QPSK	7.87	0.003	±2.5	PASS
Band2	20	NV	40	19100	100	#0	QPSK	-7.33	-0.003	±2.5	PASS
Band2	20	NV	50	19100	100	#0	QPSK	-7.50	-0.003	±2.5	PASS
Band2	20	NV	-30	18700	100	#0	16QAM	-4.86	-0.002	±2.5	PASS
Band2	20	NV	-20	18700	100	#0	16QAM	-6.12	-0.002	±2.5	PASS
Band2	20	NV	0	18700	100	#0	16QAM	-8.18	-0.005	±2.5	PASS
Band2	20	NV	10	18700	100	#0	16QAM	1.24	0.001	±2.5	PASS
Band2	20	NV	20	18700	100	#0	16QAM	9.17	0.005	±2.5	PASS
Band2	20	NV	30	18700	100	#0	16QAM	2.88	0.002	±2.5	PASS
Band2	20	NV	40	18700	100	#0	16QAM	-5.12	-0.003	±2.5	PASS
Band2	20	NV	50	18700	100	#0	16QAM	-1.02	-0.001	±2.5	PASS
Band2	20	NV	-30	18900	100	#0	16QAM	6.01	0.003	±2.5	PASS
Band2	20	NV	-20	18900	100	#0	16QAM	4.65	0.002	±2.5	PASS
Band2	20	NV	0	18900	100	#0	16QAM	0.45	0.000	±2.5	PASS
Band2	20	NV	10	18900	100	#0	16QAM	6.29	0.003	±2.5	PASS
Band2	20	NV	20	18900	100	#0	16QAM	11.53	0.005	±2.5	PASS
Band2	20	NV	30	18900	100	#0	16QAM	8.24	0.003	±2.5	PASS
Band2	20	NV	40	18900	100	#0	16QAM	8.50	0.003	±2.5	PASS
Band2	20	NV	50	18900	100	#0	16QAM	7.10	0.003	±2.5	PASS
Band2	20	NV	-30	19100	100	#0	16QAM	4.56	0.002	±2.5	PASS
Band2	20	NV	-20	19100	100	#0	16QAM	1.24	0.000	±2.5	PASS
Band2	20	NV	0	19100	100	#0	16QAM	-0.37	0.000	±2.5	PASS
Band2	20	NV	10	19100	100	#0	16QAM	0.39	0.000	±2.5	PASS
Band2	20	NV	20	19100	100	#0	16QAM	-3.92	-0.005	±2.5	PASS
Band2	20	NV	30	19100	100	#0	16QAM	0.90	0.001	±2.5	PASS
Band2	20	NV	40	19100	100	#0	16QAM	-3.82	-0.005	±2.5	PASS
Band2	20	NV	50	19100	100	#0	16QAM	-5.54	-0.007	±2.5	PASS


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18900	1	#0	QPSK	4.20	13	PASS
Band2	1.4	18900	1	#0	QAM16	6.15	13	PASS
Band2	3	18900	1	#0	QPSK	3.89	13	PASS
Band2	3	18900	1	#0	QAM16	5.92	13	PASS
Band2	5	18900	1	#0	QPSK	3.86	13	PASS
Band2	5	18900	1	#0	QAM16	5.85	13	PASS
Band2	10	18900	1	#0	QPSK	3.78	13	PASS
Band2	10	18900	1	#0	QAM16	5.77	13	PASS
Band2	15	18900	1	#0	QPSK	3.77	13	PASS
Band2	15	18900	1	#0	QAM16	5.78	13	PASS
Band2	20	18900	1	#0	QPSK	3.73	13	PASS
Band2	20	18900	1	#0	QAM16	5.69	13	PASS


Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18900	6	#0	QPSK	1.093	1.240	PASS
Band2	1.4	18900	6	#0	QAM16	1.099	1.233	PASS
Band2	3	18900	15	#0	QPSK	2.706	2.988	PASS
Band2	3	18900	15	#0	QAM16	2.699	3.000	PASS
Band2	5	18900	25	#0	QPSK	4.518	4.945	PASS
Band2	5	18900	25	#0	QAM16	4.510	4.959	PASS
Band2	10	18900	50	#0	QPSK	8.981	9.722	PASS
Band2	10	18900	50	#0	QAM16	9.006	9.747	PASS
Band2	15	18900	75	#0	QPSK	13.491	14.559	PASS
Band2	15	18900	75	#0	QAM16	13.480	14.596	PASS
Band2	20	18900	100	#0	QPSK	17.958	19.379	PASS
Band2	20	18900	100	#0	QAM16	18.004	19.362	PASS


Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0



Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	6	#0	QPSK	1849.98	-34.69	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1849.96	-34.13	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.00	-33.42	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.01	-34.06	-13	PASS
Band2	3	18615	15	#0	QPSK	1850.00	-26.19	-13	PASS
Band2	3	18615	15	#0	QAM16	1850.00	-28.28	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-29.08	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.01	-29.50	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-29.58	-13	PASS
Band2	5	18625	25	#0	QAM16	1850.00	-30.94	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.00	-32.18	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.00	-32.38	-13	PASS
Band2	10	18650	50	#0	QPSK	1850.00	-31.67	-13	PASS
Band2	10	18650	50	#0	QAM16	1849.98	-34.68	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.00	-33.62	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.02	-36.56	-13	PASS
Band2	15	18675	75	#0	QPSK	1850.00	-32.77	-13	PASS
Band2	15	18675	75	#0	QAM16	1849.25	-35.20	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.00	-32.11	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.00	-37.43	-13	PASS
Band2	20	18700	100	#0	QPSK	1850.00	-33.91	-13	PASS
Band2	20	18700	100	#0	QAM16	1850.00	-36.98	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.00	-34.27	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.00	-37.99	-13	PASS

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0



Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	6	#0	QPSK	3701.73	-36.17	-13	PASS
Band2	1.4	18607	6	#0	QAM16	3701.09	-34.50	-13	PASS
Band2	1.4	19193	6	#0	QPSK	25983.63	-36.91	-13	PASS
Band2	1.4	19193	6	#0	QAM16	25905.21	-35.96	-13	PASS
Band2	3	18615	15	#0	QPSK	25286.20	-36.38	-13	PASS
Band2	3	18615	15	#0	QAM16	25263.89	-36.36	-13	PASS
Band2	3	19185	15	#0	QPSK	25932.63	-36.63	-13	PASS
Band2	3	19185	15	#0	QAM16	25893.10	-37.21	-13	PASS
Band2	5	18625	25	#0	QPSK	25319.35	-36.88	-13	PASS
Band2	5	18625	25	#0	QAM16	25895.65	-36.77	-13	PASS
Band2	5	19175	25	#0	QPSK	25362.06	-36.80	-13	PASS
Band2	5	19175	25	#0	QAM16	25264.53	-36.66	-13	PASS
Band2	10	18650	50	#0	QPSK	25309.79	-36.74	-13	PASS
Band2	10	18650	50	#0	QAM16	25934.54	-36.60	-13	PASS
Band2	10	19150	50	#0	QPSK	25937.09	-36.32	-13	PASS
Band2	10	19150	50	#0	QAM16	26036.54	-36.31	-13	PASS
Band2	15	18675	75	#0	QPSK	25307.24	-36.86	-13	PASS
Band2	15	18675	75	#0	QAM16	25302.14	-35.74	-13	PASS
Band2	15	19125	75	#0	QPSK	25309.79	-37.09	-13	PASS
Band2	15	19125	75	#0	QAM16	25414.34	-37.07	-13	PASS
Band2	20	18700	100	#0	QPSK	25424.54	-36.49	-13	PASS
Band2	20	18700	100	#0	QAM16	25921.15	-36.14	-13	PASS
Band2	20	19100	100	#0	QPSK	25342.30	-36.21	-13	PASS
Band2	20	19100	100	#0	QAM16	3517.49	-34.87	-13	PASS


Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




7 Modulation Characteristics

7.1 LTE/TM1 20MHz




7.1 LTE/TM2 20MHz




8. Radiated Power and Radiated Spurious Emissions

Test Mode1: LTE Band2 L-channel (horizontal)




Frequency [MHz]	Pol	level (dbuv/m)	Leve l [dB(mW)]	Limit [dB(mW)]	Margin [dB]	Height [cm]	Azimuth [°]
89	H	49.5	-45.8	-13	32.8	154	270.7
146	H	51.5	-43.8	-13	30.8	138	270.7
192.5	H	51.8	-43.5	-13	30.5	115	359.9
842.5	H	37.8	-57.5	-13	44.5	166	270.7
5551.5	H	59.1	-36.2	-13	23.2	110	359.9
11975.5	H	57.9	-37.4	-13	24.4	115	180.3

Test Mode1: LTE Band2 L-channel (vertical)




Frequency [MHz]	Pol	level (dbuv/m)	Leve l [dB(mW)]	Limit [dB(mW)]	Margin [dB]	Height [cm]	Azimuth [°]
45	V	69.2	-26.1	-13	13.1	106	44.2
71.5	V	60.9	-34.4	-13	21.4	121	90
193.5	V	49.5	-45.8	-13	32.8	183	269.9
315	V	38.2	-57.1	-13	44.1	162	224.9
1128.5	V	40.5	-54.8	-13	41.8	177	224.9
5552	V	60.4	-34.9	-13	21.9	171	90

Test Mode1: LTE Band2 M-channel (horizontal)




Frequency [MHz]	Pol	level (dbuv/m)	Leve l [dB(mW)]	Limit [dB(mW)]	Margin [dB]	Height [cm]	Azimuth [°]
43.5	H	58.6	-36.7	-13	23.7	110	135.5
188	H	53.2	-42.1	-13	29.1	115	180.6
145.5	H	52.9	-42.4	-13	29.4	130	270.5
85.5	H	51.8	-43.5	-13	30.5	150	135.5
1331.5	H	41.6	-53.7	-13	40.7	160	270.5
14651	H	60.0	-35.3	-13	22.3	160	90.1

Test Mode1: LTE Band2 M-channel (vertical)




Frequency [MHz]	Pol	level (dbuv/m)	Leve l [dB(mW)]	Limit [dB(mW)]	Margin [dB]	Height [cm]	Azimuth [°]
44.5	V	66.4	-28.9	-13	15.9	110	89.5
89.5	V	59.6	-35.7	-13	22.7	110	44.5
176	V	50.1	-45.2	-13	32.2	140	44.5
930	V	38.4	-56.9	-13	43.9	150	179
5627	V	56.1	-39.2	-13	26.2	150	89.5
17478	V	61.6	-33.7	-13	20.7	166	359.9

Test Mode1: LTE Band2 H-channel (horizontal)



Frequency [MHz]	Pol	level (dbuv/m)	Leve l [dB(mW)]	Limit [dB(mW)]	Margin [dB]	Height [cm]	Azimuth [°]
44.5	H	55.3	-40	-13	27	150	134.6
192	H	52.5	-42.8	-13	29.8	150	134.6
144.5	H	51.5	-43.8	-13	30.8	166	270.1
375	H	36.9	-58.4	-13	45.4	172	315.4
1660.5	H	49.8	-45.5	-13	32.5	175	89.8
5701.5	H	54.9	-40.4	-13	27.4	180	44.5

Test Mode1: LTE Band2 H-channel (vertical)



Frequency [MHz]	Pol	level (dbuv/m)	Leve l [dB(mW)]	Limit [dB(mW)]	Margin [dB]	Height [cm]	Azimuth [°]
46.5	V	65.4	-29.9	-13	16.9	112	44.5
85	V	58.7	-36.6	-13	23.6	125	44.5
192	V	48.9	-46.4	-13	33.4	125	269.7
314	V	39.4	-55.9	-13	42.9	125	225.1
5701.5	V	55.5	-39.8	-13	26.8	150	359.9
17263	V	61.1	-34.2	-13	21.2	150	44.5