

Appendix for Band 26

Report No.: BCTC2502816024-2E

Applicant: BYD Auto Industry Company Limited

Product Name: In-vehicle Multimedia Host


Test Model: MTCV03

Tested Date: 2025-02-24 to 2025-03-13

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement	3
Appendix 2. Frequency stability.....	7
Appendix 3. Peak-to-Average Ratio	13
Appendix 4. Occupied bandwidth	24
Appendix 5. Band edge	35
Appendix 6. Out-of-band emissions	43



Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power


Measurement

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	22.50	-3.17	17.18	PASS
Band26(814-824)	1.4	26697	1	#Mid	QPSK	22.70	-3.17	17.38	PASS
Band26(814-824)	1.4	26697	1	#Max	QPSK	22.57	-3.17	17.25	PASS
Band26(814-824)	1.4	26697	3	#0	QPSK	22.70	-3.17	17.38	PASS
Band26(814-824)	1.4	26697	3	#Mid	QPSK	22.73	-3.17	17.41	PASS
Band26(814-824)	1.4	26697	3	#Max	QPSK	22.69	-3.17	17.37	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	21.71	-3.17	16.39	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	21.88	-3.17	16.56	PASS
Band26(814-824)	1.4	26697	1	#Mid	16QAM	22.00	-3.17	16.68	PASS
Band26(814-824)	1.4	26697	1	#Max	16QAM	21.94	-3.17	16.62	PASS
Band26(814-824)	1.4	26697	3	#0	16QAM	21.99	-3.17	16.67	PASS
Band26(814-824)	1.4	26697	3	#Mid	16QAM	22.07	-3.17	16.75	PASS
Band26(814-824)	1.4	26697	3	#Max	16QAM	22.04	-3.17	16.72	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	20.93	-3.17	15.61	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	22.73	-3.17	17.41	PASS
Band26(814-824)	1.4	26740	1	#Mid	QPSK	22.82	-3.17	17.50	PASS
Band26(814-824)	1.4	26740	1	#Max	QPSK	22.77	-3.17	17.45	PASS
Band26(814-824)	1.4	26740	3	#0	QPSK	22.72	-3.17	17.40	PASS
Band26(814-824)	1.4	26740	3	#Mid	QPSK	22.84	-3.17	17.52	PASS
Band26(814-824)	1.4	26740	3	#Max	QPSK	22.78	-3.17	17.46	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	21.84	-3.17	16.52	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	21.67	-3.17	16.35	PASS
Band26(814-824)	1.4	26740	1	#Mid	16QAM	21.73	-3.17	16.41	PASS
Band26(814-824)	1.4	26740	1	#Max	16QAM	21.75	-3.17	16.43	PASS
Band26(814-824)	1.4	26740	3	#0	16QAM	21.96	-3.17	16.64	PASS
Band26(814-824)	1.4	26740	3	#Mid	16QAM	22.05	-3.17	16.73	PASS
Band26(814-824)	1.4	26740	3	#Max	16QAM	22.01	-3.17	16.69	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	21.09	-3.17	15.77	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	22.83	-3.17	17.51	PASS
Band26(814-824)	1.4	26783	1	#Mid	QPSK	22.89	-3.17	17.57	PASS
Band26(814-824)	1.4	26783	1	#Max	QPSK	22.87	-3.17	17.55	PASS
Band26(814-824)	1.4	26783	3	#0	QPSK	22.81	-3.17	17.49	PASS
Band26(814-824)	1.4	26783	3	#Mid	QPSK	22.90	-3.17	17.58	PASS
Band26(814-824)	1.4	26783	3	#Max	QPSK	22.85	-3.17	17.53	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	21.94	-3.17	16.62	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	22.07	-3.17	16.75	PASS

Band26(814-824)	1.4	26783	1	#Mid	16QAM	22.12	-3.17	16.80	PASS
Band26(814-824)	1.4	26783	1	#Max	16QAM	22.14	-3.17	16.82	PASS
Band26(814-824)	1.4	26783	3	#0	16QAM	22.08	-3.17	16.76	PASS
Band26(814-824)	1.4	26783	3	#Mid	16QAM	22.21	-3.17	16.89	PASS
Band26(814-824)	1.4	26783	3	#Max	16QAM	22.12	-3.17	16.80	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	21.16	-3.17	15.84	PASS
Band26(814-824)	3	26705	1	#0	QPSK	22.52	-3.17	17.20	PASS
Band26(814-824)	3	26705	1	#Mid	QPSK	22.70	-3.17	17.38	PASS
Band26(814-824)	3	26705	1	#Max	QPSK	22.66	-3.17	17.34	PASS
Band26(814-824)	3	26705	8	#0	QPSK	21.73	-3.17	16.41	PASS
Band26(814-824)	3	26705	8	#Mid	QPSK	21.82	-3.17	16.50	PASS
Band26(814-824)	3	26705	8	#Max	QPSK	21.83	-3.17	16.51	PASS
Band26(814-824)	3	26705	15	#0	QPSK	21.82	-3.17	16.50	PASS
Band26(814-824)	3	26705	1	#0	16QAM	22.10	-3.17	16.78	PASS
Band26(814-824)	3	26705	1	#Mid	16QAM	22.25	-3.17	16.93	PASS
Band26(814-824)	3	26705	1	#Max	16QAM	22.20	-3.17	16.88	PASS
Band26(814-824)	3	26705	8	#0	16QAM	20.82	-3.17	15.50	PASS
Band26(814-824)	3	26705	8	#Mid	16QAM	20.92	-3.17	15.60	PASS
Band26(814-824)	3	26705	8	#Max	16QAM	20.88	-3.17	15.56	PASS
Band26(814-824)	3	26705	15	#0	16QAM	20.89	-3.17	15.57	PASS
Band26(814-824)	3	26740	1	#0	QPSK	22.68	-3.17	17.36	PASS
Band26(814-824)	3	26740	1	#Mid	QPSK	22.79	-3.17	17.47	PASS
Band26(814-824)	3	26740	1	#Max	QPSK	22.81	-3.17	17.49	PASS
Band26(814-824)	3	26740	8	#0	QPSK	21.82	-3.17	16.50	PASS
Band26(814-824)	3	26740	8	#Mid	QPSK	21.95	-3.17	16.63	PASS
Band26(814-824)	3	26740	8	#Max	QPSK	21.93	-3.17	16.61	PASS
Band26(814-824)	3	26740	15	#0	QPSK	21.91	-3.17	16.59	PASS
Band26(814-824)	3	26740	1	#0	16QAM	22.00	-3.17	16.68	PASS
Band26(814-824)	3	26740	1	#Mid	16QAM	22.12	-3.17	16.80	PASS
Band26(814-824)	3	26740	1	#Max	16QAM	22.12	-3.17	16.80	PASS
Band26(814-824)	3	26740	8	#0	16QAM	20.88	-3.17	15.56	PASS
Band26(814-824)	3	26740	8	#Mid	16QAM	20.98	-3.17	15.66	PASS
Band26(814-824)	3	26740	8	#Max	16QAM	20.95	-3.17	15.63	PASS
Band26(814-824)	3	26740	15	#0	16QAM	20.94	-3.17	15.62	PASS
Band26(814-824)	3	26775	1	#0	QPSK	22.84	-3.17	17.52	PASS
Band26(814-824)	3	26775	1	#Mid	QPSK	23.01	-3.17	17.69	PASS
Band26(814-824)	3	26775	1	#Max	QPSK	22.96	-3.17	17.64	PASS
Band26(814-824)	3	26775	8	#0	QPSK	21.94	-3.17	16.62	PASS
Band26(814-824)	3	26775	8	#Mid	QPSK	22.01	-3.17	16.69	PASS
Band26(814-824)	3	26775	8	#Max	QPSK	21.98	-3.17	16.66	PASS
Band26(814-824)	3	26775	15	#0	QPSK	22.03	-3.17	16.71	PASS
Band26(814-824)	3	26775	1	#0	16QAM	21.82	-3.17	16.50	PASS
Band26(814-824)	3	26775	1	#Mid	16QAM	21.89	-3.17	16.57	PASS

Band26(814-824)	3	26775	1	#Max	16QAM	21.92	-3.17	16.60	PASS
Band26(814-824)	3	26775	8	#0	16QAM	20.93	-3.17	15.61	PASS
Band26(814-824)	3	26775	8	#Mid	16QAM	21.04	-3.17	15.72	PASS
Band26(814-824)	3	26775	8	#Max	16QAM	20.98	-3.17	15.66	PASS
Band26(814-824)	3	26775	15	#0	16QAM	21.07	-3.17	15.75	PASS
Band26(814-824)	5	26715	1	#0	QPSK	22.59	-3.17	17.27	PASS
Band26(814-824)	5	26715	1	#Mid	QPSK	22.81	-3.17	17.49	PASS
Band26(814-824)	5	26715	1	#Max	QPSK	22.88	-3.17	17.56	PASS
Band26(814-824)	5	26715	12	#0	QPSK	21.77	-3.17	16.45	PASS
Band26(814-824)	5	26715	12	#Mid	QPSK	21.89	-3.17	16.57	PASS
Band26(814-824)	5	26715	12	#Max	QPSK	21.86	-3.17	16.54	PASS
Band26(814-824)	5	26715	25	#0	QPSK	21.84	-3.17	16.52	PASS
Band26(814-824)	5	26715	1	#0	16QAM	22.19	-3.17	16.87	PASS
Band26(814-824)	5	26715	1	#Mid	16QAM	22.42	-3.17	17.10	PASS
Band26(814-824)	5	26715	1	#Max	16QAM	22.43	-3.17	17.11	PASS
Band26(814-824)	5	26715	12	#0	16QAM	20.76	-3.17	15.44	PASS
Band26(814-824)	5	26715	12	#Mid	16QAM	20.95	-3.17	15.63	PASS
Band26(814-824)	5	26715	12	#Max	16QAM	20.92	-3.17	15.60	PASS
Band26(814-824)	5	26715	25	#0	16QAM	20.86	-3.17	15.54	PASS
Band26(814-824)	5	26740	1	#0	QPSK	22.73	-3.17	17.41	PASS
Band26(814-824)	5	26740	1	#Mid	QPSK	22.88	-3.17	17.56	PASS
Band26(814-824)	5	26740	1	#Max	QPSK	22.91	-3.17	17.59	PASS
Band26(814-824)	5	26740	12	#0	QPSK	21.81	-3.17	16.49	PASS
Band26(814-824)	5	26740	12	#Mid	QPSK	21.94	-3.17	16.62	PASS
Band26(814-824)	5	26740	12	#Max	QPSK	21.93	-3.17	16.61	PASS
Band26(814-824)	5	26740	25	#0	QPSK	21.90	-3.17	16.58	PASS
Band26(814-824)	5	26740	1	#0	16QAM	22.11	-3.17	16.79	PASS
Band26(814-824)	5	26740	1	#Mid	16QAM	22.29	-3.17	16.97	PASS
Band26(814-824)	5	26740	1	#Max	16QAM	22.29	-3.17	16.97	PASS
Band26(814-824)	5	26740	12	#0	16QAM	20.81	-3.17	15.49	PASS
Band26(814-824)	5	26740	12	#Mid	16QAM	20.91	-3.17	15.59	PASS
Band26(814-824)	5	26740	12	#Max	16QAM	20.95	-3.17	15.63	PASS
Band26(814-824)	5	26740	25	#0	16QAM	20.97	-3.17	15.65	PASS
Band26(814-824)	5	26765	1	#0	QPSK	22.75	-3.17	17.43	PASS
Band26(814-824)	5	26765	1	#Mid	QPSK	22.89	-3.17	17.57	PASS
Band26(814-824)	5	26765	1	#Max	QPSK	22.85	-3.17	17.53	PASS
Band26(814-824)	5	26765	12	#0	QPSK	21.88	-3.17	16.56	PASS
Band26(814-824)	5	26765	12	#Mid	QPSK	22.03	-3.17	16.71	PASS
Band26(814-824)	5	26765	12	#Max	QPSK	22.01	-3.17	16.69	PASS
Band26(814-824)	5	26765	25	#0	QPSK	21.98	-3.17	16.66	PASS
Band26(814-824)	5	26765	1	#0	16QAM	22.18	-3.17	16.86	PASS
Band26(814-824)	5	26765	1	#Mid	16QAM	22.31	-3.17	16.99	PASS
Band26(814-824)	5	26765	1	#Max	16QAM	22.33	-3.17	17.01	PASS

Band26(814-824)	5	26765	12	#0	16QAM	20.95	-3.17	15.63	PASS
Band26(814-824)	5	26765	12	#Mid	16QAM	21.05	-3.17	15.73	PASS
Band26(814-824)	5	26765	12	#Max	16QAM	21.07	-3.17	15.75	PASS
Band26(814-824)	5	26765	25	#0	16QAM	20.97	-3.17	15.65	PASS
Band26(814-824)	10	26740	1	#0	QPSK	22.60	-3.17	17.28	PASS
Band26(814-824)	10	26740	1	#Mid	QPSK	22.58	-3.17	17.26	PASS
Band26(814-824)	10	26740	1	#Max	QPSK	22.82	-3.17	17.50	PASS
Band26(814-824)	10	26740	25	#0	QPSK	21.88	-3.17	16.56	PASS
Band26(814-824)	10	26740	25	#Mid	QPSK	21.95	-3.17	16.63	PASS
Band26(814-824)	10	26740	25	#Max	QPSK	21.97	-3.17	16.65	PASS
Band26(814-824)	10	26740	50	#0	QPSK	21.93	-3.17	16.61	PASS
Band26(814-824)	10	26740	1	#0	16QAM	22.13	-3.17	16.81	PASS
Band26(814-824)	10	26740	1	#Mid	16QAM	22.16	-3.17	16.84	PASS
Band26(814-824)	10	26740	1	#Max	16QAM	22.42	-3.17	17.10	PASS
Band26(814-824)	10	26740	25	#0	16QAM	20.92	-3.17	15.60	PASS
Band26(814-824)	10	26740	25	#Mid	16QAM	20.98	-3.17	15.66	PASS
Band26(814-824)	10	26740	25	#Max	16QAM	21.01	-3.17	15.69	PASS
Band26(814-824)	10	26740	50	#0	16QAM	20.93	-3.17	15.61	PASS



Appendix 2. Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperatue (C)	Result (Hz)	Result (ppm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	LV	NT	10.93	0.013	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	NT	7.17	0.009	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	HV	NT	3.38	0.004	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	LV	NT	4.16	0.005	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	NT	3.71	0.005	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	HV	NT	3.03	0.004	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	LV	NT	-21.43	-0.026	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	NT	-25.26	-0.031	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	HV	NT	-21.33	-0.026	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	LV	NT	-26.32	-0.032	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	NT	-22.47	-0.027	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	HV	NT	-22.66	-0.028	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	LV	NT	-14.91	-0.018	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	NT	-12.85	-0.016	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	HV	NT	-10.89	-0.013	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	LV	NT	-5.51	-0.007	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	NT	-7.42	-0.009	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	HV	NT	-9.96	-0.012	PASS
Band26(814-824)	3	26705	15	#0	QPSK	LV	NT	-3.12	-0.004	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	NT	-0.92	-0.001	PASS
Band26(814-824)	3	26705	15	#0	QPSK	HV	NT	3.20	0.004	PASS
Band26(814-824)	3	26705	15	#0	16QAM	LV	NT	0.80	0.001	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	NT	-1.24	-0.002	PASS
Band26(814-824)	3	26705	15	#0	16QAM	HV	NT	4.05	0.005	PASS
Band26(814-824)	3	26740	15	#0	QPSK	LV	NT	-6.22	-0.008	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	NT	-0.37	0.000	PASS
Band26(814-824)	3	26740	15	#0	QPSK	HV	NT	-1.59	-0.002	PASS
Band26(814-824)	3	26740	15	#0	16QAM	LV	NT	-4.81	-0.006	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	NT	-6.85	-0.008	PASS
Band26(814-824)	3	26740	15	#0	16QAM	HV	NT	-4.96	-0.006	PASS
Band26(814-824)	3	26775	15	#0	QPSK	LV	NT	1.69	0.002	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	NT	-0.39	0.000	PASS
Band26(814-824)	3	26775	15	#0	QPSK	HV	NT	-1.92	-0.002	PASS
Band26(814-824)	3	26775	15	#0	16QAM	LV	NT	-2.92	-0.004	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	NT	-0.57	-0.001	PASS
Band26(814-824)	3	26775	15	#0	16QAM	HV	NT	3.26	0.004	PASS
Band26(814-824)	5	26715	25	#0	QPSK	LV	NT	-4.59	-0.006	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	NT	-3.03	-0.004	PASS

Band26(814-824)	5	26715	25	#0	QPSK	HV	NT	-2.90	-0.004	PASS
Band26(814-824)	5	26715	25	#0	16QAM	LV	NT	-4.05	-0.005	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	NT	2.35	0.003	PASS
Band26(814-824)	5	26715	25	#0	16QAM	HV	NT	0.36	0.000	PASS
Band26(814-824)	5	26740	25	#0	QPSK	LV	NT	-4.16	-0.005	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	NT	-6.78	-0.008	PASS
Band26(814-824)	5	26740	25	#0	QPSK	HV	NT	-1.02	-0.001	PASS
Band26(814-824)	5	26740	25	#0	16QAM	LV	NT	-2.53	-0.003	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	NT	-4.91	-0.006	PASS
Band26(814-824)	5	26740	25	#0	16QAM	HV	NT	-5.95	-0.007	PASS
Band26(814-824)	5	26765	25	#0	QPSK	LV	NT	-2.89	-0.004	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	NT	1.67	0.002	PASS
Band26(814-824)	5	26765	25	#0	QPSK	HV	NT	0.26	0.000	PASS
Band26(814-824)	5	26765	25	#0	16QAM	LV	NT	-0.33	0.000	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	NT	-1.79	-0.002	PASS
Band26(814-824)	5	26765	25	#0	16QAM	HV	NT	-2.32	-0.003	PASS
Band26(814-824)	10	26740	50	#0	QPSK	LV	NT	-4.38	-0.005	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	NT	-1.99	-0.002	PASS
Band26(814-824)	10	26740	50	#0	QPSK	HV	NT	-0.89	-0.001	PASS
Band26(814-824)	10	26740	50	#0	16QAM	LV	NT	-2.23	-0.003	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	NT	-4.91	-0.006	PASS
Band26(814-824)	10	26740	50	#0	16QAM	HV	NT	-5.45	-0.007	PASS

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	-30	15.61	0.019	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	-20	12.07	0.015	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	-10	8.67	0.011	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	0	12.30	0.015	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	10	6.58	0.008	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	20	8.90	0.011	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	30	3.09	0.004	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	40	6.77	0.008	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	NV	50	4.53	0.006	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	-30	2.26	0.003	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	-20	4.51	0.006	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	-10	-0.10	0.000	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	0	2.68	0.003	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	10	-1.30	-0.002	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	20	2.96	0.004	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	30	-1.04	-0.001	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	40	0.87	0.001	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	NV	50	0.93	0.001	PASS

Band26(814-824)	1.4	26740	6	#0	QPSK	NV	-30	-16.52	-0.020	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	-20	-18.20	-0.022	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	-10	-21.89	-0.027	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	0	-23.22	-0.028	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	10	-25.11	-0.031	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	20	-26.09	-0.032	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	30	-21.27	-0.026	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	40	-21.70	-0.026	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	NV	50	-22.32	-0.027	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	-30	-16.78	-0.020	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	-20	-18.22	-0.022	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	-10	-16.22	-0.020	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	0	-12.12	-0.015	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	10	-13.60	-0.017	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	20	-11.30	-0.014	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	30	-7.12	-0.009	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	40	-7.81	-0.010	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	NV	50	-8.74	-0.011	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	-30	-2.45	-0.003	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	-20	-3.76	-0.005	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	-10	-4.82	-0.006	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	0	-1.93	-0.002	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	10	-5.87	-0.007	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	20	-3.91	-0.005	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	30	0.54	0.001	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	40	-2.30	-0.003	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	NV	50	-0.60	-0.001	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	-30	-3.03	-0.004	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	-20	-4.29	-0.005	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	-10	-2.76	-0.003	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	0	-2.16	-0.003	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	10	-4.38	-0.005	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	20	-4.46	-0.005	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	30	-1.30	-0.002	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	40	-4.61	-0.006	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	NV	50	-4.71	-0.006	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	-30	-1.90	-0.002	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	-20	-0.07	0.000	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	-10	-0.50	-0.001	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	0	-1.22	-0.001	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	10	-2.80	-0.003	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	20	-5.15	-0.006	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	30	0.47	0.001	PASS

Band26(814-824)	3	26705	15	#0	QPSK	NV	40	-0.34	0.000	PASS
Band26(814-824)	3	26705	15	#0	QPSK	NV	50	-1.83	-0.002	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	-30	1.75	0.002	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	-20	-0.73	-0.001	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	-10	-3.50	-0.004	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	0	3.15	0.004	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	10	0.66	0.001	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	20	-1.86	-0.002	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	30	-3.56	-0.004	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	40	-0.99	-0.001	PASS
Band26(814-824)	3	26705	15	#0	16QAM	NV	50	2.80	0.003	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	-30	-0.33	0.000	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	-20	2.78	0.003	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	-10	0.77	0.001	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	0	0.00	0.000	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	10	-0.96	-0.001	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	20	-1.90	-0.002	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	30	-2.42	-0.003	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	40	-3.13	-0.004	PASS
Band26(814-824)	3	26740	15	#0	QPSK	NV	50	-4.59	-0.006	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	-30	-5.88	-0.007	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	-20	-6.64	-0.008	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	-10	-7.34	-0.009	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	0	-5.12	-0.006	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	10	-2.15	-0.003	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	20	-1.09	-0.001	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	30	-2.05	-0.003	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	40	-0.07	0.000	PASS
Band26(814-824)	3	26740	15	#0	16QAM	NV	50	-0.87	-0.001	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	-30	-0.73	-0.001	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	-20	-1.19	-0.001	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	-10	-2.26	-0.003	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	0	-2.73	-0.003	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	10	-3.50	-0.004	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	20	1.19	0.001	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	30	2.60	0.003	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	40	2.83	0.003	PASS
Band26(814-824)	3	26775	15	#0	QPSK	NV	50	2.79	0.003	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	-30	2.19	0.003	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	-20	1.49	0.002	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	-10	0.96	0.001	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	0	0.56	0.001	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	10	-0.07	0.000	PASS


Band26(814-824)	3	26775	15	#0	16QAM	NV	20	0.04	0.000	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	30	-0.69	-0.001	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	40	0.07	0.000	PASS
Band26(814-824)	3	26775	15	#0	16QAM	NV	50	-0.11	0.000	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	-30	-2.46	-0.003	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	-20	-3.25	-0.004	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	-10	-2.40	-0.003	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	0	-2.69	-0.003	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	10	-3.19	-0.004	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	20	3.36	0.004	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	30	0.79	0.001	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	40	-1.17	-0.001	PASS
Band26(814-824)	5	26715	25	#0	QPSK	NV	50	-3.66	-0.004	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	-30	2.63	0.003	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	-20	0.37	0.000	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	-10	-2.03	-0.002	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	0	2.95	0.004	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	10	4.38	0.005	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	20	2.59	0.003	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	30	1.00	0.001	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	40	0.21	0.000	PASS
Band26(814-824)	5	26715	25	#0	16QAM	NV	50	-1.04	-0.001	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	-30	-4.33	-0.005	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	-20	-4.01	-0.005	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	-10	-3.49	-0.004	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	0	2.33	0.003	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	10	2.46	0.003	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	20	1.49	0.002	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	30	0.53	0.001	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	40	0.17	0.000	PASS
Band26(814-824)	5	26740	25	#0	QPSK	NV	50	-0.51	-0.001	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	-30	-1.92	-0.002	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	-20	-2.40	-0.003	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	-10	-3.23	-0.004	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	0	-4.05	-0.005	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	10	-3.88	-0.005	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	20	-3.99	-0.005	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	30	-4.05	-0.005	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	40	-3.96	-0.005	PASS
Band26(814-824)	5	26740	25	#0	16QAM	NV	50	-4.02	-0.005	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	-30	3.23	0.004	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	-20	3.60	0.004	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	-10	3.96	0.005	PASS

Band26(814-824)	5	26765	25	#0	QPSK	NV	0	3.19	0.004	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	10	3.98	0.005	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	20	2.92	0.004	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	30	3.45	0.004	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	40	2.83	0.003	PASS
Band26(814-824)	5	26765	25	#0	QPSK	NV	50	1.93	0.002	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	-30	2.26	0.003	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	-20	2.09	0.003	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	-10	1.34	0.002	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	0	0.90	0.001	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	10	0.76	0.001	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	20	0.80	0.001	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	30	0.77	0.001	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	40	1.24	0.002	PASS
Band26(814-824)	5	26765	25	#0	16QAM	NV	50	1.29	0.002	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-30	-2.96	-0.004	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-20	-1.17	-0.001	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	-10	-0.66	-0.001	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	0	-1.70	-0.002	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	10	-3.68	-0.004	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	20	-6.05	-0.007	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	30	-1.04	-0.001	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	40	-2.45	-0.003	PASS
Band26(814-824)	10	26740	50	#0	QPSK	NV	50	-5.25	-0.006	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	-30	-4.08	-0.005	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	-20	-1.92	-0.002	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	-10	-3.52	-0.004	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	0	-5.55	-0.007	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	10	-6.69	-0.008	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	20	-6.94	-0.008	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	30	-8.11	-0.010	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	40	-3.19	-0.004	PASS
Band26(814-824)	10	26740	50	#0	16QAM	NV	50	-0.34	0.000	PASS


Appendix 3. Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	3.77	13	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	5.34	13	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	3.75	13	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	5.26	13	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	3.68	13	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	5.16	13	PASS
Band26(814-824)	3	26705	1	#0	QPSK	3.60	13	PASS
Band26(814-824)	3	26705	1	#0	16QAM	5.10	13	PASS
Band26(814-824)	3	26740	1	#0	QPSK	3.55	13	PASS
Band26(814-824)	3	26740	1	#0	16QAM	5.31	13	PASS
Band26(814-824)	3	26775	1	#0	QPSK	3.40	13	PASS
Band26(814-824)	3	26775	1	#0	16QAM	4.92	13	PASS
Band26(814-824)	5	26715	1	#0	QPSK	3.60	13	PASS
Band26(814-824)	5	26715	1	#0	16QAM	5.13	13	PASS
Band26(814-824)	5	26740	1	#0	QPSK	3.61	13	PASS
Band26(814-824)	5	26740	1	#0	16QAM	5.18	13	PASS
Band26(814-824)	5	26765	1	#0	QPSK	3.51	13	PASS
Band26(814-824)	5	26765	1	#0	16QAM	4.90	13	PASS
Band26(814-824)	10	26740	1	#0	QPSK	3.57	13	PASS
Band26(814-824)	10	26740	1	#0	16QAM	5.06	13	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=1 Position=#0



Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=1 Position=#0




Appendix 4. Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	1.095	1.240	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	1.093	1.229	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	1.092	1.238	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	1.090	1.230	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	1.098	1.233	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	1.094	1.235	PASS
Band26(814-824)	3	26705	15	#0	QPSK	2.701	3.014	PASS
Band26(814-824)	3	26705	15	#0	16QAM	2.693	2.980	PASS
Band26(814-824)	3	26740	15	#0	QPSK	2.682	2.997	PASS
Band26(814-824)	3	26740	15	#0	16QAM	2.703	3.010	PASS
Band26(814-824)	3	26775	15	#0	QPSK	2.708	2.978	PASS
Band26(814-824)	3	26775	15	#0	16QAM	2.698	2.984	PASS
Band26(814-824)	5	26715	25	#0	QPSK	4.516	4.955	PASS
Band26(814-824)	5	26715	25	#0	16QAM	4.504	4.915	PASS
Band26(814-824)	5	26740	25	#0	QPSK	4.505	4.891	PASS
Band26(814-824)	5	26740	25	#0	16QAM	4.507	4.925	PASS
Band26(814-824)	5	26765	25	#0	QPSK	4.510	4.902	PASS
Band26(814-824)	5	26765	25	#0	16QAM	4.500	4.941	PASS
Band26(814-824)	10	26740	50	#0	QPSK	8.980	9.777	PASS
Band26(814-824)	10	26740	50	#0	16QAM	9.007	9.757	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0




Appendix 5. Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	813.96	-23.77	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	813.90	-24.53	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	822.56	-27.51	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	822.56	-28.56	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	813.96	-21.81	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	813.95	-24.88	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	820.95	-22.95	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	820.95	-26.69	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	813.95	-26.54	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	813.96	-28.89	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	818.93	-30.13	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	818.96	-30.32	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	813.96	-30.78	-13	PASS
Band26(814-824)	10	26740	50	#0	16QAM	813.96	-31.87	-13	PASS

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.8989	-24.53	-13
2	813.9625	814	0.3	813.9840625	-43	-20
3	815.4	815.4375	0.3	815.4261375	-47.17	-20
4	815.4375	816.1	100	815.4845375	-26.19	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.5552125	-27.51	-13
2	822.5625	822.6	0.3	822.5860875	-49.06	-20
3	824	824.0375	0.3	824.0321	-48.03	-20
4	824.0375	824.7	100	824.0487625	-27.78	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.5618375	-28.56	-13
2	822.5625	822.6	0.3	822.5900625	-49.99	-20
3	824	824.0375	0.3	824.0321	-50.44	-20
4	824.0375	824.7	100	824.0905	-29.41	-13

Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9625	-21.81	-13
2	813.9625	814	0.3	813.9842125	-42.4	-20
3	817	817.0375	0.3	817.0046125	-43.69	-20
4	817.0375	818.5	100	817.0594375	-23.67	-13

Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9493375	-24.88	-13
2	813.9625	814	0.3	813.9841	-43.39	-20
3	817	817.0375	0.3	817.0171	-43.6	-20
4	817.0375	818.5	100	817.0535875	-25.72	-13

Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9508	-22.95	-13
2	820.9625	821	0.3	820.9841	-44.01	-20
3	824	824.0375	0.3	824.00405	-44.78	-20
4	824.0375	825.5	100	824.0389625	-26.63	-13

Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.947875	-26.69	-13
2	820.9625	821	0.3	820.98605	-43.51	-20
3	824	824.0375	0.3	824.0000375	-45.9	-20
4	824.0375	825.5	100	824.0389625	-26.89	-13

Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.9501875	-26.54	-13
2	813.9625	814	0.3	813.9840625	-47.97	-20
3	819	819.0375	0.3	819.000075	-49.25	-20
4	819.0375	821.5	100	819.042425	-28.91	-13

Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.960375	-28.89	-13
2	813.9625	814	0.3	813.97525	-48.56	-20
3	819	819.0375	0.3	819.0142875	-49.62	-20
4	819.0375	821.5	100	819.0399625	-31.05	-13

Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.9304875	-30.13	-13
2	818.9625	819	0.3	818.986125	-49.39	-20
3	824	824.0375	0.3	824.0141	-50.46	-20
4	824.0375	826.5	100	824.042425	-30.86	-13

Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.9625	-30.32	-13
2	818.9625	819	0.3	818.9860875	-50.31	-20
3	824	824.0375	0.3	824.0000375	-49.81	-20
4	824.0375	826.5	100	824.042425	-31.99	-13

Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.9625	-30.78	-13
2	813.9625	814	0.3	813.9720625	-50.86	-20
3	824	824.0375	0.3	824.0341625	-56.37	-20
4	824.0375	829	100	824.0523875	-36.44	-13

Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0





Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.9625	-31.87	-13
2	813.9625	814	0.3	813.970075	-49.53	-20
3	824	824.0375	0.3	824.0021	-55.74	-20
4	824.0375	829	100	824.0523875	-36.62	-13

Appendix 6. Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	6	#0	QPSK	25511.25	-23.81	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	25561.88	-23.89	-13	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	24835.63	-24.05	-13	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	25774.38	-24.36	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	24762.50	-24.08	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	24858.75	-24.20	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	24719.38	-24.44	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	25520.63	-24.43	-13	PASS
Band26(814-824)	3	26740	15	#0	QPSK	25873.75	-23.39	-13	PASS
Band26(814-824)	3	26740	15	#0	16QAM	25984.38	-24.21	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	25296.25	-24.28	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	25792.50	-24.33	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	25921.88	-24.34	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	25025.63	-24.77	-13	PASS
Band26(814-824)	5	26740	25	#0	QPSK	25613.13	-24.59	-13	PASS
Band26(814-824)	5	26740	25	#0	16QAM	25093.75	-24.59	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	25111.88	-23.07	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	25650.63	-24.45	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	25646.25	-24.63	-13	PASS
Band26(814-824)	10	26740	50	#0	16QAM	25944.38	-24.27	-13	PASS


Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.115070775	-46.64	-13
2	0.15	30	10	6.09238875	-39.32	-13
3	30	1000	100	808.328	-48.04	-13
4	1000	26000	1000	25511.25	-23.81	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.38	-13
2	0.15	30	10	6.10806	-39.88	-13
3	30	1000	100	807.6975	-49.69	-13
4	1000	26000	1000	25561.875	-23.89	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010547475	-45.76	-13
2	0.15	30	10	6.12522375	-39.97	-13
3	30	1000	100	834.25125	-48.85	-13
4	1000	26000	1000	24835.625	-24.05	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094794	-44.96	-13
2	0.15	30	10	6.51178125	-41.83	-13
3	30	1000	100	926.25575	-49.67	-13
4	1000	26000	1000	25774.375	-24.36	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009525225	-46.53	-13
2	0.15	30	10	6.12223875	-40.81	-13
3	30	1000	100	829.83775	-46.13	-13
4	1000	26000	1000	24762.5	-24.08	-13

Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.117594675	-47.04	-13
2	0.15	30	10	6.42447	-42.44	-13
3	30	1000	100	830.444	-45.83	-13
4	1000	26000	1000	24858.75	-24.2	-13

Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009927075	-44.71	-13
2	0.15	30	10	5.973735	-42.81	-13
3	30	1000	100	793.681	-49.8	-13
4	1000	26000	1000	24719.375	-24.44	-13

Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00928905	-46.06	-13
2	0.15	30	10	6.0826875	-42.78	-13
3	30	1000	100	862.26	-49.78	-13
4	1000	26000	1000	25520.625	-24.43	-13

Band26(814-824) QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00961335	-46.03	-13
2	0.15	30	10	6.40133625	-42.4	-13
3	30	1000	100	765.066	-49.78	-13
4	1000	26000	1000	25873.75	-23.39	-13

Band26(814-824) 16QAM BW=3MHz Channel=26740 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009370125	-45.29	-13
2	0.15	30	10	6.46700625	-42.19	-13
3	30	1000	100	797.076	-49.34	-13
4	1000	26000	1000	25984.375	-24.21	-13

Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.117510075	-46.68	-13
2	0.15	30	10	6.6438675	-41.77	-13
3	30	1000	100	839.34375	-49.25	-13
4	1000	26000	1000	25296.25	-24.28	-13

Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01329345	-46.18	-13
2	0.15	30	10	6.134925	-41.11	-13
3	30	1000	100	784.272	-49.94	-13
4	1000	26000	1000	25792.5	-24.33	-13

Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.11	-13
2	0.15	30	10	6.1423875	-40.99	-13
3	30	1000	100	743.3865	-50.12	-13
4	1000	26000	1000	25921.875	-24.34	-13

Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.98	-13
2	0.15	30	10	6.8140125	-43.3	-13
3	30	1000	100	949.8995	-49.66	-13
4	1000	26000	1000	25025.625	-24.77	-13

Band26(814-824) QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00934545	-46.51	-13
2	0.15	30	10	6.14388	-41.74	-13
3	30	1000	100	844.38775	-49.99	-13
4	1000	26000	1000	25613.125	-24.59	-13

Band26(814-824) 16QAM BW=5MHz Channel=26740 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.1169778	-46.44	-13
2	0.15	30	10	6.1005975	-41.26	-13
3	30	1000	100	927.638	-49.46	-13
4	1000	26000	1000	25093.75	-24.59	-13

Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.116438475	-46.27	-13
2	0.15	30	10	6.487155	-41.74	-13
3	30	1000	100	846.32775	-48.87	-13
4	1000	26000	1000	25111.875	-23.07	-13

Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.114887475	-46.19	-13
2	0.15	30	10	6.13194	-40.99	-13
3	30	1000	100	978.3205	-50.22	-13
4	1000	26000	1000	25650.625	-24.45	-13

Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0



Band26(814-824) 16QAM BW=10MHz Channel=26740 RB Size=50 Position=#0

