


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.44	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.84	-13	Pass	2985
30	500	0.1	Peak	483.597	-42.87	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.57	-13	N/A	5000
1000	10000	1	Peak	9392.248	-20.83	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.58	-13	Pass	401
0.15	30	0.01	Peak	0.38	-53.28	-13	Pass	2985
30	500	0.1	Peak	488.998	-42.87	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.71	-13	N/A	5000
1000	10000	1	Peak	7974.851	-20.5	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-55.05	-13	Pass	401
0.15	30	0.01	Peak	0.23	-54.06	-13	Pass	2985
30	500	0.1	Peak	391.877	-41.72	-13	Pass	4700
500	1000	0.1	Peak	848.77	32.83	-13	N/A	5000
1000	10000	1	Peak	9991.99	-21.53	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-60.2	-13	Pass	401
0.15	30	0.01	Peak	0.19	-59.76	-13	Pass	2985
30	1000	0.1	Peak	858.612	-48.49	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.85	-13	N/A	2000
3000	20000	1	Peak	19766.621	-20.43	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-60.13	-13	Pass	401
0.15	30	0.01	Peak	0.18	-58.7	-13	Pass	2985
30	1000	0.1	Peak	441.75	-47.84	-13	Pass	9699
1000	3000	1	Peak	1879.44	28.92	-13	N/A	2000
3000	20000	1	Peak	19768.624	-20.45	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.56	-13	Pass	401
0.15	30	0.01	Peak	0.28	-59.25	-13	Pass	2985
30	1000	0.1	Peak	456.452	-48.57	-13	Pass	9699
1000	3000	1	Peak	1910.455	29.24	-13	N/A	2000
3000	20000	1	Peak	19520.221	-20.36	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.1	-13	Pass	401
0.15	30	0.01	Peak	0.2	-54.48	-13	Pass	2985
30	500	0.1	Peak	361.971	-41.97	-13	Pass	4700
500	1000	0.1	Peak	824.165	29.44	-13	N/A	5000
1000	10000	1	Peak	7449.787	-21.28	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.12	-13	Pass	401
0.15	30	0.01	Peak	0.58	-53.8	-13	Pass	2985
30	500	0.1	Peak	426.984	-42.11	-13	Pass	4700
500	1000	0.1	Peak	836.567	28.7	-13	N/A	5000
1000	10000	1	Peak	8337.896	-21.17	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.8	-13	Pass	401
0.15	30	0.01	Peak	0.23	-53.94	-13	Pass	2985
30	500	0.1	Peak	452.89	-42.95	-13	Pass	4700
500	1000	0.1	Peak	848.77	28.87	-13	N/A	5000
1000	10000	1	Peak	7446.787	-21.06	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-60.75	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.88	-13	Pass	2985
30	1000	0.1	Peak	852.104	-48.19	-13	Pass	9699
1000	3000	1	Peak	1850.425	28.46	-13	N/A	2000
3000	20000	1	Peak	19789.659	-20.23	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-59.26	-13	Pass	401
0.15	30	0.01	Peak	0.2	-59.23	-13	Pass	2985
30	1000	0.1	Peak	474.254	-47.85	-13	Pass	9699
1000	3000	1	Peak	1880.44	28.39	-13	N/A	2000
3000	20000	1	Peak	19647.428	-20.45	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.14	-13	Pass	401
0.15	30	0.01	Peak	0.16	-59.58	-13	Pass	2985
30	1000	0.1	Peak	875.435	-47.07	-13	Pass	9699
1000	3000	1	Peak	1909.455	28.75	-13	N/A	2000
3000	20000	1	Peak	19394.016	-20.6	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.66	-13	Pass	2985
30	1000	0.1	Peak	878.038	-52.04	-13	Pass	9699
1000	3000	1	Peak	1853.427	24.3	-13	N/A	2000
3000	20000	1	Peak	19963.941	-24.12	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.9	-13	Pass	401
0.15	30	0.01	Peak	4.752	-63.63	-13	Pass	2985
30	1000	0.1	Peak	716.484	-51.02	-13	Pass	9699
1000	3000	1	Peak	1878.439	24.19	-13	N/A	2000
3000	20000	1	Peak	19380	-24.68	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.32	-13	Pass	401
0.15	30	0.01	Peak	0.65	-64.42	-13	Pass	2985
30	1000	0.1	Peak	693.181	-52.71	-13	Pass	9699
1000	3000	1	Peak	1906.453	24.25	-13	N/A	2000
3000	20000	1	Peak	19777.639	-24.86	-13	Pass	17000



6. WCDMA_Band5


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.64	-13	Pass	401
0.15	30	0.01	Peak	0.31	-63.93	-13	Pass	2985
30	500	0.1	Peak	465.593	-52.43	-13	Pass	4700
500	1000	0.1	Peak	827.065	18.53	-13	N/A	5000
1000	10000	1	Peak	8733.944	-31.87	-13	Pass	9000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.88	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.56	-13	Pass	2985
30	500	0.1	Peak	390.277	-52.65	-13	Pass	4700
500	1000	0.1	Peak	837.067	18.42	-13	N/A	5000
1000	10000	1	Peak	7953.849	-31.9	-13	Pass	9000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.83	-13	Pass	401
0.15	30	0.01	Peak	7.042	-64.22	-13	Pass	2985
30	500	0.1	Peak	386.276	-52.67	-13	Pass	4700
500	1000	0.1	Peak	845.569	17.74	-13	N/A	5000
1000	10000	1	Peak	9505.388	-31.54	-13	Pass	9000



7. LTE_Band2


7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2985
30	1000	0.1	RMS	889.153	-63.55	-13	Pass	9699
1000	1840	1	RMS	1840	-51.44	-13	Pass	840
1840	1920	1	RMS	1850.2	22.52	60	Pass	401
1920	3000	1	RMS	2945.95	-49.62	-13	Pass	1080
3000	12000	1	RMS	5550.311	-33.67	-13	Pass	9000
12000	20000	1	RMS	19758.97	-35.18	-13	Pass	8000




**7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	1000	0.1	RMS	858.813	-63.61	-13	Pass	9699
1000	1840	1	RMS	1840	-51.67	-13	Pass	840
1840	1920	1	RMS	1850.2	21.57	60	Pass	401
1920	3000	1	RMS	2951.956	-49.62	-13	Pass	1080
3000	12000	1	RMS	5550.311	-35.04	-13	Pass	9000
12000	20000	1	RMS	19810.976	-36.2	-13	Pass	8000




**7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	Pass	2985
30	1000	0.1	RMS	986.182	-63.56	-13	Pass	9699
1000	1840	1	RMS	1805.959	-52.58	-13	Pass	840
1840	1920	1	RMS	1879.4	22.49	60	Pass	401
1920	3000	1	RMS	2941.946	-49.66	-13	Pass	1080
3000	12000	1	RMS	5638.322	-32.77	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.1	-13	Pass	8000




**7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.43	-13	Pass	2985
30	1000	0.1	RMS	864.821	-63.42	-13	Pass	9699
1000	1840	1	RMS	1796.949	-52.61	-13	Pass	840
1840	1920	1	RMS	1879.4	21.59	60	Pass	401
1920	3000	1	RMS	2951.956	-49.61	-13	Pass	1080
3000	12000	1	RMS	5638.322	-33.95	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.14	-13	Pass	8000




**7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.01	-13	Pass	2985
30	1000	0.1	RMS	897.764	-63.55	-13	Pass	9699
1000	1840	1	RMS	1831.99	-52.46	-13	Pass	840
1840	1920	1	RMS	1908.8	22.4	60	Pass	401
1920	3000	1	RMS	2950.955	-49.61	-13	Pass	1080
3000	12000	1	RMS	5726.333	-29.41	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.18	-13	Pass	8000




**7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2985
30	1000	0.1	RMS	881.042	-63.65	-13	Pass	9699
1000	1840	1	RMS	1831.99	-52.58	-13	Pass	840
1840	1920	1	RMS	1908.8	21.48	60	Pass	401
1920	3000	1	RMS	2947.952	-49.66	-13	Pass	1080
3000	12000	1	RMS	5726.333	-30.98	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.13	-13	Pass	8000




**7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2985
30	1000	0.1	RMS	888.452	-63.66	-13	Pass	9699
1000	1840	1	RMS	1840	-51.47	-13	Pass	840
1840	1920	1	RMS	1850.2	22.43	60	Pass	401
1920	3000	1	RMS	2947.952	-49.64	-13	Pass	1080
3000	12000	1	RMS	5550.311	-33.78	-13	Pass	9000
12000	20000	1	RMS	19770.971	-34.46	-13	Pass	8000




**7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.83	-13	Pass	2985
30	1000	0.1	RMS	840.699	-62.24	-13	Pass	9699
1000	1840	1	RMS	1840	-51.53	-13	Pass	840
1840	1920	1	RMS	1850.2	21.75	60	Pass	401
1920	3000	1	RMS	2949.954	-49.52	-13	Pass	1080
3000	12000	1	RMS	5550.311	-34.03	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.06	-13	Pass	8000




**7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	Pass	2985
30	1000	0.1	RMS	863.018	-63.68	-13	Pass	9699
1000	1840	1	RMS	1798.951	-52.47	-13	Pass	840
1840	1920	1	RMS	1878.6	22.52	60	Pass	401
1920	3000	1	RMS	2947.952	-49.59	-13	Pass	1080
3000	12000	1	RMS	5636.322	-32.19	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.17	-13	Pass	8000




**7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	Pass	2985
30	1000	0.1	RMS	891.256	-63.68	-13	Pass	9699
1000	1840	1	RMS	1805.959	-52.59	-13	Pass	840
1840	1920	1	RMS	1878.6	21.63	60	Pass	401
1920	3000	1	RMS	2940.945	-49.67	-13	Pass	1080
3000	12000	1	RMS	5636.322	-33.18	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.14	-13	Pass	8000




**7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.17	-13	Pass	2985
30	1000	0.1	RMS	905.475	-63.63	-13	Pass	9699
1000	1840	1	RMS	1829.988	-52.58	-13	Pass	840
1840	1920	1	RMS	1907.2	22.49	60	Pass	401
1920	3000	1	RMS	2950.955	-49.65	-13	Pass	1080
3000	12000	1	RMS	5721.332	-30.42	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.14	-13	Pass	8000




**7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2985
30	1000	0.1	RMS	899.166	-63.71	-13	Pass	9699
1000	1840	1	RMS	1804.958	-52.65	-13	Pass	840
1840	1920	1	RMS	1907.2	21.61	60	Pass	401
1920	3000	1	RMS	2948.953	-49.57	-13	Pass	1080
3000	12000	1	RMS	5721.332	-31.95	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.15	-13	Pass	8000




**7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.31	-13	Pass	2985
30	1000	0.1	RMS	891.456	-63.49	-13	Pass	9699
1000	1840	1	RMS	1840	-51.37	-13	Pass	840
1840	1920	1	RMS	1850.2	22.5	60	Pass	401
1920	3000	1	RMS	2943.948	-49.65	-13	Pass	1080
3000	12000	1	RMS	5551.311	-33.35	-13	Pass	9000
12000	20000	1	RMS	19786.973	-34.76	-13	Pass	8000




**7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-13	Pass	2985
30	1000	0.1	RMS	653.876	-62.66	-13	Pass	9699
1000	1840	1	RMS	1840	-51.5	-13	Pass	840
1840	1920	1	RMS	1850.2	21.65	60	Pass	401
1920	3000	1	RMS	2948.953	-49.66	-13	Pass	1080
3000	12000	1	RMS	5551.311	-33.06	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.19	-13	Pass	8000




**7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2985
30	1000	0.1	RMS	998.398	-63.59	-13	Pass	9699
1000	1840	1	RMS	1799.952	-52.6	-13	Pass	840
1840	1920	1	RMS	1877.8	22.48	60	Pass	401
1920	3000	1	RMS	2846.858	-49.71	-13	Pass	1080
3000	12000	1	RMS	5633.321	-32.65	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.13	-13	Pass	8000




**7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2985
30	1000	0.1	RMS	874.033	-63.71	-13	Pass	9699
1000	1840	1	RMS	1797.95	-52.64	-13	Pass	840
1840	1920	1	RMS	1877.8	21.75	60	Pass	401
1920	3000	1	RMS	2944.949	-49.68	-13	Pass	1080
3000	12000	1	RMS	5633.321	-33.07	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.11	-13	Pass	8000




**7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.27	-13	Pass	2985
30	1000	0.1	RMS	895.762	-63.42	-13	Pass	9699
1000	1840	1	RMS	1798.951	-52.65	-13	Pass	840
1840	1920	1	RMS	1905.2	22.42	60	Pass	401
1920	3000	1	RMS	2948.953	-49.69	-13	Pass	1080
3000	12000	1	RMS	5716.332	-30.57	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.23	-13	Pass	8000




**7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.32	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.33	-13	Pass	2985
30	1000	0.1	RMS	857.11	-63.71	-13	Pass	9699
1000	1840	1	RMS	1802.956	-52.61	-13	Pass	840
1840	1920	1	RMS	1905.2	21.66	60	Pass	401
1920	3000	1	RMS	2936.942	-49.62	-13	Pass	1080
3000	12000	1	RMS	5716.332	-32.05	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.14	-13	Pass	8000




**7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	Pass	2985
30	1000	0.1	RMS	923.599	-62.14	-13	Pass	9699
1000	1840	1	RMS	1832.992	-50.05	-13	Pass	840
1840	1920	1	RMS	1850.4	22.54	60	Pass	401
1920	3000	1	RMS	2951.956	-49.53	-13	Pass	1080
3000	12000	1	RMS	5551.311	-34.01	-13	Pass	9000
12000	20000	1	RMS	19785.973	-34.81	-13	Pass	8000




**7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2985
30	1000	0.1	RMS	872.631	-63.68	-13	Pass	9699
1000	1840	1	RMS	1832.992	-50.12	-13	Pass	840
1840	1920	1	RMS	1850.4	21.78	60	Pass	401
1920	3000	1	RMS	2850.862	-49.56	-13	Pass	1080
3000	12000	1	RMS	5552.312	-34.02	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.15	-13	Pass	8000




**7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	865.221	-63.59	-13	Pass	9699
1000	1840	1	RMS	1800.954	-52.6	-13	Pass	840
1840	1920	1	RMS	1875.4	22.6	60	Pass	401
1920	3000	1	RMS	2942.947	-49.6	-13	Pass	1080
3000	12000	1	RMS	5626.321	-33.59	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.17	-13	Pass	8000




**7.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.76	-13	Pass	2985
30	1000	0.1	RMS	878.138	-63.52	-13	Pass	9699
1000	1840	1	RMS	1800.954	-52.64	-13	Pass	840
1840	1920	1	RMS	1875.6	21.66	60	Pass	401
1920	3000	1	RMS	2942.947	-49.68	-13	Pass	1080
3000	12000	1	RMS	5626.321	-34.98	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.19	-13	Pass	8000




**7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.82	-13	Pass	2985
30	1000	0.1	RMS	874.634	-63.53	-13	Pass	9699
1000	1840	1	RMS	1809.964	-52.67	-13	Pass	840
1840	1920	1	RMS	1900.4	22.48	60	Pass	401
1920	3000	1	RMS	2946.951	-49.67	-13	Pass	1080
3000	12000	1	RMS	5701.33	-31.92	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.19	-13	Pass	8000




**7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	1000	0.1	RMS	897.164	-63.67	-13	Pass	9699
1000	1840	1	RMS	1794.946	-52.63	-13	Pass	840
1840	1920	1	RMS	1900.4	21.59	60	Pass	401
1920	3000	1	RMS	2947.952	-49.64	-13	Pass	1080
3000	12000	1	RMS	5701.33	-33.7	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.13	-13	Pass	8000




**7.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2985
30	1000	0.1	RMS	869.026	-63.68	-13	Pass	9699
1000	1840	1	RMS	1837.998	-50.27	-13	Pass	840
1840	1920	1	RMS	1850.8	22.43	60	Pass	401
1920	3000	1	RMS	2949.954	-49.58	-13	Pass	1080
3000	12000	1	RMS	5552.312	-33.18	-13	Pass	9000
12000	20000	1	RMS	19773.972	-34.58	-13	Pass	8000




**7.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.64	-13	Pass	2985
30	1000	0.1	RMS	995.594	-63.64	-13	Pass	9699
1000	1840	1	RMS	1837.998	-50.3	-13	Pass	840
1840	1920	1	RMS	1850.8	21.72	60	Pass	401
1920	3000	1	RMS	2949.954	-49.59	-13	Pass	1080
3000	12000	1	RMS	5552.312	-33.55	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36	-13	Pass	8000




**7.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2985
30	1000	0.1	RMS	878.038	-63.68	-13	Pass	9699
1000	1840	1	RMS	1796.949	-52.65	-13	Pass	840
1840	1920	1	RMS	1873.2	22.47	60	Pass	401
1920	3000	1	RMS	2952.956	-49.69	-13	Pass	1080
3000	12000	1	RMS	5620.32	-33.12	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.19	-13	Pass	8000




**7.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.77	-13	Pass	2985
30	1000	0.1	RMS	852.805	-63.65	-13	Pass	9699
1000	1840	1	RMS	1803.957	-52.6	-13	Pass	840
1840	1920	1	RMS	1873.2	21.59	60	Pass	401
1920	3000	1	RMS	2845.857	-49.7	-13	Pass	1080
3000	12000	1	RMS	5620.32	-33.85	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.12	-13	Pass	8000




**7.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.1	-13	Pass	2985
30	1000	0.1	RMS	887.551	-63.59	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.37	-13	Pass	840
1840	1920	1	RMS	1895.8	22.51	60	Pass	401
1920	3000	1	RMS	2951.956	-49.64	-13	Pass	1080
3000	12000	1	RMS	5687.328	-31.41	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.21	-13	Pass	8000




**7.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.91	-13	Pass	2985
30	1000	0.1	RMS	869.126	-63.7	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.26	-13	Pass	840
1840	1920	1	RMS	1895.8	21.71	60	Pass	401
1920	3000	1	RMS	2849.861	-49.68	-13	Pass	1080
3000	12000	1	RMS	5687.328	-31.35	-13	Pass	9000
12000	20000	1	RMS	19791.974	-36.14	-13	Pass	8000




**7.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.96	-13	Pass	2985
30	1000	0.1	RMS	877.638	-63.73	-13	Pass	9699
1000	1840	1	RMS	1832.992	-49.89	-13	Pass	840
1840	1920	1	RMS	1851	22.5	60	Pass	401
1920	3000	1	RMS	2948.953	-49.57	-13	Pass	1080
3000	12000	1	RMS	5553.312	-32.6	-13	Pass	9000
12000	20000	1	RMS	19784.973	-34.95	-13	Pass	8000




**7.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	1000	0.1	RMS	856.41	-63.78	-13	Pass	9699
1000	1840	1	RMS	1832.992	-50.4	-13	Pass	840
1840	1920	1	RMS	1851	21.78	60	Pass	401
1920	3000	1	RMS	2945.95	-49.69	-13	Pass	1080
3000	12000	1	RMS	5553.312	-33.08	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.16	-13	Pass	8000




**7.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.81	-13	Pass	2985
30	1000	0.1	RMS	996.095	-63.6	-13	Pass	9699
1000	1840	1	RMS	1834.994	-51.59	-13	Pass	840
1840	1920	1	RMS	1871	22.5	60	Pass	401
1920	3000	1	RMS	2950.955	-49.67	-13	Pass	1080
3000	12000	1	RMS	5613.319	-32.71	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.16	-13	Pass	8000




**7.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	867.725	-63.63	-13	Pass	9699
1000	1840	1	RMS	1834.994	-51.35	-13	Pass	840
1840	1920	1	RMS	1871	21.66	60	Pass	401
1920	3000	1	RMS	2949.954	-49.72	-13	Pass	1080
3000	12000	1	RMS	5613.319	-33.54	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.15	-13	Pass	8000




**7.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	Pass	2985
30	1000	0.1	RMS	873.933	-63.7	-13	Pass	9699
1000	1840	1	RMS	1833.993	-52.38	-13	Pass	840
1840	1920	1	RMS	1891	22.43	60	Pass	401
1920	3000	1	RMS	2847.859	-49.62	-13	Pass	1080
3000	12000	1	RMS	5673.326	-31.64	-13	Pass	9000
12000	20000	1	RMS	19807.976	-36.13	-13	Pass	8000



**7.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.57	-13	Pass	2985
30	1000	0.1	RMS	841.799	-62.41	-13	Pass	9699
1000	1840	1	RMS	1832.992	-52.15	-13	Pass	840
1840	1920	1	RMS	1891	21.5	60	Pass	401
1920	3000	1	RMS	2946.951	-49.57	-13	Pass	1080
3000	12000	1	RMS	5673.326	-32.22	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.12	-13	Pass	8000



8. LTE_Band4


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	Pass	2985
30	1000	0.1	RMS	883.145	-63.77	-13	Pass	9699
1000	1700	1	RMS	1700	-51.61	-13	Pass	700
1700	1765	1	RMS	1710.238	22.31	60	Pass	401
1765	3000	1	RMS	2948.959	-49.69	-13	Pass	1235
3000	12000	1	RMS	5130.26	-41.96	-13	Pass	9000
12000	20000	1	RMS	19649.956	-35.79	-13	Pass	8000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2985
30	1000	0.1	RMS	872.731	-63.7	-13	Pass	9699
1000	1700	1	RMS	1700	-51.9	-13	Pass	700
1700	1765	1	RMS	1710.238	21.41	60	Pass	401
1765	3000	1	RMS	2949.959	-49.71	-13	Pass	1235
3000	12000	1	RMS	5131.26	-42.01	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.23	-13	Pass	8000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2985
30	1000	0.1	RMS	864.52	-63.88	-13	Pass	9699
1000	1700	1	RMS	1700	-52.97	-13	Pass	700
1700	1765	1	RMS	1732.013	22.16	60	Pass	401
1765	3000	1	RMS	2950.96	-49.72	-13	Pass	1235
3000	12000	1	RMS	5196.268	-42.34	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.25	-13	Pass	8000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.87	-13	Pass	2985
30	1000	0.1	RMS	849.2	-63.95	-13	Pass	9699
1000	1700	1	RMS	1700	-52.89	-13	Pass	700
1700	1765	1	RMS	1732.013	21.25	60	Pass	401
1765	3000	1	RMS	2849.878	-49.49	-13	Pass	1235
3000	12000	1	RMS	11450.32	-42.93	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.02	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2985
30	1000	0.1	RMS	895.662	-63.89	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.39	-13	Pass	700
1700	1765	1	RMS	1753.788	22.33	60	Pass	401
1765	3000	1	RMS	2951.961	-49.7	-13	Pass	1235
3000	12000	1	RMS	5261.276	-41.26	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.15	-13	Pass	8000




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2985
30	1000	0.1	RMS	878.439	-63.88	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.6	-13	Pass	700
1700	1765	1	RMS	1753.788	21.42	60	Pass	401
1765	3000	1	RMS	2849.878	-49.69	-13	Pass	1235
3000	12000	1	RMS	5261.276	-42.44	-13	Pass	9000
12000	20000	1	RMS	19678.96	-35.79	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.18	-13	Pass	2985
30	1000	0.1	RMS	874.534	-63.96	-13	Pass	9699
1000	1700	1	RMS	1700	-51.4	-13	Pass	700
1700	1765	1	RMS	1710.075	22.33	60	Pass	401
1765	3000	1	RMS	2950.96	-49.66	-13	Pass	1235
3000	12000	1	RMS	5130.26	-41.4	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.12	-13	Pass	8000




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	Pass	401
0.15	30	0.01	RMS	17.556	-70.46	-13	Pass	2985
30	1000	0.1	RMS	835.198	-61.6	-13	Pass	9699
1000	1700	1	RMS	1700	-51.47	-13	Pass	700
1700	1765	1	RMS	1710.238	21.64	60	Pass	401
1765	3000	1	RMS	2937.95	-49.52	-13	Pass	1235
3000	12000	1	RMS	5130.26	-41.44	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.08	-13	Pass	8000




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.21	-13	Pass	2985
30	1000	0.1	RMS	259.328	-63.19	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.69	-13	Pass	700
1700	1765	1	RMS	1731.2	22.26	60	Pass	401
1765	3000	1	RMS	2946.957	-49.6	-13	Pass	1235
3000	12000	1	RMS	11009.978	-43.2	-13	Pass	9000
12000	20000	1	RMS	19806.976	-36.22	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.93	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.23	-13	Pass	2985
30	1000	0.1	RMS	864.02	-63.84	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.04	-13	Pass	700
1700	1765	1	RMS	1731.2	21.35	60	Pass	401
1765	3000	1	RMS	2949.959	-49.7	-13	Pass	1235
3000	12000	1	RMS	11433.299	-43.12	-13	Pass	9000
12000	20000	1	RMS	19806.976	-36.23	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2985
30	1000	0.1	RMS	864.12	-63.89	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.65	-13	Pass	700
1700	1765	1	RMS	1752.163	22.34	60	Pass	401
1765	3000	1	RMS	2952.962	-49.72	-13	Pass	1235
3000	12000	1	RMS	7138.505	-42.32	-13	Pass	9000
12000	20000	1	RMS	19654.957	-35.23	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.38	-13	Pass	2985
30	1000	0.1	RMS	885.849	-63.92	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.65	-13	Pass	700
1700	1765	1	RMS	1752.163	21.45	60	Pass	401
1765	3000	1	RMS	2952.962	-49.66	-13	Pass	1235
3000	12000	1	RMS	5256.275	-43.16	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.24	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	Pass	2985
30	1000	0.1	RMS	885.949	-63.81	-13	Pass	9699
1000	1700	1	RMS	1700	-51.51	-13	Pass	700
1700	1765	1	RMS	1710.238	22.36	60	Pass	401
1765	3000	1	RMS	2951.961	-49.71	-13	Pass	1235
3000	12000	1	RMS	5131.26	-40.73	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.27	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	Pass	2985
30	1000	0.1	RMS	886.85	-63.98	-13	Pass	9699
1000	1700	1	RMS	1696.996	-50.57	-13	Pass	700
1700	1765	1	RMS	1710.238	21.56	60	Pass	401
1765	3000	1	RMS	2936.949	-49.72	-13	Pass	1235
3000	12000	1	RMS	5131.26	-41.51	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.01	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.8	-13	Pass	401
0.15	30	0.01	RMS	5.842	-70.17	-13	Pass	2985
30	1000	0.1	RMS	882.044	-63.89	-13	Pass	9699
1000	1700	1	RMS	1700	-52.85	-13	Pass	700
1700	1765	1	RMS	1730.225	22.26	60	Pass	401
1765	3000	1	RMS	2945.956	-49.62	-13	Pass	1235
3000	12000	1	RMS	5191.267	-43	-13	Pass	9000
12000	20000	1	RMS	19808.976	-36.2	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.94	-13	Pass	2985
30	1000	0.1	RMS	881.743	-63.87	-13	Pass	9699
1000	1700	1	RMS	1700	-52.9	-13	Pass	700
1700	1765	1	RMS	1730.225	21.51	60	Pass	401
1765	3000	1	RMS	2951.961	-49.69	-13	Pass	1235
3000	12000	1	RMS	7177.51	-42.24	-13	Pass	9000
12000	20000	1	RMS	19696.962	-35.6	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	Pass	2985
30	1000	0.1	RMS	884.547	-63.87	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.67	-13	Pass	700
1700	1765	1	RMS	1750.213	22.31	60	Pass	401
1765	3000	1	RMS	2950.96	-49.71	-13	Pass	1235
3000	12000	1	RMS	5251.275	-41.49	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.1	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.03	-13	Pass	2985
30	1000	0.1	RMS	886.449	-63.89	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.85	-13	Pass	700
1700	1765	1	RMS	1750.213	21.57	60	Pass	401
1765	3000	1	RMS	2954.964	-49.68	-13	Pass	1235
3000	12000	1	RMS	5251.275	-42.37	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.14	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.34	-13	Pass	2985
30	1000	0.1	RMS	866.924	-63.78	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.02	-13	Pass	700
1700	1765	1	RMS	1710.563	22.43	60	Pass	401
1765	3000	1	RMS	2946.957	-49.74	-13	Pass	1235
3000	12000	1	RMS	5132.26	-41.96	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.21	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.74	-13	Pass	2985
30	1000	0.1	RMS	989.887	-63.76	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.19	-13	Pass	700
1700	1765	1	RMS	1710.563	21.67	60	Pass	401
1765	3000	1	RMS	2948.959	-49.73	-13	Pass	1235
3000	12000	1	RMS	5131.26	-41.64	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.18	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	Pass	2985
30	1000	0.1	RMS	879.34	-63.83	-13	Pass	9699
1000	1700	1	RMS	1700	-52.89	-13	Pass	700
1700	1765	1	RMS	1727.95	22.25	60	Pass	401
1765	3000	1	RMS	2954.964	-49.75	-13	Pass	1235
3000	12000	1	RMS	5184.267	-42.41	-13	Pass	9000
12000	20000	1	RMS	19724.966	-35.56	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.78	-13	Pass	2985
30	1000	0.1	RMS	858.012	-63.83	-13	Pass	9699
1000	1700	1	RMS	1700	-52.89	-13	Pass	700
1700	1765	1	RMS	1727.95	21.36	60	Pass	401
1765	3000	1	RMS	2949.959	-49.7	-13	Pass	1235
3000	12000	1	RMS	5184.267	-42.54	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.16	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.99	-13	Pass	2985
30	1000	0.1	RMS	886.049	-63.75	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.02	-13	Pass	700
1700	1765	1	RMS	1745.5	22.36	60	Pass	401
1765	3000	1	RMS	2951.961	-49.75	-13	Pass	1235
3000	12000	1	RMS	11437.304	-43.11	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.19	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.93	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.09	-13	Pass	2985
30	1000	0.1	RMS	996.996	-63.86	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.02	-13	Pass	700
1700	1765	1	RMS	1745.5	21.52	60	Pass	401
1765	3000	1	RMS	2950.96	-49.78	-13	Pass	1235
3000	12000	1	RMS	11426.29	-43.29	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.24	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72	-13	Pass	2985
30	1000	0.1	RMS	992.991	-63.97	-13	Pass	9699
1000	1700	1	RMS	1696.996	-50.31	-13	Pass	700
1700	1765	1	RMS	1710.725	22.41	60	Pass	401
1765	3000	1	RMS	2947.958	-49.72	-13	Pass	1235
3000	12000	1	RMS	5132.26	-41.31	-13	Pass	9000
12000	20000	1	RMS	19792.974	-36.33	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.95	-13	Pass	2985
30	1000	0.1	RMS	875.835	-63.88	-13	Pass	9699
1000	1700	1	RMS	1696.996	-49.73	-13	Pass	700
1700	1765	1	RMS	1710.725	21.62	60	Pass	401
1765	3000	1	RMS	2954.964	-49.78	-13	Pass	1235
3000	12000	1	RMS	5132.26	-40.95	-13	Pass	9000
12000	20000	1	RMS	19706.963	-35.76	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2985
30	1000	0.1	RMS	871.229	-63.97	-13	Pass	9699
1000	1700	1	RMS	1698.999	-49.15	-13	Pass	700
1700	1765	1	RMS	1725.838	22.2	60	Pass	401
1765	3000	1	RMS	2938.951	-49.8	-13	Pass	1235
3000	12000	1	RMS	11429.294	-43.25	-13	Pass	9000
12000	20000	1	RMS	19790.974	-36.25	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.19	-13	Pass	2985
30	1000	0.1	RMS	870.628	-63.87	-13	Pass	9699
1000	1700	1	RMS	1698.999	-48.93	-13	Pass	700
1700	1765	1	RMS	1725.838	21.28	60	Pass	401
1765	3000	1	RMS	2946.957	-49.69	-13	Pass	1235
3000	12000	1	RMS	11434.3	-43.22	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.32	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2985
30	1000	0.1	RMS	887.951	-63.93	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.01	-13	Pass	700
1700	1765	1	RMS	1740.788	22.36	60	Pass	401
1765	3000	1	RMS	1767.002	-40.03	-13	Pass	1235
3000	12000	1	RMS	5222.271	-42.43	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.25	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.65	-13	Pass	2985
30	1000	0.1	RMS	844.399	-63.84	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.98	-13	Pass	700
1700	1765	1	RMS	1740.788	21.55	60	Pass	401
1765	3000	1	RMS	1767.002	-41.06	-13	Pass	1235
3000	12000	1	RMS	5222.271	-42.99	-13	Pass	9000
12000	20000	1	RMS	19787.973	-36.27	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	Pass	2985
30	1000	0.1	RMS	894.059	-63.91	-13	Pass	9699
1000	1700	1	RMS	1700	-50.03	-13	Pass	700
1700	1765	1	RMS	1711.05	22.36	60	Pass	401
1765	3000	1	RMS	2951.961	-49.77	-13	Pass	1235
3000	12000	1	RMS	5133.26	-40.72	-13	Pass	9000
12000	20000	1	RMS	19714.964	-36.03	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	Pass	2985
30	1000	0.1	RMS	862.217	-63.82	-13	Pass	9699
1000	1700	1	RMS	1700	-49.42	-13	Pass	700
1700	1765	1	RMS	1711.05	21.69	60	Pass	401
1765	3000	1	RMS	2947.958	-49.72	-13	Pass	1235
3000	12000	1	RMS	5133.26	-41.92	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.23	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2985
30	1000	0.1	RMS	990.588	-63.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.27	-13	Pass	700
1700	1765	1	RMS	1723.563	22.27	60	Pass	401
1765	3000	1	RMS	2946.957	-49.78	-13	Pass	1235
3000	12000	1	RMS	11430.295	-43.22	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.26	-13	Pass	8000




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.29	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.86	-13	Pass	2985
30	1000	0.1	RMS	880.141	-64.06	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.24	-13	Pass	700
1700	1765	1	RMS	1723.563	21.34	60	Pass	401
1765	3000	1	RMS	2946.957	-49.77	-13	Pass	1235
3000	12000	1	RMS	11426.29	-43.1	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.25	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72	-13	Pass	2985
30	1000	0.1	RMS	881.142	-63.82	-13	Pass	9699
1000	1700	1	RMS	1700	-50.39	-13	Pass	700
1700	1765	1	RMS	1736.075	22.18	60	Pass	401
1765	3000	1	RMS	1772.006	-41.12	-13	Pass	1235
3000	12000	1	RMS	5208.27	-42.62	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.25	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.83	-13	Pass	2985
30	1000	0.1	RMS	849.2	-63.67	-13	Pass	9699
1000	1700	1	RMS	1700	-49.28	-13	Pass	700
1700	1765	1	RMS	1736.075	21.32	60	Pass	401
1765	3000	1	RMS	1772.006	-42.12	-13	Pass	1235
3000	12000	1	RMS	5208.27	-42.7	-13	Pass	9000
12000	20000	1	RMS	19692.962	-35.69	-13	Pass	8000



9. LTE_Band5


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2985
30	814	0.1	RMS	813.4	-60.9	-13	Pass	7840
814	860	0.1	RMS	824.222	19.73	60	Pass	460
860	1000	0.1	RMS	875.411	-63.97	-13	Pass	1400
1000	3000	1	RMS	2947.974	-49.78	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.15	-13	Pass	7000




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.55	-13	Pass	7840
814	860	0.1	RMS	824.222	18.65	60	Pass	460
860	1000	0.1	RMS	883.917	-63.94	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.75	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.08	-13	Pass	7000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.53	-13	Pass	2985
30	814	0.1	RMS	580.97	-63.13	-13	Pass	7840
814	860	0.1	RMS	836.048	19.81	60	Pass	460
860	1000	0.1	RMS	907.834	-63.83	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.11	-13	Pass	2000
3000	10000	1	RMS	7107.587	-43.94	-13	Pass	7000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2985
30	814	0.1	RMS	811.5	-63.7	-13	Pass	7840
814	860	0.1	RMS	836.048	18.93	60	Pass	460
860	1000	0.1	RMS	893.124	-63.92	-13	Pass	1400
1000	3000	1	RMS	2953.977	-49.79	-13	Pass	2000
3000	10000	1	RMS	7110.587	-44.14	-13	Pass	7000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	814	0.1	RMS	806.399	-63.8	-13	Pass	7840
814	860	0.1	RMS	847.874	19.79	60	Pass	460
860	1000	0.1	RMS	877.713	-63.99	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.66	-13	Pass	2000
3000	10000	1	RMS	7058.58	-42.5	-13	Pass	7000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.03	-13	Pass	2985
30	814	0.1	RMS	806.399	-63.99	-13	Pass	7840
814	860	0.1	RMS	847.874	18.94	60	Pass	460
860	1000	0.1	RMS	903.131	-63.95	-13	Pass	1400
1000	3000	1	RMS	1695.348	-49.18	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.1	-13	Pass	7000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2985
30	814	0.1	RMS	813.3	-60.95	-13	Pass	7840
814	860	0.1	RMS	824.222	19.89	60	Pass	460
860	1000	0.1	RMS	994.896	-63.9	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.76	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.14	-13	Pass	7000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.53	-13	Pass	2985
30	814	0.1	RMS	813.3	-61.27	-13	Pass	7840
814	860	0.1	RMS	824.222	19.03	60	Pass	460
860	1000	0.1	RMS	878.413	-63.89	-13	Pass	1400
1000	3000	1	RMS	2948.974	-49.72	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.1	-13	Pass	7000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2985
30	814	0.1	RMS	813.5	-61.69	-13	Pass	7840
814	860	0.1	RMS	835.246	19.92	60	Pass	460
860	1000	0.1	RMS	866.204	-63.68	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.71	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.14	-13	Pass	7000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.18	-13	Pass	7840
814	860	0.1	RMS	835.246	18.99	60	Pass	460
860	1000	0.1	RMS	995.897	-64.01	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.56	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.19	-13	Pass	7000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.64	-13	Pass	7840
814	860	0.1	RMS	846.27	19.79	60	Pass	460
860	1000	0.1	RMS	871.208	-63.91	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.94	-13	Pass	2000
3000	10000	1	RMS	7047.578	-42.67	-13	Pass	7000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	814	0.1	RMS	806.399	-64.05	-13	Pass	7840
814	860	0.1	RMS	846.27	18.98	60	Pass	460
860	1000	0.1	RMS	905.132	-63.88	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.5	-13	Pass	2000
3000	10000	1	RMS	7992.713	-44.17	-13	Pass	7000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	Pass	2985
30	814	0.1	RMS	813.4	-60.5	-13	Pass	7840
814	860	0.1	RMS	824.322	19.79	60	Pass	460
860	1000	0.1	RMS	878.213	-62.57	-13	Pass	1400
1000	3000	1	RMS	2950.975	-49.55	-13	Pass	2000
3000	10000	1	RMS	7105.587	-43.8	-13	Pass	7000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	Pass	401
0.15	30	0.01	RMS	8.183	-70.93	-13	Pass	2985
30	814	0.1	RMS	813.4	-59.95	-13	Pass	7840
814	860	0.1	RMS	824.322	18.97	60	Pass	460
860	1000	0.1	RMS	874.11	-63.98	-13	Pass	1400
1000	3000	1	RMS	2849.925	-49.55	-13	Pass	2000
3000	10000	1	RMS	7109.587	-43.92	-13	Pass	7000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.29	-13	Pass	2985
30	814	0.1	RMS	721.388	-61.94	-13	Pass	7840
814	860	0.1	RMS	834.344	19.75	60	Pass	460
860	1000	0.1	RMS	981.487	-62.65	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.23	-13	Pass	2000
3000	10000	1	RMS	8002.715	-43.88	-13	Pass	7000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	Pass	2985
30	814	0.1	RMS	812.6	-62.21	-13	Pass	7840
814	860	0.1	RMS	834.344	19.09	60	Pass	460
860	1000	0.1	RMS	878.013	-63.97	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.81	-13	Pass	2000
3000	10000	1	RMS	8007.715	-44.08	-13	Pass	7000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	Pass	2985
30	814	0.1	RMS	806.399	-64	-13	Pass	7840
814	860	0.1	RMS	844.366	19.62	60	Pass	460
860	1000	0.1	RMS	879.014	-63.93	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.1	-13	Pass	2000
3000	10000	1	RMS	7059.58	-42.71	-13	Pass	7000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.37	-72.22	-13	Pass	2985
30	814	0.1	RMS	806.399	-64	-13	Pass	7840
814	860	0.1	RMS	844.366	18.85	60	Pass	460
860	1000	0.1	RMS	877.513	-63.97	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.71	-13	Pass	2000
3000	10000	1	RMS	7111.587	-44.08	-13	Pass	7000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.02	-13	Pass	2985
30	814	0.1	RMS	811.4	-60.46	-13	Pass	7840
814	860	0.1	RMS	824.623	19.65	60	Pass	460
860	1000	0.1	RMS	869.907	-63.87	-13	Pass	1400
1000	3000	1	RMS	2950.975	-49.69	-13	Pass	2000
3000	10000	1	RMS	7109.587	-44.13	-13	Pass	7000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.3	-13	Pass	2985
30	814	0.1	RMS	813.7	-59.43	-13	Pass	7840
814	860	0.1	RMS	824.623	18.99	60	Pass	460
860	1000	0.1	RMS	876.412	-63.93	-13	Pass	1400
1000	3000	1	RMS	2949.975	-49.75	-13	Pass	2000
3000	10000	1	RMS	7107.587	-44.04	-13	Pass	7000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	814	0.1	RMS	810.3	-62.43	-13	Pass	7840
814	860	0.1	RMS	832.139	19.23	60	Pass	460
860	1000	0.1	RMS	879.114	-63.93	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49	-13	Pass	2000
3000	10000	1	RMS	7104.586	-44.15	-13	Pass	7000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.17	-13	Pass	2985
30	814	0.1	RMS	810.3	-63.09	-13	Pass	7840
814	860	0.1	RMS	832.139	18.24	60	Pass	460
860	1000	0.1	RMS	882.616	-64.03	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.7	-13	Pass	2000
3000	10000	1	RMS	7105.587	-44.15	-13	Pass	7000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	814	0.1	RMS	812.4	-63.49	-13	Pass	7840
814	860	0.1	RMS	839.556	19.6	60	Pass	460
860	1000	0.1	RMS	870.508	-63.91	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.57	-13	Pass	2000
3000	10000	1	RMS	7042.578	-42.05	-13	Pass	7000



**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.27	-13	Pass	2985
30	814	0.1	RMS	812.3	-63.84	-13	Pass	7840
814	860	0.1	RMS	839.556	18.74	60	Pass	460
860	1000	0.1	RMS	872.709	-63.95	-13	Pass	1400
1000	3000	1	RMS	2945.973	-49.53	-13	Pass	2000
3000	10000	1	RMS	8004.715	-43.87	-13	Pass	7000



10. LTE_Band7


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-25	Pass	401
0.15	30	0.01	RMS	29.22	-70.68	-25	Pass	2985
30	1000	0.1	RMS	885.849	-63.95	-25	Pass	9699
1000	2490	1	RMS	2490	-49.89	-25	Pass	1490
2490	2580	1	RMS	2500.125	22.4	60	Pass	401
2580	3000	1	RMS	2950.883	-49.59	-25	Pass	420
3000	12000	1	RMS	11589.492	-52.95	-25	Pass	9000
12000	26000	1	RMS	25894.982	-39.99	-25	Pass	14000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.12	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-25	Pass	2985
30	1000	0.1	RMS	887.05	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.18	-25	Pass	1490
2490	2580	1	RMS	2500.125	21.52	60	Pass	401
2580	3000	1	RMS	2949.881	-49.79	-25	Pass	420
3000	12000	1	RMS	11597.502	-53.01	-25	Pass	9000
12000	26000	1	RMS	25885.98	-39.93	-25	Pass	14000



10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.92	-25	Pass	2985
30	1000	0.1	RMS	976.269	-61.63	-25	Pass	9699
1000	2490	1	RMS	2490	-50.72	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.65	60	Pass	401
2580	3000	1	RMS	2949.881	-49.52	-25	Pass	420
3000	12000	1	RMS	11600.506	-52.83	-25	Pass	9000
12000	26000	1	RMS	25895.982	-39.9	-25	Pass	14000




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.48	-71.82	-25	Pass	2985
30	1000	0.1	RMS	1000	-63.8	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.85	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.98	60	Pass	401
2580	3000	1	RMS	2950.883	-49.73	-25	Pass	420
3000	12000	1	RMS	11751.693	-50.91	-25	Pass	9000
12000	26000	1	RMS	25900.983	-39.82	-25	Pass	14000




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.89	-25	Pass	2985
30	1000	0.1	RMS	873.833	-63.92	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.65	-25	Pass	1490
2490	2580	1	RMS	2565.15	22.56	60	Pass	401
2580	3000	1	RMS	2944.869	-49.77	-25	Pass	420
3000	12000	1	RMS	11603.509	-52.89	-25	Pass	9000
12000	26000	1	RMS	25901.983	-39.89	-25	Pass	14000



**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-25	Pass	2985
30	1000	0.1	RMS	993.792	-63.91	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.6	-25	Pass	1490
2490	2580	1	RMS	2565.15	21.92	60	Pass	401
2580	3000	1	RMS	2947.876	-49.74	-25	Pass	420
3000	12000	1	RMS	11520.406	-52.95	-25	Pass	9000
12000	26000	1	RMS	25904.984	-39.93	-25	Pass	14000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-25	Pass	2985
30	1000	0.1	RMS	863.619	-63.89	-25	Pass	9699
1000	2490	1	RMS	2490	-50.03	-25	Pass	1490
2490	2580	1	RMS	2500.575	22.48	60	Pass	401
2580	3000	1	RMS	2944.869	-49.8	-25	Pass	420
3000	12000	1	RMS	11601.507	-52.92	-25	Pass	9000
12000	26000	1	RMS	25890.981	-39.95	-25	Pass	14000



**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.52	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-25	Pass	2985
30	1000	0.1	RMS	858.713	-63.96	-25	Pass	9699
1000	2490	1	RMS	2490	-50.18	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.69	60	Pass	401
2580	3000	1	RMS	2946.874	-49.76	-25	Pass	420
3000	12000	1	RMS	11608.515	-52.96	-25	Pass	9000
12000	26000	1	RMS	25898.983	-39.92	-25	Pass	14000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.94	-25	Pass	2985
30	1000	0.1	RMS	867.024	-63.87	-25	Pass	9699
1000	2490	1	RMS	2490	-50.95	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.75	60	Pass	401
2580	3000	1	RMS	2949.881	-49.78	-25	Pass	420
3000	12000	1	RMS	7165.508	-51.64	-25	Pass	9000
12000	26000	1	RMS	25894.982	-39.96	-25	Pass	14000



**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-25	Pass	2985
30	1000	0.1	RMS	997.897	-63.65	-25	Pass	9699
1000	2490	1	RMS	2482.995	-50.82	-25	Pass	1490
2490	2580	1	RMS	2530.5	21.85	60	Pass	401
2580	3000	1	RMS	2950.883	-49.6	-25	Pass	420
3000	12000	1	RMS	11606.513	-52.69	-25	Pass	9000
12000	26000	1	RMS	25885.98	-39.89	-25	Pass	14000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.5	-25	Pass	401
0.15	30	0.01	RMS	0.24	-70.68	-25	Pass	2985
30	1000	0.1	RMS	478.955	-61.66	-25	Pass	9699
1000	2490	1	RMS	2483.996	-50.56	-25	Pass	1490
2490	2580	1	RMS	2560.425	22.68	60	Pass	401
2580	3000	1	RMS	2840.621	-49.59	-25	Pass	420
3000	12000	1	RMS	11592.496	-52.76	-25	Pass	9000
12000	26000	1	RMS	25887.981	-39.93	-25	Pass	14000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.8	-25	Pass	2985
30	1000	0.1	RMS	856.51	-63.96	-25	Pass	9699
1000	2490	1	RMS	2483.996	-50.84	-25	Pass	1490
2490	2580	1	RMS	2560.425	21.79	60	Pass	401
2580	3000	1	RMS	2949.881	-49.79	-25	Pass	420
3000	12000	1	RMS	11597.502	-52.96	-25	Pass	9000
12000	26000	1	RMS	25884.98	-39.92	-25	Pass	14000



**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-25	Pass	2985
30	1000	0.1	RMS	875.835	-63.88	-25	Pass	9699
1000	2490	1	RMS	2487.999	-49.1	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.53	60	Pass	401
2580	3000	1	RMS	2947.876	-49.78	-25	Pass	420
3000	12000	1	RMS	11521.408	-52.96	-25	Pass	9000
12000	26000	1	RMS	25905.984	-39.92	-25	Pass	14000



**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-25	Pass	2985
30	1000	0.1	RMS	882.845	-63.95	-25	Pass	9699
1000	2490	1	RMS	2487.999	-49.57	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.71	60	Pass	401
2580	3000	1	RMS	2842.625	-49.6	-25	Pass	420
3000	12000	1	RMS	7151.507	-51.75	-25	Pass	9000
12000	26000	1	RMS	25892.982	-39.87	-25	Pass	14000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.77	-25	Pass	2985
30	1000	0.1	RMS	925.601	-62.77	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.91	-25	Pass	1490
2490	2580	1	RMS	2528.25	22.85	60	Pass	401
2580	3000	1	RMS	2947.876	-49.83	-25	Pass	420
3000	12000	1	RMS	7273.522	-52.38	-25	Pass	9000
12000	26000	1	RMS	25899.983	-39.94	-25	Pass	14000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-25	Pass	2985
30	1000	0.1	RMS	878.239	-63.75	-25	Pass	9699
1000	2490	1	RMS	2486.998	-50.98	-25	Pass	1490
2490	2580	1	RMS	2528.25	22.19	60	Pass	401
2580	3000	1	RMS	2945.871	-49.85	-25	Pass	420
3000	12000	1	RMS	11606.513	-53.05	-25	Pass	9000
12000	26000	1	RMS	25897.982	-39.96	-25	Pass	14000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-25	Pass	2985
30	1000	0.1	RMS	863.619	-63.98	-25	Pass	9699
1000	2490	1	RMS	2490	-51.06	-25	Pass	1490
2490	2580	1	RMS	2555.7	22.87	60	Pass	401
2580	3000	1	RMS	2582.005	-46.33	-25	Pass	420
3000	12000	1	RMS	11609.517	-53.07	-25	Pass	9000
12000	26000	1	RMS	25901.983	-39.91	-25	Pass	14000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-25	Pass	2985
30	1000	0.1	RMS	871.63	-63.9	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.09	-25	Pass	1490
2490	2580	1	RMS	2555.7	21.95	60	Pass	401
2580	3000	1	RMS	2582.005	-46.93	-25	Pass	420
3000	12000	1	RMS	11600.506	-53	-25	Pass	9000
12000	26000	1	RMS	25890.981	-40.01	-25	Pass	14000



**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-25	Pass	2985
30	1000	0.1	RMS	870.328	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-49.06	-25	Pass	1490
2490	2580	1	RMS	2501.025	22.66	60	Pass	401
2580	3000	1	RMS	2948.878	-49.87	-25	Pass	420
3000	12000	1	RMS	11600.506	-53	-25	Pass	9000
12000	26000	1	RMS	25893.982	-40.03	-25	Pass	14000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.21	-25	Pass	2985
30	1000	0.1	RMS	887.351	-63.96	-25	Pass	9699
1000	2490	1	RMS	2482.995	-49.92	-25	Pass	1490
2490	2580	1	RMS	2501.025	21.93	60	Pass	401
2580	3000	1	RMS	2951.885	-49.9	-25	Pass	420
3000	12000	1	RMS	7292.524	-52.4	-25	Pass	9000
12000	26000	1	RMS	25902.983	-40.05	-25	Pass	14000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-25	Pass	2985
30	1000	0.1	RMS	844.999	-64.05	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.98	-25	Pass	1490
2490	2580	1	RMS	2526	22.93	60	Pass	401
2580	3000	1	RMS	2947.876	-49.83	-25	Pass	420
3000	12000	1	RMS	11599.504	-53.06	-25	Pass	9000
12000	26000	1	RMS	25898.983	-39.98	-25	Pass	14000



**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-25	Pass	2985
30	1000	0.1	RMS	858.913	-63.96	-25	Pass	9699
1000	2490	1	RMS	2482.995	-51.06	-25	Pass	1490
2490	2580	1	RMS	2526	22.03	60	Pass	401
2580	3000	1	RMS	2949.881	-49.87	-25	Pass	420
3000	12000	1	RMS	11597.502	-53.01	-25	Pass	9000
12000	26000	1	RMS	25898.983	-39.92	-25	Pass	14000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-25	Pass	2985
30	1000	0.1	RMS	852.304	-64.06	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.13	-25	Pass	1490
2490	2580	1	RMS	2550.975	22.97	60	Pass	401
2580	3000	1	RMS	2586.014	-47.82	-25	Pass	420
3000	12000	1	RMS	11521.408	-53.07	-25	Pass	9000
12000	26000	1	RMS	25895.982	-39.95	-25	Pass	14000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.55	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.51	-25	Pass	2985
30	1000	0.1	RMS	985.481	-64.03	-25	Pass	9699
1000	2490	1	RMS	2490	-51.02	-25	Pass	1490
2490	2580	1	RMS	2550.975	22.04	60	Pass	401
2580	3000	1	RMS	2586.014	-48.2	-25	Pass	420
3000	12000	1	RMS	11605.512	-53.02	-25	Pass	9000
12000	26000	1	RMS	25895.982	-39.95	-25	Pass	14000



11. LTE_Band12


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.22	-73.18	-13	Pass	2985
30	689	0.1	RMS	487.269	-65.3	-13	Pass	6590
689	726	0.1	RMS	699.268	20.17	60	Pass	401
726	1000	0.1	RMS	851.646	-64.32	-13	Pass	2740
1000	3000	1	RMS	1398.199	-37.29	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.43	-13	Pass	7000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.75	-13	Pass	2985
30	689	0.1	RMS	479.568	-65.15	-13	Pass	6590
689	726	0.1	RMS	699.268	18.98	60	Pass	401
726	1000	0.1	RMS	859.349	-64.51	-13	Pass	2740
1000	3000	1	RMS	1398.199	-38.26	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.41	-13	Pass	7000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.98	-13	Pass	2985
30	689	0.1	RMS	493.97	-65.2	-13	Pass	6590
689	726	0.1	RMS	707.038	20.08	60	Pass	401
726	1000	0.1	RMS	857.648	-64.3	-13	Pass	2740
1000	3000	1	RMS	1413.207	-37.51	-13	Pass	2000
3000	10000	1	RMS	3535.076	-43.28	-13	Pass	7000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.19	-13	Pass	2985
30	689	0.1	RMS	494.771	-65.17	-13	Pass	6590
689	726	0.1	RMS	707.038	19.13	60	Pass	401
726	1000	0.1	RMS	840.242	-64.22	-13	Pass	2740
1000	3000	1	RMS	1413.207	-38.37	-13	Pass	2000
3000	10000	1	RMS	3535.076	-44.24	-13	Pass	7000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2985
30	689	0.1	RMS	500.471	-65.21	-13	Pass	6590
689	726	0.1	RMS	714.808	19.62	60	Pass	401
726	1000	0.1	RMS	856.348	-64.25	-13	Pass	2740
1000	3000	1	RMS	1429.215	-35.93	-13	Pass	2000
3000	10000	1	RMS	6948.564	-44.42	-13	Pass	7000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.47	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.01	-13	Pass	2985
30	689	0.1	RMS	498.871	-65.14	-13	Pass	6590
689	726	0.1	RMS	714.808	18.68	60	Pass	401
726	1000	0.1	RMS	842.643	-64.53	-13	Pass	2740
1000	3000	1	RMS	1429.215	-36.88	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.35	-13	Pass	7000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.44	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.97	-13	Pass	2985
30	689	0.1	RMS	500.771	-65.14	-13	Pass	6590
689	726	0.1	RMS	699.268	20.12	60	Pass	401
726	1000	0.1	RMS	833.639	-64.33	-13	Pass	2740
1000	3000	1	RMS	1398.199	-37.31	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.46	-13	Pass	7000




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.6	-13	Pass	2985
30	689	0.1	RMS	492.77	-65.21	-13	Pass	6590
689	726	0.1	RMS	699.268	19.25	60	Pass	401
726	1000	0.1	RMS	857.648	-63.91	-13	Pass	2740
1000	3000	1	RMS	1398.199	-38.12	-13	Pass	2000
3000	10000	1	RMS	6950.564	-44.44	-13	Pass	7000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.22	-73.06	-13	Pass	2985
30	689	0.1	RMS	490.47	-65.18	-13	Pass	6590
689	726	0.1	RMS	706.205	19.89	60	Pass	401
726	1000	0.1	RMS	815.233	-64.39	-13	Pass	2740
1000	3000	1	RMS	1412.206	-36.04	-13	Pass	2000
3000	10000	1	RMS	3531.076	-43.06	-13	Pass	7000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.98	-13	Pass	2985
30	689	0.1	RMS	493.47	-65.18	-13	Pass	6590
689	726	0.1	RMS	706.205	18.95	60	Pass	401
726	1000	0.1	RMS	850.946	-64.39	-13	Pass	2740
1000	3000	1	RMS	1412.206	-36.94	-13	Pass	2000
3000	10000	1	RMS	3531.076	-43.77	-13	Pass	7000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.91	-13	Pass	2985
30	689	0.1	RMS	491.77	-65.09	-13	Pass	6590
689	726	0.1	RMS	713.235	20.34	60	Pass	401
726	1000	0.1	RMS	856.248	-64.4	-13	Pass	2740
1000	3000	1	RMS	1426.213	-36.63	-13	Pass	2000
3000	10000	1	RMS	6947.564	-44.4	-13	Pass	7000




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.64	-13	Pass	2985
30	689	0.1	RMS	487.069	-65.23	-13	Pass	6590
689	726	0.1	RMS	713.235	19.3	60	Pass	401
726	1000	0.1	RMS	857.248	-64.4	-13	Pass	2740
1000	3000	1	RMS	1426.213	-37.62	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.42	-13	Pass	7000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.66	-13	Pass	2985
30	689	0.1	RMS	582.184	-65.25	-13	Pass	6590
689	726	0.1	RMS	699.36	20.06	60	Pass	401
726	1000	0.1	RMS	848.345	-64.32	-13	Pass	2740
1000	3000	1	RMS	1398.199	-36.98	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.43	-13	Pass	7000




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.24	-13	Pass	2985
30	689	0.1	RMS	505.372	-65.2	-13	Pass	6590
689	726	0.1	RMS	699.36	19.24	60	Pass	401
726	1000	0.1	RMS	847.544	-64.46	-13	Pass	2740
1000	3000	1	RMS	1398.199	-37.87	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.46	-13	Pass	7000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	Pass	2985
30	689	0.1	RMS	382.654	-65.22	-13	Pass	6590
689	726	0.1	RMS	705.373	19.85	60	Pass	401
726	1000	0.1	RMS	849.745	-64.4	-13	Pass	2740
1000	3000	1	RMS	1410.205	-35.23	-13	Pass	2000
3000	10000	1	RMS	3527.075	-44.04	-13	Pass	7000




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.96	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.89	-13	Pass	2985
30	689	0.1	RMS	492.67	-65.13	-13	Pass	6590
689	726	0.1	RMS	705.373	19.04	60	Pass	401
726	1000	0.1	RMS	846.844	-64.38	-13	Pass	2740
1000	3000	1	RMS	1410.205	-36.01	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.43	-13	Pass	7000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.69	-13	Pass	2985
30	689	0.1	RMS	410.458	-65.21	-13	Pass	6590
689	726	0.1	RMS	711.293	19.73	60	Pass	401
726	1000	0.1	RMS	997.499	-64.35	-13	Pass	2740
1000	3000	1	RMS	1422.211	-38.43	-13	Pass	2000
3000	10000	1	RMS	6947.564	-44.47	-13	Pass	7000




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-13	Pass	2985
30	689	0.1	RMS	492.57	-65.25	-13	Pass	6590
689	726	0.1	RMS	711.385	18.87	60	Pass	401
726	1000	0.1	RMS	835.74	-64.39	-13	Pass	2740
1000	3000	1	RMS	1422.211	-39.2	-13	Pass	2000
3000	10000	1	RMS	6951.565	-44.45	-13	Pass	7000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.91	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.66	-13	Pass	2985
30	689	0.1	RMS	688.9	-65.16	-13	Pass	6590
689	726	0.1	RMS	699.545	19.64	60	Pass	401
726	1000	0.1	RMS	837.041	-64.33	-13	Pass	2740
1000	3000	1	RMS	1398.199	-38.62	-13	Pass	2000
3000	10000	1	RMS	7213.602	-44.42	-13	Pass	7000




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2985
30	689	0.1	RMS	506.972	-65.19	-13	Pass	6590
689	726	0.1	RMS	699.545	18.79	60	Pass	401
726	1000	0.1	RMS	843.143	-64.43	-13	Pass	2740
1000	3000	1	RMS	1398.199	-39.46	-13	Pass	2000
3000	10000	1	RMS	6953.565	-44.43	-13	Pass	7000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.53	-13	Pass	2985
30	689	0.1	RMS	498.671	-65.16	-13	Pass	6590
689	726	0.1	RMS	703.06	19.95	60	Pass	401
726	1000	0.1	RMS	824.536	-64.39	-13	Pass	2740
1000	3000	1	RMS	1405.203	-36.17	-13	Pass	2000
3000	10000	1	RMS	7209.601	-44.45	-13	Pass	7000




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.72	-13	Pass	2985
30	689	0.1	RMS	496.571	-65.17	-13	Pass	6590
689	726	0.1	RMS	703.06	18.93	60	Pass	401
726	1000	0.1	RMS	828.737	-64.13	-13	Pass	2740
1000	3000	1	RMS	1405.203	-37.21	-13	Pass	2000
3000	10000	1	RMS	6955.565	-44.41	-13	Pass	7000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.07	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.93	-13	Pass	2985
30	689	0.1	RMS	491.97	-65.23	-13	Pass	6590
689	726	0.1	RMS	706.575	20.15	60	Pass	401
726	1000	0.1	RMS	848.745	-64.42	-13	Pass	2740
1000	3000	1	RMS	1412.206	-37.64	-13	Pass	2000
3000	10000	1	RMS	3533.076	-42.95	-13	Pass	7000



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-13	Pass	2985
30	689	0.1	RMS	501.272	-65.21	-13	Pass	6590
689	726	0.1	RMS	706.575	19.31	60	Pass	401
726	1000	0.1	RMS	849.145	-64.4	-13	Pass	2740
1000	3000	1	RMS	1412.206	-38.43	-13	Pass	2000
3000	10000	1	RMS	3533.076	-44.14	-13	Pass	7000



12. LTE_Band17


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.36	-13	Pass	2985
30	694	0.1	RMS	693.5	-63.25	-13	Pass	6640
694	726	0.1	RMS	704.32	20.19	60	Pass	401
726	1000	0.1	RMS	856.748	-64.4	-13	Pass	2740
1000	3000	1	RMS	1408.204	-34.55	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.39	-13	Pass	7000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.03	-13	Pass	2985
30	694	0.1	RMS	693.5	-63.99	-13	Pass	6640
694	726	0.1	RMS	704.32	19.37	60	Pass	401
726	1000	0.1	RMS	851.246	-64.36	-13	Pass	2740
1000	3000	1	RMS	1408.204	-35.43	-13	Pass	2000
3000	10000	1	RMS	6946.564	-44.4	-13	Pass	7000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.84	-13	Pass	2985
30	694	0.1	RMS	489.969	-65.23	-13	Pass	6640
694	726	0.1	RMS	707.84	20.3	60	Pass	401
726	1000	0.1	RMS	834.44	-64.41	-13	Pass	2740
1000	3000	1	RMS	1415.208	-37.09	-13	Pass	2000
3000	10000	1	RMS	3539.077	-43.26	-13	Pass	7000




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.78	-13	Pass	2985
30	694	0.1	RMS	495.07	-65.21	-13	Pass	6640
694	726	0.1	RMS	707.84	19.56	60	Pass	401
726	1000	0.1	RMS	840.842	-64.42	-13	Pass	2740
1000	3000	1	RMS	1415.208	-37.77	-13	Pass	2000
3000	10000	1	RMS	3539.077	-43.93	-13	Pass	7000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.95	-13	Pass	2985
30	694	0.1	RMS	491.87	-65.17	-13	Pass	6640
694	726	0.1	RMS	711.36	20.02	60	Pass	401
726	1000	0.1	RMS	836.74	-64.36	-13	Pass	2740
1000	3000	1	RMS	1422.211	-38.39	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.42	-13	Pass	7000




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.24	-73.23	-13	Pass	2985
30	694	0.1	RMS	375.452	-65.13	-13	Pass	6640
694	726	0.1	RMS	711.36	19.41	60	Pass	401
726	1000	0.1	RMS	848.645	-64.35	-13	Pass	2740
1000	3000	1	RMS	1422.211	-39.16	-13	Pass	2000
3000	10000	1	RMS	6947.564	-44.49	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73	-13	Pass	2985
30	694	0.1	RMS	693.7	-63.65	-13	Pass	6640
694	726	0.1	RMS	704.56	20.17	60	Pass	401
726	1000	0.1	RMS	836.84	-64.38	-13	Pass	2740
1000	3000	1	RMS	1408.204	-36.41	-13	Pass	2000
3000	10000	1	RMS	3523.075	-43.87	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.71	-13	Pass	401
0.15	30	0.01	RMS	0.35	-72.62	-13	Pass	2985
30	694	0.1	RMS	693.7	-63.62	-13	Pass	6640
694	726	0.1	RMS	704.56	19.21	60	Pass	401
726	1000	0.1	RMS	842.442	-64.43	-13	Pass	2740
1000	3000	1	RMS	1408.204	-37.22	-13	Pass	2000
3000	10000	1	RMS	7208.601	-44.44	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2985
30	694	0.1	RMS	692.4	-63.31	-13	Pass	6640
694	726	0.1	RMS	705.6	20.45	60	Pass	401
726	1000	0.1	RMS	844.743	-64.39	-13	Pass	2740
1000	3000	1	RMS	1410.205	-36.88	-13	Pass	2000
3000	10000	1	RMS	3528.075	-43.18	-13	Pass	7000




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.4	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.72	-13	Pass	2985
30	694	0.1	RMS	692.4	-63.95	-13	Pass	6640
694	726	0.1	RMS	705.6	19.41	60	Pass	401
726	1000	0.1	RMS	849.645	-64.22	-13	Pass	2740
1000	3000	1	RMS	1410.205	-37.75	-13	Pass	2000
3000	10000	1	RMS	3528.075	-44.15	-13	Pass	7000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	Pass	2985
30	694	0.1	RMS	693.4	-62.45	-13	Pass	6640
694	726	0.1	RMS	706.56	20.15	60	Pass	401
726	1000	0.1	RMS	859.349	-64.47	-13	Pass	2740
1000	3000	1	RMS	1412.206	-37.57	-13	Pass	2000
3000	10000	1	RMS	3533.076	-43.03	-13	Pass	7000



**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.39	-73.17	-13	Pass	2985
30	694	0.1	RMS	693.4	-63.19	-13	Pass	6640
694	726	0.1	RMS	706.56	19.19	60	Pass	401
726	1000	0.1	RMS	838.241	-64.46	-13	Pass	2740
1000	3000	1	RMS	1412.206	-38.33	-13	Pass	2000
3000	10000	1	RMS	3533.076	-43.91	-13	Pass	7000



13. LTE_Band41 100M


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.6	-25	Pass	691
0.15	30	0.01	RMS	26.039	-72.62	-25	Pass	2985
30	1000	0.1	RMS	899.99	-60.19	-25	Pass	9700
1000	2486	1	RMS	2486	-48.9	-25	Pass	1486
2486	2700	1	RMS	2555.472	19.53	60	Pass	691
2700	3000	1	RMS	2985.217	-47.28	-25	Pass	691
3000	12000	1	RMS	10648.85	-37.99	-25	Pass	9000
12000	27000	1	RMS	25847.923	-28.55	-25	Pass	15000




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:40265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.46	-25	Pass	691
0.15	30	0.01	RMS	28.399	-72.28	-25	Pass	2985
30	1000	0.1	RMS	906.39	-60.25	-25	Pass	9700
1000	2486	1	RMS	2481.997	-48.86	-25	Pass	1486
2486	2700	1	RMS	2555.472	18.9	60	Pass	691
2700	3000	1	RMS	2983.043	-47.28	-25	Pass	691
3000	12000	1	RMS	10647.85	-37.95	-25	Pass	9000
12000	27000	1	RMS	25808.921	-28.51	-25	Pass	15000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.42	-25	Pass	691
0.15	30	0.01	RMS	26.859	-72.23	-25	Pass	2985
30	1000	0.1	RMS	938.294	-60.32	-25	Pass	9700
1000	2486	1	RMS	2486	-48.82	-25	Pass	1486
2486	2700	1	RMS	2602.614	18.78	60	Pass	691
2700	3000	1	RMS	2985.652	-47.27	-25	Pass	691
3000	12000	1	RMS	10650.85	-37.95	-25	Pass	9000
12000	27000	1	RMS	25851.923	-28.47	-25	Pass	15000




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.42	-25	Pass	691
0.15	30	0.01	RMS	23.768	-72.56	-25	Pass	2985
30	1000	0.1	RMS	954.195	-60.32	-25	Pass	9700
1000	2486	1	RMS	2482.998	-48.9	-25	Pass	1486
2486	2700	1	RMS	2602.925	18.03	60	Pass	691
2700	3000	1	RMS	2998.261	-47.27	-25	Pass	691
3000	12000	1	RMS	10646.85	-38.01	-25	Pass	9000
12000	27000	1	RMS	25825.922	-28.57	-25	Pass	15000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.5	-25	Pass	691
0.15	30	0.01	RMS	0.2	-72.15	-25	Pass	2985
30	1000	0.1	RMS	971.697	-60.42	-25	Pass	9700
1000	2486	1	RMS	2480.997	-48.81	-25	Pass	1486
2486	2700	1	RMS	2650.687	18.57	60	Pass	691
2700	3000	1	RMS	2980.87	-47.27	-25	Pass	691
3000	12000	1	RMS	10647.85	-38.02	-25	Pass	9000
12000	27000	1	RMS	25858.924	-28.53	-25	Pass	15000




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.54	-25	Pass	691
0.15	30	0.01	RMS	25.048	-72.77	-25	Pass	2985
30	1000	0.1	RMS	929.993	-60.36	-25	Pass	9700
1000	2486	1	RMS	2475.993	-48.91	-25	Pass	1486
2486	2700	1	RMS	2650.687	17.91	60	Pass	691
2700	3000	1	RMS	2994.348	-47.29	-25	Pass	691
3000	12000	1	RMS	10646.85	-37.97	-25	Pass	9000
12000	27000	1	RMS	25833.922	-28.55	-25	Pass	15000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.49	-25	Pass	691
0.15	30	0.01	RMS	0.17	-72.35	-25	Pass	2985
30	1000	0.1	RMS	943.994	-60.35	-25	Pass	9700
1000	2486	1	RMS	2479.996	-48.87	-25	Pass	1486
2486	2700	1	RMS	2555.783	19.06	60	Pass	691
2700	3000	1	RMS	2985.652	-47.25	-25	Pass	691
3000	12000	1	RMS	11396.933	-37.96	-25	Pass	9000
12000	27000	1	RMS	25866.924	-28.51	-25	Pass	15000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.49	-25	Pass	691
0.15	30	0.01	RMS	0.17	-72.42	-25	Pass	2985
30	1000	0.1	RMS	927.793	-60.26	-25	Pass	9700
1000	2486	1	RMS	2479.996	-48.82	-25	Pass	1486
2486	2700	1	RMS	2555.472	18.53	60	Pass	691
2700	3000	1	RMS	2980.87	-47.27	-25	Pass	691
3000	12000	1	RMS	10640.849	-37.97	-25	Pass	9000
12000	27000	1	RMS	25866.924	-28.55	-25	Pass	15000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.53	-25	Pass	691
0.15	30	0.01	RMS	22.958	-72.72	-25	Pass	2985
30	1000	0.1	RMS	929.793	-60.25	-25	Pass	9700
1000	2486	1	RMS	2480.997	-48.88	-25	Pass	1486
2486	2700	1	RMS	2600.443	18.54	60	Pass	691
2700	3000	1	RMS	2982.174	-47.25	-25	Pass	691
3000	12000	1	RMS	10648.85	-37.95	-25	Pass	9000
12000	27000	1	RMS	25853.924	-28.4	-25	Pass	15000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.42	-25	Pass	691
0.15	30	0.01	RMS	25.929	-72.6	-25	Pass	2985
30	1000	0.1	RMS	929.593	-60.24	-25	Pass	9700
1000	2486	1	RMS	2479.996	-48.88	-25	Pass	1486
2486	2700	1	RMS	2600.443	17.8	60	Pass	691
2700	3000	1	RMS	2983.043	-47.25	-25	Pass	691
3000	12000	1	RMS	10648.85	-37.93	-25	Pass	9000
12000	27000	1	RMS	25837.923	-28.44	-25	Pass	15000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.53	-25	Pass	691
0.15	30	0.01	RMS	25.408	-72.5	-25	Pass	2985
30	1000	0.1	RMS	891.989	-60.35	-25	Pass	9700
1000	2486	1	RMS	2482.998	-48.81	-25	Pass	1486
2486	2700	1	RMS	2645.414	18.95	60	Pass	691
2700	3000	1	RMS	2980.435	-47.22	-25	Pass	691
3000	12000	1	RMS	10650.85	-37.95	-25	Pass	9000
12000	27000	1	RMS	25839.923	-28.47	-25	Pass	15000




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.42	-25	Pass	691
0.15	30	0.01	RMS	0.15	-72.25	-25	Pass	2985
30	1000	0.1	RMS	884.388	-60.3	-25	Pass	9700
1000	2486	1	RMS	2479.996	-48.87	-25	Pass	1486
2486	2700	1	RMS	2645.414	17.82	60	Pass	691
2700	3000	1	RMS	2979.565	-47.22	-25	Pass	691
3000	12000	1	RMS	10640.849	-38	-25	Pass	9000
12000	27000	1	RMS	25818.921	-28.46	-25	Pass	15000




**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.53	-25	Pass	691
0.15	30	0.01	RMS	28.499	-72.16	-25	Pass	2985
30	1000	0.1	RMS	962.996	-60.2	-25	Pass	9700
1000	2486	1	RMS	2486	-48.87	-25	Pass	1486
2486	2700	1	RMS	2555.783	19.59	60	Pass	691
2700	3000	1	RMS	2977.826	-47.26	-25	Pass	691
3000	12000	1	RMS	10651.85	-38.05	-25	Pass	9000
12000	27000	1	RMS	25841.923	-28.53	-25	Pass	15000




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.51	-25	Pass	691
0.15	30	0.01	RMS	25.158	-72.8	-25	Pass	2985
30	1000	0.1	RMS	948.095	-60.29	-25	Pass	9700
1000	2486	1	RMS	2480.997	-48.81	-25	Pass	1486
2486	2700	1	RMS	2555.783	19.35	60	Pass	691
2700	3000	1	RMS	2984.783	-47.23	-25	Pass	691
3000	12000	1	RMS	10635.848	-38.02	-25	Pass	9000
12000	27000	1	RMS	26504.967	-28.51	-25	Pass	15000




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40740, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.43	-25	Pass	691
0.15	30	0.01	RMS	0.23	-72.52	-25	Pass	2985
30	1000	0.1	RMS	896.289	-60.37	-25	Pass	9700
1000	2486	1	RMS	2482.998	-48.9	-25	Pass	1486
2486	2700	1	RMS	2598.583	19.19	60	Pass	691
2700	3000	1	RMS	2980.435	-47.23	-25	Pass	691
3000	12000	1	RMS	10650.85	-37.96	-25	Pass	9000
12000	27000	1	RMS	25820.921	-28.53	-25	Pass	15000




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40740, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.49	-25	Pass	691
0.15	30	0.01	RMS	28.369	-72.8	-25	Pass	2985
30	1000	0.1	RMS	933.693	-60.39	-25	Pass	9700
1000	2486	1	RMS	2481.997	-48.77	-25	Pass	1486
2486	2700	1	RMS	2598.272	18.93	60	Pass	691
2700	3000	1	RMS	2993.043	-47.25	-25	Pass	691
3000	12000	1	RMS	10652.85	-38.01	-25	Pass	9000
12000	27000	1	RMS	25854.924	-28.4	-25	Pass	15000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.58	-25	Pass	691
0.15	30	0.01	RMS	0.24	-72.7	-25	Pass	2985
30	1000	0.1	RMS	902.19	-60.25	-25	Pass	9700
1000	2486	1	RMS	2479.996	-48.8	-25	Pass	1486
2486	2700	1	RMS	2641.072	19.02	60	Pass	691
2700	3000	1	RMS	2980.435	-47.24	-25	Pass	691
3000	12000	1	RMS	10647.85	-37.98	-25	Pass	9000
12000	27000	1	RMS	25861.924	-28.42	-25	Pass	15000




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.53	-25	Pass	691
0.15	30	0.01	RMS	0.18	-72.23	-25	Pass	2985
30	1000	0.1	RMS	949.395	-60.3	-25	Pass	9700
1000	2486	1	RMS	2477.995	-48.82	-25	Pass	1486
2486	2700	1	RMS	2641.072	18.9	60	Pass	691
2700	3000	1	RMS	2986.522	-47.27	-25	Pass	691
3000	12000	1	RMS	10646.85	-38.01	-25	Pass	9000
12000	27000	1	RMS	25832.922	-28.48	-25	Pass	15000




**13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.46	-25	Pass	691
0.15	30	0.01	RMS	22.347	-72.43	-25	Pass	2985
30	1000	0.1	RMS	916.791	-60.24	-25	Pass	9700
1000	2486	1	RMS	2482.998	-48.83	-25	Pass	1486
2486	2700	1	RMS	2555.783	18.8	60	Pass	691
2700	3000	1	RMS	2980.435	-47.21	-25	Pass	691
3000	12000	1	RMS	10649.85	-37.98	-25	Pass	9000
12000	27000	1	RMS	25820.921	-28.48	-25	Pass	15000




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.45	-25	Pass	691
0.15	30	0.01	RMS	0.15	-72.58	-25	Pass	2985
30	1000	0.1	RMS	941.194	-60.22	-25	Pass	9700
1000	2486	1	RMS	2481.997	-48.82	-25	Pass	1486
2486	2700	1	RMS	2556.093	19.07	60	Pass	691
2700	3000	1	RMS	2985.217	-47.22	-25	Pass	691
3000	12000	1	RMS	10649.85	-37.89	-25	Pass	9000
12000	27000	1	RMS	25803.92	-28.48	-25	Pass	15000




**13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40740, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.38	-25	Pass	691
0.15	30	0.01	RMS	0.2	-72.55	-25	Pass	2985
30	1000	0.1	RMS	915.591	-60.37	-25	Pass	9700
1000	2486	1	RMS	2481.997	-48.76	-25	Pass	1486
2486	2700	1	RMS	2596.101	18.56	60	Pass	691
2700	3000	1	RMS	2982.609	-47.18	-25	Pass	691
3000	12000	1	RMS	10642.849	-37.96	-25	Pass	9000
12000	27000	1	RMS	26501.967	-28.53	-25	Pass	15000




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40740, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.43	-25	Pass	691
0.15	30	0.01	RMS	28.86	-72.69	-25	Pass	2985
30	1000	0.1	RMS	909.391	-60.29	-25	Pass	9700
1000	2486	1	RMS	2477.995	-48.79	-25	Pass	1486
2486	2700	1	RMS	2596.412	18.12	60	Pass	691
2700	3000	1	RMS	2983.478	-47.24	-25	Pass	691
3000	12000	1	RMS	10649.85	-37.92	-25	Pass	9000
12000	27000	1	RMS	25846.923	-28.44	-25	Pass	15000




**13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.39	-25	Pass	691
0.15	30	0.01	RMS	29.77	-72.65	-25	Pass	2985
30	1000	0.1	RMS	958.396	-60.25	-25	Pass	9700
1000	2486	1	RMS	2481.997	-48.89	-25	Pass	1486
2486	2700	1	RMS	2636.11	19.93	60	Pass	691
2700	3000	1	RMS	2985.652	-47.21	-25	Pass	691
3000	12000	1	RMS	10641.849	-37.99	-25	Pass	9000
12000	27000	1	RMS	25801.92	-28.43	-25	Pass	15000



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.46	-25	Pass	691
0.15	30	0.01	RMS	25.879	-72.11	-25	Pass	2985
30	1000	0.1	RMS	860.286	-60.25	-25	Pass	9700
1000	2486	1	RMS	2479.996	-48.8	-25	Pass	1486
2486	2700	1	RMS	2636.11	18.14	60	Pass	691
2700	3000	1	RMS	2988.696	-47.26	-25	Pass	691
3000	12000	1	RMS	10651.85	-37.95	-25	Pass	9000
12000	27000	1	RMS	25835.922	-28.48	-25	Pass	15000



END