






802.11ax40, Low Channel, Bandedge, Horizontal**802.11ax40, Low Channel, Bandedge, Vertical****802.11ax40, High Channel, Bandedge, Horizontal****802.11ax40, High Channel, Bandedge, Vertical**

**802.11ac80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5144.20	57.39	6.50	63.89	74.00	10.11	Peak
2	5144.20	42.52	6.50	49.02	54.00	4.98	Average
3	5150.00	53.02	6.53	59.55	74.00	14.45	Peak
4	5150.00	42.66	6.53	49.19	54.00	4.81	Average
5	5350.00	51.58	7.10	58.68	74.00	15.32	Peak
6	5350.00	39.53	7.10	46.63	54.00	7.37	Average

**802.11ac80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5143.99	59.71	6.50	66.21	74.00	7.79	Peak
2	5143.99	43.35	6.50	49.85	54.00	4.15	Average
3	5150.00	54.69	6.53	61.22	74.00	12.78	Peak
4	5150.00	42.56	6.53	49.09	54.00	4.91	Average
5	5350.00	51.45	7.10	58.55	74.00	15.45	Peak
6	5350.00	39.62	7.10	46.72	54.00	7.28	Average

**802.11ax80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.09	6.53	55.62	74.00	18.38	Peak
2	5150.00	38.91	6.53	45.44	54.00	8.56	Average
3	5350.00	49.69	7.10	56.79	74.00	17.21	Peak
4	5350.00	38.05	7.10	45.15	54.00	8.85	Average





**802.11ax80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	50.79	6.53	57.32	74.00	16.68	Peak
2	5150.00	39.15	6.53	45.68	54.00	8.32	Average
3	5350.00	49.04	7.10	56.14	74.00	17.86	Peak
4	5350.00	37.42	7.10	44.52	54.00	9.48	Average

5250-5350MHz:**Chain 0****802.11a, Low Channel, Bandedge, Horizontal****802.11a, Low Channel, Bandedge, Vertical****802.11a, High Channel, Bandedge, Horizontal****802.11a, High Channel, Bandedge, Vertical**

Chain 1

802.11a, Low Channel, Bandedge, Horizontal


Project No.: 2502P26130E-RF Serial No.: 2X80-2
Polarization: Horizontal Tester: Bill Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A low channel 5260MHz chain1
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.50	6.53	56.03	74.00	17.97	Peak
2	5150.00	38.33	6.53	44.86	54.00	9.14	Average

802.11a, Low Channel, Bandedge, Vertical


Project No.: 2502P26130E-RF Serial No.: 2X80-2
Polarization: Vertical Tester: Bill Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A low channel 5260MHz chain1
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.65	6.53	56.18	74.00	17.82	Peak
2	5150.00	39.76	6.53	46.29	54.00	7.71	Average

802.11a, High Channel, Bandedge, Horizontal


Project No.: 2502P26130E-RF Serial No.: 2X80-2
Polarization: Horizontal Tester: Bill Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A high channel 5330MHz chain1
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz







No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	49.80	7.10	56.90	74.00	17.10	Peak
2	5350.00	39.40	7.10	46.50	54.00	7.50	Average

802.11a, High Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF Serial No.: 2X80-2
Polarization: Vertical Tester: Bill Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A high channel 5330MHz chain1
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	53.82	7.10	60.92	74.00	13.08	Peak
2	5350.00	43.03	7.10	50.13	54.00	3.87	Average
3	5352.38	57.31	7.11	64.42	74.00	9.58	Peak
4	5352.38	41.43	7.11	48.54	54.00	5.46	Average

MIMO mode:**802.11n20, Low Channel, Bandedge, Horizontal****802.11n20, Low Channel, Bandedge, Vertical****802.11n20, High Channel, Bandedge, Horizontal****802.11n20, High Channel, Bandedge, Vertical**

802.11n40, Low Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A low channel 5270MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XB0-2
Tester: Bill Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.34	6.53	55.87	74.00	18.13	Peak
2	5150.00	38.63	6.53	45.16	54.00	8.84	Average

802.11n40, Low Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A low channel 5270MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XB0-2
Tester: Bill Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.90	6.53	56.43	74.00	17.57	Peak
2	5150.00	38.50	6.53	45.03	54.00	8.97	Average

802.11n40, High Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A high channel 5310MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XB0-2
Tester: Bill Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	50.10	7.10	57.20	74.00	16.80	Peak
2	5350.00	39.09	7.10	46.19	54.00	7.81	Average





802.11n40, High Channel, Bandedge, Vertical





Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A high channel 5310MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XB0-2
Tester: Bill Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	54.38	7.10	61.48	74.00	12.52	Peak
2	5350.00	42.59	7.10	49.69	54.00	4.31	Average

802.11ax20, Low Channel, Bandedge, Horizontal**802.11ax20, Low Channel, Bandedge, Vertical****802.11ax20, High Channel, Bandedge, Horizontal****802.11ax20, High Channel, Bandedge, Vertical**


802.11ax40, Low Channel, Bandedge, Horizontal**802.11ax40, Low Channel, Bandedge, Vertical****802.11ax40, High Channel, Bandedge, Horizontal****802.11ax40, High Channel, Bandedge, Vertical**

**802.11ac80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao

Date: 2025-03-12




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.45	6.53	55.98	74.00	18.02	Peak
2	5150.00	38.87	6.53	45.40	54.00	8.60	Average
3	5350.00	52.15	7.10	59.25	74.00	14.75	Peak
4	5350.00	40.28	7.10	47.38	54.00	6.62	Average
5	5362.98	55.13	7.16	62.29	74.00	11.71	Peak
6	5362.98	39.68	7.16	46.84	54.00	7.16	Average

**802.11ac80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao

Date: 2025-03-12




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	50.41	6.53	56.94	74.00	17.06	Peak
2	5150.00	39.30	6.53	45.83	54.00	8.17	Average
3	5350.00	60.39	7.10	67.49	74.00	6.51	Peak
4	5350.00	43.25	7.10	50.35	54.00	3.65	Average
5	5353.20	61.36	7.11	68.47	74.00	5.53	Peak
6	5353.20	45.01	7.11	52.12	54.00	1.88	Average

**802.11ax80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao

Date: 2025-04-12




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	47.71	6.53	54.24	74.00	19.76	Peak
2	5150.00	37.68	6.53	44.21	54.00	9.79	Average
3	5350.00	49.02	7.10	56.12	74.00	17.88	Peak
4	5350.00	38.66	7.10	45.76	54.00	8.24	Average

**802.11ax80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao

Date: 2025-04-12




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.50	6.53	56.03	74.00	17.97	Peak
2	5150.00	37.94	6.53	44.47	54.00	9.53	Average
3	5350.00	50.77	7.10	57.87	74.00	16.13	Peak
4	5350.00	39.53	7.10	46.63	54.00	7.37	Average


5470-5725MHz:

Chain 0


802.11a, Low Channel, Bandedge, Horizontal




802.11a, Low Channel, Bandedge, Vertical



802.11a, High Channel, Bandedge, Horizontal




802.11a, High Channel, Bandedge, Vertical



Chain 1

802.11a, Low Channel, Bandedge, Horizontal


Project No.: 2502P26130E-RF Serial No.: 2XB0-2
Polarization: Horizontal Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2C low channel 5500MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5KHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	51.82	7.33	59.15	74.00	14.85	Peak
2	5460.00	39.24	7.33	46.57	54.00	7.43	Average
3	5470.00	51.67	7.34	59.01	68.20	9.19	Peak

802.11a, Low Channel, Bandedge, Vertical


Project No.: 2502P26130E-RF Serial No.: 2XB0-2
Polarization: Vertical Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2C low channel 5500MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5KHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	52.60	7.33	59.93	74.00	14.07	Peak
2	5460.00	40.16	7.33	47.49	54.00	6.51	Average
3	5470.00	55.42	7.34	62.76	68.20	5.44	Peak

802.11a, High Channel, Bandedge, Horizontal


Project No.: 2502P26130E-RF Serial No.: 2XB0-2
Polarization: Horizontal Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2C high channel 5700MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz







No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.52	8.03	58.55	68.20	9.65	Peak
2	5766.88	52.32	8.11	60.43	68.20	7.77	Peak

802.11a, High Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF Serial No.: 2XB0-2
Polarization: Vertical Tester: Colin Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2C high channel 5700MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	55.96	8.03	63.99	68.20	4.21	Peak


MIMO mode:**802.11n20, Low Channel, Bandedge, Horizontal****802.11n20, Low Channel, Bandedge, Vertical****802.11n20, High Channel, Bandedge, Horizontal****802.11n20, High Channel, Bandedge, Vertical**

802.11n40, Low Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40-U-NII-2C low channel 5510MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: ZXBO-2
Tester: Leo Xiao

Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.85	7.33	57.18	74.00	16.82	Peak
2	5460.00	39.45	7.33	46.78	54.00	7.22	Average
3	5470.00	51.11	7.34	58.45	68.20	9.75	Peak

802.11n40, Low Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40-U-NII-2C low channel 5510MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: ZXBO-2
Tester: Leo Xiao

Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	52.74	7.33	60.07	74.00	13.93	Peak
2	5460.00	43.82	7.33	51.15	54.00	2.85	Average
3	5470.00	58.50	7.34	65.84	68.20	2.36	Peak

802.11n40, High Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40-U-NII-2C high channel 5670MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: ZXBO-2
Tester: Leo Xiao

Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.34	8.03	58.37	68.20	9.83	Peak

802.11n40, High Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40-U-NII-2C high channel 5670MHz
Peak: RBW:1MHz, VBW:30Hz


Serial No.: ZXBO-2
Tester: Leo Xiao

Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	51.07	8.03	59.10	68.20	9.10	Peak
2	5725.12	55.36	8.03	63.39	68.20	4.81	Peak


802.11ax20, Low Channel, Bandedge, Horizontal




802.11ax20, Low Channel, Bandedge, Vertical







802.11ax20, High Channel, Bandedge, Horizontal



802.11ax20, High Channel, Bandedge, Vertical




802.11ax40, Low Channel, Bandedge, Horizontal**802.11ax40, Low Channel, Bandedge, Vertical****802.11ax40, High Channel, Bandedge, Horizontal****802.11ax40, High Channel, Bandedge, Vertical**

802.11ac80, Low Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C low channel 5530MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.10	7.33	56.43	74.00	17.57	Peak
2	5460.00	39.54	7.33	46.87	54.00	7.13	Average
3	5470.00	49.77	7.34	57.11	68.20	11.09	Peak

802.11ac80, Low Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C low channel 5530MHz
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	53.16	7.33	60.49	74.00	13.51	Peak
2	5460.00	43.18	7.33	50.51	54.00	3.49	Average
3	5468.15	57.90	7.34	65.24	68.20	2.96	Peak
4	5470.00	54.45	7.34	61.79	68.20	6.41	Peak

802.11ac80, High Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C high channel 5610MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	49.35	8.03	57.38	68.20	10.82	Peak





802.11ac80, High Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C high channel 5610MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.60	8.03	58.63	68.20	9.57	Peak
2	5749.55	56.06	8.08	64.14	68.20	4.06	Peak

802.11ax80, Low Channel, Bandedge, Horizontal**802.11ax80, Low Channel, Bandedge, Vertical****802.11ax80, High Channel, Bandedge, Horizontal****802.11ax80, High Channel, Bandedge, Vertical**


5725-5850MHz:

Chain 0


802.11a, Low Channel, Bandedge, Horizontal




802.11a, Low Channel, Bandedge, Vertical



802.11a, High Channel, Bandedge, Horizontal



802.11a, High Channel, Bandedge, Vertical




Chain 1

802.11a, Low Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain1
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.91	7.89	56.80	68.20	11.40	Peak
2	5700.00	49.23	7.98	57.21	105.20	47.99	Peak
3	5720.00	50.25	8.02	58.27	110.80	52.53	Peak
4	5725.00	49.44	8.03	57.47	122.20	64.73	Peak

802.11a, Low Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 low channel 5745MHz Chain1
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.51	7.89	56.40	68.20	11.80	Peak
2	5700.00	49.58	7.98	57.56	105.20	47.64	Peak
3	5720.00	51.06	8.02	59.08	110.80	51.72	Peak
4	5725.00	52.04	8.03	60.07	122.20	62.13	Peak

802.11a, High Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain1
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	49.22	8.20	57.42	122.20	64.78	Peak
2	5855.00	49.18	8.21	57.39	110.80	53.41	Peak
3	5875.00	49.08	8.28	57.36	105.20	47.84	Peak
4	5925.00	49.21	8.40	57.61	68.20	10.59	Peak





802.11a, High Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a_U-NII-3 high channel 5825MHz Chain1
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	50.90	8.20	59.10	122.20	63.10	Peak
2	5855.00	50.46	8.21	58.67	110.80	52.13	Peak
3	5875.00	50.08	8.28	58.36	105.20	46.84	Peak
4	5925.00	49.51	8.40	57.91	68.20	10.29	Peak

MIMO mode:**802.11n20, Low Channel, Bandedge, Horizontal****802.11n20, Low Channel, Bandedge, Vertical****802.11n20, High Channel, Bandedge, Horizontal****802.11n20, High Channel, Bandedge, Vertical**


802.11n40, Low Channel, Bandedge, Horizontal




802.11n40, Low Channel, Bandedge, Vertical




802.11n40, High Channel, Bandedge, Horizontal




802.11n40, High Channel, Bandedge, Vertical




802.11ax20, Low Channel, Bandedge, Horizontal




802.11ax20, Low Channel, Bandedge, Vertical







802.11ax20, High Channel, Bandedge, Horizontal



802.11ax20, High Channel, Bandedge, Vertical




802.11ax40, Low Channel, Bandedge, Horizontal**802.11ax40, Low Channel, Bandedge, Vertical****802.11ax40, High Channel, Bandedge, Horizontal****802.11ax40, High Channel, Bandedge, Vertical**

**802.11ac80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.48	7.89	57.37	68.20	10.83	Peak
2	5700.00	54.47	7.98	62.45	105.20	42.75	Peak
3	5720.00	54.48	8.02	62.50	110.80	48.30	Peak
4	5725.00	53.96	8.03	61.99	122.20	60.21	Peak
5	5850.00	53.22	8.20	61.42	122.20	60.78	Peak
6	5855.00	54.06	8.21	62.27	110.80	48.53	Peak
7	5875.00	49.29	8.28	57.57	105.20	47.63	Peak
8	5925.00	50.14	8.40	58.54	68.20	9.66	Peak

**802.11ac80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5645.97	55.81	7.89	63.70	68.20	4.50	Peak
2	5650.00	50.74	7.89	58.63	68.20	9.57	Peak
3	5700.00	63.83	7.98	71.81	105.20	33.39	Peak
4	5720.00	65.18	8.02	73.20	110.80	37.60	Peak
5	5725.00	62.10	8.03	70.13	122.20	52.07	Peak
6	5850.00	61.85	8.20	70.05	122.20	52.15	Peak
7	5855.00	60.85	8.21	69.06	110.80	41.74	Peak
8	5875.00	56.39	8.28	64.67	105.20	40.53	Peak
9	5925.00	52.19	8.40	60.59	68.20	7.61	Peak
10	5927.28	53.87	8.40	62.27	68.20	5.93	Peak

**802.11ax80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.18	7.89	58.07	68.20	10.13	Peak
2	5700.00	54.62	7.98	62.60	105.20	42.60	Peak
3	5720.00	56.12	8.02	64.14	110.80	46.66	Peak
4	5725.00	56.03	8.03	64.06	122.20	58.14	Peak
5	5850.00	56.43	8.20	64.63	122.20	57.57	Peak
6	5855.00	55.47	8.21	63.68	110.80	47.12	Peak
7	5875.00	49.87	8.28	58.15	105.20	47.05	Peak
8	5925.00	49.59	8.40	57.99	68.20	10.21	Peak

**802.11ax80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XB0-2
Tester: Leo Xiao



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5609.38	57.03	7.76	64.79	68.20	3.41	Peak
2	5650.00	53.79	7.89	61.68	68.20	6.52	Peak
3	5700.00	64.65	7.98	72.63	105.20	32.57	Peak
4	5720.00	66.75	8.02	74.77	110.80	36.03	Peak
5	5725.00	67.72	8.03	75.75	122.20	46.45	Peak
6	5850.00	66.55	8.20	74.75	122.20	47.45	Peak
7	5855.00	66.11	8.21	74.32	110.80	36.48	Peak
8	5875.00	58.91	8.28	67.19	105.20	38.01	Peak
9	5925.00	50.48	8.40	58.88	68.20	9.32	Peak

5.3 26dB attenuated below the channel power

Serial No.:	2XBO-1	Test Date:	2025/04/15~2025/05/07
Test Site:	RF	Test Mode:	Transmitting
Tester:	Tower Qing	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.8~26	Relative Humidity: (%)	42~69	ATM Pressure: (kPa)	100.7~100.8
-----------------------------	---------	----------------------------------	-------	-------------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2024/06/13	2025/06/12
R&S	Spectrum Analyzer	FSV40	101589	2024/09/05	2025/09/04


** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:

The channel power please refer to the power test result. Please refer to the following plots.


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 20.APR.2025 21:06:08

802.11a_5200MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 7.MAY.2025 15:55:18

802.11a_5240MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 7.MAY.2025 15:56:42

802.11a_5180MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 15.APR.2025 18:19:45

802.11a_5200MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 15.APR.2025 18:21:16

802.11a_5240MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 15.APR.2025 18:21:53

802.11n20_5180MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:07:03

802.11n20_5200MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:08:05

802.11n20_5240MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:09:11

802.11n20_5180MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:10:25

802.11n20_5200MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:19:13

802.11n20_5240MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:19:51

802.11n40_5190MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:09:49

802.11n40_5230MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:10:39

802.11n40_5190MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:20:30

802.11n40_5230MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:21:10

802.11ac80_5210MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:13:03

802.11ac80_5210MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:21:44

802.11ax20_5180MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:14:07

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:14:51

802.11ax20_5240MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:15:22

802.11ax20_5180MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:22:22

802.11ax20_5200MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:23:04

802.11ax20_5240MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:23:41

802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:15:56

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:16:41

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:24:17

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:25:05

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:17:23

802.11ax80_5210MHz_RU_Full_Chain 1



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:25:43

5.4 Emission Bandwidth

Serial No.:	2XBO-1	Test Date:	2025/02/06~2025/02/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Tower Qing	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	20.9~21.6	Relative Humidity: (%)	42~52	ATM Pressure: (kPa)	101.2~101.4
-------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2024/06/13	2025/06/12
R&S	Spectrum Analyzer	FSV40	101589	2024/09/05	2025/09/04

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:

**26dB Emission Bandwidth
5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	21.204
		5200	21.099
		5240	21.303
	Chain 1	5180	21.502
		5200	21.364
		5240	20.849
802.11n20	Chain 0	5180	26.498
		5200	26.020
		5240	21.499
	Chain 1	5180	21.232
		5200	21.198
		5240	21.449
802.11n40	Chain 0	5190	70.734
		5230	71.922
	Chain 1	5190	81.862
		5230	92.342
802.11ac80	Chain 0	5210	137.044
	Chain 1	5210	178.151
802.11ax20_RU_Full	Chain 0	5180	42.990
		5200	28.775
		5240	26.734
	Chain 1	5180	47.094
		5200	47.287
		5240	49.121
802.11ax40_RU_Full	Chain 0	5190	68.500
		5230	52.163
	Chain 1	5190	75.652
		5230	77.559
802.11ax80_RU_Full	Chain 0	5210	169.506
	Chain 1	5210	150.819

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5260	23.944
		5280	21.361
		5320	21.514
	Chain 1	5260	21.053
		5280	21.000
		5320	21.402
802.11n20	Chain 0	5260	33.715
		5280	27.085
		5320	21.510
	Chain 1	5260	21.307
		5280	21.186
		5320	22.674
802.11n40	Chain 0	5270	76.563
		5310	57.995
	Chain 1	5270	94.980
		5310	92.045
802.11ac80	Chain 0	5290	108.717
	Chain 1	5290	180.132
802.11ax20_RU_Full	Chain 0	5260	24.241
		5280	23.402
		5320	22.984
	Chain 1	5260	46.508
		5280	47.976
		5320	22.986
802.11ax40_RU_Full	Chain 0	5270	55.423
		5310	55.384
	Chain 1	5270	68.992
		5310	57.413
802.11ax80_RU_Full	Chain 0	5290	130.260
	Chain 1	5290	130.243

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5500	31.020
		5580	48.386
		5700	21.208
		5720	36.166
	Chain 1	5500	21.654
		5580	21.153
		5700	24.265
		5720	21.568
802.11n20	Chain 0	5500	27.486
		5580	22.141
		5700	21.517
		5720	21.674
	Chain 1	5500	32.642
		5580	31.389
		5700	21.399
		5720	21.292
802.11n40	Chain 0	5510	95.803
		5550	90.907
		5670	85.867
		5710	81.465
	Chain 1	5510	95.220
		5550	92.005
		5670	92.286
		5710	86.804
802.11ac80	Chain 0	5530	167.487
		5610	188.792
		5690	122.966
	Chain 1	5530	137.326
		5610	182.749
		5690	141.104
802.11ax20_RU_Full	Chain 0	5500	44.953
		5580	43.384
		5700	41.319


Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11ax20_RU_Full	Chain 0	5720	41.237
	Chain 1	5500	52.053
		5580	38.484
		5700	50.195
		5720	46.715
802.11ax40_RU_Full	Chain 0	5510	82.154
		5550	82.014
		5670	88.352
		5710	83.556
	Chain 1	5510	78.918
		5550	91.025
		5670	88.012
		5710	82.862
802.11ax80_RU_Full	Chain 0	5530	193.867
		5610	181.397
		5690	149.331
	Chain 1	5530	193.907
		5610	180.078
		5690	173.998

**6dB Emission Bandwidth
5725-5850MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	15.265	0.5	Pass
		5785	15.215	0.5	Pass
		5825	15.265	0.5	Pass
	Chain 1	5745	15.215	0.5	Pass
		5785	15.265	0.5	Pass
		5825	15.265	0.5	Pass
802.11n20	Chain 0	5745	15.265	0.5	Pass
		5785	15.265	0.5	Pass
		5825	15.265	0.5	Pass
	Chain 1	5745	15.265	0.5	Pass
		5785	15.265	0.5	Pass
		5825	15.265	0.5	Pass
802.11n40	Chain 0	5755	36.537	0.5	Pass
		5795	35.936	0.5	Pass
	Chain 1	5755	36.537	0.5	Pass
		5795	36.036	0.5	Pass
802.11ac80	Chain 0	5775	76.677	0.5	Pass
	Chain 1	5775	75.876	0.5	Pass
802.11ax20_RU_Full	Chain 0	5745	19.169	0.5	Pass
		5785	17.067	0.5	Pass
		5825	16.917	0.5	Pass
	Chain 1	5745	19.119	0.5	Pass
		5785	19.119	0.5	Pass
		5825	19.119	0.5	Pass
802.11ax40_RU_Full	Chain 0	5755	37.538	0.5	Pass
		5795	37.437	0.5	Pass
	Chain 1	5755	37.437	0.5	Pass
		5795	36.036	0.5	Pass
802.11ax80_RU_Full	Chain 0	5775	77.077	0.5	Pass
	Chain 1	5775	76.877	0.5	Pass


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 6.FEB.2025 00:29:17

802.11a_5200MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 6.FEB.2025 00:31:19

802.11a_5240MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 6.FEB.2025 00:33:38

802.11a_5180MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 12.FEB.2025 21:37:39

802.11a_5200MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 12.FEB.2025 21:40:41

802.11a_5240MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 12.FEB.2025 21:57:22

802.11n20_5180MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:38:26

802.11n20_5200MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:40:48

802.11n20_5240MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:44:07

802.11n20_5180MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:07:54

802.11n20_5200MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:10:22

802.11n20_5240MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:13:43

802.11n40_5190MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:46:10

802.11n40_5230MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:47:58

802.11n40_5190MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:15:57

802.11n40_5230MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:17:39

802.11ac80_5210MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:50:04

802.11ac80_5210MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:26:41

802.11ax20_5180MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:52:15

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:19:33

802.11ax20_5240MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:21:51

802.11ax20_5180MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:40:16

802.11ax20_5200MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:37:55

802.11ax20_5240MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:51:57

802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:24:30

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:26:15

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:55:05

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:57:23

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:28:02


802.11ax80_5210MHz_RU_Full_Chain 1



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:00:18


5250-5350MHz

802.11a_5260MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:38:36

802.11a_5280MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:34:08

802.11a_5320MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:02:37

802.11a_5260MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:05:37

802.11a_5280MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:08:11

802.11a_5320MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:10:07

802.11n20_5260MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:48:05

802.11n20_5280MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:50:14

802.11n20_5320MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:53:20

802.11n20_5260MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:13:11

802.11n20_5280MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:16:45

802.11n20_5320MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:19:44

802.11n40_5270MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:57:11

802.11n40_5310MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:59:08

802.11n40_5270MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:22:51

802.11n40_5310MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:25:53

802.11ac80_5290MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:31:35

802.11ac80_5290MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:19:04

802.11ax20_5260MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:21:07

802.11ax20_5280MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:35:50

802.11ax20_5320MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:26:49

802.11ax20_5260MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:23:01

802.11ax20_5280MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:28:38

802.11ax20_5320MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:39:37

802.11ax40_5270MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:36:09

802.11ax40_5310MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:38:50

802.11ax40_5270MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:44:40

802.11ax40_5310MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:46:26

802.11ax80_5290MHz_RU_Full_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:41:21


802.11ax80_5290MHz_RU_Full_Chain 1



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:47:54

5470-5725MHz


802.11a_5500MHz_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing

Date: 6.FEB.2025 02:45:20


802.11a_5580MHz_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing

Date: 6.FEB.2025 02:50:58


802.11a_5700MHz_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing

Date: 6.FEB.2025 03:09:47


802.11a_5720MHz_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing

Date: 6.FEB.2025 03:12:27


802.11a_5500MHz_Chain 1



ProjectNo.:2502P26130E-RF Tester:Tower Qing

Date: 13.FEB.2025 17:52:50


802.11a_5580MHz_Chain 1



ProjectNo.:2502P26130E-RF Tester:Tower Qing


Date: 13.FEB.2025 17:55:54

802.11a_5700MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:59:09

802.11a_5720MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:02:22

802.11n20_5500MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:14:43

802.11n20_5580MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:17:33

802.11n20_5700MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:21:58

802.11n20_5720MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:24:55

802.11n20_5500MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:04:42

802.11n20_5580MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:06:55

802.11n20_5700MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:08:52

802.11n20_5720MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:14:45

802.11n40_5510MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:29:40

802.11n40_5550MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:32:39

802.11n40_5670MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:34:18

802.11n40_5710MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:37:12

802.11n40_5510MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:16:49

802.11n40_5550MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:19:50

802.11n40_5670MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:21:49

802.11n40_5710MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:23:25

802.11ac80_5530MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:40:06

802.11ac80_5610MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:43:21

802.11ac80_5690MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:48:11

802.11ac80_5530MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:05:21

802.11ac80_5610MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:08:15

802.11ac80_5690MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:10:27

802.11ax20_5500MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:52:34

802.11ax20_5580MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:06:29

802.11ax20_5700MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:08:21

802.11ax20_5720MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:13:19

802.11ax20_5500MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:13:17

802.11ax20_5580MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:15:56

802.11ax20_5700MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:17:46

802.11ax20_5720MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:19:50

802.11ax40_5510MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:19:09

802.11ax40_5550MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:20:49

802.11ax40_5670MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:22:10

802.11ax40_5710MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:23:27

802.11ax40_5510MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:22:31

802.11ax40_5550MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:24:33

802.11ax40_5670MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:26:36

802.11ax40_5710MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:28:35

802.11ax80_5530MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:25:19

802.11ax80_5610MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:27:27

802.11ax80_5690MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:30:27

802.11ax80_5530MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:30:46

802.11ax80_5610MHz_RU_Full_Chain 1



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:32:53


802.11ax80_5690MHz_RU_Full_Chain 1



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:34:57


5725-5850MHz

802.11a_5745MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:34:48

802.11a_5785MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:36:38

802.11a_5825MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 6.FEB.2025 04:57:43

802.11a_5745MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 13.FEB.2025 19:39:24

802.11a_5785MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 13.FEB.2025 19:42:19

802.11a_5825MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 13.FEB.2025 19:44:11

802.11n20_5745MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 6.FEB.2025 04:59:49

802.11n20_5785MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 6.FEB.2025 05:02:46

802.11n20_5825MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 05:04:17

802.11n20_5745MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:46:32

802.11n20_5785MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:48:26

802.11n20_5825MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:50:38

802.11n40_5755MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 05:07:33

802.11n40_5795MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 05:08:50

802.11n40_5755MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:53:28

802.11n40_5795MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:54:58

802.11ac80_5775MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 05:10:52

802.11ac80_5775MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:57:41

802.11ax20_5745MHz_RU_Full_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 05:12:52

802.11ax20_5785MHz_RU_Full_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 16:12:50