

Part #	Description	Qty	Mfg Info	Item Comments
901-1-03680	System, ARNI_C400, IPQ5322 Processor Based Indoor Wi-Fi 7 Access P			
---703-1-06441	Sub-Asy, ARNI_C400, C400 Device Assembly	1		
---601-3-01912	Mech, Screw, SS, Secure Torx Head, M3X8	4		
---601-3-04346	ARNI_C400, Screw, SS, Shoulder head, Secure Torx, M4, Bla	3		
---310-3-02296	ARNI_C400, Product label, Polyester, 70x18mm	1		
---310-3-02297	ARNI_C400, Compliance label, Polyester, 65x48mm	1		
---703-1-06438	Sub-Asy, ARNI_C400, Bottom Enclosure Sub-Assy, MP Device	1		
---601-1-11205	ARNI_C400, Bottom Enclosure, ADC12, White, Matte	1		
---650-1-00177	MFG - Aluminium Alloy ADC12	0.50200		
---703-1-06440	Sub-Asy, ARNI_C400, PCB_Structure_Assembly, MP Device	1		
---702-1-03924	ARNI_C400, Antenna Plate Assembly	1		
---601-1-11580	ARNI_C400, Antenna Plate, CRCA, Natural, Zinc plating	1		
---650-1-00269	MFG CRCA Sheet 1MM	0.261000		
---601-4-02281	Mech, Thru-hole Threaded Standoff_M3X4_ HFCI_ARCR,Mfg	8		
---601-1-11578	ARNI_C400, 2.4GHz Ant, CRCA, Natural, ZnP	2		
---650-1-00364	Mfg, Metal, CRCA, Thick 0.3mm, W 51.5mm	0.0020		
---601-1-11579	ARNI_C400, 5GHz Ant, CRCA, Natural, ZnP	2		
---650-1-00365	Mfg, Metal, CRCA, Thick 0.3mm, W 44mm	0.0010		
---601-3-04345	Rivet, Dome Type, Al, 2.4x4mm	8		
---701-1-04942	APCB, DS, ARNI_C400, IPQ5322 Processor Based Indoor Wi	1		
---401-1-03150	Battery Holder, L-KLS5-CR2016-11, Coin cell-20mm, SMD	1	M1416 , NINGBO KLS ELECTRONICS , L-KLS5-CR2016-11	BH1
---501-1-03742	BPCB, 4L, 165x125mm, ARNI_400, IPQ5322 Processor Based	1	M0000 , NA , 501-1-03742	BPCB1
---102-3-01283	Cap, Elec, 47uF, 100V, 20%, 0.48A, TH	1	M2714 , AILLEN , CBE476M2AHGTG1BT51	C1
---102-1-09522	Cap, Cer-X5R, 2.2uF, 100V, 20%, 1210	6	M2334 , HONGDA CAPACITORS , HLC1210X5R225M101N	C2 C3 C5 C38 C398 C399
---102-1-09718	Cap, Cer-X5R, 2.2uF, 100V, 20%, 1210	6	M0036 , TAIYO YUDEN , MSASH32MSB5225MPNA01	
---102-1-02937	Cap, Cer-X5R, 2.2uF, 100V, 20%, 1210	6	M0036 , TAIYO YUDEN , HMK325BJ225MM-P	
---102-1-01638	Cap, Cer-X7R, 2200pF, 2KV, 10%, 1210	1	M0070 , JOHANSON TECHNOLOGY INC , 202S41W222KV4E	C4
---102-1-09747	Cap, Cer-X7R, 2200pF, 2KV, 10%, 1210	1	M2714 , AILLEN , 1210B222K202MA-G	
---102-1-07980	Cap, Cer-NPO, 470pF, 100V, 5%, 0805	1	M0103 , WALSIN TECHNOLOGY CORP. , 0805N471J101CT	C6
---102-1-05969	Cap, Cer-X7R, 0.1uF, 100V, 10%, 0805	3	M0033 , YAGEO CORPORATION , CC0805KKX7R0BB104	C8 C400 C412
---102-1-09488	Cap, Cer-NPO, 47pF, 25V, 5%, 0402	1	M0103 , WALSIN TECHNOLOGY CORP. , 0402N470J250CT	C9
---102-1-03027	Cap, Cer-X7R, 1000pF, 100V, 20%, 0805	1	M0011 , KYOCERA AVX COMPONENTS CORPORATION , 08051C1	C10
---102-1-09832	Cap, Cer-X7R, 1000pF, 100V, 10%, AEC-Q200, 0805	1	M0103 , WALSIN TECHNOLOGY CORP. , MT21B102K101CT	
---102-1-02768	Cap, Cer-X7R, 0.027uF, 16V, 10%, 0603	1	M0022 , KEMET CORPORATION , C0603C273K4RACTU	
---102-1-07609	Cap, Cer-X5R, 1uF, 25V, 10%, 0402	2	M0022 , KEMET CORPORATION , C0603C273K4RAC7867	C11
---102-1-09517	Cap, Cer-X7R, 0.01uF, 250V, 10%, 0805	5	M0103 , WALSIN TECHNOLOGY CORP. , 0402X105K250CT	C12 C17
---102-1-09517	Cap, Cer-X7R, 0.01uF, 250V, 10%, 0805	5	M1771 , CCTC , TCC0805X7R103K251FT	C13 C407 C408 C409 C410
---102-1-02711	Cap, Cer-X7R, 0.01uF, 250V, 10%, AEC-Q200, 0805	5	M0029 , TDK CORPORATION , CGA4J3X7R2E103K125AA	
---102-1-05632	Cap, Cer-X7R, 100pF, 50V, 10%, 0402	3	M0103 , WALSIN TECHNOLOGY CORP. , 0402B101K500CT	C15 C26 C27
---102-1-03683	Cap, Cer-X7R, 1000pF, 250V, 10%, 0603	1	M0049 , WURTH ELECTRONIK, INC , 885342206003	C16

				C18 C37 C60 C65 C71 C82 C83 C84 C85 C88 C92 C93 C95 C111 C115 C122 C123 C126 C128 C131 C132 C133 C138 C145 C148 C152 C153 C154 C156 C161 C162 C165 C168 C176 C194 C208 C209 C210 C211 C214 C215 C220 C221 C224 C225 C227 C230 C231 C232 C233 C234 C235 C244 C245 C248 C251 C253 C254 C255 C257 C259 C260 C261 C263 C265 C266 C276 C277 C278 C282 C283 C284 C286 C289 C290 C291 C294 C298 C300 C301 C302 C303 C304 C305 C306 C308 C310 C311 C313 C317 C318 C321 C322 C323 C324 C327 C329 C330 C331 C332 C334 C335 C337 C338 C347 C348 C424 C468 C500 C506 C507 C513 C531 C540
---102-1-03670	Cap, Cer-X7R, 0.1uF, 16V, 10%, 0201	114	M0005 , MURATA MANUFACTURING CO.,LTD , GRM033Z71C104K	C19 C20 C24
---102-1-09520	Cap, Cer-X5R, 22uF, 25V, 10%, 1210	3	M0103 , WALSIN TECHNOLOGY CORP. , 1210X226K250CR	
---102-1-08890	Cap, Cer-X5R, 22uF, 25V, 20%, 1210	3	M0011 , KYOCERA AVX COMPONENTS CORPORATION , 12103D2	
---102-1-09724	Cap, Cer-X5R, 22uF, 25V, 10%, 1210	3	M2262 , TOPDIODE MANUFACTURING COMPANY LIMITED , 1210	
---102-1-05466	Cap, Cer-X7R, 1000pF, 100V, 10%, 0603	2	M0103 , WALSIN TECHNOLOGY CORP. , 0603B102K101CT	C23 C50
---102-3-01285	Cap, Elec, 47uF, 25V, 20%, 84mA, TH	1	M2714 , AILLEN , CBE476M1EH1TD11RR	C25
---102-1-04007	Cap, Cer-X7R, 0.47uF, 16V, 10%, 0603	3	M0005 , MURATA MANUFACTURING CO.,LTD , GRM188R71C474K	C28 C30 C36
---102-1-03320	Cap, Cer-NPO, 22pF, 50V, 1%, 0201	2	M0005 , MURATA MANUFACTURING CO.,LTD , GRM0335C1H220F	C29 C31
---102-1-01800	Cap, Cer-NPO, 10pF, 25V, +/-0.5pF, 0201	1	M0029 , TDK CORPORATION , C0603C0G1E100D030BA	C33
---102-1-08788	Cap, Cer-NPO, 10pF, 25V, 5%, 0201	1	M2262 , TOPDIODE MANUFACTURING COMPANY LIMITED , 0201	
---102-1-08081	Cap, Cer-X7R, 0.015uF, 25V, 20%, 0603	1	M0103 , WALSIN TECHNOLOGY CORP. , 0603B153M250CT	C34
---102-1-09575	Cap, Cer-X7R, 0.015uF, 25V, 10%, AEC-Q200, 0603	1	M0011 , KYOCERA AVX COMPONENTS CORPORATION , KAM15AR71E153KT M0011 , KYOCERA AVX COMPONENTS CORPORATION , 06033C153K4T2A	
---102-1-04447	Cap, Cer-X5R, 10uF, 25V, 10%, 0805	26	M0103 , WALSIN TECHNOLOGY CORP. , 0805X106K250CT	C35 C40 C41 C42 C43 C44 C46 C47 C59 C62 C68 C69 C70 C72 C73 C74 C343 C344 C345 C383 C384 C388 C389 C390 C394 C397
---102-1-00208	Cap, Cer-X5R, 2.2uF, 10V, 10%, 0402	1	M0029 , TDK CORPORATION , C1005X5R1A225K050BC	C45
---102-1-09746	Cap, Cer-X5R, 2.2uF, 10V, 10%, 0402	1	M2714 , AILLEN , 0402W225K100HI	
---102-1-02709	Cap, Cer-X5R, 0.22uF, 16V, 10%, 0201	2	M0036 , TAIYO YUDEN , EMK063BJ224KP-F M0036 , TAIYO YUDEN , MSASE063SB5224KFNA01	C48 C380
---102-1-07870	Cap, Cer-X5R, 0.1uF, 25V, 20%, 0201	11	M0103 , WALSIN TECHNOLOGY CORP. , 0201X104M250CT	C49 C51 C53 C57 C77 C78 C79 C342 C379 C381 C385
---102-1-09519	Cap, Cer-X5R, 0.1uF, 25V, 20%, 0201	11	M2262 , TOPDIODE MANUFACTURING COMPANY LIMITED , 0201	
---102-1-04728	Cap, Cer-NPO, 33pF, 50V, 5%, 0201	5	M0005 , MURATA MANUFACTURING CO.,LTD , GRM0335C1H330J	C52 C75 C76 C352 C382
---102-1-07543	Cap, Cer-NPO, 8.2pF, 50V, +/-0.5pF, 0201	1	M0103 , WALSIN TECHNOLOGY CORP. , 0201N8R2D500CT	C55
---102-1-07868	Cap, Cer-X5R, 1uF, 6.3V, 20%, 0201	58	M0103 , WALSIN TECHNOLOGY CORP. , 0201X105M6R3CT	C58 C67 C86 C97 C100 C106 C107 C108 C109 C118 C119 C135 C137 C151 C157 C158 C159 C163 C164 C167 C178 C187 C190 C218 C219 C238 C239 C240 C242 C249 C258 C264 C269 C272 C281 C285 C295 C296 C316 C320 C365 C367 C415 C422 C426 C427 C428 C429 C430 C431 C432 C433 C434 C435 C440 C444 C457 C497
---102-1-07259	Cap, Cer-X5R, 22uF, 10V, 20%, 0805	14	M0103 , WALSIN TECHNOLOGY CORP. , 0805X226M100CT	C63 C66 C104 C117 C129 C130 C339 C340 C341 C350 C351 C362 C363 C364
---102-1-07263	Cap, Cer-X5R, 22uF, 10V, 20%, 0805	14	M0005 , MURATA MANUFACTURING CO.,LTD , GRM21BR61A226M	
---102-1-04541	Cap, Cer-X5R, 10uF, 6.3V, 20%, 0402	14	M2262 , TOPDIODE MANUFACTURING COMPANY LIMITED , 0402	C87 C110 C112 C136 C195 C198 C229 C246 C267 C293 C436 C439 C458 C489
---102-1-05244	Cap, Cer-X5R, 10uF, 6.3V, 20%, 0402	14	M0005 , MURATA MANUFACTURING CO.,LTD , GRM155R60J106M	
---102-1-04282	Cap, Cer-X5R, 4.7uF, 16V, 20%, 0402	8	M2334 , HONGDA CAPACITORS , HLC0402X5R475M160N	C91 C175 C287 C299 C356 C360 C371 C375
---102-1-04937	Cap, Cer-X6S, 0.47uF, 10V, 20%, 0201	16	M0036 , TAIYO YUDEN , MSASL063BC6474MFNB33	C105 C113 C114 C134 C169 C186 C243 C247 C262 C446 C450 C465 C508 C517 C519 C525
---102-1-04204	Cap, Cer-X5R, 22uF, 25V, 20%, 0805	1	M2262 , TOPDIODE MANUFACTURING COMPANY LIMITED , 0805	C116
---102-1-02214	Cap, Cer-X5R, 22uF, 25V, 20%, 0805	1	M0005 , MURATA MANUFACTURING CO.,LTD , GRM21BR61E226M	
---102-1-01623	Cap, Cer-X5R, 10uF, 10V, 10%, 0805	10	M0011 , KYOCERA AVX COMPONENTS CORPORATION , 0805ZD	C120 C121 C142 C144 C172 C173 C199 C205 C206 C474
---102-1-05230	Cap, Cer-X5R, 10uF, 10V, 10%, 0805	10	M0103 , WALSIN TECHNOLOGY CORP. , 0805X106K100CT	

	---102-4-00005	Cap, RF, Cer-NPO, 10pF, 25V, 2%, 0201	16	M0005 , MURATA MANUFACTURING CO.,LTD , GJM0335C1E100G	C124 C139 C150 C252 C268 C280 C423 C425 C469 C499 C501 C532 C543 C544 C565 C566
	---102-1-02374	Cap, Cer-X5R, 4.7uF, 6.3V, 20%, 0201	4	M0005 , MURATA MANUFACTURING CO.,LTD , GRM035R60J475M	C127 C140 C256 C273
	---102-1-01651	Cap, Cer-X5R, 10uF, 6.3V, 20%, 0603	2	M0005 , MURATA MANUFACTURING CO.,LTD , GRM188R60J106M	C141 C143
	---102-1-09489	Cap, Cer-X5R, 2.2uF, 6.3V, 10%, 0603	13	M0103 , WALSIN TECHNOLOGY CORP. , 0603X225K6R3CT	C146 C147 C160 C166 C181 C183 C448 C453 C473 C478 C481 C485 C487
	---102-1-07339	Cap, Cer-X5R, 2.2uF, 6.3V, 10%, 0603	13	M0036 , TAIYO YUDEN , JMK107BJ225KA-T	
	---102-1-02043	Cap, Cer-X5R, 2.2uF, 6.3V, 20%, 0201	27	M0011 , KYOCERA AVX COMPONENTS CORPORATION , 02016D2	C149 C155 C170 C171 C279 C312 C314 C527 C94 C98 C102 C103 C223 C226 C228 C241 C271 C274 C288 C297 C307 C309 C326 C336 C438 C470 C498
	---102-1-07653	Cap, Cer-X5R, 2.2uF, 6.3V, 20%, 0201	27	M0103 , WALSIN TECHNOLOGY CORP. , 0201X225M6R3CT	
	---102-1-01990	Cap, Cer-X5R, 0.1uF, 6.3V, 20%, 0402	5	M0022 , KEMET CORPORATION , C0402C104M9PACTU	C174 C188 C196 C197 C455
	---102-1-04629	Cap, Cer-X5R, 1uF, 6.3V, 20%, 0201	6	M0005 , MURATA MANUFACTURING CO.,LTD , GRM033R60J105M	C180 C193 C212 C213 C216 C486
	---102-1-07250	Cap, Cer-X5R, 1uF, 10V, 10%, 0402	2	M0103 , WALSIN TECHNOLOGY CORP. , 0402X105K100CT	C185 C192
	---102-1-07256	Cap, Cer-X5R, 1uF, 10V, 10%, 0402	2	M0036 , TAIYO YUDEN , MBASL105SB5105KFNA01	
	---102-1-05828	Cap, Cer-X5R, 0.47uF, 10V, 10%, 0402	1	M0103 , WALSIN TECHNOLOGY CORP. , 0402X474K100CT	C191
	---102-1-02826	Cap, Cer-X5R, 0.1uF, 25V, 10%, 0603	4	M0308 , SAMSUNG ELECTRO-MECHANICS AMERICA, INC , CL10A	C201 C207 C475 C480
	---102-1-02172	Cap, Cer-X5R, 2.2uF, 6.3V, 10%, 0402	3	M0103 , WALSIN TECHNOLOGY CORP. , 0402X225K6R3CT	C203 C204 C479
	---102-1-03397	Cap, Cer-X5R, 0.1uF, 10V, 10%, 0201 (CUSTOM PART)	6	M0103 , WALSIN TECHNOLOGY CORP. , 0201X104K100CT	C250 C459 C483 C484 C515 C516
	---102-1-04883	Cap, Cer-X6S, 4.7uF, 6.3V, 20%, 0402	1	M0036 , TAIYO YUDEN , MSASJ105BC6475MFNA01	C275
	---102-1-07249	Cap, Cer-X5R, 10uF, 10V, 20%, 0603	2	M0036 , TAIYO YUDEN , LMK107BBJ106MALT M0036 , TAIYO YUDEN , MSASL168BB5106MTNB33	C328 C333
	---102-1-09332	Cap, Cer-X5R, 10uF, 10V, 20%, AEC-Q200, 0603	2	M0036 , TAIYO YUDEN , MCASL168BB5106MTNA01	
	---102-1-02166	Cap, Cer-X7R, 1000pF, 16V, 10%, 0201	4	M0103 , WALSIN TECHNOLOGY CORP. , 0201B102K160CT	C354 C358 C369 C373
	---102-1-04381	Cap, Cer-X6S, 1uF, 25V, 10%, 0402	4	M0005 , MURATA MANUFACTURING CO.,LTD , GRM155C81E105K	C355 C359 C370 C374
	---102-1-02839	Cap, Cer-X5R, 2.2uF, 16V, 10%, 0402	2	M0308 , SAMSUNG ELECTRO-MECHANICS AMERICA, INC , CL05A	C357 C361
	---102-1-03361	Cap, Cer-X7R, 0.01uF, 16V, 10%, 0201 (CUSTOM PART)	2	M0033 , YAGEO CORPORATION , CC0201KRX7R7BB103	C366 C368
	---102-1-03179	Cap, Cer-X7S, 4.7uF, 16V, 10%, 0603	2	M0005 , MURATA MANUFACTURING CO.,LTD , GRM188C71C475K	C372 C376
	---102-1-02453	Cap, Cer-X5R, 47uF, 25V, 20%, 1210	1	M0103 , WALSIN TECHNOLOGY CORP. , 1210X476M250CT	C403
	---102-1-03725	Cap, Cer-X5R, 47uF, 25V, 20%, 1210	1	M0036 , TAIYO YUDEN , TMK325ABJ476MM-P	
	---102-1-07802	Cap, Cer-X7R, 0.1uF, 25V, 10%, 0402	1	M0005 , MURATA MANUFACTURING CO.,LTD , GRM155R71E104K	C405
	---102-1-09748	Cap, Cer-X7R, 0.1uF, 25V, 10%, 0402	1	M2262 , TOPDIODE MANUFACTURING COMPANY LIMITED , 0402	
	---102-1-02438	Cap, Cer-X7R, 1000pF, 2KV, 20%, 1812	1	M0011 , KYOCERA AVX COMPONENTS CORPORATION , 1812GC	C406
	---102-1-09836	Cap, Cer-X7R, 1000pF, 2000V, 20%, 1812	1	M2334 , HONGDA CAPACITORS , HLC1812X7R102M202N	
	---102-1-03066	Cap, Cer-X5R, 1000pF, 25V, 10%, 0603	4	M0011 , KYOCERA AVX COMPONENTS CORPORATION , 06033D1	C413 C456 C488 C522
	---102-1-09835	Cap, Cer-NPO, 1000pF, 25V, 5%, 0603	4	M0103 , WALSIN TECHNOLOGY CORP. , 0603N102J250CT	
	---102-1-02089	Cap, Cer-NPO, 15pF, 50V, 5%, 0201	4	M0005 , MURATA MANUFACTURING CO.,LTD , GRM0335C1H150J	C414 C460 C493 C526
	---102-1-04273	Cap, Cer-NPO, 10pF, 50V, 5%, 0201	14	M0033 , YAGEO CORPORATION , CC0201JRNPO9BN100	C420 C437 C443 C461 C492 C496 C505 C514 C523 C530 C554 C558 C559 C560
	---102-1-03253	Cap, Cer-NPO, 14pF, 25V, 5%, 0201	2	M0242 , JOHANSON DIELECTRICS INC , 250R05N140JV4T	C421 C467
	---102-1-01799	Cap, Cer-NPO, 15pF, 25V, 5%, 0201	2	M0029 , TDK CORPORATION , C0603C0G1E150J030BA	
	---102-1-03059	Cap, Cer-NPO, 15pF, 25V, 2%, 0201	2	M0005 , MURATA MANUFACTURING CO.,LTD , GRM0335C1E150G	
	---102-1-07457	Cap, Cer-NPO, 15pF, 25V, 5%, 0201	6	M0103 , WALSIN TECHNOLOGY CORP. , 0201N150J250CT	C441 C449 C509 C520 C538 C539
	---102-1-06563	Cap, Cer-NPO, 15pF, 50V, 1%, 0603	2	M0103 , WALSIN TECHNOLOGY CORP. , 0603N150F500CT	C452 C464
	---102-1-01803	Cap, Cer-X5R, 10uF, 10V, 20%, 0402	1	M0308 , SAMSUNG ELECTRO-MECHANICS AMERICA, INC , CL05A	C454
	---102-1-04015	Cap, Cer-X5R, 0.22uF, 6.3V, 10%, 0201	4	M0036 , TAIYO YUDEN , MSASJ063SB5224KFNA01	C471 C472 C533 C534
	---102-1-01864	Cap, Cer-X5R, 1uF, 10V, 20%, 0603	1	M0033 , YAGEO CORPORATION , CC0603MRX5R6BB105	C482
	---102-1-01815	Cap, Cer-X6S, 0.22uF, 10V, 10%, 0201	4	M0029 , TDK CORPORATION , C0603X6S1A224K030BC	C502 C503 C511 C512
	---102-1-02999	Cap, Cer-X6S, 22uF, 6.3V, 20%, 0603	1	M0005 , MURATA MANUFACTURING CO.,LTD , GRM188C80J226M	C535
	---102-4-00091	Cap, RF, Cer-NPO, 5.6pF, 25V, +/-0.1pF, 0201	4	M0005 , MURATA MANUFACTURING CO.,LTD , GJM0335C1E5R6B	C536 C537 C573 C574
	---102-1-03298	Cap, Cer-NPO, 8.2pF, 25V, +/-0.05pF, 0201	1	M0005 , MURATA MANUFACTURING CO.,LTD , GRM0335C1E8R2W	C545

				---	102-1-02113	Cap, Cer-NPO, 100pF, 50V, 5%, 0201	6	M0005, MURATA MANUFACTURING CO.,LTD , GRM0335C1H101J	C555 C556 C561 C562 C563 C564
				---	102-1-04969	Cap, Cer-NPO, 12pF, 50V, 2%, 0402	2	M0005, MURATA MANUFACTURING CO.,LTD , GRM1555C1H120G	C577 C578
				---	102-1-02188	Cap, Cer-X7S, 0.1uF, 16V, 10%, 0201	1	M0005, MURATA MANUFACTURING CO.,LTD , GRM033C71C104K	C579
				---	106-0-00014	Diode, Fast Switching, 0.3A, 100V, 0.4W, SOD123	3	M0014, DIODES INCORPORATED , 1N4148W-7-F	D1 D3 D4
				---	305-1-02064	TVS Diode, Bi, 58V, 5000W, DO-214AB (SMC)	1	M2113, YANGZHOU YANGJIE ELECTRONIC TECHNOLOGY CO.,	D2
				---	305-1-02076	TVS Diode, Uni, 58V, 400W, SMA (DO-214AC)	1	M1437, SMC DIODE SOLUTIONS , SMAJ58A	D5
				---	106-2-00773	Diode, Schottky, 10A, 100V, Common Anode, TO-277B-3	1	M1437, SMC DIODE SOLUTIONS , ST10100S	D6
				---	106-2-00114	Diode, Schottky, 10A, 100V, TO-277	1	M0006, ON SEMICONDUCTOR , FSV10100V	
				---	305-1-00126	TVS Diode, Bi, 3.3V, SMD	2	M0572, AMAZING MICROELECTRONIC CORP , AZ5123-01F.R7GR	D7 D15
				---	305-1-01561	TVS Diode, Bi, 15V, 600W, SMB (DO-214AA)	1	M0311, DIOTEC SEMICONDUCTOR , P6SMBJ15CA	D10
				---	106-0-00007	Diode, Switching, 0.215A, 70V, 0.225W, SOT23-3	1	M0006, ON SEMICONDUCTOR , BAV99LT3G	D11
				---	305-1-00945	TVS Diode, Uni, 15V, 400W, SMA (DO-214AC)	1	M1437, SMC DIODE SOLUTIONS , SMAJ15ATR	D12
				---	106-2-00768	Diode, Schottky Barrier Rectifier, 2A, 100V, SMB	2	M1437, SMC DIODE SOLUTIONS , SK210	D13 D14
				---	106-0-00538	Diode, Bridge Rectifier, 1A, 1000V, DF-S	2	M1578, MIC , DF10S	DA2 DA3
				---	106-4-01308	LED, Single, (Red/Pure Green), (2.4/3.4V), (60/85mW), (632/5	5	M0528, LUCKYLIGHT , S195AVPGC-2B-G51BM	DA5 DA6 DA7 DA8 DA9
				---	106-4-01246	LED, Single, (Green/Red), (2.65/1.75V), (102.5/75mW), 130de	5	M0133, KINGBRIGHT CORPORATION , APHB1608LZGKSURKC	
				---	104-1-00612	F-Bead, 30E, 6A, SMD0805	2	M2032, TAI-TECH ADVANCED ELECTRONICS CO., LTD , HCB201	FB1 FB2
				---	104-1-00082	F-Bead, 33E, 3A, SMD0402	8	M0005, MURATA MANUFACTURING CO.,LTD , BLM15PX330SN1B	FB3 FB4 FB14 FB15 FB17 FB28 FB29 FB30
				---	104-1-00057	F-Bead, 120E, 3A, SMD0603	13	M0005, MURATA MANUFACTURING CO.,LTD , BLM18KG121TN1D	FB5 FB6 FB7 FB8 FB9 FB10 FB11 FB13 FB16 FB27 FB32 FB33 FB34
				---	104-1-00137	F-Bead, 240E, 0.35A, SMD0201	3	M0005, MURATA MANUFACTURING CO.,LTD , BLM03AX241SN1D	FB12 FB19 FB22
				---	104-1-00383	F-Bead, 33E, 0.75A, SMD0201	5	M0005, MURATA MANUFACTURING CO.,LTD , BLM03PG330SN1D	FB18 FB20 FB35 FB36 FB37
				---	104-1-00077	F-Bead, 120E, 0.45A, SMD0201	5	M0005, MURATA MANUFACTURING CO.,LTD , BLM03AX121SN1D	FB21 FB23 FB24 FB25 FB26
				---	303-0-00612	Filter, BAW, 1ch, 6.5GHz, 50E, Wifi 6E, SMD	2	M1069, RF360 HOLDINGS (QUALCOMM-TDK JOINT VENTURE) ,	FL2 FL3
				---	303-0-00604	Filter, BAW, (5170-5825)MHz, 50E, Wifi 6, SMD	2	M1069, RF360 HOLDINGS (QUALCOMM-TDK JOINT VENTURE) ,	FL4 FL5
				---	303-0-00626	Filter, Micro-acoustic, 2.442GHz, 50E, Single Line, SMD-4	2	M1069, RF360 HOLDINGS (QUALCOMM-TDK JOINT VENTURE) ,	FL6 FL7
				---	201-2-03871	Conn, DC PWR Jack, 1x1, 3A, 2mm ID, 6.4mm OD, RA, TH	1	M3083, HTC DONGGUAN XINGTE ELECTRONICS CO., LTD. , PP-	J1
				---	201-2-04064	Conn, RJ45 Jack, 1x1, 1.5A, Unshielded, RA, TH	1	M1508, UTE-SHENZHEN YOUTE ELECTRONICS CO., LTD , 31124	J2
				---	201-2-03507	Conn, RJ45 Jack, 1x1, 1.5A, Unshielded, RA, TH	1	M3083, HTC DONGGUAN XINGTE ELECTRONICS CO., LTD. , PJ-	J3
				---	201-1-03859	Conn, Coaxial, Receptacle, 8GHz, ST, SMD	6	M2091, GREENCONN TECHNOLOGY , GZZC601-0102A005C2AD-	J4 J5 J6 J7 J8 J9
				---	103-1-02678	Ind, Power, 10uH, 20%, 35mE, Shielded, SMD	1	M2714, AILLEN , CDRH104RS100MT	L1
				---	103-1-02479	Ind, Power, 0.52uH, 20%, 14A, 3.7mE, Shielded, 140MHz, AE	1	M0049, WURTH ELECTRONIK, INC , 744310055	L2
				---	103-1-02065	Ind, Power, 3.3uH, 20%, 3.9A, 31mE, Shielded, 32MHz, SMD	1	M2714, AILLEN , ALNR5040-3R3MT	L3
				---	103-1-02108	Ind, Power, 0.82uH, 20%, 4.1A, 32mE, Shielded, SMD	2	M2032, TAI-TECH ADVANCED ELECTRONICS CO., LTD , AWP252	L4 L13
				---	103-1-02066	Ind, Power, 2.2uH, 20%, 4.3A, 25mE, Shielded, 50MHz, SMD	4	M2714, AILLEN , ALNR5040-2R2MT	L5 L7 L8 L11
				---	103-1-00433	Ind, Power, 1uH, 20%, 3.1A, 48mE, Shielded, SMD	2	M0005, MURATA MANUFACTURING CO.,LTD , DFE252010F-1R0M	L6 L9
				---	103-1-02103	Ind, Power, 1.5uH, 20%, 10A, 12.1mE, Shielded, SMD	2	M2032, TAI-TECH ADVANCED ELECTRONICS CO., LTD , TMPA06	L10 L12
				---	103-2-00083	Ind, RF, Chip, 1.5nH, +/-0.2nH, 0.44A, 110mE, Unshielded, 10	1	M0308, SAMSUNG ELECTRO-MECHANICS AMERICA, INC , CIH03	L15
				---	103-2-01211	Ind, RF, Chip, 1.5nH, +/-0.2nH, 0.55A, 180mE, Unshielded, 10	1	M0103, WALSIN TECHNOLOGY CORP. , WLCM0603Z0C1N5TB	
				---	103-2-00049	Ind, RF, Chip, 1.7nH, +/-0.2nH, 0.6A, 150mE, Unshielded, 15G	1	M0005, MURATA MANUFACTURING CO.,LTD , LQP03TN1N7C02D	L23
				---	103-2-00064	Ind, RF, Chip, 1.7nH, +/-0.1nH, 0.6A, 150mE, Unshielded, 15G	1	M0005, MURATA MANUFACTURING CO.,LTD , LQP03TN1N7B02D	
				---	103-2-00123	Ind, RF, Chip, 2.4nH, +/-0.1nH, 0.5A, 200mE, Unshielded, 10G	2	M0005, MURATA MANUFACTURING CO.,LTD , LQP03TN2N4B02D	L25 L33
				---	103-2-00296	Ind, RF, Chip, 2.4nH, +/-0.1nH, 0.5A, 200mE, Unshielded, 10G	2	M0387, INPAQ TECHNOLOGY , MCI0603TN2N4BHHBP	
				---	103-2-00780	Ind, RF, Chip, 4.2nH, +/-0.1nH, 0.4A, 350mE, Unshielded, 8.2G	2	M0029, TDK CORPORATION , MHQ0603P4N2BTD25	L37 L38
				---	103-2-01036	Ind, RF, Chip, 10nH, 3%, 0.25A, 70mE, Unshielded, 3.2GHz, S	2	M0387, INPAQ TECHNOLOGY , MCI0603TN10NHHBP	L571 L572
				---	103-2-00062	Ind, RF, Chip, 10nH, 3%, 0.25A, 70mE, Unshielded, 3.2GHz, S	2	M0005, MURATA MANUFACTURING CO.,LTD , LQP03TN10NH02D	
				---	301-0-05031	IC, QPF4259, WLAN, RF Front-End, 802.11be, 2.4GHz, LGA-3	2	M0958, QORVO INCORPORATES , QPF4259SB	M1 M2
				---	401-2-01162	RF Cable Clip, Dia(1.10-1.20), SMD	6	M0765, POCONS , PCC1001W	MECH1 MECH2 MECH3 MECH4 MECH5 MECH6
				---	107-2-00021	Transistor, N-MOSFET, 150V, 3A, Vgs=20V, 1.9W, PowerPAK	1	M0032, VISHAY INTERTECHNOLOGY, INC , SI7898DP-T1-GE3	Q1
				---	107-2-01377	Transistor, N-MOSFET, 55V, 0.35A, Vgs=20V, 0.35W, SOT-23	18	M3824, FORMOSA MICROSEMI CO.,LTD. , FMOSBSS138K1-H	Q2 Q3 Q4 Q5 Q7 Q8 Q10 Q11 Q12 Q13 Q14 Q15 Q16 Q17 Q18 Q19 Q116 Q117

				---	107-2-00053	Transistor, N-MOSFET, 50V, 0.2A, Vgs=20V, 0.225W, SOT-23	18	M0006 , ON SEMICONDUCTOR , BSS138LT1G	
				---	101-1-16488	Res, Chip, 10E, 1/16W, 1%, AEC-Q200, 0402	3	M2714 , AILLEN , AT02FC10R	R1 R6 R7
				---	101-1-00101	Res, Chip, 10E, 1/16W, 1%, AEC-Q200, 0402	3	M1873 , ASJ PTE LTD , CR10-10R0-FK	
				---	101-3-00434	Res, I-Sense, 180mE, 1/2W, 1%, 1210	1	M0030 , TE CONNECTIVITY , RL73H2ER18FTD	R2
				---	101-3-00697	Res, I-Sense, 180mE, 1/2W, 1%, 600ppm/degC, 1210	1	M0033 , YAGEO CORPORATION , RL1210FR-070R18L	
				---	101-1-03475	Res, Chip, 1K, 1/16W, 1%, 0402	3	M1334 , ROYALOHM , 0402WGF1001TCE	R3 R31 R7212
				---	101-1-14283	Res, Chip, 2.2E, 1/16W, 1%, Anti-Sulfur, AEC-Q200, 0402	2	M1334 , ROYALOHM , CQ02WGF220KTCE	R4 R57
				---	101-1-05693	Res, Chip, 2.2E, 1/16W, 1%, 0402	2	M0103 , WALSIN TECHNOLOGY CORP. , WR04W2R20FTL	
				---	101-1-03406	Res, Chip, 22E, 1/10W, 1%, AEC-Q200, 0402	1	M0010 , KOA SPEER ELECTRONICS, INC , RK73H1ETTP22R0F	R5
				---	101-1-00322	Res, Chip, 2K, 1/16W, 1%, 0402	6	M0041 , BOURNS INC , CR0402-FX-2001GLF	R8 R415 R421 R427 R428 R424
				---	101-1-17121	Res, Chip, 2K, 1/16W, 1%, 0402	6	M2714 , AILLEN , CR02FC2K	
				---	101-1-00264	Res, Chip, 499E, 1/16W, 1%, 0402	2	M0103 , WALSIN TECHNOLOGY CORP. , WR04X4990FTL	R9 R26
				---	101-1-00476	Res, Chip, 80.6K, 1/10W, 1%, AEC-Q200, 0402	1	M0010 , KOA SPEER ELECTRONICS, INC , RK73H1ETTP8062F	R10
				---	101-1-09097	Res, Chip, 63.4E, 1/10W, 1%, AEC-Q200, 0402	1	M1150 , KAMAYA, INC (KAMAYA ELECTRIC CO, LTD) , RMC10K63	R12
				---	101-1-00178	Res, Chip, 63.4E, 1/10W, 1%, AEC-Q200, 0402	1	M0010 , KOA SPEER ELECTRONICS, INC , RK73H1ETTP63R4F	
				---	101-1-07730	Res, Chip, 0E, 1/10W, 1A, 0603	3	M2714 , AILLEN , CR03PB0R	R13 R14 R229
				---	101-1-16463	Res, Chip, 11.3K, 1/10W, 1%, 0402	2	M1334 , ROYALOHM , HP02WAF1132TCE	R15 R53
				---	101-1-00394	Res, Chip, 11.3K, 1/10W, 1%, AEC-Q200, 0402	2	M0010 , KOA SPEER ELECTRONICS, INC , RK73H1ETTP1132F	
				---	101-1-01143	Res, Chip, 69.8K, 1/10W, 1%, 0603	1	M0103 , WALSIN TECHNOLOGY CORP. , WR06X6982FTL	R16
				---	101-1-00402	Res, Chip, 13.7K, 1/16W, 1%, 0402	1	M0033 , YAGEO CORPORATION , RC0402FR-0713K7L	R17
				---	101-1-16489	Res, Chip, 10K, 1/20W, 5%, 0201	22	M2714 , AILLEN , CR01JM10K	R18 R50 R51 R52 R58 R129 R131 R141 R145 R171 R173 R176 R181 R188 R193 R194 R247 R248 R301 R302 R374 R375
				---	101-1-02755	Res, Chip, 270E, 1/16W, 5%, 0402	7	M0103 , WALSIN TECHNOLOGY CORP. , WR04X271 JTL	R19 R29 R416 R420 R426 R429 R425
				---	101-1-12577	Res, Chip, 4.7K, 1/16W, 1%, 0402	38	M1334 , ROYALOHM , 0402WGF4701TCE	R20 R21 R22 R23 R25 R30 R32 R35 R99 R101 R103 R108 R114 R121 R123 R128 R140 R144 R150 R153 R155 R158 R159 R161 R303 R323 R337 R352 R354 R356 R372 R410 R412 R7183 R7184 R7185 R7186 R7194
				---	101-1-08543	Res, Chip, 10K, 1/16W, 1%, 0402	11	M0033 , YAGEO CORPORATION , RC0402FR-0710KL	R28 R41 R42 R61 R65 R70 R72 R200 R202 R204 R220
				---	101-1-05899	Res, Chip, 0E, 3/4W, 38.7A, AEC-Q200, 1206	3	M0243 , STACKPOLE ELECTRONICS INC , HCJ1206ZT0R00	R36 R37 R46
				---	101-1-00004	Res, Chip, 0E, 2A, 5%, 1206	3	M0033 , YAGEO CORPORATION , RC1206JR-070RL	
				---	101-1-08716	Res, Chip, 100K, 1/16W, 1%, 0402	8	M1334 , ROYALOHM , 0402WGF1003TCE	R38 R67 R227 R231 R265 R395 R404 R409
				---	101-1-13354	Res, Chip, 4.22K, 1/16W, 1%, 0402	2	M1873 , ASJ PTE LTD , CR10-4221-FK	R40 R199
				---	101-1-00437	Res, Chip, 31.6K, 1/16W, 1%, 0402	2	M0103 , WALSIN TECHNOLOGY CORP. , WR04X3162FTL	R43 R201
				---	101-1-01158	Res, Chip, 100K, 1/10W, 1%, 0603	4	M0033 , YAGEO CORPORATION , RC0603FR-07100KL	R44 R197 R226 R406
				---	101-1-13556	Res, Chip, 51K, 1/20W, 1%, 0201	7	M0103 , WALSIN TECHNOLOGY CORP. , WR02X5102FAL	R45 R196 R365 R388 R396 R397 R398
				---	101-1-03621	Res, Chip, 2.2K, 1/10W, 1%, AEC-Q200, 0402	1	M0010 , KOA SPEER ELECTRONICS, INC , RK73H1ETTP2201F	R47
				---	101-1-16462	Res, Chip, 20K, 1/10W, 1%, Anti-Sulfur, AEC-Q200, 0603	7	M1334 , ROYALOHM , CQ03WAF2002T5E	R48 R49 R68 R69 R180 R195 R7199
				---	101-1-14334	Res, Chip, 20K, 1/10W, 5%, AEC-Q200, 0603	7	M0243 , STACKPOLE ELECTRONICS INC , RMCF0603JT20K0	
				---	101-1-12541	Res, Chip, 1K, 1/20W, 1%, 0201	3	M0033 , YAGEO CORPORATION , RC0201FR-071KL	R54 R77 R79
				---	101-1-05321	Res, Chip, 11.8K, 1/16W, 1%, 0402	1	M0103 , WALSIN TECHNOLOGY CORP. , WR04X1182FTL	R55
				---	101-1-12566	Res, Chip, 0E, 1/16W, 1A, 0402	37	M1334 , ROYALOHM , 0402WGF0000TCE	R56 R66 R71 R88 R89 R91 R98 R185 R186 R187 R190 R191 R192 R268 R269 R270 R271 R272 R273 R274 R275 R291 R296 R315 R321 R325 R329 R331 R332 R377 R379 R380 R411 R413 R414 R418 R423
				---	101-1-15275	Res, Chip, 0E, 1/20W, 1A, 0201	74	M2714 , AILLEN , CR01PM0R	R59 R76 R78 R83 R84 R86 R93 R109 R110 R118 R122 R124 R126 R130 R132 R136 R137 R138 R139 R142 R146 R152 R154 R157 R164 R165 R166 R167 R168 R169 R170 R174 R232 R243 R244 R245 R279 R280 R283 R285 R294 R299 R308 R309 R320 R333 R334 R338 R340 R341 R348 R349 R350 R355 R357 R358 R360 R362 R363 R370 R371 R381 R382 R385 R389 R390 R391 R392 R399 R400 R407 R408 R500 R7192
				---	101-1-04512	Res, Chip, 12.7K, 1/16W, 1%, 0402	1	M0103 , WALSIN TECHNOLOGY CORP. , WR04X1272FTL	R60

				---101-1-03543	Res, Chip, 30K, 1/5W, 1%, AEC-Q200, 0402	1	M0032 , VISHAY INTERTECHNOLOGY, INC , CRCW040230K0FKE	R62
				---101-1-15274	Res, Chip, 94.2K, 1/16W, 1%, 50ppm/degC, AEC-Q200, 0402	1	M0010 , KOA SPEER ELECTRONICS, INC , RN73R1ETTP9422F50	R63
				---101-1-00320	Res, Chip, 1.91K, 1/10W, 1%, AEC-Q200, 0402	1	M0010 , KOA SPEER ELECTRONICS, INC , RK73H1ETTP1911F	R64
				---101-1-03910	Res, Chip, 4.7K, 1/20W, 5%, 0201	18	M0103 , WALSIN TECHNOLOGY CORP. , WR02X472 JTL	R74 R104 R106 R112 R117 R133 R235 R237 R239 R240 R241 R266 R292 R295 R343 R345 R346 R369
				---101-1-08787	Res, Chip, 4.7K, 1/20W, 5%, 0201	18	M0103 , WALSIN TECHNOLOGY CORP. , WR02X472 JAL	
				---101-1-15810	Res, Chip, 49.9E, 1/20W, 1%, 0201	2	M2714 , AILLEN , CR01FM49R9	R81 R82
				---101-1-08710	Res, Chip, 2.49K, 1/16W, 1%, 0402	1	M0103 , WALSIN TECHNOLOGY CORP. , WR04X2491FTL	R85
				---101-1-14258	Res, Chip, 2.49K, 1/16W, 1%, 0402	1	M1334 , ROYALOHM , 0402WGF2491TCE	
				---101-1-08130	Res, Chip, 240E, 1/20W, 1%, 0201	1	M0103 , WALSIN TECHNOLOGY CORP. , WR02X2400FAL	R87
				---101-1-16459	Res, Chip, 4.7K, 1/16W, 5%, 0402	11	M0103 , WALSIN TECHNOLOGY CORP. , WR04X472JTL	R96 R297 R305 R311 R312 R316 R322 R324 R326 R328 R7193
				---101-1-04457	Res, Chip, 499E, 1/10W, 1%, AEC-Q200, 0402	3	M0010 , KOA SPEER ELECTRONICS, INC , RK73H1ETTP4990F	R102 R116 R160
				---101-1-03930	Res, Chip, 6.04K, 1/20W, 1%, 0201	2	M0033 , YAGEO CORPORATION , RC0201FR-076K04L	R120 R364
				---101-1-16460	Res, Chip, 49.9K, 1/10W, 1%, AEC-Q200, 0603	1	M1334 , ROYALOHM , CQ03WAF4992T5E	R178
				---101-1-15445	Res, Chip, 49.9K, 1/10W, 1%, AEC-Q200, 0603	1	M0033 , YAGEO CORPORATION , AC0603FR-0749K9L	
				---101-1-05127	Res, Chip, 40.2K, 1/20W, 1%, 0201	1	M0033 , YAGEO CORPORATION , RC0201FR-0740K2L	R182
				---101-1-04484	Res, Chip, 27K, 1/10W, 1%, AEC-Q200, 0402	1	M0010 , KOA SPEER ELECTRONICS, INC , RK73H1ETTP2702F	R183
				---101-1-01125	Res, Chip, 45.3K, 1/10W, 1%, AEC-Q200, 0603	1	M0010 , KOA SPEER ELECTRONICS, INC , RK73H1JTDD4532F	R189
				---101-1-05351	Res, Chip, 22.6K, 1/16W, 1%, 0402	1	M0103 , WALSIN TECHNOLOGY CORP. , WR04X2262FTL	R203
				---101-1-15322	Res, Chip, 22.6K, 1/16W, 1%, 0402	1	M0033 , YAGEO CORPORATION , RC0402FR-0722K6L	
				---101-1-16464	Res, Chip, 39K, 1/8W, 5%, AEC-Q200, 0805	1	M1334 , ROYALOHM , CQ05W8J0393T5E	R214
				---101-1-03145	Res, Chip, 39K, 1/4W, 5%, AEC-Q200, 0805	1	M0010 , KOA SPEER ELECTRONICS, INC , RK73B2ATDD393J	
				---101-1-07144	Res, Chip, 0E, 1/2W, 3.2A, 2010	1	M0103 , WALSIN TECHNOLOGY CORP. , WR20X000 PTR	R216
				---101-1-14572	Res, Chip, 0E, 3.5A, 2010	1	M0140 , CAL CHIP ELECTRONICS , RM20J000CT	
				---101-1-07232	Res, Chip, 0E, 3/4W, 2A, Anti-Sulfur, AEC-Q200, 1812	1	M0007 , PANASONIC INDUSTRY CO., LTD , ERJS120R00U	R217
				---101-1-17110	Res, Chip, 0E, 3/4W, 5%, 1812	1	M1334 , ROYALOHM , 181207J0000T4E	
				---101-1-00333	Res, Chip, 2.61K, 1/16W, 1%, 0402	1	M0103 , WALSIN TECHNOLOGY CORP. , WR04X2611FTL	R218
				---101-1-00168	Res, Chip, 49.9E, 1/16W, 1%, 0402	1	M1334 , ROYALOHM , 0402WGF499JTC	R219
				---101-1-09085	Res, Chip, 49.9E, 1/16W, 1%, 0402	1	M0041 , BOURNS INC , CR0402-FX-49R9GLF	
				---101-1-00858	Res, Chip, 75E, 1/8W, 1%, AEC-Q200, 0603	4	M0010 , KOA SPEER ELECTRONICS, INC , RK73H1JTDD75R0F	R221 R222 R223 R224
				---101-1-15807	Res, Chip, 60.4E, 1/20W, 1%, 0201	24	M2714 , AILLEN , CR01FM60R4	R250 R251 R252 R253 R254 R255 R256 R257 R258 R259 R260 R261 R262 R263 R264 R276 R277 R278 R282 R284 R287 R288 R290 R293
				---101-1-15288	Res, Chip, 100E, 1/20W, 1%, 0201	2	M2714 , AILLEN , CR01FM100R	R300 R373
				---101-1-02773	Res, Chip, 1.5K, 1/16W, 5%, 0402	1	M0103 , WALSIN TECHNOLOGY CORP. , WR04X152 JTL	R317
				---101-1-03554	Res, Chip, 150E, 1/20W, 1%, 0201	4	M0033 , YAGEO CORPORATION , RC0201FR-07150RL	R383 R384 R393 R394
				---101-1-13046	Res, Chip, 37.4E, 1/20W, 1%, 0201	2	M0103 , WALSIN TECHNOLOGY CORP. , WR02X37R4FAL	R386 R387
				---101-1-04107	Res, Chip, 37.4E, 1/20W, 1%, 0201	2	M0032 , VISHAY INTERTECHNOLOGY, INC , CRCW020137R4FNE	
				---101-1-04761	Res, Chip, 27K, 1/20W, 1%, 0201	2	M0033 , YAGEO CORPORATION , RC0201FR-0727KL	R401 R402
				---101-1-03397	Res, Chip, 33E, 1/20W, 1%, 0201	3	M0073 , ROHM , MCR006YZPF33R0	R7196 R7197 R7198
				---101-1-17120	Res, Chip, 33E, 1/20W, 1%, 0201	3	M1200 , VIKING TECH CORPORATION , CR-01FL6---33R	
				---205-1-00362	Switch, Tactile, SPST-NO, 12V, 50mA, RA, TH	1	M0294 , DIPTRONICS MANUFACTURING INC. , DTSA-62R-V	SW1
				---105-2-00256	Xmr, PoE-Flyback, 1 Output, (1:0.33:0.33/12V@2.5A), SMD	1	M3677 , LINKPOWER MANUFACTURING CO., LTD , PEFD20116R	T1
				---105-1-00170	Xmr, PoE+, 5G BASE-T, Single, (1CT:1CT), (1CT:1CT), SMD	1	M3645 , HUNTERLINK , PM-06-2401-V8062-S	T2
				---301-4-00080	IC, PD Controller, IEEE 802.3at, 20-57Vin, 30W, HTSSOP-20	1	M0031 , TEXAS INSTRUMENTS , TPS23754PWPR	U1
				---301-0-00236	IC, TCMT1107, Opto Coupler, Phototransistor Output, Single,	1	M0032 , VISHAY INTERTECHNOLOGY, INC , TCMT1107	U2
				---301-5-00367	IC, QCN6422, WLAN AP, RFIC, 802.11a/b/g/n/ac/ax/be, WiFi-	2	M0752 , QUALCOMM TECHNOLOGIES, INC. , QCN-6422-0-DRQFN	U21 U28
				---301-0-00237	IC, FOD817DS, High Operating Temperature Phototransistor C	2	M0016 , FAIRCHILD - ON SEMICONDUCTOR , FOD817DS	U3 U4
				---301-0-07380	IC, TPT3232E, RS-232 Transceivers, TSSOP-16	1	M1597 , 3PEAK , TPT3232E-TS3R	U5
				---301-4-03307	IC, Switcher, 3-17V Vin, 0.6-10V Vout/3A, Sync Buck Conv, SC	4	M0031 , TEXAS INSTRUMENTS , TPS563257DRLR	U6 U7 U15 U16
				---301-4-03451	IC, Switcher, 4-18Vin, 0.5-7Vout/3A, Sync Buck, VQFN-HR-14	1	M0031 , TEXAS INSTRUMENTS , TPS543320RPYR	U8

				---	301-4-03450	IC, LDO, 1.4-5.5Vin, 2.5Vout/0.3A, SOT23-5	1	M0031 , TEXAS INSTRUMENTS , TLV74325PDBVR	U9
				---	301-4-02945	IC, Switcher, 3-17Vin, 0.8-10Vout/2A, 1.4MHz, Sync Buck Conv	3	M0031 , TEXAS INSTRUMENTS , TPS562242DRLR	U10 U11 U12
				---	301-4-02434	IC, Switcher, 3-16Vin, 0.6-7Vout/4A, 1.2MHz, Sync Buck Conv	2	M0031 , TEXAS INSTRUMENTS , TPS564247DRLR	U13 U17
				---	301-4-03462	IC, Switcher, 3-16Vin, 0.6-7Vout/5A, 600KHz, Sync Buck Conv	1	M0031 , TEXAS INSTRUMENTS , TPS565242DRLR	U14
				---	301-4-00040	IC, Shunt Regulator, Vka=2.5-36V, Ik=0.1A, SOT-23-3	1	M0031 , TEXAS INSTRUMENTS , TL431AIDBZR	U19
				---	301-0-03622	IC, RTC7608, RF Switch, SPDT, 0.1-7.125GHz, QFN-6	4	M1338 , RICHWAVE , RTC7608U	U20 U23 U26 U30
				---	301-2-01647	IC, DDR4 SDRAM, 2GB, x16bit, 1600MHz, FBGA-96	1	M0068 , SAMSUNG SEMICONDUCTOR , K4AAG165WC-BCWE	U22
				---	510-0-00811	Module, ST33TPHF2X, Flash Memory based TPM, SPI, 33MH	1	M0086 , ST MICROELECTRONICS , ST33HTPH2X32AHE0	U24
				---	407-0-17244	IC TPM 2.0 WITH SPI-IF 33MHZ VFQFPN32	1	M0086 , ST MICROELECTRONICS , ST33HTPH2X32AHE0 C0000 , PROJECT_ID , HPEU_SRMP M2986 , HEWLETT PACKARD ENTERPRISE (HPE) , 1824-1442	
				---	301-5-00380	IC, RTL8251, Single Port, 10/100/1000M/2.5G/5G Ethernet PH	1	M0069 , REALTEK , RTL8251B-VBM-CG	U25
				---	301-1-01191	IC, APSoC, IPQ5322, Quad Core Cortex A53 @1.5GHz, MRQ	1	M0752 , QUALCOMM TECHNOLOGIES, INC. , IPQ-5322-0-MRQFN2	U29
				---	301-2-01271	IC, eMMC 5.1, 8GB, x1/x4/x8bit, 200MHz, FBGA-153	1	M0068 , SAMSUNG SEMICONDUCTOR , KLM8G1GETF-B041	U31
				---	301-0-06900	IC, BQ32002, RTC, I2C, 400kHz, SOIC-8	1	M0031 , TEXAS INSTRUMENTS , BQ32002DR	U32
				---	301-2-01648	IC, NOR Flash, 16MB, 133MHz, Dual/Quad SPI, WSON-8	1	M0652 , GIGA DEVICE , GD25LQ128EWIGR	U36
				---	108-1-01029	XTAL, 48MHz, 11.1pF, +/-8ppm, 25E, 2x1.6mm, SMD	1	M2610 , FRONTER ELECTRONICS CO. LTD. , FTX48.000M11.1SM	X2
				---	108-1-01035	XTAL, 50MHz, 12pF, +/-10ppm, 40E, 3.2x2.5mm, SMD	1	M2610 , FRONTER ELECTRONICS CO. LTD. , FTX50.000M12SM3S	X3
				---	108-1-01028	XTAL, 32.768KHz, 12.5pF, +/-10ppm, 70K, 3.2x1.5mm, SMD	1	M2610 , FRONTER ELECTRONICS CO. LTD. , FTX32.768K12.5SM3	X5
				---	601-1-11581	ARNI_C400, IC Shield Cage, CRCA, Natural, SnP	1		
				---	650-1-00363	Mfg, Metal, CRCA, Thick 0.3mm, W 193mm	0.0040		
				---	601-1-11583	ARNI_C400, RF Shield Cage, CRCA, Natural, ZnP	1		
				---	650-1-00363	Mfg, Metal, CRCA, Thick 0.3mm, W 193mm	0.0030		
				---	601-3-00270	Mech, Screw, SS, Pan Head Phillips Drive, M3x6	8	M0516 , McMaster-CARR , 92000A116	
				---	601-2-09000	PNRJ_N378, Wire Clip, Nylon, Natural	6		
				---	650-2-00106	MFG, 3D PRINTER , SUP706 B, SUPPORT	0.00030		
				---	650-5-00857	MFG, 3D PRINTER CONSUMABLE, VERO DIGITAL MATERIA	0.00040		
				---	601-4-04344	Double Side Tape, 3M VHB Tape-5915P, 9x5mm	6		
				---	601-1-11582	ARNI_C400, IC Shield Cover, CRCA, Natural, ZnP	1		
				---	650-1-00363	Mfg, Metal, CRCA, Thick 0.3mm, W 193mm	0.0080		
				---	601-1-11584	ARNI_C400, RF Shield Cover, CRCA, Natural, ZnP	1		
				---	650-1-00363	Mfg, Metal, CRCA, Thick 0.3mm, W 193mm	0.0060		
				---	601-2-12964	ARNI_C400, 6GHz Ant Base, ABS+PC, White	2		
				---	650-2-00469	Mfg, Plastic, PC+ABS, FR3020W BBS910_012559	0.0030	M3209 , COVESTRO (INDIA) PRIVATE LIMITED , FR3020W BBS910	
				---	401-0-04768	ARNI_C400, RF ABSORBER 56x17x0.1mm (Custom Part)	1.50		
				---	401-1-03363	Antenna, 5925 MHz ~ 7125 MHz, 50E, 5.5dBi, Omnidirectional	2		
				---	705-1-04570	Cable-Asy, MHF Plug, Open End, 1.13mm Coaxial Cable, 170	1	M3344 , FUTAI HONGKONG CO.,LTD , FT8.7.0001-17	
				---	705-1-04571	Cable-Asy, MHF Plug, Open End, 1.13mm Coaxial Cable, 190	1	M3344 , FUTAI HONGKONG CO.,LTD , FT8.7.0001-18	
				---	705-1-04573	Cable-Asy, MHF Plug, Open End, 1.13mm Coaxial Cable, 170	2	M3344 , FUTAI HONGKONG CO.,LTD , FT8.7.0001-16	
				---	705-1-04574	Cable-Asy, MHF Plug, Open End, 1.13mm Coaxial Cable, 140	1	M3344 , FUTAI HONGKONG CO.,LTD , FT8.7.0001-14	
				---	705-1-04575	Cable-Asy, MHF Plug, Open End, 1.13mm Coaxial Cable, 210	1	M3344 , FUTAI HONGKONG CO.,LTD , FT8.7.0001-15	
				---	204-1-00407	Battery, Coin-Cell, Li-ion, 3V, 90mAh, 1.6mm, Holder Mount	1	M0007 , PANASONIC INDUSTRY CO., LTD , CR2016	
				---	601-3-00270	Mech, Screw, SS, Pan Head Phillips Drive, M3x6	1	M0516 , McMaster-CARR , 92000A116	
				---	203-1-01175	Thermal Gel, Silicon, 3.7W/mK, 600cc, 9230 Nolato	0.0070		
				---	702-1-04304	ARNI_C400, Top Enclosure Sub-Assy	1		
				---	601-2-11345	ARNI_C400, Top Enclosure, ABS+PC, White	1		
				---	650-2-00469	Mfg, Plastic, PC+ABS, FR3020W BBS910_012559	0.151000	M3209 , COVESTRO (INDIA) PRIVATE LIMITED , FR3020W BBS910	
				---	601-3-01064	Mech, Heatstacking BRASS INSERT, M3X6	4		
				---	650-1-00016	MFG, ALUMINIUM BLOCK 6082	0.050		
				---	601-2-11339	ARNI_C400, Light Pipe, PC, Transparent	1		

--650-2-00100	MFG, MAKROLON, PC 2807	0.0040	
--601-2-11597	ARNI_C400, Ceiling Mount, ABS+PC, White	1	
--650-2-00469	Mfg, Plastic, PC+ABS, FR3020W BBS910_012559	0.01600	M3209 , COVESTRO (INDIA) PRIVATE LIMITED , FR3020W BBS910
--401-1-03192	Adapter, Power, 86-264Vin AC, 12Vout/2A DC, 47-63Hz, Wall	1	M3311 , SHENZHEN TIANQIN ELECTRONICS , TQ-1202000U
--401-0-04316	ARNI_C400, CSB, Wifi7 AP, C400	1	
--401-0-04315	ARNI_C400, CSB, Main Tray, C400	1	
--401-0-04314	ARNI_C400, CSB, Accessory Tray, C400	1	
--401-0-04313	ARNI_C400, CSB, Damp Tray, C400	1	
--401-0-04777	ARNI_C400, Mount Cover, CG, 5ply	1	
--401-0-04776	ARNI_C400, Top Surface Film, LDPE, Transparent	1	
--401-0-04792	ARNI_C400, Adapter, ZLP, LDPE, Transparent	1	
--401-0-04794	ARNI_C400, Mount, ZLP, LDPE, Transparent	1	
--401-0-04793	ARNI_C400, Device Pouch, FP, EPE, White	1	
--310-3-02528	ARNI_C400, Retail Box label, Polyester, 80x40mm	1	
--310-3-02529	ARNI_C400, Retail Compliance label, Polyester, 120x40mm	1	
--310-3-02525	ARNI_C400, Accessory Kit label, Polyester, 60x45mm	1	
--310-3-02526	ARNI_C400, Adapter label, Polyester, 60x20mm	1	
--310-3-02527	ARNI_C400, Master Carton Label, Polyester, 160x120mm	0.10	
--401-0-04795	ARNI_C400, User Manual, GSG, Paper	1	
--401-0-04796	Misc, desiccant bag, Silica gel, 10g	2	
--401-0-04344	ARNI_C400, CG, Wifi7 AP, C400	0.10	
--401-0-04342	ARNI_C400, CG-Foam, Wifi7 AP, C400	0.20	
--401-0-04343	ARNI_C400, CG, Side Tray, C400	0.20	
--310-3-02530	Misc, UN3091 Warning Printed Sticker, 100x100mm	0.10	
--310-3-02531	Misc, UN3091 Warning Printed Sticker, 160x160mm	0.0080	