










Mode	13																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																																																																
ANT	1+2 (CDD)																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg.																																																																																																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>31.46</td><td>38.72</td><td>19.59</td><td>39.99</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11510.00</td><td>41.51</td><td>54.00</td><td>-12.49</td><td>22.65</td><td>38.72</td><td>19.59</td><td>39.99</td><td>0.54</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17265.00</td><td>55.00</td><td>68.20</td><td>-13.20</td><td>36.13</td><td>40.43</td><td>24.10</td><td>46.30</td><td>0.64</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	50.32	74.00	-23.68	31.46	38.72	19.59	39.99	0.54	--	Peak	2	11510.00	41.51	54.00	-12.49	22.65	38.72	19.59	39.99	0.54	--	Average	3	17265.00	55.00	68.20	-13.20	36.13	40.43	24.10	46.30	0.64	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>50.69</td><td>74.00</td><td>-23.31</td><td>31.83</td><td>38.72</td><td>19.59</td><td>39.99</td><td>0.54</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11510.00</td><td>41.60</td><td>54.00</td><td>-12.40</td><td>22.74</td><td>38.72</td><td>19.59</td><td>39.99</td><td>0.54</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17265.00</td><td>52.88</td><td>68.20</td><td>-15.32</td><td>34.01</td><td>40.43</td><td>24.10</td><td>46.30</td><td>0.64</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	50.69	74.00	-23.31	31.83	38.72	19.59	39.99	0.54	--	Peak	2	11510.00	41.60	54.00	-12.40	22.74	38.72	19.59	39.99	0.54	--	Average	3	17265.00	52.88	68.20	-15.32	34.01	40.43	24.10	46.30	0.64	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	11510.00	50.32	74.00	-23.68	31.46	38.72	19.59	39.99	0.54	--	Peak																																																																																																																																						
2	11510.00	41.51	54.00	-12.49	22.65	38.72	19.59	39.99	0.54	--	Average																																																																																																																																						
3	17265.00	55.00	68.20	-13.20	36.13	40.43	24.10	46.30	0.64	--	Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	11510.00	50.69	74.00	-23.31	31.83	38.72	19.59	39.99	0.54	--	Peak																																																																																																																																						
2	11510.00	41.60	54.00	-12.40	22.74	38.72	19.59	39.99	0.54	--	Average																																																																																																																																						
3	17265.00	52.88	68.20	-15.32	34.01	40.43	24.10	46.30	0.64	--	Peak																																																																																																																																						




Mode	13	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz	
ANT	1+2 (CDD)	
Pol.	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL






	14																																																																																																																																									
Mode	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																									
ANT	1+2 (CDD)																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	Site : 03CH22-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto						Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.73</td><td>55.11</td><td>68.20</td><td>-13.09</td><td>42.88</td><td>33.15</td><td>13.43</td><td>34.35</td><td>0.00</td><td>222</td><td>81</td><td>PEAK</td></tr><tr><td>2</td><td>5655.19</td><td>56.26</td><td>72.05</td><td>-15.79</td><td>43.92</td><td>33.25</td><td>13.45</td><td>34.36</td><td>0.00</td><td>222</td><td>81</td><td>PEAK</td></tr><tr><td>3</td><td>5709.98</td><td>68.45</td><td>108.00</td><td>-39.55</td><td>55.62</td><td>33.70</td><td>13.53</td><td>34.40</td><td>0.00</td><td>222</td><td>81</td><td>PEAK</td></tr><tr><td>4</td><td>5721.88</td><td>72.02</td><td>115.00</td><td>-43.06</td><td>59.18</td><td>33.70</td><td>13.55</td><td>34.41</td><td>0.00</td><td>222</td><td>81</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5641.73	55.11	68.20	-13.09	42.88	33.15	13.43	34.35	0.00	222	81	PEAK	2	5655.19	56.26	72.05	-15.79	43.92	33.25	13.45	34.36	0.00	222	81	PEAK	3	5709.98	68.45	108.00	-39.55	55.62	33.70	13.53	34.40	0.00	222	81	PEAK	4	5721.88	72.02	115.00	-43.06	59.18	33.70	13.55	34.41	0.00	222	81	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.82</td><td>-----</td><td>-----</td><td>94.92</td><td>33.70</td><td>13.67</td><td>34.47</td><td>0.00</td><td>222</td><td>81</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	107.82	-----	-----	94.92	33.70	13.67	34.47	0.00	222	81
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5641.73	55.11	68.20	-13.09	42.88	33.15	13.43	34.35	0.00	222	81	PEAK																																																																																																																														
2	5655.19	56.26	72.05	-15.79	43.92	33.25	13.45	34.36	0.00	222	81	PEAK																																																																																																																														
3	5709.98	68.45	108.00	-39.55	55.62	33.70	13.53	34.40	0.00	222	81	PEAK																																																																																																																														
4	5721.88	72.02	115.00	-43.06	59.18	33.70	13.55	34.41	0.00	222	81	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	107.82	-----	-----	94.92	33.70	13.67	34.47	0.00	222	81	PEAK																																																																																																																														
Avg.	Blank																																																																																																																																									
							Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SWT:Auto																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.05</td><td>-----</td><td>-----</td><td>88.15</td><td>33.70</td><td>13.67</td><td>34.47</td><td>0.00</td><td>222</td><td>81</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	101.05	-----	-----	88.15	33.70	13.67	34.47	0.00	222	81	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	101.05	-----	-----	88.15	33.70	13.67	34.47	0.00	222	81	AVERAGE																																																																																																																														




Mode	14																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																				
ANT	1+2 (CDD)																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	 Site : 03CH22-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>75.22</td><td>111.19</td><td>-35.97</td><td>62.32</td><td>33.70</td><td>13.71</td><td>34.51</td><td>0.00</td><td>222</td><td>81</td><td>PEAK</td></tr><tr><td>2</td><td>5859.95</td><td>78.11</td><td>109.41</td><td>-31.30</td><td>65.21</td><td>33.70</td><td>13.71</td><td>34.51</td><td>0.00</td><td>222</td><td>81</td><td>PEAK</td></tr><tr><td>3</td><td>5924.12</td><td>59.19</td><td>68.85</td><td>-9.66</td><td>46.29</td><td>33.70</td><td>13.76</td><td>34.56</td><td>0.00</td><td>222</td><td>81</td><td>PEAK</td></tr><tr><td>4</td><td>5925.36</td><td>62.26</td><td>68.20</td><td>-5.94</td><td>49.36</td><td>33.70</td><td>13.76</td><td>34.56</td><td>0.00</td><td>222</td><td>81</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.83	75.22	111.19	-35.97	62.32	33.70	13.71	34.51	0.00	222	81	PEAK	2	5859.95	78.11	109.41	-31.30	65.21	33.70	13.71	34.51	0.00	222	81	PEAK	3	5924.12	59.19	68.85	-9.66	46.29	33.70	13.76	34.56	0.00	222	81	PEAK	4	5925.36	62.26	68.20	-5.94	49.36	33.70	13.76	34.56	0.00	222	81	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.83	75.22	111.19	-35.97	62.32	33.70	13.71	34.51	0.00	222	81	PEAK																																																																									
2	5859.95	78.11	109.41	-31.30	65.21	33.70	13.71	34.51	0.00	222	81	PEAK																																																																									
3	5924.12	59.19	68.85	-9.66	46.29	33.70	13.76	34.56	0.00	222	81	PEAK																																																																									
4	5925.36	62.26	68.20	-5.94	49.36	33.70	13.76	34.56	0.00	222	81	PEAK																																																																									





	14																																																																																																																																			
Mode	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																																			
ANT	1+2 (CDD)																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	Site : 03CH22-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.25</td><td>59.01</td><td>68.20</td><td>-9.19</td><td>46.00</td><td>33.12</td><td>13.43</td><td>34.34</td><td>0.00</td><td>301</td><td>PEAK</td></tr><tr><td>2</td><td>5650.31</td><td>60.91</td><td>68.43</td><td>-7.52</td><td>48.61</td><td>33.20</td><td>13.45</td><td>34.35</td><td>0.00</td><td>301</td><td>PEAK</td></tr><tr><td>3</td><td>5712.13</td><td>74.00</td><td>108.60</td><td>-33.80</td><td>61.96</td><td>33.70</td><td>13.54</td><td>34.40</td><td>0.00</td><td>301</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>70.57</td><td>111.07</td><td>-40.50</td><td>57.73</td><td>33.70</td><td>13.55</td><td>34.41</td><td>0.00</td><td>301</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.25	59.01	68.20	-9.19	46.00	33.12	13.43	34.34	0.00	301	PEAK	2	5650.31	60.91	68.43	-7.52	48.61	33.20	13.45	34.35	0.00	301	PEAK	3	5712.13	74.00	108.60	-33.80	61.96	33.70	13.54	34.40	0.00	301	PEAK	4	5720.12	70.57	111.07	-40.50	57.73	33.70	13.55	34.41	0.00	301	PEAK	Site : 03CH22-HY Condition: PEAK(UNI) 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>112.41</td><td>-----</td><td>-----</td><td>99.51</td><td>33.70</td><td>13.66</td><td>34.46</td><td>0.00</td><td>301</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	112.41	-----	-----	99.51	33.70	13.66	34.46	0.00	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5637.25	59.01	68.20	-9.19	46.00	33.12	13.43	34.34	0.00	301	PEAK																																																																																																																									
2	5650.31	60.91	68.43	-7.52	48.61	33.20	13.45	34.35	0.00	301	PEAK																																																																																																																									
3	5712.13	74.00	108.60	-33.80	61.96	33.70	13.54	34.40	0.00	301	PEAK																																																																																																																									
4	5720.12	70.57	111.07	-40.50	57.73	33.70	13.55	34.41	0.00	301	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5795.00	112.41	-----	-----	99.51	33.70	13.66	34.46	0.00	301	PEAK																																																																																																																									
Avg.	Blank																																																																																																																																			
							Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>106.34</td><td>-----</td><td>-----</td><td>93.44</td><td>33.70</td><td>13.66</td><td>34.46</td><td>0.00</td><td>301</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	106.34	-----	-----	93.44	33.70	13.66	34.46	0.00	301	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5795.00	106.34	-----	-----	93.44	33.70	13.66	34.46	0.00	301	AVERAGE																																																																																																																									





	14																																																																																				
Mode	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																				
ANT	1+2 (CDD)																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	 Site : 03CH22-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>77.83</td><td>111.19</td><td>-33.36</td><td>64.93</td><td>33.70</td><td>13.71</td><td>34.51</td><td>0.00</td><td>388</td><td>301</td><td>PEAK</td></tr><tr><td>2</td><td>5868.47</td><td>76.60</td><td>107.03</td><td>-30.43</td><td>63.70</td><td>33.70</td><td>13.72</td><td>34.52</td><td>0.00</td><td>388</td><td>301</td><td>PEAK</td></tr><tr><td>3</td><td>5924.12</td><td>63.19</td><td>68.85</td><td>-5.66</td><td>50.29</td><td>33.70</td><td>13.76</td><td>34.56</td><td>0.00</td><td>388</td><td>301</td><td>PEAK</td></tr><tr><td>4</td><td>5943.34</td><td>64.69</td><td>68.20</td><td>-3.51</td><td>51.00</td><td>33.70</td><td>13.77</td><td>34.58</td><td>0.00</td><td>388</td><td>301</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.83	77.83	111.19	-33.36	64.93	33.70	13.71	34.51	0.00	388	301	PEAK	2	5868.47	76.60	107.03	-30.43	63.70	33.70	13.72	34.52	0.00	388	301	PEAK	3	5924.12	63.19	68.85	-5.66	50.29	33.70	13.76	34.56	0.00	388	301	PEAK	4	5943.34	64.69	68.20	-3.51	51.00	33.70	13.77	34.58	0.00	388	301	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.83	77.83	111.19	-33.36	64.93	33.70	13.71	34.51	0.00	388	301	PEAK																																																																									
2	5868.47	76.60	107.03	-30.43	63.70	33.70	13.72	34.52	0.00	388	301	PEAK																																																																									
3	5924.12	63.19	68.85	-5.66	50.29	33.70	13.76	34.56	0.00	388	301	PEAK																																																																									
4	5943.34	64.69	68.20	-3.51	51.00	33.70	13.77	34.58	0.00	388	301	PEAK																																																																									






Mode	14																																																																													
	Harmonic																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																													
ANT	1+2 (CDD)																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg.																																																																														
	Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>50.52</td><td>74.00</td><td>-23.48</td><td>31.58</td><td>38.00</td><td>19.67</td><td>40.00</td><td>0.55</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11590.00</td><td>41.61</td><td>54.00</td><td>-12.39</td><td>22.67</td><td>38.00</td><td>19.67</td><td>40.00</td><td>0.55</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17385.00</td><td>55.52</td><td>68.20</td><td>-12.68</td><td>36.54</td><td>40.57</td><td>24.19</td><td>46.43</td><td>0.65</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	50.52	74.00	-23.48	31.58	38.00	19.67	40.00	0.55	--	Peak	2	11590.00	41.61	54.00	-12.39	22.67	38.00	19.67	40.00	0.55	--	Average	3	17385.00	55.52	68.20	-12.68	36.54	40.57	24.19	46.43	0.65	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	11590.00	50.52	74.00	-23.48	31.58	38.00	19.67	40.00	0.55	--	Peak																																																																			
2	11590.00	41.61	54.00	-12.39	22.67	38.00	19.67	40.00	0.55	--	Average																																																																			
3	17385.00	55.52	68.20	-12.68	36.54	40.57	24.19	46.43	0.65	--	Peak																																																																			




Mode	14	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz	
ANT	1+2 (CDD)	
Pol.	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL






Mode	15																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																										
ANT	1+2 (CDD)																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Site : 03CH22-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5642.00</td><td>63.16</td><td>68.20</td><td>-5.04</td><td>50.93</td><td>33.15</td><td>13.43</td><td>34.35</td><td>0.00</td><td>391</td><td>297</td><td>PEAK</td></tr><tr><td>2</td><td>5651.63</td><td>61.72</td><td>69.41</td><td>-7.69</td><td>49.41</td><td>33.22</td><td>13.45</td><td>34.36</td><td>0.00</td><td>391</td><td>297</td><td>PEAK</td></tr><tr><td>3</td><td>5702.03</td><td>72.79</td><td>105.77</td><td>-32.98</td><td>59.96</td><td>33.70</td><td>13.52</td><td>34.39</td><td>0.00</td><td>391</td><td>297</td><td>PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>71.09</td><td>110.91</td><td>-39.82</td><td>58.25</td><td>33.70</td><td>13.55</td><td>34.41</td><td>0.00</td><td>391</td><td>297</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.00	63.16	68.20	-5.04	50.93	33.15	13.43	34.35	0.00	391	297	PEAK	2	5651.63	61.72	69.41	-7.69	49.41	33.22	13.45	34.36	0.00	391	297	PEAK	3	5702.03	72.79	105.77	-32.98	59.96	33.70	13.52	34.39	0.00	391	297	PEAK	4	5720.05	71.09	110.91	-39.82	58.25	33.70	13.55	34.41	0.00	391	297	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>104.00</td><td>-----</td><td>-----</td><td>91.12</td><td>33.70</td><td>13.63</td><td>34.45</td><td>0.00</td><td>391</td><td>297</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	104.00	-----	-----	91.12	33.70	13.63	34.45	0.00	391	297	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5642.00	63.16	68.20	-5.04	50.93	33.15	13.43	34.35	0.00	391	297	PEAK																																																																																																																															
2	5651.63	61.72	69.41	-7.69	49.41	33.22	13.45	34.36	0.00	391	297	PEAK																																																																																																																															
3	5702.03	72.79	105.77	-32.98	59.96	33.70	13.52	34.39	0.00	391	297	PEAK																																																																																																																															
4	5720.05	71.09	110.91	-39.82	58.25	33.70	13.55	34.41	0.00	391	297	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	104.00	-----	-----	91.12	33.70	13.63	34.45	0.00	391	297	PEAK																																																																																																																															
Avg.	Blank						 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>97.53</td><td>-----</td><td>-----</td><td>84.65</td><td>33.70</td><td>13.63</td><td>34.45</td><td>0.00</td><td>391</td><td>297</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.53	-----	-----	84.65	33.70	13.63	34.45	0.00	391	297	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.53	-----	-----	84.65	33.70	13.63	34.45	0.00	391	297	AVERAGE																																																																																																																															




Mode	15																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																				
ANT	1+2 (CDD)																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	 Site : 03CH22-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>71.01</td><td>111.65</td><td>-40.64</td><td>58.11</td><td>33.70</td><td>13.71</td><td>34.51</td><td>0.00</td><td>391</td><td>297</td><td>PEAK</td></tr><tr><td>2</td><td>5872.83</td><td>69.07</td><td>105.81</td><td>-36.74</td><td>56.17</td><td>33.70</td><td>13.72</td><td>34.52</td><td>0.00</td><td>391</td><td>297</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>58.12</td><td>68.35</td><td>-10.23</td><td>45.22</td><td>33.70</td><td>13.76</td><td>34.56</td><td>0.00</td><td>391</td><td>297</td><td>PEAK</td></tr><tr><td>4</td><td>5928.83</td><td>58.44</td><td>68.20</td><td>-9.76</td><td>45.55</td><td>33.70</td><td>13.76</td><td>34.57</td><td>0.00</td><td>391</td><td>297</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.63	71.01	111.65	-40.64	58.11	33.70	13.71	34.51	0.00	391	297	PEAK	2	5872.83	69.07	105.81	-36.74	56.17	33.70	13.72	34.52	0.00	391	297	PEAK	3	5924.80	58.12	68.35	-10.23	45.22	33.70	13.76	34.56	0.00	391	297	PEAK	4	5928.83	58.44	68.20	-9.76	45.55	33.70	13.76	34.57	0.00	391	297	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.63	71.01	111.65	-40.64	58.11	33.70	13.71	34.51	0.00	391	297	PEAK																																																																									
2	5872.83	69.07	105.81	-36.74	56.17	33.70	13.72	34.52	0.00	391	297	PEAK																																																																									
3	5924.80	58.12	68.35	-10.23	45.22	33.70	13.76	34.56	0.00	391	297	PEAK																																																																									
4	5928.83	58.44	68.20	-9.76	45.55	33.70	13.76	34.57	0.00	391	297	PEAK																																																																									





Mode	15																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																								
ANT	1+2 (CDD)																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak	 Site : 03CH22-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.90</td><td>66.22</td><td>68.20</td><td>-1.98</td><td>53.95</td><td>33.18</td><td>13.44</td><td>34.35</td><td>0.00</td><td>399</td><td>2</td><td>PEAK</td></tr><tr><td>2</td><td>5650.58</td><td>66.57</td><td>68.63</td><td>-2.06</td><td>54.26</td><td>33.21</td><td>13.45</td><td>34.35</td><td>0.00</td><td>399</td><td>2</td><td>PEAK</td></tr><tr><td>3</td><td>5711.13</td><td>79.59</td><td>108.32</td><td>-28.73</td><td>66.75</td><td>33.70</td><td>13.54</td><td>34.40</td><td>0.00</td><td>399</td><td>2</td><td>PEAK</td></tr><tr><td>4</td><td>5720.58</td><td>79.70</td><td>112.11</td><td>-32.41</td><td>66.86</td><td>33.70</td><td>13.55</td><td>34.41</td><td>0.00</td><td>399</td><td>2</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.90	66.22	68.20	-1.98	53.95	33.18	13.44	34.35	0.00	399	2	PEAK	2	5650.58	66.57	68.63	-2.06	54.26	33.21	13.45	34.35	0.00	399	2	PEAK	3	5711.13	79.59	108.32	-28.73	66.75	33.70	13.54	34.40	0.00	399	2	PEAK	4	5720.58	79.70	112.11	-32.41	66.86	33.70	13.55	34.41	0.00	399	2	PEAK	 Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>108.62</td><td>-----</td><td>-----</td><td>95.74</td><td>33.70</td><td>13.62</td><td>34.44</td><td>0.00</td><td>399</td><td>2</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	108.62	-----	-----	95.74	33.70	13.62	34.44	0.00	399	2	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5646.90	66.22	68.20	-1.98	53.95	33.18	13.44	34.35	0.00	399	2	PEAK																																																																																																																													
2	5650.58	66.57	68.63	-2.06	54.26	33.21	13.45	34.35	0.00	399	2	PEAK																																																																																																																													
3	5711.13	79.59	108.32	-28.73	66.75	33.70	13.54	34.40	0.00	399	2	PEAK																																																																																																																													
4	5720.58	79.70	112.11	-32.41	66.86	33.70	13.55	34.41	0.00	399	2	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	108.62	-----	-----	95.74	33.70	13.62	34.44	0.00	399	2	PEAK																																																																																																																													
Avg.	Blank						 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>101.90</td><td>-----</td><td>-----</td><td>89.02</td><td>33.70</td><td>13.63</td><td>34.45</td><td>0.00</td><td>399</td><td>2</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	101.90	-----	-----	89.02	33.70	13.63	34.45	0.00	399	2	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	101.90	-----	-----	89.02	33.70	13.63	34.45	0.00	399	2	AVERAGE																																																																																																																													





Mode	15																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																
ANT	1+2 (CDD)																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	 Site : 03CH22-HY Condition: PEAK_BE(B4)_16-24 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>68.48</td><td>110.86</td><td>-42.38</td><td>55.58</td><td>33.70</td><td>13.71</td><td>34.51</td><td>0.00</td><td>399</td><td>2 PEAK</td></tr><tr><td>2</td><td>5871.25</td><td>71.61</td><td>106.25</td><td>-34.64</td><td>58.71</td><td>33.70</td><td>13.72</td><td>34.52</td><td>0.00</td><td>399</td><td>2 PEAK</td></tr><tr><td>3</td><td>5920.95</td><td>63.96</td><td>71.19</td><td>-7.23</td><td>51.07</td><td>33.70</td><td>13.75</td><td>34.56</td><td>0.00</td><td>399</td><td>2 PEAK</td></tr><tr><td>4</td><td>5935.83</td><td>61.76</td><td>68.20</td><td>-6.44</td><td>48.86</td><td>33.70</td><td>13.77</td><td>34.57</td><td>0.00</td><td>399</td><td>2 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.98	68.48	110.86	-42.38	55.58	33.70	13.71	34.51	0.00	399	2 PEAK	2	5871.25	71.61	106.25	-34.64	58.71	33.70	13.72	34.52	0.00	399	2 PEAK	3	5920.95	63.96	71.19	-7.23	51.07	33.70	13.75	34.56	0.00	399	2 PEAK	4	5935.83	61.76	68.20	-6.44	48.86	33.70	13.77	34.57	0.00	399	2 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.98	68.48	110.86	-42.38	55.58	33.70	13.71	34.51	0.00	399	2 PEAK																																																																						
2	5871.25	71.61	106.25	-34.64	58.71	33.70	13.72	34.52	0.00	399	2 PEAK																																																																						
3	5920.95	63.96	71.19	-7.23	51.07	33.70	13.75	34.56	0.00	399	2 PEAK																																																																						
4	5935.83	61.76	68.20	-6.44	48.86	33.70	13.77	34.57	0.00	399	2 PEAK																																																																						



Mode	15																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																									
ANT	1+2 (CDD)																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg.	 Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>11550.00</td><td>50.40</td><td>74.00</td><td>-23.60</td><td>31.46</td><td>38.00</td><td>19.63</td><td>40.03</td><td>0.54 -- -- Peak</td></tr><tr><td>2</td><td>11550.00</td><td>41.62</td><td>54.00</td><td>-12.38</td><td>22.68</td><td>38.00</td><td>19.63</td><td>40.03</td><td>0.54 -- -- Average</td></tr><tr><td>3</td><td>17325.00</td><td>52.93</td><td>68.20</td><td>-15.27</td><td>34.00</td><td>40.50</td><td>24.14</td><td>46.36</td><td>0.65 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	11550.00	50.40	74.00	-23.60	31.46	38.00	19.63	40.03	0.54 -- -- Peak	2	11550.00	41.62	54.00	-12.38	22.68	38.00	19.63	40.03	0.54 -- -- Average	3	17325.00	52.93	68.20	-15.27	34.00	40.50	24.14	46.36	0.65 -- -- Peak	 Site : 03CH22-HY Condition: PEAK(UNII) 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>11550.00</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>32.40</td><td>38.00</td><td>19.63</td><td>40.03</td><td>0.54 -- -- Peak</td></tr><tr><td>2</td><td>11550.00</td><td>41.60</td><td>54.00</td><td>-12.40</td><td>22.66</td><td>38.00</td><td>19.63</td><td>40.03</td><td>0.54 -- -- Average</td></tr><tr><td>3</td><td>17325.00</td><td>52.81</td><td>68.20</td><td>-15.39</td><td>33.88</td><td>40.50</td><td>24.14</td><td>46.36</td><td>0.65 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	11550.00	51.34	74.00	-22.66	32.40	38.00	19.63	40.03	0.54 -- -- Peak	2	11550.00	41.60	54.00	-12.40	22.66	38.00	19.63	40.03	0.54 -- -- Average	3	17325.00	52.81	68.20	-15.39	33.88	40.50	24.14	46.36	0.65 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																	
1	11550.00	50.40	74.00	-23.60	31.46	38.00	19.63	40.03	0.54 -- -- Peak																																																																																																																	
2	11550.00	41.62	54.00	-12.38	22.68	38.00	19.63	40.03	0.54 -- -- Average																																																																																																																	
3	17325.00	52.93	68.20	-15.27	34.00	40.50	24.14	46.36	0.65 -- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																	
1	11550.00	51.34	74.00	-22.66	32.40	38.00	19.63	40.03	0.54 -- -- Peak																																																																																																																	
2	11550.00	41.60	54.00	-12.40	22.66	38.00	19.63	40.03	0.54 -- -- Average																																																																																																																	
3	17325.00	52.81	68.20	-15.39	33.88	40.50	24.14	46.36	0.65 -- -- Peak																																																																																																																	





Mode	15	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	1+2 (CDD)	
Pol.	Horizontal	Vertical
10.6G ~18G Avg.	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL	 Site : 03CH22-HY Condition: AVG_54 3m DRH18-E_LE2C04A18EN_240711 VERTICAL



Mode	16																																																																																																					
	SHF																																																																																																					
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																					
ANT	1+2 (CDD)																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak	Site : 03CH22-HY Condition: PEAK(UNII) 1m SHF_1223_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 18014.58</td><td>38.25</td><td>74.00</td><td>-35.75</td><td>49.53</td><td>37.81</td><td>24.66</td><td>64.21</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>2 39761.03</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>38.42</td><td>44.77</td><td>37.51</td><td>64.00</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 18014.58	38.25	74.00	-35.75	49.53	37.81	24.66	64.21	-9.54	-- PEAK	2 39761.03	47.16	74.00	-26.84	38.42	44.77	37.51	64.00	-9.54	-- PEAK	Site : 03CH22-HY Condition: PEAK(UNII) 1m SHF_1223_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 25450.52</td><td>39.84</td><td>68.20</td><td>-28.36</td><td>40.71</td><td>39.20</td><td>29.60</td><td>60.13</td><td>-9.54</td><td>-- PEAK</td></tr><tr><td>2 38139.36</td><td>47.35</td><td>68.20</td><td>-20.85</td><td>39.77</td><td>43.29</td><td>36.90</td><td>63.07</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 25450.52	39.84	68.20	-28.36	40.71	39.20	29.60	60.13	-9.54	-- PEAK	2 38139.36	47.35	68.20	-20.85	39.77	43.29	36.90	63.07	-9.54	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 18014.58	38.25	74.00	-35.75	49.53	37.81	24.66	64.21	-9.54	-- PEAK																																																																																													
2 39761.03	47.16	74.00	-26.84	38.42	44.77	37.51	64.00	-9.54	-- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 25450.52	39.84	68.20	-28.36	40.71	39.20	29.60	60.13	-9.54	-- PEAK																																																																																													
2 38139.36	47.35	68.20	-20.85	39.77	43.29	36.90	63.07	-9.54	-- PEAK																																																																																													




Mode	17																																																																																																																													
	LF																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																													
ANT	1+2 (CDD)																																																																																																																													
Pol.	Horizontal							Vertical																																																																																																																						
QP/ Peak																																																																																																																														
	Site : 03CH22-HY																																																																																																																													
	Condition: QP 3m Bilog_63304_231015 HORIZONTAL																																																																																																																													
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.97</td><td>21.19</td><td>40.00</td><td>-18.81</td><td>28.70</td><td>24.24</td><td>0.89</td><td>32.67</td><td>0.03</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>94.99</td><td>23.16</td><td>43.50</td><td>-20.34</td><td>38.71</td><td>15.42</td><td>1.69</td><td>32.70</td><td>0.04</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>261.83</td><td>19.74</td><td>46.00</td><td>-26.26</td><td>29.38</td><td>20.10</td><td>2.83</td><td>32.62</td><td>0.05</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>500.45</td><td>34.78</td><td>46.00</td><td>-11.22</td><td>39.50</td><td>23.98</td><td>3.88</td><td>32.80</td><td>0.22</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>749.74</td><td>37.96</td><td>46.00</td><td>-8.04</td><td>37.45</td><td>28.23</td><td>4.77</td><td>32.62</td><td>0.13</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>957.32</td><td>33.84</td><td>46.00</td><td>-12.16</td><td>28.48</td><td>31.06</td><td>5.36</td><td>31.27</td><td>0.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.97	21.19	40.00	-18.81	28.70	24.24	0.89	32.67	0.03	--	--	--	Peak	2	94.99	23.16	43.50	-20.34	38.71	15.42	1.69	32.70	0.04	--	--	--	Peak	3	261.83	19.74	46.00	-26.26	29.38	20.10	2.83	32.62	0.05	--	--	--	Peak	4	500.45	34.78	46.00	-11.22	39.50	23.98	3.88	32.80	0.22	--	--	--	Peak	5	749.74	37.96	46.00	-8.04	37.45	28.23	4.77	32.62	0.13	--	--	--	Peak	6	957.32	33.84	46.00	-12.16	28.48	31.06	5.36	31.27	0.21	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
	1	30.97	21.19	40.00	-18.81	28.70	24.24	0.89	32.67	0.03	--	--	--	Peak																																																																																																																
	2	94.99	23.16	43.50	-20.34	38.71	15.42	1.69	32.70	0.04	--	--	--	Peak																																																																																																																
	3	261.83	19.74	46.00	-26.26	29.38	20.10	2.83	32.62	0.05	--	--	--	Peak																																																																																																																
	4	500.45	34.78	46.00	-11.22	39.50	23.98	3.88	32.80	0.22	--	--	--	Peak																																																																																																																
5	749.74	37.96	46.00	-8.04	37.45	28.23	4.77	32.62	0.13	--	--	--	Peak																																																																																																																	
6	957.32	33.84	46.00	-12.16	28.48	31.06	5.36	31.27	0.21	--	--	--	Peak																																																																																																																	
Site : 03CH22-HY																																																																																																																														
Condition: QP 3m Bilog_63304_231015 VERTICAL																																																																																																																														
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>73.65</td><td>27.76</td><td>40.00</td><td>-12.24</td><td>45.97</td><td>12.98</td><td>1.48</td><td>32.70</td><td>0.03</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>97.90</td><td>21.83</td><td>43.50</td><td>-21.67</td><td>36.96</td><td>15.83</td><td>1.72</td><td>32.71</td><td>0.03</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>262.80</td><td>21.00</td><td>46.00</td><td>-24.92</td><td>30.69</td><td>20.14</td><td>2.83</td><td>32.62</td><td>0.04</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>500.45</td><td>32.03</td><td>46.00</td><td>-13.97</td><td>36.75</td><td>23.98</td><td>3.88</td><td>32.80</td><td>0.22</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>749.74</td><td>35.59</td><td>46.00</td><td>-10.41</td><td>35.08</td><td>28.23</td><td>4.77</td><td>32.62</td><td>0.13</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>958.29</td><td>33.79</td><td>46.00</td><td>-12.21</td><td>28.42</td><td>31.06</td><td>5.36</td><td>31.26</td><td>0.21</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	73.65	27.76	40.00	-12.24	45.97	12.98	1.48	32.70	0.03	--	--	--	Peak	2	97.90	21.83	43.50	-21.67	36.96	15.83	1.72	32.71	0.03	--	--	--	Peak	3	262.80	21.00	46.00	-24.92	30.69	20.14	2.83	32.62	0.04	--	--	--	Peak	4	500.45	32.03	46.00	-13.97	36.75	23.98	3.88	32.80	0.22	--	--	--	Peak	5	749.74	35.59	46.00	-10.41	35.08	28.23	4.77	32.62	0.13	--	--	--	Peak	6	958.29	33.79	46.00	-12.21	28.42	31.06	5.36	31.26	0.21	--	--	--	Peak	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	73.65	27.76	40.00	-12.24	45.97	12.98	1.48	32.70	0.03	--	--	--	Peak																																																																																																																	
2	97.90	21.83	43.50	-21.67	36.96	15.83	1.72	32.71	0.03	--	--	--	Peak																																																																																																																	
3	262.80	21.00	46.00	-24.92	30.69	20.14	2.83	32.62	0.04	--	--	--	Peak																																																																																																																	
4	500.45	32.03	46.00	-13.97	36.75	23.98	3.88	32.80	0.22	--	--	--	Peak																																																																																																																	
5	749.74	35.59	46.00	-10.41	35.08	28.23	4.77	32.62	0.13	--	--	--	Peak																																																																																																																	
6	958.29	33.79	46.00	-12.21	28.42	31.06	5.36	31.26	0.21	--	--	--	Peak																																																																																																																	



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1+2	802.11a	94.62	1055	0.95	1kHz
1+2	802.11ac VHT20	94.74	1080	0.93	1kHz
1+2	802.11ac VHT40	94.69	1070	0.93	1kHz
1+2	802.11ac VHT80	94.95	1071	0.93	1kHz
1+2	802.11ax HE20 Full RU	94.50	945	1.06	1.1KHz
1+2	802.11ax HE40 Full RU	94.38	940	1.06	1.1KHz
1+2	802.11ax HE80 Full RU	94.26	936	1.07	1.1KHz

MIMO <Ant. 1+2>







802.11ac VHT40




802.11ac VHT80



802.11ax HE20 Full RU



802.11ax HE40 Full RU



802.11ax HE80 Full RU

