


1.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	697.65	19.92	30	Pass	401
698	698.1	0.03	RMS	698.001	-27.06	-13	Pass	401
698.1	710	0.1	RMS	698.1	-31.63	-13	Pass	401




1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	694.888	5.4	30	Pass	401
698	698.1	0.03	RMS	698	-33.8	-13	Pass	401
698.1	710	0.1	RMS	698.1	-33.2	-13	Pass	401




1.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-34.51	-13	Pass	401
662.9	663	0.03	RMS	662.997	-34.42	-13	Pass	401
663	673	0.1	RMS	663.575	20.48	30	Pass	401




1.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-30.72	-13	Pass	401
662.9	663	0.03	RMS	662.992	-34.47	-13	Pass	401
663	673	0.1	RMS	671	3.63	30	Pass	401




1.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-34.54	-13	Pass	401
662.9	663	0.03	RMS	663	-34.79	-13	Pass	401
663	673	0.1	RMS	663.625	19.98	30	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-32.77	-13	Pass	401
662.9	663	0.03	RMS	662.96	-37.22	-13	Pass	401
663	673	0.1	RMS	669.65	2.7	30	Pass	401




1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	697.4	20.47	30	Pass	401
698	698.1	0.03	RMS	698	-39.66	-13	Pass	401
698.1	710	0.1	RMS	698.1	-40.92	-13	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	690.775	3.54	30	Pass	401
698	698.1	0.03	RMS	698.022	-38.73	-13	Pass	401
698.1	710	0.1	RMS	698.1	-34.83	-13	Pass	401




1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	697.4	19.63	30	Pass	401
698	698.1	0.03	RMS	698.001	-42.13	-13	Pass	401
698.1	710	0.1	RMS	698.1	-43.42	-13	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	690.575	2.56	30	Pass	401
698	698.1	0.03	RMS	698.001	-39.61	-13	Pass	401
698.1	710	0.1	RMS	698.1	-35.71	-13	Pass	401




1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-35.82	-13	Pass	401
662.9	663	0.03	RMS	663	-36.06	-13	Pass	401
663	678	0.1	RMS	663.825	20.56	30	Pass	401




1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-32.52	-13	Pass	401
662.9	663	0.03	RMS	663	-36.27	-13	Pass	401
663	678	0.1	RMS	670.313	1.75	30	Pass	401




1.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-35.17	-13	Pass	401
662.9	663	0.03	RMS	662.999	-35.76	-13	Pass	401
663	678	0.1	RMS	663.825	19.99	30	Pass	401




1.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.803	-35.36	-13	Pass	401
662.9	663	0.03	RMS	662.995	-39.09	-13	Pass	401
663	678	0.1	RMS	670.163	0.85	30	Pass	401




1.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	697.175	20.55	30	Pass	401
698	698.1	0.03	RMS	698	-39.91	-13	Pass	401
698.1	710	0.1	RMS	698.1	-40.05	-13	Pass	401




1.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	689.188	1.57	30	Pass	401
698	698.1	0.03	RMS	698.011	-39.81	-13	Pass	401
698.1	710	0.1	RMS	698.189	-35.78	-13	Pass	401




1.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	697.138	19.52	30	Pass	401
698	698.1	0.03	RMS	698	-40.34	-13	Pass	401
698.1	710	0.1	RMS	698.1	-40.39	-13	Pass	401




1.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	686.863	0.63	30	Pass	401
698	698.1	0.03	RMS	698.002	-41.32	-13	Pass	401
698.1	710	0.1	RMS	698.1	-37.16	-13	Pass	401




1.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-37.96	-13	Pass	401
662.9	663	0.03	RMS	662.999	-39	-13	Pass	401
663	683	0.1	RMS	664.1	20.61	30	Pass	401




1.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.836	-36.28	-13	Pass	401
662.9	663	0.03	RMS	662.931	-40.54	-13	Pass	401
663	683	0.1	RMS	670.85	0.89	30	Pass	401




1.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-36.15	-13	Pass	401
662.9	663	0.03	RMS	662.998	-38	-13	Pass	401
663	683	0.1	RMS	664.1	19.72	30	Pass	401




1.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-36.86	-13	Pass	401
662.9	663	0.03	RMS	663	-41.51	-13	Pass	401
663	683	0.1	RMS	672.2	-0.08	30	Pass	401




1.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	20.47	30	Pass	401
698	698.1	0.03	RMS	698	-41.46	-13	Pass	401
698.1	710	0.1	RMS	698.1	-40.61	-13	Pass	401




1.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	684.3	0.63	30	Pass	401
698	698.1	0.03	RMS	698.094	-41.91	-13	Pass	401
698.1	710	0.1	RMS	698.1	-37.13	-13	Pass	401




1.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	19.51	30	Pass	401
698	698.1	0.03	RMS	698.001	-41.72	-13	Pass	401
698.1	710	0.1	RMS	698.1	-40.77	-13	Pass	401



1.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	684.95	-0.36	30	Pass	401
698	698.1	0.03	RMS	698.015	-41.76	-13	Pass	401
698.1	710	0.1	RMS	698.1	-37.27	-13	Pass	401




NR

4. n2 15kHz


4.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-29.74	-13	16.74	Pass	401
1849	1850	0.051	RMS	1850	-18.73	-13	5.73	Pass	401
1850	1855	1	RMS	1850.325	19.79	30	10.21	Pass	401




4.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-28.54	-13	15.54	Pass	401
1849	1850	0.051	RMS	1850	-32.66	-13	19.66	Pass	401
1850	1855	1	RMS	1853.8	13.72	30	16.28	Pass	401



4.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.663	19.51	30	10.49	Pass	401
1910	1911	0.02	RMS	1910	-24.49	-13	11.49	Pass	401
1911.5	1920	1	RMS	1911.5	-32.71	-13	19.71	Pass	401




4.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1906.138	13.62	30	16.38	Pass	401
1910	1911	0.051	RMS	1910	-32.39	-13	19.39	Pass	401
1911.5	1920	1	RMS	1911.5	-28.79	-13	15.79	Pass	401




4.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-37.97	-13	24.97	Pass	401
1849	1850	0.051	RMS	1849.998	-24.46	-13	11.46	Pass	401
1850	1865	1	RMS	1850.45	19.73	30	10.27	Pass	401




4.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-25.87	-13	12.87	Pass	401
1849	1850	0.15	RMS	1850	-34.19	-13	21.19	Pass	401
1850	1865	1	RMS	1856	8.55	30	21.45	Pass	401




4.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1909.438	19.55	30	10.45	Pass	401
1910	1911	0.051	RMS	1910	-25.53	-13	12.53	Pass	401
1911.5	1930	1	RMS	1911.5	-40.68	-13	27.68	Pass	401




4.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1896.463	8.46	30	21.54	Pass	401
1910	1911	0.15	RMS	1910.003	-34.54	-13	21.54	Pass	401
1911	1930	1	RMS	1911	-27.81	-13	14.81	Pass	401




4.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-40.1	-13	27.1	Pass	401
1849	1850	0.2	RMS	1849.998	-20.54	-13	7.54	Pass	401
1850	1870	1	RMS	1850.5	19.59	30	10.41	Pass	401




4.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-27.02	-13	14.02	Pass	401
1849	1850	0.2	RMS	1849.988	-33.82	-13	20.82	Pass	401
1850	1870	1	RMS	1855.85	7.59	30	22.41	Pass	401




4.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.45	19.56	30	10.44	Pass	401
1910	1911	0.2	RMS	1910	-21.46	-13	8.46	Pass	401
1911.5	1935	1	RMS	1911.5	-42.16	-13	29.16	Pass	401



4.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1891.3	7.48	30	22.52	Pass	401
1910	1911	0.2	RMS	1910.015	-32.03	-13	19.03	Pass	401
1911	1935	1	RMS	1911	-27.05	-13	14.05	Pass	401



1. n5


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.168	-42.34	-13	29.34	Pass	401
823	824	0.02	RMS	824	-22.32	-13	9.32	Pass	401
824	829	0.1	RMS	824.338	17.54	30	12.46	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-37.65	-13	24.65	Pass	401
823	824	0.051	RMS	824	-31.43	-13	18.43	Pass	401
824	829	0.1	RMS	828.063	3.9	30	26.1	Pass	401




1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.638	17.18	30	12.82	Pass	401
849	850	0.02	RMS	849	-24.98	-13	11.98	Pass	401
850	859	0.1	RMS	850.788	-48.69	-13	35.69	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.775	3.87	30	26.13	Pass	401
849	850	0.051	RMS	849	-34.53	-13	21.53	Pass	401
850	859	0.1	RMS	850.09	-40.81	-13	27.81	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.81	-51.14	-13	38.14	Pass	401
823	824	0.02	RMS	824	-27.89	-13	14.89	Pass	401
824	839	0.1	RMS	824.45	17.35	30	12.65	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	823	-40.46	-13	27.46	Pass	401
823	824	0.15	RMS	823.998	-33.35	-13	20.35	Pass	401
824	839	0.1	RMS	828.238	-1.11	30	31.11	Pass	401



1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	17.18	30	12.82	Pass	401
849	850	0.02	RMS	849.003	-31	-13	18	Pass	401
850	869	0.1	RMS	850.048	-51.88	-13	38.88	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	835.35	-1.11	30	31.11	Pass	401
849	850	0.15	RMS	849.005	-38.02	-13	25.02	Pass	401
850	869	0.1	RMS	850.048	-43.83	-13	30.83	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-51.52	-13	38.52	Pass	401
823	824	0.02	RMS	823.998	-31.05	-13	18.05	Pass	401
824	844	0.1	RMS	824.55	17.37	30	12.63	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-40.42	-13	27.42	Pass	401
823	824	0.2	RMS	824	-34.59	-13	21.59	Pass	401
824	844	0.1	RMS	834.15	-2.37	30	32.37	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	17.09	30	12.91	Pass	401
849	850	0.02	RMS	849	-34.03	-13	21.03	Pass	401
850	874	0.1	RMS	850	-51.78	-13	38.78	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	839.15	-2.33	30	32.33	Pass	401
849	850	0.2	RMS	849	-36.09	-13	23.09	Pass	401
850	874	0.1	RMS	850	-41.23	-13	28.23	Pass	401



1. n7


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.324	-50.02	-25	25.02	Pass	401
2490.5	2496	1	RMS	2495.876	-45.76	-13	32.76	Pass	401
2496	2498.5	1	RMS	2497.667	-38.26	-10	28.26	Pass	4
2499	2500	0.051	RMS	2500	-16.42	-10	6.42	Pass	401
2500	2505	1	RMS	2500.325	20.73	30	9.27	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.499	-43.36	-25	18.36	Pass	401
2490.5	2496	1	RMS	2496	-26.95	-13	13.95	Pass	401
2496	2498.5	1	RMS	2498.5	-16.97	-10	6.97	Pass	401
2499	2500	0.1	RMS	2500	-22.7	-10	12.7	Pass	401
2500	2505	1	RMS	2503.713	14.79	30	15.21	Pass	401




1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2569.625	21.39	30	8.61	Pass	401
2570	2571	0.051	RMS	2570.005	-18.79	-10	8.79	Pass	401
2571.5	2575	1	RMS	2571.5	-29.49	-10	19.49	Pass	401
2575	2576	1	RMS	2575.088	-44.8	-13	31.8	Pass	401
2576	2580	1	RMS	2576.02	-46.71	-25	21.71	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	1	RMS	2568.763	15.15	30	14.85	Pass	401
2570	2571	0.1	RMS	2570	-22.36	-10	12.36	Pass	401
2571	2575	1	RMS	2571	-15.46	-10	5.46	Pass	5
2575	2576	1	RMS	2575.005	-30.5	-13	17.5	Pass	401
2576	2580	1	RMS	2576	-33.78	-25	8.78	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490.5	1	RMS	2490.29	-49.48	-25	24.48	Pass	401
2490.5	2496	1	RMS	2495.024	-45.59	-13	32.59	Pass	401
2496	2498.5	1	RMS	2498.494	-36.2	-10	26.2	Pass	401
2499	2500	0.051	RMS	2500	-21.8	-10	11.8	Pass	401
2500	2515	1	RMS	2500.45	20.68	30	9.32	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2480	2490	1	RMS	2490	-28.11	-25	3.11	Pass	401
2490.5	2496	1	RMS	2496	-21.69	-13	8.69	Pass	401
2496	2499	1	RMS	2499	-18.33	-10	8.33	Pass	401
2499	2500	0.3	RMS	2500	-20.59	-10	10.59	Pass	401
2500	2515	1	RMS	2503.75	9.74	30	20.26	Pass	401




1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2569.513	21.24	30	8.76	Pass	401
2570	2571	0.051	RMS	2570.008	-24.02	-10	14.02	Pass	401
2571.5	2575	1	RMS	2572.156	-35.34	-10	25.34	Pass	401
2575	2585	1	RMS	2575.025	-45.3	-13	32.3	Pass	401
2585	2590	1	RMS	2585.963	-50.31	-25	25.31	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	1	RMS	2568.425	10.79	30	19.21	Pass	401
2570	2571	0.3	RMS	2570	-21.62	-10	11.62	Pass	401
2571	2575	1	RMS	2571	-19.79	-10	9.79	Pass	401
2575	2585	1	RMS	2575.025	-24.78	-13	11.78	Pass	401
2585	2590	1	RMS	2585.038	-36.46	-25	11.46	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490.5	1	RMS	2490.5	-49.77	-25	24.77	Pass	401
2490.5	2496	1	RMS	2495.161	-46.14	-13	33.14	Pass	401
2496	2498.5	1	RMS	2498.488	-37.39	-10	27.39	Pass	401
2499	2500	0.051	RMS	2500	-25.05	-10	15.05	Pass	401
2500	2520	1	RMS	2500.5	20.65	30	9.35	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.69	-25	3.69	Pass	16
2490.5	2496	1	RMS	2495.959	-22.4	-13	9.4	Pass	401
2496	2499	1	RMS	2498.993	-19.02	-10	9.02	Pass	401
2499	2500	0.39	RMS	2500	-18.79	-10	8.79	Pass	401
2500	2520	1	RMS	2504	8.51	30	21.49	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	21.25	30	8.75	Pass	401
2570	2571	0.051	RMS	2570	-26.65	-10	16.65	Pass	401
2571.5	2575	1	RMS	2571.553	-35.63	-10	25.63	Pass	401
2575	2590	1	RMS	2575	-45.39	-13	32.39	Pass	401
2590	2595	1	RMS	2590.025	-50.34	-25	25.34	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	1	RMS	2568.4	9.61	30	20.39	Pass	401
2570	2571	0.39	RMS	2570	-18.71	-10	8.71	Pass	401
2571	2575	1	RMS	2571	-18.9	-10	8.9	Pass	401
2575	2590	1	RMS	2575	-24.11	-13	11.11	Pass	401
2590	2595	1	RMS	2590	-37.81	-25	12.81	Pass	401



1. n12 15kHz


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-19.77	-13	6.77	Pass	401
698.9	699	0.03	RMS	699	-19.05	-13	6.05	Pass	401
699	704	0.1	RMS	699.338	18.02	30	11.98	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-29.03	-13	16.03	Pass	401
698.9	699	0.03	RMS	698.997	-31.57	-13	18.57	Pass	401
699	704	0.1	RMS	699.425	4.84	30	25.16	Pass	401



1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	17.95	30	12.05	Pass	401
716	716.1	0.03	RMS	716	-21.51	-13	8.51	Pass	401
716.1	726	0.1	RMS	716.1	-21.89	-13	8.89	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	711.375	4.43	30	25.57	Pass	401
716	716.1	0.03	RMS	716.011	-31.41	-13	18.41	Pass	401
716.1	726	0.1	RMS	716.1	-29.75	-13	16.75	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-20.73	-13	7.73	Pass	401
698.9	699	0.03	RMS	698.998	-20.96	-13	7.96	Pass	401
699	709	0.1	RMS	699.4	18.02	30	11.98	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-33.29	-13	20.29	Pass	401
698.9	699	0.03	RMS	698.999	-36.94	-13	23.94	Pass	401
699	709	0.1	RMS	707.35	1.65	30	28.35	Pass	401



1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.575	17.83	30	12.17	Pass	401
716	716.1	0.03	RMS	716	-23.45	-13	10.45	Pass	401
716.1	731	0.1	RMS	716.1	-23.21	-13	10.21	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	708.875	1.61	30	28.39	Pass	401
716	716.1	0.03	RMS	716	-36.78	-13	23.78	Pass	401
716.1	731	0.1	RMS	716.1	-33.52	-13	20.52	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-24.3	-13	11.3	Pass	401
698.9	699	0.03	RMS	699	-24.28	-13	11.28	Pass	401
699	714	0.1	RMS	699.488	17.98	30	12.02	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-35	-13	22	Pass	401
698.9	699	0.03	RMS	698.958	-38.97	-13	25.97	Pass	401
699	714	0.1	RMS	708.638	-0.32	30	30.32	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	17.88	30	12.12	Pass	401
716	716.1	0.03	RMS	716.001	-26.66	-13	13.66	Pass	401
716.1	736	0.1	RMS	716.1	-26.52	-13	13.52	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	707.075	-0.45	30	30.45	Pass	401
716	716.1	0.03	RMS	716.003	-38.91	-13	25.91	Pass	401
716.1	736	0.1	RMS	716.2	-34.77	-13	21.77	Pass	401



3. n13 15kHz


3.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	776.9	0.1	RMS	776.9	-21.78	-13	8.78	Pass	401
776.9	777	0.03	RMS	777	-21.02	-13	8.02	Pass	401
777	782	0.1	RMS	777.338	17.4	30	12.6	Pass	401




3.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	776.9	0.1	RMS	776.9	-33.74	-13	20.74	Pass	401
776.9	777	0.03	RMS	777	-35.34	-13	22.34	Pass	401
777	782	0.1	RMS	780.475	4.19	30	25.81	Pass	401



3.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
782	787	0.1	RMS	786.65	17.38	30	12.62	Pass	401
787	787.1	0.03	RMS	787.001	-21.41	-13	8.41	Pass	401
787.1	797	0.1	RMS	787.1	-22.12	-13	9.12	Pass	401




3.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
782	787	0.1	RMS	786.563	4.08	30	25.92	Pass	401
787	787.1	0.03	RMS	787.001	-35.87	-13	22.87	Pass	401
787.1	797	0.1	RMS	787.1	-34.43	-13	21.43	Pass	401




3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:5, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:6, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)



3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:7, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)




3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:8, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




3.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
762	776.9	0.1	RMS	776.9	-22.96	-13	9.96	Pass	401
776.9	777	0.03	RMS	776.998	-22.99	-13	9.99	Pass	401
777	787	0.1	RMS	777.4	17.39	30	12.61	Pass	401




3.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
762	776.9	0.1	RMS	776.9	-38.85	-13	25.85	Pass	401
776.9	777	0.03	RMS	777	-41.03	-13	28.03	Pass	401
777	787	0.1	RMS	786.35	1.11	30	28.89	Pass	401




3.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.1	RMS	786.6	17.43	30	12.57	Pass	401
787	787.1	0.03	RMS	787.002	-23.29	-13	10.29	Pass	401
787.1	802	0.1	RMS	787.1	-22.94	-13	9.94	Pass	401




3.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
777	787	0.1	RMS	786.325	1.01	30	28.99	Pass	401
787	787.1	0.03	RMS	787.003	-37.32	-13	24.32	Pass	401
787.1	802	0.1	RMS	787.1	-35.22	-13	22.22	Pass	401




3.13. Band Edge for SA_Part22-24-27(NTNV)(Subtest:5, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




3.14. Band Edge for SA_Part22-24-27(NTNV)(Subtest:6, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)



3.15. Band Edge for SA_Part22-24-27(NTNV)(Subtest:7, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)




3.16. Band Edge for SA_Part22-24-27(NTNV)(Subtest:8, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)



1. n14 15kHz


1.1. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-19.71	-13	6.71	Pass	401
787.9	788	0.051	RMS	787.998	-16.16	-13	3.16	Pass	401
788	793	0.1	RMS	788.325	19.6	30	10.4	Pass	401




1.2. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-30.73	-13	17.73	Pass	401
787.9	788	0.051	RMS	787.999	-30.4	-13	17.4	Pass	401
788	793	0.1	RMS	789.038	5.92	30	24.08	Pass	401




1.3. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	797.65	19.31	30	10.69	Pass	401
798	798.1	0.051	RMS	798.001	-18.23	-13	5.23	Pass	401
798.1	808	0.1	RMS	798.1	-21.56	-13	8.56	Pass	401




1.4. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	793.788	6.02	30	23.98	Pass	401
798	798.1	0.051	RMS	798.002	-31.01	-13	18.01	Pass	401
798.1	808	0.1	RMS	798.1	-31.15	-13	18.15	Pass	401




1.5. Band Edge for SA_Part90(NTNV)(Subtest:5, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.6. Band Edge for SA_Part90(NTNV)(Subtest:6, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)



1.7. Band Edge for SA_Part90(NTNV)(Subtest:7, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)




1.8. Band Edge for SA_Part90(NTNV)(Subtest:8, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.9. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-19.93	-13	6.93	Pass	401
787.9	787.95	0.1	RMS	787.95	-17.31	-13	4.31	Pass	401
788	798	0.1	RMS	788.4	19.77	30	10.23	Pass	401




1.10. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-33	-13	20	Pass	401
787.9	788	0.1	RMS	788	-30.08	-13	17.08	Pass	401
788	798	0.1	RMS	791	2.84	30	27.16	Pass	401




1.11. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.575	19.35	30	10.65	Pass	401
798	798.1	0.1	RMS	798.001	-17.68	-13	4.68	Pass	401
798.1	813	0.1	RMS	798.1	-22.99	-13	9.99	Pass	401




1.12. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	791	2.9	30	27.1	Pass	401
798	798.1	0.1	RMS	798	-30.45	-13	17.45	Pass	401
798.1	813	0.1	RMS	798.1	-33.3	-13	20.3	Pass	401




1.13. Band Edge for SA_Part90(NTNV)(Subtest:5, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.14. Band Edge for SA_Part90(NTNV)(Subtest:6, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)



1.15. Band Edge for SA_Part90(NTNV)(Subtest:7, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)




1.16. Band Edge for SA_Part90(NTNV)(Subtest:8, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)



2. n25 15kHz


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-28.97	-13	15.97	Pass	401
1849	1850	0.051	RMS	1849.998	-17.77	-13	4.77	Pass	401
1850	1855	1	RMS	1850.313	20.73	30	9.27	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-29.61	-13	16.61	Pass	401
1849	1850	0.051	RMS	1849.998	-32.78	-13	19.78	Pass	401
1850	1855	1	RMS	1853.6	14.7	30	15.3	Pass	401




2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1914.663	20.48	30	9.52	Pass	401
1915	1916	0.051	RMS	1915.008	-20.31	-13	7.31	Pass	401
1916.5	1925	1	RMS	1916.5	-31.51	-13	18.51	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	1	RMS	1911.175	14.65	30	15.35	Pass	401
1915	1916	0.051	RMS	1915	-32.77	-13	19.77	Pass	401
1916.5	1925	1	RMS	1916.5	-28.3	-13	15.3	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-37.39	-13	24.39	Pass	401
1849	1850	0.15	RMS	1849.993	-18.52	-13	5.52	Pass	401
1850	1865	1	RMS	1850.45	20.74	30	9.26	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-25.44	-13	12.44	Pass	401
1849	1850	0.15	RMS	1850	-34.14	-13	21.14	Pass	401
1850	1865	1	RMS	1854.088	9.61	30	20.39	Pass	401




2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	1	RMS	1914.475	20.5	30	9.5	Pass	401
1915	1916	0.15	RMS	1915	-19.84	-13	6.84	Pass	401
1916.5	1935	1	RMS	1916.546	-39.53	-13	26.53	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	1	RMS	1901.65	10.2	30	19.8	Pass	401
1915	1916	0.15	RMS	1915	-34.84	-13	21.84	Pass	401
1916	1935	1	RMS	1916	-27.78	-13	14.78	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-39.41	-13	26.41	Pass	401
1849	1850	0.2	RMS	1850	-19.46	-13	6.46	Pass	401
1850	1870	1	RMS	1850.5	20.68	30	9.32	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-25.72	-13	12.72	Pass	401
1849	1850	0.2	RMS	1849.998	-32.06	-13	19.06	Pass	401
1850	1870	1	RMS	1855.6	8.57	30	21.43	Pass	401



2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1914.45	20.49	30	9.51	Pass	401
1915	1916	0.2	RMS	1915	-20.96	-13	7.96	Pass	401
1916.5	1940	1	RMS	1916.5	-40.86	-13	27.86	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	1	RMS	1896.55	8.56	30	21.44	Pass	401
1915	1916	0.2	RMS	1915.005	-33.32	-13	20.32	Pass	401
1916	1940	1	RMS	1916	-27.46	-13	14.46	Pass	401



5. n26 15kHz_Part22


5.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813	0.1	RMS	813	-51.87	-13	38.87	Pass	401
813	814	0.05	RMS	814	-18.99	-13	5.99	Pass	21
814	819	0.1	RMS	814.338	16.67	30	13.33	Pass	401




5.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813	0.1	RMS	813	-40.19	-13	27.19	Pass	401
813	814	0.051	RMS	814	-31.83	-13	18.83	Pass	401
814	819	0.1	RMS	818.588	3.09	30	26.91	Pass	401



5.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	16.65	30	13.35	Pass	401
849	850	0.051	RMS	849	-19.5	-13	6.5	Pass	401
850	859	0.1	RMS	850	-52.86	-13	39.86	Pass	401




5.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.775	3.29	30	26.71	Pass	401
849	850	0.051	RMS	849.003	-34.85	-13	21.85	Pass	401
850	859	0.1	RMS	850.45	-42.05	-13	29.05	Pass	401




5.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:164300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813	0.1	RMS	812.953	-52.62	-13	39.62	Pass	401
813	814	0.15	RMS	814	-19.68	-13	6.68	Pass	8
814	829	0.1	RMS	814.488	16.57	30	13.43	Pass	401




5.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:164300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
794	813	0.1	RMS	812.905	-41.02	-13	28.02	Pass	401
813	814	0.15	RMS	813.995	-34.69	-13	21.69	Pass	401
814	829	0.1	RMS	823.375	-1.72	30	31.72	Pass	401




5.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	16.6	30	13.4	Pass	401
849	850	0.15	RMS	849	-19.68	-13	6.68	Pass	401
850	869	0.1	RMS	850.048	-52.9	-13	39.9	Pass	401




5.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.85	-1.63	30	31.63	Pass	401
849	850	0.15	RMS	849	-36.32	-13	23.32	Pass	401
850	869	0.1	RMS	850.143	-42.21	-13	29.21	Pass	401




5.13. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:164800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
789	813	0.1	RMS	813	-52.6	-13	39.6	Pass	401
813	814	0.2	RMS	814	-20.34	-13	7.34	Pass	401
814	834	0.1	RMS	814.55	16.58	30	13.42	Pass	401




5.14. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:164800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
789	813	0.1	RMS	812.94	-38.36	-13	25.36	Pass	401
813	814	0.2	RMS	814	-33.27	-13	20.27	Pass	401
814	834	0.1	RMS	825.5	-2.75	30	32.75	Pass	401




5.15. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	16.53	30	13.47	Pass	401
849	850	0.2	RMS	849	-20.98	-13	7.98	Pass	401
850	874	0.1	RMS	850	-52.59	-13	39.59	Pass	401



5.16. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	840.45	-2.7	30	32.7	Pass	401
849	850	0.2	RMS	849	-33.45	-13	20.45	Pass	401
850	874	0.1	RMS	850	-37.8	-13	24.8	Pass	401



2. n26 15kHz_Part90


2.1. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-20.38	-13	7.38	Pass	401
813.9625	814	0.002	RMS	813.995	-29.26	-20	9.26	Pass	401
814	819	0.1	RMS	814.325	17.26	30	12.74	Pass	401




2.2. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.051	RMS	813.963	-34.28	-13	21.28	Pass	401
813.9625	814	0.051	RMS	814	-33.07	-20	13.07	Pass	401
814	819	0.1	RMS	817.925	3.85	30	26.15	Pass	401




2.3. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	17.21	30	12.79	Pass	401
824	824.0375	0.002	RMS	824.007	-32.58	-20	12.58	Pass	401
824.0375	829	0.051	RMS	824.038	-22.11	-13	9.11	Pass	401




2.4. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.938	3.81	30	26.19	Pass	401
824	824.0375	0.051	RMS	824.001	-33.64	-20	13.64	Pass	401
824.0375	829	0.051	RMS	824.038	-35.78	-13	22.78	Pass	401




2.5. Band Edge for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-19.28	-13	6.28	Pass	401
813.9625	814	0.002	RMS	813.994	-32.41	-20	12.41	Pass	401
814	824	0.1	RMS	814.4	17.14	30	12.86	Pass	401




2.6. Band Edge for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	813.9625	0.1	RMS	813.963	-35.1	-13	22.1	Pass	401
813.9625	814	0.1	RMS	814	-33.58	-20	13.58	Pass	401
814	824	0.1	RMS	821.325	0.64	30	29.36	Pass	401




2.7. Band Edge for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	823.575	17.17	30	12.83	Pass	401
824	824.0375	0.002	RMS	824.007	-34.59	-20	14.59	Pass	401
824.0375	834	0.1	RMS	824.038	-21.22	-13	8.22	Pass	401



2.8. Band Edge for SA_Part90(NTNV)(Subtest:4, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	824	0.1	RMS	821.425	0.57	30	29.43	Pass	401
824	824.0375	0.1	RMS	824.002	-34.02	-20	14.02	Pass	401
824.0375	834	0.1	RMS	824.038	-35.23	-13	22.23	Pass	401



1. n38_PC3


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2545.1	-50.51	-25	25.51	Pass	401
2550	2565	1	RMS	2561.888	-47.32	-13	34.32	Pass	401
2565	2569	1	RMS	2569	-26.93	-10	16.93	Pass	401
2569	2570	0.051	RMS	2570	-25.9	-10	15.9	Pass	401
2570	2590	1	RMS	2571	20.64	30	9.36	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.938	-40.38	-25	15.38	Pass	401
2550	2565	1	RMS	2565	-30.56	-13	17.56	Pass	401
2565	2569	1	RMS	2568.99	-26.39	-10	16.39	Pass	401
2569	2570	0.39	RMS	2569.988	-27.88	-10	17.88	Pass	401
2570	2590	1	RMS	2587.55	8.99	30	21.01	Pass	401




1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2619	21.25	30	8.75	Pass	401
2620	2621	0.051	RMS	2620	-28.3	-10	18.3	Pass	401
2621	2625	1	RMS	2621	-29.18	-10	19.18	Pass	401
2625	2640	1	RMS	2625.038	-48.58	-13	35.58	Pass	401
2640	2645	1	RMS	2640.15	-50.29	-25	25.29	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2617.05	9.1	30	20.9	Pass	401
2620	2621	0.39	RMS	2620.01	-26.05	-10	16.05	Pass	401
2621	2625	1	RMS	2621.02	-23.64	-10	13.64	Pass	401
2625	2640	1	RMS	2625.038	-28.49	-13	15.49	Pass	401
2640	2645	1	RMS	2640.138	-40.14	-25	15.14	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2536.963	-50.47	-25	25.47	Pass	401
2540	2565	1	RMS	2557.25	-47.24	-13	34.24	Pass	401
2565	2569	1	RMS	2569	-31.45	-10	21.45	Pass	401
2569	2570	0.051	RMS	2570	-29.9	-10	19.9	Pass	401
2570	2600	1	RMS	2571.125	20.74	30	9.26	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2539.963	-41.95	-25	16.95	Pass	401
2540	2565	1	RMS	2565	-31.47	-13	18.47	Pass	401
2565	2569	1	RMS	2568.9	-29.43	-10	19.43	Pass	401
2569	2570	0.62	RMS	2570	-29.23	-10	19.23	Pass	401
2570	2600	1	RMS	2597.075	7.33	30	22.67	Pass	401




1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2618.8	21.46	30	8.54	Pass	401
2620	2621	0.051	RMS	2620	-32.59	-10	22.59	Pass	401
2621	2625	1	RMS	2621	-33.83	-10	23.83	Pass	401
2625	2650	1	RMS	2625	-48.35	-13	35.35	Pass	401
2650	2655	1	RMS	2653.763	-50.39	-25	25.39	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2615.5	7.35	30	22.65	Pass	401
2620	2621	0.62	RMS	2620.003	-27.26	-10	17.26	Pass	401
2621	2625	1	RMS	2621.01	-27.76	-10	17.76	Pass	401
2625	2650	1	RMS	2625.188	-30.24	-13	17.24	Pass	401
2650	2655	1	RMS	2650.875	-41.11	-25	16.11	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2528.875	-50.35	-25	25.35	Pass	401
2530	2565	1	RMS	2552.138	-47.44	-13	34.44	Pass	401
2565	2569	1	RMS	2569	-31.74	-10	21.74	Pass	401
2569	2570	0.051	RMS	2569.988	-30.94	-10	20.94	Pass	401
2570	2610	1	RMS	2571.1	20.69	30	9.31	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.95	-43.43	-25	18.43	Pass	401
2530	2565	1	RMS	2565	-32.51	-13	19.51	Pass	401
2565	2569	1	RMS	2568.93	-30.73	-10	20.73	Pass	401
2569	2570	0.82	RMS	2570	-19.78	-10	9.78	Pass	401
2570	2610	1	RMS	2607.6	6.22	30	23.78	Pass	401



1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.8	21.48	30	8.52	Pass	401
2620	2621	0.051	RMS	2620	-29.78	-10	19.78	Pass	401
2621	2625	1	RMS	2621	-30.79	-10	20.79	Pass	401
2625	2660	1	RMS	2625.088	-48.38	-13	35.38	Pass	401
2660	2665	1	RMS	2662.763	-50.33	-25	25.33	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2610.1	6.1	30	23.9	Pass	401
2620	2621	0.82	RMS	2620	-20.1	-10	10.1	Pass	401
2621	2625	1	RMS	2621.05	-28.99	-10	18.99	Pass	401
2625	2660	1	RMS	2625.088	-30.8	-13	17.8	Pass	401
2660	2665	1	RMS	2660.35	-42.17	-25	17.17	Pass	401



1. n41


1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2487.916	-48.57	-25	23.57	Pass	401
2490.5	2495	1	RMS	2495	-28.53	-13	15.53	Pass	401
2495	2496	0.051	RMS	2495.988	-28.01	-13	15.01	Pass	401
2496	2516	1	RMS	2496.95	20.53	40	19.47	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490	1	RMS	2489.953	-30.32	-25	5.32	Pass*	401
2490.5	2494.5	1	RMS	2494.49	-24.46	-13	11.46	Pass	401
2495	2495.8	0.39	RMS	2495.726	-26.68	-13	13.68	Pass	401
2496	2516	1	RMS	2513.45	9.26	40	30.74	Pass	401



1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2689	20.93	40	19.07	Pass	401
2690	2691	0.051	RMS	2690	-27.84	-10	17.84	Pass	401
2691	2695	1	RMS	2691	-28.78	-10	18.78	Pass	401
2695	2710	1	RMS	2698.113	-49.66	-13	36.66	Pass	401
2710	2715	1	RMS	2712.225	-51.15	-25	26.15	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2673.1	9.65	40	30.35	Pass	401
2690	2691	0.39	RMS	2690.02	-24.9	-10	14.9	Pass	401
2691.5	2695	1	RMS	2691.509	-22.82	-10	12.82	Pass	401
2695.5	2710	1	RMS	2695.935	-26.02	-13	13.02	Pass	401
2710	2715	1	RMS	2710.675	-38.29	-25	13.29	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2486.335	-50.26	-25	25.26	Pass	401
2490.5	2495	1	RMS	2495	-29.51	-13	16.51	Pass	401
2495	2496	0.051	RMS	2495.995	-28.87	-13	15.87	Pass	401
2496	2556	1	RMS	2496.9	20.32	40	19.68	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490	1	RMS	2490	-34.22	-25	9.22	Pass	401
2490.5	2495	1	RMS	2494.989	-31.83	-13	18.83	Pass	401
2495	2495.4	1.2	RMS	2495.4	-22.48	-13	9.48	Pass	401
2496	2556	1	RMS	2551.8	5.58	40	34.42	Pass	401



1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2688.95	20.86	40	19.14	Pass	401
2690	2691	0.051	RMS	2690.005	-28.73	-10	18.73	Pass	401
2691	2695	1	RMS	2691	-30.09	-10	20.09	Pass	401
2695	2750	1	RMS	2695.138	-49.75	-13	36.75	Pass	401
2750	2755	1	RMS	2754.538	-50.52	-25	25.52	Pass	401




1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2636	4.59	40	35.41	Pass	401
2690.6	2691	1.2	RMS	2690.6	-22.33	-10	12.33	Pass	401
2691	2695	1	RMS	2691.05	-28.16	-10	18.16	Pass	401
2695	2750	1	RMS	2695	-29.2	-13	16.2	Pass	401
2750	2755	1	RMS	2750.05	-49.62	-25	24.62	Pass	401




1.13. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.003	-50.35	-25	25.35	Pass	401
2490.5	2495	1	RMS	2495	-29.97	-13	16.97	Pass	401
2495	2496	0.051	RMS	2495.995	-28.12	-13	15.12	Pass	401
2496	2596	1	RMS	2497	20.19	40	19.81	Pass	401




1.14. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-36.56	-25	11.56	Pass	401
2490.5	2495	1	RMS	2494.989	-34.99	-13	21.99	Pass	401
2495	2495.5	1	RMS	2495.499	-32.09	-13	19.09	Pass	401
2496	2596	1	RMS	2593.5	3.07	40	36.93	Pass	401




1.15. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.75	40	19.25	Pass	401
2690	2691	0.051	RMS	2690	-27.71	-10	17.71	Pass	401
2691	2695	1	RMS	2691	-28.76	-10	18.76	Pass	401
2695	2790	1	RMS	2695	-49.14	-13	36.14	Pass	401
2790	2795	1	RMS	2791.575	-50.99	-25	25.99	Pass	401



1.16. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2662.75	2.06	40	37.94	Pass	401
2690.5	2691	1	RMS	2690.501	-29.19	-10	19.19	Pass	401
2691	2695	1	RMS	2691.12	-30.84	-10	20.84	Pass	401
2695	2790	1	RMS	2695.238	-31.43	-13	18.43	Pass	401
2790	2795	1	RMS	2794.525	-50.97	-25	25.97	Pass	401



1. n48 30kHz


1.1. Band Edge for SA_Part96(NTNV)(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.025	-45.2	-40	5.2	Pass	401
3530	3540	1	RMS	3539.95	-39.54	-25	14.54	Pass	401
3540	3549	1	RMS	3549	-21.66	-13	8.66	Pass	401
3549	3550	0.1	RMS	3550	-22.86	-13	9.86	Pass	401
3550	3560	1	RMS	3550.825	18.96	40	21.04	Pass	401




1.2. Band Edge for SA_Part96(NTNV)(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3528.2	-46.88	-40	6.88	Pass	401
3530	3540	1	RMS	3538.475	-43.39	-25	18.39	Pass	401
3540	3549	1	RMS	3549	-31.28	-13	18.28	Pass	401
3549	3550	0.1	RMS	3549.998	-34.19	-13	21.19	Pass	401
3550	3560	1	RMS	3552.15	10.2	40	29.8	Pass	401



1.3. Band Edge for SA_Part96(NTNV)(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.1	19.65	40	20.35	Pass	401
3700	3701	0.1	RMS	3700.013	-22.34	-13	9.34	Pass	401
3701	3710	1	RMS	3701	-23.26	-13	10.26	Pass	401
3710	3720	1	RMS	3710.025	-39.36	-25	14.36	Pass	401
3720	3750	1	RMS	3720.525	-43.89	-40	3.89	Pass	401




1.4. Band Edge for SA_Part96(NTNV)(Subtest:4, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3698	10.81	40	29.19	Pass	401
3700	3701	0.1	RMS	3700.018	-34.66	-13	21.66	Pass	401
3701	3710	1	RMS	3701.18	-33.3	-13	20.3	Pass	401
3710	3720	1	RMS	3710.6	-43.02	-25	18.02	Pass	401
3720	3750	1	RMS	3720.525	-46.83	-40	6.83	Pass	401




1.5. Band Edge for SA_Part96(NTNV)(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.475	-46.36	-40	6.36	Pass	401
3530	3540	1	RMS	3539.3	-40.46	-25	15.46	Pass	401
3540	3549	1	RMS	3548.933	-25.88	-13	12.88	Pass	401
3549	3550	0.051	RMS	3549.993	-27.44	-13	14.44	Pass	401
3550	3570	1	RMS	3551	19.02	40	20.98	Pass	401




1.6. Band Edge for SA_Part96(NTNV)(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.325	-47.51	-40	7.51	Pass	401
3530	3540	1	RMS	3539.225	-41.24	-25	16.24	Pass	401
3540	3549	1	RMS	3548.955	-30.57	-13	17.57	Pass	401
3549	3550	0.2	RMS	3549.988	-34.03	-13	21.03	Pass	401
3550	3570	1	RMS	3553.3	7.06	40	32.94	Pass	401




1.7. Band Edge for SA_Part96(NTNV)(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3699	19.65	40	20.35	Pass	401
3700	3701	0.051	RMS	3700.01	-28.21	-13	15.21	Pass	401
3701	3710	1	RMS	3701.09	-24.75	-13	11.75	Pass	401
3710	3720	1	RMS	3710.6	-40.43	-25	15.43	Pass	401
3720	3750	1	RMS	3720.225	-44.99	-40	4.99	Pass	401




1.8. Band Edge for SA_Part96(NTNV)(Subtest:4, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3694.85	7.42	40	32.58	Pass	401
3700	3701	0.2	RMS	3700.003	-34.14	-13	21.14	Pass	401
3701	3710	1	RMS	3701.045	-30.27	-13	17.27	Pass	401
3710	3720	1	RMS	3710.325	-42.38	-25	17.38	Pass	401
3720	3750	1	RMS	3723.225	-46.76	-40	6.76	Pass	401




1.9. Band Edge for SA_Part96(NTNV)(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3525.5	-48.01	-40	8.01	Pass	401
3530	3540	1	RMS	3539.15	-44.99	-25	19.99	Pass	401
3540	3549	1	RMS	3549	-32.58	-13	19.58	Pass	401
3549	3550	0.051	RMS	3550	-31.73	-13	18.73	Pass	401
3550	3590	1	RMS	3551.1	19.13	40	20.87	Pass	401




1.10. Band Edge for SA_Part96(NTNV)(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-43.54	-40	3.54	Pass	31
3530	3540	1	RMS	3539.55	-39.93	-25	14.93	Pass	401
3540	3549	1	RMS	3548.888	-35.36	-13	22.36	Pass	401
3549	3550	0.39	RMS	3549.985	-35.42	-13	22.42	Pass	401
3550	3590	1	RMS	3563	3.92	40	36.08	Pass	401



1.11. Band Edge for SA_Part96(NTNV)(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3698.9	19.82	40	20.18	Pass	401
3700	3701	0.051	RMS	3700.01	-30.7	-13	17.7	Pass	401
3701	3710	1	RMS	3701.068	-25.62	-13	12.62	Pass	401
3710	3720	1	RMS	3710.6	-40.05	-25	15.05	Pass	401
3720	3750	1	RMS	3720.525	-43.61	-40	3.61	Pass	401



1.12. Band Edge for SA_Part96(NTNV)(Subtest:4, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3668.4	4.3	40	35.7	Pass	401
3700	3701	0.39	RMS	3700	-38.55	-13	25.55	Pass	401
3701	3710	1	RMS	3701	-35.84	-13	22.84	Pass	401
3710	3720	1	RMS	3710.225	-42.15	-25	17.15	Pass	401
3720	3750	1	RMS	3720	-45.22	-40	5.22	Pass	31



3. n66 15kHz


3.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-30.22	-13	17.22	Pass	401
1709	1710	0.051	RMS	1710	-17.51	-13	4.51	Pass	401
1710	1715	1	RMS	1710.3	19.5	30	10.5	Pass	401




3.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-26.77	-13	13.77	Pass	401
1709	1710	0.051	RMS	1709.998	-31.09	-13	18.09	Pass	401
1710	1715	1	RMS	1711.263	13.05	30	16.95	Pass	401




3.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.675	20.51	30	9.49	Pass	401
1780	1781	0.051	RMS	1780.005	-19.02	-13	6.02	Pass	401
1781.5	1790	1	RMS	1781.5	-31.87	-13	18.87	Pass	401




3.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.15	14.45	30	15.55	Pass	401
1780	1781	0.051	RMS	1780	-32.06	-13	19.06	Pass	401
1781.5	1790	1	RMS	1781.521	-27.38	-13	14.38	Pass	401




3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1708.5	1	RMS	1708.5	-38.08	-13	25.08	Pass	401
1709	1710	0.15	RMS	1710	-17.75	-13	4.75	Pass	401
1710	1725	1	RMS	1710.488	19.59	30	10.41	Pass	401




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1690	1709	1	RMS	1709	-24.53	-13	11.53	Pass	401
1709	1710	0.15	RMS	1710	-31.88	-13	18.88	Pass	401
1710	1725	1	RMS	1723.463	8.61	30	21.39	Pass	401




3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	1	RMS	1779.513	20.39	30	9.61	Pass	401
1780	1781	0.15	RMS	1780.003	-19.64	-13	6.64	Pass	401
1781.5	1800	1	RMS	1781.5	-41.31	-13	28.31	Pass	401




3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	1	RMS	1771.113	9.28	30	20.72	Pass	401
1780	1781	0.15	RMS	1780	-33.3	-13	20.3	Pass	401
1781	1800	1	RMS	1781	-26.69	-13	13.69	Pass	401




3.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-40.75	-13	27.75	Pass	401
1709	1710	0.2	RMS	1710	-18.75	-13	5.75	Pass	401
1710	1730	1	RMS	1710.45	19.44	30	10.56	Pass	401




3.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-26.09	-13	13.09	Pass	401
1709	1710	0.2	RMS	1710	-30.94	-13	17.94	Pass	401
1710	1730	1	RMS	1728.5	7.7	30	22.3	Pass	401




3.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	20.41	30	9.59	Pass	401
1780	1781	0.2	RMS	1780	-20.48	-13	7.48	Pass	401
1781.5	1805	1	RMS	1781.5	-43.65	-13	30.65	Pass	401



3.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1773.4	8.34	30	21.66	Pass	401
1780	1781	0.2	RMS	1780	-32.97	-13	19.97	Pass	401
1781.5	1805	1	RMS	1781.5	-28.54	-13	15.54	Pass	401



2. n71 15kHz


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-16.97	-13	3.97	Pass	401
662.9	663	0.03	RMS	662.999	-16.44	-13	3.44	Pass	401
663	668	0.1	RMS	663.313	19.48	30	10.52	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
653	662.9	0.1	RMS	662.9	-20.97	-13	7.97	Pass	401
662.9	663	0.03	RMS	662.999	-24.07	-13	11.07	Pass	401
663	668	0.1	RMS	667.45	6.29	30	23.71	Pass	401



2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.65	19.38	30	10.62	Pass	401
698	698.1	0.03	RMS	698	-18.66	-13	5.66	Pass	401
698.1	708	0.1	RMS	698.1	-19.28	-13	6.28	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	694.263	5.91	30	24.09	Pass	401
698	698.1	0.03	RMS	698.001	-30.88	-13	17.88	Pass	401
698.1	708	0.1	RMS	698.1	-28.75	-13	15.75	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.9	-21.77	-13	8.77	Pass	401
662.9	663	0.03	RMS	662.998	-21.99	-13	8.99	Pass	401
663	678	0.1	RMS	663.488	19.59	30	10.41	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
643	662.9	0.1	RMS	662.801	-28.28	-13	15.28	Pass	401
662.9	663	0.03	RMS	662.95	-32.48	-13	19.48	Pass	401
663	678	0.1	RMS	667.463	1.03	30	28.97	Pass	401




2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	697.513	19.15	30	10.85	Pass	401
698	698.1	0.03	RMS	698.001	-24.3	-13	11.3	Pass	401
698.1	718	0.1	RMS	698.1	-24.53	-13	11.53	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
683	698	0.1	RMS	684.425	1.18	30	28.82	Pass	401
698	698.1	0.03	RMS	698.058	-35.82	-13	22.82	Pass	401
698.1	718	0.1	RMS	698.1	-31.23	-13	18.23	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.9	-25.62	-13	12.62	Pass	401
662.9	663	0.03	RMS	662.999	-25.6	-13	12.6	Pass	401
663	683	0.1	RMS	663.55	19.35	30	10.65	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
638	662.9	0.1	RMS	662.838	-28.6	-13	15.6	Pass	401
662.9	663	0.03	RMS	662.9	-33.2	-13	20.2	Pass	401
663	683	0.1	RMS	670.2	-0.07	30	30.07	Pass	401




2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	19.2	30	10.8	Pass	401
698	698.1	0.03	RMS	698.002	-28.05	-13	15.05	Pass	401
698.1	723	0.1	RMS	698.1	-28.78	-13	15.78	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
678	698	0.1	RMS	682.85	-0.02	30	30.02	Pass	401
698	698.1	0.03	RMS	698.003	-35.15	-13	22.15	Pass	401
698.1	723	0.1	RMS	698.349	-30.43	-13	17.43	Pass	401



3. n77 30kHz(3450-3550)


3.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.95	-28.55	-13	15.55	Pass	401
3445	3449	0.62	RMS	3449	-21.63	-13	8.63	Pass	401
3449	3450	0.051	RMS	3449.998	-22.33	-13	9.33	Pass	401
3450	3470	1	RMS	3451	24.09	40	15.91	Pass	401




3.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.95	-27.94	-13	14.94	Pass	401
3445	3449	0.62	RMS	3448.92	-25.66	-13	12.66	Pass	401
3449	3450	0.2	RMS	3450	-26.46	-13	13.46	Pass	401
3450	3470	1	RMS	3453.95	12.39	40	27.61	Pass	401




3.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549	23.48	40	16.52	Pass	401
3550	3551	0.051	RMS	3550.005	-25.42	-13	12.42	Pass	401
3551	3555	0.62	RMS	3551.01	-25.61	-13	12.61	Pass	401
3555	3575	1	RMS	3555	-33.93	-13	20.93	Pass	401




3.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3533.5	11.99	40	28.01	Pass	401
3550	3551	0.2	RMS	3550.003	-28.72	-13	15.72	Pass	401
3551	3555	0.62	RMS	3551.07	-25.55	-13	12.55	Pass	401
3555	3575	1	RMS	3555.1	-27.66	-13	14.66	Pass	401




3.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3444.25	-35.64	-13	22.64	Pass	401
3445	3449	0.62	RMS	3448.48	-26.1	-13	13.1	Pass	401
3449	3450	0.2	RMS	3449.99	-17.3	-13	4.3	Pass	401
3450	3510	1	RMS	3451.05	23.66	40	16.34	Pass	401




3.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3444.4	-31.48	-13	18.48	Pass	401
3445	3449	0.62	RMS	3448.8	-31.81	-13	18.81	Pass	401
3449	3450	0.2	RMS	3449.698	-33.75	-13	20.75	Pass	401
3450	3510	1	RMS	3460.2	7.05	40	32.95	Pass	401




3.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3548.95	23.14	40	16.86	Pass	401
3550	3551	0.2	RMS	3550.005	-17.31	-13	4.31	Pass	401
3551	3555	0.62	RMS	3551.04	-21.43	-13	8.43	Pass	401
3555	3615	1	RMS	3555.15	-32.01	-13	19.01	Pass	401




3.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3499.3	6.82	40	33.18	Pass	401
3550	3551	0.2	RMS	3550.04	-34.25	-13	21.25	Pass	401
3551	3555	0.62	RMS	3551.48	-31.53	-13	18.53	Pass	401
3555	3615	1	RMS	3555	-30.9	-13	17.9	Pass	401




3.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-33.33	-13	20.33	Pass	401
3445	3449	0.62	RMS	3448.87	-26	-13	13	Pass	401
3449	3450	0.051	RMS	3449.988	-24.11	-13	11.11	Pass	401
3450	3550	1	RMS	3451	23.63	40	16.37	Pass	401




3.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-32.84	-13	19.84	Pass	401
3445	3449	0.62	RMS	3448.35	-33.96	-13	20.96	Pass	401
3449	3450	0.2	RMS	3449.998	-35.8	-13	22.8	Pass	401
3450	3550	1	RMS	3461	4.79	40	35.21	Pass	401



3.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	23.11	40	16.89	Pass	401
3550	3551	0.2	RMS	3550.013	-20.66	-13	7.66	Pass	401
3551	3555	0.62	RMS	3551.1	-26.12	-13	13.12	Pass	401
3555	3655	1	RMS	3555.25	-35.72	-13	22.72	Pass	401



3.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3461	4.79	40	35.21	Pass	401
3550	3551	0.2	RMS	3550.03	-36.93	-13	23.93	Pass	401
3551	3555	0.62	RMS	3551.36	-33.69	-13	20.69	Pass	401
3555	3655	1	RMS	3555.5	-33.76	-13	20.76	Pass	401



1. n77 30kHz(3700-3980)


1.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.9	-32.56	-13	19.56	Pass	401
3695	3699	0.62	RMS	3698.77	-23.85	-13	10.85	Pass	401
3699	3700	0.051	RMS	3699.998	-24.84	-13	11.84	Pass	401
3700	3720	1	RMS	3701	23.02	40	16.98	Pass	401




1.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.8	-31.55	-13	18.55	Pass	401
3695	3699	0.62	RMS	3698.99	-26.2	-13	13.2	Pass	401
3699	3700	0.39	RMS	3699.985	-24.57	-13	11.57	Pass	401
3700	3720	1	RMS	3703.25	11.37	40	28.63	Pass	401



1.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3978.95	24.15	40	15.85	Pass	401
3980	3981	0.051	RMS	3980.003	-22.99	-13	9.99	Pass	401
3981	3985	0.62	RMS	3981.2	-24.35	-13	11.35	Pass	401
3985	4005	1	RMS	3985	-29.31	-13	16.31	Pass	401




1.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3963.9	12.55	40	27.45	Pass	401
3980	3981	0.39	RMS	3980.07	-24.1	-13	11.1	Pass	401
3981	3985	0.62	RMS	3981.09	-25.6	-13	12.6	Pass	401
3985	4005	1	RMS	3985.05	-31.23	-13	18.23	Pass	401




1.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3693.8	-33.86	-13	20.86	Pass	401
3695	3699	0.62	RMS	3698.93	-21.87	-13	8.87	Pass	401
3699	3700	0.051	RMS	3699.975	-26.25	-13	13.25	Pass	401
3700	3760	1	RMS	3701.05	22.85	40	17.15	Pass	401




1.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3694.55	-34.59	-13	21.59	Pass	401
3695	3699	0.62	RMS	3699	-32.37	-13	19.37	Pass	401
3699	3700	0.39	RMS	3699.998	-31.05	-13	18.05	Pass	401
3700	3760	1	RMS	3748.15	6.23	40	33.77	Pass	401




1.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3978.95	23.54	40	16.46	Pass	401
3980	3981	0.051	RMS	3980.008	-24.54	-13	11.54	Pass	401
3981	3985	0.62	RMS	3981.25	-24.17	-13	11.17	Pass	401
3985	4045	1	RMS	3988.6	-33.63	-13	20.63	Pass	401




1.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3936.65	7.37	40	32.63	Pass	401
3980	3981	0.39	RMS	3980.083	-31.76	-13	18.76	Pass	401
3981	3985	0.62	RMS	3981.11	-33.16	-13	20.16	Pass	401
3985	4045	1	RMS	3985	-36.01	-13	23.01	Pass	401




1.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-34.26	-13	21.26	Pass	401
3695	3699	0.62	RMS	3698.98	-26.34	-13	13.34	Pass	401
3699	3700	0.051	RMS	3699.998	-23.76	-13	10.76	Pass	401
3700	3800	1	RMS	3701	22.45	40	17.55	Pass	401




1.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.75	-35.78	-13	22.78	Pass	401
3695	3699	0.62	RMS	3698.91	-34.8	-13	21.8	Pass	401
3699	3700	0.39	RMS	3700	-33.18	-13	20.18	Pass	401
3700	3800	1	RMS	3797.25	4.03	40	35.97	Pass	401




1.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	23.25	40	16.75	Pass	401
3980	3981	0.051	RMS	3980	-25.86	-13	12.86	Pass	401
3981	3985	0.62	RMS	3981.04	-25.96	-13	12.96	Pass	401
3985	4085	1	RMS	3985	-32.57	-13	19.57	Pass	401



1.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3906.75	4.83	40	35.17	Pass	401
3980	3981	0.39	RMS	3980.02	-34.32	-13	21.32	Pass	401
3981	3985	0.62	RMS	3981.2	-35.71	-13	22.71	Pass	401
3985	4085	1	RMS	3985	-36.59	-13	23.59	Pass	401



4. n78 30kHz(3450-3550)


4.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.95	-31.87	-13	18.87	Pass	401
3445	3449	0.62	RMS	3448.73	-25.33	-13	12.33	Pass	401
3449	3450	0.051	RMS	3449.988	-24.37	-13	11.37	Pass	401
3450	3470	1	RMS	3451	23.9	40	16.1	Pass	401




4.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-28.27	-13	15.27	Pass	401
3445	3449	0.62	RMS	3448.98	-26.74	-13	13.74	Pass	401
3449	3450	0.2	RMS	3449.88	-27.57	-13	14.57	Pass	401
3450	3470	1	RMS	3453.55	12.26	40	27.74	Pass	401




4.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549	23.36	40	16.64	Pass	401
3550	3551	0.051	RMS	3550.005	-24.96	-13	11.96	Pass	401
3551	3555	0.62	RMS	3551.07	-20.78	-13	7.78	Pass	401
3555	3575	1	RMS	3555.1	-29.53	-13	16.53	Pass	401




4.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3533.05	11.73	40	28.27	Pass	401
3550	3551	0.2	RMS	3550.06	-27.03	-13	14.03	Pass	401
3551	3555	0.62	RMS	3551.07	-24.32	-13	11.32	Pass	401
3555	3575	1	RMS	3555	-27.55	-13	14.55	Pass	401




4.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3443.875	-31.73	-13	18.73	Pass	401
3445	3449	0.62	RMS	3448.68	-25.01	-13	12.01	Pass	401
3449	3450	0.2	RMS	3449.905	-20.97	-13	7.97	Pass	401
3450	3500	1	RMS	3451.25	23.57	40	16.43	Pass	401




4.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-30.77	-13	17.77	Pass	401
3445	3449	0.62	RMS	3448.43	-31.12	-13	18.12	Pass	401
3449	3450	0.2	RMS	3449.995	-33.61	-13	20.61	Pass	401
3450	3500	1	RMS	3463.125	7.71	40	32.29	Pass	401




4.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	23.16	40	16.84	Pass	401
3550	3551	0.2	RMS	3550.005	-25.08	-13	12.08	Pass	401
3551	3555	0.62	RMS	3551.5	-27.55	-13	14.55	Pass	401
3555	3605	1	RMS	3555.125	-36.28	-13	23.28	Pass	401




4.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3522.75	7.6	40	32.4	Pass	401
3550	3551	0.2	RMS	3550.033	-33.77	-13	20.77	Pass	401
3551	3555	0.62	RMS	3551.13	-29.89	-13	16.89	Pass	401
3555	3605	1	RMS	3555.125	-30.37	-13	17.37	Pass	401




4.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-33.52	-13	20.52	Pass	401
3445	3449	0.62	RMS	3448.96	-25.94	-13	12.94	Pass	401
3449	3450	0.051	RMS	3450	-24.69	-13	11.69	Pass	401
3450	3550	1	RMS	3451	23.42	40	16.58	Pass	401




4.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-33.14	-13	20.14	Pass	401
3445	3449	0.62	RMS	3445	-34.12	-13	21.12	Pass	401
3449	3450	0.2	RMS	3449.913	-36.11	-13	23.11	Pass	401
3450	3550	1	RMS	3474.25	4.71	40	35.29	Pass	401



4.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	22.98	40	17.02	Pass	401
3550	3551	0.2	RMS	3550	-20.72	-13	7.72	Pass	401
3551	3555	0.62	RMS	3551.07	-25.62	-13	12.62	Pass	401
3555	3655	1	RMS	3555	-33.38	-13	20.38	Pass	401



4.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3474.25	4.68	40	35.32	Pass	401
3550	3551	0.2	RMS	3550.025	-36.71	-13	23.71	Pass	401
3551	3555	0.62	RMS	3551.33	-34.01	-13	21.01	Pass	401
3555	3655	1	RMS	3555.25	-33.62	-13	20.62	Pass	401



2. n78 30kHz(3700-3800)


2.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.95	-30.57	-13	17.57	Pass	401
3695	3699	0.62	RMS	3698.97	-22.53	-13	9.53	Pass	401
3699	3700	0.051	RMS	3700	-24.26	-13	11.26	Pass	401
3700	3720	1	RMS	3701	23.01	40	16.99	Pass	401




2.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3695	-30.98	-13	17.98	Pass	401
3695	3699	0.62	RMS	3698.91	-27.17	-13	14.17	Pass	401
3699	3700	0.39	RMS	3699.998	-25.32	-13	12.32	Pass	401
3700	3720	1	RMS	3703.9	11.28	40	28.72	Pass	401



2.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3799	23.48	40	16.52	Pass	401
3800	3801	0.051	RMS	3800.023	-25.16	-13	12.16	Pass	401
3801	3805	0.62	RMS	3801.16	-23.95	-13	10.95	Pass	401
3805	3825	1	RMS	3805	-31.86	-13	18.86	Pass	401




2.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3797.45	11.8	40	28.2	Pass	401
3800	3801	0.39	RMS	3800.003	-25.19	-13	12.19	Pass	401
3801	3805	0.62	RMS	3801.18	-26.06	-13	13.06	Pass	401
3805	3825	1	RMS	3805.05	-30.19	-13	17.19	Pass	401




2.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-33.48	-13	20.48	Pass	401
3695	3699	0.62	RMS	3698.62	-25.82	-13	12.82	Pass	401
3699	3700	0.39	RMS	3699.96	-20.07	-13	7.07	Pass	401
3700	3750	1	RMS	3701.25	22.75	40	17.25	Pass	401




2.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.875	-33.67	-13	20.67	Pass	401
3695	3699	0.62	RMS	3698.52	-32.91	-13	19.91	Pass	401
3699	3700	0.39	RMS	3699.715	-33.41	-13	20.41	Pass	401
3700	3750	1	RMS	3702.625	7.05	40	32.95	Pass	401



2.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3798.75	23.28	40	16.72	Pass	401
3800	3801	0.39	RMS	3800.065	-21.07	-13	8.07	Pass	401
3801	3805	0.62	RMS	3801.47	-27.52	-13	14.52	Pass	401
3805	3855	1	RMS	3805	-36.15	-13	23.15	Pass	401




2.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3750	3800	1	RMS	3788.125	7.24	40	32.76	Pass	401
3800	3801	0.39	RMS	3800.078	-32.21	-13	19.21	Pass	401
3801	3805	0.62	RMS	3801.52	-33.22	-13	20.22	Pass	401
3805	3855	1	RMS	3805.125	-34.02	-13	21.02	Pass	401




2.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-33.26	-13	20.26	Pass	401
3695	3699	0.62	RMS	3698.97	-24.12	-13	11.12	Pass	401
3699	3700	0.051	RMS	3699.995	-23.71	-13	10.71	Pass	401
3700	3800	1	RMS	3701	22.57	40	17.43	Pass	401




2.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.25	-35.91	-13	22.91	Pass	401
3695	3699	0.62	RMS	3698.94	-35.18	-13	22.18	Pass	401
3699	3700	0.39	RMS	3699.978	-33.46	-13	20.46	Pass	401
3700	3800	1	RMS	3781.5	3.84	40	36.16	Pass	401




2.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	23.22	40	16.78	Pass	401
3800	3801	0.051	RMS	3800.005	-24.92	-13	11.92	Pass	401
3801	3805	0.62	RMS	3801	-24.2	-13	11.2	Pass	401
3805	3905	1	RMS	3805.25	-32.7	-13	19.7	Pass	401



2.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3782	3.86	40	36.14	Pass	401
3800	3801	0.39	RMS	3800.02	-33.55	-13	20.55	Pass	401
3801	3805	0.62	RMS	3801.04	-34.7	-13	21.7	Pass	401
3805	3905	1	RMS	3805.75	-35.76	-13	22.76	Pass	401



--BLANK BELOW--