


Annex C. Spurious Emission at Antenna Terminals

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.096	-53.35	-13	Pass	601
0.15	30	0.01	Peak	0.15	-45.23	-13	Pass	2985
30	500	0.1	Peak	486.597	-42.65	-13	Pass	4700
500	1000	0.1	Peak	824.165	33.86	-13	N/A	5000
1000	10000	1	Peak	6011.557	-24.52	-13	Pass	9000




1.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.13	-53.32	-13	Pass	601
0.15	30	0.01	Peak	0.16	-46.17	-13	Pass	2985
30	500	0.1	Peak	470.294	-42.26	-13	Pass	4700
500	1000	0.1	Peak	836.667	33.99	-13	N/A	5000
1000	10000	1	Peak	5956.551	-25.24	-13	Pass	9000



1.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.073	-53.67	-13	Pass	601
0.15	30	0.01	Peak	0.16	-45.61	-13	Pass	2985
30	500	0.1	Peak	412.481	-42.8	-13	Pass	4700
500	1000	0.1	Peak	848.77	33.84	-13	N/A	5000
1000	10000	1	Peak	9644.961	-24.87	-13	Pass	9000



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.133	-59.58	-13	Pass	601
0.15	30	0.01	Peak	0.16	-52.42	-13	Pass	2985
30	1000	0.1	Peak	891.289	-47.32	-13	Pass	9700
1000	3000	1	Peak	1850.425	19.82	-13	N/A	2000
3000	20000	1	Peak	19254.956	-22.47	-13	Pass	17000




2.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.145	-58.6	-13	Pass	601
0.15	30	0.01	Peak	0.15	-50.55	-13	Pass	2985
30	1000	0.1	Peak	894.189	-47.07	-13	Pass	9700
1000	3000	1	Peak	1879.44	16.26	-13	N/A	2000
3000	20000	1	Peak	19275.957	-22.67	-13	Pass	17000



2.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.041	-59.17	-13	Pass	601
0.15	30	0.01	Peak	0.15	-51.31	-13	Pass	2985
30	1000	0.1	Peak	898.59	-47.76	-13	Pass	9700
1000	3000	1	Peak	1909.455	19.32	-13	N/A	2000
3000	20000	1	Peak	19221.954	-22.97	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.104	-53.23	-13	Pass	601
0.15	30	0.01	Peak	0.16	-44.43	-13	Pass	2985
30	500	0.1	Peak	453.49	-43.13	-13	Pass	4700
500	1000	0.1	Peak	824.265	28.92	-13	N/A	5000
1000	10000	1	Peak	6112.568	-24.64	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.137	-52.54	-13	Pass	601
0.15	30	0.01	Peak	0.15	-44.45	-13	Pass	2985
30	500	0.1	Peak	444.288	-42.56	-13	Pass	4700
500	1000	0.1	Peak	836.567	28.19	-13	N/A	5000
1000	10000	1	Peak	6797.644	-24.76	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.108	-52.63	-13	Pass	601
0.15	30	0.01	Peak	0.16	-46.38	-13	Pass	2985
30	500	0.1	Peak	378.574	-42.77	-13	Pass	4700
500	1000	0.1	Peak	848.77	29.39	-13	N/A	5000
1000	10000	1	Peak	7335.704	-25.28	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.043	-59.36	-13	Pass	601
0.15	30	0.01	Peak	0.15	-51.18	-13	Pass	2985
30	1000	0.1	Peak	852.085	-47.49	-13	Pass	9700
1000	3000	1	Peak	1850.425	28.99	-13	N/A	2000
3000	20000	1	Peak	16818.813	-22.74	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.13	-58.75	-13	Pass	601
0.15	30	0.01	Peak	0.15	-51.71	-13	Pass	2985
30	1000	0.1	Peak	974.397	-47.42	-13	Pass	9700
1000	3000	1	Peak	1880.44	28.7	-13	N/A	2000
3000	20000	1	Peak	19213.954	-23.18	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.078	-59.17	-13	Pass	601
0.15	30	0.01	Peak	0.16	-50.03	-13	Pass	2985
30	1000	0.1	Peak	894.689	-47.28	-13	Pass	9700
1000	3000	1	Peak	1909.455	28.49	-13	N/A	2000
3000	20000	1	Peak	19331.961	-22.33	-13	Pass	17000



5.WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.04	-62.56	-13	Pass	601
0.15	30	0.01	Peak	0.16	-55.68	-13	Pass	2985
30	1000	0.1	Peak	948.395	-52	-13	Pass	9700
1000	3000	1	Peak	1851.426	23.3	-13	N/A	2000
3000	20000	1	Peak	16764.81	-28.1	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.114	-63.55	-13	Pass	601
0.15	30	0.01	Peak	0.15	-54.95	-13	Pass	2985
30	1000	0.1	Peak	885.288	-52.01	-13	Pass	9700
1000	3000	1	Peak	1881.441	23.46	-13	N/A	2000
3000	20000	1	Peak	19246.956	-27.49	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.136	-63.83	-13	Pass	601
0.15	30	0.01	Peak	0.16	-55.2	-13	Pass	2985
30	1000	0.1	Peak	889.489	-51.26	-13	Pass	9700
1000	3000	1	Peak	1908.454	23.23	-13	N/A	2000
3000	20000	1	Peak	19219.954	-27.37	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.089	-70.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.55	-13	Pass	2985
30	1000	0.1	RMS	901.39	-62.87	-13	Pass	9700
1000	3000	1	RMS	1712.356	19.15	-13	N/A	2000
3000	20000	1	RMS	19228.955	-39.07	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-70.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.79	-13	Pass	2985
30	1000	0.1	RMS	895.289	-62.93	-13	Pass	9700
1000	3000	1	RMS	1732.366	19.07	-13	N/A	2000
3000	20000	1	RMS	19242.955	-39.07	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-70.37	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.29	-13	Pass	2985
30	1000	0.1	RMS	911.491	-62.88	-13	Pass	9700
1000	3000	1	RMS	1752.376	18.94	-13	N/A	2000
3000	20000	1	RMS	19223.954	-39.09	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.107	-62.74	-13	Pass	601
0.15	30	0.01	Peak	0.15	-55.88	-13	Pass	2985
30	500	0.1	Peak	459.691	-52.77	-13	Pass	4700
500	1000	0.1	Peak	827.065	18.29	-13	N/A	5000
1000	10000	1	Peak	9942.994	-36.02	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.141	-62.9	-13	Pass	601
0.15	30	0.01	Peak	0.16	-56.42	-13	Pass	2985
30	500	0.1	Peak	494.899	-53.04	-13	Pass	4700
500	1000	0.1	Peak	836.967	19.87	-13	N/A	5000
1000	10000	1	Peak	9561.951	-34.93	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.038	-62.86	-13	Pass	601
0.15	30	0.01	Peak	0.17	-54.88	-13	Pass	2985
30	500	0.1	Peak	474.495	-52.8	-13	Pass	4700
500	1000	0.1	Peak	847.169	19.36	-13	N/A	5000
1000	10000	1	Peak	9378.931	-35.48	-13	Pass	9000



8. LTE_Band2


**8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2985
30	1000	0.1	RMS	932.193	-62.03	-13	Pass	9700
1000	1840	1	RMS	1840	-50.59	-13	Pass	840
1840	1920	1	RMS	1850.267	22.99	60	Pass	601
1920	3000	1	RMS	2677.702	-47.58	-13	Pass	1080
3000	12000	1	RMS	11978.998	-41.29	-13	Pass	9000
12000	20000	1	RMS	18916.865	-31.8	-13	Pass	8000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2985
30	1000	0.1	RMS	919.292	-62.13	-13	Pass	9700
1000	1840	1	RMS	1840	-50.75	-13	Pass	840
1840	1920	1	RMS	1850.267	22.16	60	Pass	601
1920	3000	1	RMS	2660.686	-47.57	-13	Pass	1080
3000	12000	1	RMS	11982.998	-41.26	-13	Pass	9000
12000	20000	1	RMS	18935.867	-31.81	-13	Pass	8000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2985
30	1000	0.1	RMS	973.097	-61.89	-13	Pass	9700
1000	1840	1	RMS	1840	-50.95	-13	Pass	840
1840	1920	1	RMS	1879.6	23.06	60	Pass	601
1920	3000	1	RMS	2665.69	-47.56	-13	Pass	1080
3000	12000	1	RMS	11985.998	-41.26	-13	Pass	9000
12000	20000	1	RMS	18917.865	-31.83	-13	Pass	8000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.9	-13	Pass	2985
30	1000	0.1	RMS	937.494	-61.97	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51	-13	Pass	840
1840	1920	1	RMS	1879.6	22.15	60	Pass	601
1920	3000	1	RMS	2662.688	-47.55	-13	Pass	1080
3000	12000	1	RMS	11990.999	-41.19	-13	Pass	9000
12000	20000	1	RMS	18936.867	-31.83	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	1000	0.1	RMS	951.795	-62.1	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.97	-13	Pass	840
1840	1920	1	RMS	1908.8	23.12	60	Pass	601
1920	3000	1	RMS	2671.696	-47.58	-13	Pass	1080
3000	12000	1	RMS	11997	-41.16	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.66	-13	Pass	8000




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.71	-13	Pass	2985
30	1000	0.1	RMS	961.196	-62.07	-13	Pass	9700
1000	1840	1	RMS	1833.993	-51.01	-13	Pass	840
1840	1920	1	RMS	1908.8	22.23	60	Pass	601
1920	3000	1	RMS	2671.696	-47.59	-13	Pass	1080
3000	12000	1	RMS	11986.999	-41.19	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.73	-13	Pass	8000




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2985
30	1000	0.1	RMS	795.879	-61.93	-13	Pass	9700
1000	1840	1	RMS	1840	-50.62	-13	Pass	840
1840	1920	1	RMS	1850.267	23.12	60	Pass	601
1920	3000	1	RMS	2678.703	-47.6	-13	Pass	1080
3000	12000	1	RMS	12000	-41.16	-13	Pass	9000
12000	20000	1	RMS	18918.865	-31.73	-13	Pass	8000




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2985
30	1000	0.1	RMS	915.891	-62.06	-13	Pass	9700
1000	1840	1	RMS	1840	-50.73	-13	Pass	840
1840	1920	1	RMS	1850.267	22.22	60	Pass	601
1920	3000	1	RMS	2666.691	-47.61	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.13	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.71	-13	Pass	8000




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2985
30	1000	0.1	RMS	901.79	-61.99	-13	Pass	9700
1000	1840	1	RMS	1840	-50.85	-13	Pass	840
1840	1920	1	RMS	1878.8	23.07	60	Pass	601
1920	3000	1	RMS	2670.695	-47.62	-13	Pass	1080
3000	12000	1	RMS	11982.998	-41.18	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.64	-13	Pass	8000




8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2985
30	1000	0.1	RMS	949.395	-62.05	-13	Pass	9700
1000	1840	1	RMS	1840	-50.9	-13	Pass	840
1840	1920	1	RMS	1878.667	22.27	60	Pass	601
1920	3000	1	RMS	2668.693	-47.6	-13	Pass	1080
3000	12000	1	RMS	12000	-41.14	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.68	-13	Pass	8000




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2985
30	1000	0.1	RMS	961.496	-62.12	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.96	-13	Pass	840
1840	1920	1	RMS	1907.2	23.14	60	Pass	601
1920	3000	1	RMS	2663.689	-47.63	-13	Pass	1080
3000	12000	1	RMS	11978.998	-41.22	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.71	-13	Pass	8000




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.87	-13	Pass	2985
30	1000	0.1	RMS	942.194	-62.09	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.95	-13	Pass	840
1840	1920	1	RMS	1907.2	22.26	60	Pass	601
1920	3000	1	RMS	2675.7	-47.57	-13	Pass	1080
3000	12000	1	RMS	11984.998	-41.2	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.74	-13	Pass	8000




8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.61	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.68	-13	Pass	2985
30	1000	0.1	RMS	964.296	-62.08	-13	Pass	9700
1000	1840	1	RMS	1840	-50.59	-13	Pass	840
1840	1920	1	RMS	1850.267	23.23	60	Pass	601
1920	3000	1	RMS	2677.702	-47.56	-13	Pass	1080
3000	12000	1	RMS	11989.999	-41.22	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.69	-13	Pass	8000




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2985
30	1000	0.1	RMS	911.791	-62.09	-13	Pass	9700
1000	1840	1	RMS	1840	-50.61	-13	Pass	840
1840	1920	1	RMS	1850.4	22.26	60	Pass	601
1920	3000	1	RMS	2673.698	-47.61	-13	Pass	1080
3000	12000	1	RMS	11979.998	-41.2	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.7	-13	Pass	8000




8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2985
30	1000	0.1	RMS	933.293	-61.99	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.86	-13	Pass	840
1840	1920	1	RMS	1877.867	23.25	60	Pass	601
1920	3000	1	RMS	2673.698	-47.57	-13	Pass	1080
3000	12000	1	RMS	11990.999	-41.2	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.7	-13	Pass	8000




8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2985
30	1000	0.1	RMS	934.393	-62.01	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.9	-13	Pass	840
1840	1920	1	RMS	1877.867	22.44	60	Pass	601
1920	3000	1	RMS	2666.691	-47.6	-13	Pass	1080
3000	12000	1	RMS	11984.998	-41.06	-13	Pass	9000
12000	20000	1	RMS	18917.865	-31.76	-13	Pass	8000




8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2985
30	1000	0.1	RMS	921.692	-61.93	-13	Pass	9700
1000	1840	1	RMS	1840	-50.93	-13	Pass	840
1840	1920	1	RMS	1905.333	23.1	60	Pass	601
1920	3000	1	RMS	2676.701	-47.54	-13	Pass	1080
3000	12000	1	RMS	11991.999	-41.17	-13	Pass	9000
12000	20000	1	RMS	18917.865	-31.69	-13	Pass	8000




8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2985
30	1000	0.1	RMS	949.395	-62.09	-13	Pass	9700
1000	1840	1	RMS	1840	-50.94	-13	Pass	840
1840	1920	1	RMS	1905.333	22.54	60	Pass	601
1920	3000	1	RMS	2680.704	-47.6	-13	Pass	1080
3000	12000	1	RMS	11993.999	-41.21	-13	Pass	9000
12000	20000	1	RMS	18936.867	-31.73	-13	Pass	8000




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.94	-13	Pass	2985
30	1000	0.1	RMS	934.093	-62.07	-13	Pass	9700
1000	1840	1	RMS	1840	-50.49	-13	Pass	840
1840	1920	1	RMS	1850.533	23.4	60	Pass	601
1920	3000	1	RMS	2674.699	-47.58	-13	Pass	1080
3000	12000	1	RMS	11976.997	-41.19	-13	Pass	9000
12000	20000	1	RMS	19019.877	-31.79	-13	Pass	8000




8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2985
30	1000	0.1	RMS	943.994	-62	-13	Pass	9700
1000	1840	1	RMS	1840	-50.5	-13	Pass	840
1840	1920	1	RMS	1850.667	22.58	60	Pass	601
1920	3000	1	RMS	2677.702	-47.63	-13	Pass	1080
3000	12000	1	RMS	11990.999	-41.14	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.75	-13	Pass	8000




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2985
30	1000	0.1	RMS	911.591	-61.93	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.74	-13	Pass	840
1840	1920	1	RMS	1875.6	23.42	60	Pass	601
1920	3000	1	RMS	2671.696	-47.55	-13	Pass	1080
3000	12000	1	RMS	11986.999	-41.14	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.7	-13	Pass	8000




8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2985
30	1000	0.1	RMS	924.392	-62.01	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.72	-13	Pass	840
1840	1920	1	RMS	1875.6	22.56	60	Pass	601
1920	3000	1	RMS	2678.703	-47.54	-13	Pass	1080
3000	12000	1	RMS	11989.999	-41.2	-13	Pass	9000
12000	20000	1	RMS	18916.865	-31.73	-13	Pass	8000




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.64	-13	Pass	2985
30	1000	0.1	RMS	919.392	-62.11	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.06	-13	Pass	840
1840	1920	1	RMS	1900.533	23.31	60	Pass	601
1920	3000	1	RMS	2665.69	-47.81	-13	Pass	1080
3000	12000	1	RMS	11980.998	-41.36	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.95	-13	Pass	8000




8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2985
30	1000	0.1	RMS	916.391	-62.22	-13	Pass	9700
1000	1840	1	RMS	1840	-51.13	-13	Pass	840
1840	1920	1	RMS	1900.533	22.5	60	Pass	601
1920	3000	1	RMS	2671.696	-47.8	-13	Pass	1080
3000	12000	1	RMS	11996	-41.44	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.93	-13	Pass	8000




8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2985
30	1000	0.1	RMS	910.091	-62.25	-13	Pass	9700
1000	1840	1	RMS	1837.998	-45.47	-13	Pass	840
1840	1920	1	RMS	1850.8	23.26	60	Pass	601
1920	3000	1	RMS	2683.707	-47.88	-13	Pass	1080
3000	12000	1	RMS	11994.999	-41.36	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.94	-13	Pass	8000




8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.89	-13	Pass	2985
30	1000	0.1	RMS	813.381	-62.21	-13	Pass	9700
1000	1840	1	RMS	1837.998	-46.03	-13	Pass	840
1840	1920	1	RMS	1850.8	22.57	60	Pass	601
1920	3000	1	RMS	2674.699	-47.73	-13	Pass	1080
3000	12000	1	RMS	11991.999	-41.34	-13	Pass	9000
12000	20000	1	RMS	18917.865	-31.95	-13	Pass	8000




8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2985
30	1000	0.1	RMS	920.092	-62.11	-13	Pass	9700
1000	1840	1	RMS	1840	-50.8	-13	Pass	840
1840	1920	1	RMS	1873.333	23.69	60	Pass	601
1920	3000	1	RMS	2671.696	-47.79	-13	Pass	1080
3000	12000	1	RMS	11983.998	-41.45	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.95	-13	Pass	8000




8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2985
30	1000	0.1	RMS	831.283	-61.57	-13	Pass	9700
1000	1840	1	RMS	1840	-50.86	-13	Pass	840
1840	1920	1	RMS	1873.333	22.95	60	Pass	601
1920	3000	1	RMS	2670.695	-47.85	-13	Pass	1080
3000	12000	1	RMS	11971.997	-41.41	-13	Pass	9000
12000	20000	1	RMS	18931.866	-32	-13	Pass	8000




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2985
30	1000	0.1	RMS	907.29	-62.24	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.92	-13	Pass	840
1840	1920	1	RMS	1895.867	23.17	60	Pass	601
1920	3000	1	RMS	2679.703	-47.79	-13	Pass	1080
3000	12000	1	RMS	11984.998	-41.39	-13	Pass	9000
12000	20000	1	RMS	18911.864	-31.98	-13	Pass	8000




8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.64	-13	Pass	2985
30	1000	0.1	RMS	940.194	-62.05	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.97	-13	Pass	840
1840	1920	1	RMS	1895.867	22.5	60	Pass	601
1920	3000	1	RMS	2677.702	-47.83	-13	Pass	1080
3000	12000	1	RMS	11983.998	-41.38	-13	Pass	9000
12000	20000	1	RMS	18918.865	-31.97	-13	Pass	8000




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.55	-13	Pass	2985
30	1000	0.1	RMS	884.388	-62.19	-13	Pass	9700
1000	1840	1	RMS	1832.992	-45.1	-13	Pass	840
1840	1920	1	RMS	1851.067	23.43	60	Pass	601
1920	3000	1	RMS	2669.694	-47.79	-13	Pass	1080
3000	12000	1	RMS	11997	-41.41	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.91	-13	Pass	8000




8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.69	-13	Pass	2985
30	1000	0.1	RMS	939.894	-62.14	-13	Pass	9700
1000	1840	1	RMS	1832.992	-46.11	-13	Pass	840
1840	1920	1	RMS	1851.067	22.51	60	Pass	601
1920	3000	1	RMS	2668.693	-47.81	-13	Pass	1080
3000	12000	1	RMS	11985.998	-41.39	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.96	-13	Pass	8000




8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.01	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.02	-13	Pass	2985
30	1000	0.1	RMS	952.395	-62.26	-13	Pass	9700
1000	1840	1	RMS	1835.995	-50.51	-13	Pass	840
1840	1920	1	RMS	1871.067	23.49	60	Pass	601
1920	3000	1	RMS	2676.701	-47.82	-13	Pass	1080
3000	12000	1	RMS	11992.999	-41.38	-13	Pass	9000
12000	20000	1	RMS	18937.867	-31.97	-13	Pass	8000




8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2985
30	1000	0.1	RMS	950.195	-62.16	-13	Pass	9700
1000	1840	1	RMS	1834.994	-50.63	-13	Pass	840
1840	1920	1	RMS	1871.067	22.3	60	Pass	601
1920	3000	1	RMS	2682.706	-47.84	-13	Pass	1080
3000	12000	1	RMS	11979.998	-41.45	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.94	-13	Pass	8000




8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.21	-13	Pass	2985
30	1000	0.1	RMS	934.393	-62.08	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.06	-13	Pass	840
1840	1920	1	RMS	1891.067	23.33	60	Pass	601
1920	3000	1	RMS	2671.696	-47.83	-13	Pass	1080
3000	12000	1	RMS	11979.998	-41.41	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.95	-13	Pass	8000



8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2985
30	1000	0.1	RMS	917.792	-62.11	-13	Pass	9700
1000	1840	1	RMS	1832.992	-51.18	-13	Pass	840
1840	1920	1	RMS	1891.067	22.42	60	Pass	601
1920	3000	1	RMS	2668.693	-47.83	-13	Pass	1080
3000	12000	1	RMS	11986.999	-41.44	-13	Pass	9000
12000	20000	1	RMS	18939.867	-31.95	-13	Pass	8000



9. LTE_Band4


**9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.35	-13	Pass	2985
30	1000	0.1	RMS	932.993	-62.21	-13	Pass	9700
1000	1700	1	RMS	1700	-51.08	-13	Pass	700
1700	1765	1	RMS	1710.183	23.88	60	Pass	601
1765	3000	1	RMS	2677.739	-47.68	-13	Pass	1235
3000	12000	1	RMS	11993.999	-41.28	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.89	-13	Pass	8000




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.99	-13	Pass	2985
30	1000	0.1	RMS	925.792	-62.11	-13	Pass	9700
1000	1700	1	RMS	1700	-51.21	-13	Pass	700
1700	1765	1	RMS	1710.183	23	60	Pass	601
1765	3000	1	RMS	2676.738	-47.71	-13	Pass	1235
3000	12000	1	RMS	11991.999	-41.35	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.86	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	1000	0.1	RMS	948.595	-62.16	-13	Pass	9700
1000	1700	1	RMS	1700	-51.33	-13	Pass	700
1700	1765	1	RMS	1732.067	23.79	60	Pass	601
1765	3000	1	RMS	2671.734	-47.65	-13	Pass	1235
3000	12000	1	RMS	11993.999	-41.39	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.86	-13	Pass	8000




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2985
30	1000	0.1	RMS	942.094	-62.11	-13	Pass	9700
1000	1700	1	RMS	1696.996	-51.4	-13	Pass	700
1700	1765	1	RMS	1732.067	22.86	60	Pass	601
1765	3000	1	RMS	2671.734	-47.65	-13	Pass	1235
3000	12000	1	RMS	11989.999	-41.37	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.87	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2985
30	1000	0.1	RMS	911.691	-62.04	-13	Pass	9700
1000	1700	1	RMS	1700	-51.48	-13	Pass	700
1700	1765	1	RMS	1753.842	23.52	60	Pass	601
1765	3000	1	RMS	2671.734	-47.62	-13	Pass	1235
3000	12000	1	RMS	11987.999	-41.36	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.87	-13	Pass	8000




9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2985
30	1000	0.1	RMS	914.791	-62	-13	Pass	9700
1000	1700	1	RMS	1668.956	-51.52	-13	Pass	700
1700	1765	1	RMS	1753.842	22.38	60	Pass	601
1765	3000	1	RMS	2669.733	-47.68	-13	Pass	1235
3000	12000	1	RMS	11983.998	-41.35	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.9	-13	Pass	8000




9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2985
30	1000	0.1	RMS	936.893	-62.14	-13	Pass	9700
1000	1700	1	RMS	1700	-51.09	-13	Pass	700
1700	1765	1	RMS	1710.183	23.94	60	Pass	601
1765	3000	1	RMS	2678.74	-47.7	-13	Pass	1235
3000	12000	1	RMS	11996	-41.37	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.85	-13	Pass	8000




9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.67	-13	Pass	2985
30	1000	0.1	RMS	932.993	-62.14	-13	Pass	9700
1000	1700	1	RMS	1700	-51.22	-13	Pass	700
1700	1765	1	RMS	1710.292	23.09	60	Pass	601
1765	3000	1	RMS	2667.731	-47.64	-13	Pass	1235
3000	12000	1	RMS	11981.998	-41.29	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.82	-13	Pass	8000




9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2985
30	1000	0.1	RMS	991.599	-62.12	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.38	-13	Pass	700
1700	1765	1	RMS	1731.2	23.88	60	Pass	601
1765	3000	1	RMS	2669.733	-47.69	-13	Pass	1235
3000	12000	1	RMS	11997	-41.37	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.89	-13	Pass	8000




9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2985
30	1000	0.1	RMS	923.392	-62.09	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.41	-13	Pass	700
1700	1765	1	RMS	1731.2	23.14	60	Pass	601
1765	3000	1	RMS	2671.734	-47.68	-13	Pass	1235
3000	12000	1	RMS	11979.998	-41.31	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.88	-13	Pass	8000




9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2985
30	1000	0.1	RMS	944.694	-62.2	-13	Pass	9700
1000	1700	1	RMS	1700	-51.44	-13	Pass	700
1700	1765	1	RMS	1752.217	23.75	60	Pass	601
1765	3000	1	RMS	2665.729	-47.65	-13	Pass	1235
3000	12000	1	RMS	11984.998	-41.37	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.88	-13	Pass	8000




9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2985
30	1000	0.1	RMS	930.093	-62.07	-13	Pass	9700
1000	1700	1	RMS	1700	-51.49	-13	Pass	700
1700	1765	1	RMS	1752.217	22.67	60	Pass	601
1765	3000	1	RMS	2676.738	-47.65	-13	Pass	1235
3000	12000	1	RMS	11985.998	-41.35	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.88	-13	Pass	8000




9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2985
30	1000	0.1	RMS	922.792	-62.03	-13	Pass	9700
1000	1700	1	RMS	1700	-51.09	-13	Pass	700
1700	1765	1	RMS	1710.292	24.1	60	Pass	601
1765	3000	1	RMS	2667.731	-47.66	-13	Pass	1235
3000	12000	1	RMS	11980.998	-41.31	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.87	-13	Pass	8000




9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2985
30	1000	0.1	RMS	923.592	-62.1	-13	Pass	9700
1000	1700	1	RMS	1700	-51.22	-13	Pass	700
1700	1765	1	RMS	1710.292	23.34	60	Pass	601
1765	3000	1	RMS	2676.738	-47.68	-13	Pass	1235
3000	12000	1	RMS	11990.999	-41.37	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.91	-13	Pass	8000




9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2985
30	1000	0.1	RMS	919.092	-62.18	-13	Pass	9700
1000	1700	1	RMS	1700	-51.21	-13	Pass	700
1700	1765	1	RMS	1730.333	24.02	60	Pass	601
1765	3000	1	RMS	2667.731	-47.62	-13	Pass	1235
3000	12000	1	RMS	11989.999	-41.28	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.9	-13	Pass	8000




9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2985
30	1000	0.1	RMS	913.191	-62.12	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.37	-13	Pass	700
1700	1765	1	RMS	1730.333	23.08	60	Pass	601
1765	3000	1	RMS	2672.735	-47.64	-13	Pass	1235
3000	12000	1	RMS	11982.998	-41.28	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.89	-13	Pass	8000




9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	1000	0.1	RMS	895.589	-62.08	-13	Pass	9700
1000	1700	1	RMS	1635.908	-51.45	-13	Pass	700
1700	1765	1	RMS	1750.375	23.7	60	Pass	601
1765	3000	1	RMS	2673.736	-47.65	-13	Pass	1235
3000	12000	1	RMS	11999	-41.34	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.8	-13	Pass	8000




9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2985
30	1000	0.1	RMS	945.494	-61.97	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.43	-13	Pass	700
1700	1765	1	RMS	1750.375	23.29	60	Pass	601
1765	3000	1	RMS	2659.724	-47.72	-13	Pass	1235
3000	12000	1	RMS	11994.999	-41.34	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.85	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.63	-13	Pass	2985
30	1000	0.1	RMS	938.394	-61.97	-13	Pass	9700
1000	1700	1	RMS	1700	-50.85	-13	Pass	700
1700	1765	1	RMS	1710.508	24.27	60	Pass	601
1765	3000	1	RMS	2673.736	-47.7	-13	Pass	1235
3000	12000	1	RMS	11997	-41.26	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.9	-13	Pass	8000




9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2985
30	1000	0.1	RMS	946.394	-62.12	-13	Pass	9700
1000	1700	1	RMS	1700	-51.02	-13	Pass	700
1700	1765	1	RMS	1710.508	23.37	60	Pass	601
1765	3000	1	RMS	2669.733	-47.67	-13	Pass	1235
3000	12000	1	RMS	11984.998	-41.3	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.89	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.25	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.32	-13	Pass	2985
30	1000	0.1	RMS	953.795	-62.17	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.22	-13	Pass	700
1700	1765	1	RMS	1728.058	24.21	60	Pass	601
1765	3000	1	RMS	2660.725	-47.66	-13	Pass	1235
3000	12000	1	RMS	11981.998	-41.38	-13	Pass	9000
12000	20000	1	RMS	18917.865	-31.83	-13	Pass	8000




9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.54	-13	Pass	2985
30	1000	0.1	RMS	921.092	-62.04	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.27	-13	Pass	700
1700	1765	1	RMS	1728.058	23.61	60	Pass	601
1765	3000	1	RMS	2673.736	-47.69	-13	Pass	1235
3000	12000	1	RMS	11988.999	-41.39	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.95	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2985
30	1000	0.1	RMS	918.692	-62.27	-13	Pass	9700
1000	1700	1	RMS	1621.888	-51.5	-13	Pass	700
1700	1765	1	RMS	1745.608	24.03	60	Pass	601
1765	3000	1	RMS	2674.737	-47.67	-13	Pass	1235
3000	12000	1	RMS	11978.998	-41.35	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.89	-13	Pass	8000




9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.62	-13	Pass	2985
30	1000	0.1	RMS	930.293	-62.17	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.5	-13	Pass	700
1700	1765	1	RMS	1745.608	22.79	60	Pass	601
1765	3000	1	RMS	2669.733	-47.69	-13	Pass	1235
3000	12000	1	RMS	11985.998	-41.36	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.93	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.02	-13	Pass	2985
30	1000	0.1	RMS	930.593	-62.15	-13	Pass	9700
1000	1700	1	RMS	1697.997	-42.36	-13	Pass	700
1700	1765	1	RMS	1710.833	24.05	60	Pass	601
1765	3000	1	RMS	2671.734	-47.72	-13	Pass	1235
3000	12000	1	RMS	11979.998	-41.4	-13	Pass	9000
12000	20000	1	RMS	18918.865	-31.92	-13	Pass	8000




9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.75	-13	Pass	2985
30	1000	0.1	RMS	948.495	-62.07	-13	Pass	9700
1000	1700	1	RMS	1697.997	-43.12	-13	Pass	700
1700	1765	1	RMS	1710.833	23.28	60	Pass	601
1765	3000	1	RMS	2660.725	-47.6	-13	Pass	1235
3000	12000	1	RMS	11988.999	-41.11	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.73	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.45	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.04	-13	Pass	2985
30	1000	0.1	RMS	929.393	-62.01	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.01	-13	Pass	700
1700	1765	1	RMS	1725.783	24.16	60	Pass	601
1765	3000	1	RMS	2674.737	-47.62	-13	Pass	1235
3000	12000	1	RMS	11984.998	-41.23	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.67	-13	Pass	8000




9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2985
30	1000	0.1	RMS	947.295	-62.01	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.06	-13	Pass	700
1700	1765	1	RMS	1725.892	23.25	60	Pass	601
1765	3000	1	RMS	2676.738	-47.6	-13	Pass	1235
3000	12000	1	RMS	11979.998	-41.17	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.73	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2985
30	1000	0.1	RMS	923.992	-61.94	-13	Pass	9700
1000	1700	1	RMS	1700	-51.3	-13	Pass	700
1700	1765	1	RMS	1740.842	24.14	60	Pass	601
1765	3000	1	RMS	1767.002	-45.38	-13	Pass	1235
3000	12000	1	RMS	11982.998	-41.19	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.7	-13	Pass	8000




9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2985
30	1000	0.1	RMS	978.398	-62.02	-13	Pass	9700
1000	1700	1	RMS	1700	-51.39	-13	Pass	700
1700	1765	1	RMS	1740.842	23.36	60	Pass	601
1765	3000	1	RMS	1767.002	-46.61	-13	Pass	1235
3000	12000	1	RMS	11982.998	-41.18	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.74	-13	Pass	8000




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2985
30	1000	0.1	RMS	918.592	-62.02	-13	Pass	9700
1000	1700	1	RMS	1692.99	-43.95	-13	Pass	700
1700	1765	1	RMS	1711.05	24.14	60	Pass	601
1765	3000	1	RMS	2665.729	-47.62	-13	Pass	1235
3000	12000	1	RMS	11978.998	-41.17	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.66	-13	Pass	8000




9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2985
30	1000	0.1	RMS	923.292	-62.16	-13	Pass	9700
1000	1700	1	RMS	1692.99	-45.65	-13	Pass	700
1700	1765	1	RMS	1711.05	23.3	60	Pass	601
1765	3000	1	RMS	2675.737	-47.5	-13	Pass	1235
3000	12000	1	RMS	11982.998	-41.19	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.75	-13	Pass	8000




9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.38	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.51	-13	Pass	2985
30	1000	0.1	RMS	953.495	-62.03	-13	Pass	9700
1000	1700	1	RMS	1693.991	-49.69	-13	Pass	700
1700	1765	1	RMS	1723.617	24.23	60	Pass	601
1765	3000	1	RMS	1771.005	-47.56	-13	Pass	1235
3000	12000	1	RMS	11981.998	-41.19	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.64	-13	Pass	8000




9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.45	-13	Pass	2985
30	1000	0.1	RMS	938.694	-62.08	-13	Pass	9700
1000	1700	1	RMS	1693.991	-49.83	-13	Pass	700
1700	1765	1	RMS	1723.617	23.06	60	Pass	601
1765	3000	1	RMS	1771.005	-47.54	-13	Pass	1235
3000	12000	1	RMS	11978.998	-41.16	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.75	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2985
30	1000	0.1	RMS	921.792	-61.98	-13	Pass	9700
1000	1700	1	RMS	1700	-51.07	-13	Pass	700
1700	1765	1	RMS	1736.075	24.21	60	Pass	601
1765	3000	1	RMS	1772.006	-41.69	-13	Pass	1235
3000	12000	1	RMS	11989.999	-41.18	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.69	-13	Pass	8000



9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2985
30	1000	0.1	RMS	968.797	-62.05	-13	Pass	9700
1000	1700	1	RMS	1700	-51.11	-13	Pass	700
1700	1765	1	RMS	1736.075	23.14	60	Pass	601
1765	3000	1	RMS	1772.006	-43	-13	Pass	1235
3000	12000	1	RMS	11979.998	-41.14	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.63	-13	Pass	8000



10. LTE_Band5


**10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2985
30	814	0.1	RMS	810.6	-60.93	-13	Pass	7840
814	860	0.1	RMS	824.273	21.61	60	Pass	601
860	1000	0.1	RMS	911.437	-62.31	-13	Pass	1400
1000	3000	1	RMS	2674.837	-47.61	-13	Pass	2000
3000	10000	1	RMS	9812.973	-44.04	-13	Pass	7000




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2985
30	814	0.1	RMS	810.6	-61.43	-13	Pass	7840
814	860	0.1	RMS	824.273	20.65	60	Pass	601
860	1000	0.1	RMS	936.355	-62.34	-13	Pass	1400
1000	3000	1	RMS	2670.835	-47.67	-13	Pass	2000
3000	10000	1	RMS	9926.99	-44.06	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2985
30	814	0.1	RMS	812.1	-62.11	-13	Pass	7840
814	860	0.1	RMS	836.08	21.42	60	Pass	601
860	1000	0.1	RMS	974.682	-62.22	-13	Pass	1400
1000	3000	1	RMS	2661.831	-47.64	-13	Pass	2000
3000	10000	1	RMS	9816.974	-44.03	-13	Pass	7000




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.68	-13	Pass	2985
30	814	0.1	RMS	808.799	-62.13	-13	Pass	7840
814	860	0.1	RMS	836.08	20.42	60	Pass	601
860	1000	0.1	RMS	953.066	-62.39	-13	Pass	1400
1000	3000	1	RMS	2675.838	-47.64	-13	Pass	2000
3000	10000	1	RMS	9812.973	-44.01	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2985
30	814	0.1	RMS	809.599	-60.97	-13	Pass	7840
814	860	0.1	RMS	847.887	21.42	60	Pass	601
860	1000	0.1	RMS	916.14	-62.39	-13	Pass	1400
1000	3000	1	RMS	2543.772	-46.97	-13	Pass	2000
3000	10000	1	RMS	9931.99	-44.06	-13	Pass	7000




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2985
30	814	0.1	RMS	812.3	-61.13	-13	Pass	7840
814	860	0.1	RMS	847.887	20.54	60	Pass	601
860	1000	0.1	RMS	988.492	-62.35	-13	Pass	1400
1000	3000	1	RMS	2543.772	-47.3	-13	Pass	2000
3000	10000	1	RMS	9809.973	-44.06	-13	Pass	7000




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.27	-13	Pass	2985
30	814	0.1	RMS	813.4	-61.41	-13	Pass	7840
814	860	0.1	RMS	824.273	21.39	60	Pass	601
860	1000	0.1	RMS	914.539	-62.2	-13	Pass	1400
1000	3000	1	RMS	2677.839	-47.67	-13	Pass	2000
3000	10000	1	RMS	9817.974	-44.06	-13	Pass	7000




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.83	-13	Pass	2985
30	814	0.1	RMS	813.9	-61.46	-13	Pass	7840
814	860	0.1	RMS	824.273	20.56	60	Pass	601
860	1000	0.1	RMS	922.244	-62.26	-13	Pass	1400
1000	3000	1	RMS	2670.835	-47.65	-13	Pass	2000
3000	10000	1	RMS	9806.972	-44	-13	Pass	7000




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.54	-13	Pass	2985
30	814	0.1	RMS	813.4	-61.89	-13	Pass	7840
814	860	0.1	RMS	835.237	21.71	60	Pass	601
860	1000	0.1	RMS	956.269	-62.34	-13	Pass	1400
1000	3000	1	RMS	2666.833	-47.65	-13	Pass	2000
3000	10000	1	RMS	9808.973	-44.06	-13	Pass	7000




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2985
30	814	0.1	RMS	809.099	-62	-13	Pass	7840
814	860	0.1	RMS	835.237	20.81	60	Pass	601
860	1000	0.1	RMS	917.741	-62.3	-13	Pass	1400
1000	3000	1	RMS	2677.839	-47.66	-13	Pass	2000
3000	10000	1	RMS	9805.972	-43.97	-13	Pass	7000




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2985
30	814	0.1	RMS	813.4	-61.2	-13	Pass	7840
814	860	0.1	RMS	846.277	21.37	60	Pass	601
860	1000	0.1	RMS	947.963	-62.33	-13	Pass	1400
1000	3000	1	RMS	2668.834	-47.63	-13	Pass	2000
3000	10000	1	RMS	9815.974	-44.1	-13	Pass	7000




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2985
30	814	0.1	RMS	810.7	-61.3	-13	Pass	7840
814	860	0.1	RMS	846.277	20.52	60	Pass	601
860	1000	0.1	RMS	928.349	-62.28	-13	Pass	1400
1000	3000	1	RMS	2660.83	-47.66	-13	Pass	2000
3000	10000	1	RMS	9924.989	-44.05	-13	Pass	7000




10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2985
30	814	0.1	RMS	810.6	-61.31	-13	Pass	7840
814	860	0.1	RMS	824.35	21.42	60	Pass	601
860	1000	0.1	RMS	915.54	-62.27	-13	Pass	1400
1000	3000	1	RMS	2663.832	-47.63	-13	Pass	2000
3000	10000	1	RMS	9925.989	-44.08	-13	Pass	7000




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2985
30	814	0.1	RMS	807.999	-61.73	-13	Pass	7840
814	860	0.1	RMS	824.35	20.94	60	Pass	601
860	1000	0.1	RMS	916.24	-62.26	-13	Pass	1400
1000	3000	1	RMS	2677.839	-47.65	-13	Pass	2000
3000	10000	1	RMS	9809.973	-44.05	-13	Pass	7000




10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2985
30	814	0.1	RMS	809.499	-61.82	-13	Pass	7840
814	860	0.1	RMS	834.317	21.46	60	Pass	601
860	1000	0.1	RMS	935.954	-62.3	-13	Pass	1400
1000	3000	1	RMS	2675.838	-47.64	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.08	-13	Pass	7000




10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2985
30	814	0.1	RMS	814	-62.06	-13	Pass	7840
814	860	0.1	RMS	834.317	20.5	60	Pass	601
860	1000	0.1	RMS	921.144	-62.2	-13	Pass	1400
1000	3000	1	RMS	2668.834	-47.62	-13	Pass	2000
3000	10000	1	RMS	9924.989	-44.07	-13	Pass	7000




10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2985
30	814	0.1	RMS	811.5	-61.18	-13	Pass	7840
814	860	0.1	RMS	844.36	21.66	60	Pass	601
860	1000	0.1	RMS	887.119	-62.29	-13	Pass	1400
1000	3000	1	RMS	2664.832	-47.61	-13	Pass	2000
3000	10000	1	RMS	9815.974	-44.05	-13	Pass	7000




10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.49	-13	Pass	2985
30	814	0.1	RMS	811.6	-61.34	-13	Pass	7840
814	860	0.1	RMS	844.36	20.77	60	Pass	601
860	1000	0.1	RMS	921.544	-62.28	-13	Pass	1400
1000	3000	1	RMS	2674.837	-47.62	-13	Pass	2000
3000	10000	1	RMS	9810.973	-44.06	-13	Pass	7000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.2	-13	Pass	7840
814	860	0.1	RMS	824.58	21.95	60	Pass	601
860	1000	0.1	RMS	940.357	-62.18	-13	Pass	1400
1000	3000	1	RMS	2676.838	-47.57	-13	Pass	2000
3000	10000	1	RMS	9810.973	-44.09	-13	Pass	7000




10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2985
30	814	0.1	RMS	813.7	-61.42	-13	Pass	7840
814	860	0.1	RMS	824.58	21.09	60	Pass	601
860	1000	0.1	RMS	952.166	-62.2	-13	Pass	1400
1000	3000	1	RMS	2673.837	-47.62	-13	Pass	2000
3000	10000	1	RMS	9801.972	-44.07	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.12	-13	Pass	2985
30	814	0.1	RMS	812.9	-60.42	-13	Pass	7840
814	860	0.1	RMS	832.093	21.79	60	Pass	601
860	1000	0.1	RMS	949.164	-62.2	-13	Pass	1400
1000	3000	1	RMS	2673.837	-47.57	-13	Pass	2000
3000	10000	1	RMS	9810.973	-44.07	-13	Pass	7000




10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2985
30	814	0.1	RMS	812.9	-60.6	-13	Pass	7840
814	860	0.1	RMS	832.093	20.85	60	Pass	601
860	1000	0.1	RMS	936.955	-62.36	-13	Pass	1400
1000	3000	1	RMS	2674.837	-47.59	-13	Pass	2000
3000	10000	1	RMS	9812.973	-44	-13	Pass	7000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2985
30	814	0.1	RMS	812.3	-61.5	-13	Pass	7840
814	860	0.1	RMS	839.607	21.94	60	Pass	601
860	1000	0.1	RMS	974.081	-62.24	-13	Pass	1400
1000	3000	1	RMS	2518.759	-47.36	-13	Pass	2000
3000	10000	1	RMS	9806.972	-44.09	-13	Pass	7000



10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2985
30	814	0.1	RMS	809.399	-61.93	-13	Pass	7840
814	860	0.1	RMS	839.607	20.96	60	Pass	601
860	1000	0.1	RMS	918.842	-62.31	-13	Pass	1400
1000	3000	1	RMS	2676.838	-47.57	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.08	-13	Pass	7000



11. LTE_Band7


**11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.16	-25	Pass	2985
30	1000	0.1	RMS	911.791	-61.68	-25	Pass	9700
1000	2490	1	RMS	2490	-48.65	-25	Pass	1490
2490	2580	1	RMS	2500.35	23.84	60	Pass	601
2580	3000	1	RMS	2680.1	-47.48	-25	Pass	601
3000	12000	1	RMS	11982.998	-51.17	-25	Pass	9000
12000	27000	1	RMS	24911.861	-39.11	-25	Pass	15000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.44	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.42	-25	Pass	2985
30	1000	0.1	RMS	923.692	-62	-25	Pass	9700
1000	2490	1	RMS	2490	-48.67	-25	Pass	1490
2490	2580	1	RMS	2500.35	22.91	60	Pass	601
2580	3000	1	RMS	2676.6	-47.52	-25	Pass	601
3000	12000	1	RMS	11985.998	-51.25	-25	Pass	9000
12000	27000	1	RMS	24901.86	-39.14	-25	Pass	15000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-25	Pass	2985
30	1000	0.1	RMS	942.494	-61.9	-25	Pass	9700
1000	2490	1	RMS	2486.998	-48.91	-25	Pass	1490
2490	2580	1	RMS	2532.9	23.9	60	Pass	601
2580	3000	1	RMS	2674.5	-47.46	-25	Pass	601
3000	12000	1	RMS	11987.999	-51.28	-25	Pass	9000
12000	27000	1	RMS	24881.859	-39.01	-25	Pass	15000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.76	-25	Pass	2985
30	1000	0.1	RMS	921.192	-61.92	-25	Pass	9700
1000	2490	1	RMS	2411.948	-48.92	-25	Pass	1490
2490	2580	1	RMS	2532.9	23.14	60	Pass	601
2580	3000	1	RMS	2679.4	-47.5	-25	Pass	601
3000	12000	1	RMS	11996	-51.21	-25	Pass	9000
12000	27000	1	RMS	24884.859	-39.07	-25	Pass	15000




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.3	-25	Pass	2985
30	1000	0.1	RMS	953.095	-62	-25	Pass	9700
1000	2490	1	RMS	2488.999	-48.92	-25	Pass	1490
2490	2580	1	RMS	2565.3	23.62	60	Pass	601
2580	3000	1	RMS	2673.1	-47.5	-25	Pass	601
3000	12000	1	RMS	11987.999	-51.2	-25	Pass	9000
12000	27000	1	RMS	24910.861	-39.09	-25	Pass	15000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.56	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.23	-25	Pass	2985
30	1000	0.1	RMS	923.692	-61.74	-25	Pass	9700
1000	2490	1	RMS	2486.998	-48.91	-25	Pass	1490
2490	2580	1	RMS	2565.3	23.1	60	Pass	601
2580	3000	1	RMS	2673.1	-47.46	-25	Pass	601
3000	12000	1	RMS	11986.999	-51.25	-25	Pass	9000
12000	27000	1	RMS	24895.86	-39.09	-25	Pass	15000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-25	Pass	2985
30	1000	0.1	RMS	900.69	-61.88	-25	Pass	9700
1000	2490	1	RMS	2490	-48.63	-25	Pass	1490
2490	2580	1	RMS	2500.65	24.01	60	Pass	601
2580	3000	1	RMS	2667.5	-47.49	-25	Pass	601
3000	12000	1	RMS	7501.5	-51.1	-25	Pass	9000
12000	27000	1	RMS	24909.861	-39.08	-25	Pass	15000




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.01	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.63	-25	Pass	2985
30	1000	0.1	RMS	922.692	-61.92	-25	Pass	9700
1000	2490	1	RMS	2490	-48.5	-25	Pass	1490
2490	2580	1	RMS	2500.65	23.18	60	Pass	601
2580	3000	1	RMS	2681.5	-47.47	-25	Pass	601
3000	12000	1	RMS	11984.998	-51.3	-25	Pass	9000
12000	27000	1	RMS	24914.861	-39.09	-25	Pass	15000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.44	-25	Pass	2985
30	1000	0.1	RMS	928.193	-62.02	-25	Pass	9700
1000	2490	1	RMS	2427.958	-48.87	-25	Pass	1490
2490	2580	1	RMS	2530.65	24.18	60	Pass	601
2580	3000	1	RMS	2680.8	-47.5	-25	Pass	601
3000	12000	1	RMS	11999	-51.29	-25	Pass	9000
12000	27000	1	RMS	24862.858	-39.1	-25	Pass	15000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.91	-25	Pass	2985
30	1000	0.1	RMS	938.894	-61.97	-25	Pass	9700
1000	2490	1	RMS	2426.958	-48.94	-25	Pass	1490
2490	2580	1	RMS	2530.65	23.09	60	Pass	601
2580	3000	1	RMS	2658.4	-47.47	-25	Pass	601
3000	12000	1	RMS	11988.999	-51.25	-25	Pass	9000
12000	27000	1	RMS	24905.86	-39.15	-25	Pass	15000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.58	-25	Pass	2985
30	1000	0.1	RMS	916.491	-61.9	-25	Pass	9700
1000	2490	1	RMS	2482.995	-48.93	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.94	60	Pass	601
2580	3000	1	RMS	2687.8	-47.46	-25	Pass	601
3000	12000	1	RMS	11981.998	-51.25	-25	Pass	9000
12000	27000	1	RMS	24884.859	-39.14	-25	Pass	15000




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.06	-25	Pass	2985
30	1000	0.1	RMS	940.494	-62.01	-25	Pass	9700
1000	2490	1	RMS	2423.956	-48.94	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.16	60	Pass	601
2580	3000	1	RMS	2674.5	-47.5	-25	Pass	601
3000	12000	1	RMS	11987.999	-51.22	-25	Pass	9000
12000	27000	1	RMS	24848.857	-39.16	-25	Pass	15000




11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.95	-25	Pass	2985
30	1000	0.1	RMS	931.493	-61.9	-25	Pass	9700
1000	2490	1	RMS	2486.998	-39.91	-25	Pass	1490
2490	2580	1	RMS	2500.8	24.39	60	Pass	601
2580	3000	1	RMS	2672.4	-47.49	-25	Pass	601
3000	12000	1	RMS	7502.5	-50.85	-25	Pass	9000
12000	27000	1	RMS	24914.861	-39.06	-25	Pass	15000




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.72	-25	Pass	2985
30	1000	0.1	RMS	940.694	-61.99	-25	Pass	9700
1000	2490	1	RMS	2486.998	-40.69	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.84	60	Pass	601
2580	3000	1	RMS	2675.9	-47.47	-25	Pass	601
3000	12000	1	RMS	11980.998	-51.29	-25	Pass	9000
12000	27000	1	RMS	24893.86	-39.13	-25	Pass	15000




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.45	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-25	Pass	2985
30	1000	0.1	RMS	935.093	-61.98	-25	Pass	9700
1000	2490	1	RMS	2490	-48.74	-25	Pass	1490
2490	2580	1	RMS	2528.4	24.5	60	Pass	601
2580	3000	1	RMS	2659.8	-47.43	-25	Pass	601
3000	12000	1	RMS	11982.998	-51.26	-25	Pass	9000
12000	27000	1	RMS	24906.86	-39.06	-25	Pass	15000




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.22	-25	Pass	2985
30	1000	0.1	RMS	915.591	-61.96	-25	Pass	9700
1000	2490	1	RMS	2419.953	-48.85	-25	Pass	1490
2490	2580	1	RMS	2528.4	23.59	60	Pass	601
2580	3000	1	RMS	2660.5	-47.43	-25	Pass	601
3000	12000	1	RMS	11998	-51.3	-25	Pass	9000
12000	27000	1	RMS	24872.858	-39.08	-25	Pass	15000




11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.27	-25	Pass	2985
30	1000	0.1	RMS	933.393	-61.84	-25	Pass	9700
1000	2490	1	RMS	2484.997	-48.92	-25	Pass	1490
2490	2580	1	RMS	2555.85	24.45	60	Pass	601
2580	3000	1	RMS	2582.8	-46.71	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.24	-25	Pass	9000
12000	27000	1	RMS	24915.861	-39.07	-25	Pass	15000




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-25	Pass	2985
30	1000	0.1	RMS	944.594	-62.01	-25	Pass	9700
1000	2490	1	RMS	2487.999	-48.91	-25	Pass	1490
2490	2580	1	RMS	2555.85	23.53	60	Pass	601
2580	3000	1	RMS	2582.8	-47.15	-25	Pass	601
3000	12000	1	RMS	11978.998	-51.26	-25	Pass	9000
12000	27000	1	RMS	24882.859	-39.04	-25	Pass	15000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-25	Pass	2985
30	1000	0.1	RMS	925.092	-61.97	-25	Pass	9700
1000	2490	1	RMS	2482.995	-39.05	-25	Pass	1490
2490	2580	1	RMS	2501.1	24.64	60	Pass	601
2580	3000	1	RMS	2676.6	-47.44	-25	Pass	601
3000	12000	1	RMS	11976.997	-51.21	-25	Pass	9000
12000	27000	1	RMS	24854.857	-39.09	-25	Pass	15000




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.09	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-25	Pass	2985
30	1000	0.1	RMS	961.496	-61.99	-25	Pass	9700
1000	2490	1	RMS	2482.995	-40.34	-25	Pass	1490
2490	2580	1	RMS	2501.1	23.88	60	Pass	601
2580	3000	1	RMS	2662.6	-47.45	-25	Pass	601
3000	12000	1	RMS	11991.999	-51.29	-25	Pass	9000
12000	27000	1	RMS	24903.86	-39.08	-25	Pass	15000




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.07	-25	Pass	2985
30	1000	0.1	RMS	935.893	-61.99	-25	Pass	9700
1000	2490	1	RMS	2490	-48.31	-25	Pass	1490
2490	2580	1	RMS	2526	24.64	60	Pass	601
2580	3000	1	RMS	2663.3	-47.43	-25	Pass	601
3000	12000	1	RMS	11982.998	-51.24	-25	Pass	9000
12000	27000	1	RMS	24891.859	-39.08	-25	Pass	15000




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.69	-25	Pass	2985
30	1000	0.1	RMS	919.592	-62.02	-25	Pass	9700
1000	2490	1	RMS	2490	-48.27	-25	Pass	1490
2490	2580	1	RMS	2526.15	24.06	60	Pass	601
2580	3000	1	RMS	2662.6	-47.42	-25	Pass	601
3000	12000	1	RMS	11996	-51.27	-25	Pass	9000
12000	27000	1	RMS	24917.861	-39.1	-25	Pass	15000




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.24	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.31	-25	Pass	2985
30	1000	0.1	RMS	914.991	-61.74	-25	Pass	9700
1000	2490	1	RMS	2439.966	-48.89	-25	Pass	1490
2490	2580	1	RMS	2551.05	24.42	60	Pass	601
2580	3000	1	RMS	2587	-46.18	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.29	-25	Pass	9000
12000	27000	1	RMS	24913.861	-39.08	-25	Pass	15000



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.56	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.21	-25	Pass	2985
30	1000	0.1	RMS	924.692	-61.93	-25	Pass	9700
1000	2490	1	RMS	2436.964	-48.89	-25	Pass	1490
2490	2580	1	RMS	2551.05	23.59	60	Pass	601
2580	3000	1	RMS	2587	-45.93	-25	Pass	601
3000	12000	1	RMS	11975.997	-51.27	-25	Pass	9000
12000	27000	1	RMS	24910.861	-39.04	-25	Pass	15000



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2985
30	689	0.1	RMS	504.272	-62.6	-13	Pass	6590
689	726	0.1	RMS	699.237	23.01	60	Pass	601
726	1000	0.1	RMS	913.568	-61.81	-13	Pass	2740
1000	3000	1	RMS	2796.898	-45.55	-13	Pass	2000
3000	10000	1	RMS	9929.99	-43.95	-13	Pass	7000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2985
30	689	0.1	RMS	503.172	-62.72	-13	Pass	6590
689	726	0.1	RMS	699.237	21.65	60	Pass	601
726	1000	0.1	RMS	915.469	-61.64	-13	Pass	2740
1000	3000	1	RMS	2796.898	-46.12	-13	Pass	2000
3000	10000	1	RMS	9809.973	-43.97	-13	Pass	7000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2985
30	689	0.1	RMS	502.272	-62.48	-13	Pass	6590
689	726	0.1	RMS	707.068	22.54	60	Pass	601
726	1000	0.1	RMS	887.459	-61.61	-13	Pass	2740
1000	3000	1	RMS	1414.207	-44.44	-13	Pass	2000
3000	10000	1	RMS	9926.99	-43.97	-13	Pass	7000




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.09	-13	Pass	2985
30	689	0.1	RMS	506.372	-62.75	-13	Pass	6590
689	726	0.1	RMS	707.068	21.48	60	Pass	601
726	1000	0.1	RMS	928.874	-61.82	-13	Pass	2740
1000	3000	1	RMS	1414.207	-45.4	-13	Pass	2000
3000	10000	1	RMS	9817.974	-44.02	-13	Pass	7000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.37	-13	Pass	2985
30	689	0.1	RMS	506.472	-62.5	-13	Pass	6590
689	726	0.1	RMS	714.838	22.35	60	Pass	601
726	1000	0.1	RMS	927.474	-61.68	-13	Pass	2740
1000	3000	1	RMS	1429.215	-46.36	-13	Pass	2000
3000	10000	1	RMS	9815.974	-43.98	-13	Pass	7000




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2985
30	689	0.1	RMS	517.174	-62.67	-13	Pass	6590
689	726	0.1	RMS	714.838	22.03	60	Pass	601
726	1000	0.1	RMS	914.569	-61.66	-13	Pass	2740
1000	3000	1	RMS	1429.215	-46.59	-13	Pass	2000
3000	10000	1	RMS	9814.974	-43.99	-13	Pass	7000




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.25	-13	Pass	2985
30	689	0.1	RMS	502.272	-62.55	-13	Pass	6590
689	726	0.1	RMS	699.237	22.66	60	Pass	601
726	1000	0.1	RMS	910.968	-61.67	-13	Pass	2740
1000	3000	1	RMS	2796.898	-45.73	-13	Pass	2000
3000	10000	1	RMS	9811.973	-43.97	-13	Pass	7000




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.98	-13	Pass	2985
30	689	0.1	RMS	507.572	-62.63	-13	Pass	6590
689	726	0.1	RMS	699.237	21.97	60	Pass	601
726	1000	0.1	RMS	908.867	-61.77	-13	Pass	2740
1000	3000	1	RMS	2796.898	-45.91	-13	Pass	2000
3000	10000	1	RMS	9821.975	-44	-13	Pass	7000




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.25	-13	Pass	2985
30	689	0.1	RMS	537.277	-62.7	-13	Pass	6590
689	726	0.1	RMS	706.267	22.41	60	Pass	601
726	1000	0.1	RMS	931.675	-61.79	-13	Pass	2740
1000	3000	1	RMS	1412.206	-44.62	-13	Pass	2000
3000	10000	1	RMS	9814.974	-43.98	-13	Pass	7000




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.66	-13	Pass	2985
30	689	0.1	RMS	507.873	-62.66	-13	Pass	6590
689	726	0.1	RMS	706.267	21.5	60	Pass	601
726	1000	0.1	RMS	904.465	-61.74	-13	Pass	2740
1000	3000	1	RMS	1412.206	-45.74	-13	Pass	2000
3000	10000	1	RMS	9814.974	-43.99	-13	Pass	7000




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2985
30	689	0.1	RMS	513.473	-62.55	-13	Pass	6590
689	726	0.1	RMS	713.235	22.53	60	Pass	601
726	1000	0.1	RMS	916.369	-61.7	-13	Pass	2740
1000	3000	1	RMS	1426.213	-47.04	-13	Pass	2000
3000	10000	1	RMS	9806.972	-44.01	-13	Pass	7000




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.81	-13	Pass	2985
30	689	0.1	RMS	518.774	-62.59	-13	Pass	6590
689	726	0.1	RMS	713.235	22.19	60	Pass	601
726	1000	0.1	RMS	922.372	-61.74	-13	Pass	2740
1000	3000	1	RMS	1426.213	-47.24	-13	Pass	2000
3000	10000	1	RMS	9811.973	-43.87	-13	Pass	7000




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2985
30	689	0.1	RMS	498.371	-62.56	-13	Pass	6590
689	726	0.1	RMS	699.36	22.33	60	Pass	601
726	1000	0.1	RMS	886.959	-61.82	-13	Pass	2740
1000	3000	1	RMS	2796.898	-46.31	-13	Pass	2000
3000	10000	1	RMS	9931.99	-43.97	-13	Pass	7000




12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2985
30	689	0.1	RMS	499.871	-62.69	-13	Pass	6590
689	726	0.1	RMS	699.36	21.73	60	Pass	601
726	1000	0.1	RMS	898.763	-61.93	-13	Pass	2740
1000	3000	1	RMS	2796.898	-46.59	-13	Pass	2000
3000	10000	1	RMS	9801.972	-43.97	-13	Pass	7000




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2985
30	689	0.1	RMS	492.47	-62.6	-13	Pass	6590
689	726	0.1	RMS	705.342	22.7	60	Pass	601
726	1000	0.1	RMS	919.471	-61.75	-13	Pass	2740
1000	3000	1	RMS	1410.205	-45.8	-13	Pass	2000
3000	10000	1	RMS	9819.974	-43.93	-13	Pass	7000




12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2985
30	689	0.1	RMS	516.174	-62.69	-13	Pass	6590
689	726	0.1	RMS	705.342	22.12	60	Pass	601
726	1000	0.1	RMS	933.876	-61.71	-13	Pass	2740
1000	3000	1	RMS	1410.205	-46.19	-13	Pass	2000
3000	10000	1	RMS	9809.973	-44.02	-13	Pass	7000




12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.24	-13	Pass	2985
30	689	0.1	RMS	516.774	-62.66	-13	Pass	6590
689	726	0.1	RMS	711.323	22.41	60	Pass	601
726	1000	0.1	RMS	911.968	-61.79	-13	Pass	2740
1000	3000	1	RMS	2844.922	-47.08	-13	Pass	2000
3000	10000	1	RMS	9808.973	-43.86	-13	Pass	7000




12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2985
30	689	0.1	RMS	510.973	-62.62	-13	Pass	6590
689	726	0.1	RMS	711.323	21.81	60	Pass	601
726	1000	0.1	RMS	934.676	-61.76	-13	Pass	2740
1000	3000	1	RMS	2844.922	-47.32	-13	Pass	2000
3000	10000	1	RMS	9807.973	-43.97	-13	Pass	7000




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2985
30	689	0.1	RMS	509.273	-62.53	-13	Pass	6590
689	726	0.1	RMS	699.607	22.77	60	Pass	601
726	1000	0.1	RMS	842.543	-61.8	-13	Pass	2740
1000	3000	1	RMS	2797.899	-46.31	-13	Pass	2000
3000	10000	1	RMS	9809.973	-43.99	-13	Pass	7000




12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.15	-13	Pass	2985
30	689	0.1	RMS	501.772	-62.64	-13	Pass	6590
689	726	0.1	RMS	699.607	22.14	60	Pass	601
726	1000	0.1	RMS	913.368	-61.82	-13	Pass	2740
1000	3000	1	RMS	2797.899	-46.57	-13	Pass	2000
3000	10000	1	RMS	9814.974	-43.97	-13	Pass	7000




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2985
30	689	0.1	RMS	508.273	-62.52	-13	Pass	6590
689	726	0.1	RMS	703.122	22.93	60	Pass	601
726	1000	0.1	RMS	916.57	-61.58	-13	Pass	2740
1000	3000	1	RMS	1406.203	-46.16	-13	Pass	2000
3000	10000	1	RMS	9813.973	-43.99	-13	Pass	7000




12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.35	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.48	-13	Pass	2985
30	689	0.1	RMS	509.373	-62.74	-13	Pass	6590
689	726	0.1	RMS	703.122	21.8	60	Pass	601
726	1000	0.1	RMS	887.559	-61.7	-13	Pass	2740
1000	3000	1	RMS	2674.837	-47.45	-13	Pass	2000
3000	10000	1	RMS	9814.974	-43.98	-13	Pass	7000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2985
30	689	0.1	RMS	507.672	-62.42	-13	Pass	6590
689	726	0.1	RMS	706.575	23	60	Pass	601
726	1000	0.1	RMS	905.566	-61.81	-13	Pass	2740
1000	3000	1	RMS	1413.207	-43.73	-13	Pass	2000
3000	10000	1	RMS	9928.99	-43.94	-13	Pass	7000



12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.93	-13	Pass	2985
30	689	0.1	RMS	501.071	-62.72	-13	Pass	6590
689	726	0.1	RMS	706.575	22.21	60	Pass	601
726	1000	0.1	RMS	922.872	-61.82	-13	Pass	2740
1000	3000	1	RMS	1413.207	-44.53	-13	Pass	2000
3000	10000	1	RMS	9810.973	-43.96	-13	Pass	7000



13. LTE_Band13


**13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2985
30	767	0.1	RMS	762.299	-62.3	-13	Pass	7370
767	797	0.1	RMS	777.35	21.58	60	Pass	601
797	1000	0.1	RMS	917.059	-62	-13	Pass	2030
1000	3000	1	RMS	2676.838	-47.47	-13	Pass	2000
3000	10000	1	RMS	9804.972	-44	-13	Pass	7000




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.94	-13	Pass	2985
30	767	0.1	RMS	766.9	-62.39	-13	Pass	7370
767	797	0.1	RMS	777.35	20.74	60	Pass	601
797	1000	0.1	RMS	968.284	-61.8	-13	Pass	2030
1000	3000	1	RMS	2675.838	-47.5	-13	Pass	2000
3000	10000	1	RMS	9818.974	-43.98	-13	Pass	7000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2985
30	767	0.1	RMS	766.3	-62.43	-13	Pass	7370
767	797	0.1	RMS	779.85	21.6	60	Pass	601
797	1000	0.1	RMS	976.689	-61.71	-13	Pass	2030
1000	3000	1	RMS	2659.83	-47.47	-13	Pass	2000
3000	10000	1	RMS	9810.973	-43.98	-13	Pass	7000




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.33	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.9	-13	Pass	2985
30	767	0.1	RMS	757.699	-62.38	-13	Pass	7370
767	797	0.1	RMS	779.85	21	60	Pass	601
797	1000	0.1	RMS	971.286	-62.03	-13	Pass	2030
1000	3000	1	RMS	2673.837	-47.48	-13	Pass	2000
3000	10000	1	RMS	9928.99	-43.98	-13	Pass	7000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2985
30	767	0.1	RMS	764.9	-62.49	-13	Pass	7370
767	797	0.1	RMS	782.35	21.35	60	Pass	601
797	1000	0.1	RMS	965.483	-61.95	-13	Pass	2030
1000	3000	1	RMS	2673.837	-47.47	-13	Pass	2000
3000	10000	1	RMS	9808.973	-43.97	-13	Pass	7000




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2985
30	767	0.1	RMS	755.198	-62.5	-13	Pass	7370
767	797	0.1	RMS	782.35	20.95	60	Pass	601
797	1000	0.1	RMS	971.286	-61.96	-13	Pass	2030
1000	3000	1	RMS	2673.837	-47.48	-13	Pass	2000
3000	10000	1	RMS	9816.974	-43.94	-13	Pass	7000




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.64	-13	Pass	2985
30	767	0.1	RMS	766.8	-62.14	-13	Pass	7370
767	797	0.1	RMS	777.6	21.96	60	Pass	601
797	1000	0.1	RMS	995.198	-61.72	-13	Pass	2030
1000	3000	1	RMS	2673.837	-47.49	-13	Pass	2000
3000	10000	1	RMS	9820.974	-43.97	-13	Pass	7000



13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2985
30	767	0.1	RMS	764.5	-62.52	-13	Pass	7370
767	797	0.1	RMS	777.6	21.1	60	Pass	601
797	1000	0.1	RMS	950.776	-61.94	-13	Pass	2030
1000	3000	1	RMS	2674.837	-47.48	-13	Pass	2000
3000	10000	1	RMS	9814.974	-44	-13	Pass	7000



14. LTE_Band25


**14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.13	-13	Pass	2985
30	1000	0.1	RMS	909.591	-61.92	-13	Pass	9700
1000	1840	1	RMS	1840	-50.53	-13	Pass	840
1840	1925	1	RMS	1850.2	23.06	60	Pass	601
1925	3000	1	RMS	2673.696	-47.5	-13	Pass	1075
3000	12000	1	RMS	11988.999	-41.06	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.65	-13	Pass	8000




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2985
30	1000	0.1	RMS	945.794	-61.97	-13	Pass	9700
1000	1840	1	RMS	1840	-50.64	-13	Pass	840
1840	1925	1	RMS	1850.2	22.2	60	Pass	601
1925	3000	1	RMS	2669.693	-47.53	-13	Pass	1075
3000	12000	1	RMS	11987.999	-41.14	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.54	-13	Pass	8000




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.48	-13	Pass	2985
30	1000	0.1	RMS	924.692	-61.85	-13	Pass	9700
1000	1840	1	RMS	1840	-50.85	-13	Pass	840
1840	1925	1	RMS	1882.075	22.84	60	Pass	601
1925	3000	1	RMS	2677.7	-47.46	-13	Pass	1075
3000	12000	1	RMS	11993.999	-41.05	-13	Pass	9000
12000	20000	1	RMS	18904.863	-31.63	-13	Pass	8000




14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2985
30	1000	0.1	RMS	949.395	-61.87	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.89	-13	Pass	840
1840	1925	1	RMS	1882.075	21.87	60	Pass	601
1925	3000	1	RMS	2676.699	-47.46	-13	Pass	1075
3000	12000	1	RMS	11992.999	-41.05	-13	Pass	9000
12000	20000	1	RMS	18910.864	-31.66	-13	Pass	8000




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2985
30	1000	0.1	RMS	922.592	-61.85	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.71	-13	Pass	840
1840	1925	1	RMS	1913.808	22.93	60	Pass	601
1925	3000	1	RMS	2674.697	-47.5	-13	Pass	1075
3000	12000	1	RMS	11986.999	-41.04	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.65	-13	Pass	8000




14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2985
30	1000	0.1	RMS	965.096	-61.94	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.75	-13	Pass	840
1840	1925	1	RMS	1913.808	22.17	60	Pass	601
1925	3000	1	RMS	2676.699	-47.48	-13	Pass	1075
3000	12000	1	RMS	11987.999	-41.06	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.63	-13	Pass	8000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.25	-13	Pass	2985
30	1000	0.1	RMS	926.792	-61.88	-13	Pass	9700
1000	1840	1	RMS	1840	-50.5	-13	Pass	840
1840	1925	1	RMS	1850.2	23.21	60	Pass	601
1925	3000	1	RMS	2677.7	-47.46	-13	Pass	1075
3000	12000	1	RMS	11991.999	-41.01	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.62	-13	Pass	8000




14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.35	-13	Pass	2985
30	1000	0.1	RMS	908.191	-62.05	-13	Pass	9700
1000	1840	1	RMS	1840	-50.58	-13	Pass	840
1840	1925	1	RMS	1850.2	22.4	60	Pass	601
1925	3000	1	RMS	2673.696	-47.47	-13	Pass	1075
3000	12000	1	RMS	11986.999	-41.14	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.67	-13	Pass	8000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2985
30	1000	0.1	RMS	935.693	-61.98	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.79	-13	Pass	840
1840	1925	1	RMS	1881.225	22.89	60	Pass	601
1925	3000	1	RMS	2676.699	-47.47	-13	Pass	1075
3000	12000	1	RMS	11983.998	-41.08	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.65	-13	Pass	8000




14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2985
30	1000	0.1	RMS	952.895	-61.87	-13	Pass	9700
1000	1840	1	RMS	1835.995	-50.9	-13	Pass	840
1840	1925	1	RMS	1881.225	21.88	60	Pass	601
1925	3000	1	RMS	2673.696	-47.44	-13	Pass	1075
3000	12000	1	RMS	11998	-41.08	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.63	-13	Pass	8000




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2985
30	1000	0.1	RMS	978.298	-61.99	-13	Pass	9700
1000	1840	1	RMS	1834.994	-50.83	-13	Pass	840
1840	1925	1	RMS	1912.108	23.04	60	Pass	601
1925	3000	1	RMS	2673.696	-47.47	-13	Pass	1075
3000	12000	1	RMS	11988.999	-41.03	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.62	-13	Pass	8000




14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.94	-13	Pass	2985
30	1000	0.1	RMS	976.198	-61.98	-13	Pass	9700
1000	1840	1	RMS	1840	-50.76	-13	Pass	840
1840	1925	1	RMS	1912.25	22.36	60	Pass	601
1925	3000	1	RMS	2675.698	-47.47	-13	Pass	1075
3000	12000	1	RMS	11985.998	-41.09	-13	Pass	9000
12000	20000	1	RMS	18908.864	-31.63	-13	Pass	8000




14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2985
30	1000	0.1	RMS	920.292	-61.78	-13	Pass	9700
1000	1840	1	RMS	1840	-50.41	-13	Pass	840
1840	1925	1	RMS	1850.342	23.28	60	Pass	601
1925	3000	1	RMS	2677.7	-47.46	-13	Pass	1075
3000	12000	1	RMS	11988.999	-41.06	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.64	-13	Pass	8000




14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2985
30	1000	0.1	RMS	937.594	-62.02	-13	Pass	9700
1000	1840	1	RMS	1840	-50.64	-13	Pass	840
1840	1925	1	RMS	1850.342	22.56	60	Pass	601
1925	3000	1	RMS	2667.691	-47.46	-13	Pass	1075
3000	12000	1	RMS	11984.998	-41.04	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.67	-13	Pass	8000




14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2985
30	1000	0.1	RMS	926.292	-61.87	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.82	-13	Pass	840
1840	1925	1	RMS	1880.375	23.01	60	Pass	601
1925	3000	1	RMS	2676.699	-47.44	-13	Pass	1075
3000	12000	1	RMS	11979.998	-41.05	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.66	-13	Pass	8000




14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2985
30	1000	0.1	RMS	873.987	-62.06	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.84	-13	Pass	840
1840	1925	1	RMS	1880.375	22.23	60	Pass	601
1925	3000	1	RMS	2675.698	-47.48	-13	Pass	1075
3000	12000	1	RMS	11999	-41.08	-13	Pass	9000
12000	20000	1	RMS	18915.864	-31.66	-13	Pass	8000




14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2985
30	1000	0.1	RMS	924.092	-61.94	-13	Pass	9700
1000	1840	1	RMS	1836.996	-50.86	-13	Pass	840
1840	1925	1	RMS	1910.267	23.15	60	Pass	601
1925	3000	1	RMS	2676.699	-47.45	-13	Pass	1075
3000	12000	1	RMS	11996	-41.07	-13	Pass	9000
12000	20000	1	RMS	18938.867	-31.66	-13	Pass	8000




14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2985
30	1000	0.1	RMS	895.489	-61.94	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.8	-13	Pass	840
1840	1925	1	RMS	1910.267	22.3	60	Pass	601
1925	3000	1	RMS	2670.694	-47.47	-13	Pass	1075
3000	12000	1	RMS	11981.998	-41.09	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.64	-13	Pass	8000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.63	-13	Pass	2985
30	1000	0.1	RMS	925.892	-61.9	-13	Pass	9700
1000	1840	1	RMS	1840	-50.33	-13	Pass	840
1840	1925	1	RMS	1850.625	23.3	60	Pass	601
1925	3000	1	RMS	2669.693	-47.47	-13	Pass	1075
3000	12000	1	RMS	11996	-41	-13	Pass	9000
12000	20000	1	RMS	18942.868	-31.65	-13	Pass	8000




14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2985
30	1000	0.1	RMS	939.994	-62	-13	Pass	9700
1000	1840	1	RMS	1840	-50.5	-13	Pass	840
1840	1925	1	RMS	1850.625	22.51	60	Pass	601
1925	3000	1	RMS	2677.7	-47.47	-13	Pass	1075
3000	12000	1	RMS	11976.997	-41.05	-13	Pass	9000
12000	20000	1	RMS	18935.867	-31.68	-13	Pass	8000




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2985
30	1000	0.1	RMS	916.491	-61.85	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.74	-13	Pass	840
1840	1925	1	RMS	1878.108	23.03	60	Pass	601
1925	3000	1	RMS	2677.7	-47.44	-13	Pass	1075
3000	12000	1	RMS	11992.999	-41.02	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.64	-13	Pass	8000




14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.22	-13	Pass	2985
30	1000	0.1	RMS	919.792	-61.95	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.73	-13	Pass	840
1840	1925	1	RMS	1878.108	22.12	60	Pass	601
1925	3000	1	RMS	2665.689	-47.41	-13	Pass	1075
3000	12000	1	RMS	11993.999	-41	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.65	-13	Pass	8000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2985
30	1000	0.1	RMS	918.792	-61.9	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.82	-13	Pass	840
1840	1925	1	RMS	1905.592	23.24	60	Pass	601
1925	3000	1	RMS	2677.7	-47.47	-13	Pass	1075
3000	12000	1	RMS	11980.998	-41.04	-13	Pass	9000
12000	20000	1	RMS	19014.877	-31.66	-13	Pass	8000




14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2985
30	1000	0.1	RMS	932.193	-61.79	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.83	-13	Pass	840
1840	1925	1	RMS	1905.592	22.48	60	Pass	601
1925	3000	1	RMS	2675.698	-47.47	-13	Pass	1075
3000	12000	1	RMS	11983.998	-41.07	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.68	-13	Pass	8000




**14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.77	-13	Pass	2985
30	1000	0.1	RMS	914.691	-61.93	-13	Pass	9700
1000	1840	1	RMS	1837.998	-43.15	-13	Pass	840
1840	1925	1	RMS	1850.908	23.28	60	Pass	601
1925	3000	1	RMS	2662.686	-47.44	-13	Pass	1075
3000	12000	1	RMS	11992.999	-41.07	-13	Pass	9000
12000	20000	1	RMS	18941.868	-31.66	-13	Pass	8000




**14.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2985
30	1000	0.1	RMS	926.192	-61.81	-13	Pass	9700
1000	1840	1	RMS	1837.998	-44.09	-13	Pass	840
1840	1925	1	RMS	1850.767	22.38	60	Pass	601
1925	3000	1	RMS	2665.689	-47.46	-13	Pass	1075
3000	12000	1	RMS	12000	-41.07	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.52	-13	Pass	8000




**14.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2985
30	1000	0.1	RMS	917.491	-61.87	-13	Pass	9700
1000	1840	1	RMS	1840	-50.65	-13	Pass	840
1840	1925	1	RMS	1875.842	23.27	60	Pass	601
1925	3000	1	RMS	2678.701	-47.51	-13	Pass	1075
3000	12000	1	RMS	11990.999	-41.13	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.59	-13	Pass	8000




14.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.66	-13	Pass	2985
30	1000	0.1	RMS	917.291	-61.9	-13	Pass	9700
1000	1840	1	RMS	1840	-50.67	-13	Pass	840
1840	1925	1	RMS	1875.842	22.33	60	Pass	601
1925	3000	1	RMS	2665.689	-47.55	-13	Pass	1075
3000	12000	1	RMS	11990.999	-41.05	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.66	-13	Pass	8000




**14.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2985
30	1000	0.1	RMS	928.093	-61.82	-13	Pass	9700
1000	1840	1	RMS	1834.994	-50.79	-13	Pass	840
1840	1925	1	RMS	1900.775	23.23	60	Pass	601
1925	3000	1	RMS	2663.687	-47.47	-13	Pass	1075
3000	12000	1	RMS	11990.999	-41.11	-13	Pass	9000
12000	20000	1	RMS	18935.867	-31.65	-13	Pass	8000




14.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2985
30	1000	0.1	RMS	930.893	-61.93	-13	Pass	9700
1000	1840	1	RMS	1840	-50.7	-13	Pass	840
1840	1925	1	RMS	1900.775	22.4	60	Pass	601
1925	3000	1	RMS	2679.702	-47.46	-13	Pass	1075
3000	12000	1	RMS	11978.998	-41.15	-13	Pass	9000
12000	20000	1	RMS	18914.864	-31.62	-13	Pass	8000




**14.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.11	-13	Pass	2985
30	1000	0.1	RMS	929.393	-61.89	-13	Pass	9700
1000	1840	1	RMS	1832.992	-42.94	-13	Pass	840
1840	1925	1	RMS	1851.05	23.16	60	Pass	601
1925	3000	1	RMS	2677.7	-47.46	-13	Pass	1075
3000	12000	1	RMS	11979.998	-41.08	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.58	-13	Pass	8000




14.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2985
30	1000	0.1	RMS	918.492	-61.86	-13	Pass	9700
1000	1840	1	RMS	1832.992	-43.9	-13	Pass	840
1840	1925	1	RMS	1851.05	22.42	60	Pass	601
1925	3000	1	RMS	2664.688	-47.43	-13	Pass	1075
3000	12000	1	RMS	11982.998	-41.12	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.65	-13	Pass	8000




14.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2985
30	1000	0.1	RMS	924.892	-61.81	-13	Pass	9700
1000	1840	1	RMS	1837.998	-49.76	-13	Pass	840
1840	1925	1	RMS	1873.575	23.13	60	Pass	601
1925	3000	1	RMS	2665.689	-47.44	-13	Pass	1075
3000	12000	1	RMS	11982.998	-41.04	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.63	-13	Pass	8000




14.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2985
30	1000	0.1	RMS	931.293	-61.92	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.26	-13	Pass	840
1840	1925	1	RMS	1873.575	22.06	60	Pass	601
1925	3000	1	RMS	2683.706	-47.48	-13	Pass	1075
3000	12000	1	RMS	11988.999	-41.09	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.71	-13	Pass	8000




**14.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.67	-13	Pass	2985
30	1000	0.1	RMS	915.991	-61.91	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.63	-13	Pass	840
1840	1925	1	RMS	1896.1	23.08	60	Pass	601
1925	3000	1	RMS	2673.696	-47.49	-13	Pass	1075
3000	12000	1	RMS	11978.998	-41.09	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.64	-13	Pass	8000



14.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2985
30	1000	0.1	RMS	920.392	-62.05	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.69	-13	Pass	840
1840	1925	1	RMS	1896.1	22.26	60	Pass	601
1925	3000	1	RMS	2666.69	-47.46	-13	Pass	1075
3000	12000	1	RMS	11997	-41.04	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.63	-13	Pass	8000



15. LTE_Band41 full


**15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.19	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.58	-25	Pass	2985
30	1000	0.1	RMS	940.294	-61.93	-25	Pass	9700
1000	2486	1	RMS	2484.999	-48.51	-25	Pass	1486
2486	2700	1	RMS	2496.343	19.87	60	Pass	601
2700	3000	1	RMS	2702	-47.67	-25	Pass	601
3000	12000	1	RMS	7489.499	-57.94	-25	Pass	9000
12000	27000	1	RMS	24882.859	-59.44	-25	Pass	15000




15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.96	-25	Pass	2985
30	1000	0.1	RMS	970.597	-61.97	-25	Pass	9700
1000	2486	1	RMS	2486	-48.53	-25	Pass	1486
2486	2700	1	RMS	2496.343	19.14	60	Pass	601
2700	3000	1	RMS	2700	-47.68	-25	Pass	601
3000	12000	1	RMS	7489.499	-59.7	-25	Pass	9000
12000	27000	1	RMS	24848.857	-59.49	-25	Pass	15000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.31	-25	Pass	2985
30	1000	0.1	RMS	927.293	-61.9	-25	Pass	9700
1000	2486	1	RMS	2420.956	-48.97	-25	Pass	1486
2486	2700	1	RMS	2590.86	18.48	60	Pass	601
2700	3000	1	RMS	2700	-47.66	-25	Pass	601
3000	12000	1	RMS	7772.53	-61.59	-25	Pass	9000
12000	27000	1	RMS	24869.858	-59.5	-25	Pass	15000




15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.41	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.54	-25	Pass	2985
30	1000	0.1	RMS	978.998	-61.89	-25	Pass	9700
1000	2486	1	RMS	2414.952	-48.94	-25	Pass	1486
2486	2700	1	RMS	2590.86	17.25	60	Pass	601
2700	3000	1	RMS	2700.5	-47.7	-25	Pass	601
3000	12000	1	RMS	7772.53	-57.49	-25	Pass	9000
12000	27000	1	RMS	24851.857	-59.51	-25	Pass	15000




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.93	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.32	-25	Pass	2985
30	1000	0.1	RMS	938.794	-61.83	-25	Pass	9700
1000	2486	1	RMS	2418.955	-48.95	-25	Pass	1486
2486	2700	1	RMS	2685.377	18.34	60	Pass	601
2700	3000	1	RMS	2700	-47.58	-25	Pass	601
3000	12000	1	RMS	8055.562	-58.37	-25	Pass	9000
12000	27000	1	RMS	24875.858	-59.45	-25	Pass	15000




15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.96	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.62	-25	Pass	2985
30	1000	0.1	RMS	956.295	-61.95	-25	Pass	9700
1000	2486	1	RMS	2416.954	-48.94	-25	Pass	1486
2486	2700	1	RMS	2685.02	17.45	60	Pass	601
2700	3000	1	RMS	2700	-47.61	-25	Pass	601
3000	12000	1	RMS	8056.562	-58.47	-25	Pass	9000
12000	27000	1	RMS	24900.86	-59.35	-25	Pass	15000




15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.6	-25	Pass	2985
30	1000	0.1	RMS	927.493	-61.99	-25	Pass	9700
1000	2486	1	RMS	2484.999	-48.57	-25	Pass	1486
2486	2700	1	RMS	2496.7	19.3	60	Pass	601
2700	3000	1	RMS	2700.5	-47.68	-25	Pass	601
3000	12000	1	RMS	7489.499	-57.65	-25	Pass	9000
12000	27000	1	RMS	24863.858	-59.47	-25	Pass	15000




15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.74	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-25	Pass	2985
30	1000	0.1	RMS	919.592	-61.92	-25	Pass	9700
1000	2486	1	RMS	2484.999	-48.78	-25	Pass	1486
2486	2700	1	RMS	2496.7	18.88	60	Pass	601
2700	3000	1	RMS	2700	-47.67	-25	Pass	601
3000	12000	1	RMS	7490.499	-62.05	-25	Pass	9000
12000	27000	1	RMS	24880.859	-59.47	-25	Pass	15000




15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.3	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.43	-25	Pass	2985
30	1000	0.1	RMS	923.292	-61.96	-25	Pass	9700
1000	2486	1	RMS	2437.968	-48.96	-25	Pass	1486
2486	2700	1	RMS	2588.363	19	60	Pass	601
2700	3000	1	RMS	2705	-47.71	-25	Pass	601
3000	12000	1	RMS	7766.53	-64.12	-25	Pass	9000
12000	27000	1	RMS	24883.859	-59.47	-25	Pass	15000




15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.75	-25	Pass	2985
30	1000	0.1	RMS	919.792	-61.84	-25	Pass	9700
1000	2486	1	RMS	2441.97	-48.92	-25	Pass	1486
2486	2700	1	RMS	2588.363	17.84	60	Pass	601
2700	3000	1	RMS	2700	-47.7	-25	Pass	601
3000	12000	1	RMS	7765.53	-58.49	-25	Pass	9000
12000	27000	1	RMS	24912.861	-59.51	-25	Pass	15000




15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.33	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.83	-25	Pass	2985
30	1000	0.1	RMS	952.595	-61.95	-25	Pass	9700
1000	2486	1	RMS	2486	-48.9	-25	Pass	1486
2486	2700	1	RMS	2680.74	18.8	60	Pass	601
2700	3000	1	RMS	2700	-47.65	-25	Pass	601
3000	12000	1	RMS	8042.56	-63.77	-25	Pass	9000
12000	27000	1	RMS	24850.857	-59.51	-25	Pass	15000




15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.99	-25	Pass	2985
30	1000	0.1	RMS	934.093	-62	-25	Pass	9700
1000	2486	1	RMS	2438.968	-48.95	-25	Pass	1486
2486	2700	1	RMS	2680.74	17.32	60	Pass	601
2700	3000	1	RMS	2701	-47.68	-25	Pass	601
3000	12000	1	RMS	8041.56	-61.82	-25	Pass	9000
12000	27000	1	RMS	24925.862	-59.49	-25	Pass	15000




15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-25	Pass	2985
30	1000	0.1	RMS	955.195	-61.95	-25	Pass	9700
1000	2486	1	RMS	2482.998	-46.14	-25	Pass	1486
2486	2700	1	RMS	2497.057	18.54	60	Pass	601
2700	3000	1	RMS	2702.5	-47.67	-25	Pass	601
3000	12000	1	RMS	7490.499	-59.42	-25	Pass	9000
12000	27000	1	RMS	24911.861	-59.5	-25	Pass	15000




15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.26	-25	Pass	2985
30	1000	0.1	RMS	946.995	-61.99	-25	Pass	9700
1000	2486	1	RMS	2486	-45.66	-25	Pass	1486
2486	2700	1	RMS	2496.7	18.34	60	Pass	601
2700	3000	1	RMS	2700.5	-47.66	-25	Pass	601
3000	12000	1	RMS	7490.499	-57.53	-25	Pass	9000
12000	27000	1	RMS	24873.858	-59.52	-25	Pass	15000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.49	-25	Pass	2985
30	1000	0.1	RMS	909.091	-61.89	-25	Pass	9700
1000	2486	1	RMS	2420.956	-48.93	-25	Pass	1486
2486	2700	1	RMS	2586.223	19.38	60	Pass	601
2700	3000	1	RMS	2700.5	-47.66	-25	Pass	601
3000	12000	1	RMS	7758.529	-63.52	-25	Pass	9000
12000	27000	1	RMS	24895.86	-59.5	-25	Pass	15000




15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.24	-25	Pass	2985
30	1000	0.1	RMS	924.692	-61.84	-25	Pass	9700
1000	2486	1	RMS	2440.97	-48.94	-25	Pass	1486
2486	2700	1	RMS	2586.223	18.02	60	Pass	601
2700	3000	1	RMS	2700.5	-47.7	-25	Pass	601
3000	12000	1	RMS	7758.529	-60.11	-25	Pass	9000
12000	27000	1	RMS	24903.86	-59.43	-25	Pass	15000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-25	Pass	2985
30	1000	0.1	RMS	963.896	-61.89	-25	Pass	9700
1000	2486	1	RMS	2442.971	-48.97	-25	Pass	1486
2486	2700	1	RMS	2675.747	18.43	60	Pass	601
2700	3000	1	RMS	2703	-47.32	-25	Pass	601
3000	12000	1	RMS	8026.559	-64.07	-25	Pass	9000
12000	27000	1	RMS	24833.856	-59.48	-25	Pass	15000




15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.98	-25	Pass	2985
30	1000	0.1	RMS	918.592	-62.01	-25	Pass	9700
1000	2486	1	RMS	2425.96	-48.98	-25	Pass	1486
2486	2700	1	RMS	2676.103	17.3	60	Pass	601
2700	3000	1	RMS	2702.5	-47.33	-25	Pass	601
3000	12000	1	RMS	8027.559	-60.59	-25	Pass	9000
12000	27000	1	RMS	24839.856	-59.47	-25	Pass	15000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.81	-25	Pass	2985
30	1000	0.1	RMS	932.893	-61.99	-25	Pass	9700
1000	2486	1	RMS	2486	-45.83	-25	Pass	1486
2486	2700	1	RMS	2497.057	19.16	60	Pass	601
2700	3000	1	RMS	2700.5	-47.65	-25	Pass	601
3000	12000	1	RMS	7490.499	-63.64	-25	Pass	9000
12000	27000	1	RMS	24829.855	-59.46	-25	Pass	15000




15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.93	-25	Pass	2985
30	1000	0.1	RMS	923.592	-61.89	-25	Pass	9700
1000	2486	1	RMS	2478.995	-46.68	-25	Pass	1486
2486	2700	1	RMS	2497.057	19.32	60	Pass	601
2700	3000	1	RMS	2700.5	-47.72	-25	Pass	601
3000	12000	1	RMS	7491.499	-58.01	-25	Pass	9000
12000	27000	1	RMS	24904.86	-59.5	-25	Pass	15000




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.52	-25	Pass	2985
30	1000	0.1	RMS	936.793	-61.81	-25	Pass	9700
1000	2486	1	RMS	2418.955	-48.9	-25	Pass	1486
2486	2700	1	RMS	2583.727	18.48	60	Pass	601
2700	3000	1	RMS	2701.5	-47.67	-25	Pass	601
3000	12000	1	RMS	7752.528	-58.1	-25	Pass	9000
12000	27000	1	RMS	24891.859	-59.39	-25	Pass	15000




15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.48	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.85	-25	Pass	2985
30	1000	0.1	RMS	933.593	-61.87	-25	Pass	9700
1000	2486	1	RMS	2480.997	-48.95	-25	Pass	1486
2486	2700	1	RMS	2584.083	18.62	60	Pass	601
2700	3000	1	RMS	2701	-47.68	-25	Pass	601
3000	12000	1	RMS	7752.528	-59.27	-25	Pass	9000
12000	27000	1	RMS	24916.861	-59.38	-25	Pass	15000




**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.62	-25	Pass	2985
30	1000	0.1	RMS	969.497	-61.86	-25	Pass	9700
1000	2486	1	RMS	2431.964	-48.95	-25	Pass	1486
2486	2700	1	RMS	2670.753	18.19	60	Pass	601
2700	3000	1	RMS	2707	-46.5	-25	Pass	601
3000	12000	1	RMS	8012.557	-67.8	-25	Pass	9000
12000	27000	1	RMS	24885.859	-59.46	-25	Pass	15000



15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.48	-25	Pass	2985
30	1000	0.1	RMS	914.491	-61.9	-25	Pass	9700
1000	2486	1	RMS	2438.968	-48.87	-25	Pass	1486
2486	2700	1	RMS	2670.753	17.05	60	Pass	601
2700	3000	1	RMS	2707	-46.59	-25	Pass	601
3000	12000	1	RMS	5342.26	-69.33	-25	Pass	9000
12000	27000	1	RMS	24906.86	-59.48	-25	Pass	15000



16. LTE_Band66


**16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2985
30	1000	0.1	RMS	932.493	-61.9	-13	Pass	9700
1000	1700	1	RMS	1700	-50.91	-13	Pass	700
1700	1790	1	RMS	1710.2	23.74	60	Pass	601
1790	3000	1	RMS	2660.72	-47.46	-13	Pass	1210
3000	12000	1	RMS	11980.998	-40.9	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.49	-13	Pass	8000




16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2985
30	1000	0.1	RMS	905.79	-61.98	-13	Pass	9700
1000	1700	1	RMS	1700	-51.01	-13	Pass	700
1700	1790	1	RMS	1710.2	22.85	60	Pass	601
1790	3000	1	RMS	2663.722	-47.5	-13	Pass	1210
3000	12000	1	RMS	11989.999	-40.93	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.51	-13	Pass	8000




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2985
30	1000	0.1	RMS	936.193	-61.84	-13	Pass	9700
1000	1700	1	RMS	1700	-51.23	-13	Pass	700
1700	1790	1	RMS	1744.55	23.55	60	Pass	601
1790	3000	1	RMS	2659.719	-47.4	-13	Pass	1210
3000	12000	1	RMS	11986.999	-40.92	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.53	-13	Pass	8000




16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2985
30	1000	0.1	RMS	925.392	-61.99	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.27	-13	Pass	700
1700	1790	1	RMS	1744.55	22.58	60	Pass	601
1790	3000	1	RMS	2673.73	-47.49	-13	Pass	1210
3000	12000	1	RMS	11981.998	-40.93	-13	Pass	9000
12000	20000	1	RMS	18938.867	-31.54	-13	Pass	8000




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2985
30	1000	0.1	RMS	916.391	-61.88	-13	Pass	9700
1000	1700	1	RMS	1694.993	-51.3	-13	Pass	700
1700	1790	1	RMS	1778.9	23.51	60	Pass	601
1790	3000	1	RMS	2677.734	-47.48	-13	Pass	1210
3000	12000	1	RMS	11994.999	-40.91	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.57	-13	Pass	8000




16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.82	-13	Pass	2985
30	1000	0.1	RMS	975.397	-61.99	-13	Pass	9700
1000	1700	1	RMS	1696.996	-51.28	-13	Pass	700
1700	1790	1	RMS	1778.9	22.6	60	Pass	601
1790	3000	1	RMS	2671.729	-47.46	-13	Pass	1210
3000	12000	1	RMS	11991.999	-40.9	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.49	-13	Pass	8000




16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2985
30	1000	0.1	RMS	970.297	-61.85	-13	Pass	9700
1000	1700	1	RMS	1700	-50.97	-13	Pass	700
1700	1790	1	RMS	1710.35	23.75	60	Pass	601
1790	3000	1	RMS	2669.727	-47.4	-13	Pass	1210
3000	12000	1	RMS	11999	-40.88	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.46	-13	Pass	8000




16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2985
30	1000	0.1	RMS	911.091	-61.83	-13	Pass	9700
1000	1700	1	RMS	1700	-50.94	-13	Pass	700
1700	1790	1	RMS	1710.2	22.84	60	Pass	601
1790	3000	1	RMS	2681.737	-47.48	-13	Pass	1210
3000	12000	1	RMS	11987.999	-40.86	-13	Pass	9000
12000	20000	1	RMS	18938.867	-31.56	-13	Pass	8000




16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.33	-13	Pass	2985
30	1000	0.1	RMS	844.884	-61.93	-13	Pass	9700
1000	1700	1	RMS	1700	-51.17	-13	Pass	700
1700	1790	1	RMS	1743.8	23.69	60	Pass	601
1790	3000	1	RMS	2660.72	-47.46	-13	Pass	1210
3000	12000	1	RMS	11999	-40.94	-13	Pass	9000
12000	20000	1	RMS	18937.867	-31.55	-13	Pass	8000




16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.98	-13	Pass	2985
30	1000	0.1	RMS	884.388	-61.88	-13	Pass	9700
1000	1700	1	RMS	1630.901	-51.27	-13	Pass	700
1700	1790	1	RMS	1743.8	22.65	60	Pass	601
1790	3000	1	RMS	2677.734	-47.47	-13	Pass	1210
3000	12000	1	RMS	11986.999	-40.91	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.53	-13	Pass	8000




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2985
30	1000	0.1	RMS	914.491	-61.9	-13	Pass	9700
1000	1700	1	RMS	1700	-51.22	-13	Pass	700
1700	1790	1	RMS	1777.25	23.56	60	Pass	601
1790	3000	1	RMS	2673.73	-47.44	-13	Pass	1210
3000	12000	1	RMS	11990.999	-40.86	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.52	-13	Pass	8000




16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2985
30	1000	0.1	RMS	919.392	-61.97	-13	Pass	9700
1000	1700	1	RMS	1624.893	-51.23	-13	Pass	700
1700	1790	1	RMS	1777.25	22.67	60	Pass	601
1790	3000	1	RMS	2656.716	-47.44	-13	Pass	1210
3000	12000	1	RMS	11977.998	-40.91	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.57	-13	Pass	8000




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.21	-13	Pass	2985
30	1000	0.1	RMS	966.397	-61.94	-13	Pass	9700
1000	1700	1	RMS	1700	-50.88	-13	Pass	700
1700	1790	1	RMS	1710.35	23.95	60	Pass	601
1790	3000	1	RMS	2680.736	-47.45	-13	Pass	1210
3000	12000	1	RMS	11985.998	-40.92	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.53	-13	Pass	8000




16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.61	-13	Pass	2985
30	1000	0.1	RMS	917.592	-61.98	-13	Pass	9700
1000	1700	1	RMS	1700	-50.98	-13	Pass	700
1700	1790	1	RMS	1710.35	23.03	60	Pass	601
1790	3000	1	RMS	2676.733	-47.45	-13	Pass	1210
3000	12000	1	RMS	11991.999	-40.99	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.55	-13	Pass	8000




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.77	-13	Pass	2985
30	1000	0.1	RMS	925.792	-61.78	-13	Pass	9700
1000	1700	1	RMS	1700	-51.23	-13	Pass	700
1700	1790	1	RMS	1742.9	23.79	60	Pass	601
1790	3000	1	RMS	2674.731	-47.45	-13	Pass	1210
3000	12000	1	RMS	11981.998	-40.96	-13	Pass	9000
12000	20000	1	RMS	18908.864	-31.57	-13	Pass	8000




16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.32	-13	Pass	2985
30	1000	0.1	RMS	924.292	-61.82	-13	Pass	9700
1000	1700	1	RMS	1626.896	-51.28	-13	Pass	700
1700	1790	1	RMS	1742.9	23.06	60	Pass	601
1790	3000	1	RMS	2673.73	-47.39	-13	Pass	1210
3000	12000	1	RMS	11981.998	-40.87	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.48	-13	Pass	8000




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2985
30	1000	0.1	RMS	935.193	-61.85	-13	Pass	9700
1000	1700	1	RMS	1700	-51.21	-13	Pass	700
1700	1790	1	RMS	1775.3	23.54	60	Pass	601
1790	3000	1	RMS	2677.734	-47.48	-13	Pass	1210
3000	12000	1	RMS	11986.999	-40.94	-13	Pass	9000
12000	20000	1	RMS	18911.864	-31.47	-13	Pass	8000




16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.26	-13	Pass	2985
30	1000	0.1	RMS	930.393	-61.95	-13	Pass	9700
1000	1700	1	RMS	1700	-51.25	-13	Pass	700
1700	1790	1	RMS	1775.3	22.92	60	Pass	601
1790	3000	1	RMS	2672.73	-47.46	-13	Pass	1210
3000	12000	1	RMS	12000	-40.9	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.51	-13	Pass	8000




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2985
30	1000	0.1	RMS	895.189	-61.93	-13	Pass	9700
1000	1700	1	RMS	1700	-50.62	-13	Pass	700
1700	1790	1	RMS	1710.65	24.22	60	Pass	601
1790	3000	1	RMS	2679.735	-47.41	-13	Pass	1210
3000	12000	1	RMS	11986.999	-40.96	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.52	-13	Pass	8000




16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2985
30	1000	0.1	RMS	927.893	-61.76	-13	Pass	9700
1000	1700	1	RMS	1700	-50.81	-13	Pass	700
1700	1790	1	RMS	1710.65	23.52	60	Pass	601
1790	3000	1	RMS	2673.73	-47.45	-13	Pass	1210
3000	12000	1	RMS	11998	-40.92	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.52	-13	Pass	8000




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.27	-13	Pass	601
0.15	30	0.01	RMS	0.16	-57.05	-13	Pass	2985
30	1000	0.1	RMS	924.692	-61.84	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.19	-13	Pass	700
1700	1790	1	RMS	1740.65	24.16	60	Pass	601
1790	3000	1	RMS	2670.728	-47.43	-13	Pass	1210
3000	12000	1	RMS	11996	-40.91	-13	Pass	9000
12000	20000	1	RMS	18917.865	-31.52	-13	Pass	8000




16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.53	-13	Pass	2985
30	1000	0.1	RMS	931.993	-61.88	-13	Pass	9700
1000	1700	1	RMS	1695.994	-51.22	-13	Pass	700
1700	1790	1	RMS	1740.65	23.11	60	Pass	601
1790	3000	1	RMS	2679.735	-47.47	-13	Pass	1210
3000	12000	1	RMS	11982.998	-40.92	-13	Pass	9000
12000	20000	1	RMS	18938.867	-31.58	-13	Pass	8000




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2985
30	1000	0.1	RMS	929.393	-61.91	-13	Pass	9700
1000	1700	1	RMS	1695.994	-51.25	-13	Pass	700
1700	1790	1	RMS	1770.65	24.07	60	Pass	601
1790	3000	1	RMS	2673.73	-47.45	-13	Pass	1210
3000	12000	1	RMS	12000	-40.91	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.52	-13	Pass	8000




16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2985
30	1000	0.1	RMS	932.193	-61.85	-13	Pass	9700
1000	1700	1	RMS	1700	-51.3	-13	Pass	700
1700	1790	1	RMS	1770.65	23.09	60	Pass	601
1790	3000	1	RMS	2673.73	-47.43	-13	Pass	1210
3000	12000	1	RMS	11990.999	-40.98	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.55	-13	Pass	8000




**16.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2985
30	1000	0.1	RMS	930.393	-61.84	-13	Pass	9700
1000	1700	1	RMS	1697.997	-42.52	-13	Pass	700
1700	1790	1	RMS	1710.8	23.59	60	Pass	601
1790	3000	1	RMS	2672.73	-47.48	-13	Pass	1210
3000	12000	1	RMS	11998	-40.9	-13	Pass	9000
12000	20000	1	RMS	18912.864	-31.5	-13	Pass	8000




16.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2985
30	1000	0.1	RMS	973.197	-61.87	-13	Pass	9700
1000	1700	1	RMS	1697.997	-44.12	-13	Pass	700
1700	1790	1	RMS	1710.8	22.61	60	Pass	601
1790	3000	1	RMS	2674.731	-47.47	-13	Pass	1210
3000	12000	1	RMS	11984.998	-40.91	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.49	-13	Pass	8000




**16.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.23	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.71	-13	Pass	2985
30	1000	0.1	RMS	904.29	-61.8	-13	Pass	9700
1000	1700	1	RMS	1700	-50.82	-13	Pass	700
1700	1790	1	RMS	1738.4	23.44	60	Pass	601
1790	3000	1	RMS	2673.73	-47.22	-13	Pass	1210
3000	12000	1	RMS	11988.999	-40.92	-13	Pass	9000
12000	20000	1	RMS	18911.864	-31.42	-13	Pass	8000




16.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2985
30	1000	0.1	RMS	922.292	-61.72	-13	Pass	9700
1000	1700	1	RMS	1700	-50.97	-13	Pass	700
1700	1790	1	RMS	1738.25	22.5	60	Pass	601
1790	3000	1	RMS	2669.727	-47.26	-13	Pass	1210
3000	12000	1	RMS	11988.999	-40.95	-13	Pass	9000
12000	20000	1	RMS	18933.867	-31.51	-13	Pass	8000




**16.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2985
30	1000	0.1	RMS	960.096	-61.81	-13	Pass	9700
1000	1700	1	RMS	1620.887	-51.09	-13	Pass	700
1700	1790	1	RMS	1766	23.21	60	Pass	601
1790	3000	1	RMS	1792.002	-47.01	-13	Pass	1210
3000	12000	1	RMS	11998	-40.91	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.49	-13	Pass	8000




16.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.77	-13	Pass	2985
30	1000	0.1	RMS	940.394	-61.74	-13	Pass	9700
1000	1700	1	RMS	1621.888	-51.13	-13	Pass	700
1700	1790	1	RMS	1765.85	22.26	60	Pass	601
1790	3000	1	RMS	2680.736	-47.32	-13	Pass	1210
3000	12000	1	RMS	11993.999	-40.93	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.53	-13	Pass	8000




**16.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2985
30	1000	0.1	RMS	960.896	-61.87	-13	Pass	9700
1000	1700	1	RMS	1692.99	-42	-13	Pass	700
1700	1790	1	RMS	1711.1	24.35	60	Pass	601
1790	3000	1	RMS	2681.737	-47.28	-13	Pass	1210
3000	12000	1	RMS	11982.998	-40.89	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.47	-13	Pass	8000




16.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2985
30	1000	0.1	RMS	981.798	-61.83	-13	Pass	9700
1000	1700	1	RMS	1692.99	-44.25	-13	Pass	700
1700	1790	1	RMS	1711.1	23.71	60	Pass	601
1790	3000	1	RMS	2675.732	-47.3	-13	Pass	1210
3000	12000	1	RMS	11992.999	-40.86	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.41	-13	Pass	8000




**16.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2985
30	1000	0.1	RMS	917.992	-61.79	-13	Pass	9700
1000	1700	1	RMS	1700	-50.55	-13	Pass	700
1700	1790	1	RMS	1736.15	24.23	60	Pass	601
1790	3000	1	RMS	2658.718	-47.24	-13	Pass	1210
3000	12000	1	RMS	11977.998	-40.96	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.45	-13	Pass	8000




16.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2985
30	1000	0.1	RMS	951.595	-61.87	-13	Pass	9700
1000	1700	1	RMS	1700	-50.79	-13	Pass	700
1700	1790	1	RMS	1736	23.22	60	Pass	601
1790	3000	1	RMS	2672.73	-47.3	-13	Pass	1210
3000	12000	1	RMS	11985.998	-40.88	-13	Pass	9000
12000	20000	1	RMS	18916.865	-31.51	-13	Pass	8000



**16.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.48	-13	Pass	2985
30	1000	0.1	RMS	905.19	-61.67	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.07	-13	Pass	700
1700	1790	1	RMS	1761.05	24.03	60	Pass	601
1790	3000	1	RMS	1797.006	-43.76	-13	Pass	1210
3000	12000	1	RMS	11990.999	-40.98	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.48	-13	Pass	8000



16.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2985
30	1000	0.1	RMS	920.992	-61.67	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.07	-13	Pass	700
1700	1790	1	RMS	1761.05	23	60	Pass	601
1790	3000	1	RMS	1797.006	-44.77	-13	Pass	1210
3000	12000	1	RMS	11982.998	-40.89	-13	Pass	9000
12000	20000	1	RMS	18911.864	-31.54	-13	Pass	8000

