



N70(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N70(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N70(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N70(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH







N70(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N70(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N70(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N70(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH







N70(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N70(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N70(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N70(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





Conducted Spurious Emissions




NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
70	15	5	339500	1697.5	DFT-s-OFDM BPSK	1@0	see graph	---
70	15	5	339500	1697.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
70	15	5	339500	1697.5	DFT-s-OFDM QPSK	1@0	see graph	---
70	15	5	339500	1697.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
70	15	5	340500	1702.5	DFT-s-OFDM BPSK	1@0	see graph	---
70	15	5	340500	1702.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
70	15	5	340500	1702.5	DFT-s-OFDM QPSK	1@0	see graph	---
70	15	5	340500	1702.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
70	15	5	341500	1707.5	DFT-s-OFDM BPSK	1@0	see graph	---
70	15	5	341500	1707.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
70	15	5	341500	1707.5	DFT-s-OFDM QPSK	1@0	see graph	---
70	15	5	341500	1707.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
70	15	10	340000	1700.0	DFT-s-OFDM BPSK	1@0	see graph	---
70	15	10	340000	1700.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
70	15	10	340000	1700.0	DFT-s-OFDM QPSK	1@0	see graph	---
70	15	10	340000	1700.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
70	15	10	340500	1702.5	DFT-s-OFDM BPSK	1@0	see graph	---
70	15	10	340500	1702.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
70	15	10	340500	1702.5	DFT-s-OFDM QPSK	1@0	see graph	---
70	15	10	340500	1702.5	DFT-s-OFDM QPSK	1@0	see graph	PASS



70	15	10	341000	1705.0	DFT-s-OFDM BPSK	1@0	see graph	---
70	15	10	341000	1705.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
70	15	10	341000	1705.0	DFT-s-OFDM QPSK	1@0	see graph	---
70	15	10	341000	1705.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
70	15	15	340500	1702.5	DFT-s-OFDM BPSK	1@0	see graph	---
70	15	15	340500	1702.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
70	15	15	340500	1702.5	DFT-s-OFDM QPSK	1@0	see graph	---
70	15	15	340500	1702.5	DFT-s-OFDM QPSK	1@0	see graph	PASS




N70(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH






N70(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




2025-04-23 11:42:14

N70(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH




2025-04-23 11:42:28

N70(10M)_DFT-s-OFDM BPSK Edge 1RB Left Low CH



2025-06-23 11:42:03


N70(10M)_DFT-s-OFDM QPSK Edge 1RB Left Low CH



2025-06-23 11:42:51




N70(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH

[illegible]

Nota: DCE = Daily Cycle Correction / WPE = Average Peak Summation
Ver 1.1(2024/2026)

2025-04-23 11:45:04


N70(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH

[illegible]

NSM DCE - Duty Cycle Correction / WPS - Antenna Port Normalization
Ver 1.1(2004.1.200)

2025-04-23 11:43:10

N70(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




Item	Image size	Image type	Bit	WDR	Exposure	Shutter size	ISO	ISO	Exp. per factor	EVV	APS
1	4,000,000px	1,600,000px	1.5M	1.5M	1/3000000	31,622,776	36,308.14	33,000,000	1.00	1.00	1.00
2	1,600,000px	640,000px	1.5M	1.5M	1/1000000	31,622,776	36,308.14	33,000,000	1.00	1.00	1.00
3	1,600,000px	1,750,000px	1.5M	1.5M	1/3000000	31,622,776	36,308.14	33,000,000	1.00	1.00	1.00
4	1,750,000px	1,600,000px	1.5M	1.5M	1/3000000	31,622,776	36,308.14	33,000,000	1.00	1.00	1.00
5	1,600,000px	1,600,000px	1.5M	1.5M	1/3000000	31,622,776	36,308.14	33,000,000	1.00	1.00	1.00
6	1,600,000px	1,600,000px	1.5M	1.5M	1/3000000	31,622,776	36,308.14	33,000,000	1.00	1.00	1.00

DOI: 10.1002/eqe.2495
 Received 11 May 2018; accepted 11 May 2018
 Published online 11 May 2018 in Wiley Online Library (wileyonlinelibrary.com). DOI: 10.1002/eqe.2495

2025-04-23 11:45:17

N70(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH




Run	Range Size	Range ID	Min	Max	Frequency	Average	Min	Max	Path Size Factor	Dev	Ops
1	500000000	1000000000	1000000000	9220000000	1000000000	16.362	16.362	1000000000	1000000000	1000000000	1000000000
2	1000000000	1000000000	1000000000	1740000000	1000000000	16.407	1740000000	1000000000	1000000000	1000000000	1000000000
3	1000000000	1000000000	1000000000	1000000000	1000000000	16.362	1000000000	1000000000	1000000000	1000000000	1000000000
4	1000000000	1000000000	1000000000	1000000000	1000000000	16.362	1000000000	1000000000	1000000000	1000000000	1000000000
5	1000000000	1000000000	1000000000	1000000000	1000000000	16.362	1000000000	1000000000	1000000000	1000000000	1000000000
6	1000000000	1000000000	1000000000	1000000000	1000000000	16.362	1000000000	1000000000	1000000000	1000000000	1000000000

NOTE: DCE = Duty Cycle Correction; WPS = Address Port Summary
Ver. 1.1(2024.12.09)

2025-04-23 11:43:23


N70(15M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH

[illegible]

NSA/CSS - Daily Cyber Collection (DCC) - Address-Port Summaries
Ver 1.1(2024L20R)

2025-04-23 11:45:05

N70(15M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH

[illegible]

Ver 1.1(20241209)

2025-04-23 11:43:45




Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
70	15	5	339500	1697.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
70	15	5	339500	1697.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
70	15	5	339500	1697.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
70	15	5	339500	1697.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
70	15	5	341500	1707.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
70	15	5	341500	1707.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
70	15	5	341500	1707.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
70	15	5	341500	1707.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
70	15	10	340000	1700.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
70	15	10	340000	1700.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
70	15	10	340000	1700.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
70	15	10	340000	1700.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
70	15	10	341000	1705.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
70	15	10	341000	1705.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
70	15	10	341000	1705.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
70	15	10	341000	1705.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
70	15	15	340500	1702.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
70	15	15	340500	1702.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
70	15	15	340500	1702.5	DFT-s-OFDM BPSK	1@78	see graph	PASS
70	15	15	340500	1702.5	DFT-s-OFDM QPSK	1@78	see graph	PASS
70	15	15	340500	1702.5	DFT-s-OFDM BPSK	75@0	see graph	PASS
70	15	15	340500	1702.5	DFT-s-OFDM QPSK	75@0	see graph	PASS




N70(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N70(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH











N70(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH



N70(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N70(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHN70(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CHN70(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHN70(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH


N70(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN70(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN70(10M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHN70(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N70(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N70(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N70(10M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N70(10M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH







N70(15M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




N70(15M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH



N70(15M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_Mid_CH




N70(15M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_Mid_CH






N70(15M)_DFT-s-
OFDM_BPSK_Outer_Full_Mid_CH



N70(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH





FR1 N71 ANT1

Transmitter Conducted Output Power And ERP, (G_T - L_c)=-6.75dB

NR Band	SCS	Bandwidth	Arfcn	Freq(M Hz)	Modulation	RB	Conducted Power(dBm)	ERP(dBm)	ERP(W)
71	15	20	134600	673	DFT-s-OFDM PI/2 BPSK	50@25	24.30	15.40	0.0347
71	15	20	134600	673	DFT-s-OFDM PI/2 BPSK	1@1	24.35	15.45	0.0351
71	15	20	134600	673	DFT-s-OFDM PI/2 BPSK	1@104	24.05	15.15	0.0327
71	15	20	134600	673	DFT-s-OFDM QPSK	50@25	24.30	15.40	0.0347
71	15	20	134600	673	DFT-s-OFDM QPSK	1@1	24.31	15.41	0.0348
71	15	20	134600	673	DFT-s-OFDM QPSK	1@104	24.09	15.19	0.0330
71	15	20	134600	673	DFT-s-OFDM 16 QAM	50@25	23.32	14.42	0.0277
71	15	20	134600	673	DFT-s-OFDM 16 QAM	1@1	23.35	14.45	0.0279
71	15	20	134600	673	DFT-s-OFDM 16 QAM	1@104	23.07	14.17	0.0261
71	15	20	134600	673	DFT-s-OFDM 64 QAM	50@25	21.84	12.94	0.0197
71	15	20	134600	673	DFT-s-OFDM 64 QAM	1@1	22.01	13.11	0.0205
71	15	20	134600	673	DFT-s-OFDM 64 QAM	1@104	21.82	12.92	0.0196
71	15	20	134600	673	DFT-s-OFDM 256 QAM	50@25	19.77	10.87	0.0122
71	15	20	134600	673	DFT-s-OFDM 256 QAM	1@1	19.25	10.35	0.0108
71	15	20	134600	673	DFT-s-OFDM 256 QAM	1@104	19.19	10.29	0.0107
71	15	20	134600	673	CP-OFDM QPSK	53@26	22.73	13.83	0.0242
71	15	20	134600	673	CP-OFDM QPSK	1@1	22.77	13.87	0.0244
71	15	20	134600	673	CP-OFDM QPSK	1@104	22.44	13.54	0.0226
71	15	20	136100	680.5	DFT-s-OFDM PI/2 BPSK	50@25	24.22	15.32	0.0340
71	15	20	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	24.26	15.36	0.0344
71	15	20	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@104	24.05	15.15	0.0327
71	15	20	136100	680.5	DFT-s-OFDM QPSK	50@25	24.30	15.40	0.0347
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@1	24.37	15.47	0.0352
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@104	24.15	15.25	0.0335
71	15	20	136100	680.5	DFT-s-OFDM 16 QAM	50@25	23.25	14.35	0.0272
71	15	20	136100	680.5	DFT-s-OFDM 16 QAM	1@1	23.29	14.39	0.0275



71	15	20	136100	680.5	DFT-s-OFDM 16 QAM	1@104	23.17	14.27	0.0267
71	15	20	136100	680.5	DFT-s-OFDM 64 QAM	50@25	21.83	12.93	0.0196
71	15	20	136100	680.5	DFT-s-OFDM 64 QAM	1@1	21.92	13.02	0.0200
71	15	20	136100	680.5	DFT-s-OFDM 64 QAM	1@104	21.86	12.96	0.0198
71	15	20	136100	680.5	DFT-s-OFDM 256 QAM	50@25	19.76	10.86	0.0122
71	15	20	136100	680.5	DFT-s-OFDM 256 QAM	1@1	19.28	10.38	0.0109
71	15	20	136100	680.5	DFT-s-OFDM 256 QAM	1@104	19.08	10.18	0.0104
71	15	20	136100	680.5	CP-OFDM QPSK	53@26	22.69	13.79	0.0239
71	15	20	136100	680.5	CP-OFDM QPSK	1@1	22.75	13.85	0.0243
71	15	20	136100	680.5	CP-OFDM QPSK	1@104	22.53	13.63	0.0231
71	15	20	137600	688	DFT-s-OFDM PI/2 BPSK	50@25	24.11	15.21	0.0332
71	15	20	137600	688	DFT-s-OFDM PI/2 BPSK	1@1	24.28	15.38	0.0345
71	15	20	137600	688	DFT-s-OFDM PI/2 BPSK	1@104	24.07	15.17	0.0329
71	15	20	137600	688	DFT-s-OFDM QPSK	50@25	24.14	15.24	0.0334
71	15	20	137600	688	DFT-s-OFDM QPSK	1@1	24.32	15.42	0.0348
71	15	20	137600	688	DFT-s-OFDM QPSK	1@104	24.07	15.17	0.0329
71	15	20	137600	688	DFT-s-OFDM 16 QAM	50@25	23.10	14.20	0.0263
71	15	20	137600	688	DFT-s-OFDM 16 QAM	1@1	23.37	14.47	0.0280
71	15	20	137600	688	DFT-s-OFDM 16 QAM	1@104	23.07	14.17	0.0261
71	15	20	137600	688	DFT-s-OFDM 64 QAM	50@25	21.67	12.77	0.0189
71	15	20	137600	688	DFT-s-OFDM 64 QAM	1@1	22.14	13.24	0.0211
71	15	20	137600	688	DFT-s-OFDM 64 QAM	1@104	21.77	12.87	0.0194
71	15	20	137600	688	DFT-s-OFDM 256 QAM	50@25	19.64	10.74	0.0119
71	15	20	137600	688	DFT-s-OFDM 256 QAM	1@1	19.29	10.39	0.0109
71	15	20	137600	688	DFT-s-OFDM 256 QAM	1@104	19.08	10.18	0.0104
71	15	20	137600	688	CP-OFDM QPSK	53@26	22.56	13.66	0.0232
71	15	20	137600	688	CP-OFDM QPSK	1@1	22.77	13.87	0.0244
71	15	20	137600	688	CP-OFDM QPSK	1@104	22.43	13.53	0.0225
71	15	5	133100	665.5	DFT-s-OFDM PI/2 BPSK	1@1	24.28	15.38	0.0345
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@1	24.27	15.37	0.0344
71	15	5	133100	665.5	DFT-s-OFDM 16 QAM	1@1	23.28	14.38	0.0274
71	15	5	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	24.20	15.30	0.0339
71	15	5	136100	680.5	DFT-s-OFDM QPSK	1@1	24.11	15.21	0.0332



71	15	5	136100	680.5	DFT-s-OFDM 16 QAM	1@1	23.23	14.33	0.0271
71	15	5	139100	695.5	DFT-s-OFDM PI/2 BPSK	1@1	24.22	15.32	0.0340
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@1	24.24	15.34	0.0342
71	15	5	139100	695.5	DFT-s-OFDM 16 QAM	1@1	23.17	14.27	0.0267
71	15	10	133600	668	DFT-s-OFDM PI/2 BPSK	1@1	24.35	15.45	0.0351
71	15	10	133600	668	DFT-s-OFDM QPSK	1@1	24.29	15.39	0.0346
71	15	10	133600	668	DFT-s-OFDM 16 QAM	1@1	23.29	14.39	0.0275
71	15	10	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	24.22	15.32	0.0340
71	15	10	136100	680.5	DFT-s-OFDM QPSK	1@1	24.23	15.33	0.0341
71	15	10	136100	680.5	DFT-s-OFDM 16 QAM	1@1	23.23	14.33	0.0271
71	15	10	138600	693	DFT-s-OFDM PI/2 BPSK	1@1	24.18	15.28	0.0337
71	15	10	138600	693	DFT-s-OFDM QPSK	1@1	24.18	15.28	0.0337
71	15	10	138600	693	DFT-s-OFDM 16 QAM	1@1	23.13	14.23	0.0265
71	15	15	134100	670.5	DFT-s-OFDM PI/2 BPSK	1@1	24.37	15.47	0.0352
71	15	15	134100	670.5	DFT-s-OFDM QPSK	1@1	24.33	15.43	0.0349
71	15	15	134100	670.5	DFT-s-OFDM 16 QAM	1@1	23.33	14.43	0.0277
71	15	15	136100	680.5	DFT-s-OFDM PI/2 BPSK	1@1	24.24	15.34	0.0342
71	15	15	136100	680.5	DFT-s-OFDM QPSK	1@1	24.25	15.35	0.0343
71	15	15	136100	680.5	DFT-s-OFDM 16 QAM	1@1	23.21	14.31	0.0270
71	15	15	138100	690.5	DFT-s-OFDM PI/2 BPSK	1@1	24.11	15.21	0.0332
71	15	15	138100	690.5	DFT-s-OFDM QPSK	1@1	24.18	15.28	0.0337
71	15	15	138100	690.5	DFT-s-OFDM 16 QAM	1@1	23.08	14.18	0.0262



Frequency Stability


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	0.0041	PASS	NV
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	-0.0047	PASS	LV
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	0.0022	PASS	HV
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	0.0008	PASS	-30℃
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	0.0012	PASS	-20℃
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	0.0017	PASS	-10℃
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	0.0035	PASS	0℃
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	0.0031	PASS	10℃
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	-0.0044	PASS	20℃
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	-0.0021	PASS	30℃
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	-0.0019	PASS	40℃
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	0.0016	PASS	50℃

**Peak to Average Ratio**

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	7.29	13	PASS
71	15	20	136100	680.5	CP-OFDM QPSK	1@0	6.34	13	PASS
71	15	20	136100	680.5	CP-OFDM 16 QAM	106@0	7.26	13	PASS
71	15	20	136100	680.5	CP-OFDM 16 QAM	1@0	6.92	13	PASS



N71(20M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N71(20M)_CP-
OFDM_QPSK_Edge_1RB_Left_Mid_CH



N71(20M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N71(20M)_CP-OFDM_16
QAM_Edge_1RB_Left_Mid_CH





Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
71	15	5	136100	680.5	CP-OFDM QPSK	25@0	4.4627	5.054
71	15	5	136100	680.5	CP-OFDM 16 QAM	25@0	4.4764	5.031
71	15	5	136100	680.5	CP-OFDM 64 QAM	25@0	4.465	4.977
71	15	5	136100	680.5	CP-OFDM 256 QAM	25@0	4.4778	5.137
71	15	10	136100	680.5	CP-OFDM QPSK	52@0	9.2511	9.973
71	15	10	136100	680.5	CP-OFDM 16 QAM	52@0	9.2631	9.828
71	15	10	136100	680.5	CP-OFDM 64 QAM	52@0	9.2194	9.828
71	15	10	136100	680.5	CP-OFDM 256 QAM	52@0	9.2394	9.96
71	15	15	136100	680.5	CP-OFDM QPSK	79@0	14.049	14.78
71	15	15	136100	680.5	CP-OFDM 16 QAM	79@0	13.998	14.79
71	15	15	136100	680.5	CP-OFDM 64 QAM	79@0	14.066	14.81
71	15	15	136100	680.5	CP-OFDM 256 QAM	79@0	14.004	14.7
71	15	20	136100	680.5	CP-OFDM QPSK	106@0	18.822	19.86
71	15	20	136100	680.5	CP-OFDM 16 QAM	106@0	18.877	19.82
71	15	20	136100	680.5	CP-OFDM 64 QAM	106@0	18.829	19.59
71	15	20	136100	680.5	CP-OFDM 256 QAM	106@0	18.839	19.88



N71(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH



N71(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N71(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N71(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH







N71(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH



N71(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N71(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N71(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH





N71(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N71(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH





N71(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N71(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



N71(20M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN71(20M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN71(20M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN71(20M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	5	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	10	133600	668.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	10	133600	668.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	10	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	10	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	10	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---



71	15	10	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	10	138600	693.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	10	138600	693.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	10	138600	693.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	10	138600	693.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	136100	680.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	136100	680.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@0	see graph	---
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@0	see graph	---
71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@0	see graph	PASS




N71(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH



Ver 1.120204(2020)

2025-05-08 15:15:59


N71(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



Ver 1.120204(2020)

2025-05-08 15:16:07


N71(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH



Ver 1.120204(2020)

2025-05-08 15:16:13

N71(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH



Ver 1.120204(2020)

2025-05-08 15:16:22






N71(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH

[illegible]

N71(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N71(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN71(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHN71(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHN71(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH