


Annex A.6 Band Edge

1. LTE_Band25


1.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-41.36	-13	28.36	Pass	401
1848	1849	1	RMS	1849	-38.77	-13	25.77	Pass	2
1849	1850	0.02	RMS	1850	-19.42	-13	6.42	Pass	401
1850	1852	0.1	RMS	1850.245	20.05	30	9.95	Pass	401




1.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.22	-13	20.22	Pass	401
1848	1849	1	RMS	1849	-19.85	-13	6.85	Pass	2
1849	1850	0.02	RMS	1850	-23.65	-13	10.65	Pass	401
1850	1852	0.1	RMS	1850.56	11.56	30	18.44	Pass	401




1.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.22	-13	29.22	Pass	401
1848	1849	1	RMS	1849	-39.73	-13	26.73	Pass	2
1849	1850	0.02	RMS	1850	-20.41	-13	7.41	Pass	401
1850	1852	0.1	RMS	1850.255	18.96	30	11.04	Pass	401




1.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.23	-13	22.23	Pass	401
1848	1849	1	RMS	1849	-22.25	-13	9.25	Pass	2
1849	1850	0.02	RMS	1850	-25.26	-13	12.26	Pass	401
1850	1852	0.1	RMS	1850.8	10.55	30	19.45	Pass	401




1.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.75	19.8	30	10.2	Pass	401
1915	1916	0.02	RMS	1915	-19.75	-13	6.75	Pass	401
1916	1917	1	RMS	1916	-36.67	-13	23.67	Pass	2
1917	1925	1	RMS	1917.2	-41.07	-13	28.07	Pass	401



1.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.215	11.42	30	18.58	Pass	401
1915	1916	0.02	RMS	1915.01	-23.91	-13	10.91	Pass	401
1916	1917	1	RMS	1916	-20.93	-13	7.93	Pass	2
1917	1925	1	RMS	1917	-35.63	-13	22.63	Pass	401




1.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.75	19.21	30	10.79	Pass	401
1915	1916	0.02	RMS	1915	-20.1	-13	7.1	Pass	401
1916	1917	1	RMS	1916	-37.61	-13	24.61	Pass	2
1917	1925	1	RMS	1917	-42.21	-13	29.21	Pass	401




1.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.26	10.52	30	19.48	Pass	401
1915	1916	0.02	RMS	1915	-25.77	-13	12.77	Pass	401
1916	1917	1	RMS	1916	-23.56	-13	10.56	Pass	2
1917	1925	1	RMS	1917	-37.09	-13	24.09	Pass	401




1.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-40.72	-13	27.72	Pass	401
1848	1849	1	RMS	1849	-36.82	-13	23.82	Pass	2
1849	1850	0.03	RMS	1850	-19.86	-13	6.86	Pass	401
1850	1853	0.1	RMS	1850.24	20.11	30	9.89	Pass	401




1.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-20.77	-13	7.77	Pass	401
1848	1849	1	RMS	1849	-16.67	-13	3.67	Pass*	2
1849	1850	0.03	RMS	1849.998	-23.93	-13	10.93	Pass	401
1850	1853	0.1	RMS	1850.863	7.57	30	22.43	Pass	401




1.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-41.95	-13	28.95	Pass	401
1848	1849	1	RMS	1849	-37.98	-13	24.98	Pass	2
1849	1850	0.03	RMS	1849.998	-20.76	-13	7.76	Pass	401
1850	1853	0.1	RMS	1850.24	19.22	30	10.78	Pass	401




1.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-23.15	-13	10.15	Pass	401
1848	1849	1	RMS	1849	-18.92	-13	5.92	Pass*	2
1849	1850	0.03	RMS	1850	-25.72	-13	12.72	Pass	401
1850	1853	0.1	RMS	1850.608	6.69	30	23.31	Pass	401




1.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.753	19.7	30	10.3	Pass	401
1915	1916	0.03	RMS	1915	-20.16	-13	7.16	Pass	401
1916	1917	1	RMS	1916	-35.98	-13	22.98	Pass	2
1917	1925	1	RMS	1917.04	-40.54	-13	27.54	Pass	401




1.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.615	7.65	30	22.35	Pass	401
1915	1916	0.03	RMS	1915.008	-24.87	-13	11.87	Pass	401
1916	1917	1	RMS	1916	-17.31	-13	4.31	Pass*	2
1917	1925	1	RMS	1917	-22.5	-13	9.5	Pass	401




1.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.753	19.03	30	10.97	Pass	401
1915	1916	0.03	RMS	1915	-21.7	-13	8.7	Pass	35
1916	1917	1	RMS	1916	-37.35	-13	24.35	Pass	2
1917	1925	1	RMS	1917	-41.7	-13	28.7	Pass	401




1.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.383	6.69	30	23.31	Pass	401
1915	1916	0.03	RMS	1915	-26.65	-13	13.65	Pass	401
1916	1917	1	RMS	1916	-19.69	-13	6.69	Pass	2
1917	1925	1	RMS	1917.04	-25.14	-13	12.14	Pass	401




1.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-39.9	-13	26.9	Pass	401
1848	1849	1	RMS	1849	-37.69	-13	24.69	Pass	2
1849	1850	0.051	RMS	1850	-21.64	-13	8.64	Pass	401
1850	1855	0.1	RMS	1850.35	20.12	30	9.88	Pass	401




1.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-19.31	-13	6.31	Pass	401
1848	1849	1	RMS	1849	-17.61	-13	4.61	Pass*	2
1849	1850	0.051	RMS	1849.995	-24.48	-13	11.48	Pass	401
1850	1855	0.1	RMS	1850.863	5.52	30	24.48	Pass	401




1.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.48	-13	28.48	Pass	401
1848	1849	1	RMS	1849	-40.07	-13	27.07	Pass	2
1849	1850	0.051	RMS	1850	-23.06	-13	10.06	Pass	401
1850	1855	0.1	RMS	1850.338	19.13	30	10.87	Pass	401




1.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-21.63	-13	8.63	Pass	401
1848	1849	1	RMS	1849	-19.78	-13	6.78	Pass	2
1849	1850	0.051	RMS	1849.995	-26.65	-13	13.65	Pass	401
1850	1855	0.1	RMS	1850.475	4.51	30	25.49	Pass	401




1.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	19.83	30	10.17	Pass	401
1915	1916	0.051	RMS	1915	-22.32	-13	9.32	Pass	401
1916	1917	1	RMS	1916	-36.84	-13	23.84	Pass	2
1917	1925	1	RMS	1917	-41.33	-13	28.33	Pass	401




1.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1910.813	5.73	30	24.27	Pass	401
1915	1916	0.051	RMS	1915	-25.18	-13	12.18	Pass	401
1916	1917	1	RMS	1916	-17.6	-13	4.6	Pass*	2
1917	1925	1	RMS	1917	-19.85	-13	6.85	Pass	401




1.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.675	18.92	30	11.08	Pass	401
1915	1916	0.051	RMS	1915	-23.28	-13	10.28	Pass	401
1916	1917	1	RMS	1916	-38.76	-13	25.76	Pass	2
1917	1925	1	RMS	1917.02	-42.58	-13	29.58	Pass	401




1.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1910.338	4.75	30	25.25	Pass	401
1915	1916	0.051	RMS	1915.008	-26.84	-13	13.84	Pass	401
1916	1917	1	RMS	1916	-20.11	-13	7.11	Pass	2
1917	1925	1	RMS	1917	-22.38	-13	9.38	Pass	401




1.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.32	-42.92	-13	29.92	Pass	401
1848	1849	1	RMS	1849	-39.44	-13	26.44	Pass	2
1849	1850	0.1	RMS	1850	-29.73	-13	16.73	Pass	401
1850	1860	0.1	RMS	1850.575	19.74	30	10.26	Pass	401




1.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-20.21	-13	7.21	Pass	401
1848	1849	1	RMS	1849	-19.93	-13	6.93	Pass	2
1849	1850	0.1	RMS	1849.998	-27.18	-13	14.18	Pass	401
1850	1860	0.1	RMS	1857.875	2.53	30	27.47	Pass	401




1.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.24	-43.92	-13	30.92	Pass	401
1848	1849	1	RMS	1849	-40.38	-13	27.38	Pass	2
1849	1850	0.1	RMS	1850	-30.57	-13	17.57	Pass	401
1850	1860	0.1	RMS	1850.6	19.17	30	10.83	Pass	401




1.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-22.69	-13	9.69	Pass	401
1848	1849	1	RMS	1849	-22.4	-13	9.4	Pass	2
1849	1850	0.1	RMS	1849.99	-29.22	-13	16.22	Pass	401
1850	1860	0.1	RMS	1859.3	1.6	30	28.4	Pass	401



1.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	19.89	30	10.11	Pass	401
1915	1916	0.1	RMS	1915	-29.52	-13	16.52	Pass	401
1916	1917	1	RMS	1916	-39.3	-13	26.3	Pass	2
1917	1925	1	RMS	1917.1	-42.25	-13	29.25	Pass	401




1.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1905.925	2.85	30	27.15	Pass	401
1915	1916	0.1	RMS	1915	-26.85	-13	13.85	Pass	401
1916	1917	1	RMS	1916	-20.29	-13	7.29	Pass	2
1917	1925	1	RMS	1917	-21.44	-13	8.44	Pass	401



1.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.425	18.84	30	11.16	Pass	401
1915	1916	0.1	RMS	1915.003	-30.39	-13	17.39	Pass	401
1916	1917	1	RMS	1916	-40.42	-13	27.42	Pass	2
1917	1925	1	RMS	1917.04	-43.61	-13	30.61	Pass	401




1.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1905.95	1.85	30	28.15	Pass	401
1915	1916	0.1	RMS	1915.015	-29.95	-13	16.95	Pass	401
1916	1917	1	RMS	1916	-23.09	-13	10.09	Pass	2
1917	1925	1	RMS	1917.04	-24.08	-13	11.08	Pass	401




1.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1844.56	-42.51	-13	29.51	Pass	401
1848	1849	1	RMS	1849	-37.91	-13	24.91	Pass	2
1849	1850	0.15	RMS	1849.995	-26.46	-13	13.46	Pass	401
1850	1865	0.1	RMS	1850.825	19.64	30	10.36	Pass	401




1.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-20.35	-13	7.35	Pass	401
1848	1849	1	RMS	1849	-20.43	-13	7.43	Pass	2
1849	1850	0.15	RMS	1849.995	-27.16	-13	14.16	Pass	401
1850	1865	0.1	RMS	1863.725	0.69	30	29.31	Pass	401




1.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1844.04	-43.62	-13	30.62	Pass	401
1848	1849	1	RMS	1849	-38.76	-13	25.76	Pass	2
1849	1850	0.15	RMS	1849.998	-27.26	-13	14.26	Pass	401
1850	1865	0.1	RMS	1850.825	19.08	30	10.92	Pass	401




1.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-23.41	-13	10.41	Pass	401
1848	1849	1	RMS	1849	-23.68	-13	10.68	Pass	2
1849	1850	0.15	RMS	1849.99	-30	-13	17	Pass	401
1850	1865	0.1	RMS	1864.063	-0.2	30	30.2	Pass	401




1.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.138	19.53	30	10.47	Pass	401
1915	1916	0.15	RMS	1915.013	-27.35	-13	14.35	Pass	401
1916	1917	1	RMS	1916	-38.87	-13	25.87	Pass	2
1917	1925	1	RMS	1917	-43.87	-13	30.87	Pass	401




1.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1901.125	0.95	30	29.05	Pass	401
1915	1916	0.15	RMS	1915.003	-26.87	-13	13.87	Pass	401
1916	1917	1	RMS	1916	-20.52	-13	7.52	Pass	2
1917	1925	1	RMS	1917.36	-21.8	-13	8.8	Pass	401




1.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.138	18.5	30	11.5	Pass	401
1915	1916	0.15	RMS	1915.01	-27.64	-13	14.64	Pass	401
1916	1917	1	RMS	1916	-39.68	-13	26.68	Pass	2
1917	1925	1	RMS	1917.04	-44.68	-13	31.68	Pass	401




1.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1901.35	0.07	30	29.93	Pass	401
1915	1916	0.15	RMS	1915.123	-30.32	-13	17.32	Pass	401
1916	1917	1	RMS	1916	-23.97	-13	10.97	Pass	2
1917	1925	1	RMS	1917.02	-25.11	-13	12.11	Pass	401




1.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1841.04	-45.49	-13	32.49	Pass	401
1848	1849	1	RMS	1849	-38.19	-13	25.19	Pass	2
1849	1850	0.2	RMS	1849.99	-27.24	-13	14.24	Pass	401
1850	1870	0.1	RMS	1851.1	19.9	30	10.1	Pass	401




1.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-23.3	-13	10.3	Pass	401
1848	1849	1	RMS	1849	-23.1	-13	10.1	Pass	2
1849	1850	0.2	RMS	1849.973	-28.6	-13	15.6	Pass	401
1850	1870	0.1	RMS	1868.45	-0.44	30	30.44	Pass	401




1.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-45.92	-13	32.92	Pass	401
1848	1849	1	RMS	1849	-38.86	-13	25.86	Pass	2
1849	1850	0.2	RMS	1849.993	-27.42	-13	14.42	Pass	401
1850	1870	0.1	RMS	1851.1	19	30	11	Pass	401




1.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.78	-25.87	-13	12.87	Pass	401
1848	1849	1	RMS	1849	-25.81	-13	12.81	Pass	2
1849	1850	0.2	RMS	1849.99	-31.23	-13	18.23	Pass	401
1850	1870	0.1	RMS	1867.55	-1.44	30	31.44	Pass	401




1.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	19.44	30	10.56	Pass	401
1915	1916	0.2	RMS	1915.008	-26.96	-13	13.96	Pass	401
1916	1917	1	RMS	1916	-38.76	-13	25.76	Pass	2
1917	1925	1	RMS	1917	-44.35	-13	31.35	Pass	401




1.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1898.7	-0.45	30	30.45	Pass	401
1915	1916	0.2	RMS	1915	-29.14	-13	16.14	Pass	401
1916	1917	1	RMS	1916	-24.21	-13	11.21	Pass	2
1917	1925	1	RMS	1917.04	-24.85	-13	11.85	Pass	401




1.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	18.72	30	11.28	Pass	401
1915	1916	0.2	RMS	1915	-28.23	-13	15.23	Pass	401
1916	1917	1	RMS	1916	-39.57	-13	26.57	Pass	2
1917	1925	1	RMS	1917	-45.38	-13	32.38	Pass	401



1.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1896.75	-1.39	30	31.39	Pass	401
1915	1916	0.2	RMS	1915.035	-31.94	-13	18.94	Pass	401
1916	1917	1	RMS	1916	-26.99	-13	13.99	Pass	2
1917	1925	1	RMS	1917.02	-27.33	-13	14.33	Pass	401



2. LTE_Band26(part22)


2.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.29	-13	39.29	Pass	401
823	824	0.02	RMS	824	-18.71	-13	5.71	Pass*	401
824	826	0.1	RMS	824.24	20.1	30	9.9	Pass	401




2.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.68	-13	24.68	Pass	401
823	824	0.02	RMS	823.995	-23.13	-13	10.13	Pass	401
824	826	0.1	RMS	824.655	11.65	30	18.35	Pass	401




2.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-52.67	-13	39.67	Pass	401
823	824	0.02	RMS	823.998	-20.57	-13	7.57	Pass	401
824	826	0.1	RMS	824.225	19.27	30	10.73	Pass	401




2.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.66	-13	24.66	Pass	401
823	824	0.02	RMS	823.998	-24.72	-13	11.72	Pass	401
824	826	0.1	RMS	824.365	10.69	30	19.31	Pass	401




2.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	19.94	30	10.06	Pass	401
849	850	0.02	RMS	849	-20.59	-13	7.59	Pass	401
850	860	0.1	RMS	850	-51.77	-13	38.77	Pass	401




2.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.215	11.43	30	18.57	Pass	401
849	850	0.02	RMS	849	-26.34	-13	13.34	Pass	401
850	860	0.1	RMS	850	-35.09	-13	22.09	Pass	401




2.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	19.02	30	10.98	Pass	401
849	850	0.02	RMS	849.005	-21.71	-13	8.71	Pass	401
850	860	0.1	RMS	850.025	-52.58	-13	39.58	Pass	401




2.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.925	10.45	30	19.55	Pass	401
849	850	0.02	RMS	849	-27.58	-13	14.58	Pass	401
850	860	0.1	RMS	850	-37.48	-13	24.48	Pass	401




2.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-47.72	-13	34.72	Pass	401
823	824	0.03	RMS	824	-19.82	-13	6.82	Pass	401
824	827	0.1	RMS	824.233	20.01	30	9.99	Pass	401



2.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-24.62	-13	11.62	Pass	401
823	824	0.03	RMS	823.995	-23.22	-13	10.22	Pass	401
824	827	0.1	RMS	824.893	7.85	30	22.15	Pass	401



2.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.25	-13	37.25	Pass	401
823	824	0.03	RMS	824	-20.79	-13	7.79	Pass	401
824	827	0.1	RMS	824.248	19.24	30	10.76	Pass	401

