



8.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.07	-13	10.07	Pass	401
698.9	699	0.03	RMS	698.997	-26.14	-13	13.14	Pass	401
699	704	0.1	RMS	701.188	6.1	30	23.9	Pass	401




8.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.688	21.3	30	8.7	Pass	401
716	716.1	0.03	RMS	716.003	-19.9	-13	6.9	Pass	401
716.1	725	0.1	RMS	716.1	-21.86	-13	8.86	Pass	401




8.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.7	6.94	30	23.06	Pass	401
716	716.1	0.03	RMS	716.001	-24.47	-13	11.47	Pass	401
716.1	725	0.1	RMS	716.122	-21.53	-13	8.53	Pass	401




8.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.713	20.28	30	9.72	Pass	401
716	716.1	0.03	RMS	716.001	-20.42	-13	7.42	Pass	401
716.1	725	0.1	RMS	716.1	-24.78	-13	11.78	Pass	401




8.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	714.563	5.84	30	24.16	Pass	401
716	716.1	0.03	RMS	716.002	-26.31	-13	13.31	Pass	401
716.1	725	0.1	RMS	716.1	-23.31	-13	10.31	Pass	401




8.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-37.27	-13	24.27	Pass	401
698.9	699	0.03	RMS	698.995	-34.76	-13	21.76	Pass	401
699	709	0.1	RMS	699.625	21.3	30	8.7	Pass	401




8.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.95	-13	11.95	Pass	401
698.9	699	0.03	RMS	698.997	-29.17	-13	16.17	Pass	401
699	709	0.1	RMS	702.05	4.18	30	25.82	Pass	401




8.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-38.24	-13	25.24	Pass	401
698.9	699	0.03	RMS	698.997	-35.03	-13	22.03	Pass	401
699	709	0.1	RMS	699.6	20.3	30	9.7	Pass	401




8.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.48	-13	14.48	Pass	401
698.9	699	0.03	RMS	698.991	-31.73	-13	18.73	Pass	401
699	709	0.1	RMS	700.95	3.28	30	26.72	Pass	401



8.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	21.15	30	8.85	Pass	401
716	716.1	0.03	RMS	716.002	-31.25	-13	18.25	Pass	401
716.1	725	0.1	RMS	716.1	-33.14	-13	20.14	Pass	401




8.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	709.75	3.88	30	26.12	Pass	401
716	716.1	0.03	RMS	716.011	-29.91	-13	16.91	Pass	401
716.1	725	0.1	RMS	716.1	-25.87	-13	12.87	Pass	401




8.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	20.44	30	9.56	Pass	401
716	716.1	0.03	RMS	716.001	-31.61	-13	18.61	Pass	401
716.1	725	0.1	RMS	716.1	-34.04	-13	21.04	Pass	401



8.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	709.15	3.02	30	26.98	Pass	401
716	716.1	0.03	RMS	716.003	-32.49	-13	19.49	Pass	401
716.1	725	0.1	RMS	716.122	-28.6	-13	15.6	Pass	401



9. LTE_Band14


9.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	769.509	-76.68	-35	41.68	Pass	968
775	787.9	0.1	RMS	787.9	-30.94	-13	17.94	Pass	401
787.9	788	0.03	RMS	787.997	-27.43	-13	14.43	Pass	401
788	798	0.1	RMS	788.375	21.31	30	8.69	Pass	401




9.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	771.395	-75.97	-35	40.97	Pass	968
775	787.9	0.1	RMS	787.9	-26.16	-13	13.16	Pass	401
787.9	788	0.03	RMS	787.995	-28.54	-13	15.54	Pass	401
788	798	0.1	RMS	792.5	7.02	30	22.98	Pass	401




9.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	769.546	-76.55	-35	41.55	Pass	968
775	787.9	0.1	RMS	787.9	-31.37	-13	18.37	Pass	401
787.9	788	0.03	RMS	787.998	-28.04	-13	15.04	Pass	401
788	798	0.1	RMS	788.375	20.33	30	9.67	Pass	401




9.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	773.672	-76.63	-35	41.63	Pass	968
775	787.9	0.1	RMS	787.9	-27.79	-13	14.79	Pass	401
787.9	788	0.03	RMS	787.998	-29.82	-13	16.82	Pass	401
788	798	0.1	RMS	791.3	5.99	30	24.01	Pass	401




9.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.7	21.29	30	8.71	Pass	401
798	798.1	0.03	RMS	798.004	-20.58	-13	7.58	Pass	401
798.1	799	0.1	RMS	798.1	-22.4	-13	9.4	Pass	401
799	805	0.0062	RMS	799	-61.52	-35	26.52	Pass	968
805	810	0.1	RMS	805.088	-65.16	-13	52.16	Pass	401




9.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	794.325	6.95	30	23.05	Pass	401
798	798.1	0.03	RMS	798.001	-24.88	-13	11.88	Pass	401
798.1	799	0.1	RMS	798.105	-21.4	-13	8.4	Pass	401
799	805	0.0062	RMS	799.124	-38.16	-35	3.16	Pass*	968
805	810	0.1	RMS	805	-49.42	-13	36.42	Pass	401




9.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.675	20.52	30	9.48	Pass	401
798	798.1	0.03	RMS	798.002	-20.91	-13	7.91	Pass	401
798.1	799	0.1	RMS	798.105	-23.53	-13	10.53	Pass	401
799	805	0.0062	RMS	799.006	-61.04	-35	26.04	Pass	968
805	810	0.1	RMS	805.275	-65.29	-13	52.29	Pass	401




9.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	794.675	5.81	30	24.19	Pass	401
798	798.1	0.03	RMS	798.009	-26.98	-13	13.98	Pass	401
798.1	799	0.1	RMS	798.111	-23.82	-13	10.82	Pass	401
799	805	0.0062	RMS	799.155	-39.65	-35	4.65	Pass*	968
805	810	0.1	RMS	805.213	-49.29	-13	36.29	Pass	401




9.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	770.787	-76.57	-35	41.57	Pass	968
775	787.9	0.1	RMS	787.803	-38.17	-13	25.17	Pass	401
787.9	788	0.03	RMS	787.997	-39.61	-13	26.61	Pass	401
788	798	0.1	RMS	788.625	21.44	30	8.56	Pass	401




9.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	774.317	-76.38	-35	41.38	Pass	968
775	787.9	0.1	RMS	787.9	-28.2	-13	15.2	Pass	401
787.9	788	0.03	RMS	787.984	-32.47	-13	19.47	Pass	401
788	798	0.1	RMS	794.975	4.12	30	25.88	Pass	401




9.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	770.539	-76.81	-35	41.81	Pass	968
775	787.9	0.1	RMS	787.803	-39.01	-13	26.01	Pass	401
787.9	788	0.03	RMS	787.999	-38.99	-13	25.99	Pass	401
788	798	0.1	RMS	788.6	20.43	30	9.57	Pass	401




**9.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23330,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	770.489	-76.65	-35	41.65	Pass	968
775	787.9	0.1	RMS	787.868	-30.84	-13	17.84	Pass	401
787.9	788	0.03	RMS	787.998	-34.75	-13	21.75	Pass	401
788	798	0.1	RMS	794.375	3.06	30	26.94	Pass	401




9.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.425	21.18	30	8.82	Pass	401
798	798.1	0.03	RMS	798.005	-32.29	-13	19.29	Pass	401
798.1	799	0.1	RMS	798.1	-33.82	-13	20.82	Pass	401
799	805	0.0062	RMS	799.006	-66.08	-35	31.08	Pass	968
805	810	0.1	RMS	805.338	-62.23	-13	49.23	Pass	401




9.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
798	798.1	0.03	RMS	798.002	-31.48	-13	18.48	Pass	401
798.1	799	0.1	RMS	798.114	-27.05	-13	14.05	Pass	401
799	805	0.0062	RMS	799.006	-40.95	-35	5.95	Pass*	968
805	810	0.1	RMS	805	-38.08	-13	25.08	Pass	401




9.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.425	20.6	30	9.4	Pass	401
798	798.1	0.03	RMS	798.001	-32.16	-13	19.16	Pass	401
798.1	799	0.1	RMS	798.1	-35.15	-13	22.15	Pass	401
799	805	0.0062	RMS	799.037	-64.62	-35	29.62	Pass	968
805	810	0.1	RMS	805.613	-62.22	-13	49.22	Pass	401



**9.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23330,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
798	798.1	0.03	RMS	798.021	-33.73	-13	20.73	Pass	401
798.1	799	0.1	RMS	798.1	-29.54	-13	16.54	Pass	401
799	805	0.0062	RMS	799.099	-42.21	-35	7.21	Pass	968
805	810	0.1	RMS	805.138	-41.29	-13	28.29	Pass	401



10. LTE_Band26(part22)


10.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.44	-13	37.44	Pass	401
823	824	0.02	RMS	824	-20.22	-13	7.22	Pass	401
824	826	0.1	RMS	824.27	21.2	30	8.8	Pass	401




10.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.6	-36.9	-13	23.9	Pass	401
823	824	0.02	RMS	823.985	-19.99	-13	6.99	Pass	401
824	826	0.1	RMS	824.75	12.97	30	17.03	Pass	401




10.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-52.28	-13	39.28	Pass	401
823	824	0.02	RMS	824	-22.08	-13	9.08	Pass	401
824	826	0.1	RMS	824.27	20.39	30	9.61	Pass	401




**10.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.06	-13	22.06	Pass	401
823	824	0.02	RMS	823.995	-22.47	-13	9.47	Pass	401
824	826	0.1	RMS	824.7	11.89	30	18.11	Pass	401



**10.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.79	20.98	30	9.02	Pass	401
849	850	0.02	RMS	849	-14.11	-13	1.11	Pass*	401
850	860	0.1	RMS	850.025	-49.65	-13	36.65	Pass	401




10.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.415	12.62	30	17.38	Pass	401
849	850	0.02	RMS	849	-19.44	-13	6.44	Pass	401
850	860	0.1	RMS	850	-33.18	-13	20.18	Pass	401




**10.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.785	20.11	30	9.89	Pass	401
849	850	0.02	RMS	849.003	-15.39	-13	2.39	Pass*	401
850	860	0.1	RMS	850	-52.17	-13	39.17	Pass	401




**10.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.035	11.64	30	18.36	Pass	401
849	850	0.02	RMS	849	-21.39	-13	8.39	Pass	401
850	860	0.1	RMS	850	-33.75	-13	20.75	Pass	401




10.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-46.99	-13	33.99	Pass	401
823	824	0.03	RMS	824	-23.04	-13	10.04	Pass	401
824	827	0.1	RMS	824.278	21.16	30	8.84	Pass	401




10.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-21.72	-13	8.72	Pass	401
823	824	0.03	RMS	823.998	-21.05	-13	8.05	Pass	401
824	827	0.1	RMS	824.773	8.91	30	21.09	Pass	401




10.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	819.2	-46.28	-13	33.28	Pass	401
823	824	0.03	RMS	824	-22.98	-13	9.98	Pass	401
824	827	0.1	RMS	824.263	20.32	30	9.68	Pass	401




10.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-23.85	-13	10.85	Pass	401
823	824	0.03	RMS	823.995	-23.7	-13	10.7	Pass	401
824	827	0.1	RMS	824.683	8	30	22	Pass	401




10.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.783	21.08	30	8.92	Pass	401
849	850	0.03	RMS	849	-13.43	-13	0.43	Pass*	35
850	860	0.1	RMS	850	-46.57	-13	33.57	Pass	401




10.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.63	8.83	30	21.17	Pass	401
849	850	0.03	RMS	849.005	-20.6	-13	7.6	Pass	401
850	860	0.1	RMS	850.025	-23.21	-13	10.21	Pass	401




10.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	20.24	30	9.76	Pass	401
849	850	0.03	RMS	849	-14.89	-13	1.89	Pass*	35
850	860	0.1	RMS	851.05	-47.72	-13	34.72	Pass	401




10.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.6	7.9	30	22.1	Pass	401
849	850	0.03	RMS	849.005	-23.01	-13	10.01	Pass	401
850	860	0.1	RMS	850	-25.28	-13	12.28	Pass	401




10.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.79	-13	36.79	Pass	401
823	824	0.051	RMS	824	-21.13	-13	8.13	Pass	401
824	829	0.1	RMS	824.363	21.19	30	8.81	Pass	401




10.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-22.38	-13	9.38	Pass	401
823	824	0.051	RMS	823.99	-21.14	-13	8.14	Pass	401
824	829	0.1	RMS	826.038	6.86	30	23.14	Pass	401




10.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.64	-51.95	-13	38.95	Pass	401
823	824	0.051	RMS	823.998	-23.33	-13	10.33	Pass	401
824	829	0.1	RMS	824.363	20.24	30	9.76	Pass	401




10.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-24.59	-13	11.59	Pass	401
823	824	0.051	RMS	824	-23.26	-13	10.26	Pass	401
824	829	0.1	RMS	825.125	5.84	30	24.16	Pass	401



10.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.688	21.38	30	8.62	Pass	401
849	850	0.051	RMS	849.005	-17.99	-13	4.99	Pass*	401
850	860	0.1	RMS	850.85	-41.26	-13	28.26	Pass	401




10.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.4	6.66	30	23.34	Pass	401
849	850	0.051	RMS	849	-22.23	-13	9.23	Pass	401
850	860	0.1	RMS	850.05	-24.49	-13	11.49	Pass	401




10.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.7	20.22	30	9.78	Pass	401
849	850	0.051	RMS	849	-18.3	-13	5.3	Pass*	401
850	860	0.1	RMS	850.825	-42.06	-13	29.06	Pass	401




10.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.913	5.68	30	24.32	Pass	401
849	850	0.051	RMS	849	-24.21	-13	11.21	Pass	401
850	860	0.1	RMS	850.025	-26.69	-13	13.69	Pass	401




10.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-51.33	-13	38.33	Pass	401
823	824	0.1	RMS	823.998	-29.22	-13	16.22	Pass	401
824	834	0.1	RMS	824.625	20.99	30	9.01	Pass	401




10.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-24.1	-13	11.1	Pass	401
823	824	0.1	RMS	823.998	-21.82	-13	8.82	Pass	401
824	834	0.1	RMS	826.95	3.89	30	26.11	Pass	401




10.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.88	-51.43	-13	38.43	Pass	401
823	824	0.1	RMS	823.993	-30.73	-13	17.73	Pass	401
824	834	0.1	RMS	824.625	20.23	30	9.77	Pass	401




10.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-26.12	-13	13.12	Pass	401
823	824	0.1	RMS	823.985	-24.32	-13	11.32	Pass	401
824	834	0.1	RMS	827.85	3.06	30	26.94	Pass	401




10.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	20.99	30	9.01	Pass	401
849	850	0.1	RMS	849.013	-25.44	-13	12.44	Pass	401
850	860	0.1	RMS	850.175	-50.74	-13	37.74	Pass	401




10.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	842.775	3.98	30	26.02	Pass	401
849	850	0.1	RMS	849.003	-23.95	-13	10.95	Pass	401
850	860	0.1	RMS	850	-26.69	-13	13.69	Pass	401




**10.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	20.35	30	9.65	Pass	401
849	850	0.1	RMS	849.003	-25.72	-13	12.72	Pass	401
850	860	0.1	RMS	850.15	-52.08	-13	39.08	Pass	401




10.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	842.075	2.95	30	27.05	Pass	401
849	850	0.1	RMS	849	-26.73	-13	13.73	Pass	401
850	860	0.1	RMS	850	-29.2	-13	16.2	Pass	401




10.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.27	-13	37.27	Pass	401
823	824	0.15	RMS	824	-25.05	-13	12.05	Pass	401
824	839	0.1	RMS	824.863	20.59	30	9.41	Pass	401




10.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-25.46	-13	12.46	Pass	401
823	824	0.15	RMS	823.953	-22.49	-13	9.49	Pass	401
824	839	0.1	RMS	824.938	2.16	30	27.84	Pass	401




10.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-51.54	-13	38.54	Pass	401
823	824	0.15	RMS	823.985	-25.99	-13	12.99	Pass	401
824	839	0.1	RMS	824.863	19.9	30	10.1	Pass	401




10.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-28.07	-13	15.07	Pass	401
823	824	0.15	RMS	824	-25.27	-13	12.27	Pass	401
824	839	0.1	RMS	825.275	1.33	30	28.67	Pass	401




10.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.67	30	9.33	Pass	401
849	850	0.15	RMS	849.015	-24.56	-13	11.56	Pass	401
850	860	0.1	RMS	850.1	-51.12	-13	38.12	Pass	401




10.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	838.463	2.09	30	27.91	Pass	401
849	850	0.15	RMS	849.003	-23.67	-13	10.67	Pass	401
850	860	0.1	RMS	850.175	-27.13	-13	14.13	Pass	401




10.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.03	30	9.97	Pass	401
849	850	0.15	RMS	849.005	-24.8	-13	11.8	Pass	401
850	860	0.1	RMS	850	-50.65	-13	37.65	Pass	401



10.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	835.5	1.07	30	28.93	Pass	401
849	850	0.15	RMS	849.005	-27.07	-13	14.07	Pass	401
850	860	0.1	RMS	850	-30.37	-13	17.37	Pass	401



11. LTE_Band26(part90)


11.1 LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-19.43	-13	6.43	Pass	401
813.9625	814	0.002	RMS	813.997	-27.95	-20	7.95	Pass	401
814	819	0.1	RMS	814.275	21.47	30	8.53	Pass	401




11.2 LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.9	-13	6.9	Pass	401
813.9625	814	0.02	RMS	813.999	-24.91	-20	4.91	Pass	401
814	819	0.1	RMS	814.675	11.87	30	18.13	Pass	401




11.3 LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-16.32	-13	3.32	Pass	401
813.9625	814	0.002	RMS	813.995	-28.66	-20	8.66	Pass	401
814	819	0.1	RMS	814.3	20.42	30	9.58	Pass	401




11.4 LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-16.43	-13	3.43	Pass	401
813.9625	814	0.02	RMS	813.994	-21.81	-20	1.81	Pass*	401
814	819	0.1	RMS	814.588	12.12	30	17.88	Pass	401




11.5 LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.775	21.37	30	8.63	Pass	401
824	824.0375	0.002	RMS	824.003	-22.6	-20	2.6	Pass*	401
824.0875	829	0.1	RMS	824.088	-14.8	-13	1.8	Pass*	401




11.6 LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.188	11.89	30	18.11	Pass	401
824	824.0375	0.02	RMS	824	-22.42	-20	2.42	Pass*	401
824.0375	829	0.1	RMS	824.038	-17.64	-13	4.64	Pass	401




11.7 LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.775	20.63	30	9.37	Pass	401
824	824.0375	0.002	RMS	824.006	-23.19	-20	3.19	Pass	401
824.0875	829	0.1	RMS	824.088	-15.6	-13	2.6	Pass*	401




11.8 LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.288	11.96	30	18.04	Pass	401
824	824.0375	0.02	RMS	824.001	-20.54	-20	0.54	Pass*	401
824.0375	829	0.1	RMS	824.038	-15.27	-13	2.27	Pass*	401



11.9 LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-16.85	-13	3.85	Pass	401
813.9625	814	0.002	RMS	813.999	-31.04	-20	11.04	Pass	401
814	819	0.1	RMS	814.275	21.45	30	8.55	Pass	401




11.10 LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.26	-13	4.26	Pass	401
813.9625	814	0.03	RMS	813.999	-21.61	-20	1.61	Pass*	401
814	819	0.1	RMS	814.7	9.13	30	20.87	Pass	401



11.11 LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.6	-13	4.6	Pass	401
813.9625	814	0.002	RMS	813.999	-32.35	-20	12.35	Pass	401
814	819	0.1	RMS	814.263	20.59	30	9.41	Pass	401




11.12 LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.39	-13	6.39	Pass	401
813.9625	814	0.03	RMS	813.998	-23.73	-20	3.73	Pass	401
814	819	0.1	RMS	815.95	8.23	30	21.77	Pass	401




11.13 LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.775	21.27	30	8.73	Pass	401
824	824.0375	0.002	RMS	824.002	-23.55	-20	3.55	Pass	401
824.0875	829	0.1	RMS	824.088	-17.48	-13	4.48	Pass	401




11.14 LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.088	8.14	30	Pass	401
824	824.0375	0.03	RMS	824	-22.86	-20	Pass*	401
824.0375	829	0.1	RMS	824.038	-19.8	-13	Pass	401



11.15 LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.788	18.23	30	Pass	401
824	824.0375	0.002	RMS	824	-25.2	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-13.2	-13	Pass*	51




11.16 LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.2	8.22	30	21.78	Pass	401
824	824.0375	0.03	RMS	824.002	-21.8	-20	1.8	Pass*	401
824.0375	829	0.1	RMS	824.038	-17.96	-13	4.96	Pass	401




11.17 LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.21	-13	6.21	Pass	401
813.9625	814	0.002	RMS	814	-32.88	-20	12.88	Pass	401
814	819	0.1	RMS	814.375	21.58	30	8.42	Pass	401




11.18 LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.64	-13	7.64	Pass	401
813.9625	814	0.051	RMS	813.999	-22.57	-20	2.57	Pass*	401
814	819	0.1	RMS	817.875	7.07	30	22.93	Pass	401




11.19 LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.45	-13	9.45	Pass	401
813.9625	814	0.002	RMS	813.988	-34.11	-20	14.11	Pass	401
814	819	0.1	RMS	814.35	20.42	30	9.58	Pass	401




11.20 LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.95	-22.66	-13	9.66	Pass	401
813.9625	814	0.051	RMS	814	-24.4	-20	4.4	Pass	401
814	819	0.1	RMS	816.75	6.12	30	23.88	Pass	401



11.21 LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.675	21.7	30	8.3	Pass	401
824	824.0375	0.002	RMS	824.002	-28.92	-20	8.92	Pass	401
824.0375	829	0.1	RMS	824.038	-16.93	-13	3.93	Pass	401




11.22 LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.825	7.02	30	22.98	Pass	401
824	824.0375	0.051	RMS	824.002	-21.15	-20	1.15	Pass*	401
824.0375	829	0.1	RMS	824.038	-19.33	-13	6.33	Pass	401




11.23 LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	20.79	30	9.21	Pass	401
824	824.0375	0.002	RMS	824.001	-30.27	-20	10.27	Pass	401
824.0375	829	0.1	RMS	824.038	-17.34	-13	4.34	Pass	401




11.24 LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.188	6.05	30	23.95	Pass	401
824	824.0375	0.051	RMS	824.005	-23	-20	3	Pass	401
824.0375	829	0.1	RMS	824.05	-21.76	-13	8.76	Pass	401




11.25 LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.92	-13	18.92	Pass	401
813.9625	814	0.02	RMS	813.989	-36.45	-20	16.45	Pass	401
814	819	0.1	RMS	814.6	21.38	30	8.62	Pass	401




11.26 LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.938	-24.25	-13	11.25	Pass	401
813.9625	814	0.1	RMS	813.991	-23.74	-20	3.74	Pass	401
814	819	0.1	RMS	818.188	4.07	30	25.93	Pass	401




11.27 LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.59	-13	20.59	Pass	401
813.9625	814	0.02	RMS	813.999	-34.95	-20	14.95	Pass	401
814	819	0.1	RMS	814.613	20.71	30	9.29	Pass	401




11.28 LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.95	-27.13	-13	14.13	Pass	401
813.9625	814	0.1	RMS	813.984	-26.57	-20	6.57	Pass	401
814	819	0.1	RMS	818.675	2.97	30	27.03	Pass	401




11.29 LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.438	21.25	30	8.75	Pass	401
824	824.0375	0.02	RMS	824.002	-32.4	-20	12.4	Pass	401
824.0375	829	0.1	RMS	824.038	-28.21	-13	15.21	Pass	401




11.30 LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.888	4.22	30	25.78	Pass	401
824	824.0375	0.1	RMS	824.001	-22.54	-20	2.54	Pass*	401
824.0375	829	0.1	RMS	824.062	-23.18	-13	10.18	Pass	401




11.31 LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.463	20.32	30	9.68	Pass	401
824	824.0375	0.02	RMS	824.011	-33.19	-20	13.19	Pass	401
824.0375	829	0.1	RMS	824.038	-28.31	-13	15.31	Pass	401



11.32 LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.663	3.17	30	26.83	Pass	401
824	824.0375	0.1	RMS	824.003	-25.55	-20	5.55	Pass	401
824.0375	829	0.1	RMS	824.05	-25.97	-13	12.97	Pass	401



12. LTE_Band30


12.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2291.97	-53.03	-40	13.03	Pass	401
2292	2296	1	RMS	2294.8	-51.93	-31	20.93	Pass	401
2296	2300	1	RMS	2299.55	-49.8	-25	24.8	Pass	401
2300	2304	1	RMS	2304	-36.16	-13	23.16	Pass	5
2304	2305	0.1	RMS	2305	-24.02	-13	11.02	Pass	401
2305	2310	0.1	RMS	2305.425	21.09	30	8.91	Pass	401




12.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2291.94	-52.41	-40	12.41	Pass	401
2292	2296	1	RMS	2295.96	-47.62	-31	16.62	Pass	401
2296	2300	1	RMS	2299.99	-36.48	-25	11.48	Pass	401
2300	2304	1	RMS	2304	-16.6	-13	3.6	Pass*	5
2304	2305	0.1	RMS	2304.993	-21.74	-13	8.74	Pass	401
2305	2310	0.1	RMS	2308.625	6.67	30	23.33	Pass	401




12.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:27685, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2291.94	-53.06	-40	13.06	Pass	401
2292	2296	1	RMS	2294.77	-52.1	-31	21.1	Pass	401
2296	2300	1	RMS	2299.96	-50.01	-25	25.01	Pass	401
2300	2304	1	RMS	2304	-37.17	-13	24.17	Pass	5
2304	2305	0.1	RMS	2305	-25.75	-13	12.75	Pass	401
2305	2310	0.1	RMS	2305.413	20.15	30	9.85	Pass	401




12.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:27685, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-52.53	-40	12.53	Pass	401
2292	2296	1	RMS	2295.98	-47.64	-31	16.64	Pass	401
2296	2300	1	RMS	2299.99	-36.44	-25	11.44	Pass	401
2300	2304	1	RMS	2304	-18.65	-13	5.65	Pass*	5
2304	2305	0.1	RMS	2304.995	-23.86	-13	10.86	Pass	401
2305	2310	0.1	RMS	2308.638	5.65	30	24.35	Pass	401




12.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27735, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2310	2315	0.1	RMS	2312.15	6.46	30	23.54	Pass	401
2315	2316	0.1	RMS	2315	-17.62	-13	4.62	Pass*	401
2316	2320	1	RMS	2316	-14.5	-13	1.5	Pass*	5
2320	2324	1	RMS	2320	-34.14	-25	9.14	Pass	401
2324	2328	1	RMS	2324.05	-46.37	-31	15.37	Pass	401
2328	2340	1	RMS	2328.03	-51.72	-40	11.72	Pass	401




12.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27735, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2310	2315	0.1	RMS	2312.263	5.37	30	24.63	Pass	401
2315	2316	0.1	RMS	2315.003	-19.47	-13	6.47	Pass	401
2316	2320	1	RMS	2316	-16.54	-13	3.54	Pass*	5
2320	2324	1	RMS	2320	-34.25	-25	9.25	Pass	401
2324	2328	1	RMS	2324.01	-46.38	-31	15.38	Pass	401
2328	2340	1	RMS	2328	-51.76	-40	11.76	Pass	401




12.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-53.02	-40	13.02	Pass	401
2292	2296	1	RMS	2294.98	-51.69	-31	20.69	Pass	401
2296	2300	1	RMS	2300	-49.9	-25	24.9	Pass	401
2300	2304	1	RMS	2304	-38.7	-13	25.7	Pass	5
2304	2305	0.2	RMS	2304.995	-28.84	-13	15.84	Pass	401
2305	2315	0.1	RMS	2305.675	20.84	30	9.16	Pass	401




12.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:27710, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2291.94	-53.03	-40	13.03	Pass	401
2292	2296	1	RMS	2295.9	-51.54	-31	20.54	Pass	401
2296	2300	1	RMS	2299.12	-47.8	-25	22.8	Pass	401
2300	2304	1	RMS	2304	-39.29	-13	26.29	Pass	5
2304	2305	0.2	RMS	2305	-28.38	-13	15.38	Pass	401
2305	2315	0.1	RMS	2305.675	19.91	30	10.09	Pass	401




12.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:27710, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-47.83	-40	7.83	Pass	401
2292	2296	1	RMS	2296	-39.08	-31	8.08	Pass	401
2296	2300	1	RMS	2300	-26.48	-25	1.48	Pass*	401
2300	2304	1	RMS	2304	-20.39	-13	7.39	Pass	5
2304	2305	0.2	RMS	2304.995	-24.87	-13	11.87	Pass	401
2305	2315	0.1	RMS	2311.3	2.61	30	27.39	Pass	401




12.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2314.475	20.69	30	9.31	Pass	401
2315	2316	0.2	RMS	2315.003	-17.3	-13	4.3	Pass*	401
2316	2320	1	RMS	2316	-36.71	-13	23.71	Pass	5
2320	2324	1	RMS	2320	-48.97	-25	23.97	Pass	401
2324	2328	1	RMS	2324.09	-51.7	-31	20.7	Pass	401
2328	2340	1	RMS	2328.09	-52.93	-40	12.93	Pass	401




12.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27710, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2314.5	19.87	30	10.13	Pass	401
2315	2316	0.2	RMS	2315.003	-17.6	-13	4.6	Pass*	401
2316	2320	1	RMS	2316	-37.36	-13	24.36	Pass	5
2320	2324	1	RMS	2320.02	-49.49	-25	24.49	Pass	401
2324	2328	1	RMS	2324.12	-51.12	-31	20.12	Pass	401
2328	2340	1	RMS	2328.21	-53.02	-40	13.02	Pass	401




12.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27735, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2310	2315	0.1	RMS	2314.738	18.26	30	11.74	Pass	401
2315	2316	0.1	RMS	2315	-13.8	-13	0.8	Pass*	11
2316	2320	1	RMS	2316	-37.58	-13	24.58	Pass	5
2320	2324	1	RMS	2320.07	-50.47	-25	25.47	Pass	401
2324	2328	1	RMS	2324.06	-52.3	-31	21.3	Pass	401
2328	2340	1	RMS	2328.09	-52.93	-40	12.93	Pass	401




12.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27735, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2310	2315	0.1	RMS	2314.75	17.4	30	12.6	Pass	401
2315	2316	0.1	RMS	2315	-14.31	-13	1.31	Pass*	11
2316	2320	1	RMS	2316	-38.36	-13	25.36	Pass	5
2320	2324	1	RMS	2320.02	-50.73	-25	25.73	Pass	401
2324	2328	1	RMS	2324.01	-52.42	-31	21.42	Pass	401
2328	2340	1	RMS	2328	-52.94	-40	12.94	Pass	401




12.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-50.9	-40	10.9	Pass	401
2292	2296	1	RMS	2295.99	-42.39	-31	11.39	Pass	401
2296	2300	1	RMS	2299	-35.99	-25	10.99	Pass	5
2300	2304	1	RMS	2304	-29.72	-13	16.72	Pass	5
2304	2305	0.2	RMS	2304.995	-31.3	-13	18.3	Pass	401
2305	2315	0.1	RMS	2310.3	1.03	30	28.97	Pass	401



12.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2310.7	0.97	30	29.03	Pass	401
2315	2316	0.2	RMS	2315	-27.5	-13	14.5	Pass	401
2316	2320	1	RMS	2316	-27.64	-13	14.64	Pass	5
2320	2324	1	RMS	2323	-33.53	-25	8.53	Pass	5
2324	2328	1	RMS	2324	-38.34	-31	7.34	Pass	401
2328	2340	1	RMS	2328.03	-45.41	-40	5.41	Pass*	401



12.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27710, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2311.425	0.11	30	29.89	Pass	401
2315	2316	0.2	RMS	2315.003	-29.08	-13	16.08	Pass	401
2316	2320	1	RMS	2316	-29.26	-13	16.26	Pass	5
2320	2324	1	RMS	2320	-34.63	-25	9.63	Pass	5
2324	2328	1	RMS	2324.06	-39.5	-31	8.5	Pass	401
2328	2340	1	RMS	2328.06	-46.29	-40	6.29	Pass	401



13. LTE_Band38

13.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2563.668	-40.51	-25	15.51	Pass	401
2564	2565	1	RMS	2564.853	-38.4	-13	25.4	Pass	401
2565	2569	1	RMS	2569	-24.6	-10	14.6	Pass	5
2569	2570	0.051	RMS	2569.998	-25.74	-10	15.74	Pass	401
2570	2575	0.1	RMS	2570.45	21.88	30	8.12	Pass	401




13.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-34.08	-25	9.08	Pass	20
2564	2565	1	RMS	2564	-34.08	-13	21.08	Pass	2
2565	2569	1	RMS	2569	-21.38	-10	11.38	Pass	5
2569	2570	0.1	RMS	2569.995	-23.33	-10	13.33	Pass	401
2570	2575	0.1	RMS	2573.475	7.71	30	22.29	Pass	401




13.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2563.905	-40.27	-25	15.27	Pass	401
2564	2565	1	RMS	2564.815	-38.78	-13	25.78	Pass	401
2565	2569	1	RMS	2569	-25.59	-10	15.59	Pass	5
2569	2570	0.051	RMS	2569.998	-27.38	-10	17.38	Pass	401
2570	2575	0.1	RMS	2570.425	21.19	30	8.81	Pass	401




13.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-34.52	-25	9.52	Pass	20
2564	2565	1	RMS	2565	-33.36	-13	20.36	Pass	2
2565	2569	1	RMS	2569	-23.22	-10	13.22	Pass	5
2569	2570	0.1	RMS	2570	-25.1	-10	15.1	Pass	401
2570	2575	0.1	RMS	2573.3	7.25	30	22.75	Pass	401




13.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.75	22.08	30	7.92	Pass	401
2620	2621	0.051	RMS	2620.005	-11.65	-10	1.65	Pass*	401
2621	2625	1	RMS	2621	-26.76	-10	16.76	Pass	5
2625	2626	1	RMS	2625.02	-38.97	-13	25.97	Pass	401
2626	2645	1	RMS	2626.048	-41.27	-25	16.27	Pass	401




13.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2615.475	7.33	30	22.67	Pass	401
2620	2621	0.1	RMS	2620.003	-17.45	-10	7.45	Pass	401
2621	2625	1	RMS	2621	-22.73	-10	12.73	Pass	5
2625	2626	1	RMS	2625.003	-34.41	-13	21.41	Pass	401
2626	2645	1	RMS	2626	-36.09	-25	11.09	Pass	20




13.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.75	21.34	30	8.66	Pass	401
2620	2621	0.051	RMS	2620.003	-11.83	-10	1.83	Pass*	401
2621	2625	1	RMS	2621	-27.69	-10	17.69	Pass	5
2625	2626	1	RMS	2625.013	-39.15	-13	26.15	Pass	401
2626	2645	1	RMS	2626.38	-41.5	-25	16.5	Pass	401




13.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.888	6.82	30	23.18	Pass	401
2620	2621	0.1	RMS	2620.005	-18.39	-10	8.39	Pass	401
2621	2625	1	RMS	2621	-24.15	-10	14.15	Pass	5
2625	2626	1	RMS	2625.035	-34.02	-13	21.02	Pass	401
2626	2645	1	RMS	2626	-36.75	-25	11.75	Pass	20




13.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-43.16	-25	18.16	Pass	401
2560	2565	1	RMS	2564.938	-39.12	-13	26.12	Pass	401
2565	2569	1	RMS	2569	-28.29	-10	18.29	Pass	5
2569	2570	0.2	RMS	2570	-24.2	-10	14.2	Pass	401
2570	2580	0.1	RMS	2570.7	21.86	30	8.14	Pass	401




13.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2555.613	-37.22	-25	12.22	Pass	401
2560	2565	1	RMS	2564.963	-27.8	-13	14.8	Pass	401
2565	2569	1	RMS	2569	-22.64	-10	12.64	Pass	5
2569	2570	0.2	RMS	2570	-24.96	-10	14.96	Pass	401
2570	2580	0.1	RMS	2576.675	4.96	30	25.04	Pass	401




13.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.925	-42.52	-25	17.52	Pass	401
2560	2565	1	RMS	2564.988	-38.29	-13	25.29	Pass	401
2565	2569	1	RMS	2569	-29.16	-10	19.16	Pass	5
2569	2570	0.2	RMS	2569.998	-25.06	-10	15.06	Pass	401
2570	2580	0.1	RMS	2570.7	21.26	30	8.74	Pass	401




**13.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:37800,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.96 3	-36.7	-25	11.7	Pass	401
2560	2565	1	RMS	2565	-29.82	-13	16.82	Pass	401
2565	2569	1	RMS	2569	-25.27	-10	15.27	Pass	5
2569	2570	0.2	RMS	2569.99 8	-27.36	-10	17.36	Pass	401
2570	2580	0.1	RMS	2576.45	3.53	30	26.47	Pass	401




13.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.5	21.67	30	8.33	Pass	401
2620	2621	0.1	RMS	2620	-20.46	-10	10.46	Pass	401
2621	2625	1	RMS	2621	-27.75	-10	17.75	Pass	5
2625	2630	1	RMS	2625.075	-39.11	-13	26.11	Pass	401
2630	2645	1	RMS	2630.263	-44.19	-25	19.19	Pass	401




13.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2615.3	4.79	30	25.21	Pass	401
2620	2621	0.2	RMS	2620	-22.96	-10	12.96	Pass	401
2621	2625	1	RMS	2621	-22.93	-10	12.93	Pass	5
2625	2630	1	RMS	2625.1	-29.03	-13	16.03	Pass	401
2630	2645	1	RMS	2630.413	-37.86	-25	12.86	Pass	401




13.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.475	21.04	30	8.96	Pass	401
2620	2621	0.2	RMS	2620.003	-16.03	-10	6.03	Pass	401
2621	2625	1	RMS	2621	-28.72	-10	18.72	Pass	5
2625	2630	1	RMS	2625.075	-39.48	-13	26.48	Pass	401
2630	2645	1	RMS	2630.113	-43.69	-25	18.69	Pass	401




13.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2611.625	3.51	30	26.49	Pass	401
2620	2621	0.2	RMS	2620.008	-24.2	-10	14.2	Pass	401
2621	2625	1	RMS	2621	-25.38	-10	15.38	Pass	5
2625	2630	1	RMS	2625	-30.2	-13	17.2	Pass	401
2630	2645	1	RMS	2630.113	-36.61	-25	11.61	Pass	401




13.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-45.64	-25	20.64	Pass	401
2555	2565	1	RMS	2564.95	-38.28	-13	25.28	Pass	401
2565	2569	1	RMS	2569	-28.56	-10	18.56	Pass	5
2569	2570	0.3	RMS	2569.995	-22.63	-10	12.63	Pass	401
2570	2585	0.1	RMS	2570.938	22.5	30	7.5	Pass	401




13.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2550.75	-38.17	-25	13.17	Pass	401
2555	2565	1	RMS	2563.8	-27.13	-13	14.13	Pass	401
2565	2569	1	RMS	2569	-23.41	-10	13.41	Pass	5
2569	2570	0.3	RMS	2569.933	-25.42	-10	15.42	Pass	401
2570	2585	0.1	RMS	2583.388	2.64	30	27.36	Pass	401




13.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.925	-45.45	-25	20.45	Pass	401
2555	2565	1	RMS	2564.775	-37.84	-13	24.84	Pass	401
2565	2569	1	RMS	2569	-29.5	-10	19.5	Pass	5
2569	2570	0.3	RMS	2569.993	-23.24	-10	13.24	Pass	401
2570	2585	0.1	RMS	2570.938	20.55	30	9.45	Pass	401




13.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-37.87	-25	12.87	Pass	401
2555	2565	1	RMS	2564.95	-28.25	-13	15.25	Pass	401
2565	2569	1	RMS	2569	-25.81	-10	15.81	Pass	5
2569	2570	0.3	RMS	2569.985	-28.04	-10	18.04	Pass	401
2570	2585	0.1	RMS	2577.163	2.22	30	27.78	Pass	401




13.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.213	21.2	30	8.8	Pass	401
2620	2621	0.3	RMS	2620.013	-16.67	-10	6.67	Pass	401
2621	2625	1	RMS	2621	-27.88	-10	17.88	Pass	5
2625	2635	1	RMS	2625.1	-39.17	-13	26.17	Pass	401
2635	2645	1	RMS	2635.15	-46.12	-25	21.12	Pass	401




13.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2609.538	2.59	30	27.41	Pass	401
2620	2621	0.3	RMS	2620.01	-24.69	-10	14.69	Pass	401
2621	2625	1	RMS	2621	-23.34	-10	13.34	Pass	5
2625	2635	1	RMS	2625.275	-28.03	-13	15.03	Pass	401
2635	2645	1	RMS	2635.225	-37.63	-25	12.63	Pass	401




13.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.25	20.69	30	9.31	Pass	401
2620	2621	0.3	RMS	2620	-17.05	-10	7.05	Pass	401
2621	2625	1	RMS	2621	-29.18	-10	19.18	Pass	5
2625	2635	1	RMS	2625.175	-38.44	-13	25.44	Pass	401
2635	2645	1	RMS	2635.325	-46.2	-25	21.2	Pass	401




13.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2606.125	1.7	30	28.3	Pass	401
2620	2621	0.3	RMS	2620.003	-27.23	-10	17.23	Pass	401
2621	2625	1	RMS	2621	-26.04	-10	16.04	Pass	5
2625	2635	1	RMS	2625	-28.47	-13	15.47	Pass	401
2635	2645	1	RMS	2635.15	-37.04	-25	12.04	Pass	401




13.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2545.688	-46.14	-25	21.14	Pass	401
2550	2565	1	RMS	2564.625	-38.44	-13	25.44	Pass	401
2565	2569	1	RMS	2569	-29.08	-10	19.08	Pass	5
2569	2570	0.51	RMS	2569.998	-19.79	-10	9.79	Pass	401
2570	2590	0.1	RMS	2571.2	22.1	30	7.9	Pass	401




13.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2548.163	-40.95	-25	15.95	Pass	401
2550	2565	1	RMS	2564.813	-27.52	-13	14.52	Pass	401
2565	2569	1	RMS	2569	-24.95	-10	14.95	Pass	5
2569	2570	0.51	RMS	2569.993	-24.7	-10	14.7	Pass	401
2570	2590	0.1	RMS	2585.55	2.03	30	27.97	Pass	401




13.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2545.538	-46.61	-25	21.61	Pass	401
2550	2565	1	RMS	2564.925	-39.44	-13	26.44	Pass	401
2565	2569	1	RMS	2569	-29.89	-10	19.89	Pass	5
2569	2570	0.51	RMS	2570	-19.65	-10	9.65	Pass	401
2570	2590	0.1	RMS	2571.15	21.08	30	8.92	Pass	401




13.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.938	-40.5	-25	15.5	Pass	401
2550	2565	1	RMS	2564.963	-29.27	-13	16.27	Pass	401
2565	2569	1	RMS	2569	-26.73	-10	16.73	Pass	5
2569	2570	0.51	RMS	2569.968	-26.87	-10	16.87	Pass	401
2570	2590	0.1	RMS	2586.45	0.96	30	29.04	Pass	401




13.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2619	21.38	30	8.62	Pass	401
2620	2621	0.51	RMS	2620.005	-16.09	-10	6.09	Pass	401
2621	2625	1	RMS	2621	-28.3	-10	18.3	Pass	5
2625	2640	1	RMS	2625.075	-39.56	-13	26.56	Pass	401
2640	2645	1	RMS	2640.013	-47.03	-25	22.03	Pass	401




13.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.8	1.05	30	28.95	Pass	401
2620	2621	0.51	RMS	2620.028	-23.57	-10	13.57	Pass	401
2621	2625	1	RMS	2621	-23.37	-10	13.37	Pass	5
2625	2640	1	RMS	2625.3	-26.34	-13	13.34	Pass	401
2640	2645	1	RMS	2640.85	-38.99	-25	13.99	Pass	401




13.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2619	20.59	30	9.41	Pass	401
2620	2621	0.51	RMS	2620	-16.54	-10	6.54	Pass	401
2621	2625	1	RMS	2621	-29.6	-10	19.6	Pass	5
2625	2640	1	RMS	2625	-39.59	-13	26.59	Pass	401
2640	2645	1	RMS	2644.75	-46.72	-25	21.72	Pass	401



13.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2603.2	0.25	30	29.75	Pass	401
2620	2621	0.51	RMS	2620.013	-25.6	-10	15.6	Pass	401
2621	2625	1	RMS	2621	-25.18	-10	15.18	Pass	5
2625	2640	1	RMS	2625.038	-27.71	-13	14.71	Pass	401
2640	2645	1	RMS	2640.038	-38.31	-25	13.31	Pass	401



14. LTE_Band40(2305-2320)_Part27


14.1 LTE Band Edge(NTNV)(Subtest:1, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.78	-48.19	-40	8.19	Pass	401
2288	2292	1	RMS	2291.45	-47.33	-37	10.33	Pass	401
2292	2296	1	RMS	2295.79	-46.41	-31	15.41	Pass	401
2296	2300	1	RMS	2299.94	-44.16	-25	19.16	Pass	401
2300	2304	1	RMS	2304	-35.23	-13	22.23	Pass	5
2304	2305	0.002	RMS	2304.998	-39.88	-13	26.88	Pass	501
2305	2320	0.1	RMS	2305.375	15	60	45	Pass	401
2320	2321	0.002	RMS	2320.07	-73.1	-25	48.1	Pass	501
2321	2324	1	RMS	2321.173	-47.94	-25	22.94	Pass	401
2324	2328	1	RMS	2324.32	-48.13	-31	17.13	Pass	401
2328	2337	1	RMS	2328.473	-48.54	-37	11.54	Pass	401
2337	2341	1	RMS	2338.37	-48.39	-31	17.39	Pass	401
2341	2345	1	RMS	2344.61	-48.38	-25	23.38	Pass	401
2345	2360	1	RMS	2345.9	-48.59	-13	35.59	Pass	401
2360	2365	1	RMS	2364.3	-48.61	-13	35.61	Pass	401
2365	2395	1	RMS	2393.125	-48.48	-40	8.48	Pass	401




14.2 LTE Band Edge(NTNV)(Subtest:2, Channel:38725, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.12	-48.17	-40	8.17	Pass	401
2288	2292	1	RMS	2291.8	-47.37	-37	10.37	Pass	401
2292	2296	1	RMS	2295.62	-46.1	-31	15.1	Pass	401
2296	2300	1	RMS	2299.75	-43.07	-25	18.07	Pass	401
2300	2304	1	RMS	2304	-29.65	-13	16.65	Pass	5
2304	2305	0.051	RMS	2304.993	-31.61	-13	18.61	Pass	401
2305	2320	0.1	RMS	2306.5	0.77	60	59.23	Pass	401
2320	2321	0.051	RMS	2320.293	-59.8	-25	34.8	Pass	401
2321	2324	1	RMS	2321	-48.28	-25	23.28	Pass	4
2324	2328	1	RMS	2324.01	-47.83	-31	16.83	Pass	401
2328	2337	1	RMS	2328.225	-48.49	-37	11.49	Pass	401
2337	2341	1	RMS	2339.79	-48.41	-31	17.41	Pass	401
2341	2345	1	RMS	2342.79	-48.4	-25	23.4	Pass	401
2345	2360	1	RMS	2351.975	-48.59	-13	35.59	Pass	401
2360	2365	1	RMS	2364.863	-48.6	-13	35.6	Pass	401
2365	2395	1	RMS	2389.825	-48.47	-40	8.47	Pass	401




14.3 LTE Band Edge(NTNV)(Subtest:3, Channel:38725, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.34	-48.26	-40	8.26	Pass	401
2288	2292	1	RMS	2291.31	-47.31	-37	10.31	Pass	401
2292	2296	1	RMS	2295.91	-46.54	-31	15.54	Pass	401
2296	2300	1	RMS	2299.98	-44.65	-25	19.65	Pass	401
2300	2304	1	RMS	2304	-36.17	-13	23.17	Pass	5
2304	2305	0.002	RMS	2305	-40.93	-13	27.93	Pass	501
2305	2320	0.1	RMS	2305.3	13.97	60	46.03	Pass	401
2320	2321	0.002	RMS	2320.816	-73.57	-25	48.57	Pass	501
2321	2324	1	RMS	2321.008	-47.94	-25	22.94	Pass	401
2324	2328	1	RMS	2324.68	-48.22	-31	17.22	Pass	401
2328	2337	1	RMS	2328.54	-48.59	-37	11.59	Pass	401
2337	2341	1	RMS	2340.71	-48.38	-31	17.38	Pass	401
2341	2345	1	RMS	2343.36	-48.4	-25	23.4	Pass	401
2345	2360	1	RMS	2347.775	-48.58	-13	35.58	Pass	401
2360	2365	1	RMS	2363.963	-48.59	-13	35.59	Pass	401
2365	2395	1	RMS	2391.475	-48.44	-40	8.44	Pass	401




14.4 LTE Band Edge(NTNV)(Subtest:4, Channel:38725, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-48.27	-40	8.27	Pass	401
2288	2292	1	RMS	2291.57	-47.37	-37	10.37	Pass	401
2292	2296	1	RMS	2295.86	-46.31	-31	15.31	Pass	401
2296	2300	1	RMS	2299.77	-43.01	-25	18.01	Pass	401
2300	2304	1	RMS	2304	-30.65	-13	17.65	Pass	5
2304	2305	0.051	RMS	2304.995	-32.62	-13	19.62	Pass	401
2305	2320	0.1	RMS	2307.625	-0.1	60	60.1	Pass	401
2320	2321	0.051	RMS	2320.16	-60.07	-25	35.07	Pass	401
2321	2324	1	RMS	2321	-48.42	-25	23.42	Pass	4
2324	2328	1	RMS	2324.11	-47.93	-31	16.93	Pass	401
2328	2337	1	RMS	2328.36	-48.5	-37	11.5	Pass	401
2337	2341	1	RMS	2340.57	-48.42	-31	17.42	Pass	401
2341	2345	1	RMS	2343.75	-48.42	-25	23.42	Pass	401
2345	2360	1	RMS	2351.6	-48.6	-13	35.6	Pass	401
2360	2365	1	RMS	2363.6	-48.59	-13	35.59	Pass	401
2365	2395	1	RMS	2390.2	-48.47	-40	8.47	Pass	401




14.5 LTE Band Edge(NTNV)(Subtest:5, Channel:38825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2286.24	-48.59	-40	8.59	Pass	401
2288	2292	1	RMS	2290.38	-48.36	-37	11.36	Pass	401
2292	2296	1	RMS	2295.36	-48.25	-31	17.25	Pass	401
2296	2300	1	RMS	2299.93	-48.02	-25	23.02	Pass	401
2300	2304	1	RMS	2303.98	-47.55	-13	34.55	Pass	401
2304	2305	0.002	RMS	2304.79	-72.66	-13	59.66	Pass	501
2305	2320	0.1	RMS	2319.625	14.92	60	45.08	Pass	401
2320	2321	0.002	RMS	2320	-38.7	-25	13.7	Pass	501
2321	2324	1	RMS	2321	-34.87	-25	9.87	Pass	4
2324	2328	1	RMS	2324.14	-42.2	-31	11.2	Pass	401
2328	2337	1	RMS	2328.18	-46.44	-37	9.44	Pass	401
2337	2341	1	RMS	2337.2	-47.89	-31	16.89	Pass	401
2341	2345	1	RMS	2341.09	-48.19	-25	23.19	Pass	401
2345	2360	1	RMS	2345.263	-48.5	-13	35.5	Pass	401
2360	2365	1	RMS	2364.238	-48.56	-13	35.56	Pass	401
2365	2395	1	RMS	2391.325	-48.44	-40	8.44	Pass	401




14.6 LTE Band Edge(NTNV)(Subtest:6, Channel:38825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2282.5	-48.57	-40	8.57	Pass	401
2288	2292	1	RMS	2291.96	-48.36	-37	11.36	Pass	401
2292	2296	1	RMS	2294.71	-48.14	-31	17.14	Pass	401
2296	2300	1	RMS	2299.65	-47.64	-25	22.64	Pass	401
2300	2304	1	RMS	2304	-47.88	-13	34.88	Pass	5
2304	2305	0.051	RMS	2304.918	-59.43	-13	46.43	Pass	401
2305	2320	0.1	RMS	2318.125	0.69	60	59.31	Pass	401
2320	2321	0.05	RMS	2320	-33.84	-25	8.84	Pass	21
2321	2324	1	RMS	2321	-31.57	-25	6.57	Pass	4
2324	2328	1	RMS	2324	-38.05	-31	7.05	Pass	5
2328	2337	1	RMS	2328	-45.93	-37	8.93	Pass	10
2337	2341	1	RMS	2337.21	-48.12	-31	17.12	Pass	401
2341	2345	1	RMS	2342.3	-48.3	-25	23.3	Pass	401
2345	2360	1	RMS	2357.413	-48.58	-13	35.58	Pass	401
2360	2365	1	RMS	2363.3	-48.57	-13	35.57	Pass	401
2365	2395	1	RMS	2386.6	-48.47	-40	8.47	Pass	401




14.7 LTE Band Edge(NTNV)(Subtest:7, Channel:38825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.56	-48.57	-40	8.57	Pass	401
2288	2292	1	RMS	2291.64	-48.36	-37	11.36	Pass	401
2292	2296	1	RMS	2295.81	-48.3	-31	17.3	Pass	401
2296	2300	1	RMS	2299.07	-48.08	-25	23.08	Pass	401
2300	2304	1	RMS	2303.92	-47.61	-13	34.61	Pass	401
2304	2305	0.002	RMS	2304.904	-72.32	-13	59.32	Pass	501
2305	2320	0.1	RMS	2319.663	14.07	60	45.93	Pass	401
2320	2321	0.002	RMS	2320	-41.06	-25	16.06	Pass	501
2321	2324	1	RMS	2321	-35.71	-25	10.71	Pass	4
2324	2328	1	RMS	2324	-44.86	-31	13.86	Pass	5
2328	2337	1	RMS	2328	-47.43	-37	10.43	Pass	10
2337	2341	1	RMS	2337.01	-47.85	-31	16.85	Pass	401
2341	2345	1	RMS	2341.35	-48.18	-25	23.18	Pass	401
2345	2360	1	RMS	2345.488	-48.48	-13	35.48	Pass	401
2360	2365	1	RMS	2361.85	-48.5	-13	35.5	Pass	401
2365	2395	1	RMS	2388.55	-48.39	-40	8.39	Pass	401




14.8 LTE Band Edge(NTNV)(Subtest:8, Channel:38825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.12	-48.54	-40	8.54	Pass	401
2288	2292	1	RMS	2288.77	-48.35	-37	11.35	Pass	401
2292	2296	1	RMS	2295.55	-48.16	-31	17.16	Pass	401
2296	2300	1	RMS	2298.81	-47.63	-25	22.63	Pass	401
2300	2304	1	RMS	2304	-48.11	-13	35.11	Pass	5
2304	2305	0.051	RMS	2304.918	-58.92	-13	45.92	Pass	401
2305	2320	0.1	RMS	2316.888	-0.17	60	60.17	Pass	401
2320	2321	0.05	RMS	2320	-34.24	-25	9.24	Pass	21
2321	2324	1	RMS	2321	-31.97	-25	6.97	Pass	4
2324	2328	1	RMS	2324	-40.04	-31	9.04	Pass	5
2328	2337	1	RMS	2328	-46.88	-37	9.88	Pass	10
2337	2341	1	RMS	2337.11	-47.98	-31	16.98	Pass	401
2341	2345	1	RMS	2341.53	-48.29	-25	23.29	Pass	401
2345	2360	1	RMS	2348.638	-48.53	-13	35.53	Pass	401
2360	2365	1	RMS	2363.238	-48.53	-13	35.53	Pass	401
2365	2395	1	RMS	2388.625	-48.4	-40	8.4	Pass	401




14.9 LTE Band Edge(NTNV)(Subtest:9, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-48.49	-40	8.49	Pass	89
2288	2292	1	RMS	2292	-48.12	-37	11.12	Pass	5
2292	2296	1	RMS	2295.96	-46.29	-31	15.29	Pass	401
2296	2300	1	RMS	2299.85	-44.63	-25	19.63	Pass	401
2300	2304	1	RMS	2304	-36.43	-13	23.43	Pass	5
2304	2305	0.002	RMS	2304.998	-50.62	-13	37.62	Pass	501
2305	2320	0.1	RMS	2305.6	15.11	60	44.89	Pass	401
2320	2321	0.002	RMS	2320.668	-73.09	-25	48.09	Pass	501
2321	2324	1	RMS	2321	-48.57	-25	23.57	Pass	4
2324	2328	1	RMS	2324	-48.7	-31	17.7	Pass	5
2328	2337	1	RMS	2334	-48.93	-37	11.93	Pass	10
2337	2341	1	RMS	2339.86	-48.29	-31	17.29	Pass	401
2341	2345	1	RMS	2343.2	-48.32	-25	23.32	Pass	401
2345	2360	1	RMS	2357	-48.51	-13	35.51	Pass	401
2360	2365	1	RMS	2362.713	-48.51	-13	35.51	Pass	401
2365	2395	1	RMS	2381.95	-48.4	-40	8.4	Pass	401




14.10 LTE Band Edge(NTNV)(Subtest:10, Channel:38750, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-47.76	-40	7.76	Pass	401
2288	2292	1	RMS	2291.51	-45.79	-37	8.79	Pass	401
2292	2296	1	RMS	2295.99	-44.71	-31	13.71	Pass	401
2296	2300	1	RMS	2299.99	-36.04	-25	11.04	Pass	401
2300	2304	1	RMS	2304	-31.94	-13	18.94	Pass	5
2304	2305	0.1	RMS	2304.98	-35.34	-13	22.34	Pass	401
2305	2320	0.1	RMS	2310.213	-2.12	60	62.12	Pass	401
2320	2321	0.1	RMS	2320.233	-46.05	-25	21.05	Pass	401
2321	2324	1	RMS	2321	-38.82	-25	13.82	Pass	4
2324	2328	1	RMS	2324	-46.78	-31	15.78	Pass	5
2328	2337	1	RMS	2328	-46.8	-37	9.8	Pass	10
2337	2341	1	RMS	2337.01	-48.19	-31	17.19	Pass	401
2341	2345	1	RMS	2341.85	-48.3	-25	23.3	Pass	401
2345	2360	1	RMS	2356.288	-48.53	-13	35.53	Pass	401
2360	2365	1	RMS	2360.7	-48.54	-13	35.54	Pass	401
2365	2395	1	RMS	2393.575	-48.36	-40	8.36	Pass	401




14.11 LTE Band Edge(NTNV)(Subtest:11, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.56	-48.13	-40	8.13	Pass	401
2288	2292	1	RMS	2291.86	-47.25	-37	10.25	Pass	401
2292	2296	1	RMS	2295.65	-46.29	-31	15.29	Pass	401
2296	2300	1	RMS	2300	-44.43	-25	19.43	Pass	401
2300	2304	1	RMS	2304	-37.21	-13	24.21	Pass	5
2304	2305	0.002	RMS	2305	-50.4	-13	37.4	Pass	501
2305	2320	0.1	RMS	2305.6	13.84	60	46.16	Pass	401
2320	2321	0.002	RMS	2320.414	-72.84	-25	47.84	Pass	501
2321	2324	1	RMS	2321.645	-47.7	-25	22.7	Pass	401
2324	2328	1	RMS	2324.02	-48.05	-31	17.05	Pass	401
2328	2337	1	RMS	2332.073	-48.48	-37	11.48	Pass	401
2337	2341	1	RMS	2337.53	-48.3	-31	17.3	Pass	401
2341	2345	1	RMS	2341.31	-48.31	-25	23.31	Pass	401
2345	2360	1	RMS	2353.175	-48.5	-13	35.5	Pass	401
2360	2365	1	RMS	2364.65	-48.52	-13	35.52	Pass	401
2365	2395	1	RMS	2388.475	-48.4	-40	8.4	Pass	401




14.12 LTE Band Edge(NTNV)(Subtest:12, Channel:38750, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-48.06	-40	8.06	Pass	401
2288	2292	1	RMS	2291.73	-46.45	-37	9.45	Pass	401
2292	2296	1	RMS	2295.87	-44.28	-31	13.28	Pass	401
2296	2300	1	RMS	2299.99	-37.52	-25	12.52	Pass	401
2300	2304	1	RMS	2304	-32.87	-13	19.87	Pass	5
2304	2305	0.1	RMS	2304.983	-37.15	-13	24.15	Pass	401
2305	2320	0.1	RMS	2308.113	-3.15	60	63.15	Pass	401
2320	2321	0.1	RMS	2320.143	-47.43	-25	22.43	Pass	401
2321	2324	1	RMS	2321	-40.2	-25	15.2	Pass	4
2324	2328	1	RMS	2324	-44.8	-31	13.8	Pass	401
2328	2337	1	RMS	2328.248	-46.63	-37	9.63	Pass	401
2337	2341	1	RMS	2338.52	-48.26	-31	17.26	Pass	401
2341	2345	1	RMS	2342.73	-48.29	-25	23.29	Pass	401
2345	2360	1	RMS	2350.738	-48.52	-13	35.52	Pass	401
2360	2365	1	RMS	2363.913	-48.53	-13	35.53	Pass	401
2365	2395	1	RMS	2394.175	-48.36	-40	8.36	Pass	401




14.13 LTE Band Edge(NTNV)(Subtest:13, Channel:38800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2284.7	-48.52	-40	8.52	Pass	401
2288	2292	1	RMS	2291.28	-48.28	-37	11.28	Pass	401
2292	2296	1	RMS	2294.73	-48.17	-31	17.17	Pass	401
2296	2300	1	RMS	2299.54	-47.9	-25	22.9	Pass	401
2300	2304	1	RMS	2303.89	-47.4	-13	34.4	Pass	401
2304	2305	0.002	RMS	2304.798	-72.86	-13	59.86	Pass	501
2305	2320	0.1	RMS	2319.438	14.6	60	45.4	Pass	401
2320	2321	0.002	RMS	2320	-48.43	-25	23.43	Pass	501
2321	2324	1	RMS	2321	-36.08	-25	11.08	Pass	4
2324	2328	1	RMS	2324.03	-43.29	-31	12.29	Pass	401
2328	2337	1	RMS	2328	-46.95	-37	9.95	Pass	10
2337	2341	1	RMS	2337.18	-47.78	-31	16.78	Pass	401
2341	2345	1	RMS	2341.17	-48.13	-25	23.13	Pass	401
2345	2360	1	RMS	2345.6	-48.41	-13	35.41	Pass	401
2360	2365	1	RMS	2364.475	-48.5	-13	35.5	Pass	401
2365	2395	1	RMS	2388.85	-48.37	-40	8.37	Pass	401




14.14 LTE Band Edge(NTNV)(Subtest:14, Channel:38800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2286.9	-48.44	-40	8.44	Pass	401
2288	2292	1	RMS	2291.89	-48.02	-37	11.02	Pass	401
2292	2296	1	RMS	2295.93	-45.88	-31	14.88	Pass	401
2296	2300	1	RMS	2299.5	-44.96	-25	19.96	Pass	401
2300	2304	1	RMS	2304	-38.18	-13	25.18	Pass	5
2304	2305	0.1	RMS	2304.713	-46.18	-13	33.18	Pass	401
2305	2320	0.1	RMS	2315.125	-2.4	60	62.4	Pass	401
2320	2321	0.1	RMS	2320	-37.3	-25	12.3	Pass	11
2321	2324	1	RMS	2321	-33.19	-25	8.19	Pass	4
2324	2328	1	RMS	2324	-36.02	-31	5.02	Pass	5
2328	2337	1	RMS	2328	-39.88	-37	2.88	Pass*	10
2337	2341	1	RMS	2337.04	-47.67	-31	16.67	Pass	401
2341	2345	1	RMS	2341.02	-48.14	-25	23.14	Pass	401
2345	2360	1	RMS	2354.375	-48.48	-13	35.48	Pass	401
2360	2365	1	RMS	2361.063	-48.51	-13	35.51	Pass	401
2365	2395	1	RMS	2389.825	-48.37	-40	8.37	Pass	401




14.15 LTE Band Edge(NTNV)(Subtest:15, Channel:38800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.78	-48.49	-40	8.49	Pass	401
2288	2292	1	RMS	2291.94	-48.3	-37	11.3	Pass	401
2292	2296	1	RMS	2295.72	-48.21	-31	17.21	Pass	401
2296	2300	1	RMS	2299.89	-47.97	-25	22.97	Pass	401
2300	2304	1	RMS	2301.92	-47.4	-13	34.4	Pass	401
2304	2305	0.002	RMS	2304.904	-72.84	-13	59.84	Pass	501
2305	2320	0.1	RMS	2319.4	13.29	60	46.71	Pass	401
2320	2321	0.002	RMS	2320.002	-50.73	-25	25.73	Pass	501
2321	2324	1	RMS	2321	-37.05	-25	12.05	Pass	4
2324	2328	1	RMS	2324.15	-43.35	-31	12.35	Pass	401
2328	2337	1	RMS	2328.405	-46.45	-37	9.45	Pass	401
2337	2341	1	RMS	2337.25	-47.77	-31	16.77	Pass	401
2341	2345	1	RMS	2341.04	-48.09	-25	23.09	Pass	401
2345	2360	1	RMS	2347.063	-48.45	-13	35.45	Pass	401
2360	2365	1	RMS	2364.025	-48.49	-13	35.49	Pass	401
2365	2395	1	RMS	2391.175	-48.36	-40	8.36	Pass	401




14.16 LTE Band Edge(NTNV)(Subtest:16, Channel:38800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-48.45	-40	8.45	Pass	401
2288	2292	1	RMS	2291.94	-47.93	-37	10.93	Pass	401
2292	2296	1	RMS	2295.97	-46.7	-31	15.7	Pass	401
2296	2300	1	RMS	2300	-44.7	-25	19.7	Pass	401
2300	2304	1	RMS	2304	-39.51	-13	26.51	Pass	5
2304	2305	0.1	RMS	2304.728	-47.34	-13	34.34	Pass	401
2305	2320	0.1	RMS	2314.975	-2.99	60	62.99	Pass	401
2320	2321	0.1	RMS	2320.008	-36.86	-25	11.86	Pass	401
2321	2324	1	RMS	2321	-34.14	-25	9.14	Pass	4
2324	2328	1	RMS	2324	-36.74	-31	5.74	Pass	5
2328	2337	1	RMS	2328	-42.6	-37	5.6	Pass	10
2337	2341	1	RMS	2337	-48.54	-31	17.54	Pass	5
2341	2345	1	RMS	2341.68	-48.25	-25	23.25	Pass	401
2345	2360	1	RMS	2345.188	-48.51	-13	35.51	Pass	401
2360	2365	1	RMS	2364.388	-48.5	-13	35.5	Pass	401
2365	2395	1	RMS	2391.1	-48.39	-40	8.39	Pass	401




14.17 LTE Band Edge(NTNV)(Subtest:17, Channel:38775, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-48.04	-40	8.04	Pass	401
2288	2292	1	RMS	2292	-47	-37	10	Pass	401
2292	2296	1	RMS	2295.8	-46.23	-31	15.23	Pass	401
2296	2300	1	RMS	2299.86	-44.61	-25	19.61	Pass	401
2300	2304	1	RMS	2304	-36.48	-13	23.48	Pass	5
2304	2305	0.002	RMS	2304.98	-50	-13	37	Pass	501
2305	2320	0.1	RMS	2305.825	15.17	60	44.83	Pass	401
2320	2321	0.002	RMS	2320.256	-72.46	-25	47.46	Pass	501
2321	2324	1	RMS	2321.248	-46.3	-25	21.3	Pass	401
2324	2328	1	RMS	2327.96	-47.73	-31	16.73	Pass	401
2328	2337	1	RMS	2328.743	-47.66	-37	10.66	Pass	401
2337	2341	1	RMS	2337.46	-48.28	-31	17.28	Pass	401
2341	2345	1	RMS	2344.41	-48.29	-25	23.29	Pass	401
2345	2360	1	RMS	2352.238	-48.5	-13	35.5	Pass	401
2360	2365	1	RMS	2362.95	-48.49	-13	35.49	Pass	401
2365	2395	1	RMS	2392.375	-48.38	-40	8.38	Pass	401




14.18 LTE Band Edge(NTNV)(Subtest:18, Channel:38775, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2286.9	-46.53	-40	6.53	Pass	401
2288	2292	1	RMS	2291.99	-43.74	-37	6.74	Pass	401
2292	2296	1	RMS	2296	-40.14	-31	9.14	Pass	5
2296	2300	1	RMS	2299.93	-36.69	-25	11.69	Pass	401
2300	2304	1	RMS	2303	-33.1	-13	20.1	Pass	5
2304	2305	0.15	RMS	2304.998	-36.41	-13	23.41	Pass	401
2305	2320	0.1	RMS	2306.238	-4.23	60	64.23	Pass	401
2320	2321	0.15	RMS	2320	-38.35	-25	13.35	Pass	8
2321	2324	1	RMS	2322	-33.61	-25	8.61	Pass	4
2324	2328	1	RMS	2324	-36.08	-31	5.08	Pass	5
2328	2337	1	RMS	2328	-38.25	-37	1.25	Pass*	10
2337	2341	1	RMS	2339.35	-45.76	-31	14.76	Pass	401
2341	2345	1	RMS	2341.5	-46.04	-25	21.04	Pass	401
2345	2360	1	RMS	2345.038	-47.91	-13	34.91	Pass	401
2360	2365	1	RMS	2363.425	-48.49	-13	35.49	Pass	401
2365	2395	1	RMS	2391.175	-48.4	-40	8.4	Pass	401




14.19 LTE Band Edge(NTNV)(Subtest:19, Channel:38775, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.56	-47.97	-40	7.97	Pass	401
2288	2292	1	RMS	2291.28	-47.15	-37	10.15	Pass	401
2292	2296	1	RMS	2295.47	-45.99	-31	14.99	Pass	401
2296	2300	1	RMS	2299.51	-44.47	-25	19.47	Pass	401
2300	2304	1	RMS	2304	-37.21	-13	24.21	Pass	5
2304	2305	0.002	RMS	2304.984	-49.98	-13	36.98	Pass	501
2305	2320	0.1	RMS	2305.863	14.24	60	45.76	Pass	401
2320	2321	0.002	RMS	2320.476	-72.73	-25	47.73	Pass	501
2321	2324	1	RMS	2321.225	-46.54	-25	21.54	Pass	401
2324	2328	1	RMS	2327.53	-47.67	-31	16.67	Pass	401
2328	2337	1	RMS	2329.238	-46.8	-37	9.8	Pass	401
2337	2341	1	RMS	2337.95	-48.26	-31	17.26	Pass	401
2341	2345	1	RMS	2344.5	-48.31	-25	23.31	Pass	401
2345	2360	1	RMS	2351.3	-48.51	-13	35.51	Pass	401
2360	2365	1	RMS	2363.625	-48.51	-13	35.51	Pass	401
2365	2395	1	RMS	2392.75	-48.4	-40	8.4	Pass	401




14.20 LTE Band Edge(NTNV)(Subtest:20, Channel:38775, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-46.6	-40	6.6	Pass	401
2288	2292	1	RMS	2291.93	-44.88	-37	7.88	Pass	401
2292	2296	1	RMS	2295.91	-40.62	-31	9.62	Pass	401
2296	2300	1	RMS	2299.98	-37.22	-25	12.22	Pass	401
2300	2304	1	RMS	2304	-34.37	-13	21.37	Pass	5
2304	2305	0.15	RMS	2305	-38.75	-13	25.75	Pass	401
2305	2320	0.1	RMS	2306.8	-5.46	60	65.46	Pass	401
2320	2321	0.15	RMS	2320	-40.36	-25	15.36	Pass	8
2321	2324	1	RMS	2321	-35.01	-25	10.01	Pass	4
2324	2328	1	RMS	2324	-37.42	-31	6.42	Pass	5
2328	2337	1	RMS	2328	-39.89	-37	2.89	Pass*	10
2337	2341	1	RMS	2337.28	-46.39	-31	15.39	Pass	401
2341	2345	1	RMS	2341.02	-47.2	-25	22.2	Pass	401
2345	2360	1	RMS	2345.113	-48.23	-13	35.23	Pass	401
2360	2365	1	RMS	2363.375	-48.53	-13	35.53	Pass	401
2365	2395	1	RMS	2390.2	-48.38	-40	8.38	Pass	401



14.21 LTE Band Edge(NTNV)(Subtest:21, Channel:38775, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2285.8	-48.48	-40	8.48	Pass	401
2288	2292	1	RMS	2291.96	-48.13	-37	11.13	Pass	401
2292	2296	1	RMS	2295.91	-47.65	-31	16.65	Pass	401
2296	2300	1	RMS	2296.15	-47.68	-25	22.68	Pass	401
2300	2304	1	RMS	2303.93	-45.83	-13	32.83	Pass	401
2304	2305	0.002	RMS	2304.524	-72.44	-13	59.44	Pass	501
2305	2320	0.1	RMS	2319.138	14.87	60	45.13	Pass	401
2320	2321	0.002	RMS	2320.002	-50.06	-25	25.06	Pass	501
2321	2324	1	RMS	2321	-36.3	-25	11.3	Pass	4
2324	2328	1	RMS	2324.04	-43.42	-31	12.42	Pass	401
2328	2337	1	RMS	2328.203	-46.25	-37	9.25	Pass	401
2337	2341	1	RMS	2337.1	-47.77	-31	16.77	Pass	401
2341	2345	1	RMS	2341.03	-48.11	-25	23.11	Pass	401
2345	2360	1	RMS	2347.963	-48.42	-13	35.42	Pass	401
2360	2365	1	RMS	2362.513	-48.49	-13	35.49	Pass	401
2365	2395	1	RMS	2394.325	-48.36	-40	8.36	Pass	401




14.22 LTE Band Edge(NTNV)(Subtest:22, Channel:38775, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2292	2296	1	RMS	2295.89	-38.91	-31	7.91	Pass	401
2320	2321	0.15	RMS	2320	-37.31	-25	12.31	Pass	401
2324	2328	1	RMS	2324.01	-35.85	-31	4.85	Pass	401
2328	2337	1	RMS	2328.045	-38.62	-37	1.62	Pass*	401




14.23 LTE Band Edge(NTNV)(Subtest:23, Channel:38775, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2286.02	-48.45	-40	8.45	Pass	401
2288	2292	1	RMS	2291.98	-48.1	-37	11.1	Pass	401
2292	2296	1	RMS	2295.48	-47.16	-31	16.16	Pass	401
2296	2300	1	RMS	2296.51	-47.56	-25	22.56	Pass	401
2300	2304	1	RMS	2303.85	-46.03	-13	33.03	Pass	401
2304	2305	0.002	RMS	2304.002	-71.79	-13	58.79	Pass	501
2305	2320	0.1	RMS	2319.175	14.29	60	45.71	Pass	401
2320	2321	0.002	RMS	2320.028	-49.48	-25	24.48	Pass	501
2321	2324	1	RMS	2321	-37.01	-25	12.01	Pass	4
2324	2328	1	RMS	2324.01	-43.23	-31	12.23	Pass	401
2328	2337	1	RMS	2328.383	-46.18	-37	9.18	Pass	401
2337	2341	1	RMS	2337.22	-47.6	-31	16.6	Pass	401
2341	2345	1	RMS	2341.56	-48.12	-25	23.12	Pass	401
2345	2360	1	RMS	2345	-48.41	-13	35.41	Pass	401
2360	2365	1	RMS	2364.25	-48.5	-13	35.5	Pass	401
2365	2395	1	RMS	2392.9	-48.35	-40	8.35	Pass	401



14.24 LTE Band Edge(NTNV)(Subtest:24, Channel:38775, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2320	2321	0.15	RMS	2320	-39.54	-25	14.54	Pass	401
2324	2328	1	RMS	2324.04	-36.88	-31	5.88	Pass	401
2328	2337	1	RMS	2328.023	-39.01	-37	2.01	Pass*	401



15. LTE_Band40(2345-2360)_Part27


15.1 LTE Band Edge(NTNV)(Subtest:1, Channel:39125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2267.1	-48.53	-40	8.53	Pass	401
2288	2292	1	RMS	2291.47	-48.35	-37	11.35	Pass	401
2292	2296	1	RMS	2293.16	-48.33	-31	17.33	Pass	401
2296	2300	1	RMS	2297.68	-48.35	-25	23.35	Pass	401
2300	2305	1	RMS	2302.738	-48.45	-13	35.45	Pass	401
2305	2320	1	RMS	2311.563	-48.42	-13	35.42	Pass	401
2320	2324	1	RMS	2324	-48.23	-25	23.23	Pass	401
2324	2328	1	RMS	2327.53	-48	-31	17	Pass	401
2328	2337	1	RMS	2337	-47.27	-37	10.27	Pass	10
2337	2341	1	RMS	2341	-44.56	-31	13.56	Pass	5
2341	2344	1	RMS	2344	-35.11	-25	10.11	Pass	4
2344	2345	0.002	RMS	2344.998	-40	-25	15	Pass	501
2345	2360	0.1	RMS	2345.338	14.4	60	45.6	Pass	401
2360	2361	0.002	RMS	2360.63	-73.03	-13	60.03	Pass	501
2361	2365	1	RMS	2361.11	-47.94	-13	34.94	Pass	401
2365	2395	1	RMS	2394.325	-48.37	-40	8.37	Pass	401




15.2 LTE Band Edge(NTNV)(Subtest:2, Channel:39125, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2286.9	-48.56	-40	8.56	Pass	401
2288	2292	1	RMS	2290.09	-48.36	-37	11.36	Pass	401
2292	2296	1	RMS	2294.38	-48.36	-31	17.36	Pass	401
2296	2300	1	RMS	2298.68	-48.37	-25	23.37	Pass	401
2300	2305	1	RMS	2303.038	-48.5	-13	35.5	Pass	401
2305	2320	1	RMS	2310.363	-48.45	-13	35.45	Pass	401
2320	2324	1	RMS	2323.34	-48.28	-25	23.28	Pass	401
2324	2328	1	RMS	2327.93	-48.11	-31	17.11	Pass	401
2328	2337	1	RMS	2337	-47.47	-37	10.47	Pass	10
2337	2341	1	RMS	2341	-42.67	-31	11.67	Pass	5
2341	2344	1	RMS	2344	-33.09	-25	8.09	Pass	4
2344	2345	0.051	RMS	2345	-32.71	-25	7.71	Pass	401
2345	2360	0.1	RMS	2347.325	0.24	60	59.76	Pass	401
2360	2361	0.1	RMS	2360.028	-57.31	-13	44.31	Pass	401
2361	2365	1	RMS	2361	-48.42	-13	35.42	Pass	5
2365	2395	1	RMS	2365.375	-48.27	-40	8.27	Pass	401




15.3 LTE Band Edge(NTNV)(Subtest:3, Channel:39125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.34	-48.53	-40	8.53	Pass	401
2288	2292	1	RMS	2289.97	-48.35	-37	11.35	Pass	401
2292	2296	1	RMS	2295.24	-48.34	-31	17.34	Pass	401
2296	2300	1	RMS	2298.68	-48.35	-25	23.35	Pass	401
2300	2305	1	RMS	2304.988	-48.46	-13	35.46	Pass	401
2305	2320	1	RMS	2313.288	-48.43	-13	35.43	Pass	401
2320	2324	1	RMS	2323.3	-48.22	-25	23.22	Pass	401
2324	2328	1	RMS	2326.78	-48.06	-31	17.06	Pass	401
2328	2337	1	RMS	2337	-47.65	-37	10.65	Pass	10
2337	2341	1	RMS	2341	-45.01	-31	14.01	Pass	5
2341	2344	1	RMS	2344	-36.28	-25	11.28	Pass	4
2344	2345	0.002	RMS	2345	-41.51	-25	16.51	Pass	501
2345	2360	0.1	RMS	2345.338	14.09	60	45.91	Pass	401
2360	2361	0.01	RMS	2360.01	-67.34	-13	54.34	Pass	401
2361	2365	1	RMS	2361.06	-47.96	-13	34.96	Pass	401
2365	2395	1	RMS	2394.25	-48.38	-40	8.38	Pass	401



15.4 LTE Band Edge(NTNV)(Subtest:4, Channel:39125, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2286.9	-48.52	-40	8.52	Pass	401
2288	2292	1	RMS	2288.51	-48.37	-37	11.37	Pass	401
2292	2296	1	RMS	2293.5	-48.33	-31	17.33	Pass	401
2296	2300	1	RMS	2299.6	-48.34	-25	23.34	Pass	401
2300	2305	1	RMS	2304.688	-48.5	-13	35.5	Pass	401
2305	2320	1	RMS	2310.4	-48.43	-13	35.43	Pass	401
2320	2324	1	RMS	2323.66	-48.31	-25	23.31	Pass	401
2324	2328	1	RMS	2327.56	-48.18	-31	17.18	Pass	401
2328	2337	1	RMS	2337	-47.91	-37	10.91	Pass	10
2337	2341	1	RMS	2341	-44.33	-31	13.33	Pass	5
2341	2344	1	RMS	2344	-33.82	-25	8.82	Pass	4
2344	2345	0.051	RMS	2344.99	-33.65	-25	8.65	Pass	401
2345	2360	0.1	RMS	2347.588	-0.05	60	60.05	Pass	401
2360	2361	0.1	RMS	2360.313	-57.55	-13	44.55	Pass	401
2361	2365	1	RMS	2361	-48.47	-13	35.47	Pass	5
2365	2395	1	RMS	2392.525	-48.36	-40	8.36	Pass	401



15.5 LTE Band Edge(NTNV)(Subtest:5, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2270.62	-48.48	-40	8.48	Pass	401
2288	2292	1	RMS	2290.14	-48.34	-37	11.34	Pass	401
2292	2296	1	RMS	2292.24	-48.33	-31	17.33	Pass	401
2296	2300	1	RMS	2297.48	-48.35	-25	23.35	Pass	401
2300	2305	1	RMS	2304.5	-48.45	-13	35.45	Pass	401
2305	2320	1	RMS	2310.588	-48.41	-13	35.41	Pass	401
2320	2324	1	RMS	2323.4	-48.3	-25	23.3	Pass	401
2324	2328	1	RMS	2325.87	-48.31	-31	17.31	Pass	401
2328	2337	1	RMS	2336.798	-48.4	-37	11.4	Pass	401
2337	2341	1	RMS	2340.81	-47.85	-31	16.85	Pass	401
2341	2344	1	RMS	2343.753	-47.38	-25	22.38	Pass	401
2344	2345	0.01	RMS	2344.473	-67.03	-25	42.03	Pass	401
2345	2360	0.1	RMS	2359.625	14.91	60	45.09	Pass	401
2360	2361	0.01	RMS	2360.003	-35.57	-13	22.57	Pass	401
2361	2365	1	RMS	2361	-34.87	-13	21.87	Pass	5
2365	2395	1	RMS	2365	-46.04	-40	6.04	Pass	31

