



15.6 LTE Band Edge(NTNV)(Subtest:6, Channel:39225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2271.28	-48.53	-40	8.53	Pass	401
2288	2292	1	RMS	2291.03	-48.35	-37	11.35	Pass	401
2292	2296	1	RMS	2293.78	-48.34	-31	17.34	Pass	401
2296	2300	1	RMS	2297.26	-48.35	-25	23.35	Pass	401
2300	2305	1	RMS	2303.475	-48.46	-13	35.46	Pass	401
2305	2320	1	RMS	2309.763	-48.45	-13	35.45	Pass	401
2320	2324	1	RMS	2321.5	-48.3	-25	23.3	Pass	401
2324	2328	1	RMS	2326.65	-48.33	-31	17.33	Pass	401
2328	2337	1	RMS	2336.303	-48.33	-37	11.33	Pass	401
2337	2341	1	RMS	2340.66	-47.53	-31	16.53	Pass	401
2341	2344	1	RMS	2344	-48.08	-25	23.08	Pass	4
2344	2345	0.1	RMS	2344.758	-56.64	-25	31.64	Pass	401
2345	2360	0.1	RMS	2356.588	0.46	60	59.54	Pass	401
2360	2361	0.1	RMS	2360.008	-29.94	-13	16.94	Pass	401
2361	2365	1	RMS	2361	-35.28	-13	22.28	Pass	5
2365	2395	1	RMS	2365	-46.94	-40	6.94	Pass	31




15.7 LTE Band Edge(NTNV)(Subtest:7, Channel:39225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2270.62	-48.52	-40	8.52	Pass	401
2288	2292	1	RMS	2291.55	-48.36	-37	11.36	Pass	401
2292	2296	1	RMS	2293.09	-48.35	-31	17.35	Pass	401
2296	2300	1	RMS	2297.43	-48.35	-25	23.35	Pass	401
2300	2305	1	RMS	2302.3	-48.46	-13	35.46	Pass	401
2305	2320	1	RMS	2309.8	-48.44	-13	35.44	Pass	401
2320	2324	1	RMS	2322.98	-48.31	-25	23.31	Pass	401
2324	2328	1	RMS	2325.13	-48.28	-31	17.28	Pass	401
2328	2337	1	RMS	2336.888	-48.43	-37	11.43	Pass	401
2337	2341	1	RMS	2340.93	-47.9	-31	16.9	Pass	401
2341	2344	1	RMS	2343.775	-47.39	-25	22.39	Pass	401
2344	2345	0.01	RMS	2344.663	-66.6	-25	41.6	Pass	401
2345	2360	0.1	RMS	2359.7	13.82	60	46.18	Pass	401
2360	2361	0.01	RMS	2360	-35.59	-13	22.59	Pass	401
2361	2365	1	RMS	2361	-35.96	-13	22.96	Pass	5
2365	2395	1	RMS	2365	-46.02	-40	6.02	Pass	31




15.8 LTE Band Edge(NTNV)(Subtest:8, Channel:39225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2270.18	-48.54	-40	8.54	Pass	401
2288	2292	1	RMS	2288.68	-48.35	-37	11.35	Pass	401
2292	2296	1	RMS	2293.76	-48.34	-31	17.34	Pass	401
2296	2300	1	RMS	2297.45	-48.35	-25	23.35	Pass	401
2300	2305	1	RMS	2300.113	-48.48	-13	35.48	Pass	401
2305	2320	1	RMS	2308	-48.45	-13	35.45	Pass	401
2320	2324	1	RMS	2321.18	-48.29	-25	23.29	Pass	401
2324	2328	1	RMS	2324.45	-48.35	-31	17.35	Pass	401
2328	2337	1	RMS	2336.258	-48.33	-37	11.33	Pass	401
2337	2341	1	RMS	2340.78	-47.52	-31	16.52	Pass	401
2341	2344	1	RMS	2344	-48.17	-25	23.17	Pass	4
2344	2345	0.1	RMS	2344.925	-56.56	-25	31.56	Pass	401
2345	2360	0.1	RMS	2356.85	-0.16	60	60.16	Pass	401
2360	2361	0.1	RMS	2360	-30.55	-13	17.55	Pass	401
2361	2365	1	RMS	2361	-35.86	-13	22.86	Pass	5
2365	2395	1	RMS	2365	-47.16	-40	7.16	Pass	31




15.9 LTE Band Edge(NTNV)(Subtest:9, Channel:39175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2284.92	-48.55	-40	8.55	Pass	401
2288	2292	1	RMS	2289.79	-48.34	-37	11.34	Pass	401
2292	2296	1	RMS	2292.33	-48.33	-31	17.33	Pass	401
2296	2300	1	RMS	2297.03	-48.34	-25	23.34	Pass	401
2300	2305	1	RMS	2304.05	-48.46	-13	35.46	Pass	401
2305	2320	1	RMS	2308.338	-48.43	-13	35.43	Pass	401
2320	2324	1	RMS	2321.61	-48.28	-25	23.28	Pass	401
2324	2328	1	RMS	2327.83	-48.19	-31	17.19	Pass	401
2328	2337	1	RMS	2337	-47.88	-37	10.88	Pass	10
2337	2341	1	RMS	2340.92	-45.69	-31	14.69	Pass	401
2341	2344	1	RMS	2344	-43.95	-25	18.95	Pass	4
2344	2345	0.01	RMS	2344.833	-61.06	-25	36.06	Pass	401
2345	2360	0.1	RMS	2348.075	15.22	60	44.78	Pass	401
2360	2361	0.01	RMS	2360.818	-66.64	-13	53.64	Pass	401
2361	2365	1	RMS	2361	-48.1	-13	35.1	Pass	5
2365	2395	1	RMS	2365	-58.28	-40	18.28	Pass	31




15.10 LTE Band Edge(NTNV)(Subtest:10, Channel:39175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2285.8	-48.56	-40	8.56	Pass	401
2288	2292	1	RMS	2288.2	-48.38	-37	11.38	Pass	401
2292	2296	1	RMS	2294.67	-48.37	-31	17.37	Pass	401
2296	2300	1	RMS	2296.07	-48.36	-25	23.36	Pass	401
2300	2305	1	RMS	2304.563	-48.47	-13	35.47	Pass	401
2305	2320	1	RMS	2310.888	-48.45	-13	35.45	Pass	401
2320	2324	1	RMS	2320.85	-48.31	-25	23.31	Pass	401
2324	2328	1	RMS	2327.81	-48.28	-31	17.28	Pass	401
2328	2337	1	RMS	2337	-48.02	-37	11.02	Pass	10
2337	2341	1	RMS	2341	-41.12	-31	10.12	Pass	5
2341	2344	1	RMS	2344	-37.57	-25	12.57	Pass	4
2344	2345	0.1	RMS	2344.61	-46.12	-25	21.12	Pass	401
2345	2360	0.1	RMS	2350.85	-1.82	60	61.82	Pass	401
2360	2361	0.1	RMS	2360.075	-49.91	-13	36.91	Pass	401
2361	2365	1	RMS	2361	-42	-13	29	Pass	5
2365	2395	1	RMS	2365.5	-50.48	-40	10.48	Pass	61




15.11 LTE Band Edge(NTNV)(Subtest:11, Channel:39175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2271.5	-48.55	-40	8.55	Pass	401
2288	2292	1	RMS	2290.93	-48.36	-37	11.36	Pass	401
2292	2296	1	RMS	2292.34	-48.34	-31	17.34	Pass	401
2296	2300	1	RMS	2296.17	-48.37	-25	23.37	Pass	401
2300	2305	1	RMS	2303.65	-48.48	-13	35.48	Pass	401
2305	2320	1	RMS	2309.988	-48.43	-13	35.43	Pass	401
2320	2324	1	RMS	2321.46	-48.29	-25	23.29	Pass	401
2324	2328	1	RMS	2327.03	-48.21	-31	17.21	Pass	401
2328	2337	1	RMS	2337	-48.17	-37	11.17	Pass	10
2337	2341	1	RMS	2340.21	-45.77	-31	14.77	Pass	401
2341	2344	1	RMS	2344	-44.36	-25	19.36	Pass	4
2344	2345	0.01	RMS	2344.768	-61.09	-25	36.09	Pass	401
2345	2360	0.1	RMS	2348.075	14.39	60	45.61	Pass	401
2360	2361	0.01	RMS	2360.933	-66.8	-13	53.8	Pass	401
2361	2365	1	RMS	2361	-48.28	-13	35.28	Pass	5
2365	2395	1	RMS	2365	-58.75	-40	18.75	Pass	31




15.12 LTE Band Edge(NTNV)(Subtest:12, Channel:39175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.34	-48.55	-40	8.55	Pass	401
2288	2292	1	RMS	2291.42	-48.36	-37	11.36	Pass	401
2292	2296	1	RMS	2294.55	-48.36	-31	17.36	Pass	401
2296	2300	1	RMS	2296.26	-48.35	-25	23.35	Pass	401
2300	2305	1	RMS	2303.888	-48.47	-13	35.47	Pass	401
2305	2320	1	RMS	2307.325	-48.44	-13	35.44	Pass	401
2320	2324	1	RMS	2322.05	-48.32	-25	23.32	Pass	401
2324	2328	1	RMS	2325.95	-48.31	-31	17.31	Pass	401
2328	2337	1	RMS	2337	-48.02	-37	11.02	Pass	10
2337	2341	1	RMS	2341	-42.79	-31	11.79	Pass	5
2341	2344	1	RMS	2344	-38.5	-25	13.5	Pass	4
2344	2345	0.1	RMS	2344.975	-46.86	-25	21.86	Pass	401
2345	2360	0.1	RMS	2349.463	-2.93	60	62.93	Pass	401
2360	2361	0.1	RMS	2360.028	-49.96	-13	36.96	Pass	401
2361	2365	1	RMS	2361	-42.63	-13	29.63	Pass	5
2365	2395	1	RMS	2365	-51.66	-40	11.66	Pass	31




15.13 LTE Band Edge(NTNV)(Subtest:13, Channel:39175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2270.4	-48.53	-40	8.53	Pass	401
2288	2292	1	RMS	2291.84	-48.35	-37	11.35	Pass	401
2292	2296	1	RMS	2293.79	-48.36	-31	17.36	Pass	401
2296	2300	1	RMS	2297.27	-48.33	-25	23.33	Pass	401
2300	2305	1	RMS	2304.775	-48.44	-13	35.44	Pass	401
2305	2320	1	RMS	2310.138	-48.42	-13	35.42	Pass	401
2320	2324	1	RMS	2320.48	-48.31	-25	23.31	Pass	401
2324	2328	1	RMS	2324.38	-48.31	-31	17.31	Pass	401
2328	2337	1	RMS	2336.978	-48.28	-37	11.28	Pass	401
2337	2341	1	RMS	2339.6	-47.39	-31	16.39	Pass	401
2341	2344	1	RMS	2344	-46.76	-25	21.76	Pass	401
2344	2345	0.01	RMS	2344.063	-65.57	-25	40.57	Pass	401
2345	2360	0.1	RMS	2356.888	15.18	60	44.82	Pass	401
2360	2361	0.01	RMS	2360.045	-61.23	-13	48.23	Pass	401
2361	2365	1	RMS	2361	-44.23	-13	31.23	Pass	5
2365	2395	1	RMS	2365	-47.35	-40	7.35	Pass	31




15.14 LTE Band Edge(NTNV)(Subtest:14, Channel:39175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2328	2337	1	RMS	2336.978	-47.16	-37	10.16	Pass	401
2337	2341	1	RMS	2340.9	-40.52	-31	9.52	Pass	401
2365	2395	1	RMS	2365	-50.41	-40	10.41	Pass	31




15.15 LTE Band Edge(NTNV)(Subtest:15, Channel:39175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2273.92	-48.55	-40	8.55	Pass	401
2288	2292	1	RMS	2289.76	-48.36	-37	11.36	Pass	401
2292	2296	1	RMS	2293.65	-48.34	-31	17.34	Pass	401
2296	2300	1	RMS	2299.09	-48.35	-25	23.35	Pass	401
2300	2305	1	RMS	2303.25	-48.46	-13	35.46	Pass	401
2305	2320	1	RMS	2310.175	-48.45	-13	35.45	Pass	401
2320	2324	1	RMS	2320.4	-48.3	-25	23.3	Pass	401
2324	2328	1	RMS	2325.09	-48.34	-31	17.34	Pass	401
2328	2337	1	RMS	2336.393	-48.28	-37	11.28	Pass	401
2337	2341	1	RMS	2339.27	-47.56	-31	16.56	Pass	401
2341	2344	1	RMS	2343.873	-46.9	-25	21.9	Pass	401
2344	2345	0.01	RMS	2344.185	-65.87	-25	40.87	Pass	401
2345	2360	0.1	RMS	2356.888	14.27	60	45.73	Pass	401
2360	2361	0.01	RMS	2360.05	-61.4	-13	48.4	Pass	401
2361	2365	1	RMS	2361	-44.53	-13	31.53	Pass	5
2365	2395	1	RMS	2365	-52.89	-40	12.89	Pass	31




15.16 LTE Band Edge(NTNV)(Subtest:16, Channel:39175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2328	2337	1	RMS	2336.708	-47.3	-37	10.3	Pass	401
2337	2341	1	RMS	2340.98	-41.4	-31	10.4	Pass	401




15.17 LTE Band Edge(NTNV)(Subtest:17, Channel:39175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.34	-48.52	-40	8.52	Pass	401
2288	2292	1	RMS	2290.31	-48.36	-37	11.36	Pass	401
2292	2296	1	RMS	2293.53	-48.35	-31	17.35	Pass	401
2296	2300	1	RMS	2296.65	-48.35	-25	23.35	Pass	401
2300	2305	1	RMS	2304.713	-48.45	-13	35.45	Pass	401
2305	2320	1	RMS	2310.063	-48.42	-13	35.42	Pass	401
2320	2324	1	RMS	2322.98	-48.22	-25	23.22	Pass	401
2324	2328	1	RMS	2327.84	-47.94	-31	16.94	Pass	401
2328	2337	1	RMS	2337	-47.08	-37	10.08	Pass	10
2337	2341	1	RMS	2340.8	-43.17	-31	12.17	Pass	401
2341	2344	1	RMS	2344	-36.49	-25	11.49	Pass	4
2344	2345	0.01	RMS	2344.995	-44.14	-25	19.14	Pass	401
2345	2360	0.1	RMS	2345.863	15.02	60	44.98	Pass	401
2360	2361	0.01	RMS	2360.095	-66.93	-13	53.93	Pass	401
2361	2365	1	RMS	2361.18	-46.68	-13	33.68	Pass	401
2365	2395	1	RMS	2367.55	-57.57	-40	17.57	Pass	401




15.18 LTE Band Edge(NTNV)(Subtest:18, Channel:39175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2286.24	-48.54	-40	8.54	Pass	401
2288	2292	1	RMS	2288.86	-48.35	-37	11.35	Pass	401
2292	2296	1	RMS	2293.3	-48.35	-31	17.35	Pass	401
2296	2300	1	RMS	2297.98	-48.33	-25	23.33	Pass	401
2300	2305	1	RMS	2300.6	-48.47	-13	35.47	Pass	401
2305	2320	1	RMS	2312.05	-48.45	-13	35.45	Pass	401
2320	2324	1	RMS	2323.46	-48.13	-25	23.13	Pass	401
2324	2328	1	RMS	2327.31	-47.87	-31	16.87	Pass	401
2328	2337	1	RMS	2337	-40.44	-37	3.44	Pass	10
2337	2341	1	RMS	2341	-37.69	-31	6.69	Pass	5
2341	2344	1	RMS	2343	-34.25	-25	9.25	Pass	4
2344	2345	0.15	RMS	2344.993	-38.01	-25	13.01	Pass	401
2345	2360	0.1	RMS	2349.913	-3.58	60	63.58	Pass	401
2360	2361	0.15	RMS	2360.008	-39.69	-13	26.69	Pass	401
2361	2365	1	RMS	2361	-37.21	-13	24.21	Pass	5
2365	2395	1	RMS	2365	-44.74	-40	4.74	Pass	31




15.19 LTE Band Edge(NTNV)(Subtest:19, Channel:39175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2284.04	-48.52	-40	8.52	Pass	401
2288	2292	1	RMS	2290.36	-48.38	-37	11.38	Pass	401
2292	2296	1	RMS	2295.9	-48.32	-31	17.32	Pass	401
2296	2300	1	RMS	2297.61	-48.35	-25	23.35	Pass	401
2300	2305	1	RMS	2303.775	-48.45	-13	35.45	Pass	401
2305	2320	1	RMS	2311.413	-48.44	-13	35.44	Pass	401
2320	2324	1	RMS	2323.23	-48.2	-25	23.2	Pass	401
2324	2328	1	RMS	2327.85	-47.92	-31	16.92	Pass	401
2328	2337	1	RMS	2337	-47.29	-37	10.29	Pass	10
2337	2341	1	RMS	2340.96	-43.12	-31	12.12	Pass	401
2341	2344	1	RMS	2344	-37.43	-25	12.43	Pass	4
2344	2345	0.01	RMS	2345	-44.11	-25	19.11	Pass	401
2345	2360	0.1	RMS	2345.863	14.32	60	45.68	Pass	401
2360	2361	0.01	RMS	2360.028	-67.23	-13	54.23	Pass	401
2361	2365	1	RMS	2361.13	-46.83	-13	33.83	Pass	401
2365	2395	1	RMS	2365.375	-58.54	-40	18.54	Pass	401




15.20 LTE Band Edge(NTNV)(Subtest:20, Channel:39175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2276.34	-48.56	-40	8.56	Pass	401
2288	2292	1	RMS	2289.47	-48.37	-37	11.37	Pass	401
2292	2296	1	RMS	2295.14	-48.39	-31	17.39	Pass	401
2296	2300	1	RMS	2299.1	-48.37	-25	23.37	Pass	401
2300	2305	1	RMS	2304.2	-48.48	-13	35.48	Pass	401
2305	2320	1	RMS	2309.875	-48.46	-13	35.46	Pass	401
2320	2324	1	RMS	2323.73	-48.22	-25	23.22	Pass	401
2324	2328	1	RMS	2327.98	-47.97	-31	16.97	Pass	401
2328	2337	1	RMS	2337	-41.83	-37	4.83	Pass	10
2337	2341	1	RMS	2341	-38.45	-31	7.45	Pass	5
2341	2344	1	RMS	2344	-36.04	-25	11.04	Pass	4
2344	2345	0.15	RMS	2344.993	-38.95	-25	13.95	Pass	401
2345	2360	0.1	RMS	2349.725	-4.55	60	64.55	Pass	401
2360	2361	0.15	RMS	2360.003	-41.28	-13	28.28	Pass	401
2361	2365	1	RMS	2361	-40.37	-13	27.37	Pass	5
2365	2395	1	RMS	2365	-45.57	-40	5.57	Pass	31




15.21 LTE Band Edge(NTNV)(Subtest:21, Channel:39175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2286.24	-48.54	-40	8.54	Pass	401
2288	2292	1	RMS	2289.35	-48.37	-37	11.37	Pass	401
2292	2296	1	RMS	2295.43	-48.37	-31	17.37	Pass	401
2296	2300	1	RMS	2297.5	-48.34	-25	23.34	Pass	401
2300	2305	1	RMS	2304.325	-48.46	-13	35.46	Pass	401
2305	2320	1	RMS	2309.688	-48.45	-13	35.45	Pass	401
2320	2324	1	RMS	2320.13	-48.29	-25	23.29	Pass	401
2324	2328	1	RMS	2324.35	-48.34	-31	17.34	Pass	401
2328	2337	1	RMS	2335.943	-48.27	-37	11.27	Pass	401
2337	2341	1	RMS	2341	-47.71	-31	16.71	Pass	401
2341	2344	1	RMS	2343.805	-45.78	-25	20.78	Pass	401
2344	2345	0.01	RMS	2344.115	-66.35	-25	41.35	Pass	401
2345	2360	0.1	RMS	2359.175	14.57	60	45.43	Pass	401
2360	2361	0.01	RMS	2360.023	-45.17	-13	32.17	Pass	401
2361	2365	1	RMS	2361	-36.91	-13	23.91	Pass	5
2365	2395	1	RMS	2365	-48.88	-40	8.88	Pass	31




15.22 LTE Band Edge(NTNV)(Subtest:22, Channel:39175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2272.16	-48.56	-40	8.56	Pass	401
2288	2292	1	RMS	2291.33	-48.36	-37	11.36	Pass	401
2292	2296	1	RMS	2294.21	-48.36	-31	17.36	Pass	401
2296	2300	1	RMS	2299.16	-48.35	-25	23.35	Pass	401
2300	2305	1	RMS	2304.388	-48.48	-13	35.48	Pass	401
2305	2320	1	RMS	2311.413	-48.43	-13	35.43	Pass	401
2320	2324	1	RMS	2323.09	-48.13	-25	23.13	Pass	401
2324	2328	1	RMS	2327.86	-47.84	-31	16.84	Pass	401
2328	2337	1	RMS	2337	-40.49	-37	3.49	Pass	10
2337	2341	1	RMS	2341	-37.78	-31	6.78	Pass	5
2341	2344	1	RMS	2343	-34.34	-25	9.34	Pass	4
2344	2345	0.15	RMS	2344.988	-37.45	-25	12.45	Pass	401
2345	2360	0.1	RMS	2348.263	-3.65	60	63.65	Pass	401
2360	2361	0.15	RMS	2360.01	-39.7	-13	26.7	Pass	401
2361	2365	1	RMS	2361	-37.1	-13	24.1	Pass	5
2365	2395	1	RMS	2365	-44.81	-40	4.81	Pass	31



15.23 LTE Band Edge(NTNV)(Subtest:23, Channel:39175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2283.16	-48.55	-40	8.55	Pass	401
2288	2292	1	RMS	2291.6	-48.31	-37	11.31	Pass	401
2292	2296	1	RMS	2292.29	-48.33	-31	17.33	Pass	401
2296	2300	1	RMS	2299.67	-48.34	-25	23.34	Pass	401
2300	2305	1	RMS	2303.688	-48.44	-13	35.44	Pass	401
2305	2320	1	RMS	2307.363	-48.44	-13	35.44	Pass	401
2320	2324	1	RMS	2320.7	-48.31	-25	23.31	Pass	401
2324	2328	1	RMS	2324.09	-48.32	-31	17.32	Pass	401
2328	2337	1	RMS	2336.393	-46.59	-37	9.59	Pass	401
2337	2341	1	RMS	2340.95	-47.61	-31	16.61	Pass	401
2341	2344	1	RMS	2343.933	-45.82	-25	20.82	Pass	401
2344	2345	0.01	RMS	2344.67	-66.53	-25	41.53	Pass	401
2345	2360	0.1	RMS	2359.175	14.58	60	45.42	Pass	401
2360	2361	0.01	RMS	2360.005	-44.33	-13	31.33	Pass	401
2361	2365	1	RMS	2361	-37.21	-13	24.21	Pass	5
2365	2395	1	RMS	2365	-49.33	-40	9.33	Pass	31



16. LTE_Band41 full


16.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.663	-39.07	-25	14.07	Pass	401
2490	2495	1	RMS	2495	-26.4	-13	13.4	Pass	6
2495	2496	0.05	RMS	2496	-25.71	-13	12.71	Pass	21
2496	2501	0.1	RMS	2496.425	23.61	30	6.39	Pass	401




16.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.738	-32.49	-25	7.49	Pass	401
2490	2495	1	RMS	2495	-19.06	-13	6.06	Pass	6
2495	2496	0.051	RMS	2495.975	-24.42	-13	11.42	Pass	401
2496	2501	0.1	RMS	2500.425	9.51	30	20.49	Pass	401




16.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.138	-39.74	-25	14.74	Pass	401
2490	2495	1	RMS	2495	-27.92	-13	14.92	Pass	6
2495	2496	0.05	RMS	2496	-27.12	-13	14.12	Pass	21
2496	2501	0.1	RMS	2496.413	22.35	30	7.65	Pass	401




16.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.4	-35.46	-25	10.46	Pass	401
2490	2495	1	RMS	2495	-21.29	-13	8.29	Pass	6
2495	2496	0.051	RMS	2495.968	-26.91	-13	13.91	Pass	401
2496	2501	0.1	RMS	2499.6	8.51	30	21.49	Pass	401




16.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.775	23.16	30	6.84	Pass	401
2690	2691	0.05	RMS	2690	-10.02	-10	0.02	Pass*	21
2691	2695	1	RMS	2691	-23.94	-10	13.94	Pass	5
2695	2696	1	RMS	2695.08	-37.2	-13	24.2	Pass	401
2696	2715	1	RMS	2696.095	-39.19	-25	14.19	Pass	401




16.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.088	9.42	30	20.58	Pass	401
2690	2691	0.1	RMS	2690	-14.86	-10	4.86	Pass*	401
2691	2695	1	RMS	2691	-13.03	-10	3.03	Pass*	5
2695	2696	1	RMS	2695.01	-34.51	-13	21.51	Pass	401
2696	2715	1	RMS	2696.19	-35.71	-25	10.71	Pass	401




16.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.75	22.87	30	7.13	Pass	401
2690	2691	0.05	RMS	2690	-11.18	-10	1.18	Pass*	21
2691	2695	1	RMS	2691	-25.2	-10	15.2	Pass	5
2695	2696	1	RMS	2695.035	-37.61	-13	24.61	Pass	401
2696	2715	1	RMS	2696.143	-39.82	-25	14.82	Pass	401




16.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.713	8.43	30	21.57	Pass	401
2690	2691	0.1	RMS	2690	-15.43	-10	5.43	Pass*	401
2691	2695	1	RMS	2691	-14.78	-10	4.78	Pass*	5
2695	2696	1	RMS	2695	-33.46	-13	20.46	Pass	401
2696	2715	1	RMS	2696.095	-35.45	-25	10.45	Pass	401




16.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-39.13	-25	14.13	Pass	401
2490	2495	1	RMS	2495	-27.5	-13	14.5	Pass	6
2495	2496	0.1	RMS	2495.995	-27.86	-13	14.86	Pass	401
2496	2506	0.1	RMS	2496.675	22.83	30	7.17	Pass	401




16.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-26.85	-25	1.85	Pass*	16
2490	2495	1	RMS	2495	-20.36	-13	7.36	Pass	6
2495	2496	0.1	RMS	2495.993	-25.07	-13	12.07	Pass	401
2496	2506	0.1	RMS	2503.475	7.07	30	22.93	Pass	401




16.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.288	-38.84	-25	13.84	Pass	401
2490	2495	1	RMS	2495	-28.52	-13	15.52	Pass	6
2495	2496	0.1	RMS	2495.983	-27.97	-13	14.97	Pass	401
2496	2506	0.1	RMS	2496.65	22.26	30	7.74	Pass	401




**16.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.11	-25	6.11	Pass	16
2490	2495	1	RMS	2495	-24.13	-13	11.13	Pass	6
2495	2496	0.1	RMS	2495.98 5	-29.75	-13	16.75	Pass	401
2496	2506	0.1	RMS	2504.67 5	5.54	30	24.46	Pass	401




16.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.5	23.58	30	6.42	Pass	401
2690	2691	0.2	RMS	2690	-15.24	-10	5.24	Pass*	6
2691	2695	1	RMS	2691	-24.92	-10	14.92	Pass	5
2695	2700	1	RMS	2695.163	-37.59	-13	24.59	Pass	401
2700	2715	1	RMS	2700.338	-42.9	-25	17.9	Pass	401




16.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.75	6.57	30	23.43	Pass	401
2690	2691	0.2	RMS	2690.008	-17.74	-10	7.74	Pass	401
2691	2695	1	RMS	2691	-14.98	-10	4.98	Pass*	5
2695	2700	1	RMS	2695.013	-18.6	-13	5.6	Pass*	401
2700	2715	1	RMS	2700.263	-37.42	-25	12.42	Pass	401




**16.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.5	22.39	30	7.61	Pass	401
2690	2691	0.2	RMS	2690	-13.98	-10	3.98	Pass*	401
2691	2695	1	RMS	2691	-26.25	-10	16.25	Pass	5
2695	2700	1	RMS	2695	-36.52	-13	23.52	Pass	401
2700	2715	1	RMS	2700.26 3	-42.9	-25	17.9	Pass	401




16.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2685.075	4.97	30	25.03	Pass	401
2690	2691	0.2	RMS	2690.003	-19.48	-10	9.48	Pass	401
2691	2695	1	RMS	2691	-16.86	-10	6.86	Pass	5
2695	2700	1	RMS	2695.038	-21.16	-13	8.16	Pass	401
2700	2715	1	RMS	2700.113	-36.81	-25	11.81	Pass	401




16.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-38.67	-25	13.67	Pass	401
2490	2495	1	RMS	2495	-28.04	-13	15.04	Pass	6
2495	2496	0.15	RMS	2495.978	-25.47	-13	12.47	Pass	401
2496	2511	0.1	RMS	2496.938	23.56	30	6.44	Pass	401




16.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-27.15	-25	2.15	Pass*	16
2490	2495	1	RMS	2495	-21.79	-13	8.79	Pass	6
2495	2496	0.15	RMS	2495.735	-26.25	-13	13.25	Pass	401
2496	2511	0.1	RMS	2510.063	4.97	30	25.03	Pass	401




16.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-38.68	-25	13.68	Pass	401
2490	2495	1	RMS	2495	-28.69	-13	15.69	Pass	6
2495	2496	0.15	RMS	2495.998	-25.84	-13	12.84	Pass	401
2496	2511	0.1	RMS	2496.9	22.43	30	7.57	Pass	401




16.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.26	-25	4.26	Pass*	16
2490	2495	1	RMS	2495	-25.81	-13	12.81	Pass	6
2495	2496	0.15	RMS	2495.975	-30.68	-13	17.68	Pass	401
2496	2511	0.1	RMS	2509.65	4.06	30	25.94	Pass	401




16.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.25	23.89	30	6.11	Pass	401
2690	2691	0.3	RMS	2690.005	-14.65	-10	4.65	Pass*	401
2691	2695	1	RMS	2691	-25.62	-10	15.62	Pass	5
2695	2705	1	RMS	2695.25	-37.37	-13	24.37	Pass	401
2705	2715	1	RMS	2705.225	-45.24	-25	20.24	Pass	401




16.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2682.05	4.11	30	25.89	Pass	401
2690	2691	0.3	RMS	2690.008	-18.28	-10	8.28	Pass	401
2691	2695	1	RMS	2691	-15.88	-10	5.88	Pass*	5
2695	2705	1	RMS	2696	-19.21	-13	6.21	Pass	401
2705	2715	1	RMS	2705	-38.69	-25	13.69	Pass	401




16.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.25	22.53	30	7.47	Pass	401
2690	2691	0.3	RMS	2690.005	-14.65	-10	4.65	Pass*	401
2691	2695	1	RMS	2691	-26.74	-10	16.74	Pass	5
2695	2705	1	RMS	2695.35	-37.82	-13	24.82	Pass	401
2705	2715	1	RMS	2705.275	-45.65	-25	20.65	Pass	401




16.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.588	3.64	30	26.36	Pass	401
2690	2691	0.3	RMS	2690.003	-20.73	-10	10.73	Pass	401
2691	2695	1	RMS	2691	-18.5	-10	8.5	Pass	5
2695	2705	1	RMS	2696.125	-20.88	-13	7.88	Pass	401
2705	2715	1	RMS	2705.05	-37.71	-25	12.71	Pass	401




16.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-39.16	-25	14.16	Pass	401
2490	2495	1	RMS	2495	-28.54	-13	15.54	Pass	6
2495	2496	0.2	RMS	2495.97	-26	-13	13	Pass	401
2496	2516	0.1	RMS	2497.2	22.79	30	7.21	Pass	401




16.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.67	-25	3.67	Pass*	16
2490	2495	1	RMS	2495	-23.64	-13	10.64	Pass	6
2495	2496	0.2	RMS	2495.993	-28.03	-13	15.03	Pass	401
2496	2516	0.1	RMS	2512.75	3.83	30	26.17	Pass	401




16.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.625	-39.3	-25	14.3	Pass	401
2490	2495	1	RMS	2495	-29.65	-13	16.65	Pass	6
2495	2496	0.2	RMS	2495.998	-25.72	-13	12.72	Pass	401
2496	2516	0.1	RMS	2497.15	22.53	30	7.47	Pass	401




16.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.19	-25	5.19	Pass*	16
2490	2495	1	RMS	2494.775	-25.35	-13	12.35	Pass	401
2495	2496	0.2	RMS	2495.995	-30.78	-13	17.78	Pass	401
2496	2516	0.1	RMS	2513.4	2.5	30	27.5	Pass	401




16.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2689	23.33	30	6.67	Pass	401
2690	2691	0.51	RMS	2690	-13.08	-10	3.08	Pass*	401
2691	2695	1	RMS	2691	-26.64	-10	16.64	Pass	5
2695	2710	1	RMS	2695.45	-37.43	-13	24.43	Pass	401
2710	2715	1	RMS	2710.025	-46.86	-25	21.86	Pass	401




16.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2675.2	3.59	30	26.41	Pass	401
2690	2691	0.51	RMS	2690.015	-17.21	-10	7.21	Pass	401
2691	2695	1	RMS	2691	-16.92	-10	6.92	Pass	5
2695	2710	1	RMS	2695.038	-20.27	-13	7.27	Pass	401
2710	2715	1	RMS	2712.213	-39.89	-25	14.89	Pass	401




16.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2689	22.06	30	7.94	Pass	401
2690	2691	0.51	RMS	2690.01	-13.78	-10	3.78	Pass*	401
2691	2695	1	RMS	2691	-27.59	-10	17.59	Pass	5
2695	2710	1	RMS	2695.188	-37.42	-13	24.42	Pass	401
2710	2715	1	RMS	2714.8	-46.95	-25	21.95	Pass	401



16.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2677.55	2.52	30	27.48	Pass	401
2690	2691	0.51	RMS	2690.05	-19.83	-10	9.83	Pass	401
2691	2695	1	RMS	2691	-18.98	-10	8.98	Pass	5
2695	2710	1	RMS	2695.225	-20.85	-13	7.85	Pass	401
2710	2715	1	RMS	2710.038	-39.26	-25	14.26	Pass	401



17. LTE_Band66


17.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-43.25	-13	30.25	Pass	401
1708	1709	1	RMS	1709	-34.12	-13	21.12	Pass	2
1709	1710	0.02	RMS	1710	-24.01	-13	11.01	Pass	401
1710	1712	0.1	RMS	1710.315	21.11	30	8.89	Pass	401




**17.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-30.57	-13	17.57	Pass	401
1708	1709	1	RMS	1709	-17.91	-13	4.91	Pass*	2
1709	1710	0.02	RMS	1710	-20.84	-13	7.84	Pass	401
1710	1712	0.1	RMS	1710.87 5	12.92	30	17.08	Pass	401




**17.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.91	-13	30.91	Pass	401
1708	1709	1	RMS	1709	-36	-13	23	Pass	2
1709	1710	0.02	RMS	1710	-24.05	-13	11.05	Pass	401
1710	1712	0.1	RMS	1710.315	20.27	30	9.73	Pass	401



**17.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.04	-13	19.04	Pass	401
1708	1709	1	RMS	1709	-19.8	-13	6.8	Pass	2
1709	1710	0.02	RMS	1709.998	-24.19	-13	11.19	Pass	401
1710	1712	0.1	RMS	1710.65	11.88	30	18.12	Pass	401




**17.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.815	18.1	30	11.9	Pass	401
1780	1781	0.02	RMS	1780	-13.27	-13	0.27	Pass*	401
1781	1782	1	RMS	1781	-36.44	-13	23.44	Pass	2
1782	1790	1	RMS	1782	-41.88	-13	28.88	Pass	401




**17.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.38	13.21	30	16.79	Pass	401
1780	1781	0.02	RMS	1780.00 3	-15.52	-13	2.52	Pass*	401
1781	1782	1	RMS	1781	-15.55	-13	2.55	Pass*	2
1782	1790	1	RMS	1782	-28.6	-13	15.6	Pass	401




17.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.805	17.13	30	12.87	Pass	401
1780	1781	0.02	RMS	1780	-14.22	-13	1.22	Pass*	401
1781	1782	1	RMS	1781	-38.39	-13	25.39	Pass	2
1782	1790	1	RMS	1782	-43.12	-13	30.12	Pass	401




**17.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.33 5	12.42	30	17.58	Pass	401
1780	1781	0.02	RMS	1780.00 8	-16.86	-13	3.86	Pass*	401
1781	1782	1	RMS	1781	-17.13	-13	4.13	Pass*	2
1782	1790	1	RMS	1782	-29.41	-13	16.41	Pass	401




17.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.46	-13	27.46	Pass	401
1708	1709	1	RMS	1709	-34.4	-13	21.4	Pass	2
1709	1710	0.002	RMS	1710	-36.34	-13	23.34	Pass	501
1710	1713	0.1	RMS	1710.293	21.1	30	8.9	Pass	401




17.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-18.4	-13	5.4	Pass*	401
1708	1709	1	RMS	1709	-13.55	-13	0.55	Pass*	2
1709	1710	0.03	RMS	1709.998	-22.58	-13	9.58	Pass	401
1710	1713	0.1	RMS	1710.788	8.96	30	21.04	Pass	401




**17.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987,
Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.74	-38.35	-13	25.35	Pass	401
1708	1709	1	RMS	1709	-36	-13	23	Pass	2
1709	1710	0.002	RMS	1709.98 8	-37.14	-13	24.14	Pass	501
1710	1713	0.1	RMS	1710.30 8	20.37	30	9.63	Pass	401




17.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-20.52	-13	7.52	Pass	401
1708	1709	1	RMS	1709	-15.78	-13	2.78	Pass*	2
1709	1710	0.03	RMS	1709.995	-25.25	-13	12.25	Pass	401
1710	1713	0.1	RMS	1712.288	8.01	30	21.99	Pass	401




17.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.813	21.6	30	8.4	Pass	401
1780	1781	0.002	RMS	1780.008	-17.46	-13	4.46	Pass*	501
1781	1782	1	RMS	1781	-31.8	-13	18.8	Pass	2
1782	1790	1	RMS	1782	-39.44	-13	26.44	Pass	401




17.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.623	7.77	30	22.23	Pass	401
1780	1781	0.03	RMS	1780	-21.99	-13	8.99	Pass	35
1781	1782	1	RMS	1781	-18.76	-13	5.76	Pass*	2
1782	1790	1	RMS	1782.02	-23.06	-13	10.06	Pass	401




17.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.828	20.64	30	9.36	Pass	401
1780	1781	0.002	RMS	1780.006	-18.66	-13	5.66	Pass*	501
1781	1782	1	RMS	1781	-33.98	-13	20.98	Pass	2
1782	1790	1	RMS	1782.08	-37.34	-13	24.34	Pass	401




17.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.683	8.52	30	21.48	Pass	401
1780	1781	0.03	RMS	1780	-18.94	-13	5.94	Pass*	401
1781	1782	1	RMS	1781	-14.53	-13	1.53	Pass*	2
1782	1790	1	RMS	1782	-19.25	-13	6.25	Pass	401




17.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.12	-42.64	-13	29.64	Pass	401
1708	1709	1	RMS	1709	-35.66	-13	22.66	Pass	2
1709	1710	0.01	RMS	1710	-31.03	-13	18.03	Pass	401
1710	1715	0.1	RMS	1710.4	21.04	30	8.96	Pass	401




17.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-17.67	-13	4.67	Pass*	401
1708	1709	1	RMS	1709	-15.38	-13	2.38	Pass*	2
1709	1710	0.051	RMS	1710	-23.49	-13	10.49	Pass	401
1710	1715	0.1	RMS	1713.113	6.74	30	23.26	Pass	401




17.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.1	-43.8	-13	30.8	Pass	401
1708	1709	1	RMS	1709	-36.69	-13	23.69	Pass	2
1709	1710	0.01	RMS	1710	-33.01	-13	20.01	Pass	401
1710	1715	0.1	RMS	1710.413	20.25	30	9.75	Pass	401




17.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-19.58	-13	6.58	Pass	401
1708	1709	1	RMS	1709	-17.5	-13	4.5	Pass*	2
1709	1710	0.051	RMS	1710	-25.39	-13	12.39	Pass	401
1710	1715	0.1	RMS	1712.888	5.79	30	24.21	Pass	401




17.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.713	21.76	30	8.24	Pass	401
1780	1781	0.01	RMS	1780.005	-20.02	-13	7.02	Pass	401
1781	1782	1	RMS	1781	-33.05	-13	20.05	Pass	2
1782	1790	1	RMS	1782	-40.29	-13	27.29	Pass	401




17.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.925	6.93	30	23.07	Pass	401
1780	1781	0.051	RMS	1780.005	-20.52	-13	7.52	Pass	401
1781	1782	1	RMS	1781	-13.8	-13	0.8	Pass*	2
1782	1790	1	RMS	1782.02	-16.11	-13	3.11	Pass*	401




17.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.713	20.7	30	9.3	Pass	401
1780	1781	0.01	RMS	1780.005	-21.73	-13	8.73	Pass	401
1781	1782	1	RMS	1781	-34.35	-13	21.35	Pass	2
1782	1790	1	RMS	1782.02	-41.1	-13	28.1	Pass	401




17.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.238	5.97	30	24.03	Pass	401
1780	1781	0.051	RMS	1780.005	-22.22	-13	9.22	Pass	401
1781	1782	1	RMS	1781	-16.13	-13	3.13	Pass*	2
1782	1790	1	RMS	1782.02	-18.07	-13	5.07	Pass*	401




**17.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1701.88	-43.26	-13	30.26	Pass	401
1708	1709	1	RMS	1709	-37.99	-13	24.99	Pass	2
1709	1710	0.1	RMS	1710	-32.51	-13	19.51	Pass	401
1710	1720	0.1	RMS	1710.65	20.87	30	9.13	Pass	401




17.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-18.8	-13	5.8	Pass*	401
1708	1709	1	RMS	1709	-17.8	-13	4.8	Pass*	2
1709	1710	0.1	RMS	1709.985	-24.93	-13	11.93	Pass	401
1710	1720	0.1	RMS	1717.1	3.85	30	26.15	Pass	401




17.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1701.84	-44.69	-13	31.69	Pass	401
1708	1709	1	RMS	1709	-38.53	-13	25.53	Pass	2
1709	1710	0.1	RMS	1709.995	-32.59	-13	19.59	Pass	401
1710	1720	0.1	RMS	1710.65	20.26	30	9.74	Pass	401




**17.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-20.86	-13	7.86	Pass	401
1708	1709	1	RMS	1709	-20.24	-13	7.24	Pass	2
1709	1710	0.1	RMS	1709.99 3	-27.49	-13	14.49	Pass	401
1710	1720	0.1	RMS	1716.42 5	2.82	30	27.18	Pass	401




17.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.475	21.54	30	8.46	Pass	401
1780	1781	0.1	RMS	1780	-23.12	-13	10.12	Pass	11
1781	1782	1	RMS	1781	-34.88	-13	21.88	Pass	2
1782	1790	1	RMS	1782	-43.29	-13	30.29	Pass	401




17.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1773.9	4.01	30	25.99	Pass	401
1780	1781	0.1	RMS	1780.003	-22.77	-13	9.77	Pass	401
1781	1782	1	RMS	1781	-15.88	-13	2.88	Pass*	2
1782	1790	1	RMS	1782	-16.98	-13	3.98	Pass*	401




17.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.475	20.72	30	9.28	Pass	401
1780	1781	0.1	RMS	1780.008	-21.34	-13	8.34	Pass	401
1781	1782	1	RMS	1781	-35.6	-13	22.6	Pass	2
1782	1790	1	RMS	1782	-44.07	-13	31.07	Pass	401




17.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1773.625	3.02	30	26.98	Pass	401
1780	1781	0.1	RMS	1780.005	-25.59	-13	12.59	Pass	401
1781	1782	1	RMS	1781	-18.52	-13	5.52	Pass*	2
1782	1790	1	RMS	1782.04	-19.26	-13	6.26	Pass	401




17.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.28	-13	33.28	Pass	401
1708	1709	1	RMS	1709	-37.09	-13	24.09	Pass	2
1709	1710	0.15	RMS	1709.993	-27	-13	14	Pass	401
1710	1725	0.1	RMS	1710.9	20.98	30	9.02	Pass	401




**17.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047,
Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.74	-17.56	-13	4.56	Pass*	401
1708	1709	1	RMS	1709	-18.26	-13	5.26	Pass*	2
1709	1710	0.15	RMS	1709.92 5	-23.18	-13	10.18	Pass	401
1710	1725	0.1	RMS	1722.93 8	2.33	30	27.67	Pass	401




17.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.73	-13	32.73	Pass	401
1708	1709	1	RMS	1709	-38.03	-13	25.03	Pass	2
1709	1710	0.15	RMS	1710	-27.81	-13	14.81	Pass	401
1710	1725	0.1	RMS	1710.9	20.12	30	9.88	Pass	401




17.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-23.43	-13	10.43	Pass	401
1708	1709	1	RMS	1709	-22.61	-13	9.61	Pass	2
1709	1710	0.15	RMS	1710	-29.04	-13	16.04	Pass	401
1710	1725	0.1	RMS	1723.913	1.07	30	28.93	Pass	401




17.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.213	21.1	30	8.9	Pass	401
1780	1781	0.15	RMS	1780	-21.84	-13	8.84	Pass	401
1781	1782	1	RMS	1781	-35.25	-13	22.25	Pass	2
1782	1790	1	RMS	1782	-44.04	-13	31.04	Pass	401




17.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1772.35	2.19	30	27.81	Pass	401
1780	1781	0.15	RMS	1780.01	-23.03	-13	10.03	Pass	401
1781	1782	1	RMS	1781	-16.22	-13	3.22	Pass*	2
1782	1790	1	RMS	1782	-17.73	-13	4.73	Pass*	401




17.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.213	20.77	30	9.23	Pass	401
1780	1781	0.15	RMS	1780.003	-22.05	-13	9.05	Pass	401
1781	1782	1	RMS	1781	-36.04	-13	23.04	Pass	2
1782	1790	1	RMS	1782	-44.3	-13	31.3	Pass	401




17.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1768.6	1.18	30	28.82	Pass	401
1780	1781	0.15	RMS	1780.015	-26.31	-13	13.31	Pass	401
1781	1782	1	RMS	1781	-19.72	-13	6.72	Pass	2
1782	1790	1	RMS	1782.68	-20.67	-13	7.67	Pass	401




17.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.35	-13	33.35	Pass	401
1708	1709	1	RMS	1709	-37.79	-13	24.79	Pass	2
1709	1710	0.2	RMS	1709.998	-27.4	-13	14.4	Pass	401
1710	1730	0.1	RMS	1711.15	20.99	30	9.01	Pass	401




17.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-21.15	-13	8.15	Pass	401
1708	1709	1	RMS	1709	-20.51	-13	7.51	Pass	2
1709	1710	0.2	RMS	1709.963	-25.94	-13	12.94	Pass	401
1710	1730	0.1	RMS	1723.3	0.87	30	29.13	Pass	401




17.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-46.92	-13	33.92	Pass	401
1708	1709	1	RMS	1709	-38.62	-13	25.62	Pass	2
1709	1710	0.2	RMS	1710	-27.76	-13	14.76	Pass	401
1710	1730	0.1	RMS	1711.15	19.9	30	10.1	Pass	401




17.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-23.88	-13	10.88	Pass	401
1708	1709	1	RMS	1709	-23.55	-13	10.55	Pass	2
1709	1710	0.2	RMS	1709.945	-29.18	-13	16.18	Pass	401
1710	1730	0.1	RMS	1728	0.05	30	29.95	Pass	401




17.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.95	20.98	30	9.02	Pass	401
1780	1781	0.2	RMS	1780.023	-22.74	-13	9.74	Pass	401
1781	1782	1	RMS	1781	-36.66	-13	23.66	Pass	2
1782	1790	1	RMS	1782	-44.04	-13	31.04	Pass	401




17.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1767.45	0.99	30	29.01	Pass	401
1780	1781	0.2	RMS	1780.018	-23.72	-13	10.72	Pass	401
1781	1782	1	RMS	1781	-18.29	-13	5.29	Pass*	2
1782	1790	1	RMS	1782.12	-18.87	-13	5.87	Pass*	401




17.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.95	20.25	30	9.75	Pass	401
1780	1781	0.2	RMS	1780	-22.97	-13	9.97	Pass	401
1781	1782	1	RMS	1781	-37.45	-13	24.45	Pass	2
1782	1790	1	RMS	1782	-43.98	-13	30.98	Pass	401



17.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1765.2	0.02	30	29.98	Pass	401
1780	1781	0.2	RMS	1780.005	-26.95	-13	13.95	Pass	401
1781	1782	1	RMS	1781	-21.33	-13	8.33	Pass	2
1782	1790	1	RMS	1782.06	-21.48	-13	8.48	Pass	401



18. n2 15kHz


18.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-32.28	-13	19.28	Pass	401
1849	1850	0.051	RMS	1850	-21.9	-13	8.9	Pass	401
1850	1855	1	RMS	1850.388	21.4	30	8.6	Pass	401




18.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.479	-16.6	-13	3.6	Pass*	401
1849	1850	0.051	RMS	1849.978	-23.63	-13	10.63	Pass	401
1850	1855	1	RMS	1851.475	15.7	30	14.3	Pass	401




18.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.713	21.72	30	8.28	Pass	401
1910	1911	0.02	RMS	1910	-18.36	-13	5.36	Pass*	401
1911.5	1920	1	RMS	1911.5	-25.89	-13	12.89	Pass	401




18.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1906.375	15.93	30	14.07	Pass	401
1910	1911	0.051	RMS	1910.02	-20.22	-13	7.22	Pass	401
1911.5	1920	1	RMS	1911.521	-13.95	-13	0.95	Pass*	401




18.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.383	-33.86	-13	20.86	Pass	401
1849	1850	0.2	RMS	1850	-22.17	-13	9.17	Pass	401
1850	1870	1	RMS	1850.6	21.52	30	8.48	Pass	401




18.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-20.12	-13	7.12	Pass	401
1849	1850	0.2	RMS	1849.993	-25.94	-13	12.94	Pass	401
1850	1870	1	RMS	1867.6	9.95	30	20.05	Pass	401




18.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.45	21.65	30	8.35	Pass	401
1910	1911	0.2	RMS	1910	-15.52	-13	2.52	Pass*	401
1911.5	1935	1	RMS	1911.5	-35.23	-13	22.23	Pass	401




18.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1892	9.75	30	20.25	Pass	401
1910	1911	0.2	RMS	1910	-23.38	-13	10.38	Pass	401
1911	1935	1	RMS	1911	-18.15	-13	5.15	Pass*	401




18.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-16.84	-13	3.84	Pass*	401
1849	1850	0.39	RMS	1850	-15.46	-13	2.46	Pass*	401
1850	1890	1	RMS	1850.7	21.49	30	8.51	Pass	401




18.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-21.32	-13	8.32	Pass	401
1849	1850	0.39	RMS	1849.993	-24.52	-13	11.52	Pass	401
1850	1890	1	RMS	1875	6.79	30	23.21	Pass	401




18.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1910	1	RMS	1909.3	21.16	30	8.84	Pass	401
1910	1911	0.4	RMS	1910	-18.13	-13	5.13	Pass*	4
1911	1955	1	RMS	1911	-17.21	-13	4.21	Pass*	401



18.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1910	1	RMS	1871.6	6.99	30	23.01	Pass	401
1910	1911	0.39	RMS	1910	-22.38	-13	9.38	Pass	401
1911	1955	1	RMS	1911.11	-19.72	-13	6.72	Pass	401



19. n5


19.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.19	-44.1	-13	31.1	Pass	401
823	824	0.02	RMS	824	-24.18	-13	11.18	Pass	401
824	829	0.1	RMS	824.375	17.76	30	12.24	Pass	401




19.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.955	-30.82	-13	17.82	Pass	401
823	824	0.051	RMS	824	-26.53	-13	13.53	Pass	401
824	829	0.1	RMS	825.138	4.28	30	25.72	Pass	401



19.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.675	17.53	30	12.47	Pass	401
849	850	0.02	RMS	849	-23.04	-13	10.04	Pass	401
850	859	0.1	RMS	850.833	-44.8	-13	31.8	Pass	401




19.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.088	4.33	30	25.67	Pass	401
849	850	0.051	RMS	849	-26.72	-13	13.72	Pass	401
850	859	0.1	RMS	850.068	-34.09	-13	21.09	Pass	401




19.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	823	0.1	RMS	822.65	-44.89	-13	31.89	Pass	401
823	824	0.02	RMS	824	-26.08	-13	13.08	Pass	401
824	834	0.1	RMS	824.425	17.78	30	12.22	Pass	401




19.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	823	0.1	RMS	822.965	-32.98	-13	19.98	Pass	401
823	824	0.1	RMS	823.998	-27.45	-13	14.45	Pass	401
824	834	0.1	RMS	825.375	1.3	30	28.7	Pass	401




19.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.6	17.57	30	12.43	Pass	401
849	850	0.02	RMS	849	-25.46	-13	12.46	Pass	401
850	864	0.1	RMS	850	-48.72	-13	35.72	Pass	401




19.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	842.7	1.11	30	28.89	Pass	401
849	850	0.1	RMS	849	-27.77	-13	14.77	Pass	401
850	864	0.1	RMS	850.07	-37.27	-13	24.27	Pass	401




19.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.763	-45.84	-13	32.84	Pass	401
823	824	0.02	RMS	824	-29.57	-13	16.57	Pass	401
824	839	0.1	RMS	824.488	17.69	30	12.31	Pass	401




19.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.525	-34.92	-13	21.92	Pass	401
823	824	0.15	RMS	824	-29.21	-13	16.21	Pass	401
824	839	0.1	RMS	825.5	-0.34	30	30.34	Pass	401




19.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.55	17.54	30	12.46	Pass	401
849	850	0.02	RMS	849.005	-28.27	-13	15.27	Pass	401
850	869	0.1	RMS	850.095	-50.99	-13	37.99	Pass	401




19.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	835.388	-0.62	30	30.62	Pass	401
849	850	0.15	RMS	849	-31	-13	18	Pass	401
850	869	0.1	RMS	850.095	-37.44	-13	24.44	Pass	401




19.13 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-46.07	-13	33.07	Pass	401
823	824	0.02	RMS	824	-33.65	-13	20.65	Pass	401
824	844	0.1	RMS	824.55	17.65	30	12.35	Pass	401




19.14 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.4	-35.97	-13	22.97	Pass	401
823	824	0.2	RMS	823.995	-29.16	-13	16.16	Pass	401
824	844	0.1	RMS	824.95	-1.51	30	31.51	Pass	401




19.15 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	17.48	30	12.52	Pass	401
849	850	0.02	RMS	849	-31.65	-13	18.65	Pass	401
850	874	0.1	RMS	850.06	-50.37	-13	37.37	Pass	401



19.16 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	829.6	-1.57	30	31.57	Pass	401
849	850	0.2	RMS	849.003	-30.42	-13	17.42	Pass	401
850	874	0.1	RMS	850	-37.7	-13	24.7	Pass	401



20. n14 15kHz


20.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-22.68	-13	9.68	Pass	401
787.9	788	0.051	RMS	788	-19.42	-13	6.42	Pass	401
788	793	0.1	RMS	788.35	17.72	30	12.28	Pass	401




20.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-28.02	-13	15.02	Pass	401
787.9	788	0.051	RMS	787.999	-28.77	-13	15.77	Pass	401
788	793	0.1	RMS	792.025	4.52	30	25.48	Pass	401



20.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	797.675	17.72	30	12.28	Pass	401
798	798.1	0.051	RMS	798	-18.23	-13	5.23	Pass*	401
798.1	808	0.1	RMS	798.1	-20.91	-13	7.91	Pass	401




20.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	794.113	4.24	30	25.76	Pass	401
798	798.1	0.051	RMS	798	-26.84	-13	13.84	Pass	401
798.1	808	0.1	RMS	798.1	-26.41	-13	13.41	Pass	401




20.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-23.45	-13	10.45	Pass	401
787.9	788	0.1	RMS	787.994	-18.71	-13	5.71	Pass*	401
788	798	0.1	RMS	788.425	17.62	30	12.38	Pass	401




20.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-32.89	-13	19.89	Pass	401
787.9	788	0.1	RMS	788	-30.56	-13	17.56	Pass	401
788	798	0.1	RMS	795.3	1.39	30	28.61	Pass	401




20.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.6	17.68	30	12.32	Pass	401
798	798.1	0.1	RMS	798	-17.47	-13	4.47	Pass*	401
798.1	813	0.1	RMS	798.1	-22.75	-13	9.75	Pass	401



20.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
798	798.1	0.1	RMS	798.001	-28.03	-13	15.03	Pass	401
798.1	813	0.1	RMS	798.1	-30.36	-13	17.36	Pass	401



21. n30 15kHz


24.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.98	-53.88	-40	13.88	Pass	401
2288	2292	1	RMS	2290.6	-53.72	-37	16.72	Pass	401
2292	2296	1	RMS	2294.68	-53.57	-31	22.57	Pass	401
2296	2300	1	RMS	2299.99	-53.13	-25	28.13	Pass	401
2300	2304	1	RMS	2304	-13.15	-13	0.15	Pass*	401
2304	2305	0.01	RMS	2304.993	-37.97	-13	24.97	Pass	401
2305	2315	0.1	RMS	2305.4	11.19	60	48.81	Pass	401
2315	2316	0.01	RMS	2315.17	-72.08	-13	59.08	Pass	401
2316	2320	1	RMS	2316.57	-53.35	-13	40.35	Pass	401
2320	2324	1	RMS	2320.65	-53.47	-25	28.47	Pass	401
2324	2328	1	RMS	2324.06	-53.55	-31	22.55	Pass	401
2328	2337	1	RMS	2328.203	-53.86	-37	16.86	Pass	401
2337	2341	1	RMS	2339.69	-53.66	-31	22.66	Pass	401
2341	2345	1	RMS	2343.78	-53.65	-25	28.65	Pass	401
2345	2360	1	RMS	2352.05	-53.71	-13	40.71	Pass	401
2360	2365	1	RMS	2361.4	-53.89	-13	40.89	Pass	401
2365	2395	1	RMS	2390.65	-53.78	-40	13.78	Pass	401




21.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.44	-53.88	-40	13.88	Pass	401
2288	2292	1	RMS	2289.04	-53.72	-37	16.72	Pass	401
2292	2296	1	RMS	2295.99	-53.13	-31	22.13	Pass	401
2296	2300	1	RMS	2300	-46.86	-25	21.86	Pass	401
2300	2304	1	RMS	2304	-26.07	-13	13.07	Pass	401
2304	2305	0.1	RMS	2304.993	-34.04	-13	21.04	Pass	401
2305	2315	0.1	RMS	2309	-1.75	60	61.75	Pass	401
2315	2316	0.1	RMS	2315.085	-53.59	-13	40.59	Pass	401
2316	2320	1	RMS	2316.07	-46.61	-13	33.61	Pass	401
2320	2324	1	RMS	2320.02	-53.09	-25	28.09	Pass	401
2324	2328	1	RMS	2324.56	-53.53	-31	22.53	Pass	401
2328	2337	1	RMS	2328.72	-53.85	-37	16.85	Pass	401
2337	2341	1	RMS	2340.77	-53.67	-31	22.67	Pass	401
2341	2345	1	RMS	2343.26	-53.63	-25	28.63	Pass	401
2345	2360	1	RMS	2353.4	-53.73	-13	40.73	Pass	401
2360	2365	1	RMS	2363.725	-53.9	-13	40.9	Pass	401
2365	2395	1	RMS	2391.775	-53.78	-40	13.78	Pass	401




21.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.66	-53.88	-40	13.88	Pass	401
2288	2292	1	RMS	2291.48	-53.72	-37	16.72	Pass	401
2292	2296	1	RMS	2295.65	-53.23	-31	22.23	Pass	401
2296	2300	1	RMS	2299.87	-50.24	-25	25.24	Pass	401
2300	2304	1	RMS	2304	-16.32	-13	3.32	Pass*	401
2304	2305	0.01	RMS	2305	-39.22	-13	26.22	Pass	401
2305	2315	0.1	RMS	2305.475	11.21	60	48.79	Pass	401
2315	2316	0.01	RMS	2315.585	-71.07	-13	58.07	Pass	401
2316	2320	1	RMS	2316.41	-52.99	-13	39.99	Pass	401
2320	2324	1	RMS	2320.75	-53.44	-25	28.44	Pass	401
2324	2328	1	RMS	2324.93	-53.49	-31	22.49	Pass	401
2328	2337	1	RMS	2328.608	-53.78	-37	16.78	Pass	401
2337	2341	1	RMS	2337.27	-53.69	-31	22.69	Pass	401
2341	2345	1	RMS	2343.02	-53.61	-25	28.61	Pass	401
2345	2360	1	RMS	2353.063	-53.67	-13	40.67	Pass	401
2360	2365	1	RMS	2363.238	-53.84	-13	40.84	Pass	401
2365	2395	1	RMS	2393.875	-53.76	-40	13.76	Pass	401




21.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2202.64	-53.86	-40	13.86	Pass	401
2288	2292	1	RMS	2291.88	-53.49	-37	16.49	Pass	401
2292	2296	1	RMS	2295.98	-49.84	-31	18.84	Pass	401
2296	2300	1	RMS	2299.99	-42.13	-25	17.13	Pass	401
2300	2304	1	RMS	2304	-31.34	-13	18.34	Pass	401
2304	2305	0.1	RMS	2305	-38.03	-13	25.03	Pass	401
2305	2315	0.1	RMS	2312.4	-5.05	60	65.05	Pass	401
2315	2316	0.1	RMS	2315.005	-34.59	-13	21.59	Pass	401
2316	2320	1	RMS	2316	-25.81	-13	12.81	Pass	401
2320	2324	1	RMS	2320	-40.42	-25	15.42	Pass	401
2324	2328	1	RMS	2324.01	-47.94	-31	16.94	Pass	401
2328	2337	1	RMS	2328	-52.05	-37	15.05	Pass	401
2337	2341	1	RMS	2339.65	-53.64	-31	22.64	Pass	401
2341	2345	1	RMS	2344.01	-53.67	-25	28.67	Pass	401
2345	2360	1	RMS	2350.963	-53.68	-13	40.68	Pass	401
2360	2365	1	RMS	2361.8	-53.84	-13	40.84	Pass	401
2365	2395	1	RMS	2393.725	-53.79	-40	13.79	Pass	401



21.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2201.1	-53.91	-40	13.91	Pass	401
2288	2292	1	RMS	2291.34	-53.68	-37	16.68	Pass	401
2292	2296	1	RMS	2295.77	-53.66	-31	22.66	Pass	401
2296	2300	1	RMS	2299.03	-53.46	-25	28.46	Pass	401
2300	2304	1	RMS	2303.45	-52.97	-13	39.97	Pass	401
2304	2305	0.01	RMS	2304.973	-70.63	-13	57.63	Pass	401
2305	2315	0.1	RMS	2314.65	11.2	60	48.8	Pass	401
2315	2316	0.01	RMS	2315	-30.63	-13	17.63	Pass	401
2316.5	2320	1	RMS	2316.509	-32.15	-13	19.15	Pass	401
2320	2324	1	RMS	2320	-47.7	-25	22.7	Pass	401
2324	2328	1	RMS	2324.36	-52.89	-31	21.89	Pass	401
2328	2337	1	RMS	2329.058	-53.66	-37	16.66	Pass	401
2337	2341	1	RMS	2337.1	-53.67	-31	22.67	Pass	401
2341	2345	1	RMS	2343.72	-53.69	-25	28.69	Pass	401
2345	2360	1	RMS	2352.125	-53.67	-13	40.67	Pass	401
2360	2365	1	RMS	2364.175	-53.9	-13	40.9	Pass	401
2365	2395	1	RMS	2391.625	-53.77	-40	13.77	Pass	401



22. n66 15kHz


22.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-38.53	-13	25.53	Pass	401
1709	1710	0.051	RMS	1710	-25.54	-13	12.54	Pass	401
1710	1715	1	RMS	1710.4	14.8	30	15.2	Pass	401




22.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-39.56	-13	26.56	Pass	401
1709	1710	0.051	RMS	1709.993	-35.42	-13	22.42	Pass	401
1710	1715	1	RMS	1713.675	8.57	30	21.43	Pass	401




22.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.688	14.86	30	15.14	Pass	401
1780	1781	0.051	RMS	1780	-21.66	-13	8.66	Pass	401
1781.5	1790	1	RMS	1781.5	-33.15	-13	20.15	Pass	401




22.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.163	8.73	30	21.27	Pass	401
1780	1781	0.051	RMS	1780	-32.01	-13	19.01	Pass	401
1781.5	1790	1	RMS	1781.5	-40.88	-13	27.88	Pass	401




22.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-46.74	-13	33.74	Pass	401
1709	1710	0.2	RMS	1709.998	-28.78	-13	15.78	Pass	401
1710	1730	1	RMS	1710.6	14.65	30	15.35	Pass	401




22.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-40.8	-13	27.8	Pass	401
1709	1710	0.2	RMS	1710	-39.07	-13	26.07	Pass	401
1710	1730	1	RMS	1728.4	2.56	30	27.44	Pass	401




22.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	14.79	30	15.21	Pass	401
1780	1781	0.2	RMS	1780	-23.29	-13	10.29	Pass	401
1781.5	1805	1	RMS	1781.5	-45.57	-13	32.57	Pass	401




22.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1764.05	2.4	30	27.6	Pass	401
1780	1781	0.2	RMS	1780.003	-37.91	-13	24.91	Pass	401
1781.5	1805	1	RMS	1781.5	-41.91	-13	28.91	Pass	401




22.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.5	-38.6	-13	25.6	Pass	401
1709	1709.8	0.39	RMS	1709.8	-35.93	-13	22.93	Pass	401
1710	1750	1	RMS	1710.7	14.75	30	15.25	Pass	401




22.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-39.5	-13	26.5	Pass	401
1709	1710	0.39	RMS	1710	-39.92	-13	26.92	Pass	401
1710	1750	1	RMS	1746.9	-0.35	30	30.35	Pass	401




22.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1779.4	14.85	30	15.15	Pass	401
1780.2	1781	0.39	RMS	1780.2	-30.08	-13	17.08	Pass	401
1781	1825	1	RMS	1781	-39.94	-13	26.94	Pass	45



22.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1741.8	-0.36	30	30.36	Pass	401
1780	1781	0.39	RMS	1780	-34.23	-13	21.23	Pass	401
1781	1825	1	RMS	1781	-38.88	-13	25.88	Pass	401



23. n77 30kHz(3450-3550)


23.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-42.77	-13	29.77	Pass	401
3445	3449	0.62	RMS	3449	-28.65	-13	15.65	Pass	401
3449	3450	0.2	RMS	3450	-19.01	-13	6.01	Pass	401
3450	3460	1	RMS	3451	23.02	40	16.98	Pass	401




23.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3444.975	-28.66	-13	15.66	Pass	401
3445	3449	0.62	RMS	3449	-25.08	-13	12.08	Pass	401
3449	3450	0.2	RMS	3449.993	-23.97	-13	10.97	Pass	401
3450	3460	1	RMS	3455.15	14.74	40	25.26	Pass	401




23.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.225	23.23	40	16.77	Pass	401
3550	3551	0.2	RMS	3550	-13.88	-13	0.88	Pass*	401
3551	3555	0.62	RMS	3551	-27.33	-13	14.33	Pass	401
3555	3565	1	RMS	3555.075	-43.22	-13	30.22	Pass	401




23.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3545.4	14.99	40	25.01	Pass	401
3550	3551	0.2	RMS	3550	-19.2	-13	6.2	Pass	401
3551	3555	0.62	RMS	3551.06	-18.9	-13	5.9	Pass*	401
3555	3565	1	RMS	3555.025	-23.64	-13	10.64	Pass	401




23.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-43.76	-13	30.76	Pass	401
3445	3449	0.62	RMS	3448.99	-32.15	-13	19.15	Pass	401
3449	3450	0.2	RMS	3449.998	-27.25	-13	14.25	Pass	401
3450	3500	1	RMS	3451.375	23.12	40	16.88	Pass	401




23.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3444.75	-28.53	-13	15.53	Pass	401
3445	3449	0.62	RMS	3448.98	-28.32	-13	15.32	Pass	401
3449	3450	0.2	RMS	3449.983	-31.63	-13	18.63	Pass	401
3450	3500	1	RMS	3494.5	7.5	40	32.5	Pass	401




23.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.875	23.42	40	16.58	Pass	401
3550	3551	0.2	RMS	3550.003	-21.23	-13	8.23	Pass	401
3551	3555	0.62	RMS	3551	-31.66	-13	18.66	Pass	401
3555	3605	1	RMS	3555	-43.69	-13	30.69	Pass	401




23.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3506.75	7.6	40	32.4	Pass	401
3550	3551	0.2	RMS	3550.005	-28.59	-13	15.59	Pass	401
3551	3555	0.62	RMS	3551	-24.05	-13	11.05	Pass	401
3555	3605	1	RMS	3556.25	-23.57	-13	10.57	Pass	401




23.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-43.41	-13	30.41	Pass	401
3445	3449	0.62	RMS	3449	-30.49	-13	17.49	Pass	401
3449	3450	0.051	RMS	3449.988	-27.89	-13	14.89	Pass	401
3450	3550	1	RMS	3451	22.93	40	17.07	Pass	401




23.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.75	-29.95	-13	16.95	Pass	401
3445	3449	0.62	RMS	3448.97	-30.98	-13	17.98	Pass	401
3449	3450	0.2	RMS	3449.995	-34.77	-13	21.77	Pass	401
3450	3550	1	RMS	3547.25	4.27	40	35.73	Pass	401




23.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	23.35	40	16.65	Pass	401
3550	3551	0.2	RMS	3550.005	-16.49	-13	3.49	Pass*	401
3551	3555	0.62	RMS	3551	-29.23	-13	16.23	Pass	401
3555	3655	1	RMS	3555	-43.28	-13	30.28	Pass	401



23.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3550	3551	0.2	RMS	3550.003	-30.6	-13	17.6	Pass	401
3551	3555	0.62	RMS	3551.03	-28.39	-13	15.39	Pass	401
3555	3655	1	RMS	3555	-26.98	-13	13.98	Pass	401



24. n77 30kHz(3700-3980)


24.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.975	-42.79	-13	29.79	Pass	401
3695	3699	0.62	RMS	3699	-28.3	-13	15.3	Pass	401
3699	3700	0.051	RMS	3700	-26.5	-13	13.5	Pass	401
3700	3710	1	RMS	3700.975	23.34	40	16.66	Pass	401




24.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.975	-25.97	-13	12.97	Pass	401
3695	3699	0.62	RMS	3698.98	-20.81	-13	7.81	Pass	401
3699	3700	0.39	RMS	3700	-18.88	-13	5.88	Pass*	401
3700	3710	1	RMS	3705.175	14.96	40	25.04	Pass	401




24.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.275	23.38	40	16.62	Pass	401
3980	3981	0.051	RMS	3980	-18.02	-13	5.02	Pass*	401
3981	3985	0.62	RMS	3981	-27.33	-13	14.33	Pass	401
3985	3995	1	RMS	3985.025	-41.01	-13	28.01	Pass	401




24.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3975.125	15.11	40	24.89	Pass	401
3980	3981	0.39	RMS	3980.003	-15.13	-13	2.13	Pass*	401
3981	3985	0.62	RMS	3981	-19.58	-13	6.58	Pass	401
3985	3995	1	RMS	3985.025	-23.89	-13	10.89	Pass	401




24.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-43.25	-13	30.25	Pass	401
3695	3699	0.62	RMS	3699	-32.39	-13	19.39	Pass	401
3699	3700	0.39	RMS	3699.988	-22.28	-13	9.28	Pass	401
3700	3750	1	RMS	3701.375	23.56	40	16.44	Pass	401




24.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-24.73	-13	11.73	Pass	401
3695	3699	0.62	RMS	3695.22	-26.42	-13	13.42	Pass	401
3699	3700	0.39	RMS	3699.94	-27.62	-13	14.62	Pass	401
3700	3750	1	RMS	3702.75	8.13	40	31.87	Pass	401



24.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.875	23.57	40	16.43	Pass	401
3980	3981	0.39	RMS	3980	-17.55	-13	4.55	Pass*	401
3981	3985	0.62	RMS	3981	-32.01	-13	19.01	Pass	401
3985	4035	1	RMS	3985	-42.85	-13	29.85	Pass	401




24.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3968.125	7.75	40	32.25	Pass	401
3980	3981	0.39	RMS	3980.005	-26.09	-13	13.09	Pass	401
3981	3985	0.62	RMS	3981.04	-25.74	-13	12.74	Pass	401
3985	4035	1	RMS	3985	-25.48	-13	12.48	Pass	401




24.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-42.69	-13	29.69	Pass	401
3695	3699	0.62	RMS	3699	-29.72	-13	16.72	Pass	401
3699	3700	0.051	RMS	3700	-26.62	-13	13.62	Pass	401
3700	3800	1	RMS	3701.25	23.36	40	16.64	Pass	401




24.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.75	-28.02	-13	15.02	Pass	401
3695	3699	0.62	RMS	3699	-29.36	-13	16.36	Pass	401
3699	3700	0.39	RMS	3699.985	-29.89	-13	16.89	Pass	401
3700	3800	1	RMS	3702.5	5.31	40	34.69	Pass	401



24.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	23.33	40	16.67	Pass	401
3980	3981	0.051	RMS	3980.005	-21.38	-13	8.38	Pass	401
3981	3985	0.62	RMS	3981	-26.96	-13	13.96	Pass	401
3985	4085	1	RMS	3985	-40.44	-13	27.44	Pass	401



24.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3891.25	4.69	40	35.31	Pass	401
3980	3981	0.39	RMS	3980	-28.09	-13	15.09	Pass	401
3981	3985	0.62	RMS	3981	-30.24	-13	17.24	Pass	401
3985	4085	1	RMS	3986.75	-29.08	-13	16.08	Pass	401



--BLANK BELOW--