

Annex A.5 Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.89	-13	50.89	Pass	401
0.15	30	0.01	Peak	0.35	-65.2	-13	52.2	Pass	2986
30	1000	0.1	Peak	910.14	-54.1	-13	41.1	Pass	9701
1000	3000	1	Peak	1854	22.23	-13	-35.23	NA	2001
3000	20000	1	Peak	18902	-29.53	-13	16.53	Pass	17003




1.2 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.32	-13	53.32	Pass	401
0.15	30	0.01	Peak	0.22	-63.54	-13	50.54	Pass	2986
30	1000	0.1	Peak	480.8	-54.28	-13	41.28	Pass	9701
1000	3000	1	Peak	1879	22.48	-13	-35.48	NA	2001
3000	20000	1	Peak	17857	-29.44	-13	16.44	Pass	17003



1.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.22	-13	52.22	Pass	401
0.15	30	0.01	Peak	0.16	-64.65	-13	51.65	Pass	2986
30	1000	0.1	Peak	815.5	-54.37	-13	41.37	Pass	9701
1000	3000	1	Peak	1906	22.3	-13	-35.3	NA	2001
3000	20000	1	Peak	14162	-29.86	-13	16.86	Pass	17003



2. WCDMA_Band4

2.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.02	-66.53	-13	53.53	Pass	401
0.15	30	0.01	Peak	0.15	-64.87	-13	51.87	Pass	2986
30	1000	0.1	Peak	841.9	-55.01	-13	42.01	Pass	9701
1000	3000	1	Peak	1711	21.42	-13	-34.42	NA	2001
3000	20000	1	Peak	17851	-29.77	-13	16.77	Pass	17003



2.2 WCDMA Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Channel:1412)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.3	-13	53.3	Pass	401
0.15	30	0.01	Peak	0.16	-65.51	-13	52.51	Pass	2986
30	1000	0.1	Peak	966.578	-54.4	-13	41.4	Pass	9701
1000	3000	1	Peak	1731	21.63	-13	-34.63	NA	2001
3000	20000	1	Peak	17304	-30	-13	17	Pass	17003



2.3 WCDMA Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.55	-13	53.55	Pass	401
0.15	30	0.01	Peak	0.16	-64.74	-13	51.74	Pass	2986
30	1000	0.1	Peak	757	-54.24	-13	41.24	Pass	9701
1000	3000	1	Peak	1751	21.34	-13	-34.34	NA	2001
3000	20000	1	Peak	13811	-29.55	-13	16.55	Pass	17003



3. WCDMA_Band5


3.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.99	-13	52.99	Pass	401
0.15	30	0.01	Peak	0.17	-64.74	-13	51.74	Pass	2986
30	500	0.1	Peak	496	-55.14	-13	42.14	Pass	4701
500	1000	0.1	Peak	825.2	15.54	-13	-28.54	NA	5001
1000	10000	1	Peak	8492	-35.23	-13	22.23	Pass	9002




3.2 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.67	-13	52.67	Pass	401
0.15	30	0.01	Peak	0.92	-64.24	-13	51.24	Pass	2986
30	500	0.1	Peak	466.5	-55.7	-13	42.7	Pass	4701
500	1000	0.1	Peak	837	16.55	-13	-29.55	NA	5001
1000	10000	1	Peak	2455	-34.18	-13	21.18	Pass	9002



3.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.27	-13	53.27	Pass	401
0.15	30	0.01	Peak	0.58	-65.61	-13	52.61	Pass	2986
30	500	0.1	Peak	386	-55.37	-13	42.37	Pass	4701
500	1000	0.1	Peak	847.5	15.91	-13	-28.91	NA	5001
1000	10000	1	Peak	2455	-33.78	-13	20.78	Pass	9002



4. LTE_Band2


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.16	-72.97	-13	59.97	Pass	2986
30	1000	0.1	RMS	934.457	-65.61	-13	52.61	Pass	9701
1000	1840	1	RMS	1840	-54.41	-13	41.41	Pass	841
1840	1920	1	RMS	1850.2	21.39	60	38.61	Pass	401
1920	3000	1	RMS	2848	-52.66	-13	39.66	Pass	1081
3000	12000	1	RMS	12000	-45.66	-13	32.66	Pass	9002
12000	20000	1	RMS	13603	-41.3	-13	28.3	Pass	8001




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	956.671	-65.63	-13	52.63	Pass	9701
1000	1840	1	RMS	1840	-54.51	-13	41.51	Pass	841
1840	1920	1	RMS	1850.2	20.01	60	39.99	Pass	401
1920	3000	1	RMS	2434	-47.06	-13	34.06	Pass	1081
3000	12000	1	RMS	12000	-45.73	-13	32.73	Pass	9002
12000	20000	1	RMS	13597	-41.25	-13	28.25	Pass	8001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	840.4	-65.53	-13	52.53	Pass	9701
1000	1840	1	RMS	1838	-54.6	-13	41.6	Pass	841
1840	1920	1	RMS	1879.4	21.23	60	38.77	Pass	401
1920	3000	1	RMS	2434	-47.79	-13	34.79	Pass	1081
3000	12000	1	RMS	11998	-45.72	-13	32.72	Pass	9002
12000	20000	1	RMS	13604	-41.31	-13	28.31	Pass	8001




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	852.903	-65.68	-13	52.68	Pass	9701
1000	1840	1	RMS	1832	-54.58	-13	41.58	Pass	841
1840	1920	1	RMS	1879.4	20.33	60	39.67	Pass	401
1920	3000	1	RMS	2440	-46.61	-13	33.61	Pass	1081
3000	12000	1	RMS	11990	-45.76	-13	32.76	Pass	9002
12000	20000	1	RMS	13599	-41.22	-13	28.22	Pass	8001




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	986.491	-65.67	-13	52.67	Pass	9701
1000	1840	1	RMS	1824	-54.62	-13	41.62	Pass	841
1840	1920	1	RMS	1908.8	21.31	60	38.69	Pass	401
1920	3000	1	RMS	2437	-46.06	-13	33.06	Pass	1081
3000	12000	1	RMS	11999	-45.73	-13	32.73	Pass	9002
12000	20000	1	RMS	13601	-41.25	-13	28.25	Pass	8001




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.18	-72.86	-13	59.86	Pass	2986
30	1000	0.1	RMS	828.2	-65.65	-13	52.65	Pass	9701
1000	1840	1	RMS	1829	-54.58	-13	41.58	Pass	841
1840	1920	1	RMS	1908.8	20.32	60	39.68	Pass	401
1920	3000	1	RMS	2438	-46.19	-13	33.19	Pass	1081
3000	12000	1	RMS	11995	-45.64	-13	32.64	Pass	9002
12000	20000	1	RMS	13600	-41.17	-13	28.17	Pass	8001




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.19	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	861.108	-65.74	-13	52.74	Pass	9701
1000	1840	1	RMS	1840	-54.39	-13	41.39	Pass	841
1840	1920	1	RMS	1850.2	21.32	60	38.68	Pass	401
1920	3000	1	RMS	2994	-52.62	-13	39.62	Pass	1081
3000	12000	1	RMS	11987	-45.7	-13	32.7	Pass	9002
12000	20000	1	RMS	13598	-41.22	-13	28.22	Pass	8001




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	848.9	-65.63	-13	52.63	Pass	9701
1000	1840	1	RMS	1840	-54.54	-13	41.54	Pass	841
1840	1920	1	RMS	1850.2	20	60	40	Pass	401
1920	3000	1	RMS	2996	-52.64	-13	39.64	Pass	1081
3000	12000	1	RMS	12000	-45.75	-13	32.75	Pass	9002
12000	20000	1	RMS	13601	-41.23	-13	28.23	Pass	8001




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-13	59.91	Pass	2986
30	1000	0.1	RMS	879.72	-65.76	-13	52.76	Pass	9701
1000	1840	1	RMS	1840	-54.62	-13	41.62	Pass	841
1840	1920	1	RMS	1878.6	21.31	60	38.69	Pass	401
1920	3000	1	RMS	2981	-52.67	-13	39.67	Pass	1081
3000	12000	1	RMS	11993	-45.75	-13	32.75	Pass	9002
12000	20000	1	RMS	13605	-41.33	-13	28.33	Pass	8001




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.18	-72.51	-13	59.51	Pass	2986
30	1000	0.1	RMS	834	-65.52	-13	52.52	Pass	9701
1000	1840	1	RMS	1838	-54.6	-13	41.6	Pass	841
1840	1920	1	RMS	1878.6	20.17	60	39.83	Pass	401
1920	3000	1	RMS	2839	-52.65	-13	39.65	Pass	1081
3000	12000	1	RMS	11997	-45.77	-13	32.77	Pass	9002
12000	20000	1	RMS	13599	-41.29	-13	28.29	Pass	8001




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	851.602	-65.77	-13	52.77	Pass	9701
1000	1840	1	RMS	1836	-54.58	-13	41.58	Pass	841
1840	1920	1	RMS	1907.2	21.34	60	38.66	Pass	401
1920	3000	1	RMS	2995	-52.63	-13	39.63	Pass	1081
3000	12000	1	RMS	11888	-45.84	-13	32.84	Pass	9002
12000	20000	1	RMS	13602	-41.26	-13	28.26	Pass	8001




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.23	-72.8	-13	59.8	Pass	2986
30	1000	0.1	RMS	872.516	-65.75	-13	52.75	Pass	9701
1000	1840	1	RMS	1837	-54.64	-13	41.64	Pass	841
1840	1920	1	RMS	1907.2	20.4	60	39.6	Pass	401
1920	3000	1	RMS	2433	-49.95	-13	36.95	Pass	1081
3000	12000	1	RMS	11987	-45.8	-13	32.8	Pass	9002
12000	20000	1	RMS	13607	-41.34	-13	28.34	Pass	8001




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	871.015	-65.76	-13	52.76	Pass	9701
1000	1840	1	RMS	1840	-54.42	-13	41.42	Pass	841
1840	1920	1	RMS	1850.2	21.09	60	38.91	Pass	401
1920	3000	1	RMS	2982	-52.67	-13	39.67	Pass	1081
3000	12000	1	RMS	11998	-45.75	-13	32.75	Pass	9002
12000	20000	1	RMS	13602	-41.2	-13	28.2	Pass	8001




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	849.2	-65.6	-13	52.6	Pass	9701
1000	1840	1	RMS	1840	-54.51	-13	41.51	Pass	841
1840	1920	1	RMS	1850.2	20.1	60	39.9	Pass	401
1920	3000	1	RMS	2433	-49.91	-13	36.91	Pass	1081
3000	12000	1	RMS	11996	-45.73	-13	32.73	Pass	9002
12000	20000	1	RMS	13606	-41.34	-13	28.34	Pass	8001




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	852.602	-65.71	-13	52.71	Pass	9701
1000	1840	1	RMS	1679	-54.56	-13	41.56	Pass	841
1840	1920	1	RMS	1877.8	21.26	60	38.74	Pass	401
1920	3000	1	RMS	2989	-52.64	-13	39.64	Pass	1081
3000	12000	1	RMS	11996	-45.69	-13	32.69	Pass	9002
12000	20000	1	RMS	13602	-41.31	-13	28.31	Pass	8001




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.21	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	839.3	-65.51	-13	52.51	Pass	9701
1000	1840	1	RMS	1834	-54.61	-13	41.61	Pass	841
1840	1920	1	RMS	1877.8	20.35	60	39.65	Pass	401
1920	3000	1	RMS	2999	-52.64	-13	39.64	Pass	1081
3000	12000	1	RMS	11994	-45.79	-13	32.79	Pass	9002
12000	20000	1	RMS	13601	-41.3	-13	28.3	Pass	8001




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	859.107	-65.66	-13	52.66	Pass	9701
1000	1840	1	RMS	1819	-54.6	-13	41.6	Pass	841
1840	1920	1	RMS	1905.2	21.04	60	38.96	Pass	401
1920	3000	1	RMS	2996	-52.66	-13	39.66	Pass	1081
3000	12000	1	RMS	11997	-45.7	-13	32.7	Pass	9002
12000	20000	1	RMS	13600	-41.27	-13	28.27	Pass	8001




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.17	-72.76	-13	59.76	Pass	2986
30	1000	0.1	RMS	967.278	-65.67	-13	52.67	Pass	9701
1000	1840	1	RMS	1836	-54.6	-13	41.6	Pass	841
1840	1920	1	RMS	1905.2	20.22	60	39.78	Pass	401
1920	3000	1	RMS	2934	-52.68	-13	39.68	Pass	1081
3000	12000	1	RMS	11999	-45.71	-13	32.71	Pass	9002
12000	20000	1	RMS	13602	-41.22	-13	28.22	Pass	8001




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.88	-13	59.88	Pass	2986
30	1000	0.1	RMS	844.9	-65.78	-13	52.78	Pass	9701
1000	1840	1	RMS	1840	-54.25	-13	41.25	Pass	841
1840	1920	1	RMS	1850.4	21.3	60	38.7	Pass	401
1920	3000	1	RMS	2433	-49.08	-13	36.08	Pass	1081
3000	12000	1	RMS	11997	-45.79	-13	32.79	Pass	9002
12000	20000	1	RMS	13604	-41.28	-13	28.28	Pass	8001




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.99	-13	59.99	Pass	2986
30	1000	0.1	RMS	848.8	-65.74	-13	52.74	Pass	9701
1000	1840	1	RMS	1840	-54.39	-13	41.39	Pass	841
1840	1920	1	RMS	1850.4	20.21	60	39.79	Pass	401
1920	3000	1	RMS	2435	-46.6	-13	33.6	Pass	1081
3000	12000	1	RMS	11994	-45.81	-13	32.81	Pass	9002
12000	20000	1	RMS	13604	-41.3	-13	28.3	Pass	8001




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.17	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	959.373	-65.69	-13	52.69	Pass	9701
1000	1840	1	RMS	1840	-54.63	-13	41.63	Pass	841
1840	1920	1	RMS	1875.4	21.28	60	38.72	Pass	401
1920	3000	1	RMS	2433	-49.93	-13	36.93	Pass	1081
3000	12000	1	RMS	11985	-45.78	-13	32.78	Pass	9002
12000	20000	1	RMS	13600	-41.28	-13	28.28	Pass	8001




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	851.902	-65.68	-13	52.68	Pass	9701
1000	1840	1	RMS	1835	-54.61	-13	41.61	Pass	841
1840	1920	1	RMS	1875.4	20.31	60	39.69	Pass	401
1920	3000	1	RMS	2935	-52.68	-13	39.68	Pass	1081
3000	12000	1	RMS	11998	-45.81	-13	32.81	Pass	9002
12000	20000	1	RMS	13602	-41.24	-13	28.24	Pass	8001




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.16	-72.89	-13	59.89	Pass	2986
30	1000	0.1	RMS	990.294	-65.69	-13	52.69	Pass	9701
1000	1840	1	RMS	1837	-54.61	-13	41.61	Pass	841
1840	1920	1	RMS	1900.4	21.19	60	38.81	Pass	401
1920	3000	1	RMS	2841	-52.68	-13	39.68	Pass	1081
3000	12000	1	RMS	11998	-45.77	-13	32.77	Pass	9002
12000	20000	1	RMS	13599	-41.28	-13	28.28	Pass	8001




4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	988.893	-65.75	-13	52.75	Pass	9701
1000	1840	1	RMS	1840	-54.63	-13	41.63	Pass	841
1840	1920	1	RMS	1900.4	20.05	60	39.95	Pass	401
1920	3000	1	RMS	2436	-45.47	-13	32.47	Pass	1081
3000	12000	1	RMS	11994	-45.77	-13	32.77	Pass	9002
12000	20000	1	RMS	13604	-41.33	-13	28.33	Pass	8001




4.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	853.203	-65.66	-13	52.66	Pass	9701
1000	1840	1	RMS	1838	-50.18	-13	37.18	Pass	841
1840	1920	1	RMS	1850.8	21.3	60	38.7	Pass	401
1920	3000	1	RMS	2440	-46.9	-13	33.9	Pass	1081
3000	12000	1	RMS	11990	-45.75	-13	32.75	Pass	9002
12000	20000	1	RMS	13601	-41.25	-13	28.25	Pass	8001




4.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.28	-72.9	-13	59.9	Pass	2986
30	1000	0.1	RMS	842.1	-65.63	-13	52.63	Pass	9701
1000	1840	1	RMS	1837	-53.88	-13	40.88	Pass	841
1840	1920	1	RMS	1850.8	20.22	60	39.78	Pass	401
1920	3000	1	RMS	2981	-52.64	-13	39.64	Pass	1081
3000	12000	1	RMS	11998	-45.72	-13	32.72	Pass	9002
12000	20000	1	RMS	13600	-41.28	-13	28.28	Pass	8001




4.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.21	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	843.8	-65.56	-13	52.56	Pass	9701
1000	1840	1	RMS	1834	-54.57	-13	41.57	Pass	841
1840	1920	1	RMS	1873.2	21.44	60	38.56	Pass	401
1920	3000	1	RMS	2443	-52.5	-13	39.5	Pass	1081
3000	12000	1	RMS	11997	-45.68	-13	32.68	Pass	9002
12000	20000	1	RMS	13599	-41.29	-13	28.29	Pass	8001




4.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-13	59.72	Pass	2986
30	1000	0.1	RMS	871.415	-65.71	-13	52.71	Pass	9701
1000	1840	1	RMS	1840	-54.56	-13	41.56	Pass	841
1840	1920	1	RMS	1873.2	20.29	60	39.71	Pass	401
1920	3000	1	RMS	2985	-52.65	-13	39.65	Pass	1081
3000	12000	1	RMS	11997	-45.61	-13	32.61	Pass	9002
12000	20000	1	RMS	13603	-41.21	-13	28.21	Pass	8001




4.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	962.775	-65.77	-13	52.77	Pass	9701
1000	1840	1	RMS	1840	-54.58	-13	41.58	Pass	841
1840	1920	1	RMS	1895.8	21.26	60	38.74	Pass	401
1920	3000	1	RMS	1922	-48.85	-13	35.85	Pass	1081
3000	12000	1	RMS	11999	-45.74	-13	32.74	Pass	9002
12000	20000	1	RMS	13600	-41.3	-13	28.3	Pass	8001




4.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	840.3	-65.7	-13	52.7	Pass	9701
1000	1840	1	RMS	1840	-54.6	-13	41.6	Pass	841
1840	1920	1	RMS	1895.8	20.18	60	39.82	Pass	401
1920	3000	1	RMS	2438	-50.33	-13	37.33	Pass	1081
3000	12000	1	RMS	11999	-45.69	-13	32.69	Pass	9002
12000	20000	1	RMS	13600	-41.27	-13	28.27	Pass	8001




4.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	930.154	-65.62	-13	52.62	Pass	9701
1000	1840	1	RMS	1833	-53.23	-13	40.23	Pass	841
1840	1920	1	RMS	1851	21.16	60	38.84	Pass	401
1920	3000	1	RMS	2432	-51.66	-13	38.66	Pass	1081
3000	12000	1	RMS	11999	-45.66	-13	32.66	Pass	9002
12000	20000	1	RMS	13602	-41.25	-13	28.25	Pass	8001




4.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	982.689	-65.63	-13	52.63	Pass	9701
1000	1840	1	RMS	1833	-54.45	-13	41.45	Pass	841
1840	1920	1	RMS	1851	20.24	60	39.76	Pass	401
1920	3000	1	RMS	2433	-50.75	-13	37.75	Pass	1081
3000	12000	1	RMS	11997	-45.79	-13	32.79	Pass	9002
12000	20000	1	RMS	13601	-41.22	-13	28.22	Pass	8001




4.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	948.066	-65.66	-13	52.66	Pass	9701
1000	1840	1	RMS	1840	-54.6	-13	41.6	Pass	841
1840	1920	1	RMS	1871	21.42	60	38.58	Pass	401
1920	3000	1	RMS	2435	-47.53	-13	34.53	Pass	1081
3000	12000	1	RMS	11886	-45.79	-13	32.79	Pass	9002
12000	20000	1	RMS	13599	-41.15	-13	28.15	Pass	8001




4.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	869.413	-65.61	-13	52.61	Pass	9701
1000	1840	1	RMS	1832	-54.62	-13	41.62	Pass	841
1840	1920	1	RMS	1871	20.48	60	39.52	Pass	401
1920	3000	1	RMS	2435	-47.02	-13	34.02	Pass	1081
3000	12000	1	RMS	12000	-45.71	-13	32.71	Pass	9002
12000	20000	1	RMS	13600	-41.28	-13	28.28	Pass	8001




4.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	870.914	-65.73	-13	52.73	Pass	9701
1000	1840	1	RMS	1836	-54.61	-13	41.61	Pass	841
1840	1920	1	RMS	1891	21.16	60	38.84	Pass	401
1920	3000	1	RMS	2433	-50.24	-13	37.24	Pass	1081
3000	12000	1	RMS	12000	-45.82	-13	32.82	Pass	9002
12000	20000	1	RMS	13599	-41.35	-13	28.35	Pass	8001



4.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	856.005	-65.72	-13	52.72	Pass	9701
1000	1840	1	RMS	1838	-54.59	-13	41.59	Pass	841
1840	1920	1	RMS	1891	20	60	40	Pass	401
1920	3000	1	RMS	2443	-52.37	-13	39.37	Pass	1081
3000	12000	1	RMS	12000	-45.73	-13	32.73	Pass	9002
12000	20000	1	RMS	13599	-41.17	-13	28.17	Pass	8001



5. LTE_Band4


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	842.4	-65.64	-13	52.64	Pass	9701
1000	1700	1	RMS	1700	-54.3	-13	41.3	Pass	701
1700	1765	1	RMS	1710.238	22.32	60	37.68	Pass	401
1765	3000	1	RMS	2839	-52.59	-13	39.59	Pass	1236
3000	12000	1	RMS	3420	-39.82	-13	26.82	Pass	9002
12000	20000	1	RMS	13601	-41.26	-13	28.26	Pass	8001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-13	59.7	Pass	2986
30	1000	0.1	RMS	847.4	-65.73	-13	52.73	Pass	9701
1000	1700	1	RMS	1700	-54.39	-13	41.39	Pass	701
1700	1765	1	RMS	1710.238	21.24	60	38.76	Pass	401
1765	3000	1	RMS	2839	-52.62	-13	39.62	Pass	1236
3000	12000	1	RMS	3420	-40.65	-13	27.65	Pass	9002
12000	20000	1	RMS	13601	-41.1	-13	28.1	Pass	8001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.8	-13	59.8	Pass	2986
30	1000	0.1	RMS	975.184	-65.61	-13	52.61	Pass	9701
1000	1700	1	RMS	1675	-54.65	-13	41.65	Pass	701
1700	1765	1	RMS	1732.013	22.32	60	37.68	Pass	401
1765	3000	1	RMS	2437	-51.6	-13	38.6	Pass	1236
3000	12000	1	RMS	3464	-44.1	-13	31.1	Pass	9002
12000	20000	1	RMS	13601	-41.33	-13	28.33	Pass	8001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	974.683	-65.65	-13	52.65	Pass	9701
1000	1700	1	RMS	1680	-54.57	-13	41.57	Pass	701
1700	1765	1	RMS	1732.013	21.51	60	38.49	Pass	401
1765	3000	1	RMS	2844	-52.62	-13	39.62	Pass	1236
3000	12000	1	RMS	3464	-44.84	-13	31.84	Pass	9002
12000	20000	1	RMS	13604	-41.22	-13	28.22	Pass	8001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	59.52	Pass	2986
30	1000	0.1	RMS	959.173	-65.64	-13	52.64	Pass	9701
1000	1700	1	RMS	1678	-54.64	-13	41.64	Pass	701
1700	1765	1	RMS	1753.788	22.45	60	37.55	Pass	401
1765	3000	1	RMS	2434	-51.98	-13	38.98	Pass	1236
3000	12000	1	RMS	3508	-43.37	-13	30.37	Pass	9002
12000	20000	1	RMS	13601	-41.21	-13	28.21	Pass	8001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.17	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	950.267	-65.49	-13	52.49	Pass	9701
1000	1700	1	RMS	1678	-54.64	-13	41.64	Pass	701
1700	1765	1	RMS	1753.788	21.38	60	38.62	Pass	401
1765	3000	1	RMS	2967	-52.59	-13	39.59	Pass	1236
3000	12000	1	RMS	3508	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13603	-41.15	-13	28.15	Pass	8001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.88	-13	57.88	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	837.1	-65.73	-13	52.73	Pass	9701
1000	1700	1	RMS	1700	-54.25	-13	41.25	Pass	701
1700	1765	1	RMS	1710.238	22.41	60	37.59	Pass	401
1765	3000	1	RMS	2996	-52.64	-13	39.64	Pass	1236
3000	12000	1	RMS	3420	-39.52	-13	26.52	Pass	9002
12000	20000	1	RMS	13599	-41.24	-13	28.24	Pass	8001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	59.82	Pass	2986
30	1000	0.1	RMS	972.382	-65.68	-13	52.68	Pass	9701
1000	1700	1	RMS	1700	-54.4	-13	41.4	Pass	701
1700	1765	1	RMS	1710.075	21.11	60	38.89	Pass	401
1765	3000	1	RMS	2981	-52.64	-13	39.64	Pass	1236
3000	12000	1	RMS	3421	-40.85	-13	27.85	Pass	9002
12000	20000	1	RMS	13600	-41.32	-13	28.32	Pass	8001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	875.117	-65.63	-13	52.63	Pass	9701
1000	1700	1	RMS	1671	-54.67	-13	41.67	Pass	701
1700	1765	1	RMS	1731.2	22.32	60	37.68	Pass	401
1765	3000	1	RMS	2440	-47.13	-13	34.13	Pass	1236
3000	12000	1	RMS	3462	-45.27	-13	32.27	Pass	9002
12000	20000	1	RMS	13601	-41.25	-13	28.25	Pass	8001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	950.067	-65.61	-13	52.61	Pass	9701
1000	1700	1	RMS	1674	-54.68	-13	41.68	Pass	701
1700	1765	1	RMS	1731.2	21.69	60	38.31	Pass	401
1765	3000	1	RMS	2409	-47.08	-13	34.08	Pass	1236
3000	12000	1	RMS	11996	-45.74	-13	32.74	Pass	9002
12000	20000	1	RMS	13597	-41.26	-13	28.26	Pass	8001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.19	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	929.253	-65.62	-13	52.62	Pass	9701
1000	1700	1	RMS	1679	-54.68	-13	41.68	Pass	701
1700	1765	1	RMS	1752.163	22.27	60	37.73	Pass	401
1765	3000	1	RMS	2991	-52.65	-13	39.65	Pass	1236
3000	12000	1	RMS	3504	-43.84	-13	30.84	Pass	9002
12000	20000	1	RMS	13603	-41.25	-13	28.25	Pass	8001




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	862.709	-65.73	-13	52.73	Pass	9701
1000	1700	1	RMS	1682	-54.64	-13	41.64	Pass	701
1700	1765	1	RMS	1752.163	21.18	60	38.82	Pass	401
1765	3000	1	RMS	2841	-52.68	-13	39.68	Pass	1236
3000	12000	1	RMS	3504	-44.73	-13	31.73	Pass	9002
12000	20000	1	RMS	13600	-41.24	-13	28.24	Pass	8001




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	841.1	-65.66	-13	52.66	Pass	9701
1000	1700	1	RMS	1700	-54.22	-13	41.22	Pass	701
1700	1765	1	RMS	1710.238	21.95	60	38.05	Pass	401
1765	3000	1	RMS	2415	-49.43	-13	36.43	Pass	1236
3000	12000	1	RMS	3421	-39.08	-13	26.08	Pass	9002
12000	20000	1	RMS	13600	-41.26	-13	28.26	Pass	8001




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	970.781	-65.72	-13	52.72	Pass	9701
1000	1700	1	RMS	1700	-54.38	-13	41.38	Pass	701
1700	1765	1	RMS	1710.238	21.35	60	38.65	Pass	401
1765	3000	1	RMS	2991	-52.66	-13	39.66	Pass	1236
3000	12000	1	RMS	3421	-39.93	-13	26.93	Pass	9002
12000	20000	1	RMS	13600	-41.25	-13	28.25	Pass	8001




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	1000	0.1	RMS	990.894	-65.74	-13	52.74	Pass	9701
1000	1700	1	RMS	1680	-54.66	-13	41.66	Pass	701
1700	1765	1	RMS	1730.225	22.21	60	37.79	Pass	401
1765	3000	1	RMS	2407	-50.07	-13	37.07	Pass	1236
3000	12000	1	RMS	3461	-45.06	-13	32.06	Pass	9002
12000	20000	1	RMS	13602	-41.28	-13	28.28	Pass	8001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	924.85	-65.74	-13	52.74	Pass	9701
1000	1700	1	RMS	1675	-54.66	-13	41.66	Pass	701
1700	1765	1	RMS	1730.225	21.41	60	38.59	Pass	401
1765	3000	1	RMS	2841	-52.64	-13	39.64	Pass	1236
3000	12000	1	RMS	11993	-45.7	-13	32.7	Pass	9002
12000	20000	1	RMS	13602	-41.27	-13	28.27	Pass	8001




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.16	-72.92	-13	59.92	Pass	2986
30	1000	0.1	RMS	862.209	-65.7	-13	52.7	Pass	9701
1000	1700	1	RMS	1674	-54.66	-13	41.66	Pass	701
1700	1765	1	RMS	1750.213	22.09	60	37.91	Pass	401
1765	3000	1	RMS	2989	-52.64	-13	39.64	Pass	1236
3000	12000	1	RMS	3501	-42.72	-13	29.72	Pass	9002
12000	20000	1	RMS	13598	-41.3	-13	28.3	Pass	8001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	843.9	-65.73	-13	52.73	Pass	9701
1000	1700	1	RMS	1680	-54.69	-13	41.69	Pass	701
1700	1765	1	RMS	1750.213	21.15	60	38.85	Pass	401
1765	3000	1	RMS	2931	-52.65	-13	39.65	Pass	1236
3000	12000	1	RMS	3501	-43.65	-13	30.65	Pass	9002
12000	20000	1	RMS	13604	-41.25	-13	28.25	Pass	8001




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.23	-73.19	-13	60.19	Pass	2986
30	1000	0.1	RMS	975.884	-65.75	-13	52.75	Pass	9701
1000	1700	1	RMS	1700	-54.18	-13	41.18	Pass	701
1700	1765	1	RMS	1710.563	21.82	60	38.18	Pass	401
1765	3000	1	RMS	2413	-48.42	-13	35.42	Pass	1236
3000	12000	1	RMS	3421	-38.92	-13	25.92	Pass	9002
12000	20000	1	RMS	13603	-41.23	-13	28.23	Pass	8001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	980.787	-65.83	-13	52.83	Pass	9701
1000	1700	1	RMS	1700	-54.27	-13	41.27	Pass	701
1700	1765	1	RMS	1710.563	20.98	60	39.02	Pass	401
1765	3000	1	RMS	2406	-52.05	-13	39.05	Pass	1236
3000	12000	1	RMS	3421	-39.6	-13	26.6	Pass	9002
12000	20000	1	RMS	13600	-41.32	-13	28.32	Pass	8001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	847	-65.75	-13	52.75	Pass	9701
1000	1700	1	RMS	1682	-54.64	-13	41.64	Pass	701
1700	1765	1	RMS	1727.95	22.25	60	37.75	Pass	401
1765	3000	1	RMS	2409	-47.54	-13	34.54	Pass	1236
3000	12000	1	RMS	3456	-44.48	-13	31.48	Pass	9002
12000	20000	1	RMS	13601	-41.28	-13	28.28	Pass	8001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	929.153	-65.55	-13	52.55	Pass	9701
1000	1700	1	RMS	1678	-54.67	-13	41.67	Pass	701
1700	1765	1	RMS	1728.113	21.36	60	38.64	Pass	401
1765	3000	1	RMS	2934	-52.68	-13	39.68	Pass	1236
3000	12000	1	RMS	3456	-45.18	-13	32.18	Pass	9002
12000	20000	1	RMS	13602	-41.27	-13	28.27	Pass	8001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	878.72	-65.66	-13	52.66	Pass	9701
1000	1700	1	RMS	1679	-54.7	-13	41.7	Pass	701
1700	1765	1	RMS	1745.5	22.41	60	37.59	Pass	401
1765	3000	1	RMS	2416	-51.54	-13	38.54	Pass	1236
3000	12000	1	RMS	3491	-42.18	-13	29.18	Pass	9002
12000	20000	1	RMS	13600	-41.24	-13	28.24	Pass	8001




5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	856.505	-65.72	-13	52.72	Pass	9701
1000	1700	1	RMS	1680	-54.68	-13	41.68	Pass	701
1700	1765	1	RMS	1745.5	21.4	60	38.6	Pass	401
1765	3000	1	RMS	2407	-49.98	-13	36.98	Pass	1236
3000	12000	1	RMS	3491	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	13606	-41.29	-13	28.29	Pass	8001




5.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	923.049	-65.74	-13	52.74	Pass	9701
1000	1700	1	RMS	1698	-48.95	-13	35.95	Pass	701
1700	1765	1	RMS	1710.725	21.59	60	38.41	Pass	401
1765	3000	1	RMS	2406	-52.27	-13	39.27	Pass	1236
3000	12000	1	RMS	3422	-39.77	-13	26.77	Pass	9002
12000	20000	1	RMS	13602	-41.21	-13	28.21	Pass	8001




5.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.69	-13	58.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.93	-13	59.93	Pass	2986
30	1000	0.1	RMS	881.922	-65.74	-13	52.74	Pass	9701
1000	1700	1	RMS	1698	-49.85	-13	36.85	Pass	701
1700	1765	1	RMS	1710.725	20.8	60	39.2	Pass	401
1765	3000	1	RMS	2406	-52.29	-13	39.29	Pass	1236
3000	12000	1	RMS	3422	-40.67	-13	27.67	Pass	9002
12000	20000	1	RMS	13600	-41.27	-13	28.27	Pass	8001




5.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	865.111	-65.64	-13	52.64	Pass	9701
1000	1700	1	RMS	1699	-51.9	-13	38.9	Pass	701
1700	1765	1	RMS	1725.838	22.23	60	37.77	Pass	401
1765	3000	1	RMS	2415	-49.96	-13	36.96	Pass	1236
3000	12000	1	RMS	3452	-43.89	-13	30.89	Pass	9002
12000	20000	1	RMS	13596	-41.35	-13	28.35	Pass	8001




5.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	858.006	-65.67	-13	52.67	Pass	9701
1000	1700	1	RMS	1699	-53.56	-13	40.56	Pass	701
1700	1765	1	RMS	1725.838	21.41	60	38.59	Pass	401
1765	3000	1	RMS	2410	-47.2	-13	34.2	Pass	1236
3000	12000	1	RMS	3452	-45.07	-13	32.07	Pass	9002
12000	20000	1	RMS	13605	-41.33	-13	28.33	Pass	8001




5.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.85	-13	57.85	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	965.477	-65.69	-13	52.69	Pass	9701
1000	1700	1	RMS	1675	-54.63	-13	41.63	Pass	701
1700	1765	1	RMS	1740.788	22.42	60	37.58	Pass	401
1765	3000	1	RMS	1767	-39.07	-13	26.07	Pass	1236
3000	12000	1	RMS	3482	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	13600	-41.21	-13	28.21	Pass	8001




5.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	978.286	-65.71	-13	52.71	Pass	9701
1000	1700	1	RMS	1680	-54.67	-13	41.67	Pass	701
1700	1765	1	RMS	1740.788	21.45	60	38.55	Pass	401
1765	3000	1	RMS	1767	-42.08	-13	29.08	Pass	1236
3000	12000	1	RMS	3482	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13601	-41.23	-13	28.23	Pass	8001




5.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	839.7	-65.71	-13	52.71	Pass	9701
1000	1700	1	RMS	1693	-52.07	-13	39.07	Pass	701
1700	1765	1	RMS	1711.05	21.29	60	38.71	Pass	401
1765	3000	1	RMS	2840	-52.63	-13	39.63	Pass	1236
3000	12000	1	RMS	3422	-39.7	-13	26.7	Pass	9002
12000	20000	1	RMS	13607	-41.29	-13	28.29	Pass	8001




5.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	954.57	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1693	-53.24	-13	40.24	Pass	701
1700	1765	1	RMS	1711.05	20.55	60	39.45	Pass	401
1765	3000	1	RMS	2993	-52.63	-13	39.63	Pass	1236
3000	12000	1	RMS	3422	-40.68	-13	27.68	Pass	9002
12000	20000	1	RMS	13602	-41.22	-13	28.22	Pass	8001




5.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	841.2	-65.61	-13	52.61	Pass	9701
1000	1700	1	RMS	1682	-54.63	-13	41.63	Pass	701
1700	1765	1	RMS	1723.563	22.66	60	37.34	Pass	401
1765	3000	1	RMS	2407	-51.24	-13	38.24	Pass	1236
3000	12000	1	RMS	3447	-42.32	-13	29.32	Pass	9002
12000	20000	1	RMS	13601	-41.16	-13	28.16	Pass	8001




5.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.2	-72.83	-13	59.83	Pass	2986
30	1000	0.1	RMS	880.321	-65.66	-13	52.66	Pass	9701
1000	1700	1	RMS	1700	-54.61	-13	41.61	Pass	701
1700	1765	1	RMS	1723.563	21.15	60	38.85	Pass	401
1765	3000	1	RMS	2408	-51.06	-13	38.06	Pass	1236
3000	12000	1	RMS	3447	-43.33	-13	30.33	Pass	9002
12000	20000	1	RMS	13600	-41.25	-13	28.25	Pass	8001




5.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.17	-72.97	-13	59.97	Pass	2986
30	1000	0.1	RMS	869.013	-65.59	-13	52.59	Pass	9701
1000	1700	1	RMS	1700	-53.95	-13	40.95	Pass	701
1700	1765	1	RMS	1736.075	22.48	60	37.52	Pass	401
1765	3000	1	RMS	1772	-38.98	-13	25.98	Pass	1236
3000	12000	1	RMS	3472	-43.22	-13	30.22	Pass	9002
12000	20000	1	RMS	13604	-41.23	-13	28.23	Pass	8001



5.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.26	-72.63	-13	59.63	Pass	2986
30	1000	0.1	RMS	852.502	-65.58	-13	52.58	Pass	9701
1000	1700	1	RMS	1700	-54.37	-13	41.37	Pass	701
1700	1765	1	RMS	1736.075	21.83	60	38.17	Pass	401
1765	3000	1	RMS	1772	-40.9	-13	27.9	Pass	1236
3000	12000	1	RMS	3472	-44.02	-13	31.02	Pass	9002
12000	20000	1	RMS	13602	-41.2	-13	28.2	Pass	8001



6. LTE_Band5


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.17	-72.23	-13	59.23	Pass	2986
30	814	0.1	RMS	813.6	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	824.3	18.26	60	41.74	Pass	461
860	1000	0.1	RMS	932	-65.7	-13	52.7	Pass	1401
1000	3000	1	RMS	1648	-50.08	-13	37.08	Pass	2001
3000	10000	1	RMS	6800	-47.02	-13	34.02	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.2	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	813.3	-65.71	-13	52.71	Pass	7841
814	860	0.1	RMS	824.2	17.22	60	42.78	Pass	461
860	1000	0.1	RMS	912.4	-65.6	-13	52.6	Pass	1401
1000	3000	1	RMS	1648	-51.01	-13	38.01	Pass	2001
3000	10000	1	RMS	6799	-46.99	-13	33.99	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-13	59.84	Pass	2986
30	814	0.1	RMS	812.1	-65.76	-13	52.76	Pass	7841
814	860	0.1	RMS	836	18.27	60	41.73	Pass	461
860	1000	0.1	RMS	952.7	-65.62	-13	52.62	Pass	1401
1000	3000	1	RMS	1672	-50.89	-13	37.89	Pass	2001
3000	10000	1	RMS	6800	-46.91	-13	33.91	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	814	0.1	RMS	813.7	-65.75	-13	52.75	Pass	7841
814	860	0.1	RMS	836	17.43	60	42.57	Pass	461
860	1000	0.1	RMS	984.3	-65.61	-13	52.61	Pass	1401
1000	3000	1	RMS	1672	-51.63	-13	38.63	Pass	2001
3000	10000	1	RMS	6800	-46.92	-13	33.92	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	813.3	-65.71	-13	52.71	Pass	7841
814	860	0.1	RMS	847.9	18.16	60	41.84	Pass	461
860	1000	0.1	RMS	983.3	-65.68	-13	52.68	Pass	1401
1000	3000	1	RMS	1695	-50.26	-13	37.26	Pass	2001
3000	10000	1	RMS	6801	-46.94	-13	33.94	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	810.3	-65.78	-13	52.78	Pass	7841
814	860	0.1	RMS	847.8	17.47	60	42.53	Pass	461
860	1000	0.1	RMS	914.6	-65.63	-13	52.63	Pass	1401
1000	3000	1	RMS	1695	-51.1	-13	38.1	Pass	2001
3000	10000	1	RMS	6802	-47.02	-13	34.02	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	813.5	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	824.2	18.45	60	41.55	Pass	461
860	1000	0.1	RMS	870	-65.67	-13	52.67	Pass	1401
1000	3000	1	RMS	1648	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	6801	-46.91	-13	33.91	Pass	7001




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	812	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	824.2	17.18	60	42.82	Pass	461
860	1000	0.1	RMS	929.6	-65.66	-13	52.66	Pass	1401
1000	3000	1	RMS	1648	-51.23	-13	38.23	Pass	2001
3000	10000	1	RMS	6798	-46.95	-13	33.95	Pass	7001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	814	0.1	RMS	813.7	-65.79	-13	52.79	Pass	7841
814	860	0.1	RMS	835.2	18.45	60	41.55	Pass	461
860	1000	0.1	RMS	865	-65.65	-13	52.65	Pass	1401
1000	3000	1	RMS	1670	-50.08	-13	37.08	Pass	2001
3000	10000	1	RMS	6800	-46.87	-13	33.87	Pass	7001




6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	811.8	-65.73	-13	52.73	Pass	7841
814	860	0.1	RMS	835.2	17.42	60	42.58	Pass	461
860	1000	0.1	RMS	957.3	-65.58	-13	52.58	Pass	1401
1000	3000	1	RMS	1670	-51.02	-13	38.02	Pass	2001
3000	10000	1	RMS	6803	-46.93	-13	33.93	Pass	7001




6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	810.4	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	846.2	18.43	60	41.57	Pass	461
860	1000	0.1	RMS	864	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1692	-49.53	-13	36.53	Pass	2001
3000	10000	1	RMS	6800	-46.89	-13	33.89	Pass	7001




6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	59.65	Pass	2986
30	814	0.1	RMS	812.7	-65.84	-13	52.84	Pass	7841
814	860	0.1	RMS	846.2	17.4	60	42.6	Pass	461
860	1000	0.1	RMS	978.9	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1692	-50.49	-13	37.49	Pass	2001
3000	10000	1	RMS	6802	-46.95	-13	33.95	Pass	7001




6.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	813.6	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	824.3	18.27	60	41.73	Pass	461
860	1000	0.1	RMS	866.6	-65.59	-13	52.59	Pass	1401
1000	3000	1	RMS	1648	-50.36	-13	37.36	Pass	2001
3000	10000	1	RMS	6800	-46.92	-13	33.92	Pass	7001




6.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	813.7	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	824.3	17.45	60	42.55	Pass	461
860	1000	0.1	RMS	949.3	-65.62	-13	52.62	Pass	1401
1000	3000	1	RMS	1648	-51.07	-13	38.07	Pass	2001
3000	10000	1	RMS	6798	-46.96	-13	33.96	Pass	7001




6.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.35	-72.82	-13	59.82	Pass	2986
30	814	0.1	RMS	811.9	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	834.3	18.56	60	41.44	Pass	461
860	1000	0.1	RMS	929.8	-65.64	-13	52.64	Pass	1401
1000	3000	1	RMS	1668	-50.13	-13	37.13	Pass	2001
3000	10000	1	RMS	6799	-46.97	-13	33.97	Pass	7001




6.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	59.15	Pass	2986
30	814	0.1	RMS	812.4	-65.75	-13	52.75	Pass	7841
814	860	0.1	RMS	834.3	17.49	60	42.51	Pass	461
860	1000	0.1	RMS	883.4	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1668	-50.89	-13	37.89	Pass	2001
3000	10000	1	RMS	6799	-46.76	-13	33.76	Pass	7001




6.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.18	-72.79	-13	59.79	Pass	2986
30	814	0.1	RMS	811.8	-65.75	-13	52.75	Pass	7841
814	860	0.1	RMS	844.3	18.24	60	41.76	Pass	461
860	1000	0.1	RMS	863.7	-65.59	-13	52.59	Pass	1401
1000	3000	1	RMS	1688	-50.06	-13	37.06	Pass	2001
3000	10000	1	RMS	6800	-46.89	-13	33.89	Pass	7001




6.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.21	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	812.3	-65.72	-13	52.72	Pass	7841
814	860	0.1	RMS	844.3	17.39	60	42.61	Pass	461
860	1000	0.1	RMS	988.3	-65.57	-13	52.57	Pass	1401
1000	3000	1	RMS	1688	-50.69	-13	37.69	Pass	2001
3000	10000	1	RMS	6799	-46.92	-13	33.92	Pass	7001




6.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	813.9	-64.98	-13	51.98	Pass	7841
814	860	0.1	RMS	824.6	18.86	60	41.14	Pass	461
860	1000	0.1	RMS	863.2	-65.53	-13	52.53	Pass	1401
1000	3000	1	RMS	1649	-50.4	-13	37.4	Pass	2001
3000	10000	1	RMS	6801	-46.91	-13	33.91	Pass	7001




6.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	813	-65.39	-13	52.39	Pass	7841
814	860	0.1	RMS	824.6	17.72	60	42.28	Pass	461
860	1000	0.1	RMS	889.1	-65.63	-13	52.63	Pass	1401
1000	3000	1	RMS	1649	-51.57	-13	38.57	Pass	2001
3000	10000	1	RMS	6802	-46.98	-13	33.98	Pass	7001




6.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.17	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	813.3	-65.49	-13	52.49	Pass	7841
814	860	0.1	RMS	832.1	18.96	60	41.04	Pass	461
860	1000	0.1	RMS	991.6	-65.53	-13	52.53	Pass	1401
1000	3000	1	RMS	1664	-50.34	-13	37.34	Pass	2001
3000	10000	1	RMS	6800	-46.95	-13	33.95	Pass	7001




6.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	813.9	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	832.1	17.74	60	42.26	Pass	461
860	1000	0.1	RMS	981	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1664	-51.1	-13	38.1	Pass	2001
3000	10000	1	RMS	6801	-46.89	-13	33.89	Pass	7001




6.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	811.8	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	839.6	19.3	60	40.7	Pass	461
860	1000	0.1	RMS	866	-65.57	-13	52.57	Pass	1401
1000	3000	1	RMS	1679	-49.85	-13	36.85	Pass	2001
3000	10000	1	RMS	6799	-46.85	-13	33.85	Pass	7001



6.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	810.5	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	839.6	18.23	60	41.77	Pass	461
860	1000	0.1	RMS	1000	-65.57	-13	52.57	Pass	1401
1000	3000	1	RMS	1679	-50.81	-13	37.81	Pass	2001
3000	10000	1	RMS	6802	-46.97	-13	33.97	Pass	7001



7. LTE_Band12


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	689	0.1	RMS	621.9	-65.09	-13	52.09	Pass	6591
689	726	0.1	RMS	699.268	19.52	60	40.48	Pass	401
726	1000	0.1	RMS	866.1	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	2410	-49.07	-13	36.07	Pass	2001
3000	10000	1	RMS	6800	-46.8	-13	33.8	Pass	7001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	689	0.1	RMS	622	-63.15	-13	50.15	Pass	6591
689	726	0.1	RMS	699.268	18.46	60	41.54	Pass	401
726	1000	0.1	RMS	824.1	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	1398	-50.68	-13	37.68	Pass	2001
3000	10000	1	RMS	6801	-46.8	-13	33.8	Pass	7001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	59.78	Pass	2986
30	689	0.1	RMS	496.5	-66.08	-13	53.08	Pass	6591
689	726	0.1	RMS	707.038	19.44	60	40.56	Pass	401
726	1000	0.1	RMS	912.9	-65.33	-13	52.33	Pass	2741
1000	3000	1	RMS	2412	-49.14	-13	36.14	Pass	2001
3000	10000	1	RMS	6800	-46.85	-13	33.85	Pass	7001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.18	-72.88	-13	59.88	Pass	2986
30	689	0.1	RMS	497	-66	-13	53	Pass	6591
689	726	0.1	RMS	707.038	18.33	60	41.67	Pass	401
726	1000	0.1	RMS	914	-65.42	-13	52.42	Pass	2741
1000	3000	1	RMS	1414	-51.57	-13	38.57	Pass	2001
3000	10000	1	RMS	6800	-46.9	-13	33.9	Pass	7001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-72.63	-13	59.63	Pass	2986
30	689	0.1	RMS	512.4	-66.03	-13	53.03	Pass	6591
689	726	0.1	RMS	714.808	19.04	60	40.96	Pass	401
726	1000	0.1	RMS	993.8	-65.41	-13	52.41	Pass	2741
1000	3000	1	RMS	1429	-49.14	-13	36.14	Pass	2001
3000	10000	1	RMS	6796	-46.91	-13	33.91	Pass	7001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.27	-72.44	-13	59.44	Pass	2986
30	689	0.1	RMS	502.6	-66.06	-13	53.06	Pass	6591
689	726	0.1	RMS	714.808	18.23	60	41.77	Pass	401
726	1000	0.1	RMS	871.6	-65.24	-13	52.24	Pass	2741
1000	3000	1	RMS	2409	-50.15	-13	37.15	Pass	2001
3000	10000	1	RMS	6801	-46.88	-13	33.88	Pass	7001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.21	-72.6	-13	59.6	Pass	2986
30	689	0.1	RMS	622.7	-61.59	-13	48.59	Pass	6591
689	726	0.1	RMS	699.268	19.44	60	40.56	Pass	401
726	1000	0.1	RMS	957.8	-65.33	-13	52.33	Pass	2741
1000	3000	1	RMS	1398	-49.62	-13	36.62	Pass	2001
3000	10000	1	RMS	6800	-46.87	-13	33.87	Pass	7001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	689	0.1	RMS	622.7	-65.86	-13	52.86	Pass	6591
689	726	0.1	RMS	699.268	18.21	60	41.79	Pass	401
726	1000	0.1	RMS	975.9	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1398	-50.71	-13	37.71	Pass	2001
3000	10000	1	RMS	6800	-46.83	-13	33.83	Pass	7001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	689	0.1	RMS	485.8	-66.13	-13	53.13	Pass	6591
689	726	0.1	RMS	706.205	19.22	60	40.78	Pass	401
726	1000	0.1	RMS	835.3	-65.3	-13	52.3	Pass	2741
1000	3000	1	RMS	2411	-49.87	-13	36.87	Pass	2001
3000	10000	1	RMS	6802	-46.89	-13	33.89	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	58.94	Pass	2986
30	689	0.1	RMS	566	-64.56	-13	51.56	Pass	6591
689	726	0.1	RMS	706.205	18.09	60	41.91	Pass	401
726	1000	0.1	RMS	978.8	-65.32	-13	52.32	Pass	2741
1000	3000	1	RMS	2414	-50.35	-13	37.35	Pass	2001
3000	10000	1	RMS	6799	-46.94	-13	33.94	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.21	-71.97	-13	58.97	Pass	2986
30	689	0.1	RMS	494.5	-65.95	-13	52.95	Pass	6591
689	726	0.1	RMS	713.235	19.7	60	40.3	Pass	401
726	1000	0.1	RMS	849.8	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1426	-48.31	-13	35.31	Pass	2001
3000	10000	1	RMS	6802	-46.93	-13	33.93	Pass	7001




7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	689	0.1	RMS	490.8	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	713.235	18.73	60	41.27	Pass	401
726	1000	0.1	RMS	832.9	-65.24	-13	52.24	Pass	2741
1000	3000	1	RMS	1426	-49.71	-13	36.71	Pass	2001
3000	10000	1	RMS	6800	-46.84	-13	33.84	Pass	7001




7.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.74	-13	59.74	Pass	2986
30	689	0.1	RMS	623.6	-64.64	-13	51.64	Pass	6591
689	726	0.1	RMS	699.36	19.32	60	40.68	Pass	401
726	1000	0.1	RMS	865.4	-65.23	-13	52.23	Pass	2741
1000	3000	1	RMS	2412	-49.02	-13	36.02	Pass	2001
3000	10000	1	RMS	6799	-46.83	-13	33.83	Pass	7001




7.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-13	59.79	Pass	2986
30	689	0.1	RMS	481.8	-66.07	-13	53.07	Pass	6591
689	726	0.1	RMS	699.36	18.59	60	41.41	Pass	401
726	1000	0.1	RMS	844.9	-65.27	-13	52.27	Pass	2741
1000	3000	1	RMS	2409	-50.21	-13	37.21	Pass	2001
3000	10000	1	RMS	6801	-46.9	-13	33.9	Pass	7001




7.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	689	0.1	RMS	565.9	-65.76	-13	52.76	Pass	6591
689	726	0.1	RMS	705.373	19.03	60	40.97	Pass	401
726	1000	0.1	RMS	976.7	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1410	-50.85	-13	37.85	Pass	2001
3000	10000	1	RMS	6802	-46.97	-13	33.97	Pass	7001




7.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	689	0.1	RMS	566.1	-65.24	-13	52.24	Pass	6591
689	726	0.1	RMS	705.373	18.13	60	41.87	Pass	401
726	1000	0.1	RMS	849	-63.81	-13	50.81	Pass	2741
1000	3000	1	RMS	1410	-51.48	-13	38.48	Pass	2001
3000	10000	1	RMS	6798	-46.99	-13	33.99	Pass	7001




7.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.18	-72.28	-13	59.28	Pass	2986
30	689	0.1	RMS	518.3	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	711.385	18.81	60	41.19	Pass	401
726	1000	0.1	RMS	979	-65.31	-13	52.31	Pass	2741
1000	3000	1	RMS	1422	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6800	-46.89	-13	33.89	Pass	7001




7.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.22	-72.49	-13	59.49	Pass	2986
30	689	0.1	RMS	634.3	-63.17	-13	50.17	Pass	6591
689	726	0.1	RMS	711.385	18.2	60	41.8	Pass	401
726	1000	0.1	RMS	843.3	-65.38	-13	52.38	Pass	2741
1000	3000	1	RMS	1422	-50.11	-13	37.11	Pass	2001
3000	10000	1	RMS	6801	-46.9	-13	33.9	Pass	7001




7.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.18	-71.91	-13	58.91	Pass	2986
30	689	0.1	RMS	563.2	-65.12	-13	52.12	Pass	6591
689	726	0.1	RMS	699.545	19.01	60	40.99	Pass	401
726	1000	0.1	RMS	844.8	-64.83	-13	51.83	Pass	2741
1000	3000	1	RMS	1399	-49.87	-13	36.87	Pass	2001
3000	10000	1	RMS	6800	-46.82	-13	33.82	Pass	7001




7.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.17	-72.58	-13	59.58	Pass	2986
30	689	0.1	RMS	563.2	-64.99	-13	51.99	Pass	6591
689	726	0.1	RMS	699.545	17.75	60	42.25	Pass	401
726	1000	0.1	RMS	976	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	2408	-50.94	-13	37.94	Pass	2001
3000	10000	1	RMS	6799	-46.91	-13	33.91	Pass	7001




7.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	58.75	Pass	2986
30	689	0.1	RMS	607.8	-66.11	-13	53.11	Pass	6591
689	726	0.1	RMS	703.06	19.13	60	40.87	Pass	401
726	1000	0.1	RMS	886.4	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1406	-51.36	-13	38.36	Pass	2001
3000	10000	1	RMS	6801	-46.94	-13	33.94	Pass	7001




7.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.85	-13	59.85	Pass	2986
30	689	0.1	RMS	496.8	-66.02	-13	53.02	Pass	6591
689	726	0.1	RMS	703.06	18.18	60	41.82	Pass	401
726	1000	0.1	RMS	847	-65.34	-13	52.34	Pass	2741
1000	3000	1	RMS	2411	-49.05	-13	36.05	Pass	2001
3000	10000	1	RMS	6801	-46.92	-13	33.92	Pass	7001




7.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	59.24	Pass	2986
30	689	0.1	RMS	689	-62.99	-13	49.99	Pass	6591
689	726	0.1	RMS	706.575	19.73	60	40.27	Pass	401
726	1000	0.1	RMS	935.1	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1413	-50.33	-13	37.33	Pass	2001
3000	10000	1	RMS	6800	-46.87	-13	33.87	Pass	7001



7.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.22	-73	-13	60	Pass	2986
30	689	0.1	RMS	632	-63.59	-13	50.59	Pass	6591
689	726	0.1	RMS	706.575	18.79	60	41.21	Pass	401
726	1000	0.1	RMS	965.6	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	2411	-49.24	-13	36.24	Pass	2001
3000	10000	1	RMS	6800	-46.9	-13	33.9	Pass	7001



8. LTE_Band25


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	997.198	-65.38	-13	52.38	Pass	9701
1000	1840	1	RMS	1840	-54.23	-13	41.23	Pass	841
1840	1925	1	RMS	1850.2	21.93	60	38.07	Pass	401
1925	3000	1	RMS	2415	-50.03	-13	37.03	Pass	1076
3000	12000	1	RMS	11998	-45.55	-13	32.55	Pass	9002
12000	20000	1	RMS	13598	-41.14	-13	28.14	Pass	8001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	841.8	-65.54	-13	52.54	Pass	9701
1000	1840	1	RMS	1839	-54.27	-13	41.27	Pass	841
1840	1925	1	RMS	1850.2	20.73	60	39.27	Pass	401
1925	3000	1	RMS	2990	-52.44	-13	39.44	Pass	1076
3000	12000	1	RMS	11992	-45.59	-13	32.59	Pass	9002
12000	20000	1	RMS	13600	-41.06	-13	28.06	Pass	8001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	903.636	-65.58	-13	52.58	Pass	9701
1000	1840	1	RMS	1840	-54.39	-13	41.39	Pass	841
1840	1925	1	RMS	1881.863	21.59	60	38.41	Pass	401
1925	3000	1	RMS	2996	-52.5	-13	39.5	Pass	1076
3000	12000	1	RMS	11998	-45.58	-13	32.58	Pass	9002
12000	20000	1	RMS	13599	-41.15	-13	28.15	Pass	8001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	858.206	-65.54	-13	52.54	Pass	9701
1000	1840	1	RMS	1828	-54.4	-13	41.4	Pass	841
1840	1925	1	RMS	1881.863	20.65	60	39.35	Pass	401
1925	3000	1	RMS	2978	-52.45	-13	39.45	Pass	1076
3000	12000	1	RMS	11997	-45.53	-13	32.53	Pass	9002
12000	20000	1	RMS	13601	-41.08	-13	28.08	Pass	8001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	978.186	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1840	-54.43	-13	41.43	Pass	841
1840	1925	1	RMS	1913.738	21.72	60	38.28	Pass	401
1925	3000	1	RMS	2411	-49.13	-13	36.13	Pass	1076
3000	12000	1	RMS	11998	-45.56	-13	32.56	Pass	9002
12000	20000	1	RMS	13601	-41.12	-13	28.12	Pass	8001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	858.006	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1679	-54.41	-13	41.41	Pass	841
1840	1925	1	RMS	1913.738	20.87	60	39.13	Pass	401
1925	3000	1	RMS	2837	-52.44	-13	39.44	Pass	1076
3000	12000	1	RMS	11996	-45.53	-13	32.53	Pass	9002
12000	20000	1	RMS	13601	-41.17	-13	28.17	Pass	8001




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	856.405	-65.37	-13	52.37	Pass	9701
1000	1840	1	RMS	1840	-54.29	-13	41.29	Pass	841
1840	1925	1	RMS	1850.2	21.9	60	38.1	Pass	401
1925	3000	1	RMS	2843	-52.48	-13	39.48	Pass	1076
3000	12000	1	RMS	11994	-45.54	-13	32.54	Pass	9002
12000	20000	1	RMS	13608	-41.11	-13	28.11	Pass	8001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.18	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	835.7	-65.45	-13	52.45	Pass	9701
1000	1840	1	RMS	1840	-54.28	-13	41.28	Pass	841
1840	1925	1	RMS	1850.2	20.7	60	39.3	Pass	401
1925	3000	1	RMS	2852	-52.46	-13	39.46	Pass	1076
3000	12000	1	RMS	11997	-45.64	-13	32.64	Pass	9002
12000	20000	1	RMS	13601	-41.02	-13	28.02	Pass	8001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	881.321	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1830	-54.42	-13	41.42	Pass	841
1840	1925	1	RMS	1881.225	21.79	60	38.21	Pass	401
1925	3000	1	RMS	2846	-52.45	-13	39.45	Pass	1076
3000	12000	1	RMS	11996	-45.59	-13	32.59	Pass	9002
12000	20000	1	RMS	13600	-41.09	-13	28.09	Pass	8001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	987.592	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1839	-54.37	-13	41.37	Pass	841
1840	1925	1	RMS	1881.225	20.65	60	39.35	Pass	401
1925	3000	1	RMS	2415	-49.54	-13	36.54	Pass	1076
3000	12000	1	RMS	11998	-45.49	-13	32.49	Pass	9002
12000	20000	1	RMS	13601	-41.07	-13	28.07	Pass	8001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	817.2	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1831	-54.41	-13	41.41	Pass	841
1840	1925	1	RMS	1912.038	21.64	60	38.36	Pass	401
1925	3000	1	RMS	2409	-48.66	-13	35.66	Pass	1076
3000	12000	1	RMS	11996	-45.67	-13	32.67	Pass	9002
12000	20000	1	RMS	13596	-41.12	-13	28.12	Pass	8001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.21	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	963.476	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1834	-54.38	-13	41.38	Pass	841
1840	1925	1	RMS	1912.038	20.61	60	39.39	Pass	401
1925	3000	1	RMS	2837	-52.46	-13	39.46	Pass	1076
3000	12000	1	RMS	11996	-45.54	-13	32.54	Pass	9002
12000	20000	1	RMS	13599	-41.1	-13	28.1	Pass	8001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.16	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	871.215	-65.47	-13	52.47	Pass	9701
1000	1840	1	RMS	1840	-54.22	-13	41.22	Pass	841
1840	1925	1	RMS	1850.2	21.63	60	38.37	Pass	401
1925	3000	1	RMS	2416	-51.06	-13	38.06	Pass	1076
3000	12000	1	RMS	11990	-45.56	-13	32.56	Pass	9002
12000	20000	1	RMS	13603	-41.18	-13	28.18	Pass	8001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.18	-73.09	-13	60.09	Pass	2986
30	1000	0.1	RMS	855.004	-65.43	-13	52.43	Pass	9701
1000	1840	1	RMS	1840	-54.2	-13	41.2	Pass	841
1840	1925	1	RMS	1850.2	20.77	60	39.23	Pass	401
1925	3000	1	RMS	2839	-52.45	-13	39.45	Pass	1076
3000	12000	1	RMS	11992	-45.58	-13	32.58	Pass	9002
12000	20000	1	RMS	13600	-41.13	-13	28.13	Pass	8001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	849.4	-65.58	-13	52.58	Pass	9701
1000	1840	1	RMS	1829	-54.41	-13	41.41	Pass	841
1840	1925	1	RMS	1880.163	21.72	60	38.28	Pass	401
1925	3000	1	RMS	2409	-48.84	-13	35.84	Pass	1076
3000	12000	1	RMS	12000	-45.55	-13	32.55	Pass	9002
12000	20000	1	RMS	13600	-41.1	-13	28.1	Pass	8001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	831.1	-65.44	-13	52.44	Pass	9701
1000	1840	1	RMS	1837	-54.44	-13	41.44	Pass	841
1840	1925	1	RMS	1880.163	20.94	60	39.06	Pass	401
1925	3000	1	RMS	2413	-48.59	-13	35.59	Pass	1076
3000	12000	1	RMS	11990	-45.61	-13	32.61	Pass	9002
12000	20000	1	RMS	13601	-41.11	-13	28.11	Pass	8001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	851.502	-65.48	-13	52.48	Pass	9701
1000	1840	1	RMS	1824	-54.44	-13	41.44	Pass	841
1840	1925	1	RMS	1910.125	21.39	60	38.61	Pass	401
1925	3000	1	RMS	2416	-51.57	-13	38.57	Pass	1076
3000	12000	1	RMS	11998	-45.61	-13	32.61	Pass	9002
12000	20000	1	RMS	13601	-41.12	-13	28.12	Pass	8001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.18	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	850.401	-65.51	-13	52.51	Pass	9701
1000	1840	1	RMS	1832	-54.38	-13	41.38	Pass	841
1840	1925	1	RMS	1910.338	20.66	60	39.34	Pass	401
1925	3000	1	RMS	2414	-50.22	-13	37.22	Pass	1076
3000	12000	1	RMS	11995	-45.57	-13	32.57	Pass	9002
12000	20000	1	RMS	13603	-41.08	-13	28.08	Pass	8001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	847.9	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-54.01	-13	41.01	Pass	841
1840	1925	1	RMS	1850.413	21.89	60	38.11	Pass	401
1925	3000	1	RMS	2994	-52.43	-13	39.43	Pass	1076
3000	12000	1	RMS	11998	-45.61	-13	32.61	Pass	9002
12000	20000	1	RMS	13599	-41.14	-13	28.14	Pass	8001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.2	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	848.8	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1840	-54.1	-13	41.1	Pass	841
1840	1925	1	RMS	1850.413	20.71	60	39.29	Pass	401
1925	3000	1	RMS	2407	-51.43	-13	38.43	Pass	1076
3000	12000	1	RMS	11998	-45.57	-13	32.57	Pass	9002
12000	20000	1	RMS	13599	-41.12	-13	28.12	Pass	8001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	847	-65.39	-13	52.39	Pass	9701
1000	1840	1	RMS	1834	-54.42	-13	41.42	Pass	841
1840	1925	1	RMS	1878.038	21.81	60	38.19	Pass	401
1925	3000	1	RMS	2411	-47.33	-13	34.33	Pass	1076
3000	12000	1	RMS	11998	-45.63	-13	32.63	Pass	9002
12000	20000	1	RMS	13600	-41.08	-13	28.08	Pass	8001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	866.512	-65.51	-13	52.51	Pass	9701
1000	1840	1	RMS	1833	-54.4	-13	41.4	Pass	841
1840	1925	1	RMS	1878.038	20.91	60	39.09	Pass	401
1925	3000	1	RMS	2409	-48.59	-13	35.59	Pass	1076
3000	12000	1	RMS	11990	-45.57	-13	32.57	Pass	9002
12000	20000	1	RMS	13600	-41.08	-13	28.08	Pass	8001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.21	-73.08	-13	60.08	Pass	2986
30	1000	0.1	RMS	855.604	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1839	-54.39	-13	41.39	Pass	841
1840	1925	1	RMS	1905.45	21.69	60	38.31	Pass	401
1925	3000	1	RMS	2930	-52.47	-13	39.47	Pass	1076
3000	12000	1	RMS	11991	-45.61	-13	32.61	Pass	9002
12000	20000	1	RMS	13601	-41.12	-13	28.12	Pass	8001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	903.536	-65.51	-13	52.51	Pass	9701
1000	1840	1	RMS	1833	-54.41	-13	41.41	Pass	841
1840	1925	1	RMS	1905.45	20.57	60	39.43	Pass	401
1925	3000	1	RMS	2409	-48.67	-13	35.67	Pass	1076
3000	12000	1	RMS	11995	-45.5	-13	32.5	Pass	9002
12000	20000	1	RMS	13601	-41.13	-13	28.13	Pass	8001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	833.6	-65.07	-13	52.07	Pass	9701
1000	1840	1	RMS	1838	-48.89	-13	35.89	Pass	841
1840	1925	1	RMS	1850.838	21.79	60	38.21	Pass	401
1925	3000	1	RMS	2415	-50.79	-13	37.79	Pass	1076
3000	12000	1	RMS	11999	-45.55	-13	32.55	Pass	9002
12000	20000	1	RMS	13600	-41.12	-13	28.12	Pass	8001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	59.6	Pass	2986
30	1000	0.1	RMS	836.4	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1838	-50.38	-13	37.38	Pass	841
1840	1925	1	RMS	1850.838	20.62	60	39.38	Pass	401
1925	3000	1	RMS	2977	-52.46	-13	39.46	Pass	1076
3000	12000	1	RMS	11999	-45.58	-13	32.58	Pass	9002
12000	20000	1	RMS	13603	-41.05	-13	28.05	Pass	8001




8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-13	57.89	Pass	2986
30	1000	0.1	RMS	871.215	-65.52	-13	52.52	Pass	9701
1000	1840	1	RMS	1680	-54.41	-13	41.41	Pass	841
1840	1925	1	RMS	1875.7	21.66	60	38.34	Pass	401
1925	3000	1	RMS	2852	-52.45	-13	39.45	Pass	1076
3000	12000	1	RMS	11998	-45.46	-13	32.46	Pass	9002
12000	20000	1	RMS	13600	-41.12	-13	28.12	Pass	8001




8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	853.503	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1836	-54.4	-13	41.4	Pass	841
1840	1925	1	RMS	1875.7	20.67	60	39.33	Pass	401
1925	3000	1	RMS	2985	-52.45	-13	39.45	Pass	1076
3000	12000	1	RMS	11993	-45.64	-13	32.64	Pass	9002
12000	20000	1	RMS	13602	-41.08	-13	28.08	Pass	8001




8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	970.38	-65.53	-13	52.53	Pass	9701
1000	1840	1	RMS	1840	-54.45	-13	41.45	Pass	841
1840	1925	1	RMS	1900.775	21.5	60	38.5	Pass	401
1925	3000	1	RMS	2413	-47.87	-13	34.87	Pass	1076
3000	12000	1	RMS	11999	-45.52	-13	32.52	Pass	9002
12000	20000	1	RMS	13600	-41.06	-13	28.06	Pass	8001




8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.18	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	862.009	-65.54	-13	52.54	Pass	9701
1000	1840	1	RMS	1840	-54.42	-13	41.42	Pass	841
1840	1925	1	RMS	1900.775	20.41	60	39.59	Pass	401
1925	3000	1	RMS	2921	-52.45	-13	39.45	Pass	1076
3000	12000	1	RMS	12000	-45.58	-13	32.58	Pass	9002
12000	20000	1	RMS	13601	-41.07	-13	28.07	Pass	8001




8.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	868.513	-65.53	-13	52.53	Pass	9701
1000	1840	1	RMS	1833	-52.67	-13	39.67	Pass	841
1840	1925	1	RMS	1851.05	21.67	60	38.33	Pass	401
1925	3000	1	RMS	2414	-48.24	-13	35.24	Pass	1076
3000	12000	1	RMS	11993	-45.58	-13	32.58	Pass	9002
12000	20000	1	RMS	13599	-41.11	-13	28.11	Pass	8001




8.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	973.983	-65.49	-13	52.49	Pass	9701
1000	1840	1	RMS	1833	-52.95	-13	39.95	Pass	841
1840	1925	1	RMS	1851.05	20.84	60	39.16	Pass	401
1925	3000	1	RMS	2413	-47.43	-13	34.43	Pass	1076
3000	12000	1	RMS	11999	-45.6	-13	32.6	Pass	9002
12000	20000	1	RMS	13601	-41.05	-13	28.05	Pass	8001




8.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	847.1	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1838	-54.14	-13	41.14	Pass	841
1840	1925	1	RMS	1873.575	21.87	60	38.13	Pass	401
1925	3000	1	RMS	2411	-47.38	-13	34.38	Pass	1076
3000	12000	1	RMS	11998	-45.56	-13	32.56	Pass	9002
12000	20000	1	RMS	13600	-41.08	-13	28.08	Pass	8001




8.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.25	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	927.652	-65.54	-13	52.54	Pass	9701
1000	1840	1	RMS	1838	-54.36	-13	41.36	Pass	841
1840	1925	1	RMS	1873.575	20.57	60	39.43	Pass	401
1925	3000	1	RMS	2974	-52.4	-13	39.4	Pass	1076
3000	12000	1	RMS	12000	-45.58	-13	32.58	Pass	9002
12000	20000	1	RMS	13600	-41.16	-13	28.16	Pass	8001




8.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	983.789	-65.42	-13	52.42	Pass	9701
1000	1840	1	RMS	1839	-54.42	-13	41.42	Pass	841
1840	1925	1	RMS	1895.888	21.42	60	38.58	Pass	401
1925	3000	1	RMS	2981	-52.42	-13	39.42	Pass	1076
3000	12000	1	RMS	11999	-45.58	-13	32.58	Pass	9002
12000	20000	1	RMS	13603	-41.03	-13	28.03	Pass	8001



8.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	973.582	-65.59	-13	52.59	Pass	9701
1000	1840	1	RMS	1839	-54.43	-13	41.43	Pass	841
1840	1925	1	RMS	1896.1	20.73	60	39.27	Pass	401
1925	3000	1	RMS	2992	-52.43	-13	39.43	Pass	1076
3000	12000	1	RMS	11998	-45.61	-13	32.61	Pass	9002
12000	20000	1	RMS	13602	-41.13	-13	28.13	Pass	8001



9. LTE_Band26(part22)


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	814	0.1	RMS	813.6	-64.96	-13	51.96	Pass	7841
814	860	0.1	RMS	824.2	19.92	60	40.08	Pass	461
860	1000	0.1	RMS	973.8	-65.5	-13	52.5	Pass	1401
1000	3000	1	RMS	1648	-47.59	-13	34.59	Pass	2001
3000	10000	1	RMS	6803	-46.88	-13	33.88	Pass	7001




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.19	-72.39	-13	59.39	Pass	2986
30	814	0.1	RMS	813.6	-65.4	-13	52.4	Pass	7841
814	860	0.1	RMS	824.3	18.66	60	41.34	Pass	461
860	1000	0.1	RMS	871.3	-65.58	-13	52.58	Pass	1401
1000	3000	1	RMS	1648	-48.98	-13	35.98	Pass	2001
3000	10000	1	RMS	6797	-46.9	-13	33.9	Pass	7001




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	813.9	-64.98	-13	51.98	Pass	7841
814	860	0.1	RMS	836	19.64	60	40.36	Pass	461
860	1000	0.1	RMS	870.2	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1672	-49.16	-13	36.16	Pass	2001
3000	10000	1	RMS	6800	-46.91	-13	33.91	Pass	7001




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	813.3	-65.72	-13	52.72	Pass	7841
814	860	0.1	RMS	836.1	18.58	60	41.42	Pass	461
860	1000	0.1	RMS	932	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1672	-50.24	-13	37.24	Pass	2001
3000	10000	1	RMS	6802	-46.79	-13	33.79	Pass	7001




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.16	-72.99	-13	59.99	Pass	2986
30	814	0.1	RMS	812.1	-65.83	-13	52.83	Pass	7841
814	860	0.1	RMS	847.9	19.57	60	40.43	Pass	461
860	1000	0.1	RMS	860.6	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1695	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	6800	-46.82	-13	33.82	Pass	7001




9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.2	-72.86	-13	59.86	Pass	2986
30	814	0.1	RMS	813.8	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	847.8	18.69	60	41.31	Pass	461
860	1000	0.1	RMS	995.1	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1695	-49.63	-13	36.63	Pass	2001
3000	10000	1	RMS	6799	-46.94	-13	33.94	Pass	7001




9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	813.6	-65.04	-13	52.04	Pass	7841
814	860	0.1	RMS	824.2	20.03	60	39.97	Pass	461
860	1000	0.1	RMS	898.6	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1648	-47.62	-13	34.62	Pass	2001
3000	10000	1	RMS	6800	-46.96	-13	33.96	Pass	7001




9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	813.5	-65.19	-13	52.19	Pass	7841
814	860	0.1	RMS	824.2	18.81	60	41.19	Pass	461
860	1000	0.1	RMS	970.2	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1648	-49.32	-13	36.32	Pass	2001
3000	10000	1	RMS	6800	-46.84	-13	33.84	Pass	7001




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.18	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	811.7	-65.17	-13	52.17	Pass	7841
814	860	0.1	RMS	835.2	20.27	60	39.73	Pass	461
860	1000	0.1	RMS	878.1	-65.51	-13	52.51	Pass	1401
1000	3000	1	RMS	1670	-48.03	-13	35.03	Pass	2001
3000	10000	1	RMS	6803	-46.85	-13	33.85	Pass	7001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.2	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	811.9	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	835.2	19.05	60	40.95	Pass	461
860	1000	0.1	RMS	873.5	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1670	-49.23	-13	36.23	Pass	2001
3000	10000	1	RMS	6802	-46.87	-13	33.87	Pass	7001




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.25	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	812.3	-65.69	-13	52.69	Pass	7841
814	860	0.1	RMS	846.2	19.84	60	40.16	Pass	461
860	1000	0.1	RMS	980.2	-65.53	-13	52.53	Pass	1401
1000	3000	1	RMS	1692	-47.46	-13	34.46	Pass	2001
3000	10000	1	RMS	6799	-46.93	-13	33.93	Pass	7001




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	813	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	846.2	18.91	60	41.09	Pass	461
860	1000	0.1	RMS	989.1	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1692	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	6799	-46.92	-13	33.92	Pass	7001




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	813.7	-65.38	-13	52.38	Pass	7841
814	860	0.1	RMS	824.3	19.95	60	40.05	Pass	461
860	1000	0.1	RMS	993.3	-65.51	-13	52.51	Pass	1401
1000	3000	1	RMS	1648	-48.25	-13	35.25	Pass	2001
3000	10000	1	RMS	6801	-46.92	-13	33.92	Pass	7001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	813.6	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	824.3	18.78	60	41.22	Pass	461
860	1000	0.1	RMS	866.7	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1648	-49.38	-13	36.38	Pass	2001
3000	10000	1	RMS	6802	-46.89	-13	33.89	Pass	7001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.23	-72.66	-13	59.66	Pass	2986
30	814	0.1	RMS	814	-65.13	-13	52.13	Pass	7841
814	860	0.1	RMS	834.3	19.72	60	40.28	Pass	461
860	1000	0.1	RMS	973.2	-65.54	-13	52.54	Pass	1401
1000	3000	1	RMS	1668	-48.33	-13	35.33	Pass	2001
3000	10000	1	RMS	6800	-46.88	-13	33.88	Pass	7001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	814	0.1	RMS	813.4	-65.26	-13	52.26	Pass	7841
814	860	0.1	RMS	834.3	18.87	60	41.13	Pass	461
860	1000	0.1	RMS	938	-65.55	-13	52.55	Pass	1401
1000	3000	1	RMS	1668	-48.58	-13	35.58	Pass	2001
3000	10000	1	RMS	6800	-46.84	-13	33.84	Pass	7001




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	813.9	-65.55	-13	52.55	Pass	7841
814	860	0.1	RMS	844.3	19.74	60	40.26	Pass	461
860	1000	0.1	RMS	978.9	-65.58	-13	52.58	Pass	1401
1000	3000	1	RMS	1688	-47.97	-13	34.97	Pass	2001
3000	10000	1	RMS	6800	-46.86	-13	33.86	Pass	7001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	813.6	-65.87	-13	52.87	Pass	7841
814	860	0.1	RMS	844.3	18.99	60	41.01	Pass	461
860	1000	0.1	RMS	992.4	-65.59	-13	52.59	Pass	1401
1000	3000	1	RMS	1688	-48.84	-13	35.84	Pass	2001
3000	10000	1	RMS	6800	-46.88	-13	33.88	Pass	7001




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	813.9	-64.57	-13	51.57	Pass	7841
814	860	0.1	RMS	824.6	20.53	60	39.47	Pass	461
860	1000	0.1	RMS	982.6	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1649	-48.24	-13	35.24	Pass	2001
3000	10000	1	RMS	6799	-46.93	-13	33.93	Pass	7001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.19	-73.1	-13	60.1	Pass	2986
30	814	0.1	RMS	813.7	-64.33	-13	51.33	Pass	7841
814	860	0.1	RMS	824.6	19.09	60	40.91	Pass	461
860	1000	0.1	RMS	980.4	-65.56	-13	52.56	Pass	1401
1000	3000	1	RMS	1649	-49.82	-13	36.82	Pass	2001
3000	10000	1	RMS	6800	-46.86	-13	33.86	Pass	7001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-13	58.92	Pass	2986
30	814	0.1	RMS	812.9	-65.08	-13	52.08	Pass	7841
814	860	0.1	RMS	832.1	20.37	60	39.63	Pass	461
860	1000	0.1	RMS	955.9	-65.63	-13	52.63	Pass	1401
1000	3000	1	RMS	1664	-48.13	-13	35.13	Pass	2001
3000	10000	1	RMS	6801	-46.83	-13	33.83	Pass	7001




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.4	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	811.7	-65.24	-13	52.24	Pass	7841
814	860	0.1	RMS	832.1	19.39	60	40.61	Pass	461
860	1000	0.1	RMS	872.4	-65.48	-13	52.48	Pass	1401
1000	3000	1	RMS	1664	-49.39	-13	36.39	Pass	2001
3000	10000	1	RMS	6799	-46.89	-13	33.89	Pass	7001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	814	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	839.6	20.63	60	39.37	Pass	461
860	1000	0.1	RMS	959.3	-65.58	-13	52.58	Pass	1401
1000	3000	1	RMS	1679	-47.61	-13	34.61	Pass	2001
3000	10000	1	RMS	6802	-46.93	-13	33.93	Pass	7001




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	814	0.1	RMS	812.7	-63.72	-13	50.72	Pass	7841
814	860	0.1	RMS	839.6	19.46	60	40.54	Pass	461
860	1000	0.1	RMS	932.4	-65.56	-13	52.56	Pass	1401
1000	3000	1	RMS	1679	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	6802	-46.8	-13	33.8	Pass	7001




9.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.18	-72.71	-13	59.71	Pass	2986
30	814	0.1	RMS	811.5	-55.03	-13	42.03	Pass	7841
814	860	0.1	RMS	824.8	20.24	60	39.76	Pass	461
860	1000	0.1	RMS	975.5	-65.52	-13	52.52	Pass	1401
1000	3000	1	RMS	1649	-47.8	-13	34.8	Pass	2001
3000	10000	1	RMS	6799	-46.86	-13	33.86	Pass	7001




9.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	814	0.1	RMS	811.5	-55.8	-13	42.8	Pass	7841
814	860	0.1	RMS	824.8	18.72	60	41.28	Pass	461
860	1000	0.1	RMS	984.3	-65.62	-13	52.62	Pass	1401
1000	3000	1	RMS	1649	-49.61	-13	36.61	Pass	2001
3000	10000	1	RMS	6800	-46.89	-13	33.89	Pass	7001




9.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.19	-72.02	-13	59.02	Pass	2986
30	814	0.1	RMS	813.3	-65.09	-13	52.09	Pass	7841
814	860	0.1	RMS	829.8	20.05	60	39.95	Pass	461
860	1000	0.1	RMS	976	-65.52	-13	52.52	Pass	1401
1000	3000	1	RMS	1659	-48.19	-13	35.19	Pass	2001
3000	10000	1	RMS	6801	-46.88	-13	33.88	Pass	7001




9.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	813.6	-65.3	-13	52.3	Pass	7841
814	860	0.1	RMS	829.8	19.06	60	40.94	Pass	461
860	1000	0.1	RMS	887.1	-65.54	-13	52.54	Pass	1401
1000	3000	1	RMS	1659	-49.4	-13	36.4	Pass	2001
3000	10000	1	RMS	6800	-46.87	-13	33.87	Pass	7001




9.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.16	-72.83	-13	59.83	Pass	2986
30	814	0.1	RMS	814	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	834.8	19.89	60	40.11	Pass	461
860	1000	0.1	RMS	959.8	-65.53	-13	52.53	Pass	1401
1000	3000	1	RMS	1669	-48.14	-13	35.14	Pass	2001
3000	10000	1	RMS	6799	-46.87	-13	33.87	Pass	7001



9.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.17	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	810.3	-64.74	-13	51.74	Pass	7841
814	860	0.1	RMS	834.8	18.95	60	41.05	Pass	461
860	1000	0.1	RMS	992.2	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1669	-49.35	-13	36.35	Pass	2001
3000	10000	1	RMS	6800	-46.85	-13	33.85	Pass	7001



10. LTE_Band26(part90)


10.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.81	-13	52.81	Pass	401
0.15	30	0.01	Peak	0.17	-65.1	-13	52.1	Pass	2986
30	809	0.1	Peak	456.6	-54.87	-13	41.87	Pass	7791
809	829	0.1	Peak	814.2	25.13	60	34.87	Pass	401
829	1000	0.1	Peak	836.3	-43.38	-13	30.38	Pass	1711
1000	3000	1	Peak	1629	-38.55	-13	25.55	Pass	2001
3000	10000	1	Peak	7911	-33.57	-13	20.57	Pass	7001




10.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.41	-13	53.41	Pass	401
0.15	30	0.01	Peak	0.15	-64.05	-13	51.05	Pass	2986
30	809	0.1	Peak	808.8	-54.71	-13	41.71	Pass	7791
809	829	0.1	Peak	814.3	25.24	60	34.76	Pass	401
829	1000	0.1	Peak	930.7	-54.02	-13	41.02	Pass	1711
1000	3000	1	Peak	1628	-39.21	-13	26.21	Pass	2001
3000	10000	1	Peak	7077	-33.06	-13	20.06	Pass	7001




10.3 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.51	-13	53.51	Pass	401
0.15	30	0.01	Peak	0.29	-63.19	-13	50.19	Pass	2986
30	809	0.1	Peak	579.9	-54.7	-13	41.7	Pass	7791
809	829	0.1	Peak	818.55	25.18	60	34.82	Pass	401
829	1000	0.1	Peak	829.3	-53.58	-13	40.58	Pass	1711
1000	3000	1	Peak	1637	-38.67	-13	25.67	Pass	2001
3000	10000	1	Peak	8746	-33.46	-13	20.46	Pass	7001




10.4 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.53	-13	51.53	Pass	401
0.15	30	0.01	Peak	0.22	-63.96	-13	50.96	Pass	2986
30	809	0.1	Peak	799.8	-54.72	-13	41.72	Pass	7791
809	829	0.1	Peak	818.5	25.27	60	34.73	Pass	401
829	1000	0.1	Peak	853.6	-54.73	-13	41.73	Pass	1711
1000	3000	1	Peak	1637	-39.41	-13	26.41	Pass	2001
3000	10000	1	Peak	8714	-33.66	-13	20.66	Pass	7001




10.5 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.94	-13	52.94	Pass	401
0.15	30	0.01	Peak	0.15	-64.01	-13	51.01	Pass	2986
30	809	0.1	Peak	743.3	-54.41	-13	41.41	Pass	7791
809	829	0.1	Peak	822.8	25.14	60	34.86	Pass	401
829	1000	0.1	Peak	830.8	-54.07	-13	41.07	Pass	1711
1000	3000	1	Peak	1646	-39.04	-13	26.04	Pass	2001
3000	10000	1	Peak	8735	-32.68	-13	19.68	Pass	7001




10.6 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.16	-13	52.16	Pass	401
0.15	30	0.01	Peak	0.15	-64.61	-13	51.61	Pass	2986
30	809	0.1	Peak	485	-55.03	-13	42.03	Pass	7791
809	829	0.1	Peak	822.8	25.2	60	34.8	Pass	401
829	1000	0.1	Peak	829.4	-54.39	-13	41.39	Pass	1711
1000	3000	1	Peak	1646	-38.62	-13	25.62	Pass	2001
3000	10000	1	Peak	7273	-33.38	-13	20.38	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-64.73	-13	51.73	Pass	401
0.15	30	0.01	Peak	1.03	-65.06	-13	52.06	Pass	2986
30	809	0.1	Peak	809	-47.15	-13	34.15	Pass	7791
809	829	0.1	Peak	814.2	25.09	60	34.91	Pass	401
829	1000	0.1	Peak	830.7	-43.15	-13	30.15	Pass	1711
1000	3000	1	Peak	1629	-37.87	-13	24.87	Pass	2001
3000	10000	1	Peak	7672	-33.7	-13	20.7	Pass	7001




10.8 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.36	-13	52.36	Pass	401
0.15	30	0.01	Peak	0.37	-64.34	-13	51.34	Pass	2986
30	809	0.1	Peak	809	-52	-13	39	Pass	7791
809	829	0.1	Peak	814.2	25.06	60	34.94	Pass	401
829	1000	0.1	Peak	878.6	-54.21	-13	41.21	Pass	1711
1000	3000	1	Peak	1629	-39.33	-13	26.33	Pass	2001
3000	10000	1	Peak	8743	-33.08	-13	20.08	Pass	7001




10.9 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.21	-13	53.21	Pass	401
0.15	30	0.01	Peak	0.22	-64.47	-13	51.47	Pass	2986
30	809	0.1	Peak	549.6	-53.99	-13	40.99	Pass	7791
809	829	0.1	Peak	817.8	25	60	35	Pass	401
829	1000	0.1	Peak	849.3	-53.69	-13	40.69	Pass	1711
1000	3000	1	Peak	1635	-38.49	-13	25.49	Pass	2001
3000	10000	1	Peak	7947	-33.8	-13	20.8	Pass	7001




10.10 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-64.14	-13	51.14	Pass	401
0.15	30	0.01	Peak	0.28	-64.38	-13	51.38	Pass	2986
30	809	0.1	Peak	737.9	-54.65	-13	41.65	Pass	7791
809	829	0.1	Peak	817.7	25.26	60	34.74	Pass	401
829	1000	0.1	Peak	978.8	-54.61	-13	41.61	Pass	1711
1000	3000	1	Peak	1636	-38.75	-13	25.75	Pass	2001
3000	10000	1	Peak	7640	-33.23	-13	20.23	Pass	7001




10.11 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.71	-13	53.71	Pass	401
0.15	30	0.01	Peak	0.16	-63.99	-13	50.99	Pass	2986
30	809	0.1	Peak	532.7	-54.41	-13	41.41	Pass	7791
809	829	0.1	Peak	821.25	25.21	60	34.79	Pass	401
829	1000	0.1	Peak	870.4	-54.25	-13	41.25	Pass	1711
1000	3000	1	Peak	1642	-38.08	-13	25.08	Pass	2001
3000	10000	1	Peak	7762	-33.93	-13	20.93	Pass	7001




10.12 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.31	-13	53.31	Pass	401
0.15	30	0.01	Peak	0.15	-64.82	-13	51.82	Pass	2986
30	809	0.1	Peak	748.5	-54.8	-13	41.8	Pass	7791
809	829	0.1	Peak	821.2	25.22	60	34.78	Pass	401
829	1000	0.1	Peak	846	-54.23	-13	41.23	Pass	1711
1000	3000	1	Peak	1642	-39.11	-13	26.11	Pass	2001
3000	10000	1	Peak	7490	-33.6	-13	20.6	Pass	7001




10.13 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.7	-13	53.7	Pass	401
0.15	30	0.01	Peak	0.29	-65.21	-13	52.21	Pass	2986
30	809	0.1	Peak	609.5	-54.81	-13	41.81	Pass	7791
809	829	0.1	Peak	814.4	24.81	60	35.19	Pass	401
829	1000	0.1	Peak	835.6	-43.95	-13	30.95	Pass	1711
1000	3000	1	Peak	1629	-39.43	-13	26.43	Pass	2001
3000	10000	1	Peak	8737	-33.63	-13	20.63	Pass	7001




10.14 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.57	-13	52.57	Pass	401
0.15	30	0.01	Peak	0.18	-62.81	-13	49.81	Pass	2986
30	809	0.1	Peak	382.9	-54.88	-13	41.88	Pass	7791
809	829	0.1	Peak	814.3	25.03	60	34.97	Pass	401
829	1000	0.1	Peak	846.7	-53.91	-13	40.91	Pass	1711
1000	3000	1	Peak	1629	-39.3	-13	26.3	Pass	2001
3000	10000	1	Peak	8721	-33.64	-13	20.64	Pass	7001




**10.15 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.84	-13	53.84	Pass	401
0.15	30	0.01	Peak	0.25	-65.04	-13	52.04	Pass	2986
30	809	0.1	Peak	808.3	-49.73	-13	36.73	Pass	7791
809	829	0.1	Peak	816.85	25.03	60	34.97	Pass	401
829	1000	0.1	Peak	849.4	-53.49	-13	40.49	Pass	1711
1000	3000	1	Peak	1634	-38.57	-13	25.57	Pass	2001
3000	10000	1	Peak	8706	-33.28	-13	20.28	Pass	7001




10.16 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.01	-13	53.01	Pass	401
0.15	30	0.01	Peak	0.26	-63.52	-13	50.52	Pass	2986
30	809	0.1	Peak	808.2	-50.38	-13	37.38	Pass	7791
809	829	0.1	Peak	816.8	25.39	60	34.61	Pass	401
829	1000	0.1	Peak	849.3	-51.75	-13	38.75	Pass	1711
1000	3000	1	Peak	1634	-38.67	-13	25.67	Pass	2001
3000	10000	1	Peak	8399	-33.42	-13	20.42	Pass	7001




10.17 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.17	-13	52.17	Pass	401
0.15	30	0.01	Peak	0.15	-64.51	-13	51.51	Pass	2986
30	809	0.1	Peak	516.1	-54.83	-13	41.83	Pass	7791
809	829	0.1	Peak	819.35	25.1	60	34.9	Pass	401
829	1000	0.1	Peak	844.9	-54.23	-13	41.23	Pass	1711
1000	3000	1	Peak	1639	-38.49	-13	25.49	Pass	2001
3000	10000	1	Peak	9512	-33.32	-13	20.32	Pass	7001



10.18 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.82	-13	51.82	Pass	401
0.15	30	0.01	Peak	0.15	-64.2	-13	51.2	Pass	2986
30	809	0.1	Peak	734.8	-54.46	-13	41.46	Pass	7791
809	829	0.1	Peak	819.3	25.24	60	34.76	Pass	401
829	1000	0.1	Peak	934.1	-54.49	-13	41.49	Pass	1711
1000	3000	1	Peak	1638	-38.56	-13	25.56	Pass	2001
3000	10000	1	Peak	7645	-33.46	-13	20.46	Pass	7001



10.19 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.89	-13	52.89	Pass	401
0.15	30	0.01	Peak	0.17	-62.51	-13	49.51	Pass	2986
30	809	0.1	Peak	808.7	-46.71	-13	33.71	Pass	7791
809	829	0.1	Peak	814.55	25.06	60	34.94	Pass	401
829	1000	0.1	Peak	832.2	-42	-13	29	Pass	1711
1000	3000	1	Peak	1629	-38.75	-13	25.75	Pass	2001
3000	10000	1	Peak	7297	-33.92	-13	20.92	Pass	7001

