


8.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1911.35	3.77	30	26.23	Pass	401
1915	1916	0.051	RMS	1915	-27.82	-13	14.82	Pass	401
1916	1917	1	RMS	1916	-18.68	-13	5.68	Pass*	2
1917	1925	1	RMS	1917	-20.28	-13	7.28	Pass	401




8.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.98	-13	25.98	Pass	401
1848	1849	1	RMS	1849	-36.48	-13	23.48	Pass	2
1849	1850	0.1	RMS	1850	-31.37	-13	18.37	Pass	401
1850	1860	0.1	RMS	1850.6	19.5	30	10.5	Pass	401




8.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-23.83	-13	10.83	Pass	401
1848	1849	1	RMS	1849	-22.69	-13	9.69	Pass	2
1849	1850	0.1	RMS	1849.998	-29.36	-13	16.36	Pass	401
1850	1860	0.1	RMS	1855.7	2.14	30	27.86	Pass	401




8.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-40.12	-13	27.12	Pass	401
1848	1849	1	RMS	1849	-37.7	-13	24.7	Pass	2
1849	1850	0.1	RMS	1850	-32.3	-13	19.3	Pass	401
1850	1860	0.1	RMS	1850.575	18.32	30	11.68	Pass	401




8.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-23.09	-13	10.09	Pass	401
1848	1849	1	RMS	1849	-22.14	-13	9.14	Pass	2
1849	1850	0.1	RMS	1850	-29.62	-13	16.62	Pass	401
1850	1860	0.1	RMS	1853.55	0.99	30	29.01	Pass	401




8.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	19.3	30	10.7	Pass	401
1915	1916	0.1	RMS	1915	-30.34	-13	17.34	Pass	401
1916	1917	1	RMS	1916	-35.81	-13	22.81	Pass	2
1917	1925	1	RMS	1917	-38.57	-13	25.57	Pass	401




8.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1908.7	1.98	30	28.02	Pass	401
1915	1916	0.1	RMS	1915.005	-28.36	-13	15.36	Pass	401
1916	1917	1	RMS	1916	-21.44	-13	8.44	Pass	2
1917	1925	1	RMS	1917	-23.04	-13	10.04	Pass	401




8.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	18.51	30	11.49	Pass	401
1915	1916	0.1	RMS	1915.005	-31.69	-13	18.69	Pass	401
1916	1917	1	RMS	1916	-36.78	-13	23.78	Pass	2
1917	1925	1	RMS	1917.02	-39.48	-13	26.48	Pass	401




8.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1908.275	0.9	30	29.1	Pass	401
1915	1916	0.1	RMS	1915.025	-28.8	-13	15.8	Pass	401
1916	1917	1	RMS	1916	-21.21	-13	8.21	Pass	2
1917	1925	1	RMS	1917	-22.41	-13	9.41	Pass	401




8.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.67	-13	25.67	Pass	401
1848	1849	1	RMS	1849	-35.42	-13	22.42	Pass	2
1849	1850	0.15	RMS	1849.995	-28.6	-13	15.6	Pass	401
1850	1865	0.1	RMS	1850.825	19.3	30	10.7	Pass	401




8.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-23.9	-13	10.9	Pass	401
1848	1849	1	RMS	1848	-24.13	-13	11.13	Pass	2
1849	1850	0.15	RMS	1850	-30.04	-13	17.04	Pass	401
1850	1865	0.1	RMS	1857.125	0.48	30	29.52	Pass	401




8.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.88	-13	26.88	Pass	401
1848	1849	1	RMS	1849	-36.66	-13	23.66	Pass	2
1849	1850	0.15	RMS	1849.998	-29.38	-13	16.38	Pass	401
1850	1865	0.1	RMS	1850.825	18.25	30	11.75	Pass	401




8.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-23.29	-13	10.29	Pass	401
1848	1849	1	RMS	1848	-23.46	-13	10.46	Pass	2
1849	1850	0.15	RMS	1849.983	-30.29	-13	17.29	Pass	401
1850	1865	0.1	RMS	1856.375	-0.68	30	30.68	Pass	401




8.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.138	19.26	30	10.74	Pass	401
1915	1916	0.15	RMS	1915	-29.03	-13	16.03	Pass	401
1916	1917	1	RMS	1916	-35.44	-13	22.44	Pass	2
1917	1925	1	RMS	1917	-38.96	-13	25.96	Pass	401




8.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1904.013	0.48	30	29.52	Pass	401
1915	1916	0.15	RMS	1915.005	-28.76	-13	15.76	Pass	401
1916	1917	1	RMS	1917	-22.66	-13	9.66	Pass	2
1917	1925	1	RMS	1917.02	-22.51	-13	9.51	Pass	401




8.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	18.07	30	11.93	Pass	401
1915	1916	0.15	RMS	1915	-29.89	-13	16.89	Pass	401
1916	1917	1	RMS	1916	-36.27	-13	23.27	Pass	2
1917	1925	1	RMS	1917	-39.99	-13	26.99	Pass	401




8.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1906.563	-0.76	30	30.76	Pass	401
1915	1916	0.15	RMS	1915.015	-29.15	-13	16.15	Pass	401
1916	1917	1	RMS	1917	-22.4	-13	9.4	Pass	2
1917	1925	1	RMS	1917.06	-22.24	-13	9.24	Pass	401




8.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.08	-13	27.08	Pass	401
1848	1849	1	RMS	1849	-36.65	-13	23.65	Pass	2
1849	1850	0.2	RMS	1849.985	-31.84	-13	18.84	Pass	401
1850	1870	0.1	RMS	1851.1	19.07	30	10.93	Pass	401




8.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-26.04	-13	13.04	Pass	401
1848	1849	1	RMS	1849	-24.85	-13	11.85	Pass	2
1849	1850	0.2	RMS	1849.988	-29.92	-13	16.92	Pass	401
1850	1870	0.1	RMS	1862.1	-0.93	30	30.93	Pass	401




8.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.68	-13	27.68	Pass	401
1848	1849	1	RMS	1849	-37.47	-13	24.47	Pass	2
1849	1850	0.2	RMS	1849.99	-32.64	-13	19.64	Pass	401
1850	1870	0.1	RMS	1851.1	18.14	30	11.86	Pass	401




8.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-25.31	-13	12.31	Pass	401
1848	1849	1	RMS	1849	-24.37	-13	11.37	Pass	2
1849	1850	0.2	RMS	1849.99	-29.85	-13	16.85	Pass	401
1850	1870	0.1	RMS	1863.95	-1.89	30	31.89	Pass	401




8.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	19.26	30	10.74	Pass	401
1915	1916	0.2	RMS	1915	-31.16	-13	18.16	Pass	401
1916	1917	1	RMS	1916	-35.57	-13	22.57	Pass	2
1917	1925	1	RMS	1917	-39.57	-13	26.57	Pass	401




8.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1901.7	-0.81	30	30.81	Pass	401
1915	1916	0.2	RMS	1915.03	-28.83	-13	15.83	Pass	401
1916	1917	1	RMS	1916	-23.74	-13	10.74	Pass	2
1917	1925	1	RMS	1917.02	-24.79	-13	11.79	Pass	401




8.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	18.14	30	11.86	Pass	401
1915	1916	0.2	RMS	1915	-31.69	-13	18.69	Pass	401
1916	1917	1	RMS	1916	-36.71	-13	23.71	Pass	2
1917	1925	1	RMS	1917	-40.4	-13	27.4	Pass	401



8.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1903.4	-1.82	30	31.82	Pass	401
1915	1916	0.2	RMS	1915.025	-29.16	-13	16.16	Pass	401
1916	1917	1	RMS	1916	-23.73	-13	10.73	Pass	2
1917	1925	1	RMS	1917.04	-24.71	-13	11.71	Pass	401



9 LTE_Band26(part22)

9.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-49.05	-13	36.05	Pass	401
823	824	0.02	RMS	824	-23.43	-13	10.43	Pass	401
824	826	0.1	RMS	824.25	20.76	30	9.24	Pass	401




9.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.54	-38.59	-13	25.59	Pass	401
823	824	0.02	RMS	824	-26.34	-13	13.34	Pass	401
824	826	0.1	RMS	824.575	12.15	30	17.85	Pass	401



9.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.94	-13	36.94	Pass	401
823	824	0.02	RMS	823.998	-24.74	-13	11.74	Pass	401
824	826	0.1	RMS	824.24	19.6	30	10.4	Pass	401




9.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.81	-13	24.81	Pass	401
823	824	0.02	RMS	824	-28.05	-13	15.05	Pass	401
824	826	0.1	RMS	824.53	11.16	30	18.84	Pass	401




9.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.765	20.33	30	9.67	Pass	401
849	850	0.02	RMS	849	-24.09	-13	11.09	Pass	401
850	860	0.1	RMS	850	-49.83	-13	36.83	Pass	401




9.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.105	12.04	30	17.96	Pass	401
849	850	0.02	RMS	849.005	-27.23	-13	14.23	Pass	401
850	860	0.1	RMS	850	-39.25	-13	26.25	Pass	401




9.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.765	19.43	30	10.57	Pass	401
849	850	0.02	RMS	849.003	-26.02	-13	13.02	Pass	401
850	860	0.1	RMS	850.125	-50.83	-13	37.83	Pass	401




9.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.435	10.99	30	19.01	Pass	401
849	850	0.02	RMS	849.003	-28.4	-13	15.4	Pass	401
850	860	0.1	RMS	850	-37.93	-13	24.93	Pass	401




9.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.8	-13	32.8	Pass	401
823	824	0.03	RMS	824	-20.09	-13	7.09	Pass	401
824	827	0.1	RMS	824.24	20.67	30	9.33	Pass	401




9.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-28.23	-13	15.23	Pass	401
823	824	0.03	RMS	824	-26.36	-13	13.36	Pass	401
824	827	0.1	RMS	825.388	8.31	30	21.69	Pass	401




9.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-47.6	-13	34.6	Pass	401
823	824	0.03	RMS	824	-22.27	-13	9.27	Pass	401
824	827	0.1	RMS	824.24	19.54	30	10.46	Pass	401




9.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-29.27	-13	16.27	Pass	401
823	824	0.03	RMS	824	-27.22	-13	14.22	Pass	401
824	827	0.1	RMS	825.665	7.22	30	22.78	Pass	401




9.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.745	20.32	30	9.68	Pass	401
849	850	0.03	RMS	849	-20.22	-13	7.22	Pass	401
850	860	0.1	RMS	850.025	-46.87	-13	33.87	Pass	401




9.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.95	8.09	30	21.91	Pass	401
849	850	0.03	RMS	849.005	-27.07	-13	14.07	Pass	401
850	860	0.1	RMS	850.025	-29.56	-13	16.56	Pass	401




9.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.775	19.54	30	10.46	Pass	401
849	850	0.03	RMS	849.003	-22.84	-13	9.84	Pass	401
850	860	0.1	RMS	850	-47.64	-13	34.64	Pass	401




9.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.418	7.13	30	22.87	Pass	401
849	850	0.03	RMS	849	-28.33	-13	15.33	Pass	401
850	860	0.1	RMS	850	-29.76	-13	16.76	Pass	401



9.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.22	-45.75	-13	32.75	Pass	401
823	824	0.051	RMS	824	-22.06	-13	9.06	Pass	401
824	829	0.1	RMS	824.338	20.44	30	9.56	Pass	401




9.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-28.21	-13	15.21	Pass	401
823	824	0.051	RMS	823.998	-26.2	-13	13.2	Pass	401
824	829	0.1	RMS	825.575	6.27	30	23.73	Pass	401




9.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.18	-47.09	-13	34.09	Pass	401
823	824	0.051	RMS	824	-23.01	-13	10.01	Pass	401
824	829	0.1	RMS	824.338	19.61	30	10.39	Pass	401




9.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-29.67	-13	16.67	Pass	401
823	824	0.051	RMS	824	-27.58	-13	14.58	Pass	401
824	829	0.1	RMS	826.975	5.23	30	24.77	Pass	401




9.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.675	20.27	30	9.73	Pass	401
849	850	0.051	RMS	849	-22.31	-13	9.31	Pass	401
850	860	0.1	RMS	850.825	-48.53	-13	35.53	Pass	401




9.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.413	5.91	30	24.09	Pass	401
849	850	0.051	RMS	849.003	-27.13	-13	14.13	Pass	401
850	860	0.1	RMS	850	-30.02	-13	17.02	Pass	401




9.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	19.38	30	10.62	Pass	401
849	850	0.051	RMS	849	-23.03	-13	10.03	Pass	401
850	860	0.1	RMS	850.825	-49.62	-13	36.62	Pass	401




9.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.238	4.92	30	25.08	Pass	401
849	850	0.051	RMS	849.003	-28.07	-13	15.07	Pass	401
850	860	0.1	RMS	850.025	-30.67	-13	17.67	Pass	401




9.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-43.69	-13	30.69	Pass	401
823	824	0.1	RMS	824	-31.27	-13	18.27	Pass	401
824	834	0.1	RMS	824.575	20.79	30	9.21	Pass	401




9.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-29.59	-13	16.59	Pass	401
823	824	0.1	RMS	824	-26.69	-13	13.69	Pass	401
824	834	0.1	RMS	827.5	3.3	30	26.7	Pass	401




9.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.16	-47.05	-13	34.05	Pass	401
823	824	0.1	RMS	824	-32.09	-13	19.09	Pass	401
824	834	0.1	RMS	824.6	19.37	30	10.63	Pass	401




9.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.8	-30.98	-13	17.98	Pass	401
823	824	0.1	RMS	823.988	-28.47	-13	15.47	Pass	401
824	834	0.1	RMS	827.075	2.28	30	27.72	Pass	401




9.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.32	30	9.68	Pass	401
849	850	0.1	RMS	849	-31.6	-13	18.6	Pass	401
850	860	0.1	RMS	850	-50.49	-13	37.49	Pass	401




9.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	842.275	3.56	30	26.44	Pass	401
849	850	0.1	RMS	849.003	-28.79	-13	15.79	Pass	401
850	860	0.1	RMS	850.025	-32.58	-13	19.58	Pass	401




9.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.35	30	10.65	Pass	401
849	850	0.1	RMS	849	-32.73	-13	19.73	Pass	401
850	860	0.1	RMS	850.025	-51.59	-13	38.59	Pass	401




9.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	842.25	2.42	30	27.58	Pass	401
849	850	0.1	RMS	849.015	-30.02	-13	17.02	Pass	401
850	860	0.1	RMS	850	-33.19	-13	20.19	Pass	401




9.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	818.2	-43.73	-13	30.73	Pass	401
823	824	0.15	RMS	823.998	-27.71	-13	14.71	Pass	401
824	839	0.1	RMS	824.825	20.62	30	9.38	Pass	401




9.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.5	-30.51	-13	17.51	Pass	401
823	824	0.15	RMS	823.998	-27.09	-13	14.09	Pass	401
824	839	0.1	RMS	830.563	1.45	30	28.55	Pass	401




9.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	818.2	-45.81	-13	32.81	Pass	401
823	824	0.15	RMS	824	-28.89	-13	15.89	Pass	401
824	839	0.1	RMS	824.825	19.48	30	10.52	Pass	401




9.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.54	-31.78	-13	18.78	Pass	401
823	824	0.15	RMS	823.97	-29	-13	16	Pass	401
824	839	0.1	RMS	830.675	0.42	30	29.58	Pass	401




9.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.17	30	9.83	Pass	401
849	850	0.15	RMS	849.01	-28.4	-13	15.4	Pass	401
850	860	0.1	RMS	850.025	-49.97	-13	36.97	Pass	401




9.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	840.488	1.77	30	28.23	Pass	401
849	850	0.15	RMS	849.008	-29.61	-13	16.61	Pass	401
850	860	0.1	RMS	850.025	-34.54	-13	21.54	Pass	401




9.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	19.28	30	10.72	Pass	401
849	850	0.15	RMS	849.015	-29.2	-13	16.2	Pass	401
850	860	0.1	RMS	850	-50.56	-13	37.56	Pass	401



9.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	840.263	0.84	30	29.16	Pass	401
849	850	0.15	RMS	849.013	-31.3	-13	18.3	Pass	401
850	860	0.1	RMS	850.05	-34.92	-13	21.92	Pass	401



10. LTE_Band26(part90)


10.1 LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-23.11	-13	10.11	Pass	401
813.9625	814	0.002	RMS	813.997	-29.91	-20	9.91	Pass	401
814	819	0.1	RMS	814.225	21.11	30	8.89	Pass	401




10.2 LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.83	-13	5.83	Pass	401
813.9625	814	0.02	RMS	813.995	-24.49	-20	4.49	Pass	401
814	819	0.1	RMS	814.65	12.26	30	17.74	Pass	401




10.3 LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.66	-13	5.66	Pass	401
813.9625	814	0.002	RMS	813.996	-32.71	-20	12.71	Pass	401
814	819	0.1	RMS	814.238	19.82	30	10.18	Pass	401




10.4 LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.18	-13	7.18	Pass	401
813.9625	814	0.02	RMS	813.999	-26.14	-20	6.14	Pass	401
814	819	0.1	RMS	814.713	11.56	30	18.44	Pass	401




10.5 LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.738	20.59	30	9.41	Pass	401
824	824.0375	0.002	RMS	824.004	-32.01	-20	12.01	Pass	401
824.0875	829	0.1	RMS	824.088	-25.98	-13	12.98	Pass	401




10.6 LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.225	12.42	30	17.58	Pass	401
824	824.0375	0.02	RMS	824	-26.13	-20	6.13	Pass	401
824.0375	829	0.1	RMS	824.038	-20.22	-13	7.22	Pass	401




10.7 LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.72	30	10.28	Pass	401
824	824.0375	0.002	RMS	824.005	-33.8	-20	13.8	Pass	401
824.0875	829	0.1	RMS	824.088	-27.54	-13	14.54	Pass	401




10.8 LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.263	11.28	30	18.72	Pass	401
824	824.0375	0.02	RMS	824.003	-27.95	-20	7.95	Pass	401
824.0375	829	0.1	RMS	824.038	-22.01	-13	9.01	Pass	401




10.9 LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-15.02	-13	2.02	Pass*	401
813.9625	814	0.002	RMS	813.999	-29.11	-20	9.11	Pass	401
814	819	0.1	RMS	814.238	21.15	30	8.85	Pass	401




10.10 LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.36	-13	8.36	Pass	401
813.9625	814	0.03	RMS	813.999	-25.22	-20	5.22	Pass	401
814	819	0.1	RMS	816.163	8.46	30	21.54	Pass	401




10.11 LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.2	-13	5.2	Pass	401
813.9625	814	0.002	RMS	813.999	-31.27	-20	11.27	Pass	401
814	819	0.1	RMS	814.225	19.78	30	10.22	Pass	401




10.12 LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.29	-13	10.29	Pass	401
813.9625	814	0.03	RMS	813.999	-26.58	-20	6.58	Pass	401
814	819	0.1	RMS	816.063	7.57	30	22.43	Pass	401




10.13 LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.67	30	9.33	Pass	401
824	824.0375	0.002	RMS	824.002	-30.81	-20	10.81	Pass	401
824.0875	829	0.1	RMS	824.088	-25.33	-13	12.33	Pass	401




10.14 LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.288	8.29	30	21.71	Pass	401
824	824.0375	0.03	RMS	824	-26.85	-20	6.85	Pass	401
824.0375	829	0.1	RMS	824.038	-23.36	-13	10.36	Pass	401




10.15 LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.775	19.76	30	10.24	Pass	401
824	824.0375	0.002	RMS	824	-31.11	-20	11.11	Pass	401
824.0375	829	0.1	RMS	824.038	-17.74	-13	4.74	Pass	401




10.16 LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.788	7.28	30	22.72	Pass	401
824	824.0375	0.03	RMS	824.001	-28.32	-20	8.32	Pass	401
824.0375	829	0.1	RMS	824.038	-24.36	-13	11.36	Pass	401




10.17 LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.59	-13	7.59	Pass	401
813.9625	814	0.002	RMS	813.999	-34.46	-20	14.46	Pass	401
814	819	0.1	RMS	814.35	20.65	30	9.35	Pass	401




10.18 LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.95	-24.92	-13	11.92	Pass	401
813.9625	814	0.051	RMS	813.996	-26.1	-20	6.1	Pass	401
814	819	0.1	RMS	816.238	6.27	30	23.73	Pass	401




10.19 LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.29	-13	9.29	Pass	401
813.9625	814	0.002	RMS	813.999	-34.86	-20	14.86	Pass	401
814	819	0.1	RMS	814.325	19.75	30	10.25	Pass	401




10.20 LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.79	-13	12.79	Pass	401
813.9625	814	0.051	RMS	813.995	-27.09	-20	7.09	Pass	401
814	819	0.1	RMS	816.775	5.38	30	24.62	Pass	401




10.21 LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.675	20.56	30	9.44	Pass	401
824	824.0375	0.002	RMS	824	-34.57	-20	14.57	Pass	401
824.0375	829	0.1	RMS	824.038	-22.01	-13	9.01	Pass	401




10.22 LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.188	6.15	30	23.85	Pass	401
824	824.0375	0.051	RMS	824.003	-27.31	-20	7.31	Pass	401
824.0375	829	0.1	RMS	824.038	-25.88	-13	12.88	Pass	401




10.23 LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	19.55	30	10.45	Pass	401
824	824.0375	0.002	RMS	824	-35.96	-20	15.96	Pass	401
824.0375	829	0.1	RMS	824.038	-22.23	-13	9.23	Pass	401




10.24 LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.675	5.13	30	24.87	Pass	401
824	824.0375	0.051	RMS	824	-28.45	-20	8.45	Pass	401
824.0375	829	0.1	RMS	824.038	-27.3	-13	14.3	Pass	401




10.25 LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.99	-13	20.99	Pass	401
813.9625	814	0.02	RMS	814	-38.7	-20	18.7	Pass	401
814	819	0.1	RMS	814.575	20.86	30	9.14	Pass	401




10.26 LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.48	-13	15.48	Pass	401
813.9625	814	0.1	RMS	813.997	-27.99	-20	7.99	Pass	401
814	819	0.1	RMS	818.988	3.45	30	26.55	Pass	401




10.27 LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-35.07	-13	22.07	Pass	401
813.9625	814	0.02	RMS	813.996	-39.42	-20	19.42	Pass	401
814	819	0.1	RMS	814.613	19.54	30	10.46	Pass	401




10.28 LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.95	-29.78	-13	16.78	Pass	401
813.9625	814	0.1	RMS	813.998	-29.21	-20	9.21	Pass	401
814	819	0.1	RMS	818.925	2.45	30	27.55	Pass	401




10.29 LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.388	20.72	30	9.28	Pass	401
824	824.0375	0.02	RMS	824	-39.59	-20	19.59	Pass	401
824.0375	829	0.1	RMS	824.038	-34.84	-13	21.84	Pass	401




10.30 LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	819.5	3.46	30	26.54	Pass	401
824	824.0375	0.1	RMS	824.003	-28.38	-20	8.38	Pass	401
824.0375	829	0.1	RMS	824.038	-28.99	-13	15.99	Pass	401




10.31 LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	19.48	30	10.52	Pass	401
824	824.0375	0.02	RMS	824.004	-39.76	-20	19.76	Pass	401
824.0375	829	0.1	RMS	824.038	-35.43	-13	22.43	Pass	401



10.32 LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.388	2.6	30	27.4	Pass	401
824	824.0375	0.1	RMS	824.003	-29.7	-20	9.7	Pass	401
824.0375	829	0.1	RMS	824.05	-30.43	-13	17.43	Pass	401



11. LTE_Band41 full


11.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.713	-38.4	-25	13.4	Pass	401
2490	2495	1	RMS	2495	-26.34	-13	13.34	Pass	6
2495	2496	0.051	RMS	2495.993	-18.92	-13	5.92	Pass*	401
2496	2501	0.1	RMS	2496.35	21.76	30	8.24	Pass	401




11.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.025	-29.96	-25	4.96	Pass*	401
2490	2495	1	RMS	2495	-18.34	-13	5.34	Pass*	6
2495	2496	0.051	RMS	2496	-25.55	-13	12.55	Pass	401
2496	2501	0.1	RMS	2498.925	7.38	30	22.62	Pass	401




11.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.638	-40.16	-25	15.16	Pass	401
2490	2495	1	RMS	2495	-27.27	-13	14.27	Pass	6
2495	2496	0.051	RMS	2496	-20.65	-13	7.65	Pass	401
2496	2501	0.1	RMS	2496.338	20.68	30	9.32	Pass	401




11.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-30.35	-25	5.35	Pass*	401
2490	2495	1	RMS	2495	-18.72	-13	5.72	Pass*	6
2495	2496	0.051	RMS	2495.998	-26.63	-13	13.63	Pass	401
2496	2501	0.1	RMS	2499.625	7.01	30	22.99	Pass	401




11.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	20.1	30	9.9	Pass	401
2690	2691	0.051	RMS	2690	-20.18	-10	10.18	Pass	401
2691	2695	1	RMS	2691	-27.83	-10	17.83	Pass	5
2695	2696	1	RMS	2695.013	-43.33	-13	30.33	Pass	401
2696	2715	1	RMS	2698.565	-42.58	-25	17.58	Pass	401



11.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.15	6.4	30	23.6	Pass	401
2690	2691	0.1	RMS	2690.008	-26.21	-10	16.21	Pass	401
2691	2695	1	RMS	2691	-26.63	-10	16.63	Pass	5
2695	2696	1	RMS	2695.013	-34.56	-13	21.56	Pass	401
2696	2715	1	RMS	2696.143	-35.11	-25	10.11	Pass	401




11.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.675	19.87	30	10.13	Pass	401
2690	2691	0.051	RMS	2690.003	-20.65	-10	10.65	Pass	401
2691	2695	1	RMS	2691	-28.9	-10	18.9	Pass	5
2695	2696	1	RMS	2695.04	-43.15	-13	30.15	Pass	401
2696	2715	1	RMS	2698.328	-43.29	-25	18.29	Pass	401




11.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.15	4.78	30	25.22	Pass	401
2690	2691	0.1	RMS	2690.003	-26.7	-10	16.7	Pass	401
2691	2695	1	RMS	2691	-26.39	-10	16.39	Pass	5
2695	2696	1	RMS	2695.018	-34.09	-13	21.09	Pass	401
2696	2715	1	RMS	2696	-35.7	-25	10.7	Pass	401




11.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.788	-29.2	-25	4.2	Pass*	401
2490	2495	1	RMS	2495	-28.98	-13	15.98	Pass	6
2495	2496	0.1	RMS	2496	-25.67	-13	12.67	Pass	401
2496	2506	0.1	RMS	2496.575	22.2	30	7.8	Pass	401




11.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-25.66	-25	0.66	Pass*	401
2490	2495	1	RMS	2495	-20.72	-13	7.72	Pass	6
2495	2496	0.1	RMS	2495.985	-27.08	-13	14.08	Pass	401
2496	2506	0.1	RMS	2500.675	4.54	30	25.46	Pass	401




11.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.788	-32.15	-25	7.15	Pass	401
2490	2495	1	RMS	2495	-29.07	-13	16.07	Pass	6
2495	2496	0.1	RMS	2495.998	-26.27	-13	13.27	Pass	401
2496	2506	0.1	RMS	2496.575	20.33	30	9.67	Pass	401




11.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-26.79	-25	1.79	Pass*	401
2490	2495	1	RMS	2495	-21.25	-13	8.25	Pass	6
2495	2496	0.1	RMS	2495.993	-28.52	-13	15.52	Pass	401
2496	2506	0.1	RMS	2499.65	3.75	30	26.25	Pass	401




11.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	20.31	30	9.69	Pass	401
2690	2691	0.2	RMS	2690	-22.51	-10	12.51	Pass	401
2691	2695	1	RMS	2691	-33.5	-10	23.5	Pass	5
2695	2700	1	RMS	2698.275	-38.21	-13	25.21	Pass	401
2700	2715	1	RMS	2706.9	-37.71	-25	12.71	Pass	401




11.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2684.275	3.48	30	26.52	Pass	401
2690	2691	0.2	RMS	2690.01	-29.25	-10	19.25	Pass	401
2691	2695	1	RMS	2691	-29.36	-10	19.36	Pass	5
2695	2700	1	RMS	2695	-32.14	-13	19.14	Pass	401
2700	2715	1	RMS	2701.05	-37.83	-25	12.83	Pass	401




11.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.375	19.7	30	10.3	Pass	401
2690	2691	0.2	RMS	2690	-23.46	-10	13.46	Pass	401
2691	2695	1	RMS	2691	-33.42	-10	23.42	Pass	5
2695	2700	1	RMS	2697.925	-39.61	-13	26.61	Pass	401
2700	2715	1	RMS	2707.538	-38.17	-25	13.17	Pass	401




11.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.2	2.23	30	27.77	Pass	401
2690	2691	0.2	RMS	2690.018	-30.07	-10	20.07	Pass	401
2691	2695	1	RMS	2691	-29.1	-10	19.1	Pass	5
2695	2700	1	RMS	2695.038	-32.17	-13	19.17	Pass	401
2700	2715	1	RMS	2700.263	-38.05	-25	13.05	Pass	401




11.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.475	-29.67	-25	4.67	Pass*	401
2490	2495	1	RMS	2495	-28.05	-13	15.05	Pass	6
2495	2496	0.15	RMS	2495.993	-24.22	-13	11.22	Pass	401
2496	2511	0.1	RMS	2496.825	22.07	30	7.93	Pass	401




11.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-25.39	-25	0.39	Pass*	401
2490	2495	1	RMS	2495	-21.58	-13	8.58	Pass	6
2495	2496	0.15	RMS	2495.985	-28.15	-13	15.15	Pass	401
2496	2511	0.1	RMS	2504.7	2.34	30	27.66	Pass	401




11.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.55	-31.51	-25	6.51	Pass	401
2490	2495	1	RMS	2495	-28.89	-13	15.89	Pass	6
2495	2496	0.15	RMS	2495.998	-24.72	-13	11.72	Pass	401
2496	2511	0.1	RMS	2496.863	20.86	30	9.14	Pass	401




11.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-26.34	-25	1.34	Pass*	401
2490	2495	1	RMS	2495	-22.1	-13	9.1	Pass	6
2495	2496	0.15	RMS	2495.998	-29.1	-13	16.1	Pass	401
2496	2511	0.1	RMS	2504.438	1.82	30	28.18	Pass	401




11.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	20.79	30	9.21	Pass	401
2690	2691	0.3	RMS	2690.003	-22.53	-10	12.53	Pass	401
2691	2695	1	RMS	2691	-30.76	-10	20.76	Pass	5
2695	2705	1	RMS	2695.975	-37	-13	24	Pass	401
2705	2715	1	RMS	2714.725	-42.52	-25	17.52	Pass	401




11.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2678.863	2.4	30	27.6	Pass	401
2690	2691	0.3	RMS	2690.003	-30.9	-10	20.9	Pass	401
2691	2695	1	RMS	2691	-29.91	-10	19.91	Pass	5
2695	2705	1	RMS	2695.5	-33.29	-13	20.29	Pass	401
2705	2715	1	RMS	2705.05	-38.76	-25	13.76	Pass	401




11.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	19.98	30	10.02	Pass	401
2690	2691	0.3	RMS	2690.008	-22.41	-10	12.41	Pass	401
2691	2695	1	RMS	2691	-32	-10	22	Pass	5
2695	2705	1	RMS	2695.675	-36.14	-13	23.14	Pass	401
2705	2715	1	RMS	2711.425	-40.65	-25	15.65	Pass	401




11.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2679.5	1.14	30	28.86	Pass	401
2690	2691	0.3	RMS	2690	-31.38	-10	21.38	Pass	401
2691	2695	1	RMS	2691	-29.74	-10	19.74	Pass	5
2695	2705	1	RMS	2695.075	-32.54	-13	19.54	Pass	401
2705	2715	1	RMS	2705.1	-38.86	-25	13.86	Pass	401




11.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2479.163	-31.52	-25	6.52	Pass	401
2490	2495	1	RMS	2495	-30.35	-13	17.35	Pass	6
2495	2496	0.2	RMS	2496	-27.5	-13	14.5	Pass	401
2496	2516	0.1	RMS	2497.05	21.04	30	8.96	Pass	401




11.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-26.87	-25	1.87	Pass*	401
2490	2495	1	RMS	2495	-23.98	-13	10.98	Pass	6
2495	2496	0.2	RMS	2495.998	-28.25	-13	15.25	Pass	401
2496	2516	0.1	RMS	2508.45	2.23	30	27.77	Pass	401




11.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2479.238	-32.22	-25	7.22	Pass	401
2490	2495	1	RMS	2495	-31	-13	18	Pass	6
2495	2496	0.2	RMS	2495.988	-27.68	-13	14.68	Pass	401
2496	2516	0.1	RMS	2497.1	19.86	30	10.14	Pass	401




11.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-26.82	-25	1.82	Pass*	401
2490	2495	1	RMS	2495	-24.69	-13	11.69	Pass	6
2495	2496	0.2	RMS	2495.97	-30.16	-13	17.16	Pass	401
2496	2516	0.1	RMS	2508.7	0.95	30	29.05	Pass	401




**11.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490,
Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.95	20.26	30	9.74	Pass	401
2690	2691	0.5	RMS	2690	-24.69	-10	14.69	Pass	3
2691	2695	1	RMS	2691.03	-30.64	-10	20.64	Pass	401
2695	2710	1	RMS	2697.77 5	-38.37	-13	25.37	Pass	401
2710	2715	1	RMS	2710.7	-47.31	-25	22.31	Pass	401




11.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2674.9	1.24	30	28.76	Pass	401
2690	2691	0.51	RMS	2690.02	-31.85	-10	21.85	Pass	401
2691	2695	1	RMS	2691	-33.54	-10	23.54	Pass	5
2695	2710	1	RMS	2695.113	-35.71	-13	22.71	Pass	401
2710	2715	1	RMS	2714.638	-41.14	-25	16.14	Pass	401




11.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	19.28	30	10.72	Pass	401
2690	2691	0.51	RMS	2690.005	-22.19	-10	12.19	Pass	401
2691	2695	1	RMS	2691	-33.37	-10	23.37	Pass	5
2695	2710	1	RMS	2697.625	-39.03	-13	26.03	Pass	401
2710	2715	1	RMS	2710.488	-47.44	-25	22.44	Pass	401



11.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2677.3	0.29	30	29.71	Pass	401
2690	2691	0.51	RMS	2690	-32.43	-10	22.43	Pass	401
2691	2695	1	RMS	2691	-33.02	-10	23.02	Pass	5
2695	2710	1	RMS	2695.075	-34.79	-13	21.79	Pass	401
2710	2715	1	RMS	2710.875	-41	-25	16	Pass	401



12. LTE_Band66

12.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.91	-13	23.91	Pass	401
1708	1709	1	RMS	1709	-29.83	-13	16.83	Pass	2
1709	1710	0.02	RMS	1710	-23.51	-13	10.51	Pass	401
1710	1712	0.1	RMS	1710.25	19.98	30	10.02	Pass	401



12.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.12	-13	14.12	Pass	401
1708	1709	1	RMS	1709	-22.37	-13	9.37	Pass	2
1709	1710	0.02	RMS	1710	-29.88	-13	16.88	Pass	401
1710	1712	0.1	RMS	1710.305	11.29	30	18.71	Pass	401




12.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.07	-13	25.07	Pass	401
1708	1709	1	RMS	1709	-31.72	-13	18.72	Pass	2
1709	1710	0.02	RMS	1710	-24.78	-13	11.78	Pass	401
1710	1712	0.1	RMS	1710.23	19.03	30	10.97	Pass	401



**12.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.68	-13	15.68	Pass	401
1708	1709	1	RMS	1709	-22.43	-13	9.43	Pass	2
1709	1710	0.02	RMS	1710	-30.2	-13	17.2	Pass	401
1710	1712	0.1	RMS	1710.73 5	10.34	30	19.66	Pass	401




**12.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.74	19.78	30	10.22	Pass	401
1780	1781	0.02	RMS	1780	-22.24	-13	9.24	Pass	401
1781	1782	1	RMS	1781	-30.78	-13	17.78	Pass	2
1782	1790	1	RMS	1782	-36.49	-13	23.49	Pass	401




12.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.21	11.42	30	18.58	Pass	401
1780	1781	0.02	RMS	1780	-28.63	-13	15.63	Pass	401
1781	1782	1	RMS	1781	-20.8	-13	7.8	Pass	2
1782	1790	1	RMS	1782	-26.78	-13	13.78	Pass	401




**12.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.76	18.77	30	11.23	Pass	401
1780	1781	0.02	RMS	1780	-23.09	-13	10.09	Pass	401
1781	1782	1	RMS	1781	-32.18	-13	19.18	Pass	2
1782	1790	1	RMS	1782	-37.6	-13	24.6	Pass	401




**12.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.375	10.36	30	19.64	Pass	401
1780	1781	0.02	RMS	1780	-28.65	-13	15.65	Pass	401
1781	1782	1	RMS	1781	-21.04	-13	8.04	Pass	2
1782	1790	1	RMS	1782	-28.31	-13	15.31	Pass	401




12.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.74	-34.52	-13	21.52	Pass	401
1708	1709	1	RMS	1708	-34.5	-13	21.5	Pass	2
1709	1710	0.002	RMS	1710	-31.4	-13	18.4	Pass	501
1710	1713	0.1	RMS	1710.24	20.03	30	9.97	Pass	401




12.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-25.03	-13	12.03	Pass	401
1708	1709	1	RMS	1708	-24.95	-13	11.95	Pass	2
1709	1710	0.03	RMS	1710	-28.03	-13	15.03	Pass	401
1710	1713	0.1	RMS	1711.058	7.45	30	22.55	Pass	401



12.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.76	-36.59	-13	23.59	Pass	401
1708	1709	1	RMS	1708	-36.52	-13	23.52	Pass	2
1709	1710	0.002	RMS	1710	-32.44	-13	19.44	Pass	501
1710	1713	0.1	RMS	1710.233	18.74	30	11.26	Pass	401




12.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-25.03	-13	12.03	Pass	401
1708	1709	1	RMS	1709	-23.8	-13	10.8	Pass	2
1709	1710	0.03	RMS	1709.998	-29.04	-13	16.04	Pass	401
1710	1713	0.1	RMS	1710.398	6.53	30	23.47	Pass	401




12.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	19.88	30	10.12	Pass	401
1780	1781	0.002	RMS	1780.002	-31.12	-13	18.12	Pass	501
1781	1782	1	RMS	1781	-34.82	-13	21.82	Pass	2
1782	1790	1	RMS	1782.1	-36.19	-13	23.19	Pass	401




12.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.148	7.51	30	22.49	Pass	401
1780	1781	0.03	RMS	1780	-29.93	-13	16.93	Pass	35
1781	1782	1	RMS	1782	-22.93	-13	9.93	Pass	2
1782	1790	1	RMS	1782	-23.08	-13	10.08	Pass	401




12.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.745	18.78	30	11.22	Pass	401
1780	1781	0.002	RMS	1780	-31.34	-13	18.34	Pass	501
1781	1782	1	RMS	1781	-35.64	-13	22.64	Pass	2
1782	1790	1	RMS	1782.04	-36.1	-13	23.1	Pass	401




12.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.558	6.47	30	23.53	Pass	401
1780	1781	0.03	RMS	1780	-28.65	-13	15.65	Pass	401
1781	1782	1	RMS	1781	-21.2	-13	8.2	Pass	2
1782	1790	1	RMS	1782	-23.42	-13	10.42	Pass	401




12.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.89	-13	24.89	Pass	401
1708	1709	1	RMS	1709	-35.72	-13	22.72	Pass	2
1709	1710	0.01	RMS	1710	-29.06	-13	16.06	Pass	401
1710	1715	0.1	RMS	1710.35	19.68	30	10.32	Pass	401




12.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.24	-26.09	-13	13.09	Pass	401
1708	1709	1	RMS	1709	-27.44	-13	14.44	Pass	2
1709	1710	0.051	RMS	1709.998	-29.69	-13	16.69	Pass	401
1710	1715	0.1	RMS	1712.9	5.29	30	24.71	Pass	401




12.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.8	-13	25.8	Pass	401
1708	1709	1	RMS	1709	-36.6	-13	23.6	Pass	2
1709	1710	0.01	RMS	1710	-29.58	-13	16.58	Pass	401
1710	1715	0.1	RMS	1710.35	18.77	30	11.23	Pass	401




12.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-25.84	-13	12.84	Pass	401
1708	1709	1	RMS	1709	-25.47	-13	12.47	Pass	2
1709	1710	0.051	RMS	1710	-30.28	-13	17.28	Pass	401
1710	1715	0.1	RMS	1711.163	4.26	30	25.74	Pass	401




12.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.675	19.73	30	10.27	Pass	401
1780	1781	0.01	RMS	1780	-28.3	-13	15.3	Pass	401
1781	1782	1	RMS	1781	-35.77	-13	22.77	Pass	2
1782	1790	1	RMS	1782	-38.42	-13	25.42	Pass	401




12.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.1	5.32	30	24.68	Pass	401
1780	1781	0.051	RMS	1780.005	-29.09	-13	16.09	Pass	401
1781	1782	1	RMS	1781	-25	-13	12	Pass	2
1782	1790	1	RMS	1782.98	-24.74	-13	11.74	Pass	401



12.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.638	18.8	30	11.2	Pass	401
1780	1781	0.01	RMS	1780	-28.63	-13	15.63	Pass	401
1781	1782	1	RMS	1781	-36.46	-13	23.46	Pass	2
1782	1790	1	RMS	1782	-38.83	-13	25.83	Pass	401




12.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1775.7	4.4	30	25.6	Pass	401
1780	1781	0.051	RMS	1780.003	-29.21	-13	16.21	Pass	401
1781	1782	1	RMS	1781	-22.64	-13	9.64	Pass	2
1782	1790	1	RMS	1782	-23.4	-13	10.4	Pass	401




12.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1701.88	-38.5	-13	25.5	Pass	401
1708	1709	1	RMS	1709	-36.63	-13	23.63	Pass	2
1709	1710	0.1	RMS	1710	-30.7	-13	17.7	Pass	401
1710	1720	0.1	RMS	1710.575	19.99	30	10.01	Pass	401




12.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1703.06	-29.08	-13	16.08	Pass	401
1708	1709	1	RMS	1708	-30.5	-13	17.5	Pass	2
1709	1710	0.1	RMS	1709.993	-34.05	-13	21.05	Pass	401
1710	1720	0.1	RMS	1716.675	2.57	30	27.43	Pass	401




12.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-40.17	-13	27.17	Pass	401
1708	1709	1	RMS	1709	-37.61	-13	24.61	Pass	2
1709	1710	0.1	RMS	1709.993	-31.85	-13	18.85	Pass	401
1710	1720	0.1	RMS	1710.575	18.74	30	11.26	Pass	401




12.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.79	-13	14.79	Pass	401
1708	1709	1	RMS	1708	-28.03	-13	15.03	Pass	2
1709	1710	0.1	RMS	1710	-34.03	-13	21.03	Pass	401
1710	1720	0.1	RMS	1715.4	1.51	30	28.49	Pass	401




12.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	19.71	30	10.29	Pass	401
1780	1781	0.1	RMS	1780	-31.9	-13	18.9	Pass	11
1781	1782	1	RMS	1781	-36.6	-13	23.6	Pass	2
1782	1790	1	RMS	1782	-39.77	-13	26.77	Pass	401




12.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1773.35	2.54	30	27.46	Pass	401
1780	1781	0.1	RMS	1780.003	-32.2	-13	19.2	Pass	401
1781	1782	1	RMS	1781	-27.35	-13	14.35	Pass	2
1782	1790	1	RMS	1782	-27.9	-13	14.9	Pass	401



12.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	18.94	30	11.06	Pass	401
1780	1781	0.1	RMS	1780	-30.83	-13	17.83	Pass	401
1781	1782	1	RMS	1781	-37.57	-13	24.57	Pass	2
1782	1790	1	RMS	1782.04	-40.9	-13	27.9	Pass	401




12.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1773.175	1.48	30	28.52	Pass	401
1780	1781	0.1	RMS	1780	-31.9	-13	18.9	Pass	401
1781	1782	1	RMS	1781	-24.93	-13	11.93	Pass	2
1782	1790	1	RMS	1782.02	-25.52	-13	12.52	Pass	401




12.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.38	-13	26.38	Pass	401
1708	1709	1	RMS	1709	-36.86	-13	23.86	Pass	2
1709	1710	0.15	RMS	1709.998	-28.74	-13	15.74	Pass	401
1710	1725	0.1	RMS	1710.825	19.84	30	10.16	Pass	401




12.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1701.56	-32.56	-13	19.56	Pass	401
1708	1709	1	RMS	1709	-30.87	-13	17.87	Pass	2
1709	1710	0.15	RMS	1710	-36.52	-13	23.52	Pass	401
1710	1725	0.1	RMS	1724.025	1.2	30	28.8	Pass	401




12.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1704.14	-40.06	-13	27.06	Pass	401
1708	1709	1	RMS	1709	-37.79	-13	24.79	Pass	2
1709	1710	0.15	RMS	1710	-29.7	-13	16.7	Pass	401
1710	1725	0.1	RMS	1710.825	18.56	30	11.44	Pass	401




12.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-29.06	-13	16.06	Pass	401
1708	1709	1	RMS	1709	-28.71	-13	15.71	Pass	2
1709	1710	0.15	RMS	1709.99	-36.17	-13	23.17	Pass	401
1710	1725	0.1	RMS	1722.113	0.19	30	29.81	Pass	401




12.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.69	30	10.31	Pass	401
1780	1781	0.15	RMS	1780	-28.75	-13	15.75	Pass	401
1781	1782	1	RMS	1781	-36.5	-13	23.5	Pass	2
1782	1790	1	RMS	1782.02	-39.81	-13	26.81	Pass	401




12.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1769.05	1.02	30	28.98	Pass	401
1780	1781	0.15	RMS	1780	-33.28	-13	20.28	Pass	401
1781	1782	1	RMS	1782	-27.21	-13	14.21	Pass	2
1782	1790	1	RMS	1782.18	-27.02	-13	14.02	Pass	401




12.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.138	18.86	30	11.14	Pass	401
1780	1781	0.15	RMS	1780	-29.15	-13	16.15	Pass	401
1781	1782	1	RMS	1781	-37.24	-13	24.24	Pass	2
1782	1790	1	RMS	1782.02	-40.87	-13	27.87	Pass	401




12.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1767.4	0	30	30	Pass	401
1780	1781	0.15	RMS	1780.005	-32.83	-13	19.83	Pass	401
1781	1782	1	RMS	1782	-25.6	-13	12.6	Pass	2
1782	1790	1	RMS	1782.04	-25.4	-13	12.4	Pass	401




12.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-40.66	-13	27.66	Pass	401
1708	1709	1	RMS	1709	-38.18	-13	25.18	Pass	2
1709	1710	0.2	RMS	1710	-32.33	-13	19.33	Pass	401
1710	1730	0.1	RMS	1711.1	19.56	30	10.44	Pass	401




12.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.54	-33.33	-13	20.33	Pass	401
1708	1709	1	RMS	1709	-33.54	-13	20.54	Pass	2
1709	1710	0.2	RMS	1709.988	-38.13	-13	25.13	Pass	401
1710	1730	0.1	RMS	1726.1	0.18	30	29.82	Pass	401




12.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.34	-13	28.34	Pass	401
1708	1709	1	RMS	1709	-38.67	-13	25.67	Pass	2
1709	1710	0.2	RMS	1709.993	-32.84	-13	19.84	Pass	401
1710	1730	0.1	RMS	1711.1	18.8	30	11.2	Pass	401




12.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.46	-30.12	-13	17.12	Pass	401
1708	1709	1	RMS	1709	-30.12	-13	17.12	Pass	2
1709	1710	0.2	RMS	1710	-36.02	-13	23.02	Pass	401
1710	1730	0.1	RMS	1726.45	-0.81	30	30.81	Pass	401




12.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.85	30	10.15	Pass	401
1780	1781	0.2	RMS	1780	-31.18	-13	18.18	Pass	401
1781	1782	1	RMS	1781	-36.46	-13	23.46	Pass	2
1782	1790	1	RMS	1782.02	-40.11	-13	27.11	Pass	401




12.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1766.95	-0.01	30	30.01	Pass	401
1780	1781	0.2	RMS	1780.005	-33.35	-13	20.35	Pass	401
1781	1782	1	RMS	1781	-28.5	-13	15.5	Pass	2
1782	1790	1	RMS	1782.04	-28.8	-13	15.8	Pass	401




12.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	18.7	30	11.3	Pass	401
1780	1781	0.2	RMS	1780.003	-32.23	-13	19.23	Pass	401
1781	1782	1	RMS	1781	-37.65	-13	24.65	Pass	2
1782	1790	1	RMS	1782	-41.21	-13	28.21	Pass	401



12.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1764.8	-0.9	30	30.9	Pass	401
1780	1781	0.2	RMS	1780	-32.32	-13	19.32	Pass	401
1781	1782	1	RMS	1781	-26.67	-13	13.67	Pass	2
1782	1790	1	RMS	1782.04	-27.24	-13	14.24	Pass	401



13. LTE_Band71


13.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-28.99	-13	15.99	Pass	401
662.9	663	0.03	RMS	663	-24.79	-13	11.79	Pass	401
663	668	0.1	RMS	663.338	20.43	30	9.57	Pass	401




13.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-27.67	-13	14.67	Pass	401
662.9	663	0.03	RMS	662.998	-30.09	-13	17.09	Pass	401
663	668	0.1	RMS	665.213	6.59	30	23.41	Pass	401




13.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-29.32	-13	16.32	Pass	401
662.9	663	0.03	RMS	662.999	-25.52	-13	12.52	Pass	401
663	668	0.1	RMS	663.35	19.51	30	10.49	Pass	401




13.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-28.77	-13	15.77	Pass	401
662.9	663	0.03	RMS	662.998	-31.16	-13	18.16	Pass	401
663	668	0.1	RMS	665.25	5.57	30	24.43	Pass	401



13.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.663	20.35	30	9.65	Pass	401
698	698.1	0.03	RMS	698	-24.18	-13	11.18	Pass	401
698.1	710	0.1	RMS	698.1	-28.34	-13	15.34	Pass	401



13.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	695.225	6.44	30	23.56	Pass	401
698	698.1	0.03	RMS	698.002	-30.2	-13	17.2	Pass	401
698.1	710	0.1	RMS	698.1	-28.1	-13	15.1	Pass	401



13.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
693	698	0.1	RMS	697.675	19.44	30	10.56	Pass	401
698	698.1	0.03	RMS	698.002	-25.31	-13	12.31	Pass	401
698.1	710	0.1	RMS	698.1	-29.91	-13	16.91	Pass	401

