

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	Gain (dBi)	E(I)RP (dBm)	Limit (dBm)	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	22.69	1.5	24.19	30	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	22.56	1.5	24.06	30	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	22.7	1.5	24.2	30	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	22.21	1.5	23.71	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	22.71	1.5	24.21	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	22.71	1.5	24.21	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	22.57	1.5	24.07	30	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	22.17	1.5	23.67	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	22.67	1.5	24.17	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	22.76	1.5	24.26	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	22.75	1.5	24.25	30	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	22.27	1.5	23.77	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	21.44	1.5	22.94	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#2	21.23	1.5	22.73	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#5	21.26	1.5	22.76	30	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	20.18	1.5	21.68	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	21.21	1.5	22.71	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#2	21.36	1.5	22.86	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#5	21.35	1.5	22.85	30	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	20.24	1.5	21.74	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	21.23	1.5	22.73	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#2	21.3	1.5	22.8	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#5	21.44	1.5	22.94	30	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	20.32	1.5	21.82	30	PASS
Band66	1.4MHz	256QAM	131979	1RB#0	17.97	1.5	19.47	30	PASS
Band66	1.4MHz	256QAM	131979	1RB#2	18.18	1.5	19.68	30	PASS
Band66	1.4MHz	256QAM	131979	1RB#5	18.12	1.5	19.62	30	PASS
Band66	1.4MHz	256QAM	131979	6RB#0	18.22	1.5	19.72	30	PASS
Band66	1.4MHz	256QAM	132322	1RB#0	17.93	1.5	19.43	30	PASS
Band66	1.4MHz	256QAM	132322	1RB#2	18.41	1.5	19.91	30	PASS
Band66	1.4MHz	256QAM	132322	1RB#5	18.1	1.5	19.6	30	PASS
Band66	1.4MHz	256QAM	132322	6RB#0	18.09	1.5	19.59	30	PASS
Band66	1.4MHz	256QAM	132665	1RB#0	18.29	1.5	19.79	30	PASS
Band66	1.4MHz	256QAM	132665	1RB#2	18.26	1.5	19.76	30	PASS

Band66	1.4MHz	256QAM	132665	1RB#5	17.89	1.5	19.39	30	PASS
Band66	1.4MHz	256QAM	132665	6RB#0	18.34	1.5	19.84	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	22.15	1.5	23.65	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	22.22	1.5	23.72	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	22.11	1.5	23.61	30	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	21.16	1.5	22.66	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	22.13	1.5	23.63	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	22.03	1.5	23.53	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	21.99	1.5	23.49	30	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	21.13	1.5	22.63	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	22.03	1.5	23.53	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	22.37	1.5	23.87	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	22.14	1.5	23.64	30	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	21.35	1.5	22.85	30	PASS
Band66	3MHz	QPSK	131987	1RB#0	22.81	1.5	24.31	30	PASS
Band66	3MHz	QPSK	131987	1RB#8	22.82	1.5	24.32	30	PASS
Band66	3MHz	QPSK	131987	1RB#14	22.69	1.5	24.19	30	PASS
Band66	3MHz	QPSK	131987	15RB#0	22.32	1.5	23.82	30	PASS
Band66	3MHz	QPSK	132322	1RB#0	22.57	1.5	24.07	30	PASS
Band66	3MHz	QPSK	132322	1RB#8	22.81	1.5	24.31	30	PASS
Band66	3MHz	QPSK	132322	1RB#14	22.7	1.5	24.2	30	PASS
Band66	3MHz	QPSK	132322	15RB#0	22.3	1.5	23.8	30	PASS
Band66	3MHz	QPSK	132657	1RB#0	22.8	1.5	24.3	30	PASS
Band66	3MHz	QPSK	132657	1RB#8	22.89	1.5	24.39	30	PASS
Band66	3MHz	QPSK	132657	1RB#14	22.76	1.5	24.26	30	PASS
Band66	3MHz	QPSK	132657	15RB#0	22.23	1.5	23.73	30	PASS
Band66	3MHz	64QAM	131987	1RB#0	21.21	1.5	22.71	30	PASS
Band66	3MHz	64QAM	131987	1RB#8	21.24	1.5	22.74	30	PASS
Band66	3MHz	64QAM	131987	1RB#14	21.46	1.5	22.96	30	PASS
Band66	3MHz	64QAM	131987	15RB#0	20.36	1.5	21.86	30	PASS
Band66	3MHz	64QAM	132322	1RB#0	21.09	1.5	22.59	30	PASS
Band66	3MHz	64QAM	132322	1RB#8	21.36	1.5	22.86	30	PASS
Band66	3MHz	64QAM	132322	1RB#14	21.29	1.5	22.79	30	PASS
Band66	3MHz	64QAM	132322	15RB#0	20.28	1.5	21.78	30	PASS
Band66	3MHz	64QAM	132657	1RB#0	21.36	1.5	22.86	30	PASS
Band66	3MHz	64QAM	132657	1RB#8	21.33	1.5	22.83	30	PASS
Band66	3MHz	64QAM	132657	1RB#14	21.09	1.5	22.59	30	PASS
Band66	3MHz	64QAM	132657	15RB#0	20.34	1.5	21.84	30	PASS
Band66	3MHz	256QAM	131987	1RB#0	18.17	1.5	19.67	30	PASS
Band66	3MHz	256QAM	131987	1RB#8	18.36	1.5	19.86	30	PASS

Band66	3MHz	256QAM	131987	1RB#14	18.08	1.5	19.58	30	PASS
Band66	3MHz	256QAM	131987	15RB#0	18.3	1.5	19.8	30	PASS
Band66	3MHz	256QAM	132322	1RB#0	18.07	1.5	19.57	30	PASS
Band66	3MHz	256QAM	132322	1RB#8	18.45	1.5	19.95	30	PASS
Band66	3MHz	256QAM	132322	1RB#14	18.11	1.5	19.61	30	PASS
Band66	3MHz	256QAM	132322	15RB#0	18.2	1.5	19.7	30	PASS
Band66	3MHz	256QAM	132657	1RB#0	18.12	1.5	19.62	30	PASS
Band66	3MHz	256QAM	132657	1RB#8	18.32	1.5	19.82	30	PASS
Band66	3MHz	256QAM	132657	1RB#14	18.17	1.5	19.67	30	PASS
Band66	3MHz	256QAM	132657	15RB#0	18.22	1.5	19.72	30	PASS
Band66	3MHz	16QAM	131987	1RB#0	22.25	1.5	23.75	30	PASS
Band66	3MHz	16QAM	131987	1RB#8	22.36	1.5	23.86	30	PASS
Band66	3MHz	16QAM	131987	1RB#14	22.36	1.5	23.86	30	PASS
Band66	3MHz	16QAM	131987	15RB#0	21.28	1.5	22.78	30	PASS
Band66	3MHz	16QAM	132322	1RB#0	22	1.5	23.5	30	PASS
Band66	3MHz	16QAM	132322	1RB#8	22.3	1.5	23.8	30	PASS
Band66	3MHz	16QAM	132322	1RB#14	21.99	1.5	23.49	30	PASS
Band66	3MHz	16QAM	132322	15RB#0	21.29	1.5	22.79	30	PASS
Band66	3MHz	16QAM	132657	1RB#0	22.2	1.5	23.7	30	PASS
Band66	3MHz	16QAM	132657	1RB#8	22.18	1.5	23.68	30	PASS
Band66	3MHz	16QAM	132657	1RB#14	22.32	1.5	23.82	30	PASS
Band66	3MHz	16QAM	132657	15RB#0	21.28	1.5	22.78	30	PASS
Band66	5MHz	QPSK	131997	1RB#0	22.79	1.5	24.29	30	PASS
Band66	5MHz	QPSK	131997	1RB#12	22.81	1.5	24.31	30	PASS
Band66	5MHz	QPSK	131997	1RB#24	22.81	1.5	24.31	30	PASS
Band66	5MHz	QPSK	131997	25RB#0	22.33	1.5	23.83	30	PASS
Band66	5MHz	QPSK	132322	1RB#0	22.69	1.5	24.19	30	PASS
Band66	5MHz	QPSK	132322	1RB#12	22.77	1.5	24.27	30	PASS
Band66	5MHz	QPSK	132322	1RB#24	22.71	1.5	24.21	30	PASS
Band66	5MHz	QPSK	132322	25RB#0	22.29	1.5	23.79	30	PASS
Band66	5MHz	QPSK	132647	1RB#0	22.92	1.5	24.42	30	PASS
Band66	5MHz	QPSK	132647	1RB#12	22.94	1.5	24.44	30	PASS
Band66	5MHz	QPSK	132647	1RB#24	22.75	1.5	24.25	30	PASS
Band66	5MHz	QPSK	132647	25RB#0	22.3	1.5	23.8	30	PASS
Band66	5MHz	64QAM	131997	1RB#0	21.4	1.5	22.9	30	PASS
Band66	5MHz	64QAM	131997	1RB#12	21.46	1.5	22.96	30	PASS
Band66	5MHz	64QAM	131997	1RB#24	21.24	1.5	22.74	30	PASS
Band66	5MHz	64QAM	131997	25RB#0	20.36	1.5	21.86	30	PASS
Band66	5MHz	64QAM	132322	1RB#0	21.32	1.5	22.82	30	PASS
Band66	5MHz	64QAM	132322	1RB#12	21.37	1.5	22.87	30	PASS

Band66	5MHz	64QAM	132322	1RB#24	21.36	1.5	22.86	30	PASS
Band66	5MHz	64QAM	132322	25RB#0	20.3	1.5	21.8	30	PASS
Band66	5MHz	64QAM	132647	1RB#0	21.36	1.5	22.86	30	PASS
Band66	5MHz	64QAM	132647	1RB#12	21.48	1.5	22.98	30	PASS
Band66	5MHz	64QAM	132647	1RB#24	21.41	1.5	22.91	30	PASS
Band66	5MHz	64QAM	132647	25RB#0	20.29	1.5	21.79	30	PASS
Band66	5MHz	256QAM	131997	1RB#0	18.38	1.5	19.88	30	PASS
Band66	5MHz	256QAM	131997	1RB#12	18.45	1.5	19.95	30	PASS
Band66	5MHz	256QAM	131997	1RB#24	18.03	1.5	19.53	30	PASS
Band66	5MHz	256QAM	131997	25RB#0	18.32	1.5	19.82	30	PASS
Band66	5MHz	256QAM	132322	1RB#0	18.2	1.5	19.7	30	PASS
Band66	5MHz	256QAM	132322	1RB#12	18.38	1.5	19.88	30	PASS
Band66	5MHz	256QAM	132322	1RB#24	18.27	1.5	19.77	30	PASS
Band66	5MHz	256QAM	132322	25RB#0	18.22	1.5	19.72	30	PASS
Band66	5MHz	256QAM	132647	1RB#0	18.05	1.5	19.55	30	PASS
Band66	5MHz	256QAM	132647	1RB#12	18.49	1.5	19.99	30	PASS
Band66	5MHz	256QAM	132647	1RB#24	18.07	1.5	19.57	30	PASS
Band66	5MHz	256QAM	132647	25RB#0	18.27	1.5	19.77	30	PASS
Band66	5MHz	16QAM	131997	1RB#0	22.19	1.5	23.69	30	PASS
Band66	5MHz	16QAM	131997	1RB#12	22.3	1.5	23.8	30	PASS
Band66	5MHz	16QAM	131997	1RB#24	22.31	1.5	23.81	30	PASS
Band66	5MHz	16QAM	131997	25RB#0	21.29	1.5	22.79	30	PASS
Band66	5MHz	16QAM	132322	1RB#0	22.52	1.5	24.02	30	PASS
Band66	5MHz	16QAM	132322	1RB#12	22.44	1.5	23.94	30	PASS
Band66	5MHz	16QAM	132322	1RB#24	22.33	1.5	23.83	30	PASS
Band66	5MHz	16QAM	132322	25RB#0	21.29	1.5	22.79	30	PASS
Band66	5MHz	16QAM	132647	1RB#0	22.23	1.5	23.73	30	PASS
Band66	5MHz	16QAM	132647	1RB#12	22.66	1.5	24.16	30	PASS
Band66	5MHz	16QAM	132647	1RB#24	22.39	1.5	23.89	30	PASS
Band66	5MHz	16QAM	132647	25RB#0	21.3	1.5	22.8	30	PASS
Band66	10MHz	QPSK	132022	1RB#0	22.71	1.5	24.21	30	PASS
Band66	10MHz	QPSK	132022	1RB#24	22.86	1.5	24.36	30	PASS
Band66	10MHz	QPSK	132022	1RB#49	22.68	1.5	24.18	30	PASS
Band66	10MHz	QPSK	132022	50RB#0	22.32	1.5	23.82	30	PASS
Band66	10MHz	QPSK	132322	1RB#0	22.7	1.5	24.2	30	PASS
Band66	10MHz	QPSK	132322	1RB#24	22.84	1.5	24.34	30	PASS
Band66	10MHz	QPSK	132322	1RB#49	22.79	1.5	24.29	30	PASS
Band66	10MHz	QPSK	132322	50RB#0	22.29	1.5	23.79	30	PASS
Band66	10MHz	QPSK	132622	1RB#0	22.82	1.5	24.32	30	PASS
Band66	10MHz	QPSK	132622	1RB#24	22.74	1.5	24.24	30	PASS

Band66	10MHz	QPSK	132622	1RB#49	22.82	1.5	24.32	30	PASS
Band66	10MHz	QPSK	132622	50RB#0	22.3	1.5	23.8	30	PASS
Band66	10MHz	64QAM	132022	1RB#0	21.38	1.5	22.88	30	PASS
Band66	10MHz	64QAM	132022	1RB#24	21.51	1.5	23.01	30	PASS
Band66	10MHz	64QAM	132022	1RB#49	21.42	1.5	22.92	30	PASS
Band66	10MHz	64QAM	132022	50RB#0	20.3	1.5	21.8	30	PASS
Band66	10MHz	64QAM	132322	1RB#0	21.47	1.5	22.97	30	PASS
Band66	10MHz	64QAM	132322	1RB#24	21.36	1.5	22.86	30	PASS
Band66	10MHz	64QAM	132322	1RB#49	21.3	1.5	22.8	30	PASS
Band66	10MHz	64QAM	132322	50RB#0	20.29	1.5	21.79	30	PASS
Band66	10MHz	64QAM	132622	1RB#0	21.13	1.5	22.63	30	PASS
Band66	10MHz	64QAM	132622	1RB#24	21.16	1.5	22.66	30	PASS
Band66	10MHz	64QAM	132622	1RB#49	21.25	1.5	22.75	30	PASS
Band66	10MHz	64QAM	132622	50RB#0	20.4	1.5	21.9	30	PASS
Band66	10MHz	256QAM	132022	1RB#0	18.17	1.5	19.67	30	PASS
Band66	10MHz	256QAM	132022	1RB#24	18.32	1.5	19.82	30	PASS
Band66	10MHz	256QAM	132022	1RB#49	18.18	1.5	19.68	30	PASS
Band66	10MHz	256QAM	132022	50RB#0	18.27	1.5	19.77	30	PASS
Band66	10MHz	256QAM	132322	1RB#0	18.09	1.5	19.59	30	PASS
Band66	10MHz	256QAM	132322	1RB#24	18.24	1.5	19.74	30	PASS
Band66	10MHz	256QAM	132322	1RB#49	17.98	1.5	19.48	30	PASS
Band66	10MHz	256QAM	132322	50RB#0	18.25	1.5	19.75	30	PASS
Band66	10MHz	256QAM	132622	1RB#0	18.11	1.5	19.61	30	PASS
Band66	10MHz	256QAM	132622	1RB#24	18.13	1.5	19.63	30	PASS
Band66	10MHz	256QAM	132622	1RB#49	18.02	1.5	19.52	30	PASS
Band66	10MHz	256QAM	132622	50RB#0	18.17	1.5	19.67	30	PASS
Band66	10MHz	16QAM	132022	1RB#0	22.19	1.5	23.69	30	PASS
Band66	10MHz	16QAM	132022	1RB#24	22.19	1.5	23.69	30	PASS
Band66	10MHz	16QAM	132022	1RB#49	22.31	1.5	23.81	30	PASS
Band66	10MHz	16QAM	132022	50RB#0	21.3	1.5	22.8	30	PASS
Band66	10MHz	16QAM	132322	1RB#0	22.48	1.5	23.98	30	PASS
Band66	10MHz	16QAM	132322	1RB#24	22.35	1.5	23.85	30	PASS
Band66	10MHz	16QAM	132322	1RB#49	22.05	1.5	23.55	30	PASS
Band66	10MHz	16QAM	132322	50RB#0	21.29	1.5	22.79	30	PASS
Band66	10MHz	16QAM	132622	1RB#0	22.28	1.5	23.78	30	PASS
Band66	10MHz	16QAM	132622	1RB#24	22.33	1.5	23.83	30	PASS
Band66	10MHz	16QAM	132622	1RB#49	22.34	1.5	23.84	30	PASS
Band66	10MHz	16QAM	132622	50RB#0	21.33	1.5	22.83	30	PASS
Band66	15MHz	QPSK	132047	1RB#0	22.75	1.5	24.25	30	PASS
Band66	15MHz	QPSK	132047	1RB#38	22.84	1.5	24.34	30	PASS

Band66	15MHz	QPSK	132047	1RB#74	22.7	1.5	24.2	30	PASS
Band66	15MHz	QPSK	132047	75RB#0	22.28	1.5	23.78	30	PASS
Band66	15MHz	QPSK	132322	1RB#0	22.83	1.5	24.33	30	PASS
Band66	15MHz	QPSK	132322	1RB#38	22.6	1.5	24.1	30	PASS
Band66	15MHz	QPSK	132322	1RB#74	22.81	1.5	24.31	30	PASS
Band66	15MHz	QPSK	132322	75RB#0	22.23	1.5	23.73	30	PASS
Band66	15MHz	QPSK	132597	1RB#0	22.87	1.5	24.37	30	PASS
Band66	15MHz	QPSK	132597	1RB#38	22.79	1.5	24.29	30	PASS
Band66	15MHz	QPSK	132597	1RB#74	22.79	1.5	24.29	30	PASS
Band66	15MHz	QPSK	132597	75RB#0	22.23	1.5	23.73	30	PASS
Band66	15MHz	64QAM	132047	1RB#0	21.37	1.5	22.87	30	PASS
Band66	15MHz	64QAM	132047	1RB#38	21.45	1.5	22.95	30	PASS
Band66	15MHz	64QAM	132047	1RB#74	21.31	1.5	22.81	30	PASS
Band66	15MHz	64QAM	132047	75RB#0	20.36	1.5	21.86	30	PASS
Band66	15MHz	64QAM	132322	1RB#0	21.36	1.5	22.86	30	PASS
Band66	15MHz	64QAM	132322	1RB#38	21.39	1.5	22.89	30	PASS
Band66	15MHz	64QAM	132322	1RB#74	21.43	1.5	22.93	30	PASS
Band66	15MHz	64QAM	132322	75RB#0	20.29	1.5	21.79	30	PASS
Band66	15MHz	64QAM	132597	1RB#0	21.36	1.5	22.86	30	PASS
Band66	15MHz	64QAM	132597	1RB#38	21.33	1.5	22.83	30	PASS
Band66	15MHz	64QAM	132597	1RB#74	21.15	1.5	22.65	30	PASS
Band66	15MHz	64QAM	132597	75RB#0	20.28	1.5	21.78	30	PASS
Band66	15MHz	256QAM	132047	1RB#0	18.17	1.5	19.67	30	PASS
Band66	15MHz	256QAM	132047	1RB#38	18.19	1.5	19.69	30	PASS
Band66	15MHz	256QAM	132047	1RB#74	18.05	1.5	19.55	30	PASS
Band66	15MHz	256QAM	132047	75RB#0	18.25	1.5	19.75	30	PASS
Band66	15MHz	256QAM	132322	1RB#0	18.13	1.5	19.63	30	PASS
Band66	15MHz	256QAM	132322	1RB#38	18.27	1.5	19.77	30	PASS
Band66	15MHz	256QAM	132322	1RB#74	18.2	1.5	19.7	30	PASS
Band66	15MHz	256QAM	132322	75RB#0	18.2	1.5	19.7	30	PASS
Band66	15MHz	256QAM	132597	1RB#0	18.26	1.5	19.76	30	PASS
Band66	15MHz	256QAM	132597	1RB#38	18.47	1.5	19.97	30	PASS
Band66	15MHz	256QAM	132597	1RB#74	18.15	1.5	19.65	30	PASS
Band66	15MHz	256QAM	132597	75RB#0	18.1	1.5	19.6	30	PASS
Band66	15MHz	16QAM	132047	1RB#0	22.3	1.5	23.8	30	PASS
Band66	15MHz	16QAM	132047	1RB#38	22.24	1.5	23.74	30	PASS
Band66	15MHz	16QAM	132047	1RB#74	22.27	1.5	23.77	30	PASS
Band66	15MHz	16QAM	132047	75RB#0	21.37	1.5	22.87	30	PASS
Band66	15MHz	16QAM	132322	1RB#0	22.2	1.5	23.7	30	PASS
Band66	15MHz	16QAM	132322	1RB#38	22.15	1.5	23.65	30	PASS

Band66	15MHz	16QAM	132322	1RB#74	22.31	1.5	23.81	30	PASS
Band66	15MHz	16QAM	132322	75RB#0	21.31	1.5	22.81	30	PASS
Band66	15MHz	16QAM	132597	1RB#0	22.31	1.5	23.81	30	PASS
Band66	15MHz	16QAM	132597	1RB#38	22.26	1.5	23.76	30	PASS
Band66	15MHz	16QAM	132597	1RB#74	22.38	1.5	23.88	30	PASS
Band66	15MHz	16QAM	132597	75RB#0	21.26	1.5	22.76	30	PASS
Band66	20MHz	QPSK	132072	1RB#0	22.62	1.5	24.12	30	PASS
Band66	20MHz	QPSK	132072	1RB#49	22.8	1.5	24.3	30	PASS
Band66	20MHz	QPSK	132072	1RB#99	22.75	1.5	24.25	30	PASS
Band66	20MHz	QPSK	132072	100RB#0	22.28	1.5	23.78	30	PASS
Band66	20MHz	QPSK	132322	1RB#0	22.71	1.5	24.21	30	PASS
Band66	20MHz	QPSK	132322	1RB#49	22.72	1.5	24.22	30	PASS
Band66	20MHz	QPSK	132322	1RB#99	22.54	1.5	24.04	30	PASS
Band66	20MHz	QPSK	132322	100RB#0	22.29	1.5	23.79	30	PASS
Band66	20MHz	QPSK	132572	1RB#0	22.87	1.5	24.37	30	PASS
Band66	20MHz	QPSK	132572	1RB#49	22.75	1.5	24.25	30	PASS
Band66	20MHz	QPSK	132572	1RB#99	22.75	1.5	24.25	30	PASS
Band66	20MHz	QPSK	132572	100RB#0	22.25	1.5	23.75	30	PASS
Band66	20MHz	64QAM	132072	1RB#0	21.21	1.5	22.71	30	PASS
Band66	20MHz	64QAM	132072	1RB#49	21.27	1.5	22.77	30	PASS
Band66	20MHz	64QAM	132072	1RB#99	21.33	1.5	22.83	30	PASS
Band66	20MHz	64QAM	132072	100RB#0	20.34	1.5	21.84	30	PASS
Band66	20MHz	64QAM	132322	1RB#0	21.38	1.5	22.88	30	PASS
Band66	20MHz	64QAM	132322	1RB#49	21.23	1.5	22.73	30	PASS
Band66	20MHz	64QAM	132322	1RB#99	21.21	1.5	22.71	30	PASS
Band66	20MHz	64QAM	132322	100RB#0	20.32	1.5	21.82	30	PASS
Band66	20MHz	64QAM	132572	1RB#0	21.29	1.5	22.79	30	PASS
Band66	20MHz	64QAM	132572	1RB#49	21.47	1.5	22.97	30	PASS
Band66	20MHz	64QAM	132572	1RB#99	21.27	1.5	22.77	30	PASS
Band66	20MHz	64QAM	132572	100RB#0	20.29	1.5	21.79	30	PASS
Band66	20MHz	256QAM	132072	1RB#0	17.95	1.5	19.45	30	PASS
Band66	20MHz	256QAM	132072	1RB#49	18.42	1.5	19.92	30	PASS
Band66	20MHz	256QAM	132072	1RB#99	17.95	1.5	19.45	30	PASS
Band66	20MHz	256QAM	132072	100RB#0	18.26	1.5	19.76	30	PASS
Band66	20MHz	256QAM	132322	1RB#0	18.3	1.5	19.8	30	PASS
Band66	20MHz	256QAM	132322	1RB#49	18.17	1.5	19.67	30	PASS
Band66	20MHz	256QAM	132322	1RB#99	18.08	1.5	19.58	30	PASS
Band66	20MHz	256QAM	132322	100RB#0	18.27	1.5	19.77	30	PASS
Band66	20MHz	256QAM	132572	1RB#0	18.15	1.5	19.65	30	PASS
Band66	20MHz	256QAM	132572	1RB#49	18.34	1.5	19.84	30	PASS


Band66	20MHz	256QAM	132572	1RB#99	18.29	1.5	19.79	30	PASS
Band66	20MHz	256QAM	132572	100RB#0	18.2	1.5	19.7	30	PASS
Band66	20MHz	16QAM	132072	1RB#0	22.3	1.5	23.8	30	PASS
Band66	20MHz	16QAM	132072	1RB#49	22.59	1.5	24.09	30	PASS
Band66	20MHz	16QAM	132072	1RB#99	22.13	1.5	23.63	30	PASS
Band66	20MHz	16QAM	132072	100RB#0	21.27	1.5	22.77	30	PASS
Band66	20MHz	16QAM	132322	1RB#0	22.65	1.5	24.15	30	PASS
Band66	20MHz	16QAM	132322	1RB#49	22.28	1.5	23.78	30	PASS
Band66	20MHz	16QAM	132322	1RB#99	22.04	1.5	23.54	30	PASS
Band66	20MHz	16QAM	132322	100RB#0	21.22	1.5	22.72	30	PASS
Band66	20MHz	16QAM	132572	1RB#0	22.37	1.5	23.87	30	PASS
Band66	20MHz	16QAM	132572	1RB#49	22.39	1.5	23.89	30	PASS
Band66	20MHz	16QAM	132572	1RB#99	22.14	1.5	23.64	30	PASS
Band66	20MHz	16QAM	132572	100RB#0	21.3	1.5	22.8	30	PASS


Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band66	1.4MHz	QPSK	132322	6RB#0	4.32	13	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	6.07	13	PASS
Band66	1.4MHz	256QAM	132322	6RB#0	6.56	13	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	5.21	13	PASS
Band66	3MHz	QPSK	132322	15RB#0	4.39	13	PASS
Band66	3MHz	64QAM	132322	15RB#0	6.18	13	PASS
Band66	3MHz	256QAM	132322	15RB#0	6.64	13	PASS
Band66	3MHz	16QAM	132322	15RB#0	5.26	13	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.32	13	PASS
Band66	5MHz	64QAM	132322	25RB#0	6.16	13	PASS
Band66	5MHz	256QAM	132322	25RB#0	6.53	13	PASS
Band66	5MHz	16QAM	132322	25RB#0	5.34	13	PASS
Band66	10MHz	QPSK	132322	50RB#0	4.49	13	PASS
Band66	10MHz	64QAM	132322	50RB#0	6.43	13	PASS
Band66	10MHz	256QAM	132322	50RB#0	6.57	13	PASS
Band66	10MHz	16QAM	132322	50RB#0	5.58	13	PASS
Band66	15MHz	QPSK	132322	75RB#0	4.54	13	PASS
Band66	15MHz	64QAM	132322	75RB#0	6.45	13	PASS
Band66	15MHz	256QAM	132322	75RB#0	6.59	13	PASS
Band66	15MHz	16QAM	132322	75RB#0	5.58	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	4.56	13	PASS
Band66	20MHz	64QAM	132322	100RB#0	6.42	13	PASS
Band66	20MHz	256QAM	132322	100RB#0	6.57	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	5.63	13	PASS

Test Graphs














26dB Bandwidth and Occupied Bandwidth






Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band66	1.4MHz	QPSK	132322	6RB#0	1.1020	1.353	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	1.1036	1.350	PASS
Band66	1.4MHz	256QAM	132322	6RB#0	1.1022	1.345	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.0982	1.357	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.6903	3.048	PASS
Band66	3MHz	64QAM	132322	15RB#0	2.7070	3.008	PASS
Band66	3MHz	256QAM	132322	15RB#0	2.6978	3.003	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.6942	3.049	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5116	5.180	PASS
Band66	5MHz	64QAM	132322	25RB#0	4.5162	5.109	PASS
Band66	5MHz	256QAM	132322	25RB#0	4.5013	5.143	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5142	5.078	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.9984	10.01	PASS
Band66	10MHz	64QAM	132322	50RB#0	9.0032	10.01	PASS
Band66	10MHz	256QAM	132322	50RB#0	8.9845	10.00	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9935	10.06	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.499	14.98	PASS
Band66	15MHz	64QAM	132322	75RB#0	13.500	14.82	PASS
Band66	15MHz	256QAM	132322	75RB#0	13.488	15.02	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.484	14.89	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.970	19.92	PASS
Band66	20MHz	64QAM	132322	100RB#0	17.958	19.75	PASS
Band66	20MHz	256QAM	132322	100RB#0	17.967	19.66	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.944	19.71	PASS

Test Graphs









Band Edge

Test Graphs



Band66-3MHz-QPSK-131987-1RB#0-PASS



Band66-3MHz-QPSK-131987-1RB#14-PASS



Band66-3MHz-QPSK-131987-15RB#0-PASS




Band66-3MHz-QPSK-132657-1RB#0-PASS




Band66-3MHz-QPSK-132657-1RB#14-PASS




Band66-3MHz-QPSK-132657-15RB#0-PASS



Band66-5MHz-QPSK-131997-1RB#0-PASS




Band66-5MHz-QPSK-131997-1RB#24-PASS



Band66-5MHz-QPSK-131997-25RB#0-PASS


Band66-5MHz-QPSK-132647-1RB#0-PASS




Band66-5MHz-QPSK-132647-1RB#24-PASS




Band66-5MHz-QPSK-132647-25RB#0-PASS



Band66-10MHz-QPSK-132022-1RB#0-PASS




Band66-10MHz-QPSK-132022-1RB#49-PASS



Band66-10MHz-QPSK-132022-50RB#0-PASS




Band66-10MHz-QPSK-132622-1RB#0-PASS




Band66-10MHz-QPSK-132622-1RB#49-PASS




Band66-10MHz-QPSK-132622-50RB#0-PASS




Band66-15MHz-QPSK-132047-1RB#0-PASS




Band66-15MHz-QPSK-132047-1RB#74-PASS




Band66-15MHz-QPSK-132047-75RB#0-PASS



Band66-15MHz-QPSK-132047-1RB#74-PASS




Band66-15MHz-QPSK-132597-1RB#0-PASS



Band66-15MHz-QPSK-132597-1RB#0-PASS



Band66-20MHz-QPSK-132072-1RB#0-PASS



Band66-20MHz-QPSK-132072-1RB#99-PASS

