

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	Gain(dBi)	E(I)RP (dBm)	Limit (dBm)	Verdict
n7	15	5	DFT-BPSK	L	Inner_1RB_Left	22.87	1.4	24.27	33	PASS
n7	15	5	DFT-BPSK	L	Inner_1RB_Right	23.01	1.4	24.41	33	PASS
n7	15	5	DFT-BPSK	L	Inner_Full	22.84	1.4	24.24	33	PASS
n7	15	5	DFT-BPSK	L	Outer_Full	22.94	1.4	24.34	33	PASS
n7	15	5	DFT-QPSK	L	Inner_1RB_Left	22.9	1.4	24.3	33	PASS
n7	15	5	DFT-QPSK	L	Inner_1RB_Right	22.93	1.4	24.33	33	PASS
n7	15	5	DFT-QPSK	L	Inner_Full	22.77	1.4	24.17	33	PASS
n7	15	5	DFT-QPSK	L	Outer_Full	22.82	1.4	24.22	33	PASS
n7	15	5	DFT-16QAM	L	Inner_1RB_Left	22.27	1.4	23.67	33	PASS
n7	15	5	DFT-16QAM	L	Inner_1RB_Right	22.28	1.4	23.68	33	PASS
n7	15	5	DFT-16QAM	L	Inner_Full	22.32	1.4	23.72	33	PASS
n7	15	5	DFT-16QAM	L	Outer_Full	21.27	1.4	22.67	33	PASS
n7	15	5	DFT-64QAM	L	Inner_1RB_Left	20.92	1.4	22.32	33	PASS
n7	15	5	DFT-64QAM	L	Inner_1RB_Right	20.98	1.4	22.38	33	PASS
n7	15	5	DFT-64QAM	L	Inner_Full	20.83	1.4	22.23	33	PASS
n7	15	5	DFT-64QAM	L	Outer_Full	20.78	1.4	22.18	33	PASS
n7	15	5	DFT-256QAM	L	Inner_1RB_Left	18.24	1.4	19.64	33	PASS
n7	15	5	DFT-256QAM	L	Inner_1RB_Right	18.29	1.4	19.69	33	PASS
n7	15	5	DFT-256QAM	L	Inner_Full	18.81	1.4	20.21	33	PASS
n7	15	5	DFT-256QAM	L	Outer_Full	18.76	1.4	20.16	33	PASS
n7	15	5	DFT-BPSK	M	Inner_1RB_Left	23.03	1.4	24.43	33	PASS
n7	15	5	DFT-BPSK	M	Inner_1RB_Right	22.96	1.4	24.36	33	PASS
n7	15	5	DFT-BPSK	M	Inner_Full	22.98	1.4	24.38	33	PASS
n7	15	5	DFT-BPSK	M	Outer_Full	22.94	1.4	24.34	33	PASS
n7	15	5	DFT-QPSK	M	Inner_1RB_Left	23.06	1.4	24.46	33	PASS
n7	15	5	DFT-QPSK	M	Inner_1RB_Right	22.98	1.4	24.38	33	PASS
n7	15	5	DFT-QPSK	M	Inner_Full	22.93	1.4	24.33	33	PASS

n7	15	5	DFT-QPSK	M	Outer_Full	22.89	1.4	24.29	33	PASS
n7	15	5	DFT-16QAM	M	Inner_1RB_Left	22.43	1.4	23.83	33	PASS
n7	15	5	DFT-16QAM	M	Inner_1RB_Right	22.36	1.4	23.76	33	PASS
n7	15	5	DFT-16QAM	M	Inner_Full	22.42	1.4	23.82	33	PASS
n7	15	5	DFT-16QAM	M	Outer_Full	21.43	1.4	22.83	33	PASS
n7	15	5	DFT-64QAM	M	Inner_1RB_Left	21.11	1.4	22.51	33	PASS
n7	15	5	DFT-64QAM	M	Inner_1RB_Right	21.14	1.4	22.54	33	PASS
n7	15	5	DFT-64QAM	M	Inner_Full	20.98	1.4	22.38	33	PASS
n7	15	5	DFT-64QAM	M	Outer_Full	20.86	1.4	22.26	33	PASS
n7	15	5	DFT-256QAM	M	Inner_1RB_Left	18.36	1.4	19.76	33	PASS
n7	15	5	DFT-256QAM	M	Inner_1RB_Right	18.35	1.4	19.75	33	PASS
n7	15	5	DFT-256QAM	M	Inner_Full	18.91	1.4	20.31	33	PASS
n7	15	5	DFT-256QAM	M	Outer_Full	18.86	1.4	20.26	33	PASS
n7	15	5	DFT-BPSK	H	Inner_1RB_Left	22.87	1.4	24.27	33	PASS
n7	15	5	DFT-BPSK	H	Inner_1RB_Right	22.91	1.4	24.31	33	PASS
n7	15	5	DFT-BPSK	H	Inner_Full	22.9	1.4	24.3	33	PASS
n7	15	5	DFT-BPSK	H	Outer_Full	22.84	1.4	24.24	33	PASS
n7	15	5	DFT-QPSK	H	Inner_1RB_Left	22.91	1.4	24.31	33	PASS
n7	15	5	DFT-QPSK	H	Inner_1RB_Right	22.92	1.4	24.32	33	PASS
n7	15	5	DFT-QPSK	H	Inner_Full	22.85	1.4	24.25	33	PASS
n7	15	5	DFT-QPSK	H	Outer_Full	22.81	1.4	24.21	33	PASS
n7	15	5	DFT-16QAM	H	Inner_1RB_Left	22.28	1.4	23.68	33	PASS
n7	15	5	DFT-16QAM	H	Inner_1RB_Right	22.3	1.4	23.7	33	PASS
n7	15	5	DFT-16QAM	H	Inner_Full	22.32	1.4	23.72	33	PASS
n7	15	5	DFT-16QAM	H	Outer_Full	21.28	1.4	22.68	33	PASS
n7	15	5	DFT-64QAM	H	Inner_1RB_Left	21.01	1.4	22.41	33	PASS
n7	15	5	DFT-64QAM	H	Inner_1RB_Right	20.94	1.4	22.34	33	PASS
n7	15	5	DFT-64QAM	H	Inner_Full	20.95	1.4	22.35	33	PASS
n7	15	5	DFT-64QAM	H	Outer_Full	20.84	1.4	22.24	33	PASS
n7	15	5	DFT-256QAM	H	Inner_1RB_Left	18.26	1.4	19.66	33	PASS
n7	15	5	DFT-256QAM	H	Inner_1RB_Right	18.24	1.4	19.64	33	PASS

n7	15	5	DFT-256QAM	H	Inner_Full	18.81	1.4	20.21	33	PASS
n7	15	5	DFT-256QAM	H	Outer_Full	18.73	1.4	20.13	33	PASS
n7	15	10	DFT-BPSK	L	Inner_1RB_Left	22.78	1.4	24.18	33	PASS
n7	15	10	DFT-BPSK	L	Inner_1RB_Right	22.9	1.4	24.3	33	PASS
n7	15	10	DFT-BPSK	L	Inner_Full	22.94	1.4	24.34	33	PASS
n7	15	10	DFT-BPSK	L	Outer_Full	22.95	1.4	24.35	33	PASS
n7	15	10	DFT-QPSK	L	Inner_1RB_Left	22.74	1.4	24.14	33	PASS
n7	15	10	DFT-QPSK	L	Inner_1RB_Right	22.82	1.4	24.22	33	PASS
n7	15	10	DFT-QPSK	L	Inner_Full	22.8	1.4	24.2	33	PASS
n7	15	10	DFT-QPSK	L	Outer_Full	22.88	1.4	24.28	33	PASS
n7	15	10	DFT-16QAM	L	Inner_1RB_Left	22.17	1.4	23.57	33	PASS
n7	15	10	DFT-16QAM	L	Inner_1RB_Right	22.23	1.4	23.63	33	PASS
n7	15	10	DFT-16QAM	L	Inner_Full	22.2	1.4	23.6	33	PASS
n7	15	10	DFT-16QAM	L	Outer_Full	21.2	1.4	22.6	33	PASS
n7	15	10	DFT-64QAM	L	Inner_1RB_Left	20.88	1.4	22.28	33	PASS
n7	15	10	DFT-64QAM	L	Inner_1RB_Right	20.99	1.4	22.39	33	PASS
n7	15	10	DFT-64QAM	L	Inner_Full	20.7	1.4	22.1	33	PASS
n7	15	10	DFT-64QAM	L	Outer_Full	20.69	1.4	22.09	33	PASS
n7	15	10	DFT-256QAM	L	Inner_1RB_Left	18.22	1.4	19.62	33	PASS
n7	15	10	DFT-256QAM	L	Inner_1RB_Right	18.25	1.4	19.65	33	PASS
n7	15	10	DFT-256QAM	L	Inner_Full	18.72	1.4	20.12	33	PASS
n7	15	10	DFT-256QAM	L	Outer_Full	18.65	1.4	20.05	33	PASS
n7	15	10	DFT-BPSK	M	Inner_1RB_Left	23.03	1.4	24.43	33	PASS
n7	15	10	DFT-BPSK	M	Inner_1RB_Right	22.89	1.4	24.29	33	PASS
n7	15	10	DFT-BPSK	M	Inner_Full	22.94	1.4	24.34	33	PASS
n7	15	10	DFT-BPSK	M	Outer_Full	23	1.4	24.4	33	PASS
n7	15	10	DFT-QPSK	M	Inner_1RB_Left	23.02	1.4	24.42	33	PASS
n7	15	10	DFT-QPSK	M	Inner_1RB_Right	22.88	1.4	24.28	33	PASS
n7	15	10	DFT-QPSK	M	Inner_Full	22.86	1.4	24.26	33	PASS
n7	15	10	DFT-QPSK	M	Outer_Full	22.81	1.4	24.21	33	PASS
n7	15	10	DFT-16QAM	M	Inner_1RB_Left	22.37	1.4	23.77	33	PASS

n7	15	10	DFT-16QAM	M	Inner_1RB_Right	22.25	1.4	23.65	33	PASS
n7	15	10	DFT-16QAM	M	Inner_Full	22.38	1.4	23.78	33	PASS
n7	15	10	DFT-16QAM	M	Outer_Full	21.33	1.4	22.73	33	PASS
n7	15	10	DFT-64QAM	M	Inner_1RB_Left	21.12	1.4	22.52	33	PASS
n7	15	10	DFT-64QAM	M	Inner_1RB_Right	20.93	1.4	22.33	33	PASS
n7	15	10	DFT-64QAM	M	Inner_Full	20.92	1.4	22.32	33	PASS
n7	15	10	DFT-64QAM	M	Outer_Full	20.94	1.4	22.34	33	PASS
n7	15	10	DFT-256QAM	M	Inner_1RB_Left	18.4	1.4	19.8	33	PASS
n7	15	10	DFT-256QAM	M	Inner_1RB_Right	18.21	1.4	19.61	33	PASS
n7	15	10	DFT-256QAM	M	Inner_Full	18.83	1.4	20.23	33	PASS
n7	15	10	DFT-256QAM	M	Outer_Full	18.85	1.4	20.25	33	PASS
n7	15	10	DFT-BPSK	H	Inner_1RB_Left	22.84	1.4	24.24	33	PASS
n7	15	10	DFT-BPSK	H	Inner_1RB_Right	22.86	1.4	24.26	33	PASS
n7	15	10	DFT-BPSK	H	Inner_Full	22.82	1.4	24.22	33	PASS
n7	15	10	DFT-BPSK	H	Outer_Full	22.86	1.4	24.26	33	PASS
n7	15	10	DFT-QPSK	H	Inner_1RB_Left	22.92	1.4	24.32	33	PASS
n7	15	10	DFT-QPSK	H	Inner_1RB_Right	22.78	1.4	24.18	33	PASS
n7	15	10	DFT-QPSK	H	Inner_Full	22.86	1.4	24.26	33	PASS
n7	15	10	DFT-QPSK	H	Outer_Full	22.84	1.4	24.24	33	PASS
n7	15	10	DFT-16QAM	H	Inner_1RB_Left	22.27	1.4	23.67	33	PASS
n7	15	10	DFT-16QAM	H	Inner_1RB_Right	22.24	1.4	23.64	33	PASS
n7	15	10	DFT-16QAM	H	Inner_Full	22.36	1.4	23.76	33	PASS
n7	15	10	DFT-16QAM	H	Outer_Full	21.29	1.4	22.69	33	PASS
n7	15	10	DFT-64QAM	H	Inner_1RB_Left	20.99	1.4	22.39	33	PASS
n7	15	10	DFT-64QAM	H	Inner_1RB_Right	20.91	1.4	22.31	33	PASS
n7	15	10	DFT-64QAM	H	Inner_Full	20.88	1.4	22.28	33	PASS
n7	15	10	DFT-64QAM	H	Outer_Full	20.83	1.4	22.23	33	PASS
n7	15	10	DFT-256QAM	H	Inner_1RB_Left	18.25	1.4	19.65	33	PASS
n7	15	10	DFT-256QAM	H	Inner_1RB_Right	18.22	1.4	19.62	33	PASS
n7	15	10	DFT-256QAM	H	Inner_Full	18.81	1.4	20.21	33	PASS
n7	15	10	DFT-256QAM	H	Outer_Full	18.77	1.4	20.17	33	PASS

n7	15	15	DFT-BPSK	L	Inner_1RB_Left	22.84	1.4	24.24	33	PASS
n7	15	15	DFT-BPSK	L	Inner_1RB_Right	22.91	1.4	24.31	33	PASS
n7	15	15	DFT-BPSK	L	Inner_Full	22.88	1.4	24.28	33	PASS
n7	15	15	DFT-BPSK	L	Outer_Full	22.88	1.4	24.28	33	PASS
n7	15	15	DFT-QPSK	L	Inner_1RB_Left	22.8	1.4	24.2	33	PASS
n7	15	15	DFT-QPSK	L	Inner_1RB_Right	22.83	1.4	24.23	33	PASS
n7	15	15	DFT-QPSK	L	Inner_Full	22.87	1.4	24.27	33	PASS
n7	15	15	DFT-QPSK	L	Outer_Full	22.82	1.4	24.22	33	PASS
n7	15	15	DFT-16QAM	L	Inner_1RB_Left	22.21	1.4	23.61	33	PASS
n7	15	15	DFT-16QAM	L	Inner_1RB_Right	22.29	1.4	23.69	33	PASS
n7	15	15	DFT-16QAM	L	Inner_Full	22.1	1.4	23.5	33	PASS
n7	15	15	DFT-16QAM	L	Outer_Full	21.21	1.4	22.61	33	PASS
n7	15	15	DFT-64QAM	L	Inner_1RB_Left	20.91	1.4	22.31	33	PASS
n7	15	15	DFT-64QAM	L	Inner_1RB_Right	21.02	1.4	22.42	33	PASS
n7	15	15	DFT-64QAM	L	Inner_Full	20.79	1.4	22.19	33	PASS
n7	15	15	DFT-64QAM	L	Outer_Full	20.79	1.4	22.19	33	PASS
n7	15	15	DFT-256QAM	L	Inner_1RB_Left	18.21	1.4	19.61	33	PASS
n7	15	15	DFT-256QAM	L	Inner_1RB_Right	18.28	1.4	19.68	33	PASS
n7	15	15	DFT-256QAM	L	Inner_Full	18.66	1.4	20.06	33	PASS
n7	15	15	DFT-256QAM	L	Outer_Full	18.81	1.4	20.21	33	PASS
n7	15	15	DFT-BPSK	M	Inner_1RB_Left	23.06	1.4	24.46	33	PASS
n7	15	15	DFT-BPSK	M	Inner_1RB_Right	23	1.4	24.4	33	PASS
n7	15	15	DFT-BPSK	M	Inner_Full	23	1.4	24.4	33	PASS
n7	15	15	DFT-BPSK	M	Outer_Full	22.94	1.4	24.34	33	PASS
n7	15	15	DFT-QPSK	M	Inner_1RB_Left	23.03	1.4	24.43	33	PASS
n7	15	15	DFT-QPSK	M	Inner_1RB_Right	22.96	1.4	24.36	33	PASS
n7	15	15	DFT-QPSK	M	Inner_Full	22.99	1.4	24.39	33	PASS
n7	15	15	DFT-QPSK	M	Outer_Full	22.84	1.4	24.24	33	PASS
n7	15	15	DFT-16QAM	M	Inner_1RB_Left	22.4	1.4	23.8	33	PASS
n7	15	15	DFT-16QAM	M	Inner_1RB_Right	22.27	1.4	23.67	33	PASS
n7	15	15	DFT-16QAM	M	Inner_Full	22.29	1.4	23.69	33	PASS

n7	15	15	DFT-16QAM	M	Outer_Full	21.47	1.4	22.87	33	PASS
n7	15	15	DFT-64QAM	M	Inner_1RB_Left	20.97	1.4	22.37	33	PASS
n7	15	15	DFT-64QAM	M	Inner_1RB_Right	20.92	1.4	22.32	33	PASS
n7	15	15	DFT-64QAM	M	Inner_Full	20.97	1.4	22.37	33	PASS
n7	15	15	DFT-64QAM	M	Outer_Full	20.91	1.4	22.31	33	PASS
n7	15	15	DFT-256QAM	M	Inner_1RB_Left	18.49	1.4	19.89	33	PASS
n7	15	15	DFT-256QAM	M	Inner_1RB_Right	18.36	1.4	19.76	33	PASS
n7	15	15	DFT-256QAM	M	Inner_Full	18.89	1.4	20.29	33	PASS
n7	15	15	DFT-256QAM	M	Outer_Full	18.84	1.4	20.24	33	PASS
n7	15	15	DFT-BPSK	H	Inner_1RB_Left	22.96	1.4	24.36	33	PASS
n7	15	15	DFT-BPSK	H	Inner_1RB_Right	22.98	1.4	24.38	33	PASS
n7	15	15	DFT-BPSK	H	Inner_Full	23.03	1.4	24.43	33	PASS
n7	15	15	DFT-BPSK	H	Outer_Full	22.88	1.4	24.28	33	PASS
n7	15	15	DFT-QPSK	H	Inner_1RB_Left	22.93	1.4	24.33	33	PASS
n7	15	15	DFT-QPSK	H	Inner_1RB_Right	22.94	1.4	24.34	33	PASS
n7	15	15	DFT-QPSK	H	Inner_Full	22.97	1.4	24.37	33	PASS
n7	15	15	DFT-QPSK	H	Outer_Full	22.86	1.4	24.26	33	PASS
n7	15	15	DFT-16QAM	H	Inner_1RB_Left	22.28	1.4	23.68	33	PASS
n7	15	15	DFT-16QAM	H	Inner_1RB_Right	22.31	1.4	23.71	33	PASS
n7	15	15	DFT-16QAM	H	Inner_Full	22.21	1.4	23.61	33	PASS
n7	15	15	DFT-16QAM	H	Outer_Full	21.35	1.4	22.75	33	PASS
n7	15	15	DFT-64QAM	H	Inner_1RB_Left	20.97	1.4	22.37	33	PASS
n7	15	15	DFT-64QAM	H	Inner_1RB_Right	21.03	1.4	22.43	33	PASS
n7	15	15	DFT-64QAM	H	Inner_Full	20.93	1.4	22.33	33	PASS
n7	15	15	DFT-64QAM	H	Outer_Full	20.95	1.4	22.35	33	PASS
n7	15	15	DFT-256QAM	H	Inner_1RB_Left	18.4	1.4	19.8	33	PASS
n7	15	15	DFT-256QAM	H	Inner_1RB_Right	18.37	1.4	19.77	33	PASS
n7	15	15	DFT-256QAM	H	Inner_Full	18.85	1.4	20.25	33	PASS
n7	15	15	DFT-256QAM	H	Outer_Full	18.93	1.4	20.33	33	PASS
n7	15	20	DFT-BPSK	L	Inner_1RB_Left	22.85	1.4	24.25	33	PASS

n7	15	20	DFT-BPSK	L	Inner_1RB_Right	22.94	1.4	24.34	33	PASS
n7	15	20	DFT-BPSK	L	Inner_Full	22.96	1.4	24.36	33	PASS
n7	15	20	DFT-BPSK	L	Outer_Full	22.93	1.4	24.33	33	PASS
n7	15	20	DFT-QPSK	L	Inner_1RB_Left	22.73	1.4	24.13	33	PASS
n7	15	20	DFT-QPSK	L	Inner_1RB_Right	22.95	1.4	24.35	33	PASS
n7	15	20	DFT-QPSK	L	Inner_Full	22.88	1.4	24.28	33	PASS
n7	15	20	DFT-QPSK	L	Outer_Full	22.87	1.4	24.27	33	PASS
n7	15	20	DFT-16QAM	L	Inner_1RB_Left	22.17	1.4	23.57	33	PASS
n7	15	20	DFT-16QAM	L	Inner_1RB_Right	22.35	1.4	23.75	33	PASS
n7	15	20	DFT-16QAM	L	Inner_Full	22.29	1.4	23.69	33	PASS
n7	15	20	DFT-16QAM	L	Outer_Full	21.27	1.4	22.67	33	PASS
n7	15	20	DFT-64QAM	L	Inner_1RB_Left	20.91	1.4	22.31	33	PASS
n7	15	20	DFT-64QAM	L	Inner_1RB_Right	21.11	1.4	22.51	33	PASS
n7	15	20	DFT-64QAM	L	Inner_Full	20.9	1.4	22.3	33	PASS
n7	15	20	DFT-64QAM	L	Outer_Full	20.91	1.4	22.31	33	PASS
n7	15	20	DFT-256QAM	L	Inner_1RB_Left	18.14	1.4	19.54	33	PASS
n7	15	20	DFT-256QAM	L	Inner_1RB_Right	18.35	1.4	19.75	33	PASS
n7	15	20	DFT-256QAM	L	Inner_Full	18.81	1.4	20.21	33	PASS
n7	15	20	DFT-256QAM	L	Outer_Full	18.84	1.4	20.24	33	PASS
n7	15	20	DFT-BPSK	M	Inner_1RB_Left	22.94	1.4	24.34	33	PASS
n7	15	20	DFT-BPSK	M	Inner_1RB_Right	22.88	1.4	24.28	33	PASS
n7	15	20	DFT-BPSK	M	Inner_Full	23.08	1.4	24.48	33	PASS
n7	15	20	DFT-BPSK	M	Outer_Full	22.96	1.4	24.36	33	PASS
n7	15	20	DFT-QPSK	M	Inner_1RB_Left	22.9	1.4	24.3	33	PASS
n7	15	20	DFT-QPSK	M	Inner_1RB_Right	22.91	1.4	24.31	33	PASS
n7	15	20	DFT-QPSK	M	Inner_Full	22.97	1.4	24.37	33	PASS
n7	15	20	DFT-QPSK	M	Outer_Full	22.8	1.4	24.2	33	PASS
n7	15	20	DFT-16QAM	M	Inner_1RB_Left	22.32	1.4	23.72	33	PASS
n7	15	20	DFT-16QAM	M	Inner_1RB_Right	22.22	1.4	23.62	33	PASS
n7	15	20	DFT-16QAM	M	Inner_Full	22.32	1.4	23.72	33	PASS
n7	15	20	DFT-16QAM	M	Outer_Full	21.35	1.4	22.75	33	PASS

n7	15	20	DFT-64QAM	M	Inner_1RB_Left	21.01	1.4	22.41	33	PASS
n7	15	20	DFT-64QAM	M	Inner_1RB_Right	20.96	1.4	22.36	33	PASS
n7	15	20	DFT-64QAM	M	Inner_Full	20.94	1.4	22.34	33	PASS
n7	15	20	DFT-64QAM	M	Outer_Full	20.95	1.4	22.35	33	PASS
n7	15	20	DFT-256QAM	M	Inner_1RB_Left	18.3	1.4	19.7	33	PASS
n7	15	20	DFT-256QAM	M	Inner_1RB_Right	18.22	1.4	19.62	33	PASS
n7	15	20	DFT-256QAM	M	Inner_Full	18.93	1.4	20.33	33	PASS
n7	15	20	DFT-256QAM	M	Outer_Full	18.91	1.4	20.31	33	PASS
n7	15	20	DFT-BPSK	H	Inner_1RB_Left	22.88	1.4	24.28	33	PASS
n7	15	20	DFT-BPSK	H	Inner_1RB_Right	22.9	1.4	24.3	33	PASS
n7	15	20	DFT-BPSK	H	Inner_Full	22.97	1.4	24.37	33	PASS
n7	15	20	DFT-BPSK	H	Outer_Full	22.9	1.4	24.3	33	PASS
n7	15	20	DFT-QPSK	H	Inner_1RB_Left	22.85	1.4	24.25	33	PASS
n7	15	20	DFT-QPSK	H	Inner_1RB_Right	22.88	1.4	24.28	33	PASS
n7	15	20	DFT-QPSK	H	Inner_Full	22.87	1.4	24.27	33	PASS
n7	15	20	DFT-QPSK	H	Outer_Full	22.84	1.4	24.24	33	PASS
n7	15	20	DFT-16QAM	H	Inner_1RB_Left	22.27	1.4	23.67	33	PASS
n7	15	20	DFT-16QAM	H	Inner_1RB_Right	22.32	1.4	23.72	33	PASS
n7	15	20	DFT-16QAM	H	Inner_Full	22.25	1.4	23.65	33	PASS
n7	15	20	DFT-16QAM	H	Outer_Full	21.35	1.4	22.75	33	PASS
n7	15	20	DFT-64QAM	H	Inner_1RB_Left	20.95	1.4	22.35	33	PASS
n7	15	20	DFT-64QAM	H	Inner_1RB_Right	21.06	1.4	22.46	33	PASS
n7	15	20	DFT-64QAM	H	Inner_Full	20.9	1.4	22.3	33	PASS
n7	15	20	DFT-64QAM	H	Outer_Full	20.93	1.4	22.33	33	PASS
n7	15	20	DFT-256QAM	H	Inner_1RB_Left	18.3	1.4	19.7	33	PASS
n7	15	20	DFT-256QAM	H	Inner_1RB_Right	18.25	1.4	19.65	33	PASS
n7	15	20	DFT-256QAM	H	Inner_Full	18.85	1.4	20.25	33	PASS
n7	15	20	DFT-256QAM	H	Outer_Full	18.83	1.4	20.23	33	PASS
n7	15	25	DFT-BPSK	L	Inner_1RB_Left	22.96	1.4	24.36	33	PASS
n7	15	25	DFT-BPSK	L	Inner_1RB_Right	23.15	1.4	24.55	33	PASS

n7	15	25	DFT-BPSK	L	Inner_Full	23.08	1.4	24.48	33	PASS
n7	15	25	DFT-BPSK	L	Outer_Full	22.93	1.4	24.33	33	PASS
n7	15	25	DFT-QPSK	L	Inner_1RB_Left	22.9	1.4	24.3	33	PASS
n7	15	25	DFT-QPSK	L	Inner_1RB_Right	23.08	1.4	24.48	33	PASS
n7	15	25	DFT-QPSK	L	Inner_Full	22.95	1.4	24.35	33	PASS
n7	15	25	DFT-QPSK	L	Outer_Full	22.81	1.4	24.21	33	PASS
n7	15	25	DFT-16QAM	L	Inner_1RB_Left	22.32	1.4	23.72	33	PASS
n7	15	25	DFT-16QAM	L	Inner_1RB_Right	22.5	1.4	23.9	33	PASS
n7	15	25	DFT-16QAM	L	Inner_Full	22.35	1.4	23.75	33	PASS
n7	15	25	DFT-16QAM	L	Outer_Full	21.44	1.4	22.84	33	PASS
n7	15	25	DFT-64QAM	L	Inner_1RB_Left	21.06	1.4	22.46	33	PASS
n7	15	25	DFT-64QAM	L	Inner_1RB_Right	21.25	1.4	22.65	33	PASS
n7	15	25	DFT-64QAM	L	Inner_Full	21.01	1.4	22.41	33	PASS
n7	15	25	DFT-64QAM	L	Outer_Full	20.97	1.4	22.37	33	PASS
n7	15	25	DFT-256QAM	L	Inner_1RB_Left	18.32	1.4	19.72	33	PASS
n7	15	25	DFT-256QAM	L	Inner_1RB_Right	18.45	1.4	19.85	33	PASS
n7	15	25	DFT-256QAM	L	Inner_Full	18.93	1.4	20.33	33	PASS
n7	15	25	DFT-256QAM	L	Outer_Full	19.01	1.4	20.41	33	PASS
n7	15	25	DFT-BPSK	M	Inner_1RB_Left	23.05	1.4	24.45	33	PASS
n7	15	25	DFT-BPSK	M	Inner_1RB_Right	23.02	1.4	24.42	33	PASS
n7	15	25	DFT-BPSK	M	Inner_Full	23.16	1.4	24.56	33	PASS
n7	15	25	DFT-BPSK	M	Outer_Full	22.94	1.4	24.34	33	PASS
n7	15	25	DFT-QPSK	M	Inner_1RB_Left	22.98	1.4	24.38	33	PASS
n7	15	25	DFT-QPSK	M	Inner_1RB_Right	22.99	1.4	24.39	33	PASS
n7	15	25	DFT-QPSK	M	Inner_Full	23.03	1.4	24.43	33	PASS
n7	15	25	DFT-QPSK	M	Outer_Full	22.88	1.4	24.28	33	PASS
n7	15	25	DFT-16QAM	M	Inner_1RB_Left	22.5	1.4	23.9	33	PASS
n7	15	25	DFT-16QAM	M	Inner_1RB_Right	22.22	1.4	23.62	33	PASS
n7	15	25	DFT-16QAM	M	Inner_Full	22.36	1.4	23.76	33	PASS
n7	15	25	DFT-16QAM	M	Outer_Full	21.44	1.4	22.84	33	PASS
n7	15	25	DFT-64QAM	M	Inner_1RB_Left	21.16	1.4	22.56	33	PASS

n7	15	25	DFT-64QAM	M	Inner_1RB_Right	21	1.4	22.4	33	PASS
n7	15	25	DFT-64QAM	M	Inner_Full	21.05	1.4	22.45	33	PASS
n7	15	25	DFT-64QAM	M	Outer_Full	20.97	1.4	22.37	33	PASS
n7	15	25	DFT-256QAM	M	Inner_1RB_Left	18.57	1.4	19.97	33	PASS
n7	15	25	DFT-256QAM	M	Inner_1RB_Right	18.48	1.4	19.88	33	PASS
n7	15	25	DFT-256QAM	M	Inner_Full	18.99	1.4	20.39	33	PASS
n7	15	25	DFT-256QAM	M	Outer_Full	18.99	1.4	20.39	33	PASS
n7	15	25	DFT-BPSK	H	Inner_1RB_Left	23.05	1.4	24.45	33	PASS
n7	15	25	DFT-BPSK	H	Inner_1RB_Right	23.16	1.4	24.56	33	PASS
n7	15	25	DFT-BPSK	H	Inner_Full	23.06	1.4	24.46	33	PASS
n7	15	25	DFT-BPSK	H	Outer_Full	22.94	1.4	24.34	33	PASS
n7	15	25	DFT-QPSK	H	Inner_1RB_Left	23.09	1.4	24.49	33	PASS
n7	15	25	DFT-QPSK	H	Inner_1RB_Right	23.14	1.4	24.54	33	PASS
n7	15	25	DFT-QPSK	H	Inner_Full	22.95	1.4	24.35	33	PASS
n7	15	25	DFT-QPSK	H	Outer_Full	22.8	1.4	24.2	33	PASS
n7	15	25	DFT-16QAM	H	Inner_1RB_Left	22.4	1.4	23.8	33	PASS
n7	15	25	DFT-16QAM	H	Inner_1RB_Right	22.55	1.4	23.95	33	PASS
n7	15	25	DFT-16QAM	H	Inner_Full	22.34	1.4	23.74	33	PASS
n7	15	25	DFT-16QAM	H	Outer_Full	21.43	1.4	22.83	33	PASS
n7	15	25	DFT-64QAM	H	Inner_1RB_Left	21.08	1.4	22.48	33	PASS
n7	15	25	DFT-64QAM	H	Inner_1RB_Right	21.22	1.4	22.62	33	PASS
n7	15	25	DFT-64QAM	H	Inner_Full	20.96	1.4	22.36	33	PASS
n7	15	25	DFT-64QAM	H	Outer_Full	20.84	1.4	22.24	33	PASS
n7	15	25	DFT-256QAM	H	Inner_1RB_Left	18.6	1.4	20	33	PASS
n7	15	25	DFT-256QAM	H	Inner_1RB_Right	18.5	1.4	19.9	33	PASS
n7	15	25	DFT-256QAM	H	Inner_Full	18.91	1.4	20.31	33	PASS
n7	15	25	DFT-256QAM	H	Outer_Full	18.91	1.4	20.31	33	PASS
n7	15	30	DFT-BPSK	L	Inner_1RB_Left	22.92	1.4	24.32	33	PASS
n7	15	30	DFT-BPSK	L	Inner_1RB_Right	23.06	1.4	24.46	33	PASS
n7	15	30	DFT-BPSK	L	Inner_Full	23.06	1.4	24.46	33	PASS
n7	15	30	DFT-BPSK	L	Outer_Full	22.91	1.4	24.31	33	PASS

n7	15	30	DFT-QPSK	L	Inner_1RB_Left	22.87	1.4	24.27	33	PASS
n7	15	30	DFT-QPSK	L	Inner_1RB_Right	23.12	1.4	24.52	33	PASS
n7	15	30	DFT-QPSK	L	Inner_Full	22.93	1.4	24.33	33	PASS
n7	15	30	DFT-QPSK	L	Outer_Full	22.87	1.4	24.27	33	PASS
n7	15	30	DFT-16QAM	L	Inner_1RB_Left	22.17	1.4	23.57	33	PASS
n7	15	30	DFT-16QAM	L	Inner_1RB_Right	22.37	1.4	23.77	33	PASS
n7	15	30	DFT-16QAM	L	Inner_Full	22.24	1.4	23.64	33	PASS
n7	15	30	DFT-16QAM	L	Outer_Full	21.32	1.4	22.72	33	PASS
n7	15	30	DFT-64QAM	L	Inner_1RB_Left	20.92	1.4	22.32	33	PASS
n7	15	30	DFT-64QAM	L	Inner_1RB_Right	21.02	1.4	22.42	33	PASS
n7	15	30	DFT-64QAM	L	Inner_Full	20.92	1.4	22.32	33	PASS
n7	15	30	DFT-64QAM	L	Outer_Full	20.89	1.4	22.29	33	PASS
n7	15	30	DFT-256QAM	L	Inner_1RB_Left	18.29	1.4	19.69	33	PASS
n7	15	30	DFT-256QAM	L	Inner_1RB_Right	18.39	1.4	19.79	33	PASS
n7	15	30	DFT-256QAM	L	Inner_Full	18.93	1.4	20.33	33	PASS
n7	15	30	DFT-256QAM	L	Outer_Full	18.9	1.4	20.3	33	PASS
n7	15	30	DFT-BPSK	M	Inner_1RB_Left	23.1	1.4	24.5	33	PASS
n7	15	30	DFT-BPSK	M	Inner_1RB_Right	22.96	1.4	24.36	33	PASS
n7	15	30	DFT-BPSK	M	Inner_Full	23.14	1.4	24.54	33	PASS
n7	15	30	DFT-BPSK	M	Outer_Full	23.02	1.4	24.42	33	PASS
n7	15	30	DFT-QPSK	M	Inner_1RB_Left	23.04	1.4	24.44	33	PASS
n7	15	30	DFT-QPSK	M	Inner_1RB_Right	22.91	1.4	24.31	33	PASS
n7	15	30	DFT-QPSK	M	Inner_Full	23.03	1.4	24.43	33	PASS
n7	15	30	DFT-QPSK	M	Outer_Full	22.81	1.4	24.21	33	PASS
n7	15	30	DFT-16QAM	M	Inner_1RB_Left	22.41	1.4	23.81	33	PASS
n7	15	30	DFT-16QAM	M	Inner_1RB_Right	22.32	1.4	23.72	33	PASS
n7	15	30	DFT-16QAM	M	Inner_Full	22.36	1.4	23.76	33	PASS
n7	15	30	DFT-16QAM	M	Outer_Full	21.43	1.4	22.83	33	PASS
n7	15	30	DFT-64QAM	M	Inner_1RB_Left	21.06	1.4	22.46	33	PASS
n7	15	30	DFT-64QAM	M	Inner_1RB_Right	20.93	1.4	22.33	33	PASS
n7	15	30	DFT-64QAM	M	Inner_Full	21.07	1.4	22.47	33	PASS

n7	15	30	DFT-64QAM	M	Outer_Full	20.99	1.4	22.39	33	PASS
n7	15	30	DFT-256QAM	M	Inner_1RB_Left	18.39	1.4	19.79	33	PASS
n7	15	30	DFT-256QAM	M	Inner_1RB_Right	18.32	1.4	19.72	33	PASS
n7	15	30	DFT-256QAM	M	Inner_Full	19.01	1.4	20.41	33	PASS
n7	15	30	DFT-256QAM	M	Outer_Full	18.97	1.4	20.37	33	PASS
n7	15	30	DFT-BPSK	H	Inner_1RB_Left	23.05	1.4	24.45	33	PASS
n7	15	30	DFT-BPSK	H	Inner_1RB_Right	23.1	1.4	24.5	33	PASS
n7	15	30	DFT-BPSK	H	Inner_Full	23.11	1.4	24.51	33	PASS
n7	15	30	DFT-BPSK	H	Outer_Full	23.01	1.4	24.41	33	PASS
n7	15	30	DFT-QPSK	H	Inner_1RB_Left	23.02	1.4	24.42	33	PASS
n7	15	30	DFT-QPSK	H	Inner_1RB_Right	23.15	1.4	24.55	33	PASS
n7	15	30	DFT-QPSK	H	Inner_Full	23.02	1.4	24.42	33	PASS
n7	15	30	DFT-QPSK	H	Outer_Full	22.87	1.4	24.27	33	PASS
n7	15	30	DFT-16QAM	H	Inner_1RB_Left	22.39	1.4	23.79	33	PASS
n7	15	30	DFT-16QAM	H	Inner_1RB_Right	22.49	1.4	23.89	33	PASS
n7	15	30	DFT-16QAM	H	Inner_Full	22.27	1.4	23.67	33	PASS
n7	15	30	DFT-16QAM	H	Outer_Full	21.44	1.4	22.84	33	PASS
n7	15	30	DFT-64QAM	H	Inner_1RB_Left	21.17	1.4	22.57	33	PASS
n7	15	30	DFT-64QAM	H	Inner_1RB_Right	21.18	1.4	22.58	33	PASS
n7	15	30	DFT-64QAM	H	Inner_Full	20.85	1.4	22.25	33	PASS
n7	15	30	DFT-64QAM	H	Outer_Full	20.96	1.4	22.36	33	PASS
n7	15	30	DFT-256QAM	H	Inner_1RB_Left	18.52	1.4	19.92	33	PASS
n7	15	30	DFT-256QAM	H	Inner_1RB_Right	18.46	1.4	19.86	33	PASS
n7	15	30	DFT-256QAM	H	Inner_Full	18.94	1.4	20.34	33	PASS
n7	15	30	DFT-256QAM	H	Outer_Full	18.98	1.4	20.38	33	PASS
n7	15	35	DFT-BPSK	L	Inner_1RB_Left	22.92	1.4	24.32	33	PASS
n7	15	35	DFT-BPSK	L	Inner_1RB_Right	23.08	1.4	24.48	33	PASS
n7	15	35	DFT-BPSK	L	Inner_Full	23.07	1.4	24.47	33	PASS
n7	15	35	DFT-BPSK	L	Outer_Full	22.98	1.4	24.38	33	PASS
n7	15	35	DFT-QPSK	L	Inner_1RB_Left	22.77	1.4	24.17	33	PASS

n7	15	35	DFT-QPSK	L	Inner_1RB_Right	23.08	1.4	24.48	33	PASS
n7	15	35	DFT-QPSK	L	Inner_Full	23.02	1.4	24.42	33	PASS
n7	15	35	DFT-QPSK	L	Outer_Full	22.84	1.4	24.24	33	PASS
n7	15	35	DFT-16QAM	L	Inner_1RB_Left	22.15	1.4	23.55	33	PASS
n7	15	35	DFT-16QAM	L	Inner_1RB_Right	22.35	1.4	23.75	33	PASS
n7	15	35	DFT-16QAM	L	Inner_Full	22.4	1.4	23.8	33	PASS
n7	15	35	DFT-16QAM	L	Outer_Full	21.36	1.4	22.76	33	PASS
n7	15	35	DFT-64QAM	L	Inner_1RB_Left	20.83	1.4	22.23	33	PASS
n7	15	35	DFT-64QAM	L	Inner_1RB_Right	21.12	1.4	22.52	33	PASS
n7	15	35	DFT-64QAM	L	Inner_Full	20.9	1.4	22.3	33	PASS
n7	15	35	DFT-64QAM	L	Outer_Full	20.95	1.4	22.35	33	PASS
n7	15	35	DFT-256QAM	L	Inner_1RB_Left	18.37	1.4	19.77	33	PASS
n7	15	35	DFT-256QAM	L	Inner_1RB_Right	18.49	1.4	19.89	33	PASS
n7	15	35	DFT-256QAM	L	Inner_Full	18.92	1.4	20.32	33	PASS
n7	15	35	DFT-256QAM	L	Outer_Full	18.9	1.4	20.3	33	PASS
n7	15	35	DFT-BPSK	M	Inner_1RB_Left	22.97	1.4	24.37	33	PASS
n7	15	35	DFT-BPSK	M	Inner_1RB_Right	22.93	1.4	24.33	33	PASS
n7	15	35	DFT-BPSK	M	Inner_Full	23.13	1.4	24.53	33	PASS
n7	15	35	DFT-BPSK	M	Outer_Full	23.05	1.4	24.45	33	PASS
n7	15	35	DFT-QPSK	M	Inner_1RB_Left	22.9	1.4	24.3	33	PASS
n7	15	35	DFT-QPSK	M	Inner_1RB_Right	22.84	1.4	24.24	33	PASS
n7	15	35	DFT-QPSK	M	Inner_Full	23.04	1.4	24.44	33	PASS
n7	15	35	DFT-QPSK	M	Outer_Full	22.82	1.4	24.22	33	PASS
n7	15	35	DFT-16QAM	M	Inner_1RB_Left	22.31	1.4	23.71	33	PASS
n7	15	35	DFT-16QAM	M	Inner_1RB_Right	22.19	1.4	23.59	33	PASS
n7	15	35	DFT-16QAM	M	Inner_Full	22.44	1.4	23.84	33	PASS
n7	15	35	DFT-16QAM	M	Outer_Full	21.5	1.4	22.9	33	PASS
n7	15	35	DFT-64QAM	M	Inner_1RB_Left	21.07	1.4	22.47	33	PASS
n7	15	35	DFT-64QAM	M	Inner_1RB_Right	20.87	1.4	22.27	33	PASS
n7	15	35	DFT-64QAM	M	Inner_Full	21.06	1.4	22.46	33	PASS
n7	15	35	DFT-64QAM	M	Outer_Full	21.01	1.4	22.41	33	PASS

n7	15	35	DFT-256QAM	M	Inner_1RB_Left	18.38	1.4	19.78	33	PASS
n7	15	35	DFT-256QAM	M	Inner_1RB_Right	18.28	1.4	19.68	33	PASS
n7	15	35	DFT-256QAM	M	Inner_Full	19.03	1.4	20.43	33	PASS
n7	15	35	DFT-256QAM	M	Outer_Full	19.04	1.4	20.44	33	PASS
n7	15	35	DFT-BPSK	H	Inner_1RB_Left	23.09	1.4	24.49	33	PASS
n7	15	35	DFT-BPSK	H	Inner_1RB_Right	23.16	1.4	24.56	33	PASS
n7	15	35	DFT-BPSK	H	Inner_Full	23.12	1.4	24.52	33	PASS
n7	15	35	DFT-BPSK	H	Outer_Full	23.09	1.4	24.49	33	PASS
n7	15	35	DFT-QPSK	H	Inner_1RB_Left	23.02	1.4	24.42	33	PASS
n7	15	35	DFT-QPSK	H	Inner_1RB_Right	23.16	1.4	24.56	33	PASS
n7	15	35	DFT-QPSK	H	Inner_Full	23.04	1.4	24.44	33	PASS
n7	15	35	DFT-QPSK	H	Outer_Full	22.86	1.4	24.26	33	PASS
n7	15	35	DFT-16QAM	H	Inner_1RB_Left	22.45	1.4	23.85	33	PASS
n7	15	35	DFT-16QAM	H	Inner_1RB_Right	22.4	1.4	23.8	33	PASS
n7	15	35	DFT-16QAM	H	Inner_Full	22.41	1.4	23.81	33	PASS
n7	15	35	DFT-16QAM	H	Outer_Full	21.47	1.4	22.87	33	PASS
n7	15	35	DFT-64QAM	H	Inner_1RB_Left	21.16	1.4	22.56	33	PASS
n7	15	35	DFT-64QAM	H	Inner_1RB_Right	21.23	1.4	22.63	33	PASS
n7	15	35	DFT-64QAM	H	Inner_Full	21.06	1.4	22.46	33	PASS
n7	15	35	DFT-64QAM	H	Outer_Full	21.08	1.4	22.48	33	PASS
n7	15	35	DFT-256QAM	H	Inner_1RB_Left	18.64	1.4	20.04	33	PASS
n7	15	35	DFT-256QAM	H	Inner_1RB_Right	18.59	1.4	19.99	33	PASS
n7	15	35	DFT-256QAM	H	Inner_Full	19.04	1.4	20.44	33	PASS
n7	15	35	DFT-256QAM	H	Outer_Full	19.09	1.4	20.49	33	PASS
n7	15	40	DFT-BPSK	L	Inner_1RB_Left	22.94	1.4	24.34	33	PASS
n7	15	40	DFT-BPSK	L	Inner_1RB_Right	23.04	1.4	24.44	33	PASS
n7	15	40	DFT-BPSK	L	Inner_Full	23.19	1.4	24.59	33	PASS
n7	15	40	DFT-BPSK	L	Outer_Full	23.07	1.4	24.47	33	PASS
n7	15	40	DFT-QPSK	L	Inner_1RB_Left	22.89	1.4	24.29	33	PASS
n7	15	40	DFT-QPSK	L	Inner_1RB_Right	23.02	1.4	24.42	33	PASS

n7	15	40	DFT-QPSK	L	Inner_Full	22.97	1.4	24.37	33	PASS
n7	15	40	DFT-QPSK	L	Outer_Full	22.84	1.4	24.24	33	PASS
n7	15	40	DFT-16QAM	L	Inner_1RB_Left	22.16	1.4	23.56	33	PASS
n7	15	40	DFT-16QAM	L	Inner_1RB_Right	22.36	1.4	23.76	33	PASS
n7	15	40	DFT-16QAM	L	Inner_Full	22.44	1.4	23.84	33	PASS
n7	15	40	DFT-16QAM	L	Outer_Full	21.41	1.4	22.81	33	PASS
n7	15	40	DFT-64QAM	L	Inner_1RB_Left	21.01	1.4	22.41	33	PASS
n7	15	40	DFT-64QAM	L	Inner_1RB_Right	21.1	1.4	22.5	33	PASS
n7	15	40	DFT-64QAM	L	Inner_Full	20.89	1.4	22.29	33	PASS
n7	15	40	DFT-64QAM	L	Outer_Full	20.92	1.4	22.32	33	PASS
n7	15	40	DFT-256QAM	L	Inner_1RB_Left	18.3	1.4	19.7	33	PASS
n7	15	40	DFT-256QAM	L	Inner_1RB_Right	18.54	1.4	19.94	33	PASS
n7	15	40	DFT-256QAM	L	Inner_Full	18.97	1.4	20.37	33	PASS
n7	15	40	DFT-256QAM	L	Outer_Full	19.06	1.4	20.46	33	PASS
n7	15	40	DFT-BPSK	M	Inner_1RB_Left	22.93	1.4	24.33	33	PASS
n7	15	40	DFT-BPSK	M	Inner_1RB_Right	22.85	1.4	24.25	33	PASS
n7	15	40	DFT-BPSK	M	Inner_Full	23.18	1.4	24.58	33	PASS
n7	15	40	DFT-BPSK	M	Outer_Full	22.96	1.4	24.36	33	PASS
n7	15	40	DFT-QPSK	M	Inner_1RB_Left	22.9	1.4	24.3	33	PASS
n7	15	40	DFT-QPSK	M	Inner_1RB_Right	22.88	1.4	24.28	33	PASS
n7	15	40	DFT-QPSK	M	Inner_Full	23.06	1.4	24.46	33	PASS
n7	15	40	DFT-QPSK	M	Outer_Full	22.8	1.4	24.2	33	PASS
n7	15	40	DFT-16QAM	M	Inner_1RB_Left	22.29	1.4	23.69	33	PASS
n7	15	40	DFT-16QAM	M	Inner_1RB_Right	22.22	1.4	23.62	33	PASS
n7	15	40	DFT-16QAM	M	Inner_Full	22.4	1.4	23.8	33	PASS
n7	15	40	DFT-16QAM	M	Outer_Full	21.48	1.4	22.88	33	PASS
n7	15	40	DFT-64QAM	M	Inner_1RB_Left	20.99	1.4	22.39	33	PASS
n7	15	40	DFT-64QAM	M	Inner_1RB_Right	20.89	1.4	22.29	33	PASS
n7	15	40	DFT-64QAM	M	Inner_Full	21.01	1.4	22.41	33	PASS
n7	15	40	DFT-64QAM	M	Outer_Full	20.96	1.4	22.36	33	PASS
n7	15	40	DFT-256QAM	M	Inner_1RB_Left	18.47	1.4	19.87	33	PASS

n7	15	40	DFT-256QAM	M	Inner_1RB_Right	18.2	1.4	19.6	33	PASS
n7	15	40	DFT-256QAM	M	Inner_Full	18.99	1.4	20.39	33	PASS
n7	15	40	DFT-256QAM	M	Outer_Full	18.98	1.4	20.38	33	PASS
n7	15	40	DFT-BPSK	H	Inner_1RB_Left	23.11	1.4	24.51	33	PASS
n7	15	40	DFT-BPSK	H	Inner_1RB_Right	23.09	1.4	24.49	33	PASS
n7	15	40	DFT-BPSK	H	Inner_Full	23.13	1.4	24.53	33	PASS
n7	15	40	DFT-BPSK	H	Outer_Full	23.03	1.4	24.43	33	PASS
n7	15	40	DFT-QPSK	H	Inner_1RB_Left	23.14	1.4	24.54	33	PASS
n7	15	40	DFT-QPSK	H	Inner_1RB_Right	23.14	1.4	24.54	33	PASS
n7	15	40	DFT-QPSK	H	Inner_Full	23.02	1.4	24.42	33	PASS
n7	15	40	DFT-QPSK	H	Outer_Full	22.86	1.4	24.26	33	PASS
n7	15	40	DFT-16QAM	H	Inner_1RB_Left	22.53	1.4	23.93	33	PASS
n7	15	40	DFT-16QAM	H	Inner_1RB_Right	22.51	1.4	23.91	33	PASS
n7	15	40	DFT-16QAM	H	Inner_Full	22.46	1.4	23.86	33	PASS
n7	15	40	DFT-16QAM	H	Outer_Full	21.53	1.4	22.93	33	PASS
n7	15	40	DFT-64QAM	H	Inner_1RB_Left	21.19	1.4	22.59	33	PASS
n7	15	40	DFT-64QAM	H	Inner_1RB_Right	21.29	1.4	22.69	33	PASS
n7	15	40	DFT-64QAM	H	Inner_Full	21.05	1.4	22.45	33	PASS
n7	15	40	DFT-64QAM	H	Outer_Full	21.04	1.4	22.44	33	PASS
n7	15	40	DFT-256QAM	H	Inner_1RB_Left	18.66	1.4	20.06	33	PASS
n7	15	40	DFT-256QAM	H	Inner_1RB_Right	18.41	1.4	19.81	33	PASS
n7	15	40	DFT-256QAM	H	Inner_Full	19.01	1.4	20.41	33	PASS
n7	15	40	DFT-256QAM	H	Outer_Full	19.01	1.4	20.41	33	PASS
n7	15	50	DFT-BPSK	L	Inner_1RB_Left	22.98	1.4	24.38	33	PASS
n7	15	50	DFT-BPSK	L	Inner_1RB_Right	23.13	1.4	24.53	33	PASS
n7	15	50	DFT-BPSK	L	Inner_Full	23.2	1.4	24.6	33	PASS
n7	15	50	DFT-BPSK	L	Outer_Full	23.08	1.4	24.48	33	PASS
n7	15	50	DFT-QPSK	L	Inner_1RB_Left	23.04	1.4	24.44	33	PASS
n7	15	50	DFT-QPSK	L	Inner_1RB_Right	23.11	1.4	24.51	33	PASS
n7	15	50	DFT-QPSK	L	Inner_Full	23.1	1.4	24.5	33	PASS
n7	15	50	DFT-QPSK	L	Outer_Full	22.81	1.4	24.21	33	PASS

n7	15	50	DFT-16QAM	L	Inner_1RB_Left	22.42	1.4	23.82	33	PASS
n7	15	50	DFT-16QAM	L	Inner_1RB_Right	22.35	1.4	23.75	33	PASS
n7	15	50	DFT-16QAM	L	Inner_Full	22.48	1.4	23.88	33	PASS
n7	15	50	DFT-16QAM	L	Outer_Full	21.51	1.4	22.91	33	PASS
n7	15	50	DFT-64QAM	L	Inner_1RB_Left	21.15	1.4	22.55	33	PASS
n7	15	50	DFT-64QAM	L	Inner_1RB_Right	21.14	1.4	22.54	33	PASS
n7	15	50	DFT-64QAM	L	Inner_Full	21.01	1.4	22.41	33	PASS
n7	15	50	DFT-64QAM	L	Outer_Full	20.95	1.4	22.35	33	PASS
n7	15	50	DFT-256QAM	L	Inner_1RB_Left	18.48	1.4	19.88	33	PASS
n7	15	50	DFT-256QAM	L	Inner_1RB_Right	18.39	1.4	19.79	33	PASS
n7	15	50	DFT-256QAM	L	Inner_Full	19.14	1.4	20.54	33	PASS
n7	15	50	DFT-256QAM	L	Outer_Full	18.98	1.4	20.38	33	PASS
n7	15	50	DFT-BPSK	M	Inner_1RB_Left	23.12	1.4	24.52	33	PASS
n7	15	50	DFT-BPSK	M	Inner_1RB_Right	22.97	1.4	24.37	33	PASS
n7	15	50	DFT-BPSK	M	Inner_Full	23.13	1.4	24.53	33	PASS
n7	15	50	DFT-BPSK	M	Outer_Full	23.03	1.4	24.43	33	PASS
n7	15	50	DFT-QPSK	M	Inner_1RB_Left	23.1	1.4	24.5	33	PASS
n7	15	50	DFT-QPSK	M	Inner_1RB_Right	22.94	1.4	24.34	33	PASS
n7	15	50	DFT-QPSK	M	Inner_Full	23.12	1.4	24.52	33	PASS
n7	15	50	DFT-QPSK	M	Outer_Full	22.89	1.4	24.29	33	PASS
n7	15	50	DFT-16QAM	M	Inner_1RB_Left	22.48	1.4	23.88	33	PASS
n7	15	50	DFT-16QAM	M	Inner_1RB_Right	22.41	1.4	23.81	33	PASS
n7	15	50	DFT-16QAM	M	Inner_Full	22.49	1.4	23.89	33	PASS
n7	15	50	DFT-16QAM	M	Outer_Full	21.5	1.4	22.9	33	PASS
n7	15	50	DFT-64QAM	M	Inner_1RB_Left	21.2	1.4	22.6	33	PASS
n7	15	50	DFT-64QAM	M	Inner_1RB_Right	21.11	1.4	22.51	33	PASS
n7	15	50	DFT-64QAM	M	Inner_Full	21.07	1.4	22.47	33	PASS
n7	15	50	DFT-64QAM	M	Outer_Full	21.08	1.4	22.48	33	PASS
n7	15	50	DFT-256QAM	M	Inner_1RB_Left	18.55	1.4	19.95	33	PASS
n7	15	50	DFT-256QAM	M	Inner_1RB_Right	18.36	1.4	19.76	33	PASS
n7	15	50	DFT-256QAM	M	Inner_Full	19.08	1.4	20.48	33	PASS

n7	15	50	DFT-256QAM	M	Outer_Full	19.02	1.4	20.42	33	PASS
n7	15	50	DFT-BPSK	H	Inner_1RB_Left	23.2	1.4	24.6	33	PASS
n7	15	50	DFT-BPSK	H	Inner_1RB_Right	23.18	1.4	24.58	33	PASS
n7	15	50	DFT-BPSK	H	Inner_Full	23.17	1.4	24.57	33	PASS
n7	15	50	DFT-BPSK	H	Outer_Full	23.08	1.4	24.48	33	PASS
n7	15	50	DFT-QPSK	H	Inner_1RB_Left	23.21	1.4	24.61	33	PASS
n7	15	50	DFT-QPSK	H	Inner_1RB_Right	23.18	1.4	24.58	33	PASS
n7	15	50	DFT-QPSK	H	Inner_Full	23.13	1.4	24.53	33	PASS
n7	15	50	DFT-QPSK	H	Outer_Full	22.89	1.4	24.29	33	PASS
n7	15	50	DFT-16QAM	H	Inner_1RB_Left	22.62	1.4	24.02	33	PASS
n7	15	50	DFT-16QAM	H	Inner_1RB_Right	22.5	1.4	23.9	33	PASS
n7	15	50	DFT-16QAM	H	Inner_Full	22.46	1.4	23.86	33	PASS
n7	15	50	DFT-16QAM	H	Outer_Full	21.53	1.4	22.93	33	PASS
n7	15	50	DFT-64QAM	H	Inner_1RB_Left	21.44	1.4	22.84	33	PASS
n7	15	50	DFT-64QAM	H	Inner_1RB_Right	21.34	1.4	22.74	33	PASS
n7	15	50	DFT-64QAM	H	Inner_Full	21.06	1.4	22.46	33	PASS
n7	15	50	DFT-64QAM	H	Outer_Full	21.04	1.4	22.44	33	PASS
n7	15	50	DFT-256QAM	H	Inner_1RB_Left	18.58	1.4	19.98	33	PASS
n7	15	50	DFT-256QAM	H	Inner_1RB_Right	18.59	1.4	19.99	33	PASS
n7	15	50	DFT-256QAM	H	Inner_Full	19.02	1.4	20.42	33	PASS
n7	15	50	DFT-256QAM	H	Outer_Full	19.01	1.4	20.41	33	PASS

Peak-to-Average Ratio for SA


Peak-to-Average Ratio(CCDF)

Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result(dB)	Limit(dB)	Verdict
n7	15	5	DFT-BPSK	M	Outer_Full	3.98	≤13	PASS
n7	15	5	DFT-QPSK	M	Outer_Full	4.6	≤13	PASS
n7	15	5	DFT-16QAM	M	Outer_Full	5.58	≤13	PASS
n7	15	5	DFT-64QAM	M	Outer_Full	6.26	≤13	PASS
n7	15	5	DFT-256QAM	M	Outer_Full	6.52	≤13	PASS
n7	15	10	DFT-BPSK	M	Outer_Full	3.86	≤13	PASS
n7	15	10	DFT-QPSK	M	Outer_Full	4.48	≤13	PASS
n7	15	10	DFT-16QAM	M	Outer_Full	5.56	≤13	PASS
n7	15	10	DFT-64QAM	M	Outer_Full	5.86	≤13	PASS
n7	15	10	DFT-256QAM	M	Outer_Full	6.8	≤13	PASS
n7	15	15	DFT-BPSK	M	Outer_Full	4	≤13	PASS
n7	15	15	DFT-QPSK	M	Outer_Full	4.48	≤13	PASS
n7	15	15	DFT-16QAM	M	Outer_Full	5.38	≤13	PASS
n7	15	15	DFT-64QAM	M	Outer_Full	5.9	≤13	PASS
n7	15	15	DFT-256QAM	M	Outer_Full	6.72	≤13	PASS
n7	15	20	DFT-BPSK	M	Outer_Full	3.86	≤13	PASS
n7	15	20	DFT-QPSK	M	Outer_Full	4.44	≤13	PASS
n7	15	20	DFT-16QAM	M	Outer_Full	5.52	≤13	PASS
n7	15	20	DFT-64QAM	M	Outer_Full	5.84	≤13	PASS
n7	15	20	DFT-256QAM	M	Outer_Full	6.72	≤13	PASS
n7	15	25	DFT-BPSK	M	Outer_Full	4.14	≤13	PASS
n7	15	25	DFT-QPSK	M	Outer_Full	4.6	≤13	PASS
n7	15	25	DFT-16QAM	M	Outer_Full	5.88	≤13	PASS
n7	15	25	DFT-64QAM	M	Outer_Full	6.22	≤13	PASS
n7	15	25	DFT-256QAM	M	Outer_Full	6.7	≤13	PASS
n7	15	30	DFT-BPSK	M	Outer_Full	3.84	≤13	PASS
n7	15	30	DFT-QPSK	M	Outer_Full	4.46	≤13	PASS
n7	15	30	DFT-16QAM	M	Outer_Full	5.54	≤13	PASS
n7	15	30	DFT-64QAM	M	Outer_Full	5.9	≤13	PASS
n7	15	30	DFT-256QAM	M	Outer_Full	6.54	≤13	PASS
n7	15	35	DFT-BPSK	M	Outer_Full	3.78	≤13	PASS
n7	15	35	DFT-QPSK	M	Outer_Full	4.5	≤13	PASS
n7	15	35	DFT-16QAM	M	Outer_Full	5.54	≤13	PASS
n7	15	35	DFT-64QAM	M	Outer_Full	5.86	≤13	PASS
n7	15	35	DFT-256QAM	M	Outer_Full	6.7	≤13	PASS
n7	15	40	DFT-BPSK	M	Outer_Full	3.92	≤13	PASS

n7	15	40	DFT-QPSK	M	Outer_Full	4.62	≤13	PASS
n7	15	40	DFT-16QAM	M	Outer_Full	5.48	≤13	PASS
n7	15	40	DFT-64QAM	M	Outer_Full	6	≤13	PASS
n7	15	40	DFT-256QAM	M	Outer_Full	6.62	≤13	PASS
n7	15	50	DFT-BPSK	M	Outer_Full	4.04	≤13	PASS
n7	15	50	DFT-QPSK	M	Outer_Full	4.66	≤13	PASS
n7	15	50	DFT-16QAM	M	Outer_Full	5.72	≤13	PASS
n7	15	50	DFT-64QAM	M	Outer_Full	6.04	≤13	PASS
n7	15	50	DFT-256QAM	M	Outer_Full	6.66	≤13	PASS


Test Graphs




NTNV-n7-PC3-15-5-M-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-5-M-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-5-M-DFT-16QAM-Outer_Full-PASS




NTNV-n7-PC3-15-5-M-DFT-64QAM-Outer_Full-PASS




NTNV-n7-PC3-15-5-M-DFT-256QAM-Outer_Full-PASS




NTNV-n7-PC3-15-10-M-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-10-M-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-10-M-DFT-16QAM-Outer_Full-PASS




NTNV-n7-PC3-15-10-M-DFT-64QAM-Outer_Full-PASS




NTNV-n7-PC3-15-10-M-DFT-256QAM-Outer_Full-PASS




NTNV-n7-PC3-15-15-M-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-15-M-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-15-M-DFT-16QAM-Outer_Full-PASS




NTNV-n7-PC3-15-15-M-DFT-64QAM-Outer_Full-PASS




NTNV-n7-PC3-15-15-M-DFT-256QAM-Outer_Full-PASS




NTNV-n7-PC3-15-20-M-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-20-M-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-20-M-DFT-16QAM-Outer_Full-PASS




NTNV-n7-PC3-15-20-M-DFT-64QAM-Outer_Full-PASS




NTNV-n7-PC3-15-20-M-DFT-256QAM-Outer_Full-PASS




NTNV-n7-PC3-15-25-M-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-25-M-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-25-M-DFT-16QAM-Outer_Full-PASS




NTNV-n7-PC3-15-25-M-DFT-64QAM-Outer_Full-PASS




NTNV-n7-PC3-15-25-M-DFT-256QAM-Outer_Full-PASS




NTNV-n7-PC3-15-30-M-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-30-M-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-30-M-DFT-16QAM-Outer_Full-PASS




NTNV-n7-PC3-15-30-M-DFT-64QAM-Outer_Full-PASS




NTNV-n7-PC3-15-30-M-DFT-256QAM-Outer_Full-PASS




NTNV-n7-PC3-15-35-M-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-35-M-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-35-M-DFT-16QAM-Outer_Full-PASS




NTNV-n7-PC3-15-35-M-DFT-64QAM-Outer_Full-PASS




NTNV-n7-PC3-15-35-M-DFT-256QAM-Outer_Full-PASS




NTNV-n7-PC3-15-40-M-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-40-M-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-40-M-DFT-16QAM-Outer_Full-PASS




NTNV-n7-PC3-15-40-M-DFT-64QAM-Outer_Full-PASS




NTNV-n7-PC3-15-40-M-DFT-256QAM-Outer_Full-PASS




NTNV-n7-PC3-15-50-M-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-50-M-DFT-QPSK-Outer_Full-PASS



NTNV-n7-PC3-15-50-M-DFT-16QAM-Outer_Full-PASS



NTNV-n7-PC3-15-50-M-DFT-64QAM-Outer_Full-PASS




NTNV-n7-PC3-15-50-M-DFT-256QAM-Outer_Full-PASS

26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n7	15	5	CP-QPSK	M	Outer_Full	4.505	5.220	PASS
n7	15	5	CP-16QAM	M	Outer_Full	4.548	5.270	PASS
n7	15	5	CP-64QAM	M	Outer_Full	4.497	5.070	PASS
n7	15	5	CP-256QAM	M	Outer_Full	4.504	5.180	PASS
n7	15	10	CP-QPSK	M	Outer_Full	9.302	10.280	PASS
n7	15	10	CP-16QAM	M	Outer_Full	9.325	10.100	PASS
n7	15	10	CP-64QAM	M	Outer_Full	9.3	10.120	PASS
n7	15	10	CP-256QAM	M	Outer_Full	9.361	10.160	PASS
n7	15	15	CP-QPSK	M	Outer_Full	14.161	15.360	PASS
n7	15	15	CP-16QAM	M	Outer_Full	14.175	15.210	PASS
n7	15	15	CP-64QAM	M	Outer_Full	14.155	15.180	PASS
n7	15	15	CP-256QAM	M	Outer_Full	14.127	15.000	PASS
n7	15	20	CP-QPSK	M	Outer_Full	19.015	20.240	PASS
n7	15	20	CP-16QAM	M	Outer_Full	19.044	20.400	PASS
n7	15	20	CP-64QAM	M	Outer_Full	19.033	20.320	PASS
n7	15	20	CP-256QAM	M	Outer_Full	19.043	20.360	PASS
n7	15	25	CP-QPSK	M	Outer_Full	23.814	25.250	PASS
n7	15	25	CP-16QAM	M	Outer_Full	23.841	25.250	PASS
n7	15	25	CP-64QAM	M	Outer_Full	23.829	25.300	PASS
n7	15	25	CP-256QAM	M	Outer_Full	23.861	25.200	PASS
n7	15	30	CP-QPSK	M	Outer_Full	28.614	30.120	PASS
n7	15	30	CP-16QAM	M	Outer_Full	28.6	30.180	PASS
n7	15	30	CP-64QAM	M	Outer_Full	28.59	30.240	PASS
n7	15	30	CP-256QAM	M	Outer_Full	28.655	30.360	PASS
n7	15	35	CP-QPSK	M	Outer_Full	33.615	35.140	PASS
n7	15	35	CP-16QAM	M	Outer_Full	33.574	35.280	PASS
n7	15	35	CP-64QAM	M	Outer_Full	33.596	35.210	PASS
n7	15	35	CP-256QAM	M	Outer_Full	33.522	35.140	PASS
n7	15	40	CP-QPSK	M	Outer_Full	38.79	41.280	PASS
n7	15	40	CP-16QAM	M	Outer_Full	38.652	41.200	PASS
n7	15	40	CP-64QAM	M	Outer_Full	38.785	41.760	PASS
n7	15	40	CP-256QAM	M	Outer_Full	38.736	41.120	PASS
n7	15	50	CP-QPSK	M	Outer_Full	48.35	51.200	PASS
n7	15	50	CP-16QAM	M	Outer_Full	48.346	51.000	PASS
n7	15	50	CP-64QAM	M	Outer_Full	48.403	51.100	PASS
n7	15	50	CP-256QAM	M	Outer_Full	48.361	50.900	PASS


Test Graphs




NTNV-n7-PC3-15-5-M-CP-QPSK-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-5-M-CP-16QAM-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-5-M-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-5-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-10-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-10-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-10-M-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-10-M-CP-256QAM-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-15-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-15-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-15-M-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-15-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-20-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-20-M-CP-16QAM-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-20-M-CP-64QAM-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-20-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-25-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-25-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-25-M-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-25-M-CP-256QAM-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-30-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-30-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-30-M-CP-64QAM-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-30-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-35-M-CP-QPSK-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-35-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-35-M-CP-64QAM-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-35-M-CP-256QAM-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-40-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-40-M-CP-16QAM-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-40-M-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-40-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-50-M-CP-QPSK-Outer_Full-Ant1-PASS



NTNV-n7-PC3-15-50-M-CP-16QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-50-M-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n7-PC3-15-50-M-CP-256QAM-Outer_Full-Ant1-PASS

Band Edge for SA


Test Graphs




NTNV-n7-PC3-15-5-L-DFT-BPSK-Edge 1RB Left-PASS




NTNV-n7-PC3-15-5-L-DFT-BPSK-Outer Full-PASS




NTNV-n7-PC3-15-5-L-DFT-QPSK-Edge 1RB Left-PASS




NTNV-n7-PC3-15-5-L-DFT-QPSK-Outer Full-PASS




NTNV-n7-PC3-15-5-H-DFT-BPSK-Edge 1RB Right-PASS




NTNV-n7-PC3-15-5-H-DFT-BPSK-Outer Full-PASS




NTNV-n7-PC3-15-5-H-DFT-QPSK-Edge 1RB Right-PASS




NTNV-n7-PC3-15-5-H-DFT-QPSK-Outer Full-PASS




NTNV-n7-PC3-15-10-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n7-PC3-15-10-L-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-10-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n7-PC3-15-10-L-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-10-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n7-PC3-15-10-H-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-10-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n7-PC3-15-10-H-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-15-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n7-PC3-15-15-L-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-15-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n7-PC3-15-15-L-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-15-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n7-PC3-15-15-H-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-15-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n7-PC3-15-15-H-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-20-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n7-PC3-15-20-L-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-20-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n7-PC3-15-20-L-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-20-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n7-PC3-15-20-H-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-20-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n7-PC3-15-20-H-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-25-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n7-PC3-15-25-L-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-25-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n7-PC3-15-25-L-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-25-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n7-PC3-15-25-H-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-25-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n7-PC3-15-25-H-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-30-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n7-PC3-15-30-L-DFT-BPSK-Outer_Full-PASS




NTNV-n7-PC3-15-30-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n7-PC3-15-30-L-DFT-QPSK-Outer_Full-PASS




NTNV-n7-PC3-15-30-H-DFT-BPSK-Edge_1RB_Right-PASS



NTNV-n7-PC3-15-30-H-DFT-BPSK-Outer_Full-PASS



NTNV-n7-PC3-15-30-H-DFT-QPSK-Edge_1RB_Right-PASS



NTNV-n7-PC3-15-30-H-DFT-QPSK-Outer_Full-PASS