

1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	12.210	12.310	99.19	0.04	0.03
		2437	12.210	12.313	99.16	0.04	0.08
		2462	12.210	12.310	99.19	0.04	0.05
802.11g	SISO	2412	2.029	2.065	98.26	0.08	0.07
		2437	2.029	2.064	98.30	0.07	0.00
		2462	2.030	2.065	98.31	0.07	0.04
802.11n (HT20)	SISO	2412	1.890	1.925	98.18	0.08	0.03
		2437	1.889	1.925	98.13	0.08	0.03
		2462	1.889	1.925	98.13	0.08	0.00
802.11n (HT40)	SISO	2422	0.930	0.979	94.99	0.22	0.00
		2437	0.930	0.979	94.99	0.22	0.03
		2452	0.929	0.979	94.89	0.23	0.03

1.2 Test Graph


1.2.1 Ant1




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	13.739	/	Pass
		2437	1	13.544	/	Pass
		2462	1	13.618	/	Pass
802.11g	SISO	2412	1	17.498	/	Pass
		2437	1	17.328	/	Pass
		2462	1	17.486	/	Pass
802.11n (HT20)	SISO	2412	1	18.531	/	Pass
		2437	1	18.421	/	Pass
		2462	1	18.533	/	Pass
802.11n (HT40)	SISO	2422	1	36.951	/	Pass
		2437	1	36.394	/	Pass
		2452	1	36.691	/	Pass

2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	8.574	≥ 0.5	Pass
		2437	1	8.547	≥ 0.5	Pass
		2462	1	8.110	≥ 0.5	Pass
802.11g	SISO	2412	1	15.506	≥ 0.5	Pass
		2437	1	15.706	≥ 0.5	Pass
		2462	1	15.756	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	1	16.119	≥ 0.5	Pass
		2437	1	15.466	≥ 0.5	Pass
		2462	1	16.349	≥ 0.5	Pass
802.11n (HT40)	SISO	2422	1	35.805	≥ 0.5	Pass
		2437	1	35.281	≥ 0.5	Pass
		2452	1	35.794	≥ 0.5	Pass

2.2 Test Graph


2.2.1 OBW




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




2.2.2 6dB BW




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	16.55	<=30	Pass
		2437	17.09	<=30	Pass
		2462	16.94	<=30	Pass
802.11g	SISO	2412	16.91	<=30	Pass
		2437	16.82	<=30	Pass
		2462	17.20	<=30	Pass
802.11n (HT20)	SISO	2412	16.72	<=30	Pass
		2437	16.47	<=30	Pass
		2462	16.92	<=30	Pass
802.11n (HT40)	SISO	2422	17.56	<=30	Pass
		2437	17.73	<=30	Pass
		2452	17.99	<=30	Pass

Note1: Antenna Gain: Ant1: 2.50dBi;

4. Maximum Power Spectral Density

4.1 Test Result


4.1.1 PSD

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	-9.33	<=8	Pass
		2437	-8.05	<=8	Pass
		2462	-8.71	<=8	Pass
802.11g	SISO	2412	-15.87	<=8	Pass
		2437	-16.27	<=8	Pass
		2462	-15.67	<=8	Pass
802.11n (HT20)	SISO	2412	-15.53	<=8	Pass
		2437	-16.82	<=8	Pass
		2462	-15.88	<=8	Pass
802.11n (HT40)	SISO	2422	-18.22	<=8	Pass
		2437	-17.56	<=8	Pass
		2452	-18.16	<=8	Pass


Note1: Antenna Gain: Ant1: 2.50dBi;

4.2 Test Graph


4.2.1 PSD




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	5.45
		2437	1	5.42
		2462	1	6.30
802.11g	SISO	2412	1	-1.17
		2437	1	-0.94
		2462	1	-0.67
802.11n (HT20)	SISO	2412	1	-0.68
		2437	1	-0.75
		2462	1	-0.44
802.11n (HT40)	SISO	2422	1	-3.72
		2437	1	-2.89
		2452	1	-3.75

5.1.2 CSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	6.30	-13.70	Pass
		2437	1	6.30	-13.70	Pass
		2462	1	6.30	-13.70	Pass
802.11g	SISO	2412	1	-0.67	-20.67	Pass
		2437	1	-0.67	-20.67	Pass
		2462	1	-0.67	-20.67	Pass
802.11n (HT20)	SISO	2412	1	-0.44	-20.44	Pass
		2437	1	-0.44	-20.44	Pass
		2462	1	-0.44	-20.44	Pass
802.11n (HT40)	SISO	2422	1	-2.89	-22.89	Pass
		2437	1	-2.89	-22.89	Pass
		2452	1	-2.89	-22.89	Pass

5.2 Test Graph


5.2.1 Ref




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




5.2.2 CSE




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



6. Unwanted Emissions In Restricted Frequency Bands

6.1 Test Result


6.1.1 RSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass
802.11g	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	2412	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2462	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	2422	1	Refer To Test Graph		Pass
		2437	1	Refer To Test Graph		Pass
		2452	1	Refer To Test Graph		Pass


Note1: level contains DCCF and antenna gain
Note2: Margin=Limit- level

6.2 Test Graph

6.2.1 RSE




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18744	-35.65	-21.20	14.45	Pass	Peak	7	18744	-45.85	-41.20	4.65	Pass	AVG
2	20425.6	-35.46	-21.20	14.26	Pass	Peak	8	20425.6	-46.14	-41.20	4.94	Pass	AVG
3	21173.6	-33.45	-21.20	12.25	Pass	Peak	9	21173.6	-44.31	-41.20	3.11	Pass	AVG
4	22024.8	-35.74	-21.20	14.54	Pass	Peak	10	22024.8	-45.87	-41.20	4.67	Pass	AVG
5	23003.2	-35.02	-21.20	13.82	Pass	Peak	11	23003.2	-43.63	-41.20	2.43	Pass	AVG
6	23726.4	-32.11	-21.20	10.91	Pass	Peak	12	23726.4	-41.74	-41.20	0.54	Pass	AVG

802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18888	-36.17	-21.20	14.97	Pass	Peak	7	18888	-45.95	-41.20	4.75	Pass	AVG
2	20036	-35.00	-21.20	13.80	Pass	Peak	8	20036	-45.37	-41.20	4.17	Pass	AVG
3	21169.6	-33.21	-21.20	12.01	Pass	Peak	9	21169.6	-44.31	-41.20	3.11	Pass	AVG
4	22166.4	-36.27	-21.20	15.07	Pass	Peak	10	22166.4	-45.56	-41.20	4.36	Pass	AVG
5	22950.4	-34.86	-21.20	13.66	Pass	Peak	11	22950.4	-44.26	-41.20	3.06	Pass	AVG
6	23723.2	-32.50	-21.20	11.30	Pass	Peak	12	23723.2	-41.62	-41.20	0.42	Pass	AVG

802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2483.876	-35.10	-21.20	13.90	Pass	Peak	3	2483.876	-54.52	-41.20	10.82	Pass	AVG
2	2485.674	-39.62	-21.20	18.42	Pass	Peak	4	2485.674	-55.24	-41.20	11.54	Pass	AVG

802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19569.6	-36.13	-21.20	14.93	Pass	Peak	7	19569.6	-46.41	-41.20	5.21	Pass	AVG
2	20478.4	-36.69	-21.20	15.49	Pass	Peak	8	20478.4	-44.95	-41.20	3.75	Pass	AVG
3	21205.6	-35.11	-21.20	13.91	Pass	Peak	9	21205.6	-44.53	-41.20	3.33	Pass	AVG
4	22204	-36.10	-21.20	14.90	Pass	Peak	10	22204	-45.44	-41.20	4.24	Pass	AVG
5	23014.4	-34.54	-21.20	13.34	Pass	Peak	11	23014.4	-43.56	-41.20	2.36	Pass	AVG
6	23738.4	-31.70	-21.20	10.50	Pass	Peak	12	23738.4	-41.69	-41.20	0.49	Pass	AVG

802.11g LCH 2412MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2360.508	-44.64	-21.20	23.44	Pass	Peak	3	2360.508	-59.05	-41.20	15.35	Pass	AVG
2	2389.788	-41.32	-21.20	20.12	Pass	Peak	4	2389.788	-55.85	-41.20	12.15	Pass	AVG

802.11g MCH 2437MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19299.2	-35.37	-21.20	14.17	Pass	Peak	7	19299.2	-45.81	-41.20	4.61	Pass	AVG
2	20171.2	-35.99	-21.20	14.79	Pass	Peak	8	20171.2	-46.04	-41.20	4.84	Pass	AVG
3	21095.2	-34.45	-21.20	13.25	Pass	Peak	9	21095.2	-44.23	-41.20	3.03	Pass	AVG
4	22181.6	-36.20	-21.20	15.00	Pass	Peak	10	22181.6	-45.28	-41.20	4.08	Pass	AVG
5	22976.8	-35.21	-21.20	14.01	Pass	Peak	11	22976.8	-43.85	-41.20	2.65	Pass	AVG
6	23758.4	-32.33	-21.20	11.13	Pass	Peak	12	23758.4	-41.85	-41.20	0.65	Pass	AVG

802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18745.6	-35.31	-21.20	14.11	Pass	Peak	7	18745.6	-45.73	-41.20	4.53	Pass	AVG
2	19874.4	-34.72	-21.20	13.52	Pass	Peak	8	19874.4	-45.33	-41.20	4.13	Pass	AVG
3	21125.6	-33.56	-21.20	12.36	Pass	Peak	9	21125.6	-43.95	-41.20	2.75	Pass	AVG
4	22152	-35.67	-21.20	14.47	Pass	Peak	10	22152	-45.53	-41.20	4.33	Pass	AVG
5	22991.2	-33.92	-21.20	12.72	Pass	Peak	11	22991.2	-43.49	-41.20	2.29	Pass	AVG
6	23734.4	-31.88	-21.20	10.68	Pass	Peak	12	23734.4	-41.76	-41.20	0.56	Pass	AVG

802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2484.166	-37.35	-21.20	16.15	Pass	Peak	3	2484.166	-54.43	-41.20	10.73	Pass	AVG
2	2486.370	-39.16	-21.20	17.96	Pass	Peak	4	2486.370	-55.70	-41.20	11.99	Pass	AVG

802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19006.4	-39.66	-21.20	18.46	Pass	Peak	7	19006.4	-49.36	-41.20	8.16	Pass	AVG
2	19997.6	-39.08	-21.20	17.88	Pass	Peak	8	19997.6	-48.91	-41.20	7.71	Pass	AVG
3	21223.2	-37.83	-21.20	16.63	Pass	Peak	9	21223.2	-47.90	-41.20	6.70	Pass	AVG
4	22239.2	-39.55	-21.20	18.35	Pass	Peak	10	22239.2	-48.67	-41.20	7.47	Pass	AVG
5	22991.2	-37.38	-21.20	16.18	Pass	Peak	11	22991.2	-46.84	-41.20	5.63	Pass	AVG
6	23716	-35.17	-21.20	13.97	Pass	Peak	12	23716	-44.73	-41.20	3.53	Pass	AVG

802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2347.332	-48.45	-21.20	27.25	Pass	Peak	3	2347.332	-62.74	-41.20	19.04	Pass	AVG
2	2389.666	-41.99	-21.20	20.79	Pass	Peak	4	2389.666	-57.65	-41.20	13.95	Pass	AVG

802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18747.2	-36.51	-21.20	15.30	Pass	Peak	7	18747.2	-45.89	-41.20	4.69	Pass	AVG
2	19764.8	-36.13	-21.20	14.93	Pass	Peak	8	19764.8	-46.09	-41.20	4.89	Pass	AVG
3	20573.6	-34.29	-21.20	13.09	Pass	Peak	9	20573.6	-44.24	-41.20	3.04	Pass	AVG
4	21307.2	-34.78	-21.20	13.58	Pass	Peak	10	21307.2	-44.92	-41.20	3.72	Pass	AVG
5	22985.6	-34.45	-21.20	13.25	Pass	Peak	11	22985.6	-43.40	-41.20	2.20	Pass	AVG
6	23726.4	-32.95	-21.20	11.76	Pass	Peak	12	23726.4	-41.73	-41.20	0.53	Pass	AVG

802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18825.6	-36.01	-21.20	14.81	Pass	Peak	7	18825.6	-45.79	-41.20	4.59	Pass	AVG
2	20024	-35.52	-21.20	14.32	Pass	Peak	8	20024	-45.33	-41.20	4.13	Pass	AVG
3	21161.6	-34.63	-21.20	13.43	Pass	Peak	9	21161.6	-44.06	-41.20	2.86	Pass	AVG
4	22186.4	-36.41	-21.20	15.21	Pass	Peak	10	22186.4	-45.45	-41.20	4.25	Pass	AVG
5	22954.4	-35.49	-21.20	14.29	Pass	Peak	11	22954.4	-44.14	-41.20	2.94	Pass	AVG
6	23692.8	-33.04	-21.20	11.84	Pass	Peak	12	23692.8	-41.69	-41.20	0.49	Pass	AVG

802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2484.398	-37.43	-21.20	16.23	Pass	Peak	3	2484.398	-54.22	-41.20	10.52	Pass	AVG
2	2486.370	-39.00	-21.20	17.80	Pass	Peak	4	2486.370	-55.54	-41.20	11.84	Pass	AVG

802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	19034.4	-39.58	-21.20	18.38	Pass	Peak	7	19034.4	-49.31	-41.20	8.11	Pass	AVG
2	20548	-37.82	-21.20	16.62	Pass	Peak	8	20548	-47.42	-41.20	6.22	Pass	AVG
3	21288.8	-38.76	-21.20	17.56	Pass	Peak	9	21288.8	-47.87	-41.20	6.67	Pass	AVG
4	22177.6	-37.76	-21.20	16.56	Pass	Peak	10	22177.6	-48.61	-41.20	7.41	Pass	AVG
5	22948	-39.33	-21.20	18.13	Pass	Peak	11	22948	-46.87	-41.20	5.67	Pass	AVG
6	23686.4	-36.20	-21.20	15.00	Pass	Peak	12	23686.4	-44.73	-41.20	3.52	Pass	AVG

802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	2384.328	-47.01	-21.20	25.81	Pass Peak	3	2384.328	-60.54	-41.20	16.84	Pass AVG
2	2389.952	-37.23	-21.20	16.03	Pass Peak	4	2389.952	-51.39	-41.20	7.69	Pass AVG

802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status Remark
1	18736.8	-39.28	-21.20	18.08	Pass Peak	7	18736.8	-49.12	-41.20	7.92	Pass AVG
2	20067.2	-38.11	-21.20	16.91	Pass Peak	8	20067.2	-48.53	-41.20	7.33	Pass AVG
3	21088	-38.26	-21.20	17.06	Pass Peak	9	21088	-47.37	-41.20	6.17	Pass AVG
4	22048.8	-39.65	-21.20	18.45	Pass Peak	10	22048.8	-48.95	-41.20	7.75	Pass AVG
5	22925.6	-38.37	-21.20	17.17	Pass Peak	11	22925.6	-47.21	-41.20	6.01	Pass AVG
6	23667.2	-35.77	-21.20	14.57	Pass Peak	12	23667.2	-44.64	-41.20	3.44	Pass AVG

802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	18584.8	-38.91	-21.20	17.71	Pass	Peak	7	18584.8	-49.35	-41.20	8.15	Pass	AVG
2	19529.6	-38.93	-21.20	17.73	Pass	Peak	8	19529.6	-49.62	-41.20	8.42	Pass	AVG
3	21132.8	-37.87	-21.20	16.67	Pass	Peak	9	21132.8	-47.36	-41.20	6.16	Pass	AVG
4	22120.8	-38.15	-21.20	16.95	Pass	Peak	10	22120.8	-48.72	-41.20	7.52	Pass	AVG
5	22982.4	-38.27	-21.20	17.07	Pass	Peak	11	22982.4	-46.60	-41.20	5.40	Pass	AVG
6	23777.6	-35.33	-21.20	14.13	Pass	Peak	12	23777.6	-44.70	-41.20	3.50	Pass	AVG

802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	2485.304	-38.45	-21.20	17.25	Pass	Peak	3	2485.304	-52.28	-41.20	8.58	Pass	AVG
2	2489.176	-40.47	-21.20	19.27	Pass	Peak	4	2489.176	-53.82	-41.20	10.12	Pass	AVG

▶▶▶ END OF REPORT ◀◀◀