





Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
839.748	-52.90	-58.34	-5.4	-	-	Horizontal	PK	NA
886.8438	-46.64	-51.36	-4.7	-	-	Horizontal	PK	NA
1792.1584	-58.70	-54.58	4.1	-13.0	41.6	Horizontal	PK	PASS
3728.8489	-56.61	-55.12	1.5	-13.0	42.1	Horizontal	PK	PASS
6786.1143	-62.86	-51.13	11.7	-13.0	38.1	Horizontal	PK	PASS
11341.054	-65.96	-46.15	19.8	-13.0	33.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
840.0875	-60.06	-65.80	-5.7	-	-	Vertical	PK	NA
887.5229	-33.55	-38.01	-4.5	-	-	Vertical	PK	NA
1828.1656	-58.33	-53.02	5.3	-13.0	40.0	Vertical	PK	PASS
3746.8873	-56.97	-55.73	1.2	-13.0	42.7	Vertical	PK	PASS
7223.4237	-62.77	-51.22	11.6	-13.0	38.2	Vertical	PK	PASS
11031.964	-67.27	-45.14	22.1	-13.0	32.1	Vertical	PK	PASS




**LTE Band 38**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
79.618	-45.06	-68.72	-23.7	-25.0	43.7	Horizontal	PK	PASS
194.2777	-45.94	-64.69	-18.8	-25.0	39.7	Horizontal	PK	PASS
2573.5147	-51.88	-40.19	11.7	-	-	Horizontal	PK	NA
3668.2383	-57.17	-55.43	1.7	-25.0	30.4	Horizontal	PK	PASS
7744.8698	-61.05	-48.63	12.4	-25.0	23.6	Horizontal	PK	PASS
17296.771	-69.05	-45.07	24.0	-25.0	20.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
48.0429	-44.16	-63.34	-19.2	-25.0	38.3	Vertical	PK	PASS
78.1144	-39.74	-62.42	-22.7	-25.0	37.4	Vertical	PK	PASS
2556.3113	-57.94	-45.30	12.6	-25.0	20.3	Vertical	PK	PASS
3784.3978	-55.96	-55.15	0.8	-25.0	30.2	Vertical	PK	PASS
7741.5097	-59.62	-48.17	11.5	-25.0	23.2	Vertical	PK	PASS
16619.944	-70.32	-44.47	25.9	-25.0	19.5	Vertical	PK	PASS



Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
79.1815	-45.09	-68.60	-23.5	-25.0	43.6	Horizontal	PK	PASS
194.4717	-46.31	-65.03	-18.7	-25.0	40.0	Horizontal	PK	PASS
2599.1198	-51.17	-38.61	12.6	-	-	Horizontal	PK	NA
3669.5242	-57.28	-55.54	1.7	-25.0	30.5	Horizontal	PK	PASS
7941.1976	-62.27	-49.15	13.1	-25.0	24.2	Horizontal	PK	PASS
16719.788	-70.55	-45.68	24.9	-25.0	20.7	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
47.4124	-42.82	-62.21	-19.4	-25.0	37.2	Vertical	PK	PASS
78.5024	-39.41	-62.18	-22.8	-25.0	37.2	Vertical	PK	PASS
2629.5259	-57.62	-44.34	13.3	-25.0	19.3	Vertical	PK	PASS
3662.6661	-56.94	-55.27	1.7	-25.0	30.3	Vertical	PK	PASS
7794.7918	-58.63	-47.31	11.3	-25.0	22.3	Vertical	PK	PASS
17330.853	-69.41	-44.75	24.7	-25.0	19.8	Vertical	PK	PASS

Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
78.6964	-44.94	-68.29	-23.4	-25.0	43.3	Horizontal	PK	PASS
195.1023	-46.60	-65.21	-18.6	-25.0	40.2	Horizontal	PK	PASS
2615.5231	-51.09	-38.55	12.5	-	-	Horizontal	PK	NA
3732.5332	-56.35	-54.89	1.5	-25.0	29.9	Horizontal	PK	PASS
7824.073	-62.01	-49.38	12.6	-25.0	24.4	Horizontal	PK	PASS
17334.693	-68.61	-44.32	24.3	-25.0	19.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
46.9273	-43.32	-62.87	-19.6	-25.0	37.9	Vertical	PK	PASS
78.2114	-39.46	-62.16	-22.7	-25.0	37.2	Vertical	PK	PASS
2630.7261	-58.26	-44.96	13.3	-25.0	20.0	Vertical	PK	PASS
3725.2465	-56.57	-55.09	1.5	-25.0	30.1	Vertical	PK	PASS
7829.8332	-61.12	-49.50	11.6	-25.0	24.5	Vertical	PK	PASS
16599.784	-70.91	-44.96	26.0	-25.0	20.0	Vertical	PK	PASS




**LTE Band 40 Block A**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
79.327	-45.57	-69.19	-23.6	-40.0	29.2	Horizontal	PK	PASS
193.7927	-47.16	-66.03	-18.9	-40.0	26.0	Horizontal	PK	PASS
2309.0618	-57.21	-49.05	8.2	-40.0	9.1	Horizontal	PK	PASS
3889.4128	-56.98	-55.73	1.3	-40.0	15.7	Horizontal	PK	PASS
6923.0769	-62.07	-50.52	11.6	-40.0	10.5	Horizontal	PK	PASS
16693.867	-70.74	-45.66	25.1	-40.0	5.7	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
46.1513	-42.78	-62.61	-19.8	-40.0	22.6	Vertical	PK	PASS
77.5324	-40.10	-62.70	-22.6	-40.0	22.7	Vertical	PK	PASS
2559.5119	-59.16	-47.87	11.3	-40.0	7.9	Vertical	PK	PASS
3729.5328	-56.68	-55.25	1.4	-40.0	15.3	Vertical	PK	PASS
6921.6369	-60.36	-49.47	10.9	-40.0	9.5	Vertical	PK	PASS
15838.473	-69.88	-44.89	25.0	-40.0	4.9	Vertical	PK	PASS



Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
79.424	-45.41	-69.06	-23.7	-40.0	29.1	Horizontal	PK	PASS
192.8711	-47.69	-66.72	-19.0	-40.0	26.7	Horizontal	PK	PASS
2309.862	-56.85	-48.72	8.1	-40.0	8.7	Horizontal	PK	PASS
3899.2713	-56.94	-55.63	1.3	-40.0	15.6	Horizontal	PK	PASS
6929.7972	-61.44	-49.89	11.6	-40.0	9.9	Horizontal	PK	PASS
17311.652	-69.38	-45.27	24.1	-40.0	5.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
46.4423	-42.44	-62.17	-19.7	-40.0	22.2	Vertical	PK	PASS
77.6294	-41.02	-63.64	-22.6	-40.0	23.6	Vertical	PK	PASS
2712.7425	-58.69	-47.32	11.4	-40.0	7.3	Vertical	PK	PASS
3830.6901	-55.94	-55.20	0.7	-40.0	15.2	Vertical	PK	PASS
6930.2772	-59.41	-48.49	10.9	-40.0	8.5	Vertical	PK	PASS
17313.572	-69.17	-44.55	24.6	-40.0	4.6	Vertical	PK	PASS

Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
78.8419	-45.51	-68.97	-23.5	-40.0	29.0	Horizontal	PK	PASS
194.4232	-47.16	-65.92	-18.8	-40.0	25.9	Horizontal	PK	PASS
2313.8628	-53.60	-45.62	8.0	-	-	Horizontal	PK	NA
3744.9636	-56.39	-55.06	1.3	-40.0	15.1	Horizontal	PK	PASS
6937.4775	-60.09	-48.55	11.5	-40.0	8.6	Horizontal	PK	PASS
16406.816	-70.60	-45.06	25.5	-40.0	5.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
46.6363	-42.42	-62.08	-19.7	-40.0	22.1	Vertical	PK	PASS
77.5324	-39.87	-62.47	-22.6	-40.0	22.5	Vertical	PK	PASS
2784.3569	-58.18	-46.75	11.4	-40.0	6.8	Vertical	PK	PASS
3627.9468	-57.23	-55.65	1.6	-40.0	15.7	Vertical	PK	PASS
6938.4375	-60.83	-49.89	10.9	-40.0	9.9	Vertical	PK	PASS
14049.442	-70.17	-45.37	24.8	-40.0	5.4	Vertical	PK	PASS




**LTE Band 40 Block B**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
79.23	-45.36	-68.96	-23.6	-40.0	29.0	Horizontal	PK	PASS
194.6172	-46.77	-65.49	-18.7	-40.0	25.5	Horizontal	PK	PASS
2351.8704	-49.33	-41.23	8.1	-	-	Horizontal	PK	NA
3644.6635	-57.43	-55.72	1.7	-40.0	15.7	Horizontal	PK	PASS
7057.0023	-61.92	-50.17	11.8	-40.0	10.2	Horizontal	PK	PASS
16380.895	-71.56	-46.08	25.5	-40.0	6.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
47.1699	-43.00	-62.49	-19.5	-40.0	22.5	Vertical	PK	PASS
78.2599	-39.75	-62.53	-22.8	-40.0	22.5	Vertical	PK	PASS
2632.3265	-59.17	-47.54	11.6	-40.0	7.5	Vertical	PK	PASS
3540.5058	-57.05	-55.67	1.4	-40.0	15.7	Vertical	PK	PASS
7056.0422	-60.54	-49.60	10.9	-40.0	9.6	Vertical	PK	PASS
16604.104	-70.75	-44.82	25.9	-40.0	4.8	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
78.7934	-45.46	-68.90	-23.4	-40.0	28.9	Horizontal	PK	PASS
195.1023	-47.43	-66.07	-18.6	-40.0	26.1	Horizontal	PK	PASS
2353.4707	-52.53	-44.37	8.2	-	-	Horizontal	PK	NA
3647.664	-56.95	-55.24	1.7	-40.0	15.2	Horizontal	PK	PASS
8058.8024	-63.96	-50.49	13.5	-40.0	10.5	Horizontal	PK	PASS
17314.052	-69.22	-45.09	24.1	-40.0	5.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
45.4238	-43.83	-63.90	-20.1	-40.0	23.9	Vertical	PK	PASS
77.7749	-39.63	-62.29	-22.7	-40.0	22.3	Vertical	PK	PASS
2567.5135	-58.63	-47.83	10.8	-40.0	7.8	Vertical	PK	PASS
4143.1633	-58.07	-55.88	2.2	-40.0	15.9	Vertical	PK	PASS
7064.6826	-60.92	-50.01	10.9	-40.0	10.0	Vertical	PK	PASS
16300.732	-71.00	-44.83	26.2	-40.0	4.8	Vertical	PK	PASS

Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
78.6964	-45.42	-68.83	-23.4	-40.0	28.8	Horizontal	PK	PASS
194.0837	-46.82	-65.63	-18.8	-40.0	25.6	Horizontal	PK	PASS
2357.4715	-54.32	-46.04	8.3	-	-	Horizontal	PK	NA
3670.8101	-57.00	-55.26	1.7	-40.0	15.3	Horizontal	PK	PASS
7072.3629	-62.38	-50.57	11.8	-40.0	10.6	Horizontal	PK	PASS
15619.584	-70.43	-45.55	24.9	-40.0	5.6	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
46.6363	-42.35	-62.01	-19.7	-40.0	22.0	Vertical	PK	PASS
78.2114	-40.18	-62.94	-22.8	-40.0	22.9	Vertical	PK	PASS
2757.1514	-58.64	-47.22	11.4	-40.0	7.2	Vertical	PK	PASS
3535.7908	-56.66	-55.29	1.4	-40.0	15.3	Vertical	PK	PASS
7070.9228	-61.68	-50.78	10.9	-40.0	10.8	Vertical	PK	PASS
16302.652	-71.13	-45.00	26.1	-40.0	5.0	Vertical	PK	PASS




**LTE Band 41**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
79.5695	-42.53	-66.17	-23.6	-25.0	41.2	Horizontal	PK	PASS
194.1322	-44.37	-63.16	-18.8	-25.0	38.2	Horizontal	PK	PASS
2484.6969	-30.23	-20.23	10.0	-25.0	-4.8	Horizontal	PK	NA
2484.6969	-54.31	-44.31	10.0	-25.00	19.31	Horizontal	RMS	PASS
3708.9584	-56.91	-55.22	1.7	-25.0	30.2	Horizontal	PK	PASS
6906.7563	-61.98	-50.43	11.6	-25.0	25.4	Horizontal	PK	PASS
16422.176	-70.47	-45.44	25.0	-25.0	20.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
47.3639	-39.13	-58.55	-19.4	-25.0	33.6	Vertical	PK	PASS
78.2114	-37.73	-60.43	-22.7	-25.0	35.4	Vertical	PK	PASS
2675.135	-58.20	-45.70	12.5	-25.0	20.7	Vertical	PK	PASS
3486.9267	-57.01	-55.83	1.2	-25.0	30.8	Vertical	PK	PASS
7510.6204	-63.10	-51.23	11.9	-25.0	26.2	Vertical	PK	PASS
17292.931	-67.71	-43.16	24.6	-25.0	18.2	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
44.8417	-37.33	-52.64	-15.3	-25.0	27.6	Horizontal	PK	PASS
79.327	-36.89	-60.45	-23.6	-25.0	35.5	Horizontal	PK	PASS
2673.9348	-58.98	-45.38	13.6	-25.0	20.4	Horizontal	PK	PASS
3665.6665	-57.05	-55.32	1.7	-25.0	30.3	Horizontal	PK	PASS
7984.8794	-63.26	-49.97	13.3	-25.0	25.0	Horizontal	PK	PASS
16366.014	-71.03	-45.78	25.3	-25.0	20.8	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
47.2184	-39.31	-58.77	-19.5	-25.0	33.8	Vertical	PK	PASS
79.7635	-37.09	-60.18	-23.1	-25.0	35.2	Vertical	PK	PASS
2555.9112	-58.56	-45.91	12.7	-25.0	20.9	Vertical	PK	PASS
4116.5881	-57.86	-55.73	2.1	-25.0	30.7	Vertical	PK	PASS
7774.151	-62.36	-50.99	11.4	-25.0	26.0	Vertical	PK	PASS
13660.626	-69.06	-44.82	24.2	-25.0	19.8	Vertical	PK	PASS

Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
80.3455	-42.36	-66.13	-23.8	-25.0	41.1	Horizontal	PK	PASS
193.9382	-44.86	-63.68	-18.8	-25.0	38.7	Horizontal	PK	PASS
2699.5399	-30.32	-16.72	13.6	-25.0	-8.3	Horizontal	PK	NA
2699.5399	-46.42	-32.82	13.6	-25.00	7.82	Horizontal	RMS	PASS
3633.9477	-57.46	-55.76	1.7	-25.0	30.8	Horizontal	PK	PASS
6217.9287	-60.58	-51.35	9.2	-25.0	26.4	Horizontal	PK	PASS
16694.827	-70.81	-45.72	25.1	-25.0	20.7	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
46.6848	-38.87	-58.51	-19.6	-25.0	33.5	Vertical	PK	PASS
79.6665	-38.20	-61.26	-23.1	-25.0	36.3	Vertical	PK	PASS
2703.5407	-39.62	-26.35	13.3	-25.0	1.4	Vertical	PK	NA
2703.5407	-52.97	-39.70	13.3	-25.00	14.70	Vertical	RMS	PASS
3660.9516	-56.96	-55.30	1.7	-25.0	30.3	Vertical	PK	PASS
8046.3219	-63.10	-50.11	13.0	-25.0	25.1	Vertical	PK	PASS
17317.892	-68.90	-44.28	24.6	-25.0	19.3	Vertical	PK	PASS




**LTE Band 42**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
193.8897	-46.90	-65.58	-18.7	-40.0	25.6	Horizontal	PK	PASS
2685.9372	-54.60	-44.16	10.4	-40.0	4.2	Horizontal	PK	PASS
3726.961	-68.32	-46.77	21.6	-40.0	6.8	Horizontal	PK	PASS
6954.5398	-62.35	-50.82	11.5	-40.0	10.8	Horizontal	PK	PASS
10476.686	-66.62	-47.32	19.3	-40.0	7.3	Horizontal	PK	PASS
17330.972	-69.72	-45.46	24.3	-40.0	5.5	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
77.7264	-40.26	-62.93	-22.7	-40.0	22.9	Vertical	PK	PASS
2733.1466	-53.90	-43.90	10.0	-40.0	3.9	Vertical	PK	PASS
3735.5336	-67.93	-46.49	21.4	-40.0	6.5	Vertical	PK	PASS
5616.3738	-70.52	-44.11	26.4	-40.0	4.1	Vertical	PK	PASS
11141.214	-66.71	-44.99	21.7	-40.0	5.0	Vertical	PK	PASS
16288.428	-70.70	-44.50	26.2	-40.0	4.5	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
193.0652	-46.93	-65.76	-18.8	-40.0	25.8	Horizontal	PK	PASS
2688.3377	-54.31	-43.89	10.4	-40.0	3.9	Horizontal	PK	PASS
3502.3575	-61.52	-40.20	21.3	-	-	Horizontal	PK	NA
5628.8041	-71.03	-44.40	26.6	-40.0	4.4	Horizontal	PK	PASS
10601.191	-66.10	-46.75	19.4	-40.0	6.8	Horizontal	PK	PASS
17395.974	-69.98	-45.20	24.8	-40.0	5.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
44.5992	-42.39	-62.68	-20.3	-40.0	22.7	Vertical	PK	PASS
78.2599	-40.27	-63.06	-22.8	-40.0	23.1	Vertical	PK	PASS
2631.5263	-54.33	-44.23	10.1	-40.0	4.2	Vertical	PK	PASS
3504.5006	-68.30	-46.74	21.6	-	-	Vertical	PK	NA
5511.7874	-70.88	-45.13	25.8	-40.0	5.1	Vertical	PK	PASS
10604.191	-65.73	-45.67	20.1	-40.0	5.7	Vertical	PK	PASS
17329.972	-69.17	-44.51	24.7	-40.0	4.5	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
193.5987	-47.14	-65.88	-18.7	-40.0	25.9	Horizontal	PK	PASS
2679.5359	-54.09	-43.60	10.5	-40.0	3.6	Horizontal	PK	PASS
3585.9408	-63.43	-42.05	21.4	-	-	Horizontal	PK	NA
5528.0754	-70.22	-43.92	26.3	-40.0	3.9	Horizontal	PK	PASS
10855.202	-67.83	-47.25	20.6	-40.0	7.3	Horizontal	PK	PASS
17323.471	-69.68	-45.49	24.2	-40.0	5.5	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
46.4423	-42.11	-61.78	-19.7	-40.0	21.8	Vertical	PK	PASS
77.4839	-40.04	-62.64	-22.6	-40.0	22.6	Vertical	PK	PASS
2625.5251	-54.08	-44.23	9.9	-40.0	4.2	Vertical	PK	PASS
5598.3712	-71.22	-44.71	26.5	-40.0	4.7	Vertical	PK	PASS
11146.214	-66.57	-44.87	21.7	-40.0	4.9	Vertical	PK	PASS
16318.93	-71.05	-45.28	25.8	-40.0	5.3	Vertical	PK	PASS




**LTE Band 66**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
82.7221	-47.48	-71.19	-23.7	-13.0	58.2	Horizontal	PK	PASS
187.4874	-47.72	-67.69	-20.0	-13.0	54.7	Horizontal	PK	PASS
1699.3399	-28.86	-25.57	3.3	-13.0	12.6	Horizontal	PK	PASS
2958.3917	-55.21	-41.07	14.1	-13.0	28.1	Horizontal	PK	PASS
10649.770	-65.30	-46.08	19.2	-13.0	33.1	Horizontal	PK	PASS
17917.497	-69.37	-38.79	30.6	-13.0	25.8	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
81.2186	-47.59	-70.69	-23.1	-13.0	57.7	Vertical	PK	PASS
303.2142	-55.30	-71.50	-16.2	-13.0	58.5	Vertical	PK	PASS
1701.3403	-45.01	-41.53	3.5	-13.0	28.5	Vertical	PK	PASS
2119.0238	-47.84	-42.08	5.8	-	-	Vertical	PK	NA
11121.347	-67.45	-45.34	22.1	-13.0	32.3	Vertical	PK	PASS
17931.560	-69.77	-39.23	30.5	-13.0	26.2	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
34.3167	-52.04	-67.28	-15.2	-13.0	54.3	Horizontal	PK	PASS
130.3515	-43.45	-69.62	-26.2	-13.0	56.6	Horizontal	PK	PASS
1687.3375	-42.64	-40.09	2.6	-13.0	27.1	Horizontal	PK	PASS
1744.949	-37.87	-34.91	3.0	-	-	Horizontal	PK	NA
10483.827	-66.18	-46.40	19.8	-13.0	33.4	Horizontal	PK	PASS
17916.559	-69.73	-39.13	30.6	-13.0	26.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
80.006	-49.22	-72.42	-23.2	-13.0	59.4	Vertical	PK	PASS
303.8932	-56.11	-72.27	-16.2	-13.0	59.3	Vertical	PK	PASS
1744.5489	-51.80	-48.35	3.5	-	-	Vertical	PK	NA
2139.4279	-48.06	-42.16	5.9	-	-	Vertical	PK	NA
11089.471	-67.34	-44.97	22.4	-13.0	32.0	Vertical	PK	PASS
17922.653	-69.44	-38.80	30.6	-13.0	25.8	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-49.89	-73.23	-23.3	-13.0	60.2	Horizontal	PK	PASS
194.0352	-50.99	-69.81	-18.8	-13.0	56.8	Horizontal	PK	PASS
1697.3395	-47.39	-44.22	3.2	-13.0	31.2	Horizontal	PK	PASS
1796.5593	-32.06	-27.91	4.2	-13.0	14.9	Horizontal	PK	PASS
10977.436	-67.50	-46.53	21.0	-13.0	33.5	Horizontal	PK	PASS
17964.842	-68.62	-38.63	30.0	-13.0	25.6	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
81.1701	-49.61	-72.71	-23.1	-13.0	59.7	Vertical	PK	PASS
299.1885	-55.53	-71.95	-16.4	-13.0	59.0	Vertical	PK	PASS
1795.7592	-45.11	-41.39	3.7	-13.0	28.4	Vertical	PK	PASS
2172.6345	-51.36	-44.97	6.4	-	-	Vertical	PK	NA
11090.877	-67.89	-45.51	22.4	-13.0	32.5	Vertical	PK	PASS
17913.278	-69.84	-39.09	30.8	-13.0	26.1	Vertical	PK	PASS




**LTE Band 71**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
627.4529	-48.34	-57.08	-8.7	-	-	Horizontal	PK	NA
669.359	-39.82	-47.89	-8.1	-	-	Horizontal	PK	NA
1873.7748	-57.94	-52.32	5.6	-13.0	39.3	Horizontal	PK	PASS
3712.2731	-57.52	-55.86	1.7	-13.0	42.9	Horizontal	PK	PASS
6567.7034	-62.31	-51.31	11.0	-13.0	38.3	Horizontal	PK	PASS
12545.727	-69.46	-46.12	23.3	-13.0	33.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
634.1947	-34.99	-43.52	-8.5	-	-	Vertical	PK	NA
668.4859	-42.92	-51.33	-8.4	-	-	Vertical	PK	NA
1844.969	-57.94	-52.80	5.1	-13.0	39.8	Vertical	PK	PASS
3642.0696	-57.87	-56.25	1.6	-13.0	43.3	Vertical	PK	PASS
6218.6359	-61.85	-52.59	9.3	-13.0	39.6	Vertical	PK	PASS
11062.190	-67.70	-45.45	22.3	-13.0	32.5	Vertical	PK	PASS



Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
633.0792	-48.22	-56.88	-8.7	-	-	Horizontal	PK	NA
671.9781	-44.70	-52.72	-8.0	-	-	Horizontal	PK	NA
1809.762	-58.02	-53.41	4.6	-13.0	40.4	Horizontal	PK	PASS
3733.2367	-57.25	-55.81	1.4	-13.0	42.8	Horizontal	PK	PASS
6483.8492	-62.90	-52.50	10.4	-13.0	39.5	Horizontal	PK	PASS
12536.951	-68.77	-45.42	23.4	-13.0	32.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
637.5414	-34.28	-42.77	-8.5	-	-	Vertical	PK	NA
671.9296	-49.97	-58.40	-8.4	-	-	Vertical	PK	NA
1862.1724	-58.82	-53.73	5.1	-13.0	40.7	Vertical	PK	PASS
3642.0696	-57.68	-56.06	1.6	-13.0	43.1	Vertical	PK	PASS
6562.8281	-61.88	-52.13	9.8	-13.0	39.1	Vertical	PK	PASS
11019.288	-67.38	-45.31	22.1	-13.0	32.3	Vertical	PK	PASS

Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
633.7097	-49.24	-57.89	-8.7	-	-	Horizontal	PK	NA
696.1808	-42.18	-50.11	-7.9	-	-	Horizontal	PK	NA
1861.3723	-58.75	-53.56	5.2	-13.0	40.6	Horizontal	PK	PASS
3409.033	-53.01	-52.73	0.3	-13.0	39.7	Horizontal	PK	PASS
6721.2736	-62.97	-51.47	11.5	-13.0	38.5	Horizontal	PK	PASS
10659.495	-64.87	-45.71	19.2	-13.0	32.7	Horizontal	PK	PASS



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
639.8695	-34.14	-42.60	-8.5	-	-	Vertical	PK	NA
696.5688	-48.17	-56.39	-8.2	-	-	Vertical	PK	NA
1841.7684	-58.91	-53.68	5.2	-13.0	40.7	Vertical	PK	PASS
3654.7452	-57.46	-55.81	1.7	-13.0	42.8	Vertical	PK	PASS
7112.2681	-62.17	-51.12	11.1	-13.0	38.1	Vertical	PK	PASS
11034.889	-66.93	-44.79	22.1	-13.0	31.8	Vertical	PK	PASS



## Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test Items	Uncertainty
Output Power	$\pm 2.22$ dB
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	$\pm 2.77$ dB
Band Edge	$\pm 2.77$ dB
Equivalent Isotropic Radiated Power	$\pm 2.22$ dB
Radiated Spurious Emissions	$\pm 6$ dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=2$ .



## Annex B Testing Laboratory Information

### 1. Identification of the Responsible Testing Laboratory

<b>Laboratory Name:</b>	Shenzhen Morlab Communications Technology Co., Ltd.
<b>Laboratory Address:</b>	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
<b>Telephone:</b>	+86 755 36698555
<b>Facsimile:</b>	+86 755 36698525

### 2. Identification of the Responsible Testing Location

<b>Name:</b>	Shenzhen Morlab Communications Technology Co., Ltd.
<b>Address:</b>	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

### 3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



#### 4. Test Equipment Utilized

##### 4.1 Conducted Test Equipment

Equipment	Serial No.	Type	Manufacturer	Cal. Date	Due Date
Signal Analyzer	MY51511149	N9020A	Agilent	2024.06.19	2025.06.18
Communication Test Station	6200995016	MT8820C	Anritsu	2024.09.11	2025.09.10
Temperature Chamber	S022177101 00089002	KMT-36LF 1A0	KOMEG	2024.09.11	2025.09.10

##### 4.2 List of Software Used

Description	Manufacturer	Software Version
MOR-2023E Test System	MORLAB	V7.99
JS36-RSE	Tonscend	5.0.0

**4.3 Radiated Test Equipment**

Equipment	Serial No.	Type	Manufacturer	Cal. Date	Due Date
System Simulator	152038	CMW500	R&S	2024.09.11	2025.09.10
Receiver	MY56060145	N9020A	Agilent	2025.05.13	2026.05.12
Test Antenna - Bi-Log	9163-519	VULB 9163	Schwarzbeck	2025.06.22	2026.06.20
Test Antenna - Horn	9120D-963	BBHA 9120D	Schwarzbeck	2025.05.16	2026.05.15
RF Coaxial Cable (DC-18GHz)	MRE001	PE330	Pasternack	2025.05.13	2026.05.12
RF Coaxial Cable (DC-18GHz)	MRE002	CLU18	Pasternack	2025.05.13	2026.05.12
RF Coaxial Cable (DC-18GHz)	MRE003	CLU18	Pasternack	2025.05.13	2026.05.12
RF Coaxial Cable (DC-40GHz)	22290045	QA360-40-KK- 0.5	Qualwave	2024.09.11	2025.09.10
RF Coaxial Cable (DC-40GHz)	22290046	QA360-40-KK F-2	Qualwave	2024.09.11	2025.09.10
RF Coaxial Cable (DC-18GHz)	22120181	QA500-18-NN -5	Qualwave	2024.09.11	2025.09.10
Preamplifier (10MHz-6GHz)	46732	S10M100L380 2	LUCIX CORP.	2025.05.13	2026.05.12
Preamplifier (2GHz-18GHz)	61171/61172	S020180L320 3	LUCIX CORP.	2025.05.13	2026.05.12
Preamplifier (18GHz-40GHz)	DS77209	DCLNA0118-4 0C-S	Decentest	2025.05.13	2026.05.12
Notch Filter	N/A	WRCGV -LTE B2	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B4	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B5	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B7	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B12	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV	Wainwright	N/A	N/A



		-LTE 13			
Notch Filter	N/A	WRCGV -LTE B17	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B25	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE 26	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B38	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B40	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B41	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B42	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B66	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE 71	Wainwright	N/A	N/A
Anechoic Chamber	N/A	9m*6m*6m	CRT	2025.06.21	2028.06.20
Anechoic Chamber	N/A	9m*6m*6m	CRT	2022.11.30	2025.11.29

————— END OF REPORT —————