



8.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1906.425	14.27	30	15.73	Pass	401
1910	1911	0.051	RMS	1910	-32.38	-13	19.38	Pass	401
1911.5	1920	1	RMS	1911.5	-25.41	-13	12.41	Pass	401



8.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-39.27	-13	26.27	Pass	401
1849	1850	0.2	RMS	1850	-21.76	-13	8.76	Pass	401
1850	1870	1	RMS	1850.55	20.61	30	9.39	Pass	401




8.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-26.63	-13	13.63	Pass	401
1849	1850	0.2	RMS	1850	-34.79	-13	21.79	Pass	401
1850	1870	1	RMS	1851.75	8.5	30	21.5	Pass	401




8.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.4	20.74	30	9.26	Pass	401
1910	1911	0.2	RMS	1910	-22.89	-13	9.89	Pass	401
1911.5	1935	1	RMS	1911.5	-41.05	-13	28.05	Pass	401




8.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1891.55	8.42	30	21.58	Pass	401
1910	1911	0.2	RMS	1910	-35.92	-13	22.92	Pass	401
1911	1935	1	RMS	1911	-28.99	-13	15.99	Pass	401




8.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-14.62	-13	1.62	Pass*	401
1849	1850	0.4	RMS	1850	-18.04	-13	5.04	Pass*	4
1850	1890	1	RMS	1850.6	20.78	30	9.22	Pass	401




8.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-31.96	-13	18.96	Pass	401
1849	1850	0.39	RMS	1850	-31.27	-13	18.27	Pass	401
1850	1890	1	RMS	1884.8	5.44	30	24.56	Pass	401




8.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1910	1	RMS	1909.3	20.35	30	9.65	Pass	401
1910	1911	0.4	RMS	1910	-20.09	-13	7.09	Pass	4
1911	1955	1	RMS	1911	-21.33	-13	8.33	Pass	401



8.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1910	1	RMS	1884.8	5.46	30	24.54	Pass	401
1910	1911	0.39	RMS	1910	-33.21	-13	20.21	Pass	401
1911	1955	1	RMS	1911	-33.98	-13	20.98	Pass	401



9. DC_66A_n5A


9.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	821.898	-50.8	-13	37.8	Pass	401
823	824	0.02	RMS	823.998	-27.88	-13	14.88	Pass	401
824	829	0.1	RMS	824.338	15.21	30	14.79	Pass	401




9.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-46.09	-13	33.09	Pass	401
823	824	0.051	RMS	824	-38.85	-13	25.85	Pass	401
824	829	0.1	RMS	825.138	2.36	30	27.64	Pass	401




9.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	847.4	-65.44	30	95.44	Pass	401
849	850	0.02	RMS	849.003	-72.28	-13	59.28	Pass	401
850	859	0.1	RMS	851.755	-65.47	-13	52.47	Pass	401




9.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.425	2.53	30	27.47	Pass	401
849	850	0.051	RMS	849	-40.4	-13	27.4	Pass	401
850	859	0.1	RMS	850.72	-46.44	-13	33.44	Pass	401




9.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	820.055	-50.5	-13	37.5	Pass	401
823	824	0.02	RMS	824	-39.48	-13	26.48	Pass	401
824	839	0.1	RMS	824.488	15.24	30	14.76	Pass	401




9.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.573	-48.57	-13	35.57	Pass	401
823	824	0.15	RMS	824	-42.94	-13	29.94	Pass	401
824	839	0.1	RMS	834.838	-2.14	30	32.14	Pass	401




9.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	15.15	30	14.85	Pass	401
849	850	0.02	RMS	849	-42.68	-13	29.68	Pass	401
850	869	0.1	RMS	854.75	-48.3	-13	35.3	Pass	401




9.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	840.075	-2.31	30	32.31	Pass	401
849	850	0.15	RMS	849.455	-46.22	-13	33.22	Pass	401
850	869	0.1	RMS	852.518	-47.45	-13	34.45	Pass	401




9.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.58	-46.76	-13	33.76	Pass	401
823	824	0.02	RMS	824	-36.26	-13	23.26	Pass	401
824	844	0.1	RMS	824.55	20.15	30	9.85	Pass	401




9.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-35.94	-13	22.94	Pass	401
823	824	0.2	RMS	824	-32.43	-13	19.43	Pass	401
824	844	0.1	RMS	834.2	1.42	30	28.58	Pass	401




9.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.21	30	9.79	Pass	401
849	850	0.02	RMS	849	-37.85	-13	24.85	Pass	401
850	874	0.1	RMS	850.84	-47.52	-13	34.52	Pass	401



9.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	839.2	1.62	30	28.38	Pass	401
849	850	0.2	RMS	849.545	-36.2	-13	23.2	Pass	401
850	874	0.1	RMS	851.08	-39.32	-13	26.32	Pass	401



10. DC_5A_n66A 15kHz


10.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-32.23	-13	19.23	Pass	401
1709	1710	0.051	RMS	1709.998	-24.4	-13	11.4	Pass	401
1710	1715	1	RMS	1710.313	17.41	30	12.59	Pass	401




10.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.203	-35.37	-13	22.37	Pass	401
1709	1710	0.051	RMS	1710	-38.16	-13	25.16	Pass	401
1710	1715	1	RMS	1711.275	11.11	30	18.89	Pass	401




10.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.613	17.55	30	12.45	Pass	401
1780	1781	0.051	RMS	1780	-26.24	-13	13.24	Pass	401
1781.5	1790	1	RMS	1781.5	-34.52	-13	21.52	Pass	401




10.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.2	11.2	30	18.8	Pass	401
1780	1781	0.051	RMS	1780	-39.35	-13	26.35	Pass	401
1781.5	1790	1	RMS	1781.5	-36.1	-13	23.1	Pass	401




10.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-42.04	-13	29.04	Pass	401
1709	1710	0.2	RMS	1710	-26.04	-13	13.04	Pass	401
1710	1730	1	RMS	1710.55	17.33	30	12.67	Pass	401




10.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.441	-39.76	-13	26.76	Pass	401
1709	1710	0.2	RMS	1710	-43.58	-13	30.58	Pass	401
1710	1730	1	RMS	1723.2	5.04	30	24.96	Pass	401




10.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	17.63	30	12.37	Pass	401
1780	1781	0.2	RMS	1780	-26.41	-13	13.41	Pass	401
1781.5	1805	1	RMS	1781.5	-42.91	-13	29.91	Pass	401




10.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1769.55	5.08	30	24.92	Pass	401
1780	1781	0.2	RMS	1780	-43.58	-13	30.58	Pass	401
1781.5	1805	1	RMS	1781.5	-39.88	-13	26.88	Pass	401




10.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.5	-42.62	-13	29.62	Pass	401
1709	1709.8	0.39	RMS	1709.798	-26.51	-13	13.51	Pass	401
1710	1750	1	RMS	1710.6	17.23	30	12.77	Pass	401




10.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-37.69	-13	24.69	Pass	401
1709	1710	0.39	RMS	1710	-35.97	-13	22.97	Pass	401
1710	1750	1	RMS	1729	1.91	30	28.09	Pass	401




10.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1779.3	20.44	30	9.56	Pass	401
1780.2	1781	0.39	RMS	1780.2	-23.37	-13	10.37	Pass	401
1781	1825	1	RMS	1781	-38.58	-13	25.58	Pass	45



10.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1743.8	5.01	30	24.99	Pass	401
1780	1781	0.39	RMS	1780	-32.96	-13	19.96	Pass	401
1781	1825	1	RMS	1781.44	-32.91	-13	19.91	Pass	401



11. DC_5A_n77A 30kHz(3450-3550)


11.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-46.76	-13	33.76	Pass	401
3445	3449	0.62	RMS	3449	-40.69	-13	27.69	Pass	401
3449	3450	0.2	RMS	3450	-28.38	-13	15.38	Pass	401
3450	3460	1	RMS	3450.85	19.52	40	20.48	Pass	401




11.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-34.12	-13	21.12	Pass	401
3445	3449	0.62	RMS	3448.98	-32.94	-13	19.94	Pass	401
3449	3450	0.2	RMS	3450	-35.49	-13	22.49	Pass	401
3450	3460	1	RMS	3457.15	13.28	40	26.72	Pass	401




11.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.1	19.85	40	20.15	Pass	401
3550	3551	0.2	RMS	3550.005	-30.56	-13	17.56	Pass	401
3551	3555	0.62	RMS	3551	-40.17	-13	27.17	Pass	401
3555	3565	1	RMS	3555.1	-46.85	-13	33.85	Pass	401




11.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3547	13.44	40	26.56	Pass	401
3550	3551	0.2	RMS	3550	-35.21	-13	22.21	Pass	401
3551	3555	0.62	RMS	3551.02	-32.3	-13	19.3	Pass	401
3555	3565	1	RMS	3555.05	-34.29	-13	21.29	Pass	401




11.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-48.17	-13	35.17	Pass	401
3445	3449	0.62	RMS	3448.99	-41.81	-13	28.81	Pass	401
3449	3450	0.2	RMS	3450	-33.68	-13	20.68	Pass	401
3450	3500	1	RMS	3451.25	19.54	40	20.46	Pass	401




11.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-33.77	-13	20.77	Pass	401
3445	3449	0.62	RMS	3448.87	-36.09	-13	23.09	Pass	401
3449	3450	0.2	RMS	3449.43	-41	-13	28	Pass	401
3450	3500	1	RMS	3494.5	6.13	40	33.87	Pass	401




11.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.75	19.98	40	20.02	Pass	401
3550	3551	0.2	RMS	3550.003	-33.01	-13	20.01	Pass	401
3551	3555	0.62	RMS	3551	-41.28	-13	28.28	Pass	401
3555	3605	1	RMS	3572.5	-47.42	-13	34.42	Pass	401




11.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3544.5	6.31	40	33.69	Pass	401
3550	3551	0.2	RMS	3550.11	-41.1	-13	28.1	Pass	401
3551	3555	0.62	RMS	3553.43	-36.44	-13	23.44	Pass	401
3555	3605	1	RMS	3555.625	-35.53	-13	22.53	Pass	401




11.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-46.94	-13	33.94	Pass	401
3445	3449	0.62	RMS	3449	-39.2	-13	26.2	Pass	401
3449	3450	0.051	RMS	3450	-32.74	-13	19.74	Pass	401
3450	3550	1	RMS	3451	19.28	40	20.72	Pass	401




11.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3427.75	-36.76	-13	23.76	Pass	401
3445	3449	0.62	RMS	3447.86	-38.52	-13	25.52	Pass	401
3449	3450	0.2	RMS	3450	-42.59	-13	29.59	Pass	401
3450	3550	1	RMS	3460.5	3.06	40	36.94	Pass	401




11.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.64	40	20.36	Pass	401
3550	3551	0.2	RMS	3550	-28.72	-13	15.72	Pass	401
3551	3555	0.62	RMS	3551	-39.68	-13	26.68	Pass	401
3555	3655	1	RMS	3555	-47.06	-13	34.06	Pass	401



11.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3460.5	3.05	40	36.95	Pass	401
3550	3551	0.2	RMS	3550.995	-45.06	-13	32.06	Pass	401
3551	3555	0.62	RMS	3551.08	-40.13	-13	27.13	Pass	401
3555	3655	1	RMS	3571.25	-38.33	-13	25.33	Pass	401



12. DC_5A_n77A 30kHz(3700-3980)


12.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-46.15	-13	33.15	Pass	401
3695	3699	0.62	RMS	3698.99	-41.18	-13	28.18	Pass	401
3699	3700	0.051	RMS	3700	-36.02	-13	23.02	Pass	401
3700	3710	1	RMS	3700.825	18.85	40	21.15	Pass	401




12.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-38.52	-13	25.52	Pass	401
3695	3699	0.62	RMS	3698.97	-34.88	-13	21.88	Pass	401
3699	3700	0.39	RMS	3700	-31.53	-13	18.53	Pass	401
3700	3710	1	RMS	3707.15	10.45	40	29.55	Pass	401




12.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.125	20.26	40	19.74	Pass	401
3980	3981	0.051	RMS	3980	-37.55	-13	24.55	Pass	401
3981	3985	0.62	RMS	3981.02	-39.84	-13	26.84	Pass	401
3985	3995	1	RMS	3985	-45.43	-13	32.43	Pass	401




12.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3976.075	11.88	40	28.12	Pass	401
3980	3981	0.39	RMS	3980.003	-29.32	-13	16.32	Pass	401
3981	3985	0.62	RMS	3981.05	-30.72	-13	17.72	Pass	401
3985	3995	1	RMS	3985.125	-35.19	-13	22.19	Pass	401



12.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-47.48	-13	34.48	Pass	401
3695	3699	0.62	RMS	3698.98	-40.98	-13	27.98	Pass	401
3699	3700	0.39	RMS	3700	-26.91	-13	13.91	Pass	401
3700	3750	1	RMS	3701.25	19.48	40	20.52	Pass	401




12.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3694.625	-39.37	-13	26.37	Pass	401
3695	3699	0.62	RMS	3696.7	-39.3	-13	26.3	Pass	401
3699	3700	0.39	RMS	3699.995	-39.27	-13	26.27	Pass	401
3700	3750	1	RMS	3706	3.72	40	36.28	Pass	401




12.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.75	20.58	40	19.42	Pass	401
3980	3981	0.39	RMS	3980	-26.93	-13	13.93	Pass	401
3981	3985	0.62	RMS	3981	-40.31	-13	27.31	Pass	401
3985	4035	1	RMS	4002.375	-47.05	-13	34.05	Pass	401




12.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3935.625	4.68	40	35.32	Pass	401
3980	3981	0.39	RMS	3980.635	-37.66	-13	24.66	Pass	401
3981	3985	0.62	RMS	3983.7	-35.4	-13	22.4	Pass	401
3985	4035	1	RMS	3992.25	-35.72	-13	22.72	Pass	401




12.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-46.52	-13	33.52	Pass	401
3695	3699	0.62	RMS	3699	-39.21	-13	26.21	Pass	401
3699	3700	0.051	RMS	3700	-34.19	-13	21.19	Pass	401
3700	3800	1	RMS	3701	19.39	40	20.61	Pass	401




12.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3678.25	-40.66	-13	27.66	Pass	401
3695	3699	0.62	RMS	3698.88	-40.75	-13	27.75	Pass	401
3699	3700	0.39	RMS	3699.993	-42.11	-13	29.11	Pass	401
3700	3800	1	RMS	3717.5	0.84	40	39.16	Pass	401



12.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	20.36	40	19.64	Pass	401
3980	3981	0.051	RMS	3980	-32.73	-13	19.73	Pass	401
3981	3985	0.62	RMS	3981.03	-38.05	-13	25.05	Pass	401
3985	4085	1	RMS	3985	-46.32	-13	33.32	Pass	401



12.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3897	1.39	40	38.61	Pass	401
3980	3981	0.39	RMS	3980.075	-39.83	-13	26.83	Pass	401
3981	3985	0.62	RMS	3981.48	-38.74	-13	25.74	Pass	401
3985	4085	1	RMS	3985	-37.02	-13	24.02	Pass	401

