

Annex A.5 Spurious Emission at Antenna Terminals

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.7	-13	Pass	2986
30	500	0.1	Peak	488.4	-43.28	-13	Pass	4701
500	1000	0.1	Peak	824.1	32.45	-13	N/A	5001
1000	10000	1	Peak	9520	-20.63	-13	Pass	9001




1.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.49	-13	Pass	401
0.15	30	0.01	Peak	0.16	-32.22	-13	Pass	2986
30	500	0.1	Peak	496.2	-43.34	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.19	-13	N/A	5001
1000	10000	1	Peak	7379	-20.33	-13	Pass	9001



1.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.44	-13	Pass	2986
30	500	0.1	Peak	415.4	-42.19	-13	Pass	4701
500	1000	0.1	Peak	848.8	31.92	-13	N/A	5001
1000	10000	1	Peak	9544	-19.42	-13	Pass	9001



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.03	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.92	-13	Pass	2986
30	1000	0.1	Peak	791.2	-46.56	-13	Pass	9701
1000	3000	1	Peak	1850	30.73	-13	N/A	2001
3000	20000	1	Peak	19078	-38.89	-13	Pass	17001




2.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.58	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.8	-13	Pass	2986
30	1000	0.1	Peak	891.6	-46.82	-13	Pass	9701
1000	3000	1	Peak	1879	26.91	-13	N/A	2001
3000	20000	1	Peak	19707	-39.47	-13	Pass	17001



2.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.45	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.91	-13	Pass	2986
30	1000	0.1	Peak	930	-47.25	-13	Pass	9701
1000	3000	1	Peak	1910	28.07	-13	N/A	2001
3000	20000	1	Peak	19973	-39.71	-13	Pass	17001



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-31.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.21	-13	Pass	2986
30	500	0.1	Peak	418	-42.27	-13	Pass	4701
500	1000	0.1	Peak	824.2	30.22	-13	N/A	5001
1000	10000	1	Peak	7711	-19.78	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.21	-13	Pass	2986
30	500	0.1	Peak	399.3	-42.68	-13	Pass	4701
500	1000	0.1	Peak	836.5	26.42	-13	N/A	5001
1000	10000	1	Peak	9709	-20.15	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.88	-13	Pass	2986
30	500	0.1	Peak	473.6	-43.07	-13	Pass	4701
500	1000	0.1	Peak	848.8	30.15	-13	N/A	5001
1000	10000	1	Peak	9547	-20.12	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-39.44	-13	Pass	401
0.15	30	0.01	Peak	0.16	-39.79	-13	Pass	2986
30	1000	0.1	Peak	923	-47.07	-13	Pass	9701
1000	3000	1	Peak	1851	28.32	-13	N/A	2001
3000	20000	1	Peak	19744	-39.59	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.12	-13	Pass	2986
30	1000	0.1	Peak	909.2	-46.76	-13	Pass	9701
1000	3000	1	Peak	1880	30	-13	N/A	2001
3000	20000	1	Peak	19752	-39.44	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.27	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.62	-13	Pass	2986
30	1000	0.1	Peak	853.8	-46.42	-13	Pass	9701
1000	3000	1	Peak	1910	29.5	-13	N/A	2001
3000	20000	1	Peak	19983	-39.04	-13	Pass	17001



5. LTE_Band2


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.73	-13	Pass	401
0.15	30	0.01	RMS	15.82	-68.98	-13	Pass	2986
30	1000	0.1	RMS	998.499	-59.48	-13	Pass	9701
1000	1840	1	RMS	1840	-46.68	-13	Pass	841
1840	1920	1	RMS	1850.2	24.29	60	Pass	401
1920	3000	1	RMS	2961	-45.1	-13	Pass	1081
3000	12000	1	RMS	11480	-35.91	-13	Pass	9002
12000	20000	1	RMS	19798	-28.34	-13	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.75	-13	Pass	2986
30	1000	0.1	RMS	912.642	-59.45	-13	Pass	9701
1000	1840	1	RMS	1840	-47.42	-13	Pass	841
1840	1920	1	RMS	1850.2	23.13	60	Pass	401
1920	3000	1	RMS	2956	-45.14	-13	Pass	1081
3000	12000	1	RMS	11489	-35.78	-13	Pass	9002
12000	20000	1	RMS	19789	-28.25	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	Pass	401
0.15	30	0.01	RMS	23.36	-68.52	-13	Pass	2986
30	1000	0.1	RMS	990.093	-59.49	-13	Pass	9701
1000	1840	1	RMS	1839	-48.67	-13	Pass	841
1840	1920	1	RMS	1879.4	23.47	60	Pass	401
1920	3000	1	RMS	2961	-45.07	-13	Pass	1081
3000	12000	1	RMS	11505	-35.89	-13	Pass	9002
12000	20000	1	RMS	19800	-28.27	-13	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-72.06	-13	Pass	401
0.15	30	0.01	RMS	29.52	-68.85	-13	Pass	2986
30	1000	0.1	RMS	906.138	-59.29	-13	Pass	9701
1000	1840	1	RMS	1817	-48.49	-13	Pass	841
1840	1920	1	RMS	1879.4	22.67	60	Pass	401
1920	3000	1	RMS	2963	-45.23	-13	Pass	1081
3000	12000	1	RMS	11473	-35.89	-13	Pass	9002
12000	20000	1	RMS	19790	-28.38	-13	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.43	-13	Pass	2986
30	1000	0.1	RMS	890.728	-59.34	-13	Pass	9701
1000	1840	1	RMS	1819	-48.58	-13	Pass	841
1840	1920	1	RMS	1908.8	22.47	60	Pass	401
1920	3000	1	RMS	2962	-45.13	-13	Pass	1081
3000	12000	1	RMS	11467	-35.82	-13	Pass	9002
12000	20000	1	RMS	19801	-28.28	-13	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.02	-13	Pass	2986
30	1000	0.1	RMS	901.134	-59.3	-13	Pass	9701
1000	1840	1	RMS	1804	-48.54	-13	Pass	841
1840	1920	1	RMS	1908.8	21.68	60	Pass	401
1920	3000	1	RMS	2963	-45.09	-13	Pass	1081
3000	12000	1	RMS	11461	-35.73	-13	Pass	9002
12000	20000	1	RMS	19798	-28.35	-13	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.18	-13	Pass	401
0.15	30	0.01	RMS	4.08	-68.94	-13	Pass	2986
30	1000	0.1	RMS	880.02	-59.35	-13	Pass	9701
1000	1840	1	RMS	1840	-47.24	-13	Pass	841
1840	1920	1	RMS	1850.2	24.04	60	Pass	401
1920	3000	1	RMS	2956	-45.05	-13	Pass	1081
3000	12000	1	RMS	11507	-35.91	-13	Pass	9002
12000	20000	1	RMS	19783	-28.35	-13	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.53	-68.99	-13	Pass	2986
30	1000	0.1	RMS	874.417	-59.3	-13	Pass	9701
1000	1840	1	RMS	1840	-47.42	-13	Pass	841
1840	1920	1	RMS	1850.2	23.07	60	Pass	401
1920	3000	1	RMS	2994	-45.25	-13	Pass	1081
3000	12000	1	RMS	11478	-35.92	-13	Pass	9002
12000	20000	1	RMS	19784	-28.32	-13	Pass	8001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-71.89	-13	Pass	401
0.15	30	0.01	RMS	2.98	-69.12	-13	Pass	2986
30	1000	0.1	RMS	879.82	-59.49	-13	Pass	9701
1000	1840	1	RMS	1818	-48.57	-13	Pass	841
1840	1920	1	RMS	1878.6	23.42	60	Pass	401
1920	3000	1	RMS	2958	-45.16	-13	Pass	1081
3000	12000	1	RMS	11500	-35.88	-13	Pass	9002
12000	20000	1	RMS	19792	-28.3	-13	Pass	8001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.2	-67.75	-13	Pass	2986
30	1000	0.1	RMS	869.013	-59	-13	Pass	9701
1000	1840	1	RMS	1831	-48.46	-13	Pass	841
1840	1920	1	RMS	1878.6	22.64	60	Pass	401
1920	3000	1	RMS	2962	-45.04	-13	Pass	1081
3000	12000	1	RMS	11865	-35.88	-13	Pass	9002
12000	20000	1	RMS	19798	-28.26	-13	Pass	8001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.02	-13	Pass	2986
30	1000	0.1	RMS	878.62	-59.53	-13	Pass	9701
1000	1840	1	RMS	1836	-48.52	-13	Pass	841
1840	1920	1	RMS	1907.2	22.29	60	Pass	401
1920	3000	1	RMS	2939	-45.16	-13	Pass	1081
3000	12000	1	RMS	11473	-35.81	-13	Pass	9002
12000	20000	1	RMS	19814	-28.39	-13	Pass	8001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.63	-13	Pass	2986
30	1000	0.1	RMS	855.104	-59.48	-13	Pass	9701
1000	1840	1	RMS	1838	-48.53	-13	Pass	841
1840	1920	1	RMS	1907.2	21.59	60	Pass	401
1920	3000	1	RMS	2965	-45.17	-13	Pass	1081
3000	12000	1	RMS	11849	-35.94	-13	Pass	9002
12000	20000	1	RMS	19788	-28.42	-13	Pass	8001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.99	-13	Pass	401
0.15	30	0.01	RMS	19.64	-69.03	-13	Pass	2986
30	1000	0.1	RMS	919.547	-59.32	-13	Pass	9701
1000	1840	1	RMS	1840	-46.97	-13	Pass	841
1840	1920	1	RMS	1850.2	24.36	60	Pass	401
1920	3000	1	RMS	2967	-45.26	-13	Pass	1081
3000	12000	1	RMS	11465	-35.69	-13	Pass	9002
12000	20000	1	RMS	19799	-28.39	-13	Pass	8001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.72	-13	Pass	401
0.15	30	0.01	RMS	19.04	-69.4	-13	Pass	2986
30	1000	0.1	RMS	879.12	-59.44	-13	Pass	9701
1000	1840	1	RMS	1840	-47.27	-13	Pass	841
1840	1920	1	RMS	1850.2	23.16	60	Pass	401
1920	3000	1	RMS	2990	-45.11	-13	Pass	1081
3000	12000	1	RMS	11859	-35.91	-13	Pass	9002
12000	20000	1	RMS	19801	-28.26	-13	Pass	8001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.23	-13	Pass	401
0.15	30	0.01	RMS	0.2	-67.44	-13	Pass	2986
30	1000	0.1	RMS	467.2	-59.59	-13	Pass	9701
1000	1840	1	RMS	1835	-48.47	-13	Pass	841
1840	1920	1	RMS	1877.8	23.52	60	Pass	401
1920	3000	1	RMS	2974	-45.1	-13	Pass	1081
3000	12000	1	RMS	11482	-35.83	-13	Pass	9002
12000	20000	1	RMS	19798	-28.24	-13	Pass	8001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.68	-13	Pass	401
0.15	30	0.01	RMS	15	-68.61	-13	Pass	2986
30	1000	0.1	RMS	882.122	-58.46	-13	Pass	9701
1000	1840	1	RMS	1803	-48.62	-13	Pass	841
1840	1920	1	RMS	1877.8	22.8	60	Pass	401
1920	3000	1	RMS	2936	-45.02	-13	Pass	1081
3000	12000	1	RMS	11848	-35.71	-13	Pass	9002
12000	20000	1	RMS	19791	-28.36	-13	Pass	8001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72	-13	Pass	401
0.15	30	0.01	RMS	13.45	-68.7	-13	Pass	2986
30	1000	0.1	RMS	746.8	-59.16	-13	Pass	9701
1000	1840	1	RMS	1813	-48.5	-13	Pass	841
1840	1920	1	RMS	1905.2	22.18	60	Pass	401
1920	3000	1	RMS	2977	-45.1	-13	Pass	1081
3000	12000	1	RMS	11495	-35.78	-13	Pass	9002
12000	20000	1	RMS	19799	-28.21	-13	Pass	8001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.74	-13	Pass	2986
30	1000	0.1	RMS	868.413	-58.7	-13	Pass	9701
1000	1840	1	RMS	1799	-48.52	-13	Pass	841
1840	1920	1	RMS	1905.2	21.61	60	Pass	401
1920	3000	1	RMS	2948	-45.08	-13	Pass	1081
3000	12000	1	RMS	11476	-35.79	-13	Pass	9002
12000	20000	1	RMS	19778	-28.35	-13	Pass	8001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.01	-13	Pass	401
0.15	30	0.01	RMS	29.32	-68.59	-13	Pass	2986
30	1000	0.1	RMS	997.698	-58.87	-13	Pass	9701
1000	1840	1	RMS	1840	-46.49	-13	Pass	841
1840	1920	1	RMS	1850.4	24.59	60	Pass	401
1920	3000	1	RMS	2958	-45.14	-13	Pass	1081
3000	12000	1	RMS	11495	-35.88	-13	Pass	9002
12000	20000	1	RMS	19802	-28.29	-13	Pass	8001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.21	-13	Pass	2986
30	1000	0.1	RMS	846.1	-58.95	-13	Pass	9701
1000	1840	1	RMS	1840	-47.26	-13	Pass	841
1840	1920	1	RMS	1850.4	23.15	60	Pass	401
1920	3000	1	RMS	2992	-45.14	-13	Pass	1081
3000	12000	1	RMS	11853	-35.85	-13	Pass	9002
12000	20000	1	RMS	19798	-28.25	-13	Pass	8001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.49	-68	-13	Pass	2986
30	1000	0.1	RMS	980.187	-58.9	-13	Pass	9701
1000	1840	1	RMS	1840	-48.45	-13	Pass	841
1840	1920	1	RMS	1875.4	23.88	60	Pass	401
1920	3000	1	RMS	2964	-45.06	-13	Pass	1081
3000	12000	1	RMS	11508	-35.93	-13	Pass	9002
12000	20000	1	RMS	19799	-28.35	-13	Pass	8001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.69	-13	Pass	401
0.15	30	0.01	RMS	17.79	-68.88	-13	Pass	2986
30	1000	0.1	RMS	851.602	-58.85	-13	Pass	9701
1000	1840	1	RMS	1816	-48.57	-13	Pass	841
1840	1920	1	RMS	1875.4	22.85	60	Pass	401
1920	3000	1	RMS	2960	-45.05	-13	Pass	1081
3000	12000	1	RMS	11483	-35.8	-13	Pass	9002
12000	20000	1	RMS	19792	-28.29	-13	Pass	8001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.22	-13	Pass	401
0.15	30	0.01	RMS	1.49	-68.55	-13	Pass	2986
30	1000	0.1	RMS	954.67	-59.06	-13	Pass	9701
1000	1840	1	RMS	1821	-48.6	-13	Pass	841
1840	1920	1	RMS	1900.4	22.55	60	Pass	401
1920	3000	1	RMS	2965	-45.09	-13	Pass	1081
3000	12000	1	RMS	11863	-35.87	-13	Pass	9002
12000	20000	1	RMS	19806	-28.43	-13	Pass	8001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.74	-13	Pass	401
0.15	30	0.01	RMS	25.59	-68.33	-13	Pass	2986
30	1000	0.1	RMS	901.635	-58.94	-13	Pass	9701
1000	1840	1	RMS	1818	-48.56	-13	Pass	841
1840	1920	1	RMS	1900.4	21.69	60	Pass	401
1920	3000	1	RMS	2965	-45.12	-13	Pass	1081
3000	12000	1	RMS	11498	-35.76	-13	Pass	9002
12000	20000	1	RMS	19821	-28.39	-13	Pass	8001



5.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-71.78	-13	Pass	401
0.15	30	0.01	RMS	17.24	-68.47	-13	Pass	2986
30	1000	0.1	RMS	850.101	-59.09	-13	Pass	9701
1000	1840	1	RMS	1838	-44.83	-13	Pass	841
1840	1920	1	RMS	1850.8	24.43	60	Pass	401
1920	3000	1	RMS	2957	-45.06	-13	Pass	1081
3000	12000	1	RMS	11840	-35.92	-13	Pass	9002
12000	20000	1	RMS	19805	-28.35	-13	Pass	8001



5.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-71.74	-13	Pass	401
0.15	30	0.01	RMS	6.06	-69	-13	Pass	2986
30	1000	0.1	RMS	978.786	-58.72	-13	Pass	9701
1000	1840	1	RMS	1838	-44.59	-13	Pass	841
1840	1920	1	RMS	1850.8	23.23	60	Pass	401
1920	3000	1	RMS	2933	-45.2	-13	Pass	1081
3000	12000	1	RMS	11852	-35.84	-13	Pass	9002
12000	20000	1	RMS	19795	-28.3	-13	Pass	8001



5.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.94	-13	Pass	401
0.15	30	0.01	RMS	27.72	-68.46	-13	Pass	2986
30	1000	0.1	RMS	973.482	-59.1	-13	Pass	9701
1000	1840	1	RMS	1814	-48.49	-13	Pass	841
1840	1920	1	RMS	1873.2	24.05	60	Pass	401
1920	3000	1	RMS	2957	-45.1	-13	Pass	1081
3000	12000	1	RMS	11488	-35.82	-13	Pass	9002
12000	20000	1	RMS	19803	-28.36	-13	Pass	8001



5.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.18	-13	Pass	401
0.15	30	0.01	RMS	21.47	-68.54	-13	Pass	2986
30	1000	0.1	RMS	958.372	-59.18	-13	Pass	9701
1000	1840	1	RMS	1832	-48.64	-13	Pass	841
1840	1920	1	RMS	1873.2	23.1	60	Pass	401
1920	3000	1	RMS	2969	-45.14	-13	Pass	1081
3000	12000	1	RMS	11483	-35.8	-13	Pass	9002
12000	20000	1	RMS	19804	-28.33	-13	Pass	8001



5.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.15	-13	Pass	401
0.15	30	0.01	RMS	19.61	-69.19	-13	Pass	2986
30	1000	0.1	RMS	478.5	-59.28	-13	Pass	9701
1000	1840	1	RMS	1823	-48.47	-13	Pass	841
1840	1920	1	RMS	1895.8	22.97	60	Pass	401
1920	3000	1	RMS	2967	-45.09	-13	Pass	1081
3000	12000	1	RMS	11502	-35.77	-13	Pass	9002
12000	20000	1	RMS	19808	-28.32	-13	Pass	8001



5.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.31	-13	Pass	401
0.15	30	0.01	RMS	19.2	-68.18	-13	Pass	2986
30	1000	0.1	RMS	865.011	-58.73	-13	Pass	9701
1000	1840	1	RMS	1832	-48.43	-13	Pass	841
1840	1920	1	RMS	1895.8	22.18	60	Pass	401
1920	3000	1	RMS	2936	-45.16	-13	Pass	1081
3000	12000	1	RMS	11462	-35.77	-13	Pass	9002
12000	20000	1	RMS	19793	-28.27	-13	Pass	8001



5.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.35	-69.49	-13	Pass	2986
30	1000	0.1	RMS	838.4	-59.46	-13	Pass	9701
1000	1840	1	RMS	1833	-45.01	-13	Pass	841
1840	1920	1	RMS	1851	24.56	60	Pass	401
1920	3000	1	RMS	2958	-45.1	-13	Pass	1081
3000	12000	1	RMS	11471	-35.85	-13	Pass	9002
12000	20000	1	RMS	19793	-28.42	-13	Pass	8001



5.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.57	-13	Pass	2986
30	1000	0.1	RMS	895.831	-59.48	-13	Pass	9701
1000	1840	1	RMS	1833	-45.17	-13	Pass	841
1840	1920	1	RMS	1851	23.26	60	Pass	401
1920	3000	1	RMS	2974	-45.11	-13	Pass	1081
3000	12000	1	RMS	11501	-35.77	-13	Pass	9002
12000	20000	1	RMS	19810	-28.34	-13	Pass	8001



5.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-13	Pass	401
0.15	30	0.01	RMS	18.14	-69.15	-13	Pass	2986
30	1000	0.1	RMS	704.7	-59.24	-13	Pass	9701
1000	1840	1	RMS	1835	-44.27	-13	Pass	841
1840	1920	1	RMS	1871	24.15	60	Pass	401
1920	3000	1	RMS	2930	-45.18	-13	Pass	1081
3000	12000	1	RMS	11475	-35.82	-13	Pass	9002
12000	20000	1	RMS	19791	-28.14	-13	Pass	8001



5.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.127	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.2	-67.44	-13	Pass	2986
30	1000	0.1	RMS	912.842	-58.74	-13	Pass	9701
1000	1840	1	RMS	1835	-44.04	-13	Pass	841
1840	1920	1	RMS	1871	23.03	60	Pass	401
1920	3000	1	RMS	2991	-45.1	-13	Pass	1081
3000	12000	1	RMS	11456	-35.88	-13	Pass	9002
12000	20000	1	RMS	19800	-28.41	-13	Pass	8001



5.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.82	-13	Pass	401
0.15	30	0.01	RMS	13.3	-68.89	-13	Pass	2986
30	1000	0.1	RMS	908.84	-59.52	-13	Pass	9701
1000	1840	1	RMS	1816	-48.63	-13	Pass	841
1840	1920	1	RMS	1891	23.29	60	Pass	401
1920	3000	1	RMS	2934	-45.18	-13	Pass	1081
3000	12000	1	RMS	11474	-35.81	-13	Pass	9002
12000	20000	1	RMS	19799	-28.52	-13	Pass	8001



5.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.59	-13	Pass	2986
30	1000	0.1	RMS	857.205	-59.33	-13	Pass	9701
1000	1840	1	RMS	1808	-48.49	-13	Pass	841
1840	1920	1	RMS	1891	22.37	60	Pass	401
1920	3000	1	RMS	2961	-45.06	-13	Pass	1081
3000	12000	1	RMS	11475	-35.9	-13	Pass	9002
12000	20000	1	RMS	19788	-28.37	-13	Pass	8001



6. LTE_Band4


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-71.41	-13	Pass	401
0.15	30	0.01	RMS	11.67	-69.18	-13	Pass	2986
30	1000	0.1	RMS	866.011	-59.47	-13	Pass	9701
1000	1700	1	RMS	1700	-47.23	-13	Pass	701
1700	1765	1	RMS	1710.238	24.71	60	Pass	401
1765	3000	1	RMS	2995	-45.12	-13	Pass	1236
3000	12000	1	RMS	11455	-35.71	-13	Pass	9002
12000	20000	1	RMS	19794	-28.43	-13	Pass	8001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-13	Pass	401
0.15	30	0.01	RMS	29.83	-69.25	-13	Pass	2986
30	1000	0.1	RMS	763.4	-59.51	-13	Pass	9701
1000	1700	1	RMS	1700	-48.08	-13	Pass	701
1700	1765	1	RMS	1710.238	23.29	60	Pass	401
1765	3000	1	RMS	2956	-45.07	-13	Pass	1236
3000	12000	1	RMS	11503	-35.85	-13	Pass	9002
12000	20000	1	RMS	19762	-28.32	-13	Pass	8001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.7	-13	Pass	2986
30	1000	0.1	RMS	877.519	-58.89	-13	Pass	9701
1000	1700	1	RMS	1571	-48.93	-13	Pass	701
1700	1765	1	RMS	1732.013	23.32	60	Pass	401
1765	3000	1	RMS	2934	-45.13	-13	Pass	1236
3000	12000	1	RMS	11496	-35.84	-13	Pass	9002
12000	20000	1	RMS	19799	-28.29	-13	Pass	8001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.53	-13	Pass	2986
30	1000	0.1	RMS	972.882	-58.82	-13	Pass	9701
1000	1700	1	RMS	1693	-48.83	-13	Pass	701
1700	1765	1	RMS	1732.013	22.36	60	Pass	401
1765	3000	1	RMS	2993	-45.13	-13	Pass	1236
3000	12000	1	RMS	11481	-35.82	-13	Pass	9002
12000	20000	1	RMS	19788	-28.4	-13	Pass	8001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.47	-13	Pass	401
0.15	30	0.01	RMS	21.38	-68.82	-13	Pass	2986
30	1000	0.1	RMS	906.138	-59.08	-13	Pass	9701
1000	1700	1	RMS	1684	-48.83	-13	Pass	701
1700	1765	1	RMS	1753.788	22.96	60	Pass	401
1765	3000	1	RMS	2998	-45.12	-13	Pass	1236
3000	12000	1	RMS	11862	-35.81	-13	Pass	9002
12000	20000	1	RMS	19797	-28.18	-13	Pass	8001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.19	-67.88	-13	Pass	2986
30	1000	0.1	RMS	735.9	-58.99	-13	Pass	9701
1000	1700	1	RMS	1696	-48.88	-13	Pass	701
1700	1765	1	RMS	1753.788	22.16	60	Pass	401
1765	3000	1	RMS	2974	-44.99	-13	Pass	1236
3000	12000	1	RMS	11496	-35.69	-13	Pass	9002
12000	20000	1	RMS	19816	-28.35	-13	Pass	8001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-72.08	-13	Pass	401
0.15	30	0.01	RMS	28.3	-68.73	-13	Pass	2986
30	1000	0.1	RMS	993.596	-59.2	-13	Pass	9701
1000	1700	1	RMS	1700	-47.19	-13	Pass	701
1700	1765	1	RMS	1710.238	24.65	60	Pass	401
1765	3000	1	RMS	2964	-44.91	-13	Pass	1236
3000	12000	1	RMS	11843	-35.92	-13	Pass	9002
12000	20000	1	RMS	19778	-28.38	-13	Pass	8001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.76	-13	Pass	401
0.15	30	0.01	RMS	0.23	-67.99	-13	Pass	2986
30	1000	0.1	RMS	920.147	-59.6	-13	Pass	9701
1000	1700	1	RMS	1700	-47.98	-13	Pass	701
1700	1765	1	RMS	1710.238	23.32	60	Pass	401
1765	3000	1	RMS	2981	-45.06	-13	Pass	1236
3000	12000	1	RMS	11477	-35.86	-13	Pass	9002
12000	20000	1	RMS	19821	-28.5	-13	Pass	8001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.14	-72.67	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.24	-13	Pass	2986
30	1000	0.1	RMS	909.24	-59.53	-13	Pass	9701
1000	1700	1	RMS	1662	-49.05	-13	Pass	701
1700	1765	1	RMS	1731.2	23.22	60	Pass	401
1765	3000	1	RMS	2968	-45.09	-13	Pass	1236
3000	12000	1	RMS	11459	-35.78	-13	Pass	9002
12000	20000	1	RMS	19798	-28.31	-13	Pass	8001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.8	-68.75	-13	Pass	2986
30	1000	0.1	RMS	880.421	-59.32	-13	Pass	9701
1000	1700	1	RMS	1667	-49	-13	Pass	701
1700	1765	1	RMS	1731.2	22.44	60	Pass	401
1765	3000	1	RMS	2981	-45.06	-13	Pass	1236
3000	12000	1	RMS	11474	-35.87	-13	Pass	9002
12000	20000	1	RMS	19819	-28.45	-13	Pass	8001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.8	-13	Pass	2986
30	1000	0.1	RMS	833.4	-59.4	-13	Pass	9701
1000	1700	1	RMS	1669	-49.07	-13	Pass	701
1700	1765	1	RMS	1752.163	23.23	60	Pass	401
1765	3000	1	RMS	2957	-44.98	-13	Pass	1236
3000	12000	1	RMS	11846	-35.85	-13	Pass	9002
12000	20000	1	RMS	19796	-28.39	-13	Pass	8001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.41	-69.15	-13	Pass	2986
30	1000	0.1	RMS	913.042	-59.47	-13	Pass	9701
1000	1700	1	RMS	1670	-49.02	-13	Pass	701
1700	1765	1	RMS	1752.163	22.35	60	Pass	401
1765	3000	1	RMS	2971	-45.11	-13	Pass	1236
3000	12000	1	RMS	11500	-35.97	-13	Pass	9002
12000	20000	1	RMS	19810	-28.4	-13	Pass	8001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.2	-13	Pass	2986
30	1000	0.1	RMS	995.997	-59.39	-13	Pass	9701
1000	1700	1	RMS	1700	-47.03	-13	Pass	701
1700	1765	1	RMS	1710.238	25	60	Pass	401
1765	3000	1	RMS	2929	-45.11	-13	Pass	1236
3000	12000	1	RMS	11515	-35.88	-13	Pass	9002
12000	20000	1	RMS	19793	-28.49	-13	Pass	8001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.79	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.17	-13	Pass	2986
30	1000	0.1	RMS	915.544	-59.56	-13	Pass	9701
1000	1700	1	RMS	1700	-48.24	-13	Pass	701
1700	1765	1	RMS	1710.238	23.51	60	Pass	401
1765	3000	1	RMS	2958	-45.14	-13	Pass	1236
3000	12000	1	RMS	11500	-35.78	-13	Pass	9002
12000	20000	1	RMS	19794	-28.39	-13	Pass	8001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.22	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.77	-13	Pass	2986
30	1000	0.1	RMS	872.616	-59.57	-13	Pass	9701
1000	1700	1	RMS	1695	-48.94	-13	Pass	701
1700	1765	1	RMS	1730.225	23.4	60	Pass	401
1765	3000	1	RMS	2964	-45.16	-13	Pass	1236
3000	12000	1	RMS	11503	-35.84	-13	Pass	9002
12000	20000	1	RMS	19799	-28.43	-13	Pass	8001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.29	-13	Pass	2986
30	1000	0.1	RMS	981.488	-59.34	-13	Pass	9701
1000	1700	1	RMS	1689	-48.94	-13	Pass	701
1700	1765	1	RMS	1730.225	22.53	60	Pass	401
1765	3000	1	RMS	2991	-45.08	-13	Pass	1236
3000	12000	1	RMS	11475	-35.83	-13	Pass	9002
12000	20000	1	RMS	19803	-28.38	-13	Pass	8001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.39	-13	Pass	401
0.15	30	0.01	RMS	29.63	-68.85	-13	Pass	2986
30	1000	0.1	RMS	916.645	-59.52	-13	Pass	9701
1000	1700	1	RMS	1699	-48.89	-13	Pass	701
1700	1765	1	RMS	1750.213	23.81	60	Pass	401
1765	3000	1	RMS	2961	-45.16	-13	Pass	1236
3000	12000	1	RMS	11859	-35.8	-13	Pass	9002
12000	20000	1	RMS	19796	-28.44	-13	Pass	8001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.38	-68.67	-13	Pass	2986
30	1000	0.1	RMS	991.294	-59.53	-13	Pass	9701
1000	1700	1	RMS	1694	-49.02	-13	Pass	701
1700	1765	1	RMS	1750.213	23.08	60	Pass	401
1765	3000	1	RMS	2963	-45.1	-13	Pass	1236
3000	12000	1	RMS	11852	-35.97	-13	Pass	9002
12000	20000	1	RMS	19809	-28.33	-13	Pass	8001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.4	-69.2	-13	Pass	2986
30	1000	0.1	RMS	925.25	-59.52	-13	Pass	9701
1000	1700	1	RMS	1693	-44.84	-13	Pass	701
1700	1765	1	RMS	1710.563	25.35	60	Pass	401
1765	3000	1	RMS	2962	-45.06	-13	Pass	1236
3000	12000	1	RMS	11485	-36.05	-13	Pass	9002
12000	20000	1	RMS	19803	-28.34	-13	Pass	8001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.88	-13	Pass	2986
30	1000	0.1	RMS	986.891	-59.41	-13	Pass	9701
1000	1700	1	RMS	1693	-46.56	-13	Pass	701
1700	1765	1	RMS	1710.563	23.63	60	Pass	401
1765	3000	1	RMS	2972	-45.04	-13	Pass	1236
3000	12000	1	RMS	11496	-35.75	-13	Pass	9002
12000	20000	1	RMS	19787	-28.29	-13	Pass	8001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.47	-13	Pass	401
0.15	30	0.01	RMS	22.69	-68.54	-13	Pass	2986
30	1000	0.1	RMS	856.205	-59.56	-13	Pass	9701
1000	1700	1	RMS	1700	-48.89	-13	Pass	701
1700	1765	1	RMS	1727.95	23.81	60	Pass	401
1765	3000	1	RMS	2967	-45.13	-13	Pass	1236
3000	12000	1	RMS	11471	-35.7	-13	Pass	9002
12000	20000	1	RMS	19815	-28.4	-13	Pass	8001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.2	-67.61	-13	Pass	2986
30	1000	0.1	RMS	996.598	-59.38	-13	Pass	9701
1000	1700	1	RMS	1688	-48.95	-13	Pass	701
1700	1765	1	RMS	1727.95	22.66	60	Pass	401
1765	3000	1	RMS	2957	-45.04	-13	Pass	1236
3000	12000	1	RMS	11495	-35.78	-13	Pass	9002
12000	20000	1	RMS	19808	-28.27	-13	Pass	8001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.42	-13	Pass	401
0.15	30	0.01	RMS	23.84	-69.2	-13	Pass	2986
30	1000	0.1	RMS	905.738	-59.3	-13	Pass	9701
1000	1700	1	RMS	1686	-48.92	-13	Pass	701
1700	1765	1	RMS	1745.5	24.33	60	Pass	401
1765	3000	1	RMS	2959	-45.06	-13	Pass	1236
3000	12000	1	RMS	11855	-35.83	-13	Pass	9002
12000	20000	1	RMS	19801	-28.23	-13	Pass	8001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.76	-13	Pass	401
0.15	30	0.01	RMS	26.4	-67.92	-13	Pass	2986
30	1000	0.1	RMS	487.7	-58.64	-13	Pass	9701
1000	1700	1	RMS	1693	-48.9	-13	Pass	701
1700	1765	1	RMS	1745.5	23.24	60	Pass	401
1765	3000	1	RMS	2985	-45	-13	Pass	1236
3000	12000	1	RMS	11494	-35.91	-13	Pass	9002
12000	20000	1	RMS	19804	-28.3	-13	Pass	8001



6.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.59	-13	Pass	2986
30	1000	0.1	RMS	878.219	-59.23	-13	Pass	9701
1000	1700	1	RMS	1698	-45.58	-13	Pass	701
1700	1765	1	RMS	1710.725	25.06	60	Pass	401
1765	3000	1	RMS	2960	-45.1	-13	Pass	1236
3000	12000	1	RMS	11848	-35.98	-13	Pass	9002
12000	20000	1	RMS	19791	-28.42	-13	Pass	8001



6.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.41	-13	Pass	401
0.15	30	0.01	RMS	0.2	-67.52	-13	Pass	2986
30	1000	0.1	RMS	900.534	-59.35	-13	Pass	9701
1000	1700	1	RMS	1698	-47.3	-13	Pass	701
1700	1765	1	RMS	1710.725	23.64	60	Pass	401
1765	3000	1	RMS	2932	-45.13	-13	Pass	1236
3000	12000	1	RMS	11497	-35.83	-13	Pass	9002
12000	20000	1	RMS	19768	-28.37	-13	Pass	8001



6.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.72	-69.04	-13	Pass	2986
30	1000	0.1	RMS	995.397	-59.47	-13	Pass	9701
1000	1700	1	RMS	1699	-45.57	-13	Pass	701
1700	1765	1	RMS	1725.838	23.93	60	Pass	401
1765	3000	1	RMS	2958	-45.11	-13	Pass	1236
3000	12000	1	RMS	11476	-35.77	-13	Pass	9002
12000	20000	1	RMS	19803	-28.34	-13	Pass	8001



6.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.087	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.25	-13	Pass	2986
30	1000	0.1	RMS	995.297	-59.49	-13	Pass	9701
1000	1700	1	RMS	1699	-45.53	-13	Pass	701
1700	1765	1	RMS	1725.838	22.91	60	Pass	401
1765	3000	1	RMS	2958	-45.23	-13	Pass	1236
3000	12000	1	RMS	11475	-35.88	-13	Pass	9002
12000	20000	1	RMS	19793	-28.31	-13	Pass	8001



6.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.2	-13	Pass	2986
30	1000	0.1	RMS	912.742	-59.19	-13	Pass	9701
1000	1700	1	RMS	1678	-48.94	-13	Pass	701
1700	1765	1	RMS	1740.788	24.04	60	Pass	401
1765	3000	1	RMS	1767	-36.41	-13	Pass	1236
3000	12000	1	RMS	11458	-35.9	-13	Pass	9002
12000	20000	1	RMS	19827	-28.44	-13	Pass	8001



6.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.08	-13	Pass	401
0.15	30	0.01	RMS	11.85	-68.79	-13	Pass	2986
30	1000	0.1	RMS	915.544	-59.34	-13	Pass	9701
1000	1700	1	RMS	1678	-48.89	-13	Pass	701
1700	1765	1	RMS	1740.788	23.01	60	Pass	401
1765	3000	1	RMS	1767	-36.68	-13	Pass	1236
3000	12000	1	RMS	11500	-35.85	-13	Pass	9002
12000	20000	1	RMS	19805	-28.33	-13	Pass	8001



6.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.57	-68.63	-13	Pass	2986
30	1000	0.1	RMS	892.129	-59.19	-13	Pass	9701
1000	1700	1	RMS	1693	-46.18	-13	Pass	701
1700	1765	1	RMS	1711.05	25.14	60	Pass	401
1765	3000	1	RMS	2962	-45.15	-13	Pass	1236
3000	12000	1	RMS	11849	-35.91	-13	Pass	9002
12000	20000	1	RMS	19781	-28.46	-13	Pass	8001



6.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.79	-13	Pass	2986
30	1000	0.1	RMS	890.427	-59.37	-13	Pass	9701
1000	1700	1	RMS	1700	-47.99	-13	Pass	701
1700	1765	1	RMS	1711.05	23.5	60	Pass	401
1765	3000	1	RMS	2959	-45.19	-13	Pass	1236
3000	12000	1	RMS	11476	-35.75	-13	Pass	9002
12000	20000	1	RMS	19782	-28.3	-13	Pass	8001



6.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.47	-13	Pass	401
0.15	30	0.01	RMS	7.35	-69.02	-13	Pass	2986
30	1000	0.1	RMS	912.442	-59.29	-13	Pass	9701
1000	1700	1	RMS	1697	-48	-13	Pass	701
1700	1765	1	RMS	1723.563	24.24	60	Pass	401
1765	3000	1	RMS	2968	-45.01	-13	Pass	1236
3000	12000	1	RMS	11489	-35.95	-13	Pass	9002
12000	20000	1	RMS	19781	-28.43	-13	Pass	8001



6.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.77	-13	Pass	2986
30	1000	0.1	RMS	870.614	-59.23	-13	Pass	9701
1000	1700	1	RMS	1697	-48.07	-13	Pass	701
1700	1765	1	RMS	1723.563	22.95	60	Pass	401
1765	3000	1	RMS	2958	-45.06	-13	Pass	1236
3000	12000	1	RMS	11491	-35.85	-13	Pass	9002
12000	20000	1	RMS	19811	-28.33	-13	Pass	8001



6.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-72.03	-13	Pass	401
0.15	30	0.01	RMS	7.03	-68.97	-13	Pass	2986
30	1000	0.1	RMS	902.936	-59.44	-13	Pass	9701
1000	1700	1	RMS	1700	-45.68	-13	Pass	701
1700	1765	1	RMS	1736.075	23.71	60	Pass	401
1765	3000	1	RMS	1772	-37.49	-13	Pass	1236
3000	12000	1	RMS	11471	-35.67	-13	Pass	9002
12000	20000	1	RMS	19805	-28.2	-13	Pass	8001



6.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-71.55	-13	Pass	401
0.15	30	0.01	RMS	2.83	-68.84	-13	Pass	2986
30	1000	0.1	RMS	877.319	-59.37	-13	Pass	9701
1000	1700	1	RMS	1700	-45.2	-13	Pass	701
1700	1765	1	RMS	1736.075	22.61	60	Pass	401
1765	3000	1	RMS	1772	-36.92	-13	Pass	1236
3000	12000	1	RMS	11489	-35.86	-13	Pass	9002
12000	20000	1	RMS	19811	-28.28	-13	Pass	8001



7. LTE_Band5


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.79	-13	Pass	401
0.15	30	0.01	RMS	22.71	-69.17	-13	Pass	2986
30	814	0.1	RMS	730.8	-59.92	-13	Pass	7841
814	860	0.1	RMS	824.2	20.56	60	Pass	461
860	1000	0.1	RMS	957.4	-59.38	-13	Pass	1401
1000	3000	1	RMS	1648	-40.51	-13	Pass	2001
3000	10000	1	RMS	7105	-36.31	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.19	-13	Pass	401
0.15	30	0.01	RMS	26.19	-68.72	-13	Pass	2986
30	814	0.1	RMS	733.8	-59.86	-13	Pass	7841
814	860	0.1	RMS	824.3	19.65	60	Pass	461
860	1000	0.1	RMS	891.9	-59.33	-13	Pass	1401
1000	3000	1	RMS	1648	-41.26	-13	Pass	2001
3000	10000	1	RMS	7100	-36.17	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.93	-13	Pass	401
0.15	30	0.01	RMS	28.8	-68.97	-13	Pass	2986
30	814	0.1	RMS	499.7	-59.93	-13	Pass	7841
814	860	0.1	RMS	836	20.83	60	Pass	461
860	1000	0.1	RMS	879.1	-59.28	-13	Pass	1401
1000	3000	1	RMS	2956	-45.06	-13	Pass	2001
3000	10000	1	RMS	7096	-35.99	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.62	-13	Pass	2986
30	814	0.1	RMS	707.4	-59.94	-13	Pass	7841
814	860	0.1	RMS	836	19.82	60	Pass	461
860	1000	0.1	RMS	984.4	-59.52	-13	Pass	1401
1000	3000	1	RMS	2977	-45.13	-13	Pass	2001
3000	10000	1	RMS	7102	-36.17	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.53	-13	Pass	401
0.15	30	0.01	RMS	28.91	-68.95	-13	Pass	2986
30	814	0.1	RMS	744.9	-59.84	-13	Pass	7841
814	860	0.1	RMS	847.8	20.7	60	Pass	461
860	1000	0.1	RMS	886.8	-59.24	-13	Pass	1401
1000	3000	1	RMS	1695	-41.01	-13	Pass	2001
3000	10000	1	RMS	7099	-36.22	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.09	-13	Pass	401
0.15	30	0.01	RMS	20.88	-68.76	-13	Pass	2986
30	814	0.1	RMS	725	-59.75	-13	Pass	7841
814	860	0.1	RMS	847.8	19.84	60	Pass	461
860	1000	0.1	RMS	898.2	-59.33	-13	Pass	1401
1000	3000	1	RMS	1695	-41.88	-13	Pass	2001
3000	10000	1	RMS	7093	-36.19	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.92	-69.06	-13	Pass	2986
30	814	0.1	RMS	719.5	-59.88	-13	Pass	7841
814	860	0.1	RMS	824.2	21.14	60	Pass	461
860	1000	0.1	RMS	901.9	-59.2	-13	Pass	1401
1000	3000	1	RMS	1648	-40.3	-13	Pass	2001
3000	10000	1	RMS	7100	-36.1	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.38	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.23	-13	Pass	2986
30	814	0.1	RMS	734	-59.87	-13	Pass	7841
814	860	0.1	RMS	824.2	20.24	60	Pass	461
860	1000	0.1	RMS	902.7	-59.45	-13	Pass	1401
1000	3000	1	RMS	1648	-41.11	-13	Pass	2001
3000	10000	1	RMS	7102	-36.03	-13	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.2	-13	Pass	401
0.15	30	0.01	RMS	16.18	-69.1	-13	Pass	2986
30	814	0.1	RMS	809.1	-59.37	-13	Pass	7841
814	860	0.1	RMS	835.2	21.41	60	Pass	461
860	1000	0.1	RMS	905.8	-59.17	-13	Pass	1401
1000	3000	1	RMS	2961	-45.06	-13	Pass	2001
3000	10000	1	RMS	7088	-36.31	-13	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.3	-13	Pass	2986
30	814	0.1	RMS	489.7	-59.67	-13	Pass	7841
814	860	0.1	RMS	835.2	20.34	60	Pass	461
860	1000	0.1	RMS	903.9	-59.42	-13	Pass	1401
1000	3000	1	RMS	2975	-45.15	-13	Pass	2001
3000	10000	1	RMS	7099	-35.92	-13	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-72.31	-13	Pass	401
0.15	30	0.01	RMS	22.81	-68.06	-13	Pass	2986
30	814	0.1	RMS	745.9	-59.91	-13	Pass	7841
814	860	0.1	RMS	846.2	21.11	60	Pass	461
860	1000	0.1	RMS	889.2	-59.26	-13	Pass	1401
1000	3000	1	RMS	1692	-40.7	-13	Pass	2001
3000	10000	1	RMS	7097	-36.2	-13	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.32	-68.66	-13	Pass	2986
30	814	0.1	RMS	807.7	-59.47	-13	Pass	7841
814	860	0.1	RMS	846.2	20.14	60	Pass	461
860	1000	0.1	RMS	875.9	-59.35	-13	Pass	1401
1000	3000	1	RMS	1692	-41.76	-13	Pass	2001
3000	10000	1	RMS	7104	-36.07	-13	Pass	7001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.98	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.31	-13	Pass	2986
30	814	0.1	RMS	498.7	-59.81	-13	Pass	7841
814	860	0.1	RMS	824.3	21.42	60	Pass	461
860	1000	0.1	RMS	907.3	-59.41	-13	Pass	1401
1000	3000	1	RMS	1648	-40.26	-13	Pass	2001
3000	10000	1	RMS	7121	-36.19	-13	Pass	7001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.88	-13	Pass	401
0.15	30	0.01	RMS	28.16	-69.15	-13	Pass	2986
30	814	0.1	RMS	812.4	-59.7	-13	Pass	7841
814	860	0.1	RMS	824.3	20.33	60	Pass	461
860	1000	0.1	RMS	903.9	-59.43	-13	Pass	1401
1000	3000	1	RMS	1648	-41.14	-13	Pass	2001
3000	10000	1	RMS	7091	-36.31	-13	Pass	7001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-72.4	-13	Pass	401
0.15	30	0.01	RMS	13.56	-69.26	-13	Pass	2986
30	814	0.1	RMS	813.7	-59.68	-13	Pass	7841
814	860	0.1	RMS	834.3	21.62	60	Pass	461
860	1000	0.1	RMS	905.7	-59.36	-13	Pass	1401
1000	3000	1	RMS	1668	-44.64	-13	Pass	2001
3000	10000	1	RMS	7112	-36.18	-13	Pass	7001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.27	-68.21	-13	Pass	2986
30	814	0.1	RMS	638.3	-59.67	-13	Pass	7841
814	860	0.1	RMS	834.3	20.69	60	Pass	461
860	1000	0.1	RMS	899.7	-59.27	-13	Pass	1401
1000	3000	1	RMS	2962	-45.08	-13	Pass	2001
3000	10000	1	RMS	7100	-36.03	-13	Pass	7001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.97	-13	Pass	401
0.15	30	0.01	RMS	29.26	-69.14	-13	Pass	2986
30	814	0.1	RMS	492.7	-59.9	-13	Pass	7841
814	860	0.1	RMS	844.3	21.6	60	Pass	461
860	1000	0.1	RMS	961.2	-59.45	-13	Pass	1401
1000	3000	1	RMS	1688	-40.33	-13	Pass	2001
3000	10000	1	RMS	7103	-36.11	-13	Pass	7001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.06	-13	Pass	401
0.15	30	0.01	RMS	8.19	-68.85	-13	Pass	2986
30	814	0.1	RMS	742.6	-59.81	-13	Pass	7841
814	860	0.1	RMS	844.3	20.69	60	Pass	461
860	1000	0.1	RMS	994.7	-59.22	-13	Pass	1401
1000	3000	1	RMS	1688	-41.22	-13	Pass	2001
3000	10000	1	RMS	7100	-36.28	-13	Pass	7001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.98	-13	Pass	401
0.15	30	0.01	RMS	20.79	-68.69	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.68	-13	Pass	7841
814	860	0.1	RMS	824.6	21.41	60	Pass	461
860	1000	0.1	RMS	914	-59.42	-13	Pass	1401
1000	3000	1	RMS	1649	-40.93	-13	Pass	2001
3000	10000	1	RMS	7102	-35.99	-13	Pass	7001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.77	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.45	-13	Pass	7841
814	860	0.1	RMS	824.6	20.65	60	Pass	461
860	1000	0.1	RMS	885	-59.39	-13	Pass	1401
1000	3000	1	RMS	1649	-41.66	-13	Pass	2001
3000	10000	1	RMS	7110	-36.31	-13	Pass	7001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.14	-13	Pass	401
0.15	30	0.01	RMS	24.82	-68.99	-13	Pass	2986
30	814	0.1	RMS	377.1	-59.72	-13	Pass	7841
814	860	0.1	RMS	832.1	21.59	60	Pass	461
860	1000	0.1	RMS	909.9	-59.31	-13	Pass	1401
1000	3000	1	RMS	1664	-42.6	-13	Pass	2001
3000	10000	1	RMS	7108	-36.31	-13	Pass	7001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.83	-13	Pass	2986
30	814	0.1	RMS	812.3	-59.73	-13	Pass	7841
814	860	0.1	RMS	832.1	20.85	60	Pass	461
860	1000	0.1	RMS	905.6	-59.5	-13	Pass	1401
1000	3000	1	RMS	1664	-43.38	-13	Pass	2001
3000	10000	1	RMS	7095	-36.05	-13	Pass	7001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.31	-13	Pass	401
0.15	30	0.01	RMS	17.17	-68.76	-13	Pass	2986
30	814	0.1	RMS	812.3	-59.87	-13	Pass	7841
814	860	0.1	RMS	839.6	21.59	60	Pass	461
860	1000	0.1	RMS	883.8	-59.38	-13	Pass	1401
1000	3000	1	RMS	2953	-45.09	-13	Pass	2001
3000	10000	1	RMS	7098	-36.3	-13	Pass	7001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.4	-13	Pass	2986
30	814	0.1	RMS	753.9	-59.73	-13	Pass	7841
814	860	0.1	RMS	839.6	20.85	60	Pass	461
860	1000	0.1	RMS	909.2	-59.18	-13	Pass	1401
1000	3000	1	RMS	2931	-45.1	-13	Pass	2001
3000	10000	1	RMS	7083	-36.38	-13	Pass	7001



8. LTE_Band7


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.88	-25	Pass	401
0.15	30	0.01	RMS	0.37	-68.5	-25	Pass	2986
30	1000	0.1	RMS	902.936	-59.28	-25	Pass	9701
1000	2490	1	RMS	2490	-45.06	-25	Pass	1491
2490	2580	1	RMS	2500.125	24.24	60	Pass	401
2580	3000	1	RMS	2957	-45.07	-25	Pass	421
3000	12000	1	RMS	11860	-55.4	-25	Pass	9002
12000	26000	1	RMS	25099	-44.76	-25	Pass	14002




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-71.64	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.66	-25	Pass	2986
30	1000	0.1	RMS	862.209	-59.36	-25	Pass	9701
1000	2490	1	RMS	2490	-45.3	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.34	60	Pass	401
2580	3000	1	RMS	2964	-45.05	-25	Pass	421
3000	12000	1	RMS	11844	-55.54	-25	Pass	9002
12000	26000	1	RMS	25122	-44.06	-25	Pass	14002




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.33	-25	Pass	401
0.15	30	0.01	RMS	16.45	-68.7	-25	Pass	2986
30	1000	0.1	RMS	911.041	-59.34	-25	Pass	9701
1000	2490	1	RMS	2489	-46.31	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.21	60	Pass	401
2580	3000	1	RMS	2962	-44.95	-25	Pass	421
3000	12000	1	RMS	11842	-55.55	-25	Pass	9002
12000	26000	1	RMS	25814	-43.92	-25	Pass	14002




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.76	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.81	-25	Pass	2986
30	1000	0.1	RMS	861.008	-59.34	-25	Pass	9701
1000	2490	1	RMS	2483	-46.47	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.34	60	Pass	401
2580	3000	1	RMS	2955	-45.03	-25	Pass	421
3000	12000	1	RMS	11916	-55.63	-25	Pass	9002
12000	26000	1	RMS	25097	-43.81	-25	Pass	14002




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.45	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.88	-25	Pass	2986
30	1000	0.1	RMS	995.197	-59.25	-25	Pass	9701
1000	2490	1	RMS	2477	-46.4	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.7	60	Pass	401
2580	3000	1	RMS	2983	-45.09	-25	Pass	421
3000	12000	1	RMS	11855	-55.64	-25	Pass	9002
12000	26000	1	RMS	25091	-43.86	-25	Pass	14002




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.2	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.5	-25	Pass	2986
30	1000	0.1	RMS	997.098	-59.18	-25	Pass	9701
1000	2490	1	RMS	2490	-46.28	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.14	60	Pass	401
2580	3000	1	RMS	2964	-45.05	-25	Pass	421
3000	12000	1	RMS	11861	-55.7	-25	Pass	9002
12000	26000	1	RMS	25102	-43.89	-25	Pass	14002




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-25	Pass	401
0.15	30	0.01	RMS	19.04	-68.89	-25	Pass	2986
30	1000	0.1	RMS	902.035	-59.48	-25	Pass	9701
1000	2490	1	RMS	2483	-43.11	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.88	60	Pass	401
2580	3000	1	RMS	2956	-44.99	-25	Pass	421
3000	12000	1	RMS	11854	-55.62	-25	Pass	9002
12000	26000	1	RMS	25090	-43.97	-25	Pass	14002




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-71.89	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.1	-25	Pass	2986
30	1000	0.1	RMS	873.316	-59.38	-25	Pass	9701
1000	2490	1	RMS	2483	-43.85	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.11	60	Pass	401
2580	3000	1	RMS	2956	-44.99	-25	Pass	421
3000	12000	1	RMS	11868	-55.51	-25	Pass	9002
12000	26000	1	RMS	25106	-44.01	-25	Pass	14002



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.38	-25	Pass	401
0.15	30	0.01	RMS	0.42	-68.86	-25	Pass	2986
30	1000	0.1	RMS	827.3	-58.88	-25	Pass	9701
1000	2490	1	RMS	2479	-46.46	-25	Pass	1491
2490	2580	1	RMS	2530.5	24	60	Pass	401
2580	3000	1	RMS	2975	-45.05	-25	Pass	421
3000	12000	1	RMS	11851	-55.52	-25	Pass	9002
12000	26000	1	RMS	25108	-43.77	-25	Pass	14002



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.12	-25	Pass	401
0.15	30	0.01	RMS	0.42	-68.18	-25	Pass	2986
30	1000	0.1	RMS	901.635	-59.36	-25	Pass	9701
1000	2490	1	RMS	2485	-46.48	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.83	60	Pass	401
2580	3000	1	RMS	2974	-45.03	-25	Pass	421
3000	12000	1	RMS	11852	-55.63	-25	Pass	9002
12000	26000	1	RMS	25110	-43.91	-25	Pass	14002



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.62	-68.39	-25	Pass	2986
30	1000	0.1	RMS	908.439	-59.27	-25	Pass	9701
1000	2490	1	RMS	2485	-46.42	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.75	60	Pass	401
2580	3000	1	RMS	2931	-45.07	-25	Pass	421
3000	12000	1	RMS	11867	-55.51	-25	Pass	9002
12000	26000	1	RMS	25102	-43.85	-25	Pass	14002



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.22	-25	Pass	401
0.15	30	0.01	RMS	4.24	-68.58	-25	Pass	2986
30	1000	0.1	RMS	855.704	-59.25	-25	Pass	9701
1000	2490	1	RMS	2486	-46.49	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.04	60	Pass	401
2580	3000	1	RMS	2983	-45.03	-25	Pass	421
3000	12000	1	RMS	11851	-55.43	-25	Pass	9002
12000	26000	1	RMS	25120	-44.02	-25	Pass	14002



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.92	-25	Pass	401
0.15	30	0.01	RMS	9.28	-68.89	-25	Pass	2986
30	1000	0.1	RMS	859.207	-59.13	-25	Pass	9701
1000	2490	1	RMS	2488	-31.74	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.89	60	Pass	401
2580	3000	1	RMS	2978	-45.06	-25	Pass	421
3000	12000	1	RMS	11863	-55.63	-25	Pass	9002
12000	26000	1	RMS	25109	-43.82	-25	Pass	14002



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.65	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.03	-25	Pass	2986
30	1000	0.1	RMS	913.743	-59.28	-25	Pass	9701
1000	2490	1	RMS	2488	-32.49	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.17	60	Pass	401
2580	3000	1	RMS	2977	-45.07	-25	Pass	421
3000	12000	1	RMS	11852	-55.45	-25	Pass	9002
12000	26000	1	RMS	25804	-44.09	-25	Pass	14002



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.79	-25	Pass	401
0.15	30	0.01	RMS	15.95	-68.66	-25	Pass	2986
30	1000	0.1	RMS	996.197	-59.37	-25	Pass	9701
1000	2490	1	RMS	2490	-46.56	-25	Pass	1491
2490	2580	1	RMS	2528.25	24.15	60	Pass	401
2580	3000	1	RMS	2958	-44.94	-25	Pass	421
3000	12000	1	RMS	11462	-55.64	-25	Pass	9002
12000	26000	1	RMS	25470	-43.97	-25	Pass	14002



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.16	-25	Pass	401
0.15	30	0.01	RMS	7.6	-69.08	-25	Pass	2986
30	1000	0.1	RMS	995.097	-59.3	-25	Pass	9701
1000	2490	1	RMS	2490	-46.56	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.92	60	Pass	401
2580	3000	1	RMS	2955	-45.02	-25	Pass	421
3000	12000	1	RMS	11847	-55.62	-25	Pass	9002
12000	26000	1	RMS	25095	-43.6	-25	Pass	14002



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.57	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.64	-25	Pass	2986
30	1000	0.1	RMS	725.2	-59.1	-25	Pass	9701
1000	2490	1	RMS	2490	-46.46	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.43	60	Pass	401
2580	3000	1	RMS	2582	-40.48	-25	Pass	421
3000	12000	1	RMS	11876	-55.55	-25	Pass	9002
12000	26000	1	RMS	25100	-43.83	-25	Pass	14002



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.97	-25	Pass	401
0.15	30	0.01	RMS	15.51	-67.89	-25	Pass	2986
30	1000	0.1	RMS	869.814	-59.2	-25	Pass	9701
1000	2490	1	RMS	2478	-46.51	-25	Pass	1491
2490	2580	1	RMS	2555.7	20.57	60	Pass	401
2580	3000	1	RMS	2582	-41.66	-25	Pass	421
3000	12000	1	RMS	11889	-55.45	-25	Pass	9002
12000	26000	1	RMS	25101	-43.99	-25	Pass	14002



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-72.13	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.15	-25	Pass	2986
30	1000	0.1	RMS	880.721	-58.37	-25	Pass	9701
1000	2490	1	RMS	2483	-35.05	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.88	60	Pass	401
2580	3000	1	RMS	2968	-44.97	-25	Pass	421
3000	12000	1	RMS	11849	-55.26	-25	Pass	9002
12000	26000	1	RMS	25400	-43.96	-25	Pass	14002



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.7	-25	Pass	401
0.15	30	0.01	RMS	16.71	-68.67	-25	Pass	2986
30	1000	0.1	RMS	899.934	-59.06	-25	Pass	9701
1000	2490	1	RMS	2483	-35.73	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.04	60	Pass	401
2580	3000	1	RMS	2975	-44.96	-25	Pass	421
3000	12000	1	RMS	11449	-55.47	-25	Pass	9002
12000	26000	1	RMS	25936	-44.01	-25	Pass	14002



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.57	-25	Pass	401
0.15	30	0.01	RMS	8.59	-68.02	-25	Pass	2986
30	1000	0.1	RMS	872.816	-58.9	-25	Pass	9701
1000	2490	1	RMS	2490	-42.66	-25	Pass	1491
2490	2580	1	RMS	2526	24.33	60	Pass	401
2580	3000	1	RMS	2956	-44.97	-25	Pass	421
3000	12000	1	RMS	11439	-55.45	-25	Pass	9002
12000	26000	1	RMS	25090	-43.81	-25	Pass	14002



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.72	-25	Pass	401
0.15	30	0.01	RMS	23.66	-68.24	-25	Pass	2986
30	1000	0.1	RMS	912.942	-59.18	-25	Pass	9701
1000	2490	1	RMS	2490	-43.7	-25	Pass	1491
2490	2580	1	RMS	2526	23.11	60	Pass	401
2580	3000	1	RMS	2963	-44.93	-25	Pass	421
3000	12000	1	RMS	11858	-55.6	-25	Pass	9002
12000	26000	1	RMS	25100	-43.81	-25	Pass	14002



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-72.08	-25	Pass	401
0.15	30	0.01	RMS	26.06	-68.51	-25	Pass	2986
30	1000	0.1	RMS	888.826	-59.15	-25	Pass	9701
1000	2490	1	RMS	2488	-46.19	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.2	60	Pass	401
2580	3000	1	RMS	2586	-44.35	-25	Pass	421
3000	12000	1	RMS	10543	-55.56	-25	Pass	9002
12000	26000	1	RMS	25097	-43.98	-25	Pass	14002



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-72.34	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.12	-25	Pass	2986
30	1000	0.1	RMS	925.851	-59.36	-25	Pass	9701
1000	2490	1	RMS	2482	-46.81	-25	Pass	1491
2490	2580	1	RMS	2550.975	20.38	60	Pass	401
2580	3000	1	RMS	2586	-44.8	-25	Pass	421
3000	12000	1	RMS	11848	-55.82	-25	Pass	9002
12000	26000	1	RMS	25819	-44.11	-25	Pass	14002



--BLANK BELOW--