



Band42c_10MHz_16QAM_LCH_3555MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.94	/	/	/	/
Adjacent	-10	10.00	-37.55	-57.49	-30	27.49	Pass
Adjacent	10	10.00	-24.85	-44.79	-30	14.79	Pass

Band42c_10MHz_16QAM_LCH_3555MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.64	/	/	/	/
Adjacent	-10	10.00	-25.46	-43.10	-30	13.10	Pass
Adjacent	10	10.00	-25.82	-43.46	-30	13.46	Pass

Band42c_10MHz_16QAM_MCH_3575MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.01	/	/	/	/
Adjacent	-10	10.00	-21.26	-40.27	-30	10.27	Pass
Adjacent	10	10.00	-37.77	-56.78	-30	26.78	Pass

Band42c_10MHz_16QAM_MCH_3575MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.32	/	/	/	/
Adjacent	-10	10.00	-37.75	-57.07	-30	27.07	Pass
Adjacent	10	10.00	-26.16	-45.48	-30	15.48	Pass

Band42c_10MHz_16QAM_MCH_3575MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.70	/	/	/	/
Adjacent	-10	10.00	-25.78	-43.48	-30	13.48	Pass
Adjacent	10	10.00	-25.82	-43.52	-30	13.52	Pass

Band42c_10MHz_16QAM_HCH_3595MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.05	/	/	/	/
Adjacent	-10	10.00	-25.98	-45.03	-30	15.03	Pass
Adjacent	10	10.00	-35.50	-54.55	-30	24.55	Pass

Band42c_10MHz_16QAM_HCH_3595MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.62	/	/	/	/
Adjacent	-10	10.00	-35.78	-54.40	-30	24.40	Pass
Adjacent	10	10.00	-24.13	-42.75	-30	12.75	Pass

Band42c_10MHz_16QAM_HCH_3595MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.77	/	/	/	/
Adjacent	-10	10.00	-25.84	-43.61	-30	13.61	Pass
Adjacent	10	10.00	-26.38	-44.15	-30	14.15	Pass

Band42c_10MHz_64QAM_LCH_3555MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.96	/	/	/	/
Adjacent	-10	10.00	-24.85	-42.81	-30	12.81	Pass
Adjacent	10	10.00	-38.13	-56.09	-30	26.09	Pass

Band42c_10MHz_64QAM_LCH_3555MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.62	/	/	/	/
Adjacent	-10	10.00	-38.18	-56.80	-30	26.80	Pass
Adjacent	10	10.00	-25.41	-44.03	-30	14.03	Pass

Band42c_10MHz_64QAM_LCH_3555MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.17	/	/	/	/
Adjacent	-10	10.00	-27.05	-44.22	-30	14.22	Pass
Adjacent	10	10.00	-27.01	-44.18	-30	14.18	Pass

Band42c_10MHz_64QAM_MCH_3575MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.51	/	/	/	/
Adjacent	-10	10.00	-24.73	-43.24	-30	13.24	Pass
Adjacent	10	10.00	-38.04	-56.55	-30	26.55	Pass

Band42c_10MHz_64QAM_MCH_3575MHz_RB_1_49_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.51	/	/	/	/
Adjacent	-10	10.00	-37.82	-55.33	-30	25.33	Pass
Adjacent	10	10.00	-27.65	-45.16	-30	15.16	Pass

Band42c_10MHz_64QAM_MCH_3575MHz_RB_50_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	16.89	/	/	/	/
Adjacent	-10	10.00	-27.18	-44.07	-30	14.07	Pass
Adjacent	10	10.00	-27.54	-44.43	-30	14.43	Pass

Band42c_10MHz_64QAM_HCH_3595MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.12	/	/	/	/
Adjacent	-10	10.00	-25.73	-43.85	-30	13.85	Pass
Adjacent	10	10.00	-35.64	-53.76	-30	23.76	Pass

Band42c_10MHz_64QAM_HCH_3595MHz_RB_1_49_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.28	/	/	/	/
Adjacent	-10	10.00	-36.00	-53.28	-30	23.28	Pass
Adjacent	10	10.00	-25.47	-42.75	-30	12.75	Pass


Band42c_10MHz_64QAM_HCH_3595MHz_RB_50_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	16.72	/	/	/	/
Adjacent	-10	10.00	-27.38	-44.10	-30	14.10	Pass
Adjacent	10	10.00	-27.61	-44.33	-30	14.33	Pass


6.2.3 B42c_15MHz

Band42c_15MHz_QPSK_LCH_3557.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.87	/	/	/	/
Adjacent	-15	15.00	-23.37	-43.24	-30	13.24	Pass
Adjacent	15	15.00	-36.76	-56.63	-30	26.63	Pass

Band42c_15MHz_QPSK_LCH_3557.5MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	20.20	/	/	/	/
Adjacent	-15	15.00	-36.66	-56.86	-30	26.86	Pass
Adjacent	15	15.00	-22.83	-43.03	-30	13.03	Pass

Band42c_15MHz_QPSK_LCH_3557.5MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.26	/	/	/	/
Adjacent	-15	15.00	-25.75	-45.01	-30	15.01	Pass
Adjacent	15	15.00	-26.27	-45.53	-30	15.53	Pass

Band42c_15MHz_QPSK_MCH_3575MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.16	/	/	/	/
Adjacent	-15	15.00	-22.88	-42.04	-30	12.04	Pass
Adjacent	15	15.00	-34.32	-53.48	-30	23.48	Pass

Band42c_15MHz_QPSK_MCH_3575MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.91	/	/	/	/
Adjacent	-15	15.00	-34.41	-54.32	-30	24.32	Pass
Adjacent	15	15.00	-24.64	-44.55	-30	14.55	Pass

Band42c_15MHz_QPSK_MCH_3575MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.20	/	/	/	/
Adjacent	-15	15.00	-25.98	-44.18	-30	14.18	Pass
Adjacent	15	15.00	-26.07	-44.27	-30	14.27	Pass

Band42c_15MHz_QPSK_HCH_3592.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.92	/	/	/	/
Adjacent	-15	15.00	-24.80	-44.72	-30	14.72	Pass
Adjacent	15	15.00	-34.19	-54.11	-30	24.11	Pass

Band42c_15MHz_QPSK_HCH_3592.5MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.82	/	/	/	/
Adjacent	-15	15.00	-34.17	-53.99	-30	23.99	Pass
Adjacent	15	15.00	-23.54	-43.36	-30	13.36	Pass

Band42c_15MHz_QPSK_HCH_3592.5MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.39	/	/	/	/
Adjacent	-15	15.00	-25.87	-44.26	-30	14.26	Pass
Adjacent	15	15.00	-26.23	-44.62	-30	14.62	Pass

Band42c_15MHz_16QAM_LCH_3557.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.35	/	/	/	/
Adjacent	-15	15.00	-25.74	-44.09	-30	14.09	Pass
Adjacent	15	15.00	-37.21	-55.56	-30	25.56	Pass

Band42c_15MHz_16QAM_LCH_3557.5MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.56	/	/	/	/
Adjacent	-15	15.00	-37.04	-55.60	-30	25.60	Pass
Adjacent	15	15.00	-26.68	-45.24	-30	15.24	Pass

Band42c_15MHz_16QAM_LCH_3557.5MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.25	/	/	/	/
Adjacent	-15	15.00	-26.45	-44.70	-30	14.70	Pass
Adjacent	15	15.00	-26.82	-45.07	-30	15.07	Pass

Band42c_15MHz_16QAM_MCH_3575MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	19.25	/	/	/	/
Adjacent	-15	15.00	-25.63	-44.88	-30	14.88	Pass
Adjacent	15	15.00	-34.63	-53.88	-30	23.88	Pass

Band42c_15MHz_16QAM_MCH_3575MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.70	/	/	/	/
Adjacent	-15	15.00	-34.67	-53.37	-30	23.37	Pass
Adjacent	15	15.00	-24.86	-43.56	-30	13.56	Pass

Band42c_15MHz_16QAM_MCH_3575MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.34	/	/	/	/
Adjacent	-15	15.00	-26.45	-43.79	-30	13.79	Pass
Adjacent	15	15.00	-26.27	-43.61	-30	13.61	Pass

Band42c_15MHz_16QAM_HCH_3592.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.74	/	/	/	/
Adjacent	-15	15.00	-24.85	-43.59	-30	13.59	Pass
Adjacent	15	15.00	-34.43	-53.17	-30	23.17	Pass


Band42c_15MHz_16QAM_HCH_3592.5MHz_RB_1_74_NTNV



Band42c_15MHz_16QAM_HCH_3592.5MHz_RB_75_0_NTNV




Band42c_15MHz_64QAM_LCH_3557.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	18.54	/	/	/	/
Adjacent	-15	15.00	-26.85	-45.39	-30	15.39	Pass
Adjacent	15	15.00	-37.32	-55.86	-30	25.86	Pass

Band42c_15MHz_64QAM_LCH_3557.5MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.99	/	/	/	/
Adjacent	-15	15.00	-37.41	-55.40	-30	25.40	Pass
Adjacent	15	15.00	-27.55	-45.54	-30	15.54	Pass


Band42c_15MHz_64QAM_LCH_3557.5MHz_RB_75_0_NTNV



Band42c_15MHz_64QAM_MCH_3575MHz_RB_1_0_NTNV




Band42c_15MHz_64QAM_MCH_3575MHz_RB_1_74_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.62	/	/	/	/
Adjacent	-15	15.00	-34.80	-52.42	-30	22.42	Pass
Adjacent	15	15.00	-26.18	-43.80	-30	13.80	Pass

Band42c_15MHz_64QAM_MCH_3575MHz_RB_75_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.61	/	/	/	/
Adjacent	-15	15.00	-27.91	-44.52	-30	14.52	Pass
Adjacent	15	15.00	-27.54	-44.15	-30	14.15	Pass

Band42c_15MHz_64QAM_HCH_3592.5MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.59	/	/	/	/
Adjacent	-15	15.00	-24.17	-41.76	-30	11.76	Pass
Adjacent	15	15.00	-34.48	-52.07	-30	22.07	Pass

Band42c_15MHz_64QAM_HCH_3592.5MHz_RB_1_74_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	17.76	/	/	/	/
Adjacent	-15	15.00	-34.66	-52.42	-30	22.42	Pass
Adjacent	15	15.00	-27.90	-45.66	-30	15.66	Pass


Band42c_15MHz_64QAM_HCH_3592.5MHz_RB_75_0_NTNV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	15.00	16.65	/	/	/	/
Adjacent	-15	15.00	-27.95	-44.60	-30	14.60	Pass
Adjacent	15	15.00	-27.60	-44.25	-30	14.25	Pass


6.2.4 B42c_20MHz

Band42c 20MHz QPSK LCH 3560MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.38	/	/	/	/
Adjacent	-20	20.00	-25.69	-45.07	-30	15.07	Pass
Adjacent	20	20.00	-33.64	-53.02	-30	23.02	Pass

Band42c 20MHz QPSK LCH 3560MHz RB 1 99 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.89	/	/	/	/
Adjacent	-20	20.00	-33.85	-52.74	-30	22.74	Pass
Adjacent	20	20.00	-25.61	-44.50	-30	14.50	Pass

Band42c_20MHz_QPSK_LCH_3560MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.35	/	/	/	/
Adjacent	-20	20.00	-26.27	-44.62	-30	14.62	Pass
Adjacent	20	20.00	-26.51	-44.86	-30	14.86	Pass

Band42c_20MHz_QPSK_MCH_3575MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.46	/	/	/	/
Adjacent	-20	20.00	-25.15	-44.61	-30	14.61	Pass
Adjacent	20	20.00	-33.52	-52.98	-30	22.98	Pass

Band42c_20MHz_QPSK_MCH_3575MHz_RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.88	/	/	/	/
Adjacent	-20	20.00	-33.78	-53.66	-30	23.66	Pass
Adjacent	20	20.00	-25.28	-45.16	-30	15.16	Pass

Band42c_20MHz_QPSK_MCH_3575MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.72	/	/	/	/
Adjacent	-20	20.00	-26.20	-44.92	-30	14.92	Pass
Adjacent	20	20.00	-26.56	-45.28	-30	15.28	Pass

Band42c_20MHz_QPSK_HCH_3590MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.74	/	/	/	/
Adjacent	-20	20.00	-24.76	-44.50	-30	14.50	Pass
Adjacent	20	20.00	-33.37	-53.11	-30	23.11	Pass

Band42c_20MHz_QPSK_HCH_3590MHz_RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.16	/	/	/	/
Adjacent	-20	20.00	-33.64	-52.80	-30	22.80	Pass
Adjacent	20	20.00	-26.22	-45.38	-30	15.38	Pass

Band42c_20MHz_QPSK_HCH_3590MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.62	/	/	/	/
Adjacent	-20	20.00	-26.16	-44.78	-30	14.78	Pass
Adjacent	20	20.00	-26.78	-45.40	-30	15.40	Pass

Band42c_20MHz_16QAM_LCH_3560MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.73	/	/	/	/
Adjacent	-20	20.00	-25.59	-44.32	-30	14.32	Pass
Adjacent	20	20.00	-33.78	-52.51	-30	22.51	Pass

Band42c_20MHz_16QAM_LCH_3560MHz_RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.44	/	/	/	/
Adjacent	-20	20.00	-33.87	-52.31	-30	22.31	Pass
Adjacent	20	20.00	-25.17	-43.61	-30	13.61	Pass

Band42c_20MHz_16QAM_LCH_3560MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.72	/	/	/	/
Adjacent	-20	20.00	-26.53	-44.25	-30	14.25	Pass
Adjacent	20	20.00	-26.93	-44.65	-30	14.65	Pass

Band42c_20MHz_16QAM_MCH_3575MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.32	/	/	/	/
Adjacent	-20	20.00	-25.94	-45.26	-30	15.26	Pass
Adjacent	20	20.00	-33.64	-52.96	-30	22.96	Pass

Band42c_20MHz_16QAM_MCH_3575MHz_RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.00	/	/	/	/
Adjacent	-20	20.00	-33.85	-52.85	-30	22.85	Pass
Adjacent	20	20.00	-26.03	-45.03	-30	15.03	Pass

Band42c 20MHz_16QAM_MCH_3575MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.69	/	/	/	/
Adjacent	-20	20.00	-26.49	-44.18	-30	14.18	Pass
Adjacent	20	20.00	-26.69	-44.38	-30	14.38	Pass

Band42c_20MHz_16QAM_HCH_3590MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.58	/	/	/	/
Adjacent	-20	20.00	-25.91	-44.49	-30	14.49	Pass
Adjacent	20	20.00	-33.55	-52.13	-30	22.13	Pass


Band42c_20MHz_16QAM_HCH_3590MHz_RB_1_99_NTNV



Band42c_20MHz_16QAM_HCH_3590MHz_RB_100_0_NTNV




Band42c 20MHz 64QAM LCH 3560MHz RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.12	/	/	/	/
Adjacent	-20	20.00	-26.82	-44.94	-30	14.94	Pass
Adjacent	20	20.00	-33.86	-51.98	-30	21.98	Pass

Band42c 20MHz 64QAM LCH 3560MHz RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.08	/	/	/	/
Adjacent	-20	20.00	-34.00	-52.08	-30	22.08	Pass
Adjacent	20	20.00	-27.61	-45.69	-30	15.69	Pass

Band42c_20MHz_64QAM_LCH_3560MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.74	/	/	/	/
Adjacent	-20	20.00	-27.69	-44.43	-30	14.43	Pass
Adjacent	20	20.00	-27.76	-44.50	-30	14.50	Pass

Band42c_20MHz_64QAM_MCH_3575MHz_RB_1_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.42	/	/	/	/
Adjacent	-20	20.00	-26.74	-44.16	-30	14.16	Pass
Adjacent	20	20.00	-33.70	-51.12	-30	21.12	Pass

Band42c_20MHz_64QAM_MCH_3575MHz_RB_1_99_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.70	/	/	/	/
Adjacent	-20	20.00	-34.00	-51.70	-30	21.70	Pass
Adjacent	20	20.00	-25.89	-43.59	-30	13.59	Pass

Band42c_20MHz_64QAM_MCH_3575MHz_RB_100_0_NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.45	/	/	/	/
Adjacent	-20	20.00	-27.44	-43.89	-30	13.89	Pass
Adjacent	20	20.00	-27.65	-44.10	-30	14.10	Pass


Band42c_20MHz_64QAM_HCH_3590MHz_RB_1_0_NTNV



Band42c_20MHz_64QAM_HCH_3590MHz_RB_1_99_NTNV



Band42c 20MHz 64QAM HCH 3590MHz RB 100 0 NTN



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.52	/	/	/	/
Adjacent	-20	20.00	-27.86	-44.38	-30	14.38	Pass
Adjacent	20	20.00	-27.95	-44.47	-30	14.47	Pass

7. Field Strength of Spurious Radiation

LTE Band 42(3550-3600) -Low channel, Modulation: QPSK, Bandwidth:xxMHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3016.575	-56.51	-13	-43.51	-60.5	2.97	6.96	Horizontal	Pass
5002.497	-51.25	-13	-38.25	-57.13	4.26	10.14	Horizontal	Pass
10791.69	-51.03	-13	-38.03	-59.17	5.07	13.21	Horizontal	Pass
5046.062	-51.7	-13	-38.7	-57.61	4.26	10.17	Vertical	Pass
9530.432	-50.35	-13	-37.35	-58.74	4.84	13.23	Vertical	Pass
15310.07	-50.11	-13	-37.11	-58.87	5.59	14.35	Vertical	Pass

LTE Band 42(3550-3600) -Middle channel, Modulation: QPSK, Bandwidth:xxMHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
6106.616	-52.36	-13	-39.36	-58.6	4.22	10.46	Horizontal	Pass
8176.795	-51.27	-13	-38.27	-59.51	4.3	12.54	Horizontal	Pass
16891.04	-50.19	-13	-37.19	-58.76	4.75	13.32	Horizontal	Pass
6018.999	-53.36	-13	-40.36	-59.59	4.22	10.45	Vertical	Pass
8440.945	-52.22	-13	-39.22	-60.69	4.38	12.85	Vertical	Pass
14788.15	-52.61	-13	-39.61	-61.69	5.4	14.48	Vertical	Pass

LTE Band 42(3550-3600) -High channel, Modulation: QPSK, Bandwidth:xxMHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
4988.058	-51.29	-13	-38.29	-57.16	4.25	10.12	Horizontal	Pass
6285.695	-52.47	-13	-39.47	-58.73	4.21	10.47	Horizontal	Pass
17336.2	-49.72	-13	-36.72	-58.96	4.65	13.89	Horizontal	Pass
5031.499	-51.18	-13	-38.18	-57.08	4.26	10.16	Vertical	Pass
10729.48	-46.93	-13	-33.93	-55.04	5.08	13.19	Vertical	Pass
17386.38	-49.5	-13	-36.5	-58.83	4.65	13.98	Vertical	Pass

---End of Attachment---