

Appendix-A LTE Band 26(824-849)

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	ERP (dBm)	Limit (dBm)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	24.18	23.35	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#0	24.22	23.39	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	23.24	22.41	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#1	24.19	23.36	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#2	24.22	23.39	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#3	24.26	23.43	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#5	24.22	23.39	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	24.08	23.25	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#0	24.11	23.28	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	23.10	22.27	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#1	24.08	23.25	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#2	24.07	23.24	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#3	24.10	23.27	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#5	24.01	23.18	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	23.99	23.16	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#0	23.90	23.07	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	22.98	22.15	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#1	23.95	23.12	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#2	23.91	23.08	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#3	23.93	23.1	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#5	23.90	23.07	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	23.49	22.66	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#0	23.31	22.48	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	22.32	21.49	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#1	23.30	22.47	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#2	23.48	22.65	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#3	23.38	22.55	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#5	23.42	22.59	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	23.26	22.43	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#0	23.17	22.34	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	22.16	21.33	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#1	23.19	22.36	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#2	23.34	22.51	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#3	23.22	22.39	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#5	23.45	22.62	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	23.36	22.53	38.45	PASS

Band26(824-849)	1.4MHz	16QAM	27033	3RB#0	23.05	22.22	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	22.01	21.18	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#1	23.04	22.21	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#2	23.11	22.28	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#3	23.06	22.23	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#5	23.11	22.28	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#0	22.45	21.62	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	3RB#0	22.50	21.67	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	6RB#0	21.35	20.52	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	3RB#1	22.44	21.61	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#2	22.59	21.76	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	3RB#3	22.36	21.53	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#5	22.63	21.8	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#0	22.44	21.61	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	3RB#0	22.29	21.46	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	6RB#0	21.11	20.28	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	3RB#1	22.21	21.38	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#2	22.44	21.61	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	3RB#3	22.16	21.33	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#5	22.36	21.53	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	1RB#0	22.15	21.32	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	3RB#0	21.94	21.11	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	6RB#0	20.95	20.12	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	3RB#1	22.03	21.2	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	1RB#2	21.99	21.16	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	3RB#3	21.98	21.15	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	1RB#5	22.08	21.25	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#0	19.56	18.73	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	3RB#0	19.47	18.64	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	6RB#0	19.38	18.55	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	3RB#1	19.41	18.58	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#2	19.43	18.6	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	3RB#3	19.42	18.59	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#5	19.43	18.6	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#0	19.87	19.04	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	3RB#0	19.28	18.45	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	6RB#0	19.20	18.37	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	3RB#1	19.24	18.41	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#2	19.46	18.63	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	3RB#3	19.23	18.4	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#5	19.28	18.45	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	1RB#0	19.33	18.5	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	3RB#0	19.59	18.76	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	6RB#0	19.07	18.24	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	3RB#1	19.17	18.34	38.45	PASS

Band26(824-849)	1.4MHz	256QAM	27033	1RB#2	19.03	18.2	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	3RB#3	19.09	18.26	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	1RB#5	19.01	18.18	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	24.21	23.38	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#0	23.25	22.42	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	23.27	22.44	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#4	23.31	22.48	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#7	23.21	22.38	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#8	24.28	23.45	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#14	24.11	23.28	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	24.03	23.2	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#0	23.13	22.3	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	23.08	22.25	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#4	23.04	22.21	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#7	23.04	22.21	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#8	24.10	23.27	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#14	23.94	23.11	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	24.03	23.2	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#0	23.16	22.33	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	23.11	22.28	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#4	23.03	22.2	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#7	23.17	22.34	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#8	24.01	23.18	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#14	23.98	23.15	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	23.61	22.78	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#0	22.34	21.51	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	22.29	21.46	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#4	22.38	21.55	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#7	22.35	21.52	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#8	23.53	22.7	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#14	23.44	22.61	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	23.39	22.56	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#0	22.19	21.36	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	22.16	21.33	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#4	22.11	21.28	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#7	22.21	21.38	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#8	23.35	22.52	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#14	23.28	22.45	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	23.29	22.46	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#0	22.21	21.38	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	22.10	21.27	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#4	22.22	21.39	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#7	22.17	21.34	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#8	23.34	22.51	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#14	23.32	22.49	38.45	PASS

Band26(824-849)	3MHz	64QAM	26805	1RB#0	22.52	21.69	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	8RB#0	21.25	20.42	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	15RB#0	21.22	20.39	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	8RB#4	21.35	20.52	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	8RB#7	21.24	20.41	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	1RB#8	22.48	21.65	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	1RB#14	22.40	21.57	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#0	22.27	21.44	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	8RB#0	21.06	20.23	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	15RB#0	21.02	20.19	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	8RB#4	21.04	20.21	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	8RB#7	21.13	20.3	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#8	22.22	21.39	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#14	22.18	21.35	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#0	22.07	21.24	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	8RB#0	21.09	20.26	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	15RB#0	20.99	20.16	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	8RB#4	21.12	20.29	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	8RB#7	21.04	20.21	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#8	22.29	21.46	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#14	22.06	21.23	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	1RB#0	19.54	18.71	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	8RB#0	19.40	18.57	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	15RB#0	19.41	18.58	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	8RB#4	19.35	18.52	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	8RB#7	19.33	18.5	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	1RB#8	19.50	18.67	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	1RB#14	19.35	18.52	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	1RB#0	19.54	18.71	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	8RB#0	19.25	18.42	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	15RB#0	19.23	18.4	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	8RB#4	19.23	18.4	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	8RB#7	19.26	18.43	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	1RB#8	19.29	18.46	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	1RB#14	19.31	18.48	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	1RB#0	19.28	18.45	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	8RB#0	19.20	18.37	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	15RB#0	19.17	18.34	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	8RB#4	19.19	18.36	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	8RB#7	19.21	18.38	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	1RB#8	19.26	18.43	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	1RB#14	19.25	18.42	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	24.22	23.39	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#0	23.24	22.41	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	23.24	22.41	38.45	PASS

Band26(824-849)	5MHz	QPSK	26815	12RB#6	23.27	22.44	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#12	24.25	23.42	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#13	23.32	22.49	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#24	24.18	23.35	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	24.14	23.31	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#0	23.14	22.31	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	23.13	22.3	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#6	23.15	22.32	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#12	24.11	23.28	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#13	23.07	22.24	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#24	24.18	23.35	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	24.13	23.3	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#0	23.14	22.31	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	23.11	22.28	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#6	23.21	22.38	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#12	24.08	23.25	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#13	23.15	22.32	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#24	23.98	23.15	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	23.55	22.72	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#0	22.24	21.41	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	22.26	21.43	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#6	22.32	21.49	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#12	23.62	22.79	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#13	22.26	21.43	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#24	23.54	22.71	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	23.40	22.57	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#0	22.16	21.33	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	22.07	21.24	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#6	22.18	21.35	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#12	23.53	22.7	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#13	22.14	21.31	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#24	23.42	22.59	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	23.46	22.63	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#0	22.12	21.29	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	22.08	21.25	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#6	22.16	21.33	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#12	23.41	22.58	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#13	22.18	21.35	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#24	23.24	22.41	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	1RB#0	22.51	21.68	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	12RB#0	21.32	20.49	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	25RB#0	21.28	20.45	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	12RB#6	21.30	20.47	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	1RB#12	22.54	21.71	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	12RB#13	21.30	20.47	38.45	PASS

Band26(824-849)	5MHz	64QAM	26815	1RB#24	22.39	21.56	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#0	22.37	21.54	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	12RB#0	21.14	20.31	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	25RB#0	21.10	20.27	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	12RB#6	21.14	20.31	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#12	22.18	21.35	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	12RB#13	21.02	20.19	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#24	22.09	21.26	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#0	22.12	21.29	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	12RB#0	21.10	20.27	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	25RB#0	21.07	20.24	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	12RB#6	21.12	20.29	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#12	22.40	21.57	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	12RB#13	21.00	20.17	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#24	22.14	21.31	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#0	19.31	18.48	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	12RB#0	19.38	18.55	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	25RB#0	19.39	18.56	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	12RB#6	19.45	18.62	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#12	19.54	18.71	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	12RB#13	19.38	18.55	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#24	19.37	18.54	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	1RB#0	19.30	18.47	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	12RB#0	19.25	18.42	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	25RB#0	19.26	18.43	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	12RB#6	19.24	18.41	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	1RB#12	19.48	18.65	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	12RB#13	19.20	18.37	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	1RB#24	19.27	18.44	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#0	19.21	18.38	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	12RB#0	19.18	18.35	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	25RB#0	19.21	18.38	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	12RB#6	19.20	18.37	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#12	19.27	18.44	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	12RB#13	19.18	18.35	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#24	19.23	18.4	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	24.15	23.32	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#0	23.28	22.45	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	23.30	22.47	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#12	23.33	22.5	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#24	24.25	23.42	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#25	23.27	22.44	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#49	24.19	23.36	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	24.17	23.34	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#0	23.16	22.33	38.45	PASS

Band26(824-849)	10MHz	QPSK	26915	50RB#0	23.05	22.22	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#12	23.12	22.29	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#24	24.04	23.21	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#25	23.10	22.27	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#49	24.07	23.24	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	23.99	23.16	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#0	23.07	22.24	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	23.06	22.23	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#12	23.10	22.27	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#24	24.10	23.27	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#25	23.10	22.27	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#49	24.17	23.34	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	23.35	22.52	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#0	22.33	21.5	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	22.35	21.52	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#12	22.34	21.51	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#24	23.54	22.71	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#25	22.28	21.45	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#49	23.43	22.6	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	23.53	22.7	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#0	22.11	21.28	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	22.10	21.27	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#12	22.17	21.34	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#24	23.19	22.36	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#25	22.08	21.25	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#49	23.42	22.59	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	23.38	22.55	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#0	22.12	21.29	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	22.03	21.2	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#12	22.13	21.3	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#24	23.35	22.52	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#25	22.11	21.28	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#49	23.21	22.38	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#0	22.38	21.55	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	25RB#0	21.32	20.49	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	50RB#0	21.26	20.43	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	25RB#12	21.34	20.51	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#24	22.55	21.72	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	25RB#25	21.29	20.46	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#49	22.41	21.58	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#0	22.31	21.48	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	25RB#0	21.17	20.34	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	50RB#0	21.01	20.18	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	25RB#12	21.20	20.37	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#24	22.34	21.51	38.45	PASS

Band26(824-849)	10MHz	64QAM	26915	25RB#25	20.97	20.14	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#49	22.27	21.44	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#0	22.09	21.26	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	25RB#0	21.08	20.25	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	50RB#0	21.12	20.29	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	25RB#12	21.17	20.34	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#24	22.17	21.34	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	25RB#25	21.04	20.21	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#49	22.25	21.42	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#0	19.50	18.67	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	25RB#0	19.41	18.58	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	50RB#0	19.46	18.63	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	25RB#12	19.51	18.68	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#24	19.53	18.7	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	25RB#25	19.41	18.58	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#49	19.42	18.59	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	1RB#0	19.36	18.53	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	25RB#0	19.28	18.45	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	50RB#0	19.25	18.42	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	25RB#12	19.30	18.47	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	1RB#24	19.18	18.35	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	25RB#25	19.15	18.32	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	1RB#49	19.23	18.4	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	1RB#0	19.16	18.33	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	25RB#0	19.20	18.37	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	50RB#0	19.22	18.39	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	25RB#12	19.20	18.37	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	1RB#24	19.34	18.51	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	25RB#25	19.13	18.3	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	1RB#49	19.34	18.51	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	24.13	23.3	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#0	24.09	23.26	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	23.13	22.3	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#18	24.30	23.47	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#37	24.87	24.04	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#38	24.19	23.36	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#74	24.02	23.19	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	24.03	23.2	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#0	24.02	23.19	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	23.04	22.21	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#18	24.59	23.76	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#37	23.98	23.15	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#38	24.02	23.19	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#74	24.04	23.21	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	24.10	23.27	38.45	PASS

Band26(824-849)	15MHz	QPSK	26965	38RB#0	24.06	23.23	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	23.14	22.31	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#18	24.11	23.28	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#37	24.00	23.17	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#38	24.09	23.26	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#74	24.05	23.22	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	23.68	22.85	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#0	23.90	23.07	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	22.21	21.38	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#18	23.62	22.79	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#37	23.45	22.62	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#38	23.54	22.71	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#74	23.30	22.47	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	23.67	22.84	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#0	23.24	22.41	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	22.10	21.27	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#18	23.36	22.53	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#37	23.38	22.55	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#38	23.32	22.49	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#74	23.24	22.41	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	23.24	22.41	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#0	23.18	22.35	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	22.21	21.38	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#18	23.34	22.51	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#37	23.34	22.51	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#38	23.34	22.51	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#74	23.39	22.56	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	1RB#0	22.34	21.51	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	38RB#0	22.41	21.58	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	75RB#0	21.12	20.29	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	38RB#18	22.42	21.59	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	38RB#37	22.52	21.69	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	1RB#38	22.43	21.6	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	1RB#74	22.35	21.52	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	1RB#0	22.27	21.44	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	38RB#0	22.32	21.49	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	21.08	20.25	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	38RB#18	22.30	21.47	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	38RB#37	22.22	21.39	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	1RB#38	22.34	21.51	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	1RB#74	22.23	21.4	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#0	22.32	21.49	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	38RB#0	22.09	21.26	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	75RB#0	21.18	20.35	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	38RB#18	22.33	21.5	38.45	PASS


Band26(824-849)	15MHz	64QAM	26965	38RB#37	22.37	21.54	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#38	22.28	21.45	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#74	22.27	21.44	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#0	19.45	18.62	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	38RB#0	19.40	18.57	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	75RB#0	19.30	18.47	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	38RB#18	19.53	18.7	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	38RB#37	19.52	18.69	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#38	19.46	18.63	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#74	19.36	18.53	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#0	19.26	18.43	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	38RB#0	19.43	18.6	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	19.09	18.26	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	38RB#18	19.45	18.62	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	38RB#37	19.30	18.47	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#38	19.46	18.63	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#74	19.23	18.4	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#0	19.44	18.61	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	38RB#0	19.31	18.48	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	75RB#0	19.14	18.31	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	38RB#18	19.29	18.46	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	38RB#37	19.20	18.37	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#38	19.33	18.5	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#74	19.35	18.52	38.45	PASS

Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit (dB)	Verdict
Band26(824-849)	15MHz	QPSK	26865	75RB#0	5.01	13	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	4.95	13	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	4.83	13	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	5.99	13	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	5.98	13	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	5.92	13	PASS
Band26(824-849)	15MHz	64QAM	26865	75RB#0	6.45	13	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	6.41	13	PASS
Band26(824-849)	15MHz	64QAM	26965	75RB#0	6.33	13	PASS
Band26(824-849)	15MHz	256QAM	26865	75RB#0	6.63	13	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	6.59	13	PASS
Band26(824-849)	15MHz	256QAM	26965	75RB#0	7.53	13	PASS

Test Graphs






Band26(824-849)-15MHz-64QAM-26865-75RB#0-PASS




Band26(824-849)-15MHz-64QAM-26915-75RB#0-PASS



Band26(824-849)-15MHz-64QAM-26965-75RB#0-PASS



Band26(824-849)-15MHz-256QAM-26865-75RB#0-PASS



Band26(824-849)-15MHz-256QAM-26915-75RB#0-PASS



Band26(824-849)-15MHz-256QAM-26965-75RB#0-PASS


26dB Bandwidth and Occupied Bandwidth


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	OBW (MHz)	26dB EBW (MHz)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	1.0984	1.315	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.0984	1.343	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	1.0990	1.348	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	1.1039	1.372	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	1.1060	1.360	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	1.1043	1.364	PASS
Band26(824-849)	1.4MHz	64QAM	26797	6RB#0	1.1018	1.353	PASS
Band26(824-849)	1.4MHz	64QAM	26915	6RB#0	1.0965	1.338	PASS
Band26(824-849)	1.4MHz	64QAM	27033	6RB#0	1.1022	1.366	PASS
Band26(824-849)	1.4MHz	256QAM	26797	6RB#0	1.1015	1.354	PASS
Band26(824-849)	1.4MHz	256QAM	26915	6RB#0	1.1010	1.339	PASS
Band26(824-849)	1.4MHz	256QAM	27033	6RB#0	1.1054	1.356	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	2.6960	3.059	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	2.6988	3.047	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	2.7025	3.055	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	2.6996	3.020	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	2.6983	3.033	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	2.7021	3.041	PASS
Band26(824-849)	3MHz	64QAM	26805	15RB#0	2.7057	3.044	PASS
Band26(824-849)	3MHz	64QAM	26915	15RB#0	2.6964	3.009	PASS
Band26(824-849)	3MHz	64QAM	27025	15RB#0	2.7014	3.056	PASS
Band26(824-849)	3MHz	256QAM	26805	15RB#0	2.6969	3.054	PASS
Band26(824-849)	3MHz	256QAM	26915	15RB#0	2.6951	3.026	PASS
Band26(824-849)	3MHz	256QAM	27025	15RB#0	2.7019	3.047	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	4.5185	5.114	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	4.5061	5.180	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	4.5195	5.192	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	4.5032	5.168	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	4.5072	5.139	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	4.5102	5.156	PASS
Band26(824-849)	5MHz	64QAM	26815	25RB#0	4.5077	5.146	PASS
Band26(824-849)	5MHz	64QAM	26915	25RB#0	4.5102	5.133	PASS
Band26(824-849)	5MHz	64QAM	27015	25RB#0	4.5111	5.165	PASS
Band26(824-849)	5MHz	256QAM	26815	25RB#0	4.5030	5.135	PASS
Band26(824-849)	5MHz	256QAM	26915	25RB#0	4.5021	5.124	PASS
Band26(824-849)	5MHz	256QAM	27015	25RB#0	4.5132	5.154	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	8.9991	10.06	PASS


Band26(824-849)	10MHz	QPSK	26915	50RB#0	9.0013	10.13	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	9.0122	10.04	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	9.0063	10.05	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	9.0205	10.03	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	9.0170	9.975	PASS
Band26(824-849)	10MHz	64QAM	26840	50RB#0	8.9902	10.06	PASS
Band26(824-849)	10MHz	64QAM	26915	50RB#0	9.0136	10.03	PASS
Band26(824-849)	10MHz	64QAM	26990	50RB#0	9.0024	10.06	PASS
Band26(824-849)	10MHz	256QAM	26840	50RB#0	8.9952	10.02	PASS
Band26(824-849)	10MHz	256QAM	26915	50RB#0	8.9934	10.03	PASS
Band26(824-849)	10MHz	256QAM	26990	50RB#0	9.0004	10.02	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	13.544	15.08	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	13.486	14.89	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	13.467	14.95	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	13.517	15.02	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	13.482	14.95	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	13.462	14.87	PASS
Band26(824-849)	15MHz	64QAM	26865	75RB#0	13.549	15.02	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	13.474	14.90	PASS
Band26(824-849)	15MHz	64QAM	26965	75RB#0	13.471	14.87	PASS
Band26(824-849)	15MHz	256QAM	26865	75RB#0	13.287	14.09	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	13.481	15.05	PASS
Band26(824-849)	15MHz	256QAM	26965	75RB#0	13.442	14.92	PASS

Test Graphs












Band26(824-849)-3MHz-64QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-64QAM-26915-15RB#0-PASS




Band26(824-849)-3MHz-64QAM-27025-15RB#0-PASS




Band26(824-849)-3MHz-256QAM-26805-15RB#0-PASS



Band26(824-849)-3MHz-256QAM-26915-15RB#0-PASS



Band26(824-849)-3MHz-256QAM-27025-15RB#0-PASS







Band26(824-849)-5MHz-64QAM-26815-25RB#0-PASS



Band26(824-849)-5MHz-64QAM-26915-25RB#0-PASS



Band26(824-849)-5MHz-64QAM-27015-25RB#0-PASS



Band26(824-849)-5MHz-256QAM-26815-25RB#0-PASS



Band26(824-849)-5MHz-256QAM-26915-25RB#0-PASS



Band26(824-849)-5MHz-256QAM-27015-25RB#0-PASS



Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26915-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26840-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26915-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26990-50RB#0-PASS






Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS




Band26(824-849)-15MHz-QPSK-26915-75RB#0-PASS



Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS




Band26(824-849)-15MHz-16QAM-26865-75RB#0-PASS




Band26(824-849)-15MHz-16QAM-26915-75RB#0-PASS



Band26(824-849)-15MHz-16QAM-26965-75RB#0-PASS




Band26(824-849)-15MHz-64QAM-26865-75RB#0-PASS




Band26(824-849)-15MHz-64QAM-26915-75RB#0-PASS



Band26(824-849)-15MHz-64QAM-26965-75RB#0-PASS



Band26(824-849)-15MHz-256QAM-26865-75RB#0-PASS




Band26(824-849)-15MHz-256QAM-26915-75RB#0-PASS



Band26(824-849)-15MHz-256QAM-26965-75RB#0-PASS

Band Edge

Test Graphs






Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS



Band26(824-849)-3MHz-QPSK-27025-1RB#14-PASS




Band26(824-849)-5MHz-QPSK-26815-1RB#0-PASS



Band26(824-849)-5MHz-QPSK-26815-25RB#0-PASS



Band26(824-849)-5MHz-QPSK-27015-25RB#0-PASS



Band26(824-849)-5MHz-QPSK-27015-1RB#24-PASS




Band26(824-849)-10MHz-QPSK-26840-1RB#0-PASS




Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS




Band26(824-849)-10MHz-QPSK-26990-1RB#49-PASS



Band26(824-849)-15MHz-QPSK-26865-1RB#0-PASS





Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS




Conducted Spurious Emission

Test Graphs







Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26(824-849)	15MHz	QPSK	26915	75RB#0	VN	NT	-1.00	-0.001195	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	VL	NT	-2.60	-0.003108	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	VH	NT	-2.40	-0.002869	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-30	-2.00	-0.002391	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-20	-0.70	-0.000837	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-10	-0.40	-0.000478	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	0	-0.60	-0.000717	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	10	-1.10	-0.001315	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	20	-1.80	-0.002152	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	30	-1.60	-0.001913	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	40	-2.20	-0.002630	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	50	0.10	0.000120	±2.5	PASS