

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	26.14	24.05	0.254
					Inner_1RB_Right	26.37	24.28	0.268
					Inner_Full	27.02	24.93	0.311
DFT-16QAM	3750	650000			Inner_1RB_Left	25.08	22.99	0.199
					Inner_1RB_Right	25.33	23.24	0.211
					Inner_Full	26.02	23.93	0.247
DFT-64QAM	3750	650000			Inner_1RB_Left	23.55	21.46	0.140
					Inner_1RB_Right	23.78	21.69	0.148
					Inner_Full	24.45	22.36	0.172
DFT-256QAM	3750	650000			Inner_1RB_Left	21.55	19.46	0.088
					Inner_1RB_Right	21.67	19.58	0.091
					Inner_Full	22.38	20.29	0.107

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	24.62	22.53	0.179
					Inner_1RB_Right	24.87	22.78	0.190
					Inner_Full	25.46	23.37	0.217
CP-16QAM	3750	650000			Inner_1RB_Left	25.63	23.54	0.226
					Inner_1RB_Right	24.36	22.27	0.169
					Inner_Full	24.95	22.86	0.193
CP-64QAM	3750	650000			Inner_1RB_Left	22.61	20.52	0.113
					Inner_1RB_Right	22.85	20.76	0.119
					Inner_Full	23.4	21.31	0.135
CP-256QAM	3750	650000			Inner_1RB_Left	20.18	18.09	0.064
					Inner_1RB_Right	20.31	18.22	0.066
					Inner_Full	20.52	18.43	0.070

MIMO:

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	21.58	22.07	24.84	22.75	0.188
					Inner_1RB_Right	21.74	22.05	24.91	22.82	0.191
					Inner_Full	21.57	22.19	24.90	22.81	0.191
	3750	650000			Inner_1RB_Left	22.24	22.72	25.50	23.41	0.219
					Inner_1RB_Right	22.17	22.7	25.45	23.36	0.217
					Inner_Full	22.14	22.85	25.52	23.43	0.220
	3795	653000			Inner_1RB_Left	21.91	22.58	25.27	23.18	0.208
					Inner_1RB_Right	22.04	22.6	25.34	23.25	0.211
					Inner_Full	21.84	22.6	25.25	23.16	0.207
CP-16QAM	3705	647000			Inner_1RB_Left	21.49	21.59	24.55	22.46	0.176
					Inner_1RB_Right	21.67	21.64	24.67	22.58	0.181
					Inner_Full	21.26	21.73	24.51	22.42	0.175
	3750	650000			Inner_1RB_Left	22.04	22.25	25.16	23.07	0.203
					Inner_1RB_Right	21.97	22.21	25.10	23.01	0.200
					Inner_Full	21.72	22.28	25.02	22.93	0.196
	3795	653000			Inner_1RB_Left	21.69	21.97	24.84	22.75	0.188
					Inner_1RB_Right	21.64	21.97	24.82	22.73	0.187
					Inner_Full	21.33	22.16	24.78	22.69	0.186
CP-64QAM	3705	647000			Inner_1RB_Left	19.6	20.39	23.02	20.93	0.124
					Inner_1RB_Right	19.78	20.46	23.14	21.05	0.127
					Inner_Full	19.67	20.17	22.94	20.85	0.122
	3750	650000			Inner_1RB_Left	20.26	21.05	23.68	21.59	0.144
					Inner_1RB_Right	20.22	21.17	23.73	21.64	0.146
					Inner_Full	20.21	20.83	23.54	21.45	0.140
	3795	653000			Inner_1RB_Left	19.85	20.87	23.40	21.31	0.135
					Inner_1RB_Right	20.03	20.94	23.52	21.43	0.139
					Inner_Full	19.92	20.59	23.28	21.19	0.132
CP-256QAM	3705	647000			Inner_1RB_Left	16.32	17.17	19.78	17.69	0.059
					Inner_1RB_Right	16.52	17.25	19.91	17.82	0.061
					Inner_Full	16.62	17.32	19.99	17.9	0.062
	3750	650000			Inner_1RB_Left	17.03	17.85	20.47	18.38	0.069
					Inner_1RB_Right	16.96	17.89	20.46	18.37	0.069
					Inner_Full	17.17	17.95	20.59	18.5	0.071
	3795	653000			Inner_1RB_Left	16.6	17.7	20.20	18.11	0.065
					Inner_1RB_Right	16.8	17.73	20.30	18.21	0.066
					Inner Full	16.86	17.75	20.34	18.25	0.067

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3707.52	647168	15	30kHz	Inner_1RB_Left	21.59	22.04	24.83	22.74	0.188
					Inner_1RB_Right	21.78	22.06	24.93	22.84	0.192
					Inner_Full	21.6	22.2	24.92	22.83	0.192
	3750	650000			Inner_1RB_Left	22.29	22.79	25.56	23.47	0.222
					Inner_1RB_Right	22.17	22.75	25.48	23.39	0.218
					Inner_Full	22.13	22.87	25.53	23.44	0.221
	3792.48	652832			Inner_1RB_Left	21.95	22.75	25.38	23.29	0.213
					Inner_1RB_Right	22.05	22.6	25.34	23.25	0.211
					Inner_Full	21.84	22.74	25.32	23.23	0.210
CP-16QAM	3707.52	647168			Inner_1RB_Left	21.43	21.51	24.48	22.39	0.173
					Inner_1RB_Right	21.66	21.5	24.59	22.5	0.178
					Inner_Full	21.25	21.69	24.49	22.4	0.174
	3750	650000			Inner_1RB_Left	21.89	22.29	25.10	23.01	0.200
					Inner_1RB_Right	21.85	22.27	25.08	22.99	0.199
					Inner_Full	21.57	22.39	25.01	22.92	0.196
	3792.48	652832			Inner_1RB_Left	21.66	22.25	24.98	22.89	0.195
					Inner_1RB_Right	21.65	22.18	24.93	22.84	0.192
					Inner_Full	21.3	22.27	24.82	22.73	0.187
CP-64QAM	3707.52	647168			Inner_1RB_Left	19.68	20.31	23.02	20.93	0.124
					Inner_1RB_Right	19.79	20.37	23.10	21.01	0.126
					Inner_Full	19.8	20.18	23.00	20.91	0.123
	3750	650000			Inner_1RB_Left	20.23	21.18	23.74	21.65	0.146
					Inner_1RB_Right	20.13	21.22	23.72	21.63	0.146
					Inner_Full	20.26	20.73	23.51	21.42	0.139
	3792.48	652832			Inner_1RB_Left	19.98	21.18	23.63	21.54	0.143
					Inner_1RB_Right	19.93	20.99	23.50	21.41	0.138
					Inner_Full	19.96	20.6	23.30	21.21	0.132
CP-256QAM	3707.52	647168			Inner_1RB_Left	16.34	17.28	19.85	17.76	0.060
					Inner_1RB_Right	16.53	17.21	19.89	17.8	0.060
					Inner_Full	16.72	17.3	20.03	17.94	0.062
	3750	650000			Inner_1RB_Left	17.01	17.84	20.46	18.37	0.069
					Inner_1RB_Right	16.87	17.79	20.36	18.27	0.067
					Inner_Full	17.24	17.94	20.61	18.52	0.071
	3792.48	652832			Inner_1RB_Left	16.72	17.72	20.26	18.17	0.066
					Inner_1RB_Right	16.74	17.75	20.28	18.19	0.066
					Inner_Full	16.97	17.79	20.41	18.32	0.068

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	21.66	22.23	24.96	22.87	0.194
					Inner_1RB_Right	21.77	22	24.90	22.81	0.191
					Inner_Full	21.57	22.21	24.91	22.82	0.191
	3750	650000			Inner_1RB_Left	22.22	22.71	25.48	23.39	0.218
					Inner_1RB_Right	22.16	22.64	25.42	23.33	0.215
					Inner_Full	22.06	22.8	25.46	23.37	0.217
	3789.99	652666			Inner_1RB_Left	21.91	22.61	25.28	23.19	0.208
					Inner_1RB_Right	21.96	22.56	25.28	23.19	0.208
					Inner_Full	21.83	22.72	25.31	23.22	0.210
CP-16QAM	3710.01	647334			Inner_1RB_Left	21.42	21.62	24.53	22.44	0.175
					Inner_1RB_Right	21.54	21.52	24.54	22.45	0.176
					Inner_Full	21.28	21.65	24.48	22.39	0.173
	3750	650000			Inner_1RB_Left	21.86	22.21	25.05	22.96	0.198
					Inner_1RB_Right	21.69	22.28	25.01	22.92	0.196
					Inner_Full	21.61	22.25	24.95	22.86	0.193
	3789.99	652666			Inner_1RB_Left	21.47	22.13	24.82	22.73	0.187
					Inner_1RB_Right	21.65	22	24.84	22.75	0.188
					Inner_Full	21.33	22.21	24.80	22.71	0.187
CP-64QAM	3710.01	647334			Inner_1RB_Left	19.57	20.46	23.05	20.96	0.125
					Inner_1RB_Right	19.67	20.45	23.09	21	0.126
					Inner_Full	19.77	20.17	22.98	20.89	0.123
	3750	650000			Inner_1RB_Left	20.17	21.01	23.62	21.53	0.142
					Inner_1RB_Right	20.02	21.13	23.62	21.53	0.142
					Inner_Full	20.21	20.76	23.50	21.41	0.138
	3789.99	652666			Inner_1RB_Left	19.88	20.92	23.44	21.35	0.136
					Inner_1RB_Right	20.02	20.87	23.48	21.39	0.138
					Inner_Full	19.97	20.65	23.33	21.24	0.133
CP-256QAM	3710.01	647334			Inner_1RB_Left	16.32	17.15	19.77	17.68	0.059
					Inner_1RB_Right	16.43	17.05	19.76	17.67	0.058
					Inner_Full	16.74	17.25	20.01	17.92	0.062
	3750	650000			Inner_1RB_Left	16.97	17.72	20.37	18.28	0.067
					Inner_1RB_Right	16.81	17.82	20.35	18.26	0.067
					Inner_Full	17.16	17.83	20.52	18.43	0.070
	3789.99	652666			Inner_1RB_Left	16.61	17.73	20.22	18.13	0.065
					Inner_1RB_Right	16.66	17.75	20.25	18.16	0.065
					Inner_Full	16.83	17.76	20.33	18.24	0.067

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3712.5	647500	25	30kHz	Inner_1RB_Left	21.51	21.97	24.76	22.67	0.185
					Inner_1RB_Right	21.54	21.72	24.64	22.55	0.180
					Inner_Full	21.57	22.23	24.92	22.83	0.192
	3750	650000			Inner_1RB_Left	22.07	22.4	25.25	23.16	0.207
					Inner_1RB_Right	22	22.52	25.28	23.19	0.208
					Inner_Full	22.09	22.77	25.45	23.36	0.217
	3787.5	652500			Inner_1RB_Left	21.77	22.41	25.11	23.02	0.200
					Inner_1RB_Right	21.9	22.43	25.18	23.09	0.204
					Inner_Full	21.81	22.64	25.26	23.17	0.207
CP-16QAM	3712.5	647500			Inner_1RB_Left	21.44	21.46	24.46	22.37	0.173
					Inner_1RB_Right	21.47	21.29	24.39	22.3	0.170
					Inner_Full	21.21	21.64	24.44	22.35	0.172
	3750	650000			Inner_1RB_Left	21.8	21.94	24.88	22.79	0.190
					Inner_1RB_Right	21.7	22.03	24.88	22.79	0.190
					Inner_Full	21.57	22.23	24.92	22.83	0.192
	3787.5	652500			Inner_1RB_Left	21.44	21.87	24.67	22.58	0.181
					Inner_1RB_Right	21.56	21.89	24.74	22.65	0.184
					Inner_Full	21.29	22.14	24.75	22.66	0.185
CP-64QAM	3712.5	647500			Inner_1RB_Left	19.54	20.31	22.95	20.86	0.122
					Inner_1RB_Right	19.54	20.16	22.87	20.78	0.120
					Inner_Full	19.71	20.14	22.94	20.85	0.122
	3750	650000			Inner_1RB_Left	20.07	20.83	23.48	21.39	0.138
					Inner_1RB_Right	20.06	20.93	23.53	21.44	0.139
					Inner_Full	20.23	20.73	23.50	21.41	0.138
	3787.5	652500			Inner_1RB_Left	19.79	20.68	23.27	21.18	0.131
					Inner_1RB_Right	19.94	20.8	23.40	21.31	0.135
					Inner_Full	19.93	20.62	23.30	21.21	0.132
CP-256QAM	3712.5	647500			Inner_1RB_Left	16.24	17.27	19.80	17.71	0.059
					Inner_1RB_Right	16.21	17	19.63	17.54	0.057
					Inner_Full	16.7	17.24	19.99	17.9	0.062
	3750	650000			Inner_1RB_Left	16.76	17.68	20.25	18.16	0.065
					Inner_1RB_Right	16.81	17.8	20.34	18.25	0.067
					Inner_Full	17.14	17.83	20.51	18.42	0.070
	3787.5	652500			Inner_1RB_Left	16.49	17.69	20.14	18.05	0.064
					Inner_1RB_Right	16.64	17.71	20.22	18.13	0.065
					Inner_Full	16.84	17.71	20.31	18.22	0.066

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3715.02	647668	30	30kHz	Inner_1RB_Left	21.55	21.96	24.77	22.68	0.185
					Inner_1RB_Right	21.62	21.91	24.78	22.69	0.186
					Inner_Full	21.6	22.2	24.92	22.83	0.192
	3750	650000			Inner_1RB_Left	22	22.31	25.17	23.08	0.203
					Inner_1RB_Right	22.13	22.83	25.50	23.41	0.219
					Inner_Full	22.06	22.76	25.43	23.34	0.216
	3785.01	652334			Inner_1RB_Left	21.57	22.26	24.94	22.85	0.193
					Inner_1RB_Right	22.04	22.46	25.27	23.18	0.208
					Inner_Full	21.81	22.61	25.24	23.15	0.207
CP-16QAM	3715.02	647668			Inner_1RB_Left	21.47	21.51	24.50	22.41	0.174
					Inner_1RB_Right	21.36	21.33	24.36	22.27	0.169
					Inner_Full	21.28	21.7	24.51	22.42	0.175
	3750	650000			Inner_1RB_Left	21.69	21.79	24.75	22.66	0.185
					Inner_1RB_Right	21.81	22.18	25.01	22.92	0.196
					Inner_Full	21.62	22.24	24.95	22.86	0.193
	3785.01	652334			Inner_1RB_Left	21.27	21.72	24.51	22.42	0.175
					Inner_1RB_Right	21.68	21.95	24.83	22.74	0.188
					Inner_Full	21.31	22.13	24.75	22.66	0.185
CP-64QAM	3715.02	647668			Inner_1RB_Left	19.59	20.3	22.97	20.88	0.122
					Inner_1RB_Right	19.57	20.23	22.92	20.83	0.121
					Inner_Full	19.71	20.14	22.94	20.85	0.122
	3750	650000			Inner_1RB_Left	20.04	20.63	23.36	21.27	0.134
					Inner_1RB_Right	20.16	21.14	23.69	21.6	0.145
					Inner_Full	20.18	20.69	23.45	21.36	0.137
	3785.01	652334			Inner_1RB_Left	19.68	20.59	23.17	21.08	0.128
					Inner_1RB_Right	19.98	20.79	23.41	21.32	0.136
					Inner_Full	19.91	20.54	23.25	21.16	0.131
CP-256QAM	3715.02	647668			Inner_1RB_Left	16.32	17.27	19.83	17.74	0.059
					Inner_1RB_Right	16.32	17.13	19.75	17.66	0.058
					Inner_Full	16.6	17.22	19.93	17.84	0.061
	3750	650000			Inner_1RB_Left	16.75	17.6	20.21	18.12	0.065
					Inner_1RB_Right	16.88	18	20.49	18.4	0.069
					Inner_Full	17.13	17.8	20.49	18.4	0.069
	3785.01	652334			Inner_1RB_Left	16.44	17.48	20.00	17.91	0.062
					Inner_1RB_Right	16.71	17.67	20.23	18.14	0.065
					Inner_Full	16.85	17.63	20.27	18.18	0.066

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	21.24	21.71	24.49	22.4	0.174
					Inner_1RB_Right	21.42	21.86	24.66	22.57	0.181
					Inner_Full	21.54	22.04	24.81	22.72	0.187
	3750	650000			Inner_1RB_Left	21.7	22.01	24.87	22.78	0.190
					Inner_1RB_Right	21.98	22.7	25.37	23.28	0.213
					Inner_Full	22.02	22.71	25.39	23.3	0.214
	3780	652000			Inner_1RB_Left	21.39	21.95	24.69	22.6	0.182
					Inner_1RB_Right	21.84	22.34	25.11	23.02	0.200
					Inner_Full	21.85	22.68	25.30	23.21	0.209
CP-16QAM	3720	648000			Inner_1RB_Left	21.2	21.14	24.18	22.09	0.162
					Inner_1RB_Right	21.17	21.32	24.26	22.17	0.165
					Inner_Full	21.17	21.5	24.35	22.26	0.168
	3750	650000			Inner_1RB_Left	21.6	21.47	24.55	22.46	0.176
					Inner_1RB_Right	21.69	22.08	24.90	22.81	0.191
					Inner_Full	21.51	22.22	24.89	22.8	0.191
	3780	652000			Inner_1RB_Left	21.11	21.45	24.29	22.2	0.166
					Inner_1RB_Right	21.47	21.87	24.68	22.59	0.182
					Inner_Full	21.35	22.21	24.81	22.72	0.187
CP-64QAM	3720	648000			Inner_1RB_Left	19.34	20.05	22.72	20.63	0.116
					Inner_1RB_Right	19.57	20.26	22.94	20.85	0.122
					Inner_Full	19.68	19.98	22.84	20.75	0.119
	3750	650000			Inner_1RB_Left	19.78	20.4	23.11	21.02	0.126
					Inner_1RB_Right	19.99	20.9	23.48	21.39	0.138
					Inner_Full	20.15	20.68	23.43	21.34	0.136
	3780	652000			Inner_1RB_Left	19.53	20.37	22.98	20.89	0.123
					Inner_1RB_Right	19.91	20.73	23.35	21.26	0.134
					Inner_Full	19.97	20.67	23.34	21.25	0.133
CP-256QAM	3720	648000			Inner_1RB_Left	16.11	16.99	19.58	17.49	0.056
					Inner_1RB_Right	16.21	17.19	19.74	17.65	0.058
					Inner_Full	16.65	17.14	19.91	17.82	0.061
	3750	650000			Inner_1RB_Left	16.53	17.3	19.94	17.85	0.061
					Inner_1RB_Right	16.73	17.78	20.30	18.21	0.066
					Inner_Full	17.12	17.8	20.48	18.39	0.069
	3780	652000			Inner_1RB_Left	16.24	17.25	19.78	17.69	0.059
					Inner_1RB_Right	16.63	17.59	20.15	18.06	0.064
					Inner_Full	16.94	17.79	20.40	18.31	0.068

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	21.4	21.8	24.61	22.52	0.179
					Inner_1RB_Right	21.88	22.27	25.09	23	0.200
					Inner_Full	21.51	21.98	24.76	22.67	0.185
	3750	650000			Inner_1RB_Left	21.89	22.11	25.01	22.92	0.196
					Inner_1RB_Right	22.24	22.84	25.56	23.47	0.222
					Inner_Full	22.03	22.72	25.40	23.31	0.214
	3774.99	651666			Inner_1RB_Left	21.83	22.27	25.07	22.98	0.199
					Inner_1RB_Right	21.88	22.47	25.20	23.11	0.205
					Inner_Full	21.8	22.76	25.32	23.23	0.210
CP-16QAM	3725.01	648334			Inner_1RB_Left	21.22	21.24	24.24	22.15	0.164
					Inner_1RB_Right	21.56	21.67	24.63	22.54	0.179
					Inner_Full	21.2	21.46	24.34	22.25	0.168
	3750	650000			Inner_1RB_Left	21.76	21.62	24.70	22.61	0.182
					Inner_1RB_Right	21.85	22.38	25.13	23.04	0.201
					Inner_Full	21.58	22.17	24.90	22.81	0.191
	3774.99	651666			Inner_1RB_Left	21.49	21.83	24.67	22.58	0.181
					Inner_1RB_Right	21.41	21.9	24.67	22.58	0.181
					Inner_Full	21.34	22.21	24.81	22.72	0.187
CP-64QAM	3725.01	648334			Inner_1RB_Left	19.47	20.05	22.78	20.69	0.117
					Inner_1RB_Right	19.96	20.5	23.25	21.16	0.131
					Inner_Full	19.66	20	22.84	20.75	0.119
	3750	650000			Inner_1RB_Left	19.97	20.42	23.21	21.12	0.129
					Inner_1RB_Right	20.35	21.12	23.76	21.67	0.147
					Inner_Full	20.14	20.73	23.46	21.37	0.137
	3774.99	651666			Inner_1RB_Left	19.91	20.57	23.26	21.17	0.131
					Inner_1RB_Right	20	20.8	23.43	21.34	0.136
					Inner_Full	19.9	20.75	23.36	21.27	0.134
CP-256QAM	3725.01	648334			Inner_1RB_Left	16.14	17.07	19.64	17.55	0.057
					Inner_1RB_Right	16.69	17.49	20.12	18.03	0.064
					Inner_Full	16.6	17.09	19.86	17.77	0.060
	3750	650000			Inner_1RB_Left	16.71	17.43	20.10	18.01	0.063
					Inner_1RB_Right	17.03	18.15	20.64	18.55	0.072
					Inner_Full	17.13	17.77	20.47	18.38	0.069
	3774.99	651666			Inner_1RB_Left	16.49	17.57	20.07	17.98	0.063
					Inner_1RB_Right	16.66	17.76	20.26	18.17	0.066
					Inner_Full	16.93	17.82	20.41	18.32	0.068

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3730.02	648668	60	30kHz	Inner_1RB_Left	21.42	21.84	24.65	22.56	0.180
					Inner_1RB_Right	21.71	22.17	24.96	22.87	0.194
					Inner_Full	21.56	22.01	24.80	22.71	0.187
	3750	650000			Inner_1RB_Left	21.86	22.08	24.98	22.89	0.195
					Inner_1RB_Right	22.27	22.86	25.59	23.5	0.224
					Inner_Full	22.01	22.67	25.36	23.27	0.212
	3769.98	651332			Inner_1RB_Left	21.73	22.14	24.95	22.86	0.193
					Inner_1RB_Right	21.96	22.55	25.28	23.19	0.208
					Inner_Full	21.73	22.57	25.18	23.09	0.204
CP-16QAM	3730.02	648668			Inner_1RB_Left	21.4	21.35	24.39	22.3	0.170
					Inner_1RB_Right	21.44	21.58	24.52	22.43	0.175
					Inner_Full	21.19	21.55	24.38	22.29	0.169
	3750	650000			Inner_1RB_Left	21.86	21.6	24.74	22.65	0.184
					Inner_1RB_Right	22.03	22.38	25.22	23.13	0.206
					Inner_Full	21.55	22.18	24.89	22.8	0.191
	3769.98	651332			Inner_1RB_Left	21.4	21.63	24.53	22.44	0.175
					Inner_1RB_Right	21.75	22.03	24.90	22.81	0.191
					Inner_Full	21.23	22.13	24.71	22.62	0.183
CP-64QAM	3730.02	648668			Inner_1RB_Left	19.59	20.17	22.90	20.81	0.121
					Inner_1RB_Right	19.87	20.47	23.19	21.1	0.129
					Inner_Full	19.72	19.97	22.86	20.77	0.119
	3750	650000			Inner_1RB_Left	20.01	20.39	23.21	21.12	0.129
					Inner_1RB_Right	20.47	21.23	23.88	21.79	0.151
					Inner_Full	20.15	20.62	23.40	21.31	0.135
	3769.98	651332			Inner_1RB_Left	19.85	20.39	23.14	21.05	0.127
					Inner_1RB_Right	20.14	20.89	23.54	21.45	0.140
					Inner_Full	19.87	20.53	23.22	21.13	0.130
CP-256QAM	3730.02	648668			Inner_1RB_Left	16.21	17.15	19.72	17.63	0.058
					Inner_1RB_Right	16.53	17.42	20.01	17.92	0.062
					Inner_Full	16.65	17.12	19.90	17.81	0.060
	3750	650000			Inner_1RB_Left	16.75	17.43	20.11	18.02	0.063
					Inner_1RB_Right	17.09	18.17	20.67	18.58	0.072
					Inner_Full	17.11	17.78	20.47	18.38	0.069
	3769.98	651332			Inner_1RB_Left	16.5	17.38	19.97	17.88	0.061
					Inner_1RB_Right	16.78	17.85	20.36	18.27	0.067
					Inner Full	16.82	17.68	20.28	18.19	0.066

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	20.97	21.56	24.29	22.2	0.166
					Inner_1RB_Right	21.54	22.23	24.91	22.82	0.191
					Inner_Full	20.19	20.54	23.38	21.29	0.135
	3750	650000			Inner_1RB_Left	21.69	22.06	24.89	22.8	0.191
					Inner_1RB_Right	22.09	22.51	25.32	23.23	0.210
					Inner_Full	20.6	21.16	23.90	21.81	0.152
	3765	651000			Inner_1RB_Left	21.2	21.73	24.48	22.39	0.173
					Inner_1RB_Right	21.81	22.69	25.28	23.19	0.208
					Inner_Full	20.39	20.96	23.69	21.6	0.145
CP-16QAM	3735	649000			Inner_1RB_Left	21.04	21.05	24.06	21.97	0.157
					Inner_1RB_Right	21.2	21.79	24.52	22.43	0.175
					Inner_Full	20.23	20.52	23.39	21.3	0.135
	3750	650000			Inner_1RB_Left	21.67	21.44	24.57	22.48	0.177
					Inner_1RB_Right	21.63	22.15	24.91	22.82	0.191
					Inner_Full	20.63	21.18	23.92	21.83	0.152
	3765	651000			Inner_1RB_Left	20.96	21.08	24.03	21.94	0.156
					Inner_1RB_Right	21.48	21.94	24.73	22.64	0.184
					Inner_Full	20.4	20.96	23.70	21.61	0.145
CP-64QAM	3735	649000			Inner_1RB_Left	19.34	19.67	22.52	20.43	0.110
					Inner_1RB_Right	19.81	20.37	23.11	21.02	0.126
					Inner_Full	19.67	20.04	22.87	20.78	0.120
	3750	650000			Inner_1RB_Left	19.92	20.17	23.06	20.97	0.125
					Inner_1RB_Right	20.15	20.88	23.54	21.45	0.140
					Inner_Full	20.06	20.71	23.41	21.32	0.136
	3765	651000			Inner_1RB_Left	19.35	19.65	22.51	20.42	0.110
					Inner_1RB_Right	19.98	20.62	23.32	21.23	0.133
					Inner_Full	19.82	20.48	23.17	21.08	0.128
CP-256QAM	3735	649000			Inner_1RB_Left	16.02	16.86	19.47	17.38	0.055
					Inner_1RB_Right	16.53	17.61	20.11	18.02	0.063
					Inner_Full	16.69	17.14	19.93	17.84	0.061
	3750	650000			Inner_1RB_Left	16.66	17.24	19.97	17.88	0.061
					Inner_1RB_Right	16.98	17.84	20.44	18.35	0.068
					Inner_Full	17.08	17.77	20.45	18.36	0.069
	3765	651000			Inner_1RB_Left	16.29	16.77	19.55	17.46	0.056
					Inner_1RB_Right	16.79	17.56	20.20	18.11	0.065
					Inner_Full	16.81	17.56	20.21	18.12	0.065

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	21.48	21.96	24.74	22.65	0.184
					Inner_1RB_Right	21.96	22.59	25.30	23.21	0.209
					Inner_Full	21.98	22.55	25.28	23.19	0.208
	3750	650000			Inner_1RB_Left	21.59	21.87	24.74	22.65	0.184
					Inner_1RB_Right	21.9	22.53	25.24	23.15	0.207
					Inner_Full	21.99	22.71	25.38	23.29	0.213
	3759.99	650666			Inner_1RB_Left	21.53	21.7	24.63	22.54	0.179
					Inner_1RB_Right	22	22.54	25.29	23.2	0.209
					Inner_Full	22.05	22.77	25.44	23.35	0.216
CP-16QAM	3740.01	649334			Inner_1RB_Left	21.51	21.5	24.52	22.43	0.175
					Inner_1RB_Right	21.56	22.14	24.87	22.78	0.190
					Inner_Full	21.47	22.03	24.77	22.68	0.185
	3750	650000			Inner_1RB_Left	21.59	21.38	24.50	22.41	0.174
					Inner_1RB_Right	21.57	21.92	24.76	22.67	0.185
					Inner_Full	21.48	22.13	24.83	22.74	0.188
	3759.99	650666			Inner_1RB_Left	21.15	21.23	24.20	22.11	0.163
					Inner_1RB_Right	21.55	21.98	24.78	22.69	0.186
					Inner_Full	21.56	22.24	24.92	22.83	0.192
CP-64QAM	3740.01	649334			Inner_1RB_Left	19.69	20.12	22.92	20.83	0.121
					Inner_1RB_Right	20.07	20.87	23.50	21.41	0.138
					Inner_Full	20.1	20.47	23.30	21.21	0.132
	3750	650000			Inner_1RB_Left	19.8	20.22	23.03	20.94	0.124
					Inner_1RB_Right	20.14	20.84	23.51	21.42	0.139
					Inner_Full	20.18	20.59	23.40	21.31	0.135
	3759.99	650666			Inner_1RB_Left	19.85	20.06	22.97	20.88	0.122
					Inner_1RB_Right	20.23	20.85	23.56	21.47	0.140
					Inner_Full	20.26	20.7	23.50	21.41	0.138
CP-256QAM	3740.01	649334			Inner_1RB_Left	16.36	17.19	19.81	17.72	0.059
					Inner_1RB_Right	16.75	17.88	20.36	18.27	0.067
					Inner_Full	17.05	17.6	20.34	18.25	0.067
	3750	650000			Inner_1RB_Left	16.55	17.21	19.90	17.81	0.060
					Inner_1RB_Right	16.76	17.88	20.37	18.28	0.067
					Inner_Full	17.09	17.75	20.44	18.35	0.068
	3759.99	650666			Inner_1RB_Left	16.44	17.04	19.76	17.67	0.058
					Inner_1RB_Right	16.84	17.88	20.40	18.31	0.068
					Inner_Full	17.13	17.88	20.53	18.44	0.070

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	21.2	21.61	24.42	22.33	0.171
					Inner_1RB_Right	21.95	22.49	25.24	23.15	0.207
					Inner_Full	21.93	22.49	25.23	23.14	0.206
	3750	650000			Inner_1RB_Left	21.37	21.73	24.56	22.47	0.177
					Inner_1RB_Right	21.85	22.28	25.08	22.99	0.199
					Inner_Full	21.96	22.59	25.30	23.21	0.209
	3754.98	650332			Inner_1RB_Left	21.55	21.85	24.71	22.62	0.183
					Inner_1RB_Right	21.73	22.19	24.98	22.89	0.195
					Inner_Full	21.98	22.67	25.35	23.26	0.212
CP-16QAM	3745.02	649668			Inner_1RB_Left	21.23	21.09	24.17	22.08	0.161
					Inner_1RB_Right	21.6	22.02	24.83	22.74	0.188
					Inner_Full	21.4	22	24.72	22.63	0.183
	3750	650000			Inner_1RB_Left	21.46	21.26	24.37	22.28	0.169
					Inner_1RB_Right	21.46	21.81	24.65	22.56	0.180
					Inner_Full	21.45	22.07	24.78	22.69	0.186
	3754.98	650332			Inner_1RB_Left	21.63	21.38	24.52	22.43	0.175
					Inner_1RB_Right	21.34	21.63	24.50	22.41	0.174
					Inner_Full	21.45	22.17	24.84	22.75	0.188
CP-64QAM	3745.02	649668			Inner_1RB_Left	19.49	19.93	22.73	20.64	0.116
					Inner_1RB_Right	20.25	20.81	23.55	21.46	0.140
					Inner_Full	20.06	20.38	23.23	21.14	0.130
	3750	650000			Inner_1RB_Left	19.68	20.01	22.86	20.77	0.119
					Inner_1RB_Right	20.16	20.58	23.39	21.3	0.135
					Inner_Full	20.08	20.53	23.32	21.23	0.133
	3754.98	650332			Inner_1RB_Left	19.84	20.02	22.94	20.85	0.122
					Inner_1RB_Right	20.04	20.54	23.31	21.22	0.132
					Inner_Full	20.06	20.61	23.35	21.26	0.134
CP-256QAM	3745.02	649668			Inner_1RB_Left	16.2	17.05	19.66	17.57	0.057
					Inner_1RB_Right	16.94	17.95	20.48	18.39	0.069
					Inner_Full	17.03	17.53	20.30	18.21	0.066
	3750	650000			Inner_1RB_Left	16.34	17.17	19.79	17.7	0.059
					Inner_1RB_Right	16.73	17.77	20.29	18.2	0.066
					Inner_Full	17.05	17.65	20.37	18.28	0.067
	3754.98	650332			Inner_1RB_Left	16.53	17.29	19.94	17.85	0.061
					Inner_1RB_Right	16.69	17.65	20.21	18.12	0.065
					Inner Full	17.04	17.74	20.41	18.32	0.068

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	21.06	21.54	24.32	22.23	0.167
					Inner_1RB_Right	21.65	22.25	24.97	22.88	0.194
					Inner_Full	22	22.58	25.31	23.22	0.210
CP-16QAM	3750	650000			Inner_1RB_Left	21.27	21.02	24.16	22.07	0.161
					Inner_1RB_Right	21.31	21.64	24.49	22.4	0.174
					Inner_Full	21.48	22.1	24.81	22.72	0.187
CP-64QAM	3750	650000			Inner_1RB_Left	19.53	19.73	22.64	20.55	0.114
					Inner_1RB_Right	20.04	20.41	23.24	21.15	0.130
					Inner_Full	20.12	20.56	23.36	21.27	0.134
CP-256QAM	3750	650000			Inner_1RB_Left	16.15	16.97	19.59	17.5	0.056
					Inner_1RB_Right	16.68	17.63	20.19	18.1	0.065
					Inner_Full	17.07	17.7	20.41	18.32	0.068

The End