


Band Edge

1. LTE_Band2


1.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.64	-13	Pass	401
1848	1849	1	RMS	1849	-30.49	-13	Pass	2
1849	1850	0.02	RMS	1850	-17.76	-13	Pass	401
1850	1852	0.1	RMS	1850.235	20.95	30	Pass	401




1.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.85	-13	Pass	401
1848	1849	1	RMS	1849	-23.68	-13	Pass	2
1849	1850	0.02	RMS	1850	-25.47	-13	Pass	401
1850	1852	0.1	RMS	1850.5	12.74	30	Pass	401




1.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.96	-13	Pass	401
1848	1849	1	RMS	1849	-30.5	-13	Pass	2
1849	1850	0.02	RMS	1850	-18.83	-13	Pass	401
1850	1852	0.1	RMS	1850.245	20.18	30	Pass	401



1.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.73	-13	Pass	401
1848	1849	1	RMS	1849	-25.21	-13	Pass	2
1849	1850	0.02	RMS	1849.998	-26.74	-13	Pass	401
1850	1852	0.1	RMS	1850.745	11.93	30	Pass	401



1.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.745	20.56	30	Pass	401
1910	1911	0.02	RMS	1910	-19.06	-13	Pass	401
1911	1912	1	RMS	1911	-31.31	-13	Pass	2
1912	1920	1	RMS	1912	-41.35	-13	Pass	401




1.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.405	12.16	30	Pass	401
1910	1911	0.02	RMS	1910	-27.13	-13	Pass	401
1911	1912	1	RMS	1911	-24.85	-13	Pass	2
1912	1920	1	RMS	1912	-37.38	-13	Pass	401




1.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.755	19.56	30	Pass	401
1910	1911	0.02	RMS	1910	-19.69	-13	Pass	401
1911	1912	1	RMS	1911	-31.69	-13	Pass	2
1912	1920	1	RMS	1912	-41.71	-13	Pass	401




1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.92	11.24	30	Pass	401
1910	1911	0.02	RMS	1910	-27.52	-13	Pass	401
1911	1912	1	RMS	1911	-26.59	-13	Pass	2
1912	1920	1	RMS	1912	-38.18	-13	Pass	401




1.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.74	-32.46	-13	Pass	401
1848	1849	1	RMS	1849	-29.98	-13	Pass	2
1849	1850	0.002	RMS	1850	-25.03	-13	Pass	501
1850	1853	0.1	RMS	1850.233	21.74	30	Pass	401




1.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.41	-13	Pass	401
1848	1849	1	RMS	1849	-23.67	-13	Pass	2
1849	1850	0.03	RMS	1850	-22.97	-13	Pass	401
1850	1853	0.1	RMS	1851.605	8.77	30	Pass	401




1.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.72	-33.62	-13	Pass	401
1848	1849	1	RMS	1849	-31.26	-13	Pass	2
1849	1850	0.03	RMS	1850	-16.07	-13	Pass	401
1850	1853	0.1	RMS	1850.24	19.95	30	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-27.74	-13	Pass	401
1848	1849	1	RMS	1849	-24.71	-13	Pass	2
1849	1850	0.03	RMS	1849.998	-23.67	-13	Pass	401
1850	1853	0.1	RMS	1852.378	7.97	30	Pass	401



1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	20.38	30	Pass	401
1910	1911	0.03	RMS	1910	-16.02	-13	Pass	401
1911	1912	1	RMS	1911	-31.08	-13	Pass	2
1912	1920	1	RMS	1912.24	-34.69	-13	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.065	8.35	30	Pass	401
1910	1911	0.03	RMS	1910	-23.97	-13	Pass	401
1911	1912	1	RMS	1911	-23.48	-13	Pass	2
1912	1920	1	RMS	1912	-26.98	-13	Pass	401



1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	19.38	30	Pass	401
1910	1911	0.03	RMS	1910	-16.55	-13	Pass	401
1911	1912	1	RMS	1911	-31.38	-13	Pass	2
1912	1920	1	RMS	1912.22	-34.91	-13	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.59	7.43	30	Pass	401
1910	1911	0.03	RMS	1910	-25.08	-13	Pass	401
1911	1912	1	RMS	1911	-24.97	-13	Pass	2
1912	1920	1	RMS	1912	-28.48	-13	Pass	401




1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846	-32.11	-13	Pass	401
1848	1849	1	RMS	1849	-25.1	-13	Pass	2
1849	1850	0.002	RMS	1850	-25.97	-13	Pass	501
1850	1855	0.1	RMS	1850.338	21.96	30	Pass	401




1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.18	-13	Pass	401
1848	1849	1	RMS	1849	-22.36	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-23.78	-13	Pass	401
1850	1855	0.1	RMS	1851.738	6.82	30	Pass	401




1.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846	-33.24	-13	Pass	401
1848	1849	1	RMS	1849	-25.4	-13	Pass	2
1849	1850	0.002	RMS	1850	-27.12	-13	Pass	501
1850	1855	0.1	RMS	1850.338	21.15	30	Pass	401




1.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.25	-13	Pass	401
1848	1849	1	RMS	1849	-24.22	-13	Pass	2
1849	1850	0.051	RMS	1850	-24.76	-13	Pass	401
1850	1855	0.1	RMS	1853.725	5.88	30	Pass	401



1.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	21.29	30	Pass	401
1910	1911	0.002	RMS	1910.002	-28.16	-13	Pass	501
1911	1912	1	RMS	1911	-26.33	-13	Pass	2
1912	1920	1	RMS	1913.98	-35.25	-13	Pass	401




1.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1907.7	6.3	30	Pass	401
1910	1911	0.051	RMS	1910	-24.88	-13	Pass	401
1911	1912	1	RMS	1911	-23.44	-13	Pass	2
1912	1920	1	RMS	1912	-26.4	-13	Pass	401



1.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	20.34	30	Pass	401
1910	1911	0.002	RMS	1910.01	-28.17	-13	Pass	501
1911	1912	1	RMS	1911	-26.35	-13	Pass	2
1912	1920	1	RMS	1914.04	-35.37	-13	Pass	401




1.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1907.275	5.34	30	Pass	401
1910	1911	0.051	RMS	1910.003	-25.98	-13	Pass	401
1911	1912	1	RMS	1911	-24.88	-13	Pass	2
1912	1920	1	RMS	1912	-27.98	-13	Pass	401




1.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1841.74	-33.32	-13	Pass	401
1848	1849	1	RMS	1849	-28.57	-13	Pass	2
1849	1850	0.1	RMS	1850	-23.43	-13	Pass	401
1850	1860	0.1	RMS	1850.6	21.05	30	Pass	401




1.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.61	-13	Pass	401
1848	1849	1	RMS	1849	-26.48	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-28.22	-13	Pass	401
1850	1860	0.1	RMS	1858.05	3.9	30	Pass	401




1.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1841.76	-34.8	-13	Pass	401
1848	1849	1	RMS	1849	-29.22	-13	Pass	2
1849	1850	0.1	RMS	1850	-23.97	-13	Pass	401
1850	1860	0.1	RMS	1850.6	20.09	30	Pass	401




1.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.32	-13	Pass	401
1848	1849	1	RMS	1849	-25.03	-13	Pass	2
1849	1850	0.1	RMS	1850	-26.89	-13	Pass	401
1850	1860	0.1	RMS	1853.475	5.56	30	Pass	401




1.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	20.53	30	Pass	401
1910	1911	0.1	RMS	1910	-23.74	-13	Pass	401
1911	1912	1	RMS	1911	-28.96	-13	Pass	2
1912	1920	1	RMS	1912	-38.77	-13	Pass	401




1.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1907.175	3.4	30	Pass	401
1910	1911	0.1	RMS	1910	-28.3	-13	Pass	401
1911	1912	1	RMS	1911	-26.23	-13	Pass	2
1912	1920	1	RMS	1912	-28.33	-13	Pass	401



1.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	19.51	30	Pass	401
1910	1911	0.1	RMS	1910	-24.03	-13	Pass	401
1911	1912	1	RMS	1911	-29.41	-13	Pass	2
1912	1920	1	RMS	1912	-39.28	-13	Pass	401




1.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1906.1	5.04	30	Pass	401
1910	1911	0.1	RMS	1910.003	-26.44	-13	Pass	401
1911	1912	1	RMS	1911	-24.8	-13	Pass	2
1912	1920	1	RMS	1912	-28.32	-13	Pass	401




1.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.66	-13	Pass	401
1848	1849	1	RMS	1849	-29.24	-13	Pass	2
1849	1850	0.15	RMS	1850	-29.53	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.83	30	Pass	401




1.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.37	-13	Pass	401
1848	1849	1	RMS	1849	-26.43	-13	Pass	2
1849	1850	0.15	RMS	1849.995	-29.68	-13	Pass	401
1850	1865	0.1	RMS	1858.475	2.28	30	Pass	401




1.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.24	-13	Pass	401
1848	1849	1	RMS	1849	-29.89	-13	Pass	2
1849	1850	0.15	RMS	1850	-30.11	-13	Pass	401
1850	1865	0.1	RMS	1850.825	19.84	30	Pass	401




1.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.47	-13	Pass	401
1848	1849	1	RMS	1849	-23.78	-13	Pass	2
1849	1850	0.15	RMS	1849.995	-25.88	-13	Pass	401
1850	1865	0.1	RMS	1854.875	5.72	30	Pass	401




1.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.32	30	Pass	401
1910	1911	0.15	RMS	1910	-30.48	-13	Pass	401
1911	1912	1	RMS	1911	-30.51	-13	Pass	2
1912	1920	1	RMS	1912	-38.92	-13	Pass	401




1.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1902.65	1.81	30	Pass	401
1910	1911	0.15	RMS	1910	-29.34	-13	Pass	401
1911	1912	1	RMS	1911	-25.36	-13	Pass	2
1912	1920	1	RMS	1912	-28.32	-13	Pass	401




1.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	19.39	30	Pass	401
1910	1911	0.15	RMS	1910.003	-30.94	-13	Pass	401
1911	1912	1	RMS	1911	-31.29	-13	Pass	2
1912	1920	1	RMS	1912	-39.56	-13	Pass	401




1.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1905.875	5.17	30	Pass	401
1910	1911	0.15	RMS	1910.003	-26.3	-13	Pass	401
1911	1912	1	RMS	1911	-24.17	-13	Pass	2
1912	1920	1	RMS	1912	-28.09	-13	Pass	401




1.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.36	-13	Pass	401
1848	1849	1	RMS	1849	-30.57	-13	Pass	2
1849	1850	0.2	RMS	1850	-30.63	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.88	30	Pass	401




1.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-33.15	-13	Pass	401
1848	1849	1	RMS	1849	-31.13	-13	Pass	2
1849	1850	0.2	RMS	1849.993	-32.9	-13	Pass	401
1850	1870	0.1	RMS	1861.35	1.11	30	Pass	401




1.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1842.22	-39.57	-13	Pass	401
1848	1849	1	RMS	1849	-30.85	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-30.35	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20	30	Pass	401




1.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.29	-13	Pass	401
1848	1849	1	RMS	1849	-26.16	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-27.56	-13	Pass	401
1850	1870	0.1	RMS	1855.15	5.61	30	Pass	401




1.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.13	30	Pass	401
1910	1911	0.2	RMS	1910	-31.12	-13	Pass	401
1911	1912	1	RMS	1911	-31.55	-13	Pass	2
1912	1920	1	RMS	1912	-40.46	-13	Pass	401




1.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1902	0.56	30	Pass	401
1910	1911	0.2	RMS	1910.005	-32.07	-13	Pass	401
1911	1912	1	RMS	1911	-29.8	-13	Pass	2
1912	1920	1	RMS	1912	-31.65	-13	Pass	401



1.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.43	30	Pass	401
1910	1911	0.2	RMS	1910.003	-31.62	-13	Pass	401
1911	1912	1	RMS	1911	-32.15	-13	Pass	2
1912	1920	1	RMS	1912	-40.93	-13	Pass	401



1.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1904.3	5.15	30	Pass	401
1910	1911	0.2	RMS	1910.003	-27.74	-13	Pass	401
1911	1912	1	RMS	1911	-26.48	-13	Pass	2
1912	1920	1	RMS	1912.02	-30.07	-13	Pass	401



2. LTE_Band4


2.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.09	-13	Pass	401
1708	1709	1	RMS	1709	-30.4	-13	Pass	2
1709	1710	0.02	RMS	1710	-18.26	-13	Pass	401
1710	1712	0.1	RMS	1710.25	21.2	30	Pass	401




2.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.14	-13	Pass	401
1708	1709	1	RMS	1709	-24.03	-13	Pass	2
1709	1710	0.02	RMS	1710	-25.23	-13	Pass	401
1710	1712	0.1	RMS	1710.485	12.85	30	Pass	401




2.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.43	-13	Pass	401
1708	1709	1	RMS	1709	-30.56	-13	Pass	2
1709	1710	0.02	RMS	1710	-18.73	-13	Pass	401
1710	1712	0.1	RMS	1710.255	20.28	30	Pass	401




2.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.86	-13	Pass	401
1708	1709	1	RMS	1709	-25.52	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-26.97	-13	Pass	401
1710	1712	0.1	RMS	1710.73	12.02	30	Pass	401




2.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	20.96	30	Pass	401
1755	1756	0.02	RMS	1755	-19.25	-13	Pass	401
1756	1757	1	RMS	1756	-29.88	-13	Pass	2
1757	1765	1	RMS	1757	-41.13	-13	Pass	401




2.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.42	12.72	30	Pass	401
1755	1756	0.02	RMS	1755.003	-27.17	-13	Pass	401
1756	1757	1	RMS	1756	-28.94	-13	Pass	2
1757	1765	1	RMS	1757	-39.17	-13	Pass	401




2.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.755	20.06	30	Pass	401
1755	1756	0.02	RMS	1755	-19.14	-13	Pass	401
1756	1757	1	RMS	1756	-30.43	-13	Pass	2
1757	1765	1	RMS	1757	-41.35	-13	Pass	401




2.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1753.945	11.71	30	Pass	401
1755	1756	0.02	RMS	1755	-27.77	-13	Pass	401
1756	1757	1	RMS	1756	-28.49	-13	Pass	2
1757	1765	1	RMS	1757	-39.44	-13	Pass	401




2.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.82	-32.15	-13	Pass	401
1708	1709	1	RMS	1709	-29.7	-13	Pass	2
1709	1710	0.002	RMS	1709.998	-25.05	-13	Pass	501
1710	1713	0.1	RMS	1710.248	22.01	30	Pass	401




2.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.23	-13	Pass	401
1708	1709	1	RMS	1709	-23.36	-13	Pass	2
1709	1710	0.03	RMS	1710	-22.66	-13	Pass	401
1710	1713	0.1	RMS	1712.678	9.06	30	Pass	401




2.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.8	-32.84	-13	Pass	401
1708	1709	1	RMS	1709	-30.41	-13	Pass	2
1709	1710	0.002	RMS	1710	-25.51	-13	Pass	501
1710	1713	0.1	RMS	1710.248	21	30	Pass	401



2.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-27.76	-13	Pass	401
1708	1709	1	RMS	1709	-24.59	-13	Pass	2
1709	1710	0.03	RMS	1710	-23.56	-13	Pass	401
1710	1713	0.1	RMS	1712.378	8.1	30	Pass	401



2.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	20.88	30	Pass	401
1755	1756	0.03	RMS	1755	-16.23	-13	Pass	401
1756	1757	1	RMS	1756	-30.05	-13	Pass	2
1757	1765	1	RMS	1757.24	-32.4	-13	Pass	401




2.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.058	8.85	30	Pass	401
1755	1756	0.03	RMS	1755	-23.66	-13	Pass	401
1756	1757	1	RMS	1756	-27.93	-13	Pass	2
1757	1765	1	RMS	1757.02	-30.96	-13	Pass	401



2.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.768	19.92	30	Pass	401
1755	1756	0.03	RMS	1755	-16.3	-13	Pass	401
1756	1757	1	RMS	1756	-30.37	-13	Pass	2
1757	1765	1	RMS	1757.24	-33.11	-13	Pass	401




2.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.583	7.89	30	Pass	401
1755	1756	0.03	RMS	1755	-24.53	-13	Pass	401
1756	1757	1	RMS	1756	-27.55	-13	Pass	2
1757	1765	1	RMS	1757	-30.83	-13	Pass	401




2.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.04	-32.1	-13	Pass	401
1708	1709	1	RMS	1709	-24.81	-13	Pass	2
1709	1710	0.002	RMS	1710	-25.53	-13	Pass	501
1710	1715	0.1	RMS	1710.338	22.2	30	Pass	401




2.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.3	-13	Pass	401
1708	1709	1	RMS	1709	-22.22	-13	Pass	2
1709	1710	0.051	RMS	1710	-23.5	-13	Pass	401
1710	1715	0.1	RMS	1711.738	6.98	30	Pass	401




2.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.02	-33.09	-13	Pass	401
1708	1709	1	RMS	1709	-25.15	-13	Pass	2
1709	1710	0.002	RMS	1710	-26.62	-13	Pass	501
1710	1715	0.1	RMS	1710.325	21.37	30	Pass	401




2.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.65	-13	Pass	401
1708	1709	1	RMS	1709	-23.47	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-24.58	-13	Pass	401
1710	1715	0.1	RMS	1713.725	6.22	30	Pass	401




2.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	21.88	30	Pass	401
1755	1756	0.002	RMS	1755.012	-27.4	-13	Pass	501
1756	1757	1	RMS	1756	-25.6	-13	Pass	2
1757	1765	1	RMS	1758.98	-32.23	-13	Pass	401




2.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.663	6.81	30	Pass	401
1755	1756	0.051	RMS	1755.003	-24.04	-13	Pass	401
1756	1757	1	RMS	1756	-24.84	-13	Pass	2
1757	1765	1	RMS	1757	-29.27	-13	Pass	401



2.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	21.09	30	Pass	401
1755	1756	0.002	RMS	1755.012	-27.18	-13	Pass	501
1756	1757	1	RMS	1756	-25.41	-13	Pass	2
1757	1765	1	RMS	1759.02	-32.64	-13	Pass	401




2.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.25	6.06	30	Pass	401
1755	1756	0.051	RMS	1755	-25.35	-13	Pass	401
1756	1757	1	RMS	1756	-25.65	-13	Pass	2
1757	1765	1	RMS	1757.02	-29.49	-13	Pass	401




2.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.84	-33.58	-13	Pass	401
1708	1709	1	RMS	1709	-28.23	-13	Pass	2
1709	1710	0.1	RMS	1710	-22.79	-13	Pass	401
1710	1720	0.1	RMS	1710.6	21.51	30	Pass	401




2.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.39	-13	Pass	401
1708	1709	1	RMS	1709	-25.5	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-27.84	-13	Pass	401
1710	1720	0.1	RMS	1718.05	4.24	30	Pass	401




2.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.78	-35.06	-13	Pass	401
1708	1709	1	RMS	1709	-28.78	-13	Pass	2
1709	1710	0.1	RMS	1710	-23.64	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.53	30	Pass	401




2.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.43	-13	Pass	401
1708	1709	1	RMS	1709	-24.26	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-26.58	-13	Pass	401
1710	1720	0.1	RMS	1713.475	5.86	30	Pass	401




2.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	21.3	30	Pass	401
1755	1756	0.1	RMS	1755.003	-23.12	-13	Pass	401
1756	1757	1	RMS	1756	-27.96	-13	Pass	2
1757	1765	1	RMS	1763.18	-34.06	-13	Pass	401




2.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1752.175	4.04	30	Pass	401
1755	1756	0.1	RMS	1755.003	-27.52	-13	Pass	401
1756	1757	1	RMS	1756	-26.67	-13	Pass	2
1757	1765	1	RMS	1757	-29.38	-13	Pass	401



2.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.425	20.34	30	Pass	401
1755	1756	0.1	RMS	1755	-23.36	-13	Pass	401
1756	1757	1	RMS	1756	-28.41	-13	Pass	2
1757	1765	1	RMS	1763.24	-34.66	-13	Pass	401




2.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1751.525	5.7	30	Pass	401
1755	1756	0.1	RMS	1755.003	-25.71	-13	Pass	401
1756	1757	1	RMS	1756	-25.19	-13	Pass	2
1757	1765	1	RMS	1757	-29.57	-13	Pass	401




2.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.41	-13	Pass	401
1708	1709	1	RMS	1709	-29.01	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.18	-13	Pass	401
1710	1725	0.1	RMS	1710.825	21.27	30	Pass	401




2.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-28.38	-13	Pass	401
1708	1709	1	RMS	1709	-25.28	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-29.18	-13	Pass	401
1710	1725	0.1	RMS	1718.475	2.51	30	Pass	401




**2.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:20025,
Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.03	-13	Pass	401
1708	1709	1	RMS	1709	-29.5	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.72	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.28	30	Pass	401




2.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.17	-13	Pass	401
1708	1709	1	RMS	1709	-23.3	-13	Pass	2
1709	1710	0.15	RMS	1709.993	-25.52	-13	Pass	401
1710	1725	0.1	RMS	1715.475	5.91	30	Pass	401




2.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.138	21.01	30	Pass	401
1755	1756	0.15	RMS	1755	-29.89	-13	Pass	401
1756	1757	1	RMS	1756	-29.48	-13	Pass	2
1757	1765	1	RMS	1757	-37.87	-13	Pass	401




2.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1750.013	2.45	30	Pass	401
1755	1756	0.15	RMS	1755.008	-28.76	-13	Pass	401
1756	1757	1	RMS	1756	-25.32	-13	Pass	2
1757	1765	1	RMS	1757.02	-28.94	-13	Pass	401




2.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	20.18	30	Pass	401
1755	1756	0.15	RMS	1755	-30.45	-13	Pass	401
1756	1757	1	RMS	1756	-30.29	-13	Pass	2
1757	1765	1	RMS	1760.8	-38.3	-13	Pass	401




2.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1751.25	5.76	30	Pass	401
1755	1756	0.15	RMS	1755	-25.66	-13	Pass	401
1756	1757	1	RMS	1756	-24.03	-13	Pass	2
1757	1765	1	RMS	1757	-28.64	-13	Pass	401




2.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.24	-38.98	-13	Pass	401
1708	1709	1	RMS	1709	-30.28	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.29	-13	Pass	401
1710	1730	0.1	RMS	1711.1	21.29	30	Pass	401




2.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.87	-13	Pass	401
1708	1709	1	RMS	1709	-29.29	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-31.86	-13	Pass	401
1710	1730	0.1	RMS	1723.35	1.46	30	Pass	401




2.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.16	-39.02	-13	Pass	401
1708	1709	1	RMS	1709	-30.37	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.01	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.41	30	Pass	401




2.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.63	-13	Pass	401
1708	1709	1	RMS	1709	-25.46	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-27	-13	Pass	401
1710	1730	0.1	RMS	1715.15	5.77	30	Pass	401




2.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.99	30	Pass	401
1755	1756	0.2	RMS	1755	-30.45	-13	Pass	401
1756	1757	1	RMS	1756	-30.41	-13	Pass	2
1757	1765	1	RMS	1762.82	-38.81	-13	Pass	401




2.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1746.95	1.43	30	Pass	401
1755	1756	0.2	RMS	1755.008	-30.8	-13	Pass	401
1756	1757	1	RMS	1756	-28.66	-13	Pass	2
1757	1765	1	RMS	1757	-30.55	-13	Pass	401




2.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.35	30	Pass	401
1755	1756	0.2	RMS	1755.003	-30.67	-13	Pass	401
1756	1757	1	RMS	1756	-30.9	-13	Pass	2
1757	1765	1	RMS	1762.78	-39.1	-13	Pass	401



2.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1749.25	5.77	30	Pass	401
1755	1756	0.2	RMS	1755.008	-27	-13	Pass	401
1756	1757	1	RMS	1756	-26.02	-13	Pass	2
1757	1765	1	RMS	1757	-30.09	-13	Pass	401



3. LTE_Band5


3.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.74	-13	Pass	401
823	824	0.02	RMS	824	-19.66	-13	Pass	401
824	826	0.1	RMS	824.24	19.81	30	Pass	401




3.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-43.6	-13	Pass	401
823	824	0.02	RMS	824	-26.34	-13	Pass	401
824	826	0.1	RMS	824.5	11.55	30	Pass	401




3.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-45.69	-13	Pass	401
823	824	0.02	RMS	824	-19.83	-13	Pass	401
824	826	0.1	RMS	824.245	19.1	30	Pass	401




3.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-42.53	-13	Pass	401
823	824	0.02	RMS	824	-27.92	-13	Pass	401
824	826	0.1	RMS	824.735	10.7	30	Pass	401




3.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.63	30	Pass	401
849	850	0.02	RMS	849	-19.15	-13	Pass	401
850	860	0.1	RMS	850	-44.98	-13	Pass	401




3.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.415	12.14	30	Pass	401
849	850	0.02	RMS	849	-27.37	-13	Pass	401
850	860	0.1	RMS	850	-44.56	-13	Pass	401




3.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	19.58	30	Pass	401
849	850	0.02	RMS	849	-19.76	-13	Pass	401
850	860	0.1	RMS	850	-45.37	-13	Pass	401




3.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.935	11.09	30	Pass	401
849	850	0.02	RMS	849	-27.85	-13	Pass	401
850	860	0.1	RMS	850	-43.17	-13	Pass	401




3.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.74	-40.64	-13	Pass	401
823	824	0.03	RMS	824	-16.83	-13	Pass	401
824	827	0.1	RMS	824.233	20.08	30	Pass	401




3.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-35.32	-13	Pass	401
823	824	0.03	RMS	824	-23.98	-13	Pass	401
824	827	0.1	RMS	826.663	7.86	30	Pass	401




3.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.72	-41.6	-13	Pass	401
823	824	0.03	RMS	824	-16.96	-13	Pass	401
824	827	0.1	RMS	824.233	19.06	30	Pass	401




3.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.92	-13	Pass	401
823	824	0.03	RMS	824	-24.61	-13	Pass	401
824	827	0.1	RMS	826.385	6.96	30	Pass	401




3.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.53	30	Pass	401
849	850	0.03	RMS	849	-16.53	-13	Pass	401
850	860	0.1	RMS	851.275	-39.8	-13	Pass	401




3.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.073	8.29	30	Pass	401
849	850	0.03	RMS	849.003	-24.31	-13	Pass	401
850	860	0.1	RMS	850	-36.61	-13	Pass	401




3.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	19.46	30	Pass	401
849	850	0.03	RMS	849	-16.32	-13	Pass	35
850	860	0.1	RMS	851.275	-40.7	-13	Pass	401




3.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.035	7.21	30	Pass	401
849	850	0.03	RMS	849.003	-25.16	-13	Pass	401
850	860	0.1	RMS	850	-36.42	-13	Pass	401




3.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.8	-39.98	-13	Pass	401
823	824	0.002	RMS	824	-26.9	-13	Pass	501
824	829	0.1	RMS	824.325	21.03	30	Pass	401




3.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-34.74	-13	Pass	401
823	824	0.051	RMS	824	-24.6	-13	Pass	401
824	829	0.1	RMS	826.338	5.8	30	Pass	401




3.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-40.26	-13	Pass	401
823	824	0.002	RMS	824	-27.98	-13	Pass	501
824	829	0.1	RMS	824.35	20.16	30	Pass	401




3.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.01	-13	Pass	401
823	824	0.051	RMS	824	-25.73	-13	Pass	401
824	829	0.1	RMS	827.7	4.96	30	Pass	401




3.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	21.22	30	Pass	401
849	850	0.002	RMS	849	-28.45	-13	Pass	501
850	860	0.1	RMS	853	-39.41	-13	Pass	401




3.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.688	5.96	30	Pass	401
849	850	0.051	RMS	849	-24.91	-13	Pass	401
850	860	0.1	RMS	850	-35.94	-13	Pass	401




3.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.28	30	Pass	401
849	850	0.002	RMS	849.01	-28.3	-13	Pass	501
850	860	0.1	RMS	850.2	-40.21	-13	Pass	401




3.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.263	5.1	30	Pass	401
849	850	0.051	RMS	849.003	-26.18	-13	Pass	401
850	860	0.1	RMS	850	-36.33	-13	Pass	401




3.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-42.24	-13	Pass	401
823	824	0.1	RMS	824	-23.67	-13	Pass	401
824	834	0.1	RMS	824.575	20.67	30	Pass	401




3.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.71	-13	Pass	401
823	824	0.1	RMS	824	-28.62	-13	Pass	401
824	834	0.1	RMS	832.05	3.21	30	Pass	401




3.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-42.97	-13	Pass	401
823	824	0.1	RMS	823.995	-24.11	-13	Pass	401
824	834	0.1	RMS	824.6	19.64	30	Pass	401




3.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-34.84	-13	Pass	401
823	824	0.1	RMS	823.998	-27.17	-13	Pass	401
824	834	0.1	RMS	827.45	5.02	30	Pass	401




3.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.68	30	Pass	401
849	850	0.1	RMS	849	-23.38	-13	Pass	401
850	860	0.1	RMS	850.25	-41.82	-13	Pass	401




3.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	846.15	3.07	30	Pass	401
849	850	0.1	RMS	849	-28.51	-13	Pass	401
850	860	0.1	RMS	850	-38.25	-13	Pass	401




3.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.6	30	Pass	401
849	850	0.1	RMS	849	-23.87	-13	Pass	401
850	860	0.1	RMS	850.25	-42.56	-13	Pass	401



3.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	845.125	4.84	30	Pass	401
849	850	0.1	RMS	849	-26.43	-13	Pass	401
850	860	0.1	RMS	850	-36	-13	Pass	401



4. LTE_Band12


4.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-20.56	-13	Pass	401
698.9	699	0.03	RMS	699	-16.59	-13	Pass	401
699	701	0.1	RMS	699.24	20.79	30	Pass	401




4.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.01	-13	Pass	401
698.9	699	0.03	RMS	699	-24.13	-13	Pass	401
699	701	0.1	RMS	699.51	12.4	30	Pass	401




4.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-20.83	-13	Pass	401
698.9	699	0.03	RMS	698.999	-17.07	-13	Pass	401
699	701	0.1	RMS	699.25	19.9	30	Pass	401




4.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.56	-13	Pass	401
698.9	699	0.03	RMS	699	-25.08	-13	Pass	401
699	701	0.1	RMS	699.725	11.43	30	Pass	401




4.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.745	20.72	30	Pass	401
716	716.1	0.03	RMS	716	-17.23	-13	Pass	401
716.1	725	0.1	RMS	716.1	-20.53	-13	Pass	401




4.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.41	12.11	30	Pass	401
716	716.1	0.03	RMS	716	-25.56	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.91	-13	Pass	401




4.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.75	19.61	30	Pass	401
716	716.1	0.03	RMS	716	-17.73	-13	Pass	401
716.1	725	0.1	RMS	716.1	-21.34	-13	Pass	401




4.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.335	10.99	30	Pass	401
716	716.1	0.03	RMS	716	-26.22	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.28	-13	Pass	401




4.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-19.43	-13	Pass	401
698.9	699	0.03	RMS	699	-16.08	-13	Pass	401
699	702	0.1	RMS	699.233	20.86	30	Pass	401




4.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-22.29	-13	Pass	401
698.9	699	0.03	RMS	699	-23.13	-13	Pass	401
699	702	0.1	RMS	700.598	8.49	30	Pass	401




4.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-19.74	-13	Pass	401
698.9	699	0.03	RMS	699	-16.12	-13	Pass	401
699	702	0.1	RMS	699.233	19.91	30	Pass	401




4.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-22.97	-13	Pass	401
698.9	699	0.03	RMS	698.999	-23.74	-13	Pass	401
699	702	0.1	RMS	701.37	7.47	30	Pass	401




4.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	20.56	30	Pass	401
716	716.1	0.03	RMS	716	-16.56	-13	Pass	5
716.1	725	0.1	RMS	716.1	-19.63	-13	Pass	401




4.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	714.065	8.26	30	Pass	401
716	716.1	0.03	RMS	716.001	-24.3	-13	Pass	401
716.1	725	0.1	RMS	716.1	-23.8	-13	Pass	401




4.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.768	19.46	30	Pass	401
716	716.1	0.03	RMS	716	-16.4	-13	Pass	401
716.1	725	0.1	RMS	716.1	-20.4	-13	Pass	401




4.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	714.043	7.07	30	Pass	401
716	716.1	0.03	RMS	716	-25.02	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.76	-13	Pass	401




4.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-17.11	-13	Pass	401
698.9	699	0.03	RMS	698.999	-16.68	-13	Pass	401
699	704	0.1	RMS	699.325	20.94	30	Pass	401




4.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.45	-13	Pass	401
698.9	699	0.03	RMS	698.999	-26.38	-13	Pass	401
699	704	0.1	RMS	701.338	6.26	30	Pass	401




4.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-17.32	-13	Pass	401
698.9	699	0.03	RMS	699	-17.15	-13	Pass	401
699	704	0.1	RMS	699.35	20.17	30	Pass	401




4.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.22	-13	Pass	401
698.9	699	0.03	RMS	699	-27.1	-13	Pass	401
699	704	0.1	RMS	700.525	5.3	30	Pass	401




4.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	21.03	30	Pass	401
716	716.1	0.03	RMS	716.001	-17.33	-13	Pass	401
716.1	725	0.1	RMS	716.1	-17.37	-13	Pass	401




4.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.7	6.37	30	Pass	401
716	716.1	0.03	RMS	716.001	-26.96	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.04	-13	Pass	401




4.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.03	30	Pass	401
716	716.1	0.03	RMS	716.001	-17.5	-13	Pass	401
716.1	725	0.1	RMS	716.1	-17.71	-13	Pass	401




4.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.263	5.33	30	Pass	401
716	716.1	0.03	RMS	716	-28.23	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.11	-13	Pass	401




4.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.589	-30.92	-13	Pass	401
698.9	699	0.03	RMS	698.999	-29.24	-13	Pass	401
699	709	0.1	RMS	699.6	21.11	30	Pass	401




4.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.79	-13	Pass	401
698.9	699	0.03	RMS	699	-33.73	-13	Pass	401
699	709	0.1	RMS	703.3	2.98	30	Pass	401




4.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.98	-13	Pass	401
698.9	699	0.03	RMS	699	-29.37	-13	Pass	401
699	709	0.1	RMS	699.575	20.17	30	Pass	401




4.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.8	-13	Pass	401
698.9	699	0.03	RMS	699	-31.92	-13	Pass	401
699	709	0.1	RMS	702.475	4.95	30	Pass	401




4.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	21.48	30	Pass	401
716	716.1	0.03	RMS	716	-28.15	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.72	-13	Pass	401




4.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	713.125	3.78	30	Pass	401
716	716.1	0.03	RMS	716	-32.73	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.9	-13	Pass	401




4.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.49	30	Pass	401
716	716.1	0.03	RMS	716.001	-28.48	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.21	-13	Pass	401



4.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	712.525	5.49	30	Pass	401
716	716.1	0.03	RMS	716.001	-30.75	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.77	-13	Pass	401



5. LTE_Band13


5.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	773.03	-50.37	-35	Pass	1201
775	775.9	0.1	RMS	775.799	-41.27	-13	Pass	401
775.9	776	0.03	RMS	775.9	-47.39	-13	Pass	401
776	788	0.1	RMS	777.35	20.88	30	Pass	401




5.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.95	-44.42	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-32.91	-13	Pass	401
775.9	776	0.03	RMS	775.976	-37.67	-13	Pass	401
776	788	0.1	RMS	778.76	6.79	30	Pass	401




5.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	773.01	-51.71	-35	Pass	1201
775	775.9	0.1	RMS	775.792	-41.38	-13	Pass	401
775.9	776	0.03	RMS	775.901	-47.35	-13	Pass	401
776	788	0.1	RMS	777.35	20.12	30	Pass	401




5.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.88	-45.29	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-33.36	-13	Pass	401
775.9	776	0.03	RMS	775.965	-37.64	-13	Pass	401
776	788	0.1	RMS	780.5	5.84	30	Pass	401




5.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.87	30	Pass	401
788	788.1	0.03	RMS	788.098	-46.87	-13	Pass	401
788.1	793	0.1	RMS	788.186	-41.03	-13	Pass	401
793	805	0.01	RMS	795.31	-64.48	-35	Pass	1201




5.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.7	6.57	30	Pass	401
788	788.1	0.03	RMS	788	-38.82	-13	Pass	401
788.1	793	0.1	RMS	788.1	-34.34	-13	Pass	401
793	805	0.01	RMS	793.54	-62.34	-35	Pass	1201




5.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.08	30	Pass	401
788	788.1	0.03	RMS	788.1	-46.74	-13	Pass	401
788.1	793	0.1	RMS	788.21	-40.92	-13	Pass	401
793	805	0.01	RMS	795.36	-64.47	-35	Pass	1201




5.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.25	5.74	30	Pass	401
788	788.1	0.03	RMS	788.028	-38.29	-13	Pass	401
788.1	793	0.1	RMS	788.1	-33.82	-13	Pass	401
793	805	0.01	RMS	793.11	-63.15	-35	Pass	1201




5.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	773.19	-55.67	-35	Pass	1201
775	775.9	0.1	RMS	775.756	-43.17	-13	Pass	401
775.9	776	0.03	RMS	775.901	-49.64	-13	Pass	401
776	788	0.1	RMS	777.59	21.12	30	Pass	401




5.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.96	-47.18	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-35.35	-13	Pass	401
775.9	776	0.03	RMS	775.988	-40.08	-13	Pass	401
776	788	0.1	RMS	784.16	4	30	Pass	401




5.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	773.16	-56.33	-35	Pass	1201
775	775.9	0.1	RMS	775.758	-43.81	-13	Pass	401
775.9	776	0.03	RMS	775.901	-50.27	-13	Pass	401
776	788	0.1	RMS	777.59	20.15	30	Pass	401




5.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-46.52	-35	Pass	1201
775	775.9	0.1	RMS	775.893	-33.84	-13	Pass	401
775.9	776	0.03	RMS	775.957	-38.71	-13	Pass	401
776	788	0.1	RMS	780.47	5.59	30	Pass	401




5.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	21.35	30	Pass	401
788	788.1	0.03	RMS	788.097	-48.87	-13	Pass	401
788.1	793	0.1	RMS	788.235	-42.1	-13	Pass	401
793	805	0.01	RMS	795.19	-53.68	-35	Pass	1201




5.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	785.03	3.98	30	Pass	401
788	788.1	0.03	RMS	788.046	-39.74	-13	Pass	401
788.1	793	0.1	RMS	788.186	-35.34	-13	Pass	401
793	805	0.01	RMS	793.29	-55.11	-35	Pass	1201




5.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	20.37	30	Pass	401
788	788.1	0.03	RMS	788.1	-49.49	-13	Pass	401
788.1	793	0.1	RMS	788.235	-42.86	-13	Pass	401
793	805	0.01	RMS	795.19	-54.22	-35	Pass	1201



5.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.61	5.67	30	Pass	401
788	788.1	0.03	RMS	788.011	-38.5	-13	Pass	401
788.1	793	0.1	RMS	788.1	-33.91	-13	Pass	401
793	805	0.01	RMS	793.05	-61.75	-35	Pass	1201



6. LTE_Band17


6.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-17.4	-13	Pass	401
703.9	704	0.03	RMS	704	-17.08	-13	Pass	401
704	709	0.1	RMS	704.338	20.69	30	Pass	401




6.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-23.65	-13	Pass	401
703.9	704	0.03	RMS	704	-26.45	-13	Pass	401
704	709	0.1	RMS	705.738	6.17	30	Pass	401




6.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-17.76	-13	Pass	401
703.9	704	0.03	RMS	704	-17.57	-13	Pass	401
704	709	0.1	RMS	704.325	19.94	30	Pass	401




6.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-24.63	-13	Pass	401
703.9	704	0.03	RMS	704	-27.41	-13	Pass	401
704	709	0.1	RMS	707.7	5.15	30	Pass	401




6.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.86	30	Pass	401
716	716.1	0.03	RMS	716	-17.5	-13	Pass	401
716.1	725	0.1	RMS	716.1	-17.76	-13	Pass	401




6.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.663	6.22	30	Pass	401
716	716.1	0.03	RMS	716	-27.12	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.1	-13	Pass	401




6.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	19.85	30	Pass	401
716	716.1	0.03	RMS	716	-17.63	-13	Pass	401
716.1	725	0.1	RMS	716.1	-18.04	-13	Pass	401




6.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.238	5.18	30	Pass	401
716	716.1	0.03	RMS	716.001	-28.4	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.3	-13	Pass	401




6.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.31	-13	Pass	401
703.9	704	0.03	RMS	704	-29.91	-13	Pass	401
704	714	0.1	RMS	704.575	20.76	30	Pass	401




6.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-29.44	-13	Pass	401
703.9	704	0.03	RMS	704	-33.65	-13	Pass	401
704	714	0.1	RMS	712.025	4.26	30	Pass	401




6.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.22	-13	Pass	401
703.9	704	0.03	RMS	704	-30.08	-13	Pass	401
704	714	0.1	RMS	704.6	19.91	30	Pass	401




6.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-28.17	-13	Pass	401
703.9	704	0.03	RMS	704	-32.34	-13	Pass	401
704	714	0.1	RMS	709.225	4.94	30	Pass	401




6.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	21.51	30	Pass	401
716	716.1	0.03	RMS	716	-28.12	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.78	-13	Pass	401




6.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	713.15	3.87	30	Pass	401
716	716.1	0.03	RMS	716.001	-32.75	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.73	-13	Pass	401




6.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	20.45	30	Pass	401
716	716.1	0.03	RMS	716	-28.6	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.2	-13	Pass	401



6.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	712.55	5.58	30	Pass	401
716	716.1	0.03	RMS	716.001	-30.62	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.84	-13	Pass	401



7. LTE_Band66


7.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.05	-13	Pass	401
1708	1709	1	RMS	1709	-30.37	-13	Pass	2
1709	1710	0.02	RMS	1710	-18.16	-13	Pass	401
1710	1712	0.1	RMS	1710.24	21.33	30	Pass	401




7.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.72	-13	Pass	401
1708	1709	1	RMS	1709	-23.58	-13	Pass	2
1709	1710	0.02	RMS	1710	-24.98	-13	Pass	401
1710	1712	0.1	RMS	1710.505	13.04	30	Pass	401




7.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.27	-13	Pass	401
1708	1709	1	RMS	1709	-30.39	-13	Pass	2
1709	1710	0.02	RMS	1710	-18.38	-13	Pass	401
1710	1712	0.1	RMS	1710.255	20.51	30	Pass	401




**7.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.35	-13	Pass	401
1708	1709	1	RMS	1709	-24.92	-13	Pass	2
1709	1710	0.02	RMS	1710	-26.57	-13	Pass	401
1710	1712	0.1	RMS	1710.735	12.3	30	Pass	401




7.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	21.64	30	Pass	401
1780	1781	0.02	RMS	1780	-18.34	-13	Pass	401
1781	1782	1	RMS	1781	-29.63	-13	Pass	2
1782	1790	1	RMS	1782	-40.88	-13	Pass	401




7.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.415	13.33	30	Pass	401
1780	1781	0.02	RMS	1780	-26.31	-13	Pass	401
1781	1782	1	RMS	1781	-26.72	-13	Pass	2
1782	1790	1	RMS	1782	-37.66	-13	Pass	401




**7.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	20.64	30	Pass	401
1780	1781	0.02	RMS	1780	-18.94	-13	Pass	401
1781	1782	1	RMS	1781	-30.1	-13	Pass	2
1782	1790	1	RMS	1782	-41.21	-13	Pass	401




7.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.325	12.29	30	Pass	401
1780	1781	0.02	RMS	1780	-26.82	-13	Pass	401
1781	1782	1	RMS	1781	-26.67	-13	Pass	2
1782	1790	1	RMS	1782	-38.09	-13	Pass	401




7.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.76	-32.01	-13	Pass	401
1708	1709	1	RMS	1709	-29.58	-13	Pass	2
1709	1710	0.002	RMS	1710	-24.75	-13	Pass	501
1710	1713	0.1	RMS	1710.24	22.14	30	Pass	401




7.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.77	-13	Pass	401
1708	1709	1	RMS	1709	-22.47	-13	Pass	2
1709	1710	0.03	RMS	1710	-22.7	-13	Pass	401
1710	1713	0.1	RMS	1711.598	9.22	30	Pass	401




7.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.76	-32.75	-13	Pass	401
1708	1709	1	RMS	1709	-30.32	-13	Pass	2
1709	1710	0.002	RMS	1710	-25.67	-13	Pass	501
1710	1713	0.1	RMS	1710.225	21.07	30	Pass	401




7.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.03	-13	Pass	401
1708	1709	1	RMS	1709	-23.65	-13	Pass	2
1709	1710	0.03	RMS	1710	-23.12	-13	Pass	401
1710	1713	0.1	RMS	1712.385	8.37	30	Pass	401



7.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	22.26	30	Pass	401
1780	1781	0.002	RMS	1780.002	-24.97	-13	Pass	501
1781	1782	1	RMS	1781	-28.9	-13	Pass	2
1782	1790	1	RMS	1782.22	-31.87	-13	Pass	401




7.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.05	9.43	30	Pass	401
1780	1781	0.03	RMS	1780	-22.88	-13	Pass	401
1781	1782	1	RMS	1781	-23.74	-13	Pass	2
1782	1790	1	RMS	1782	-27.97	-13	Pass	401




7.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.768	21.32	30	Pass	401
1780	1781	0.002	RMS	1780.002	-25.33	-13	Pass	501
1781	1782	1	RMS	1781	-29.28	-13	Pass	2
1782	1790	1	RMS	1782.14	-32.47	-13	Pass	401




7.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.598	8.5	30	Pass	401
1780	1781	0.03	RMS	1780.005	-24.02	-13	Pass	401
1781	1782	1	RMS	1781	-24.83	-13	Pass	2
1782	1790	1	RMS	1782	-28.69	-13	Pass	401




7.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.04	-32.64	-13	Pass	401
1708	1709	1	RMS	1709	-25.36	-13	Pass	2
1709	1710	0.01	RMS	1710	-20.74	-13	Pass	401
1710	1715	0.1	RMS	1710.338	21.62	30	Pass	401




7.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.17	-13	Pass	401
1708	1709	1	RMS	1709	-21.22	-13	Pass	2
1709	1710	0.051	RMS	1710	-23.07	-13	Pass	401
1710	1715	0.1	RMS	1711.763	7.25	30	Pass	401




7.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706	-33.66	-13	Pass	401
1708	1709	1	RMS	1709	-25.66	-13	Pass	2
1709	1710	0.01	RMS	1710	-21.02	-13	Pass	401
1710	1715	0.1	RMS	1710.35	20.83	30	Pass	401




7.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.21	-13	Pass	401
1708	1709	1	RMS	1709	-23.04	-13	Pass	2
1709	1710	0.051	RMS	1710	-24.24	-13	Pass	401
1710	1715	0.1	RMS	1713.738	6.36	30	Pass	401




7.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	21.72	30	Pass	401
1780	1781	0.01	RMS	1780	-21.43	-13	Pass	401
1781	1782	1	RMS	1781	-25.74	-13	Pass	2
1782	1790	1	RMS	1783.96	-32.76	-13	Pass	401




7.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.7	7.37	30	Pass	401
1780	1781	0.051	RMS	1780	-23.5	-13	Pass	401
1781	1782	1	RMS	1781	-22.26	-13	Pass	2
1782	1790	1	RMS	1782	-25.64	-13	Pass	401




7.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	20.89	30	Pass	401
1780	1781	0.01	RMS	1780	-21.62	-13	Pass	401
1781	1782	1	RMS	1781	-25.62	-13	Pass	2
1782	1790	1	RMS	1783.9	-33.29	-13	Pass	401




7.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.25	6.63	30	Pass	401
1780	1781	0.051	RMS	1780	-24.57	-13	Pass	401
1781	1782	1	RMS	1781	-23.63	-13	Pass	2
1782	1790	1	RMS	1782	-27.05	-13	Pass	401




7.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.8	-33.23	-13	Pass	401
1708	1709	1	RMS	1709	-28.2	-13	Pass	2
1709	1710	0.1	RMS	1710	-22.99	-13	Pass	401
1710	1720	0.1	RMS	1710.575	21.63	30	Pass	401




7.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.98	-13	Pass	401
1708	1709	1	RMS	1709	-24.36	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-27.28	-13	Pass	401
1710	1720	0.1	RMS	1718.05	4.57	30	Pass	401




7.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1701.78	-34.62	-13	Pass	401
1708	1709	1	RMS	1709	-28.65	-13	Pass	2
1709	1710	0.1	RMS	1710	-23.09	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.79	30	Pass	401




7.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.57	-13	Pass	401
1708	1709	1	RMS	1709	-23.53	-13	Pass	2
1709	1710	0.1	RMS	1710	-26.13	-13	Pass	401
1710	1720	0.1	RMS	1714.6	6.09	30	Pass	401




7.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	21.93	30	Pass	401
1780	1781	0.1	RMS	1780	-22.47	-13	Pass	401
1781	1782	1	RMS	1781	-27.49	-13	Pass	2
1782	1790	1	RMS	1788.22	-34.77	-13	Pass	401




7.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1777.15	4.73	30	Pass	401
1780	1781	0.1	RMS	1780.003	-26.39	-13	Pass	401
1781	1782	1	RMS	1781	-24.05	-13	Pass	2
1782	1790	1	RMS	1782	-25.8	-13	Pass	401




7.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	20.99	30	Pass	401
1780	1781	0.1	RMS	1780	-22.62	-13	Pass	401
1781	1782	1	RMS	1781	-27.92	-13	Pass	2
1782	1790	1	RMS	1788.2	-35.4	-13	Pass	401




7.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1777.05	6.32	30	Pass	401
1780	1781	0.1	RMS	1780	-24.74	-13	Pass	401
1781	1782	1	RMS	1781	-22.89	-13	Pass	2
1782	1790	1	RMS	1782	-26.52	-13	Pass	401




7.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-37.56	-13	Pass	401
1708	1709	1	RMS	1709	-28.86	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.06	-13	Pass	401
1710	1725	0.1	RMS	1710.825	21.42	30	Pass	401




7.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.26	-26.47	-13	Pass	401
1708	1709	1	RMS	1709	-23.84	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-28.23	-13	Pass	401
1710	1725	0.1	RMS	1718.513	2.87	30	Pass	401




7.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.71	-13	Pass	401
1708	1709	1	RMS	1709	-29.31	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.46	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.54	30	Pass	401




7.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.95	-13	Pass	401
1708	1709	1	RMS	1709	-22.58	-13	Pass	2
1709	1710	0.15	RMS	1710	-25.06	-13	Pass	401
1710	1725	0.1	RMS	1715.475	6.19	30	Pass	401




7.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	21.68	30	Pass	401
1780	1781	0.15	RMS	1780.003	-29.4	-13	Pass	401
1781	1782	1	RMS	1781	-29.04	-13	Pass	2
1782	1790	1	RMS	1782	-37.57	-13	Pass	401




7.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1775.088	3.02	30	Pass	401
1780	1781	0.15	RMS	1780.003	-27.37	-13	Pass	401
1781	1782	1	RMS	1781	-23.12	-13	Pass	2
1782	1790	1	RMS	1782.76	-25.93	-13	Pass	401




7.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.82	30	Pass	401
1780	1781	0.15	RMS	1780	-29.56	-13	Pass	401
1781	1782	1	RMS	1781	-29.83	-13	Pass	2
1782	1790	1	RMS	1782	-38.26	-13	Pass	401




7.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1775.875	6.3	30	Pass	401
1780	1781	0.15	RMS	1780.008	-24.65	-13	Pass	401
1781	1782	1	RMS	1781	-22.3	-13	Pass	2
1782	1790	1	RMS	1782	-26.3	-13	Pass	401




7.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.16	-38.95	-13	Pass	401
1708	1709	1	RMS	1709	-30.21	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.07	-13	Pass	401
1710	1730	0.1	RMS	1711.1	21.48	30	Pass	401




7.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-29.75	-13	Pass	401
1708	1709	1	RMS	1709	-28.3	-13	Pass	2
1709	1710	0.2	RMS	1710	-31.28	-13	Pass	401
1710	1730	0.1	RMS	1721.05	1.65	30	Pass	401




7.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.24	-38.71	-13	Pass	401
1708	1709	1	RMS	1709	-30.15	-13	Pass	2
1709	1710	0.2	RMS	1710	-29.42	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.73	30	Pass	401




7.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.86	-13	Pass	401
1708	1709	1	RMS	1709	-24.75	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-26.55	-13	Pass	401
1710	1730	0.1	RMS	1715.15	6.16	30	Pass	401




7.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	21.69	30	Pass	401
1780	1781	0.2	RMS	1780.003	-29.73	-13	Pass	401
1781	1782	1	RMS	1781	-29.97	-13	Pass	2
1782	1790	1	RMS	1782	-38.77	-13	Pass	401




7.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1772	1.75	30	Pass	401
1780	1781	0.2	RMS	1780	-29.32	-13	Pass	401
1781	1782	1	RMS	1781	-26.36	-13	Pass	2
1782	1790	1	RMS	1782.02	-27.6	-13	Pass	401



7.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	21.02	30	Pass	401
1780	1781	0.2	RMS	1780	-30.04	-13	Pass	401
1781	1782	1	RMS	1781	-30.41	-13	Pass	2
1782	1790	1	RMS	1782	-39.39	-13	Pass	401



7.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 27, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1774.3	6.27	30	Pass	401
1780	1781	0.2	RMS	1780	-25.91	-13	Pass	401
1781	1782	1	RMS	1781	-24.16	-13	Pass	2
1782	1790	1	RMS	1782	-27.92	-13	Pass	401



--BLANK BELOW--