

Appendix B.3

E-UTRA Band 2

1. Main Test Instruments

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal. Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12
Spectrum Analyzer (20Hz-43GHz)	Rohde & Schwarz	FSU43	SEM004-08	2019/3/2	2020/3/1
BiConiLog Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-01	2017/6/27	2020/6/26
Horn Antenna (800MHz-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12
Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2017/10/17	2020/10/16
Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2018/9/2	2019/9/2
Low Noise Amplifier (100MHz-18GHz)	Black Diamond Series	BDLNA-0118-352810	SEM005-05	2018/9/2	2019/9/2
Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	EMC2063	2018/10/20	2019/10/19
Pre-amplifier (26-40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2019/3/2	2020/3/1
Band filter	N/A	N/A	N/A	N/A	N/A
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2019/6/12	2020/6/11
Wideband Radio Communication Tester	Anristu	MT8821C	6201462742	2019/4/3	2020/4/3
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	W005-02	2019/1/13	2020/1/12
RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal. Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
Dual Output Mobile Communication DC Source	Agilent Technologies Inc	66311B	W009-09	2018/11/2	2019/11/1
Signal Analyzer	Rohde & Schwarz	FSV	W005-02	2019/3/2	2020/3/1
Coaxial Cable	SGS	N/A	SEM031-01	2019/6/12	2020/6/11
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2018/11/2	2019/11/1
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	W006-17	2018/11/2	2019/11/1
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2018/11/2	2019/11/1
Wideband Radio Communication Tester	Anristu	MT8821C	6201462742	2019/3/2	2020/3/1
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	W005-02	2018/11/2	2019/11/1

2. Measurement Uncertainty

For a 95% confidence level ($k = 2$), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

Test Item	Extended Uncertainty	Data
Transmit Output Power Data	Power [dBm]	$U = \pm 0.37$ dB
Bandwidth	Magnitude [%]	$U = \pm 0.2\%$
Band Edge Compliance	Disturbance Power [dBm]	$U = \pm 2.0$ dB
Spurious Emissions, Conducted	Disturbance Power [dBm]	$U = \pm 2.0$ dB
Frequency Stability	Frequency Accuracy [ppm]	$U = \pm 0.24$ ppm

3. Effective (Isotropic) Radiated Power

3.1. Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.52	22.82	33.00	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.70	23.00	33.00	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.56	22.86	33.00	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.69	22.99	33.00	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.76	23.06	33.00	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	23.70	23.00	33.00	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.73	22.03	33.00	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	23.48	22.78	33.00	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.62	22.92	33.00	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	23.47	22.77	33.00	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.62	22.92	33.00	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.66	22.96	33.00	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	23.58	22.88	33.00	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.60	21.90	33.00	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.22	22.52	33.00	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	23.39	22.69	33.00	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.24	22.54	33.00	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.38	22.68	33.00	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.43	22.73	33.00	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	23.36	22.66	33.00	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.39	21.69	33.00	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.79	22.09	33.00	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.93	22.23	33.00	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.80	22.10	33.00	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.75	22.05	33.00	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.88	22.18	33.00	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	22.79	22.09	33.00	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.82	21.12	33.00	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.80	22.10	33.00	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.87	22.17	33.00	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	22.71	22.01	33.00	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	22.75	22.05	33.00	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.82	22.12	33.00	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	22.76	22.06	33.00	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.72	21.02	33.00	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	22.39	21.69	33.00	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	22.59	21.89	33.00	PASS

Band2	1.4MHz	16QAM	19193	1RB#5	22.40	21.70	33.00	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.39	21.69	33.00	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.44	21.74	33.00	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	22.42	21.72	33.00	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.42	20.72	33.00	PASS
Band2	3MHz	QPSK	18615	1RB#0	23.60	22.90	33.00	PASS
Band2	3MHz	QPSK	18615	1RB#8	23.63	22.93	33.00	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.61	22.91	33.00	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.66	21.96	33.00	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.68	21.98	33.00	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.65	21.95	33.00	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.65	21.95	33.00	PASS
Band2	3MHz	QPSK	18900	1RB#0	23.52	22.82	33.00	PASS
Band2	3MHz	QPSK	18900	1RB#8	23.54	22.84	33.00	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.49	22.79	33.00	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.57	21.87	33.00	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.57	21.87	33.00	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.55	21.85	33.00	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.56	21.86	33.00	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.27	22.57	33.00	PASS
Band2	3MHz	QPSK	19185	1RB#8	23.28	22.58	33.00	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.25	22.55	33.00	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.32	21.62	33.00	PASS
Band2	3MHz	QPSK	19185	8RB#4	22.34	21.64	33.00	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.29	21.59	33.00	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.32	21.62	33.00	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.90	22.20	33.00	PASS
Band2	3MHz	16QAM	18615	1RB#8	22.92	22.22	33.00	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.92	22.22	33.00	PASS
Band2	3MHz	16QAM	18615	8RB#0	21.74	21.04	33.00	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.76	21.06	33.00	PASS
Band2	3MHz	16QAM	18615	8RB#7	21.71	21.01	33.00	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.67	20.97	33.00	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.85	22.15	33.00	PASS
Band2	3MHz	16QAM	18900	1RB#8	22.88	22.18	33.00	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.82	22.12	33.00	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.63	20.93	33.00	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.67	20.97	33.00	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.63	20.93	33.00	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.56	20.86	33.00	PASS
Band2	3MHz	16QAM	19185	1RB#0	22.48	21.78	33.00	PASS
Band2	3MHz	16QAM	19185	1RB#8	22.50	21.80	33.00	PASS
Band2	3MHz	16QAM	19185	1RB#14	22.42	21.72	33.00	PASS
Band2	3MHz	16QAM	19185	8RB#0	21.36	20.66	33.00	PASS

Band2	3MHz	16QAM	19185	8RB#4	21.37	20.67	33.00	PASS
Band2	3MHz	16QAM	19185	8RB#7	21.34	20.64	33.00	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.29	20.59	33.00	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.47	22.77	33.00	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.81	23.11	33.00	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.48	22.78	33.00	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.67	21.97	33.00	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.72	22.02	33.00	PASS
Band2	5MHz	QPSK	18625	12RB#13	22.67	21.97	33.00	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.67	21.97	33.00	PASS
Band2	5MHz	QPSK	18900	1RB#0	23.41	22.71	33.00	PASS
Band2	5MHz	QPSK	18900	1RB#12	23.66	22.96	33.00	PASS
Band2	5MHz	QPSK	18900	1RB#24	23.37	22.67	33.00	PASS
Band2	5MHz	QPSK	18900	12RB#0	22.57	21.87	33.00	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.63	21.93	33.00	PASS
Band2	5MHz	QPSK	18900	12RB#13	22.54	21.84	33.00	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.56	21.86	33.00	PASS
Band2	5MHz	QPSK	19175	1RB#0	23.17	22.47	33.00	PASS
Band2	5MHz	QPSK	19175	1RB#12	23.43	22.73	33.00	PASS
Band2	5MHz	QPSK	19175	1RB#24	23.12	22.42	33.00	PASS
Band2	5MHz	QPSK	19175	12RB#0	22.34	21.64	33.00	PASS
Band2	5MHz	QPSK	19175	12RB#6	22.38	21.68	33.00	PASS
Band2	5MHz	QPSK	19175	12RB#13	22.29	21.59	33.00	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.34	21.64	33.00	PASS
Band2	5MHz	16QAM	18625	1RB#0	22.69	21.99	33.00	PASS
Band2	5MHz	16QAM	18625	1RB#12	23.03	22.33	33.00	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.77	22.07	33.00	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.73	21.03	33.00	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.76	21.06	33.00	PASS
Band2	5MHz	16QAM	18625	12RB#13	21.71	21.01	33.00	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.72	21.02	33.00	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.77	22.07	33.00	PASS
Band2	5MHz	16QAM	18900	1RB#12	23.05	22.35	33.00	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.61	21.91	33.00	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.63	20.93	33.00	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.66	20.96	33.00	PASS
Band2	5MHz	16QAM	18900	12RB#13	21.55	20.85	33.00	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.57	20.87	33.00	PASS
Band2	5MHz	16QAM	19175	1RB#0	22.33	21.63	33.00	PASS
Band2	5MHz	16QAM	19175	1RB#12	22.67	21.97	33.00	PASS
Band2	5MHz	16QAM	19175	1RB#24	22.30	21.60	33.00	PASS
Band2	5MHz	16QAM	19175	12RB#0	21.35	20.65	33.00	PASS
Band2	5MHz	16QAM	19175	12RB#6	21.39	20.69	33.00	PASS
Band2	5MHz	16QAM	19175	12RB#13	21.34	20.64	33.00	PASS

Band2	5MHz	16QAM	19175	25RB#0	21.34	20.64	33.00	PASS
Band2	10MHz	QPSK	18650	1RB#0	23.60	22.90	33.00	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.74	23.04	33.00	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.57	22.87	33.00	PASS
Band2	10MHz	QPSK	18650	25RB#0	22.69	21.99	33.00	PASS
Band2	10MHz	QPSK	18650	25RB#12	22.69	21.99	33.00	PASS
Band2	10MHz	QPSK	18650	25RB#25	22.70	22.00	33.00	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.71	22.01	33.00	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.50	22.80	33.00	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.64	22.94	33.00	PASS
Band2	10MHz	QPSK	18900	1RB#49	23.50	22.80	33.00	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.63	21.93	33.00	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.60	21.90	33.00	PASS
Band2	10MHz	QPSK	18900	25RB#25	22.55	21.85	33.00	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.58	21.88	33.00	PASS
Band2	10MHz	QPSK	19150	1RB#0	23.32	22.62	33.00	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.40	22.70	33.00	PASS
Band2	10MHz	QPSK	19150	1RB#49	23.26	22.56	33.00	PASS
Band2	10MHz	QPSK	19150	25RB#0	22.36	21.66	33.00	PASS
Band2	10MHz	QPSK	19150	25RB#12	22.37	21.67	33.00	PASS
Band2	10MHz	QPSK	19150	25RB#25	22.32	21.62	33.00	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.37	21.67	33.00	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.89	22.19	33.00	PASS
Band2	10MHz	16QAM	18650	1RB#24	23.09	22.39	33.00	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.87	22.17	33.00	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.71	21.01	33.00	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.71	21.01	33.00	PASS
Band2	10MHz	16QAM	18650	25RB#25	21.73	21.03	33.00	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.73	21.03	33.00	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.77	22.07	33.00	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.86	22.16	33.00	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.74	22.04	33.00	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.63	20.93	33.00	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.61	20.91	33.00	PASS
Band2	10MHz	16QAM	18900	25RB#25	21.56	20.86	33.00	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.59	20.89	33.00	PASS
Band2	10MHz	16QAM	19150	1RB#0	22.56	21.86	33.00	PASS
Band2	10MHz	16QAM	19150	1RB#24	22.64	21.94	33.00	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.39	21.69	33.00	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.35	20.65	33.00	PASS
Band2	10MHz	16QAM	19150	25RB#12	21.38	20.68	33.00	PASS
Band2	10MHz	16QAM	19150	25RB#25	21.32	20.62	33.00	PASS
Band2	10MHz	16QAM	19150	50RB#0	21.37	20.67	33.00	PASS
Band2	15MHz	QPSK	18675	1RB#0	23.57	22.87	33.00	PASS

Band2	15MHz	QPSK	18675	1RB#38	23.67	22.97	33.00	PASS
Band2	15MHz	QPSK	18675	1RB#74	23.48	22.78	33.00	PASS
Band2	15MHz	QPSK	18675	36RB#0	22.71	22.01	33.00	PASS
Band2	15MHz	QPSK	18675	36RB#18	22.74	22.04	33.00	PASS
Band2	15MHz	QPSK	18675	36RB#39	22.68	21.98	33.00	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.69	21.99	33.00	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.50	22.80	33.00	PASS
Band2	15MHz	QPSK	18900	1RB#38	23.57	22.87	33.00	PASS
Band2	15MHz	QPSK	18900	1RB#74	23.45	22.75	33.00	PASS
Band2	15MHz	QPSK	18900	36RB#0	22.65	21.95	33.00	PASS
Band2	15MHz	QPSK	18900	36RB#18	22.63	21.93	33.00	PASS
Band2	15MHz	QPSK	18900	36RB#39	22.56	21.86	33.00	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.58	21.88	33.00	PASS
Band2	15MHz	QPSK	19125	1RB#0	23.36	22.66	33.00	PASS
Band2	15MHz	QPSK	19125	1RB#38	23.38	22.68	33.00	PASS
Band2	15MHz	QPSK	19125	1RB#74	23.23	22.53	33.00	PASS
Band2	15MHz	QPSK	19125	36RB#0	22.46	21.76	33.00	PASS
Band2	15MHz	QPSK	19125	36RB#18	22.42	21.72	33.00	PASS
Band2	15MHz	QPSK	19125	36RB#39	22.38	21.68	33.00	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.41	21.71	33.00	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.96	22.26	33.00	PASS
Band2	15MHz	16QAM	18675	1RB#38	22.99	22.29	33.00	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.78	22.08	33.00	PASS
Band2	15MHz	16QAM	18675	36RB#0	21.72	21.02	33.00	PASS
Band2	15MHz	16QAM	18675	36RB#18	21.73	21.03	33.00	PASS
Band2	15MHz	16QAM	18675	36RB#39	21.69	20.99	33.00	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.73	21.03	33.00	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.81	22.11	33.00	PASS
Band2	15MHz	16QAM	18900	1RB#38	22.79	22.09	33.00	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.70	22.00	33.00	PASS
Band2	15MHz	16QAM	18900	36RB#0	21.63	20.93	33.00	PASS
Band2	15MHz	16QAM	18900	36RB#18	21.62	20.92	33.00	PASS
Band2	15MHz	16QAM	18900	36RB#39	21.56	20.86	33.00	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.61	20.91	33.00	PASS
Band2	15MHz	16QAM	19125	1RB#0	22.75	22.05	33.00	PASS
Band2	15MHz	16QAM	19125	1RB#38	22.66	21.96	33.00	PASS
Band2	15MHz	16QAM	19125	1RB#74	22.48	21.78	33.00	PASS
Band2	15MHz	16QAM	19125	36RB#0	21.47	20.77	33.00	PASS
Band2	15MHz	16QAM	19125	36RB#18	21.40	20.70	33.00	PASS
Band2	15MHz	16QAM	19125	36RB#39	21.35	20.65	33.00	PASS
Band2	15MHz	16QAM	19125	75RB#0	21.43	20.73	33.00	PASS
Band2	20MHz	QPSK	18700	1RB#0	23.53	22.83	33.00	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.69	22.99	33.00	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.43	22.73	33.00	PASS

Band2	20MHz	QPSK	18700	50RB#0	22.68	21.98	33.00	PASS
Band2	20MHz	QPSK	18700	50RB#25	22.67	21.97	33.00	PASS
Band2	20MHz	QPSK	18700	50RB#50	22.72	22.02	33.00	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.70	22.00	33.00	PASS
Band2	20MHz	QPSK	18900	1RB#0	23.44	22.74	33.00	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.66	22.96	33.00	PASS
Band2	20MHz	QPSK	18900	1RB#99	23.36	22.66	33.00	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.65	21.95	33.00	PASS
Band2	20MHz	QPSK	18900	50RB#25	22.63	21.93	33.00	PASS
Band2	20MHz	QPSK	18900	50RB#50	22.47	21.77	33.00	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.58	21.88	33.00	PASS
Band2	20MHz	QPSK	19100	1RB#0	23.34	22.64	33.00	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.50	22.80	33.00	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.14	22.44	33.00	PASS
Band2	20MHz	QPSK	19100	50RB#0	22.48	21.78	33.00	PASS
Band2	20MHz	QPSK	19100	50RB#25	22.46	21.76	33.00	PASS
Band2	20MHz	QPSK	19100	50RB#50	22.42	21.72	33.00	PASS
Band2	20MHz	QPSK	19100	100RB#0	22.47	21.77	33.00	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.76	22.06	33.00	PASS
Band2	20MHz	16QAM	18700	1RB#49	23.09	22.39	33.00	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.80	22.10	33.00	PASS
Band2	20MHz	16QAM	18700	50RB#0	21.69	20.99	33.00	PASS
Band2	20MHz	16QAM	18700	50RB#25	21.69	20.99	33.00	PASS
Band2	20MHz	16QAM	18700	50RB#50	21.72	21.02	33.00	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.73	21.03	33.00	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.75	22.05	33.00	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.97	22.27	33.00	PASS
Band2	20MHz	16QAM	18900	1RB#99	22.63	21.93	33.00	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.66	20.96	33.00	PASS
Band2	20MHz	16QAM	18900	50RB#25	21.63	20.93	33.00	PASS
Band2	20MHz	16QAM	18900	50RB#50	21.50	20.80	33.00	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.59	20.89	33.00	PASS
Band2	20MHz	16QAM	19100	1RB#0	22.57	21.87	33.00	PASS
Band2	20MHz	16QAM	19100	1RB#49	22.87	22.17	33.00	PASS
Band2	20MHz	16QAM	19100	1RB#99	22.35	21.65	33.00	PASS
Band2	20MHz	16QAM	19100	50RB#0	21.49	20.79	33.00	PASS
Band2	20MHz	16QAM	19100	50RB#25	21.46	20.76	33.00	PASS
Band2	20MHz	16QAM	19100	50RB#50	21.40	20.70	33.00	PASS
Band2	20MHz	16QAM	19100	100RB#0	21.47	20.77	33.00	PASS

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power), the following formula should be taken to calculate it,

ERP [dBm] = Conducted Power [dBm] + Gain [dBd]

EIRP [dBm] = Conducted Power [dBm] + Gain [dBi]

4. Peak-to-Average Ratio(CCDF)


4.1. Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	20MHz	QPSK	18700	100RB#0	5.51	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.51	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	5.42	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	6.38	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	6.32	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	6.29	13	PASS

4.2. Test Plots




Band2_20MHz_QPSK_19100_100RB#0




Band2_20MHz_16QAM_18700_100RB#0



Band2_20MHz_16QAM_18900_100RB#0






5. Modulation Characteristics

5.1. Test Band = LTE Band 2


5.2. Test Mode = LTE /TM1 20MHz

5.2.1. Test Channel = MCH



5.3. Test Mode = LTE /TM2 20MHz

5.3.1. Test Channel = MCH




6. 26dB Bandwidth and Occupied Bandwidth


6.1. Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.088	1.278	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.088	1.284	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.091	1.284	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.091	1.287	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.091	1.275	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.088	1.284	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.691	2.916	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.691	2.934	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.691	2.922	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.673	2.904	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.673	2.904	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.673	2.904	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.466	4.860	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.476	4.840	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.476	4.820	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.476	4.890	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.486	4.860	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.486	4.860	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.931	9.660	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.931	9.600	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.931	9.620	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.931	9.620	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.931	9.560	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.931	9.620	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.487	14.670	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.457	14.610	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.427	14.550	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.457	14.580	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.457	14.640	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.427	14.640	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.902	19.280	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.862	19.240	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.862	19.280	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.902	19.320	PASS
Band2	20MHz	16QAM	18900	100RB#0	17.862	19.320	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.902	19.320	PASS


6.2. Test Plots




Band2_1.4MHz_16QAM_18607_6RB#0




Band2_1.4MHz_16QAM_18900_6RB#0



Band2_1.4MHz_16QAM_19193_6RB#0




Band2_3MHz_QPSK_18615_15RB#0




Date: 4 AUG.2019 03:30:46

Band2_3MHz_QPSK_18900_15RB#0




Date: 4 AUG.2019 03:31:12

Band2_3MHz_QPSK_19185_15RB#0




Date: 4 AUG.2019 03:31:37

Band2_3MHz_16QAM_18615_15RB#0




Date: 4 AUG 2019 03:30:59

Band2_3MHz_16QAM_18900_15RB#0




Date: 4 AUG 2019 03:31:24

Band2_3MHz_16QAM_19185_15RB#0




Date: 4 AUG 2019 03:31:50

Band2_5MHz_QPSK_18625_25RB#0




Date: 4 AUG 2019 03:32:15

Band2_5MHz_QPSK_18900_25RB#0




Date: 4 AUG 2019 03:32:55

Band2_5MHz_QPSK_19175_25RB#0




Date: 4 AUG 2019 03:33:35

Band2_5MHz_16QAM_18625_25RB#0




Date: 4 AUG 2019 03:32:35

Band2_5MHz_16QAM_18900_25RB#0






Date: 4 AUG 2019 03:33:15


Band2_5MHz_16QAM_19175_25RB#0



Date: 4 AUG 2019 03:33:54




Band2_10MHz_16QAM_18650_50RB#0




Date: 4 AUG 2019 03:34:25

Band2_10MHz_16QAM_18900_50RB#0




Date: 4 AUG 2019 03:34:51

Band2_10MHz_16QAM_19150_50RB#0




Date: 4 AUG 2019 03:35:17

Band2_15MHz_QPSK_18675_75RB#0




Date: 4 AUG.2019 03:35:35

Band2_15MHz_QPSK_18900_75RB#0




Date: 4 AUG.2019 03:36:01

Band2_15MHz_QPSK_19125_75RB#0




Date: 4 AUG.2019 03:36:27

Band2_15MHz_16QAM_18675_75RB#0




Date: 4 AUG.2019 03:35:48

Band2_15MHz_16QAM_18900_75RB#0




Date: 4 AUG.2019 03:36:14

Band2_15MHz_16QAM_19125_75RB#0




Date: 4 AUG.2019 03:36:40

Band2_20MHz_QPSK_18700_100RB#0




Date: 4 AUG.2019 03:36:58

Band2_20MHz_QPSK_18900_100RB#0




Date: 4 AUG.2019 03:37:23

Band2_20MHz_QPSK_19100_100RB#0




Date: 4 AUG.2019 03:37:49

Band2_20MHz_16QAM_18700_100RB#0




Date: 4 AUG.2019 03:37:10

Band2_20MHz_16QAM_18900_100RB#0



Date: 4 AUG.2019 03:37:36



Band2_20MHz_16QAM_19100_100RB#0




Date: 4 AUG.2019 03:38:01

7. Band Edge Compliance

7.1. Test Plots




Band2_1.4MHz_QPSK_19193_1RB#5




Date: 4 AUG 2019 03:39:48

Band2_1.4MHz_QPSK_19193_6RB#0




Date: 4 AUG 2019 03:40:27

Band2_1.4MHz_16QAM_18607_1RB#0




Date: 4 AUG 2019 03:38:46

Band2_1.4MHz_16QAM_18607_6RB#0



Date: 4 AUG 2019 03:39:25

Band2_1.4MHz_16QAM_19193_1RB#5




Date: 4 AUG 2019 03:40:08

Band2_1.4MHz_16QAM_19193_6RB#0




Date: 4 AUG 2019 03:40:46

Band2_3MHz_QPSK_18615_1RB#0




Date: 4 AUG 2019 03:41:12

Band2_3MHz_QPSK_18615_15RB#0




Date: 4 AUG 2019 03:41:50

Band2_3MHz_QPSK_19185_1RB#14




Date: 4 AUG 2019 03:42:34

Band2_3MHz_QPSK_19185_15RB#0



Date: 4 AUG 2019 03:43:12

Band2_3MHz_16QAM_18615_1RB#0




Date: 4 AUG 2019 03:41:31

Band2_3MHz_16QAM_18615_15RB#0




Date: 4 AUG 2019 03:42:10

Band2_3MHz_16QAM_19185_1RB#14




Date: 4 AUG 2019 03:42:53

Band2_3MHz_16QAM_19185_15RB#0




Date: 4 AUG 2019 03:43:32

Band2_5MHz_QPSK_18625_1RB#0




Date: 4 AUG 2019 03:43:57

Band2_5MHz_QPSK_18625_25RB#0




Date: 4 AUG 2019 03:44:36

Band2_5MHz_QPSK_19175_1RB#24




Date: 4 AUG 2019 03:45:19

Band2_5MHz_QPSK_19175_25RB#0




Date: 4 AUG 2019 03:45:57

Band2_5MHz_16QAM_18625_1RB#0



Date: 4 AUG 2019 03:44:16

Band2_5MHz_16QAM_18625_25RB#0




Date: 4 AUG 2019 03:44:55

Band2_5MHz_16QAM_19175_1RB#24



Date: 4 AUG 2019 03:45:38

Band2_5MHz_16QAM_19175_25RB#0




Date: 4 AUG 2019 03:46:17

Band2_10MHz_QPSK_18650_1RB#0




Date: 4 AUG 2019 03:46:42

Band2_10MHz_QPSK_18650_50RB#0




Date: 4 AUG 2019 03:47:21

Band2_10MHz_QPSK_19150_1RB#49




Date: 4 AUG 2019 03:48:05

Band2_10MHz_QPSK_19150_50RB#0




Date: 4 AUG 2019 03:48:44

Band2_10MHz_16QAM_18650_1RB#0




Date: 4 AUG 2019 03:47:02

Band2_10MHz_16QAM_18650_50RB#0




Band2_10MHz_16QAM_19150_1RB#49



Band2_10MHz_16QAM_19150_50RB#0




Band2_15MHz_QPSK_18675_1RB#0



Date: 4 AUG 2019 03:49:29

Band2_15MHz_QPSK_18675_75RB#0




Date: 4 AUG 2019 03:50:08

Band2_15MHz_QPSK_19125_1RB#74




Date: 4 AUG 2019 03:50:52

Band2_15MHz_QPSK_19125_75RB#0




Date: 4 AUG 2019 03:51:31

Band2_15MHz_16QAM_18675_1RB#0




Date: 4 AUG 2019 03:49:49

Band2_15MHz_16QAM_18675_75RB#0



Date: 4 AUG 2019 03:50:28

Band2_15MHz_16QAM_19125_1RB#74




Date: 4 AUG 2019 03:51:12

Band2_15MHz_16QAM_19125_75RB#0




Date: 4 AUG 2019 03:51:51

Band2_20MHz_QPSK_18700_1RB#0




Date: 4 AUG 2019 03:52:17

Band2_20MHz_QPSK_18700_100RB#0




Date: 4 AUG 2019 03:52:56

Band2_20MHz_QPSK_19100_1RB#99




Date: 4 AUG 2019 03:53:40

Band2_20MHz_QPSK_19100_100RB#0




Date: 4 AUG 2019 03:54:19

Band2_20MHz_16QAM_18700_1RB#0




Date: 4 AUG 2019 03:52:36

Band2_20MHz_16QAM_18700_100RB#0




Date: 4 AUG 2019 03:53:15

Band2_20MHz_16QAM_19100_1RB#99



Date: 4 AUG 2019 03:53:59



8. Spurious Emission at Antenna Terminal


Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (\text{Span} / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Remark2: only the worst case data displayed in this report.

8.1. Test Plots




Band2_20MHz_QPSK_18900_1RB#0




Date: 4 AUG 2019 03:56:11

Band2_20MHz_QPSK_18900_1RB#0




Date: 4 AUG 2019 03:56:27

Band2_20MHz_QPSK_19100_1RB#0




Date: 4 AUG 2019 03:57:20


Band2_20MHz_QPSK_19100_1RB#0




Band2_20MHz_16QAM_18700_1RB#0




Band2_20MHz_16QAM_18700_1RB#0




Band2_20MHz_16QAM_18900_1RB#0




Band2_20MHz_16QAM_18900_1RB#0



Band2_20MHz_16QAM_19100_1RB#0





9. Frequency Stability

9.1. Frequency Vs Voltage

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	20MHz	QPSK	18700	100RB#0	VL	NT	-12.50	-0.006720	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	VN	NT	-7.50	-0.004032	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	VH	NT	-11.10	-0.005968	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	VL	NT	-9.20	-0.004894	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	VN	NT	-6.80	-0.003617	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	VH	NT	-7.70	-0.004096	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	VL	NT	-8.70	-0.004579	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	VN	NT	-9.40	-0.004947	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	VH	NT	-10.60	-0.005579	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	VL	NT	-7.40	-0.003978	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	VN	NT	-5.80	-0.003118	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	VH	NT	-7.80	-0.004194	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	VL	NT	-5.90	-0.003138	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	VN	NT	-10.70	-0.005691	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	VH	NT	-7.00	-0.003723	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	VL	NT	-6.80	-0.003579	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	VN	NT	-5.00	-0.002632	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	VH	NT	-4.30	-0.002263	±2.5	PASS

9.2. Frequency Vs Temperature

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	20MHz	QPSK	18700	100RB#0	NV	-30	-14.30	-0.007688	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	-20	-11.80	-0.006344	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	0	-9.60	-0.005161	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	10	-11.50	-0.006183	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	20	-8.80	-0.004731	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	30	-8.30	-0.004462	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	40	-8.30	-0.004462	±2.5	PASS
Band2	20MHz	QPSK	18700	100RB#0	NV	50	-6.40	-0.003441	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-30	-6.60	-0.003511	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	-20	-7.50	-0.003989	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	0	-3.20	-0.001702	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	10	-3.90	-0.002074	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	20	-6.90	-0.003670	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	30	-4.50	-0.002394	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	40	-8.40	-0.004468	±2.5	PASS
Band2	20MHz	QPSK	18900	100RB#0	NV	50	-11.50	-0.006117	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	-30	-8.90	-0.004684	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	-20	-6.00	-0.003158	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	0	-11.50	-0.006053	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	10	-3.90	-0.002053	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	20	-7.70	-0.004053	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	30	-1.50	-0.000789	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	40	-7.20	-0.003789	±2.5	PASS
Band2	20MHz	QPSK	19100	100RB#0	NV	50	-9.60	-0.005053	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	-30	-4.00	-0.002151	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	-20	-8.10	-0.004355	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	0	-5.90	-0.003172	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	10	-5.10	-0.002742	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	20	-4.90	-0.002634	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	30	-8.60	-0.004624	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	40	-6.20	-0.003333	±2.5	PASS
Band2	20MHz	16QAM	18700	100RB#0	NV	50	-6.70	-0.003602	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	-30	-8.80	-0.004681	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	-20	-13.20	-0.007021	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	0	-13.60	-0.007234	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	10	-9.70	-0.005160	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	20	-16.20	-0.008617	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	30	-11.80	-0.006277	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	40	-13.20	-0.007021	±2.5	PASS
Band2	20MHz	16QAM	18900	100RB#0	NV	50	-0.80	-0.000426	±2.5	PASS

Band2	20MHz	16QAM	19100	100RB#0	NV	-30	-8.20	-0.004316	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	-20	-5.40	-0.002842	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	0	-10.50	-0.005526	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	10	-7.10	-0.003737	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	20	-3.90	-0.002053	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	30	-6.40	-0.003368	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	40	-3.20	-0.001684	±2.5	PASS
Band2	20MHz	16QAM	19100	100RB#0	NV	50	-7.60	-0.004000	±2.5	PASS

The End