

Appendix B.10

E-UTRA Band 66

1. Main Test Instruments

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12
Spectrum Analyzer (20Hz-43GHz)	Rohde & Schwarz	FSU43	SEM004-08	2019/3/2	2020/3/1
BiConiLog Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-01	2017/6/27	2020/6/26
Horn Antenna (800MHz-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12
Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2017/10/17	2020/10/16
Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2018/9/2	2019/9/2
Low Noise Amplifier (100MHz-18GHz)	Black Diamond Series	BDLNA-0118-352810	SEM005-05	2018/9/2	2019/9/2
Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	EMC2063	2018/10/20	2019/10/19
Pre-amplifier (26-40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2019/3/2	2020/3/1
Band filter	N/A	N/A	N/A	N/A	N/A
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2019/6/12	2020/6/11
Wideband Radio Communication Tester	Anristu	MT8821C	6201462742	2019/4/3	2020/4/3
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	W005-02	2019/1/13	2020/1/12
RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
Dual Output Mobile Communication DC Source	Agilent Technologies Inc	66311B	W009-09	2018/11/2	2019/11/1
Signal Analyzer	Rohde & Schwarz	FSV	W005-02	2019/3/2	2020/3/1
Coaxial Cable	SGS	N/A	SEM031-01	2019/6/12	2020/6/11
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2018/11/2	2019/11/1
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	W006-17	2018/11/2	2019/11/1
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2018/11/2	2019/11/1
Wideband Radio Communication Tester	Anristu	MT8821C	6201462742	2019/3/2	2020/3/1
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	W005-02	2018/11/2	2019/11/1

2. Measurement Uncertainty

For a 95% confidence level ($k = 2$), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

Test Item	Extended Uncertainty	Data
Transmit Output Power Data	Power [dBm]	$U = \pm 0.37$ dB
Bandwidth	Magnitude [%]	$U = \pm 0.2\%$
Band Edge Compliance	Disturbance Power [dBm]	$U = \pm 2.0$ dB
Spurious Emissions, Conducted	Disturbance Power [dBm]	$U = \pm 2.0$ dB
Frequency Stability	Frequency Accuracy [ppm]	$U = \pm 0.24$ ppm

3. Effective (Isotropic) Radiated Power

3.1. Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power(dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	23.08	22.28	30.00	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	23.19	22.39	30.00	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	23.04	22.24	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	23.15	22.35	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	23.21	22.41	30.00	PASS
Band66	1.4MHz	QPSK	131979	3RB#3	23.17	22.37	30.00	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	22.17	21.37	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	23.02	22.22	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	23.17	22.37	30.00	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	23.01	22.21	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	23.12	22.32	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	23.16	22.36	30.00	PASS
Band66	1.4MHz	QPSK	132322	3RB#3	23.12	22.32	30.00	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	22.12	21.32	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	23.36	22.56	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	23.51	22.71	30.00	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	23.36	22.56	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#0	23.47	22.67	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	23.54	22.74	30.00	PASS
Band66	1.4MHz	QPSK	132665	3RB#3	23.49	22.69	30.00	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	22.52	21.72	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	22.34	21.54	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	22.49	21.69	30.00	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	22.27	21.47	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	22.27	21.47	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	22.29	21.49	30.00	PASS
Band66	1.4MHz	16QAM	131979	3RB#3	22.18	21.38	30.00	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	21.26	20.46	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	22.34	21.54	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	22.35	21.55	30.00	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	22.20	21.40	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	22.24	21.44	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	22.28	21.48	30.00	PASS
Band66	1.4MHz	16QAM	132322	3RB#3	22.21	21.41	30.00	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	21.22	20.42	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	22.64	21.84	30.00	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	22.69	21.89	30.00	PASS

Band66	1.4MHz	16QAM	132665	1RB#5	22.66	21.86	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	22.55	21.75	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	22.58	21.78	30.00	PASS
Band66	1.4MHz	16QAM	132665	3RB#3	22.57	21.77	30.00	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	21.59	20.79	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#0	23.08	22.28	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#8	23.09	22.29	30.00	PASS
Band66	3MHz	QPSK	131987	1RB#14	23.05	22.25	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#0	22.14	21.34	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#4	22.17	21.37	30.00	PASS
Band66	3MHz	QPSK	131987	8RB#7	22.11	21.31	30.00	PASS
Band66	3MHz	QPSK	131987	15RB#0	22.12	21.32	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#0	23.06	22.26	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#8	23.06	22.26	30.00	PASS
Band66	3MHz	QPSK	132322	1RB#14	23.08	22.28	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#0	22.12	21.32	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#4	22.14	21.34	30.00	PASS
Band66	3MHz	QPSK	132322	8RB#7	22.13	21.33	30.00	PASS
Band66	3MHz	QPSK	132322	15RB#0	22.12	21.32	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#0	23.38	22.58	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#8	23.43	22.63	30.00	PASS
Band66	3MHz	QPSK	132657	1RB#14	23.41	22.61	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#0	22.49	21.69	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#4	22.50	21.70	30.00	PASS
Band66	3MHz	QPSK	132657	8RB#7	22.46	21.66	30.00	PASS
Band66	3MHz	QPSK	132657	15RB#0	22.49	21.69	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#0	22.29	21.49	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#8	22.42	21.62	30.00	PASS
Band66	3MHz	16QAM	131987	1RB#14	22.35	21.55	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#0	21.24	20.44	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#4	21.26	20.46	30.00	PASS
Band66	3MHz	16QAM	131987	8RB#7	21.25	20.45	30.00	PASS
Band66	3MHz	16QAM	131987	15RB#0	21.12	20.32	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#0	22.40	21.60	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#8	22.41	21.61	30.00	PASS
Band66	3MHz	16QAM	132322	1RB#14	22.40	21.60	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#0	21.20	20.40	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#4	21.22	20.42	30.00	PASS
Band66	3MHz	16QAM	132322	8RB#7	21.22	20.42	30.00	PASS
Band66	3MHz	16QAM	132322	15RB#0	21.13	20.33	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#0	22.54	21.74	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#8	22.62	21.82	30.00	PASS
Band66	3MHz	16QAM	132657	1RB#14	22.60	21.80	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#0	21.56	20.76	30.00	PASS

Band66	3MHz	16QAM	132657	8RB#4	21.56	20.76	30.00	PASS
Band66	3MHz	16QAM	132657	8RB#7	21.51	20.71	30.00	PASS
Band66	3MHz	16QAM	132657	15RB#0	21.47	20.67	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#0	23.71	22.91	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#12	23.87	23.07	30.00	PASS
Band66	5MHz	QPSK	131997	1RB#24	23.84	23.04	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#0	22.63	21.83	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#6	22.82	22.02	30.00	PASS
Band66	5MHz	QPSK	131997	12RB#13	22.74	21.94	30.00	PASS
Band66	5MHz	QPSK	131997	25RB#0	22.54	21.74	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#0	23.73	22.93	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#12	23.79	22.99	30.00	PASS
Band66	5MHz	QPSK	132322	1RB#24	23.83	23.03	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#0	22.81	22.01	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#6	22.73	21.93	30.00	PASS
Band66	5MHz	QPSK	132322	12RB#13	22.64	21.84	30.00	PASS
Band66	5MHz	QPSK	132322	25RB#0	22.57	21.77	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#0	23.75	22.95	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#12	23.74	22.94	30.00	PASS
Band66	5MHz	QPSK	132647	1RB#24	23.70	22.90	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#0	22.58	21.78	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#6	22.79	21.99	30.00	PASS
Band66	5MHz	QPSK	132647	12RB#13	22.73	21.93	30.00	PASS
Band66	5MHz	QPSK	132647	25RB#0	22.59	21.79	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#0	22.71	21.91	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#12	22.70	21.90	30.00	PASS
Band66	5MHz	16QAM	131997	1RB#24	22.71	21.91	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#0	21.78	20.98	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#6	21.77	20.97	30.00	PASS
Band66	5MHz	16QAM	131997	12RB#13	21.56	20.76	30.00	PASS
Band66	5MHz	16QAM	131997	25RB#0	21.89	21.09	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#0	22.71	21.91	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#12	22.56	21.76	30.00	PASS
Band66	5MHz	16QAM	132322	1RB#24	22.63	21.83	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#0	21.63	20.83	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#6	21.61	20.81	30.00	PASS
Band66	5MHz	16QAM	132322	12RB#13	21.75	20.95	30.00	PASS
Band66	5MHz	16QAM	132322	25RB#0	21.65	20.85	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#0	22.64	21.84	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#12	22.86	22.06	30.00	PASS
Band66	5MHz	16QAM	132647	1RB#24	22.68	21.88	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#0	21.51	20.71	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#6	21.83	21.03	30.00	PASS
Band66	5MHz	16QAM	132647	12RB#13	21.62	20.82	30.00	PASS

Band66	5MHz	16QAM	132647	25RB#0	21.61	20.81	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#0	23.61	22.81	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#24	23.52	22.72	30.00	PASS
Band66	10MHz	QPSK	132022	1RB#49	23.62	22.82	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#0	22.60	21.80	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#12	22.53	21.73	30.00	PASS
Band66	10MHz	QPSK	132022	25RB#25	22.70	21.90	30.00	PASS
Band66	10MHz	QPSK	132022	50RB#0	22.66	21.86	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#0	23.69	22.89	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#24	23.75	22.95	30.00	PASS
Band66	10MHz	QPSK	132322	1RB#49	23.64	22.84	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#0	22.51	21.71	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#12	22.79	21.99	30.00	PASS
Band66	10MHz	QPSK	132322	25RB#25	22.81	22.01	30.00	PASS
Band66	10MHz	QPSK	132322	50RB#0	22.59	21.79	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#0	23.80	23.00	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#24	23.90	23.10	30.00	PASS
Band66	10MHz	QPSK	132622	1RB#49	23.74	22.94	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#0	22.87	22.07	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#12	22.50	21.70	30.00	PASS
Band66	10MHz	QPSK	132622	25RB#25	22.50	21.70	30.00	PASS
Band66	10MHz	QPSK	132622	50RB#0	22.52	21.72	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#0	22.54	21.74	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#24	22.79	21.99	30.00	PASS
Band66	10MHz	16QAM	132022	1RB#49	22.69	21.89	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#0	21.56	20.76	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#12	21.84	21.04	30.00	PASS
Band66	10MHz	16QAM	132022	25RB#25	21.57	20.77	30.00	PASS
Band66	10MHz	16QAM	132022	50RB#0	21.73	20.93	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#0	22.62	21.82	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#24	22.66	21.86	30.00	PASS
Band66	10MHz	16QAM	132322	1RB#49	22.52	21.72	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#0	21.83	21.03	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#12	21.90	21.10	30.00	PASS
Band66	10MHz	16QAM	132322	25RB#25	21.74	20.94	30.00	PASS
Band66	10MHz	16QAM	132322	50RB#0	21.68	20.88	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#0	22.66	21.86	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#24	22.79	21.99	30.00	PASS
Band66	10MHz	16QAM	132622	1RB#49	22.70	21.90	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#0	21.72	20.92	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#12	21.69	20.89	30.00	PASS
Band66	10MHz	16QAM	132622	25RB#25	21.73	20.93	30.00	PASS
Band66	10MHz	16QAM	132622	50RB#0	21.71	20.91	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#0	23.59	22.79	30.00	PASS

Band66	15MHz	QPSK	132047	1RB#38	23.78	22.98	30.00	PASS
Band66	15MHz	QPSK	132047	1RB#74	23.60	22.80	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#0	22.71	21.91	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#18	22.73	21.93	30.00	PASS
Band66	15MHz	QPSK	132047	36RB#39	22.80	22.00	30.00	PASS
Band66	15MHz	QPSK	132047	75RB#0	22.89	22.09	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#0	23.89	23.09	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#38	23.73	22.93	30.00	PASS
Band66	15MHz	QPSK	132322	1RB#74	23.51	22.71	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#0	22.78	21.98	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#18	22.67	21.87	30.00	PASS
Band66	15MHz	QPSK	132322	36RB#39	22.78	21.98	30.00	PASS
Band66	15MHz	QPSK	132322	75RB#0	22.77	21.97	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#0	23.62	22.82	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#38	23.61	22.81	30.00	PASS
Band66	15MHz	QPSK	132597	1RB#74	23.74	22.94	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#0	22.81	22.01	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#18	22.57	21.77	30.00	PASS
Band66	15MHz	QPSK	132597	36RB#39	22.69	21.89	30.00	PASS
Band66	15MHz	QPSK	132597	75RB#0	22.85	22.05	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#0	22.56	21.76	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#38	22.53	21.73	30.00	PASS
Band66	15MHz	16QAM	132047	1RB#74	22.78	21.98	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#0	21.51	20.71	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#18	21.85	21.05	30.00	PASS
Band66	15MHz	16QAM	132047	36RB#39	21.89	21.09	30.00	PASS
Band66	15MHz	16QAM	132047	75RB#0	21.87	21.07	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#0	22.89	22.09	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#38	22.78	21.98	30.00	PASS
Band66	15MHz	16QAM	132322	1RB#74	22.57	21.77	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#0	21.61	20.81	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#18	21.64	20.84	30.00	PASS
Band66	15MHz	16QAM	132322	36RB#39	21.84	21.04	30.00	PASS
Band66	15MHz	16QAM	132322	75RB#0	21.67	20.87	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#0	22.74	21.94	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#38	22.51	21.71	30.00	PASS
Band66	15MHz	16QAM	132597	1RB#74	22.62	21.82	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#0	21.55	20.75	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#18	21.88	21.08	30.00	PASS
Band66	15MHz	16QAM	132597	36RB#39	21.76	20.96	30.00	PASS
Band66	15MHz	16QAM	132597	75RB#0	21.78	20.98	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#0	23.69	22.89	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#49	23.51	22.71	30.00	PASS
Band66	20MHz	QPSK	132072	1RB#99	23.85	23.05	30.00	PASS

Band66	20MHz	QPSK	132072	50RB#0	22.86	22.06	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#25	22.70	21.90	30.00	PASS
Band66	20MHz	QPSK	132072	50RB#50	22.68	21.88	30.00	PASS
Band66	20MHz	QPSK	132072	100RB#0	22.61	21.81	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#0	23.76	22.96	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#49	23.71	22.91	30.00	PASS
Band66	20MHz	QPSK	132322	1RB#99	23.75	22.95	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#0	22.59	21.79	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#25	22.82	22.02	30.00	PASS
Band66	20MHz	QPSK	132322	50RB#50	22.59	21.79	30.00	PASS
Band66	20MHz	QPSK	132322	100RB#0	22.85	22.05	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#0	23.61	22.81	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#49	23.78	22.98	30.00	PASS
Band66	20MHz	QPSK	132572	1RB#99	23.89	23.09	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#0	22.81	22.01	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#25	22.59	21.79	30.00	PASS
Band66	20MHz	QPSK	132572	50RB#50	22.61	21.81	30.00	PASS
Band66	20MHz	QPSK	132572	100RB#0	22.72	21.92	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#0	22.83	22.03	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#49	22.58	21.78	30.00	PASS
Band66	20MHz	16QAM	132072	1RB#99	22.82	22.02	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#0	21.80	21.00	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#25	21.76	20.96	30.00	PASS
Band66	20MHz	16QAM	132072	50RB#50	21.67	20.87	30.00	PASS
Band66	20MHz	16QAM	132072	100RB#0	21.62	20.82	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#0	22.76	21.96	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#49	22.66	21.86	30.00	PASS
Band66	20MHz	16QAM	132322	1RB#99	22.66	21.86	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#0	21.60	20.80	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#25	21.87	21.07	30.00	PASS
Band66	20MHz	16QAM	132322	50RB#50	21.64	20.84	30.00	PASS
Band66	20MHz	16QAM	132322	100RB#0	21.73	20.93	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#0	22.54	21.74	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#49	22.82	22.02	30.00	PASS
Band66	20MHz	16QAM	132572	1RB#99	22.58	21.78	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#0	21.71	20.91	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#25	21.86	21.06	30.00	PASS
Band66	20MHz	16QAM	132572	50RB#50	21.58	20.78	30.00	PASS
Band66	20MHz	16QAM	132572	100RB#0	21.81	21.01	30.00	PASS

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power), the following formula should be taken to calculate it,

ERP [dBm] = Conducted Power [dBm] + Gain [dBd]

EIRP [dBm] = Conducted Power [dBm] + Gain [dBi]

4. Peak-to-Average Ratio (CCDF)


4.1. Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band66	20MHz	QPSK	132072	100RB#0	5.04	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.22	13	PASS
Band66	20MHz	QPSK	132572	100RB#0	5.13	13	PASS
Band66	20MHz	16QAM	132072	100RB#0	5.94	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	6.09	13	PASS
Band66	20MHz	16QAM	132572	100RB#0	6.00	13	PASS


4.2. Test Plots




Band66_20MHz_QPSK_132572_100RB#0




Band66_20MHz_16QAM_132072_100RB#0



Band66_20MHz_16QAM_132322_100RB#0



Band66_20MHz_16QAM_132572_100RB#0




Date: 4.AUG.2019 04:23:11

5. Modulation Characteristics

5.1. Test Band = LTE Band 66


5.2. Test Mode = LTE /TM1 20MHz

5.2.1. Test Channel = MCH



5.3. Test Mode = LTE /TM2 20MHz

5.3.1. Test Channel = MCH




6. 26dB Bandwidth and Occupied Bandwidth


6.1. Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	1.091	1.278	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.088	1.275	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.088	1.275	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.088	1.284	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.091	1.287	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.091	1.287	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.685	2.916	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.685	2.922	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.685	2.922	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.679	2.898	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.673	2.904	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.673	2.898	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.486	5.060	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.476	5.060	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.476	5.050	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.486	5.100	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.496	5.090	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.486	5.100	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.931	9.940	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.931	9.880	PASS
Band66	10MHz	QPSK	132622	50RB#0	8.951	9.880	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.931	9.960	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.951	9.840	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.951	9.940	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.487	15.030	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.487	15.120	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.516	15.120	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.487	14.910	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.516	15.150	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.516	15.150	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.862	19.680	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.942	19.760	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.982	19.760	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.902	19.640	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.942	19.800	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.982	19.680	PASS


6.2. Test Plots




Band66_1.4MHz_16QAM_131979_6RB#0




Band66_1.4MHz_16QAM_132322_6RB#0



Band66_1.4MHz_16QAM_132665_6RB#0




Band66_3MHz_QPSK_131987_15RB#0




Date: 4 AUG.2019 03:17:09

Band66_3MHz_QPSK_132322_15RB#0




Date: 4 AUG.2019 03:17:34

Band66_3MHz_QPSK_132657_15RB#0




Date: 4 AUG.2019 03:18:00

Band66_3MHz_16QAM_131987_15RB#0




Date: 4 AUG.2019 03:17:21

Band66_3MHz_16QAM_132322_15RB#0




Date: 4 AUG.2019 03:17:47

Band66_3MHz_16QAM_132657_15RB#0




Date: 4 AUG.2019 03:18:13

Band66_5MHz_QPSK_131997_25RB#0




Date: 4 AUG.2019 03:18:38

Band66_5MHz_QPSK_132322_25RB#0




Date: 4 AUG.2019 03:19:18

Band66_5MHz_QPSK_132647_25RB#0




Date: 4 AUG.2019 03:19:58

Band66_5MHz_16QAM_131997_25RB#0




Date: 4 AUG.2019 03:18:58

Band66_5MHz_16QAM_132322_25RB#0




Date: 4 AUG.2019 03:19:38

Band66_5MHz_16QAM_132647_25RB#0




Date: 4 AUG.2019 03:20:17

Band66_10MHz_QPSK_132022_50RB#0




Date: 4 AUG 2019 03:20:36

Band66_10MHz_QPSK_132322_50RB#0




Date: 4 AUG 2019 03:21:01

Band66_10MHz_QPSK_132622_50RB#0




Date: 4 AUG 2019 03:21:27

Band66_10MHz_16QAM_132022_50RB#0




Date: 4 AUG 2019 03:20:49

Band66_10MHz_16QAM_132322_50RB#0




Date: 4 AUG 2019 03:21:14

Band66_10MHz_16QAM_132622_50RB#0




Date: 4 AUG 2019 03:21:40

Band66_15MHz_QPSK_132047_75RB#0




Date: 4 AUG 2019 03:21:59

Band66_15MHz_QPSK_132322_75RB#0




Date: 4 AUG 2019 03:22:25

Band66_15MHz_QPSK_132597_75RB#0




Date: 4 AUG 2019 03:22:51

Band66_15MHz_16QAM_132047_75RB#0




Date: 4 AUG 2019 03:22:12

Band66_15MHz_16QAM_132322_75RB#0




Date: 4 AUG 2019 03:22:38

Band66_15MHz_16QAM_132597_75RB#0




Date: 4 AUG 2019 03:23:04

Band66_20MHz_QPSK_132072_100RB#0




Date: 4 AUG 2019 03:23:23

Band66_20MHz_QPSK_132322_100RB#0




Date: 4 AUG 2019 03:23:48

Band66_20MHz_QPSK_132572_100RB#0




Date: 4 AUG 2019 03:24:14

Band66_20MHz_16QAM_132072_100RB#0




Date: 4 AUG.2019 03:23:35

Band66_20MHz_16QAM_132322_100RB#0



Date: 4 AUG.2019 03:24:01



Band66_20MHz_16QAM_132572_100RB#0




Date: 4 AUG.2019 03:24:27

7. Band Edge Compliance

7.1. Test Plots




Band66_1.4MHz_QPSK_132665_1RB#5




Date: 4 AUG 2019 04:03:37

Band66_1.4MHz_QPSK_132665_6RB#0




Date: 4 AUG 2019 04:04:16

Band66_1.4MHz_16QAM_131979_1RB#0




Date: 4 AUG 2019 04:02:35

Band66_1.4MHz_16QAM_131979_6RB#0




Band66_1.4MHz_16QAM_132665_1RB#5



Band66_1.4MHz_16QAM_132665_6RB#0




Band66_3MHz_QPSK_131987_1RB#0




Date: 4 AUG 2019 04:05:01

Band66_3MHz_QPSK_131987_15RB#0




Date: 4 AUG 2019 04:05:40

Band66_3MHz_QPSK_132657_1RB#14




Date: 4 AUG 2019 04:06:24

Band66_3MHz_QPSK_132657_15RB#0



Band66_3MHz_16QAM_131987_1RB#0



Band66_3MHz_16QAM_131987_15RB#0




Band66_3MHz_16QAM_132657_1RB#14




Band66_3MHz_16QAM_132657_15RB#0



Band66_5MHz_QPSK_131997_1RB#0




Band66_5MHz_QPSK_131997_25RB#0



Date: 4 AUG 2019 04:08:27

Band66_5MHz_QPSK_132647_1RB#24




Date: 4 AUG 2019 04:09:11

Band66_5MHz_QPSK_132647_25RB#0




Date: 4 AUG 2019 04:09:50

Band66_5MHz_16QAM_131997_1RB#0



Date: 4.AUG.2019 04:08:07

Band66_5MHz_16QAM_131997_25RB#0




Date: 4.AUG.2019 04:08:47

Band66_5MHz_16QAM_132647_1RB#24




Date: 4.AUG.2019 04:09:30

Band66_5MHz_16QAM_132647_25RB#0




Date: 4 AUG 2019 04:10:09

Band66_10MHz_QPSK_132022_1RB#0




Date: 4 AUG 2019 04:10:35

Band66_10MHz_QPSK_132022_50RB#0



Date: 4 AUG 2019 04:11:14

Band66_10MHz_QPSK_132622_1RB#49



Date: 4 AUG 2019 04:11:57

Band66_10MHz_QPSK_132622_50RB#0




Date: 4 AUG 2019 04:12:38

Band66_10MHz_16QAM_132022_1RB#0




Date: 4 AUG 2019 04:10:54

Band66_10MHz_16QAM_132022_50RB#0



Date: 4 AUG 2019 04:11:33

Band66_10MHz_16QAM_132622_1RB#49



Date: 4 AUG 2019 04:12:17

Band66_10MHz_16QAM_132622_50RB#0




Date: 4 AUG 2019 04:12:56

Band66_15MHz_QPSK_132047_1RB#0



Band66_15MHz_QPSK_132047_75RB#0



Band66_15MHz_QPSK_132597_1RB#74




Band66_15MHz_QPSK_132597_75RB#0




Date: 4 AUG 2019 04:15:22

Band66_15MHz_16QAM_132047_1RB#0




Date: 4 AUG 2019 04:13:40

Band66_15MHz_16QAM_132047_75RB#0




Date: 4 AUG 2019 04:14:20

Band66_15MHz_16QAM_132597_1RB#74



Date: 4 AUG 2019 04:15:03

Band66_15MHz_16QAM_132597_75RB#0




Date: 4 AUG 2019 04:15:41

Band66_20MHz_QPSK_132072_1RB#0



Date: 4 AUG 2019 04:16:06

Band66_20MHz_QPSK_132072_100RB#0




Date: 4 AUG 2019 04:16:45

Band66_20MHz_QPSK_132572_1RB#99




Date: 4 AUG 2019 04:17:28

Band66_20MHz_QPSK_132572_100RB#0




Date: 4 AUG 2019 04:18:07

Band66_20MHz_16QAM_132072_1RB#0




Date: 4 AUG 2019 04:16:26

Band66_20MHz_16QAM_132072_100RB#0




Date: 4 AUG 2019 04:17:05

Band66_20MHz_16QAM_132572_1RB#99



Date: 4 AUG 2019 04:17:48

Band66_20MHz_16QAM_132572_100RB#0



8. Spurious Emission at Antenna Terminal


Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Remark2: only the worst case data displayed in this report.


8.1. Test Plots




Band66_20MHz_QPSK_132322_1RB#0




Band66_20MHz_QPSK_132322_1RB#0




Band66_20MHz_QPSK_132572_1RB#0




Band66_20MHz_QPSK_132572_1RB#0




Band66_20MHz_16QAM_132072_1RB#0



Band66_20MHz_16QAM_132072_1RB#0




Band66_20MHz_16QAM_132322_1RB#0




Date: 4 AUG 2019 04:20:33

Band66_20MHz_16QAM_132322_1RB#0




Date: 4 AUG 2019 04:20:49

Band66_20MHz_16QAM_132572_1RB#0



Date: 4 AUG 2019 04:21:43

Band66_20MHz_16QAM_132572_1RB#0



Date: 4.AUG.2019 04:21:59

9. Frequency Stability

9.1. Frequency Vs Voltage

Voltage										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band66	20MHz	QPSK	132072	100RB#0	VL	NT	-1.00	-0.000581	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	VN	NT	-10.80	-0.006279	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	VH	NT	-7.50	-0.004360	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	VL	NT	1.30	0.000745	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	VN	NT	4.80	0.002751	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	VH	NT	-2.50	-0.001433	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	VL	NT	-6.90	-0.003898	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	VN	NT	-0.50	-0.000282	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	VH	NT	-14.40	-0.008136	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	VL	NT	4.00	0.002326	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	VN	NT	3.00	0.001744	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	VH	NT	5.50	0.003198	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	VL	NT	4.90	0.002808	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	VN	NT	4.20	0.002407	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	VH	NT	2.20	0.001261	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	VL	NT	-11.50	-0.006497	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	VN	NT	-10.00	-0.005650	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	VH	NT	-10.20	-0.005763	±2.5	PASS

9.2. Frequency Vs Temperature

Temperature										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band66	20MHz	QPSK	132072	100RB#0	NV	-30	6.30	0.003663	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	-20	1.00	0.000581	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	0	-3.00	-0.001744	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	10	-7.00	-0.004070	±2.5	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	20	-10.10	-0.005872	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	-30	-8.50	-0.004871	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	-20	5.50	0.003152	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	0	1.00	0.000573	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	10	-3.40	-0.001948	±2.5	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	20	-7.40	-0.004241	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	-30	-3.70	-0.002090	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	-20	-10.80	-0.006102	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	0	-17.30	-0.009774	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	10	-9.10	-0.005141	±2.5	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	20	-15.90	-0.008983	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	NV	-30	6.60	0.003837	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	NV	-20	6.50	0.003779	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	NV	0	6.80	0.003953	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	NV	10	-8.50	-0.004942	±2.5	PASS
Band66	20MHz	16QAM	132072	100RB#0	NV	20	-7.50	-0.004360	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	NV	-30	3.10	0.001777	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	NV	-20	2.80	0.001605	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	NV	0	5.60	0.003209	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	NV	10	7.60	0.004355	±2.5	PASS
Band66	20MHz	16QAM	132322	100RB#0	NV	20	-9.20	-0.005272	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	NV	-30	-11.10	-0.006271	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	NV	-20	-11.00	-0.006215	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	NV	0	-9.50	-0.005367	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	NV	10	-8.70	-0.004915	±2.5	PASS
Band66	20MHz	16QAM	132572	100RB#0	NV	20	-8.60	-0.004859	±2.5	PASS

The End