






Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009           | -46.65           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -51.08           | -13         |
| 3     | 30          | 1000       | 100       | 977.593         | -56.32           | -13         |
| 4     | 1000        | 26500      | 1000      | 25237.75        | -30.84           | -13         |

Band4 QAM16 BW=10MHz Channel=20175 RB Size=50 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0091974       | -46.81           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -49.86           | -13         |
| 3     | 30          | 1000       | 100       | 874.094         | -56.22           | -13         |
| 4     | 1000        | 26500      | 1000      | 25270.9         | -32.06           | -13         |

Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0107625       | -46.97           | -13         |
| 2     | 0.15        | 30         | 10        | 0.158955        | -49.89           | -13         |
| 3     | 30          | 1000       | 100       | 947.911         | -55.84           | -13         |
| 4     | 1000        | 26500      | 1000      | 25135.75        | -31.71           | -13         |

Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0092397       | -47.78           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -49.18           | -13         |
| 3     | 30          | 1000       | 100       | 739.264         | -55.98           | -13         |
| 4     | 1000        | 26500      | 1000      | 25214.8         | -31.97           | -13         |


Band4 QAM16 BW=10MHz Channel=20350 RB Size=1 Position=#0



Band4 QAM16 BW=10MHz Channel=20350 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.010974        | -47.43           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -50.04           | -13         |
| 3     | 30          | 1000       | 100       | 957.999         | -55.62           | -13         |
| 4     | 1000        | 26500      | 1000      | 25217.35        | -32.36           | -13         |

Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0093384       | -49.14           | -13         |
| 2     | 0.15        | 30         | 10        | 0.170895        | -49.52           | -13         |
| 3     | 30          | 1000       | 100       | 900.284         | -56.07           | -13         |
| 4     | 1000        | 26500      | 1000      | 25311.7         | -31.79           | -13         |

Band4 QAM16 BW=15MHz Channel=20025 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0093384       | -48.47           | -13         |
| 2     | 0.15        | 30         | 10        | 0.16194         | -51.14           | -13         |
| 3     | 30          | 1000       | 100       | 779.907         | -55.84           | -13         |
| 4     | 1000        | 26500      | 1000      | 25576.9         | -31.93           | -13         |

Band4 QAM16 BW=15MHz Channel=20025 RB Size=75 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009987        | -48.97           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -48.58           | -13         |
| 3     | 30          | 1000       | 100       | 841.211         | -55.99           | -13         |
| 4     | 1000        | 26500      | 1000      | 25245.4         | -32.17           | -13         |


Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0




Band4 QAM16 BW=15MHz Channel=20325 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0114675       | -49.25           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -50.05           | -13         |
| 3     | 30          | 1000       | 100       | 908.335         | -54.43           | -13         |
| 4     | 1000        | 26500      | 1000      | 5222.8          | -29.91           | -13         |

Band4 QAM16 BW=15MHz Channel=20325 RB Size=75 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.010269        | -47.27           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -50.64           | -13         |
| 3     | 30          | 1000       | 100       | 897.956         | -56.14           | -13         |
| 4     | 1000        | 26500      | 1000      | 25597.3         | -31.98           | -13         |


Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0




Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0




Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 QAM16 BW=20MHz Channel=20050 RB Size=100 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0096768       | -46.19           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15597         | -51.18           | -13         |
| 3     | 30          | 1000       | 100       | 848.874         | -55.78           | -13         |
| 4     | 1000        | 26500      | 1000      | 25400.95        | -31.47           | -13         |

Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0116367       | -47.84           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -51.5            | -13         |
| 3     | 30          | 1000       | 100       | 787.667         | -55.85           | -13         |
| 4     | 1000        | 26500      | 1000      | 25191.85        | -32.52           | -13         |


Band4 QAM16 BW=20MHz Channel=20175 RB Size=1 Position=#0



Band4 QAM16 BW=20MHz Channel=20175 RB Size=100 Position=#0




Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.010692        | -46.5            | -13         |
| 2     | 0.15        | 30         | 10        | 0.152985        | -51.58           | -13         |
| 3     | 30          | 1000       | 100       | 917.647         | -56.23           | -13         |
| 4     | 1000        | 26500      | 1000      | 25281.1         | -32.19           | -13         |

Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0095076       | -48.42           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -50.46           | -13         |
| 3     | 30          | 1000       | 100       | 953.537         | -55.63           | -13         |
| 4     | 1000        | 26500      | 1000      | 25663.6         | -32.52           | -13         |


Band4 QAM16 BW=20MHz Channel=20300 RB Size=1 Position=#0



Band4 QAM16 BW=20MHz Channel=20300 RB Size=100 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0093948       | -49.11           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -51.88           | -13         |
| 3     | 30          | 1000       | 100       | 564.276         | -55.31           | -13         |
| 4     | 1000        | 26500      | 1000      | 2473.9          | -32.53           | -13         |

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0106074       | -48.72           | -13         |
| 2     | 0.15        | 30         | 10        | 0.16194         | -51.91           | -13         |
| 3     | 30          | 1000       | 100       | 818.028         | -43.61           | -13         |
| 4     | 1000        | 26500      | 1000      | 25594.75        | -32.53           | -13         |


Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0101985       | -48.8            | -13         |
| 2     | 0.15        | 30         | 10        | 0.158955        | -51.47           | -13         |
| 3     | 30          | 1000       | 100       | 576.11          | -52.69           | -13         |
| 4     | 1000        | 26500      | 1000      | 26186.35        | -33.89           | -13         |

Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0090705       | -49.32           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -52.05           | -13         |
| 3     | 30          | 1000       | 100       | 576.692         | -57.1            | -13         |
| 4     | 1000        | 26500      | 1000      | 2509.6          | -32.03           | -13         |


Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0094935       | -48.24           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15597         | -51.43           | -13         |
| 3     | 30          | 1000       | 100       | 564.373         | -54.9            | -13         |
| 4     | 1000        | 26500      | 1000      | 25655.95        | -33.14           | -13         |

Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0092256       | -48.75           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -52.15           | -13         |
| 3     | 30          | 1000       | 100       | 930.936         | -56.92           | -13         |
| 4     | 1000        | 26500      | 1000      | 25696.75        | -32.99           | -13         |

Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0091692       | -48.72           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -51.85           | -13         |
| 3     | 30          | 1000       | 100       | 564.373         | -55.95           | -13         |
| 4     | 1000        | 26500      | 1000      | 25441.75        | -33.74           | -13         |

Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0100716       | -49.21           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -51.77           | -13         |
| 3     | 30          | 1000       | 100       | 927.444         | -57.19           | -13         |
| 4     | 1000        | 26500      | 1000      | 25245.4         | -32.36           | -13         |


Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0



Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.010692        | -48.86           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -52.13           | -13         |
| 3     | 30          | 1000       | 100       | 574.364         | -54.98           | -13         |
| 4     | 1000        | 26500      | 1000      | 2504.5          | -32.85           | -13         |

Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0092961       | -49.24           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15597         | -52.82           | -13         |
| 3     | 30          | 1000       | 100       | 502.681         | -57.85           | -13         |
| 4     | 1000        | 26500      | 1000      | 26160.85        | -33.55           | -13         |

Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0101985       | -49.33           | -13         |
| 2     | 0.15        | 30         | 10        | 0.16194         | -53.29           | -13         |
| 3     | 30          | 1000       | 100       | 584.355         | -52.83           | -13         |
| 4     | 1000        | 26500      | 1000      | 25972.15        | -33.36           | -13         |

Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0101562       | -47.43           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -52.11           | -13         |
| 3     | 30          | 1000       | 100       | 799.307         | -57.95           | -13         |
| 4     | 1000        | 26500      | 1000      | 25561.6         | -32.96           | -13         |


Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0090705       | -47.5            | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -52.33           | -13         |
| 3     | 30          | 1000       | 100       | 564.567         | -53.3            | -13         |
| 4     | 1000        | 26500      | 1000      | 25604.95        | -33.69           | -13         |

Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0112419       | -49.59           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -52.16           | -13         |
| 3     | 30          | 1000       | 100       | 935.398         | -56.96           | -13         |
| 4     | 1000        | 26500      | 1000      | 25620.25        | -33.67           | -13         |


Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0



Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0095217       | -48.3            | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -52.43           | -13         |
| 3     | 30          | 1000       | 100       | 572.133         | -53.62           | -13         |
| 4     | 1000        | 26500      | 1000      | 25750.3         | -33.78           | -13         |

Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0112842       | -49.32           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15597         | -52.31           | -13         |
| 3     | 30          | 1000       | 100       | 948.59          | -57.43           | -13         |
| 4     | 1000        | 26500      | 1000      | 25344.85        | -34.13           | -13         |

Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0092679       | -48.83           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -50.47           | -13         |
| 3     | 30          | 1000       | 100       | 579.505         | -55.86           | -13         |
| 4     | 1000        | 26500      | 1000      | 2519.8          | -30.9            | -13         |

Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0099165       | -47.91           | -13         |
| 2     | 0.15        | 30         | 10        | 0.16791         | -52.83           | -13         |
| 3     | 30          | 1000       | 100       | 576.304         | -57.65           | -13         |
| 4     | 1000        | 26500      | 1000      | 25168.9         | -33.79           | -13         |

Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0094794       | -48.53           | -13         |
| 2     | 0.15        | 30         | 10        | 0.158955        | -53.28           | -13         |
| 3     | 30          | 1000       | 100       | 579.699         | -55.47           | -13         |
| 4     | 1000        | 26500      | 1000      | 2519.8          | -30.56           | -13         |

Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0108753       | -48.36           | -13         |
| 2     | 0.15        | 30         | 10        | 0.16791         | -53.89           | -13         |
| 3     | 30          | 1000       | 100       | 965.856         | -57.43           | -13         |
| 4     | 1000        | 26500      | 1000      | 25587.1         | -32.94           | -13         |


Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#0



Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0092538       | -46.66           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15597         | -48.89           | -25         |
| 3     | 30          | 1000       | 100       | 745.181         | -53.64           | -25         |
| 4     | 1000        | 26500      | 1000      | 25286.2         | -30.04           | -25         |

Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0095217       | -47.56           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -48.3            | -25         |
| 3     | 30          | 1000       | 100       | 921.721         | -53.44           | -25         |
| 4     | 1000        | 26500      | 1000      | 26063.95        | -29.12           | -25         |


Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0094794       | -45.05           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15597         | -50.25           | -25         |
| 3     | 30          | 1000       | 100       | 812.402         | -55              | -25         |
| 4     | 1000        | 26500      | 1000      | 26122.6         | -30.86           | -25         |

Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0091269       | -47.05           | -25         |
| 2     | 0.15        | 30         | 10        | 0.158955        | -50.24           | -25         |
| 3     | 30          | 1000       | 100       | 782.623         | -55.13           | -25         |
| 4     | 1000        | 26500      | 1000      | 25719.7         | -30.96           | -25         |

Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0097191       | -46.08           | -25         |
| 2     | 0.15        | 30         | 10        | 0.16791         | -48.24           | -25         |
| 3     | 30          | 1000       | 100       | 466.209         | -55.2            | -25         |
| 4     | 1000        | 26500      | 1000      | 25592.2         | -30.75           | -25         |

Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0092538       | -46.78           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -49.31           | -25         |
| 3     | 30          | 1000       | 100       | 615.589         | -54.85           | -25         |
| 4     | 1000        | 26500      | 1000      | 25610.05        | -30.45           | -25         |

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009987        | -43.43           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -46.65           | -25         |
| 3     | 30          | 1000       | 100       | 914.64          | -55.19           | -25         |
| 4     | 1000        | 26500      | 1000      | 25872.7         | -30.86           | -25         |

Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0100152       | -47.06           | -25         |
| 2     | 0.15        | 30         | 10        | 0.158955        | -49.94           | -25         |
| 3     | 30          | 1000       | 100       | 538.765         | -54.63           | -25         |
| 4     | 1000        | 26500      | 1000      | 25525.9         | -29.6            | -25         |


Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009987        | -46.35           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -48.58           | -25         |
| 3     | 30          | 1000       | 100       | 831.996         | -54.35           | -25         |
| 4     | 1000        | 26500      | 1000      | 25752.85        | -30.72           | -25         |

Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0090282       | -44.93           | -25         |
| 2     | 0.15        | 30         | 10        | 0.164925        | -49.13           | -25         |
| 3     | 30          | 1000       | 100       | 682.907         | -54.79           | -25         |
| 4     | 1000        | 26500      | 1000      | 25176.55        | -30.67           | -25         |

Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009           | -44.6            | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -49.69           | -25         |
| 3     | 30          | 1000       | 100       | 836.264         | -54.57           | -25         |
| 4     | 1000        | 26500      | 1000      | 25617.7         | -30.65           | -25         |

Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0094512       | -46.21           | -25         |
| 2     | 0.15        | 30         | 10        | 0.158955        | -49.45           | -25         |
| 3     | 30          | 1000       | 100       | 887.092         | -53.81           | -25         |
| 4     | 1000        | 26500      | 1000      | 25553.95        | -30.44           | -25         |


Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#0



Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0100293       | -45.29           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -49.41           | -25         |
| 3     | 30          | 1000       | 100       | 952.567         | -55.04           | -25         |
| 4     | 1000        | 26500      | 1000      | 25538.65        | -29.96           | -25         |

Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0100152       | -47.7            | -25         |
| 2     | 0.15        | 30         | 10        | 0.152985        | -50.4            | -25         |
| 3     | 30          | 1000       | 100       | 804.254         | -54.64           | -25         |
| 4     | 1000        | 26500      | 1000      | 25263.25        | -30.71           | -25         |

Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0119751       | -47.06           | -25         |
| 2     | 0.15        | 30         | 10        | 0.152985        | -50.38           | -25         |
| 3     | 30          | 1000       | 100       | 986.226         | -54.99           | -25         |
| 4     | 1000        | 26500      | 1000      | 25594.75        | -30.01           | -25         |

Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0092961       | -46.86           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -48.93           | -25         |
| 3     | 30          | 1000       | 100       | 484.639         | -55.03           | -25         |
| 4     | 1000        | 26500      | 1000      | 26015.5         | -30.1            | -25         |

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0129057       | -47.77           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -49.85           | -25         |
| 3     | 30          | 1000       | 100       | 904.164         | -54.44           | -25         |
| 4     | 1000        | 26500      | 1000      | 25268.35        | -30.34           | -25         |

Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0094371       | -46.65           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -51.25           | -25         |
| 3     | 30          | 1000       | 100       | 789.219         | -53.91           | -25         |
| 4     | 1000        | 26500      | 1000      | 25921.15        | -30.29           | -25         |

Band7 QAM16 BW=15MHz Channel=21375 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009           | -45.1            | -25         |
| 2     | 0.15        | 30         | 10        | 0.170895        | -51.03           | -25         |
| 3     | 30          | 1000       | 100       | 889.323         | -54.25           | -25         |
| 4     | 1000        | 26500      | 1000      | 26038.45        | -30.67           | -25         |

Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0103395       | -48.25           | -25         |
| 2     | 0.15        | 30         | 10        | 0.16194         | -49.66           | -25         |
| 3     | 30          | 1000       | 100       | 873.027         | -55.09           | -25         |
| 4     | 1000        | 26500      | 1000      | 25196.95        | -30.94           | -25         |

Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009423        | -47.01           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -48.84           | -25         |
| 3     | 30          | 1000       | 100       | 810.753         | -54.38           | -25         |
| 4     | 1000        | 26500      | 1000      | 26183.8         | -30.03           | -25         |

Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0097473       | -47.33           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -50.84           | -25         |
| 3     | 30          | 1000       | 100       | 885.346         | -54.95           | -25         |
| 4     | 1000        | 26500      | 1000      | 25186.75        | -30.45           | -25         |

Band7 QAM16 BW=20MHz Channel=20850 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009           | -46.45           | -25         |
| 2     | 0.15        | 30         | 10        | 0.152985        | -47.88           | -25         |
| 3     | 30          | 1000       | 100       | 948.202         | -54.75           | -25         |
| 4     | 1000        | 26500      | 1000      | 25247.95        | -29.76           | -25         |

Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0133992       | -49.04           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -49.38           | -25         |
| 3     | 30          | 1000       | 100       | 783.981         | -54.64           | -25         |
| 4     | 1000        | 26500      | 1000      | 26079.25        | -30.32           | -25         |


Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0092961       | -46.89           | -25         |
| 2     | 0.15        | 30         | 10        | 0.16194         | -49.35           | -25         |
| 3     | 30          | 1000       | 100       | 784.466         | -53.78           | -25         |
| 4     | 1000        | 26500      | 1000      | 25265.8         | -31.01           | -25         |

Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0092397       | -46.42           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -44.85           | -25         |
| 3     | 30          | 1000       | 100       | 259.987         | -54.74           | -25         |
| 4     | 1000        | 26500      | 1000      | 26135.35        | -30.4            | -25         |

Band7 QAM16 BW=20MHz Channel=21350 RB Size=1 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0090564       | -47.65           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -47.78           | -25         |
| 3     | 30          | 1000       | 100       | 827.243         | -54.75           | -25         |
| 4     | 1000        | 26500      | 1000      | 26122.6         | -30.75           | -25         |

Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0100293       | -46.53           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15597         | -48.22           | -25         |
| 3     | 30          | 1000       | 100       | 911.536         | -54.15           | -25         |
| 4     | 1000        | 26500      | 1000      | 26489.8         | -30.32           | -25         |