






| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0090141       | -45.25           | -13         |
| 2     | 0.15        | 30         | 10        | 0.158955        | -49.27           | -13         |
| 3     | 30          | 1000       | 100       | 250.093         | -56.31           | -13         |
| 4     | 1000        | 26500      | 1000      | 26168.5         | -33.5            | -13         |

Band66 16QAM BW=3MHz Channel=132322 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009           | -44.77           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -46.99           | -13         |
| 3     | 30          | 1000       | 100       | 202.951         | -56.01           | -13         |
| 4     | 1000        | 26500      | 1000      | 26232.25        | -34.1            | -13         |


Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0



Band66 16QAM BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0093102       | -44.46           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -47.97           | -13         |
| 3     | 30          | 1000       | 100       | 845.964         | -56.09           | -13         |
| 4     | 1000        | 26500      | 1000      | 26035.9         | -32.91           | -13         |

Band66 16QAM BW=3MHz Channel=131987 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0100434       | -46.06           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -46.03           | -13         |
| 3     | 30          | 1000       | 100       | 718.603         | -56.26           | -13         |
| 4     | 1000        | 26500      | 1000      | 25974.7         | -33.94           | -13         |

Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009282        | -46.19           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -45.76           | -13         |
| 3     | 30          | 1000       | 100       | 823.169         | -55              | -13         |
| 4     | 1000        | 26500      | 1000      | 26015.5         | -33.82           | -13         |

Band66 16QAM BW=20MHz Channel=132572 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0104946       | -45.71           | -13         |
| 2     | 0.15        | 30         | 10        | 0.152985        | -48.6            | -13         |
| 3     | 30          | 1000       | 100       | 953.44          | -56.43           | -13         |
| 4     | 1000        | 26500      | 1000      | 25903.3         | -33.5            | -13         |

Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009423        | -46.55           | -13         |
| 2     | 0.15        | 30         | 10        | 0.152985        | -48.36           | -13         |
| 3     | 30          | 1000       | 100       | 886.122         | -55.47           | -13         |
| 4     | 1000        | 26500      | 1000      | 25964.5         | -32.83           | -13         |

Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0092397       | -44.91           | -13         |
| 2     | 0.15        | 30         | 10        | 0.158955        | -47.91           | -13         |
| 3     | 30          | 1000       | 100       | 761.574         | -55.82           | -13         |
| 4     | 1000        | 26500      | 1000      | 25921.15        | -33.62           | -13         |


Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009564        | -45.64           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15597         | -48.3            | -13         |
| 3     | 30          | 1000       | 100       | 222.254         | -55.26           | -13         |
| 4     | 1000        | 26500      | 1000      | 25872.7         | -33.25           | -13         |

Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0090423       | -44.17           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15597         | -49.66           | -13         |
| 3     | 30          | 1000       | 100       | 518.88          | -56.11           | -13         |
| 4     | 1000        | 26500      | 1000      | 26438.8         | -34.18           | -13         |


Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0105792       | -46.36           | -13         |
| 2     | 0.15        | 30         | 10        | 0.164925        | -48.21           | -13         |
| 3     | 30          | 1000       | 100       | 912.603         | -55.49           | -13         |
| 4     | 1000        | 26500      | 1000      | 26028.25        | -33.54           | -13         |

Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0112842       | -46.73           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -47.17           | -13         |
| 3     | 30          | 1000       | 100       | 849.941         | -55.5            | -13         |
| 4     | 1000        | 26500      | 1000      | 25984.9         | -33.68           | -13         |


Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0



Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.010692        | -45.51           | -13         |
| 2     | 0.15        | 30         | 10        | 0.15            | -46.85           | -13         |
| 3     | 30          | 1000       | 100       | 506.852         | -55.89           | -13         |
| 4     | 1000        | 26500      | 1000      | 26033.35        | -33.12           | -13         |

Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.009           | -45.39           | -13         |
| 2     | 0.15        | 30         | 10        | 0.152985        | -48.44           | -13         |
| 3     | 30          | 1000       | 100       | 907.85          | -56.22           | -13         |
| 4     | 1000        | 26500      | 1000      | 25995.1         | -33.23           | -13         |


Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=1 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=1 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=1 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=1 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=1 Position=#0




Band7 16QAM BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=20825 RB Size=1 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0



Band7 16QAM BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=15MHz Channel=21375 RB Size=75 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0097473       | -44.3            | -25         |
| 2     | 0.15        | 30         | 10        | 0.158955        | -47              | -25         |
| 3     | 30          | 1000       | 100       | 808.037         | -54.49           | -25         |
| 4     | 1000        | 26500      | 1000      | 25538.65        | -31.82           | -25         |

Band7 16QAM BW=15MHz Channel=21375 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 0.009       | 0.15       | 1         | 0.0090705       | -44.35           | -25         |
| 2     | 0.15        | 30         | 10        | 0.15            | -47.65           | -25         |
| 3     | 30          | 1000       | 100       | 793.293         | -55.45           | -25         |
| 4     | 1000        | 26500      | 1000      | 26035.9         | -32.86           | -25         |


Band7 16QAM BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=1 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




## 05 Band edge

| Band   | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) | Verdict |
|--------|-----------------|------------|---------|-------------|------------|-----------------|------------------|-------------|---------|
| Band38 | 5               | 37775      | 1       | #0          | QPSK       | 2568.99         | -13.14           | -10         | PASS    |
| Band38 | 5               | 37775      | 1       | #Max        | QPSK       | 2561.62         | -39.93           | -25         | PASS    |
| Band38 | 5               | 37775      | 25      | #0          | QPSK       | 2563.13         | -39.29           | -25         | PASS    |
| Band38 | 5               | 37775      | 1       | #0          | 16QAM      | 2568.98         | -15.01           | -10         | PASS    |
| Band38 | 5               | 37775      | 1       | #Max        | 16QAM      | 2560.53         | -39.68           | -25         | PASS    |
| Band38 | 5               | 37775      | 25      | #0          | 16QAM      | 2563.50         | -40.50           | -25         | PASS    |
| Band38 | 5               | 38225      | 1       | #0          | QPSK       | 2627.36         | -38.34           | -25         | PASS    |
| Band38 | 5               | 38225      | 1       | #Max        | QPSK       | 2621.00         | -13.66           | -10         | PASS    |
| Band38 | 5               | 38225      | 25      | #0          | QPSK       | 2626.70         | -38.97           | -25         | PASS    |
| Band38 | 5               | 38225      | 1       | #0          | 16QAM      | 2626.69         | -36.45           | -25         | PASS    |
| Band38 | 5               | 38225      | 1       | #Max        | 16QAM      | 2621.00         | -15.65           | -10         | PASS    |
| Band38 | 5               | 38225      | 25      | #0          | 16QAM      | 2626.55         | -39.31           | -25         | PASS    |
| Band38 | 10              | 37800      | 1       | #0          | QPSK       | 2569.00         | -23.67           | -10         | PASS    |
| Band38 | 10              | 37800      | 1       | #Max        | QPSK       | 2559.07         | -40.44           | -25         | PASS    |
| Band38 | 10              | 37800      | 50      | #0          | QPSK       | 2559.57         | -40.15           | -25         | PASS    |
| Band38 | 10              | 37800      | 1       | #0          | 16QAM      | 2559.51         | -38.93           | -25         | PASS    |
| Band38 | 10              | 37800      | 1       | #Max        | 16QAM      | 2559.63         | -40.27           | -25         | PASS    |
| Band38 | 10              | 37800      | 50      | #0          | 16QAM      | 2558.44         | -40.07           | -25         | PASS    |
| Band38 | 10              | 38200      | 1       | #0          | QPSK       | 2630.10         | -39.63           | -25         | PASS    |
| Band38 | 10              | 38200      | 1       | #Max        | QPSK       | 2630.03         | -37.93           | -25         | PASS    |


|        |    |       |     |      |       |         |        |     |      |
|--------|----|-------|-----|------|-------|---------|--------|-----|------|
| Band38 | 10 | 38200 | 50  | #0   | QPSK  | 2631.66 | -39.43 | -25 | PASS |
| Band38 | 10 | 38200 | 1   | #0   | 16QAM | 2630.19 | -40.30 | -25 | PASS |
| Band38 | 10 | 38200 | 1   | #Max | 16QAM | 2630.52 | -38.26 | -25 | PASS |
| Band38 | 10 | 38200 | 50  | #0   | 16QAM | 2630.01 | -39.64 | -25 | PASS |
| Band38 | 15 | 37825 | 1   | #0   | QPSK  | 2568.90 | -25.29 | -10 | PASS |
| Band38 | 15 | 37825 | 1   | #Max | QPSK  | 2552.99 | -41.04 | -25 | PASS |
| Band38 | 15 | 37825 | 75  | #0   | QPSK  | 2552.64 | -40.80 | -25 | PASS |
| Band38 | 15 | 37825 | 1   | #0   | 16QAM | 2553.90 | -40.21 | -25 | PASS |
| Band38 | 15 | 37825 | 1   | #Max | 16QAM | 2554.57 | -40.97 | -25 | PASS |
| Band38 | 15 | 37825 | 75  | #0   | 16QAM | 2552.00 | -40.57 | -25 | PASS |
| Band38 | 15 | 38175 | 1   | #0   | QPSK  | 2638.40 | -40.31 | -25 | PASS |
| Band38 | 15 | 38175 | 1   | #Max | QPSK  | 2635.45 | -38.42 | -25 | PASS |
| Band38 | 15 | 38175 | 75  | #0   | QPSK  | 2636.97 | -40.00 | -25 | PASS |
| Band38 | 15 | 38175 | 1   | #0   | 16QAM | 2635.62 | -40.38 | -25 | PASS |
| Band38 | 15 | 38175 | 1   | #Max | 16QAM | 2637.78 | -39.43 | -25 | PASS |
| Band38 | 15 | 38175 | 75  | #0   | 16QAM | 2636.09 | -40.16 | -25 | PASS |
| Band38 | 20 | 37850 | 1   | #0   | QPSK  | 2569.98 | -25.74 | -10 | PASS |
| Band38 | 20 | 37850 | 1   | #Max | QPSK  | 2547.10 | -41.15 | -25 | PASS |
| Band38 | 20 | 37850 | 100 | #0   | QPSK  | 2546.05 | -40.94 | -25 | PASS |
| Band38 | 20 | 37850 | 1   | #0   | 16QAM | 2545.27 | -40.83 | -25 | PASS |
| Band38 | 20 | 37850 | 1   | #Max | 16QAM | 2548.33 | -40.98 | -25 | PASS |
| Band38 | 20 | 37850 | 100 | #0   | 16QAM | 2546.27 | -40.75 | -25 | PASS |
| Band38 | 20 | 38150 | 1   | #0   | QPSK  | 2643.58 | -40.22 | -25 | PASS |
| Band38 | 20 | 38150 | 1   | #Max | QPSK  | 2640.21 | -39.63 | -25 | PASS |
| Band38 | 20 | 38150 | 100 | #0   | QPSK  | 2641.37 | -40.15 | -25 | PASS |
| Band38 | 20 | 38150 | 1   | #0   | 16QAM | 2644.58 | -40.55 | -25 | PASS |
| Band38 | 20 | 38150 | 1   | #Max | 16QAM | 2640.37 | -40.18 | -25 | PASS |
| Band38 | 20 | 38150 | 100 | #0   | 16QAM | 2640.17 | -40.27 | -25 | PASS |
| Band7  | 5  | 20775 | 1   | #0   | QPSK  | 2499.00 | -12.60 | -10 | PASS |
| Band7  | 5  | 20775 | 1   | #Max | QPSK  | 2491.95 | -40.72 | -25 | PASS |
| Band7  | 5  | 20775 | 25  | #0   | QPSK  | 2493.96 | -40.49 | -25 | PASS |
| Band7  | 5  | 20775 | 1   | #0   | 16QAM | 2499.00 | -13.11 | -10 | PASS |
| Band7  | 5  | 20775 | 1   | #Max | 16QAM | 2488.72 | -40.80 | -25 | PASS |
| Band7  | 5  | 20775 | 25  | #0   | 16QAM | 2493.85 | -40.43 | -25 | PASS |
| Band7  | 5  | 21425 | 1   | #0   | QPSK  | 2593.39 | -40.88 | -25 | PASS |
| Band7  | 5  | 21425 | 1   | #Max | QPSK  | 2571.00 | -12.79 | -10 | PASS |
| Band7  | 5  | 21425 | 25  | #0   | QPSK  | 2571.01 | -24.56 | -10 | PASS |
| Band7  | 5  | 21425 | 1   | #0   | 16QAM | 2586.60 | -40.85 | -25 | PASS |
| Band7  | 5  | 21425 | 1   | #Max | 16QAM | 2571.00 | -13.34 | -10 | PASS |
| Band7  | 5  | 21425 | 25  | #0   | 16QAM | 2576.11 | -40.17 | -25 | PASS |
| Band7  | 10 | 20800 | 1   | #0   | QPSK  | 2499.00 | -22.72 | -10 | PASS |
| Band7  | 10 | 20800 | 1   | #Max | QPSK  | 2485.35 | -41.02 | -25 | PASS |
| Band7  | 10 | 20800 | 50  | #0   | QPSK  | 2489.40 | -40.37 | -25 | PASS |
| Band7  | 10 | 20800 | 1   | #0   | 16QAM | 2499.00 | -23.93 | -10 | PASS |

|       |    |       |     |      |       |         |        |     |      |
|-------|----|-------|-----|------|-------|---------|--------|-----|------|
| Band7 | 10 | 20800 | 1   | #Max | 16QAM | 2479.05 | -40.98 | -25 | PASS |
| Band7 | 10 | 20800 | 50  | #0   | 16QAM | 2489.94 | -40.47 | -25 | PASS |
| Band7 | 10 | 21400 | 1   | #0   | QPSK  | 2586.42 | -40.84 | -25 | PASS |
| Band7 | 10 | 21400 | 1   | #Max | QPSK  | 2571.00 | -23.04 | -10 | PASS |
| Band7 | 10 | 21400 | 50  | #0   | QPSK  | 2586.08 | -40.70 | -25 | PASS |
| Band7 | 10 | 21400 | 1   | #0   | 16QAM | 2590.86 | -40.88 | -25 | PASS |
| Band7 | 10 | 21400 | 1   | #Max | 16QAM | 2571.00 | -24.01 | -10 | PASS |
| Band7 | 10 | 21400 | 50  | #0   | 16QAM | 2580.29 | -40.39 | -25 | PASS |
| Band7 | 15 | 20825 | 1   | #0   | QPSK  | 2479.33 | -41.09 | -25 | PASS |
| Band7 | 15 | 20825 | 1   | #Max | QPSK  | 2477.54 | -41.12 | -25 | PASS |
| Band7 | 15 | 20825 | 75  | #0   | QPSK  | 2484.97 | -40.86 | -25 | PASS |
| Band7 | 15 | 20825 | 1   | #0   | 16QAM | 2484.15 | -41.04 | -25 | PASS |
| Band7 | 15 | 20825 | 1   | #Max | 16QAM | 2482.16 | -41.09 | -25 | PASS |
| Band7 | 15 | 20825 | 75  | #0   | 16QAM | 2483.70 | -40.86 | -25 | PASS |
| Band7 | 15 | 21375 | 1   | #0   | QPSK  | 2589.87 | -40.96 | -25 | PASS |
| Band7 | 15 | 21375 | 1   | #Max | QPSK  | 2570.01 | -25.87 | -10 | PASS |
| Band7 | 15 | 21375 | 75  | #0   | QPSK  | 2589.43 | -41.01 | -25 | PASS |
| Band7 | 15 | 21375 | 1   | #0   | 16QAM | 2594.22 | -41.17 | -25 | PASS |
| Band7 | 15 | 21375 | 1   | #Max | 16QAM | 2570.06 | -25.78 | -10 | PASS |
| Band7 | 15 | 21375 | 75  | #0   | 16QAM | 2590.57 | -40.76 | -25 | PASS |
| Band7 | 20 | 20850 | 1   | #0   | QPSK  | 2476.47 | -41.12 | -25 | PASS |
| Band7 | 20 | 20850 | 1   | #Max | QPSK  | 2476.19 | -41.11 | -25 | PASS |
| Band7 | 20 | 20850 | 100 | #0   | QPSK  | 2475.33 | -41.05 | -25 | PASS |
| Band7 | 20 | 20850 | 1   | #0   | 16QAM | 2477.48 | -41.10 | -25 | PASS |
| Band7 | 20 | 20850 | 1   | #Max | 16QAM | 2479.82 | -41.09 | -25 | PASS |
| Band7 | 20 | 20850 | 100 | #0   | 16QAM | 2479.78 | -40.94 | -25 | PASS |
| Band7 | 20 | 21350 | 1   | #0   | QPSK  | 2592.60 | -40.91 | -25 | PASS |
| Band7 | 20 | 21350 | 1   | #Max | QPSK  | 2590.09 | -41.16 | -25 | PASS |
| Band7 | 20 | 21350 | 100 | #0   | QPSK  | 2592.57 | -41.00 | -25 | PASS |
| Band7 | 20 | 21350 | 1   | #0   | 16QAM | 2591.78 | -41.12 | -25 | PASS |
| Band7 | 20 | 21350 | 1   | #Max | 16QAM | 2592.13 | -41.32 | -25 | PASS |
| Band7 | 20 | 21350 | 100 | #0   | 16QAM | 2592.43 | -40.96 | -25 | PASS |


Band38 16QAM BW=15MHz Channel=38175 RB Size=1 Position=#0



Band38 16QAM BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 16QAM BW=15MHz Channel=37825 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2551.25     | 2555       | 1000      | 2554.56875      | -40.97           | -25         |
| 2     | 2555        | 2565       | 1000      | 2557.48         | -38.64           | -13         |
| 3     | 2565        | 2569       | 1000      | 2568.644        | -39.64           | -10         |
| 4     | 2569        | 2570       | 300       | 2569.539        | -44.84           | -10         |

Band38 16QAM BW=15MHz Channel=38175 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2620        | 2621       | 300       | 2620.021        | -24.64           | -10         |
| 2     | 2621        | 2625       | 1000      | 2621.076        | -25.74           | -10         |
| 3     | 2625        | 2635       | 1000      | 2626.66         | -36.52           | -13         |
| 4     | 2635        | 2638.75    | 1000      | 2637.77875      | -39.43           | -25         |


Band38 16QAM BW=20MHz Channel=37850 RB Size=1 Position=#Max




Band38 16QAM BW=20MHz Channel=37850 RB Size=1 Position=#0




Band38 16QAM BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 16QAM BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=37800 RB Size=1 Position=#Max




Band38 16QAM BW=10MHz Channel=37800 RB Size=1 Position=#0




Band38 16QAM BW=10MHz Channel=38200 RB Size=1 Position=#0




Band38 16QAM BW=15MHz Channel=37825 RB Size=1 Position=#0




Band38 16QAM BW=10MHz Channel=38200 RB Size=50 Position=#0



Band38 16QAM BW=10MHz Channel=38200 RB Size=1 Position=#Max




Band38 QPSK BW=10MHz Channel=37800 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2557.5      | 2560       | 1000      | 2558.7375       | -39.15           | -25         |
| 2     | 2560        | 2565       | 1000      | 2564.91         | -34.63           | -13         |
| 3     | 2565        | 2569       | 1000      | 2569            | -23.67           | -10         |
| 4     | 2569        | 2570       | 200       | 2569.977        | -26.52           | -10         |

Band38 16QAM BW=5MHz Channel=38225 RB Size=25 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2620        | 2621       | 100       | 2620.001        | -39.96           | -10         |
| 2     | 2621        | 2625       | 1000      | 2621.008        | -28.57           | -10         |
| 3     | 2625        | 2626       | 1000      | 2625.429        | -38.71           | -13         |
| 4     | 2626        | 2630       | 1000      | 2626.552        | -39.31           | -25         |

Band38 16QAM BW=5MHz Channel=38225 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2620        | 2621       | 100       | 2620.001        | -28.14           | -10         |
| 2     | 2621        | 2625       | 1000      | 2621.004        | -15.65           | -10         |
| 3     | 2625        | 2626       | 1000      | 2625.743        | -35.05           | -13         |
| 4     | 2626        | 2630       | 1000      | 2626.044        | -36.04           | -25         |

Band38 QPSK BW=10MHz Channel=37800 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2557.5      | 2560       | 1000      | 2559.0675       | -40.44           | -25         |
| 2     | 2560        | 2565       | 1000      | 2561.87         | -38.37           | -13         |
| 3     | 2565        | 2569       | 1000      | 2568.264        | -38.07           | -10         |
| 4     | 2569        | 2570       | 200       | 2569.881        | -43.11           | -10         |


Band38 QPSK BW=10MHz Channel=38200 RB Size=1 Position=#Max



Band38 QPSK BW=10MHz Channel=38200 RB Size=1 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2557.5      | 2560       | 1000      | 2559.5725       | -40.15           | -25         |
| 2     | 2560        | 2565       | 1000      | 2564.97         | -37.85           | -13         |
| 3     | 2565        | 2569       | 1000      | 2567.568        | -34.83           | -10         |
| 4     | 2569        | 2570       | 200       | 2569.801        | -39.71           | -10         |

Band38 16QAM BW=5MHz Channel=38225 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2620        | 2621       | 100       | 2620.005        | -44.94           | -10         |
| 2     | 2621        | 2625       | 1000      | 2621.372        | -36.14           | -10         |
| 3     | 2625        | 2626       | 1000      | 2625.497        | -37.76           | -13         |
| 4     | 2626        | 2630       | 1000      | 2626.692        | -36.45           | -25         |

Band38 16QAM BW=20MHz Channel=38150 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2620        | 2621       | 430       | 2620.085        | -27.2            | -10         |
| 2     | 2621        | 2625       | 1000      | 2621.212        | -31.52           | -10         |
| 3     | 2625        | 2640       | 1000      | 2627.445        | -37.14           | -13         |
| 4     | 2640        | 2645       | 1000      | 2640.365        | -40.18           | -25         |

Band38 16QAM BW=20MHz Channel=38150 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2620        | 2621       | 430       | 2620.775        | -42.76           | -10         |
| 2     | 2621        | 2625       | 1000      | 2622.124        | -39.78           | -10         |
| 3     | 2625        | 2640       | 1000      | 2636.85         | -39.31           | -13         |
| 4     | 2640        | 2645       | 1000      | 2644.58         | -40.55           | -25         |


Band38 16QAM BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 16QAM BW=5MHz Channel=37775 RB Size=25 Position=#0



Band38 16QAM BW=5MHz Channel=37775 RB Size=1 Position=#Max




Band38 16QAM BW=5MHz Channel=37775 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2560        | 2564       | 1000      | 2563.788        | -37.03           | -25         |
| 2     | 2564        | 2565       | 1000      | 2564.972        | -34.95           | -13         |
| 3     | 2565        | 2569       | 1000      | 2568.976        | -15.01           | -10         |
| 4     | 2569        | 2570       | 100       | 2569.974        | -27.87           | -10         |

Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2620        | 2621       | 430       | 2620.318        | -42.7            | -10         |
| 2     | 2621        | 2625       | 1000      | 2621.276        | -39.38           | -10         |
| 3     | 2625        | 2640       | 1000      | 2636.505        | -39.52           | -13         |
| 4     | 2640        | 2645       | 1000      | 2643.58         | -40.22           | -25         |

Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2545        | 2550       | 1000      | 2546.05         | -40.94           | -25         |
| 2     | 2550        | 2565       | 1000      | 2560.77         | -39.55           | -13         |
| 3     | 2565        | 2569       | 1000      | 2568.844        | -36.93           | -10         |
| 4     | 2569        | 2570       | 430       | 2569.995        | -38.6            | -10         |

Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2545        | 2550       | 1000      | 2547.1          | -41.15           | -25         |
| 2     | 2550        | 2565       | 1000      | 2553.315        | -36.11           | -13         |
| 3     | 2565        | 2569       | 1000      | 2568.204        | -39.33           | -10         |
| 4     | 2569        | 2570       | 430       | 2569.936        | -42.05           | -10         |

Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2620        | 2621       | 430       | 2620.01         | -26.83           | -10         |
| 2     | 2621        | 2625       | 1000      | 2621.192        | -26.64           | -10         |
| 3     | 2625        | 2640       | 1000      | 2625.135        | -34.14           | -13         |
| 4     | 2640        | 2645       | 1000      | 2640.205        | -39.63           | -25         |

Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2560        | 2564       | 1000      | 2561.62         | -39.93           | -25         |
| 2     | 2564        | 2565       | 1000      | 2564.917        | -37.91           | -13         |
| 3     | 2565        | 2569       | 1000      | 2568.968        | -35.88           | -10         |
| 4     | 2569        | 2570       | 100       | 2569.997        | -44.94           | -10         |

Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2560        | 2564       | 1000      | 2563.972        | -36.83           | -25         |
| 2     | 2564        | 2565       | 1000      | 2564.65         | -35.19           | -13         |
| 3     | 2565        | 2569       | 1000      | 2568.988        | -13.14           | -10         |
| 4     | 2569        | 2570       | 100       | 2569.987        | -27.32           | -10         |

Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2620        | 2621       | 430       | 2620.109        | -36.98           | -10         |
| 2     | 2621        | 2625       | 1000      | 2621.38         | -34.13           | -10         |
| 3     | 2625        | 2640       | 1000      | 2627.43         | -35.48           | -13         |
| 4     | 2640        | 2645       | 1000      | 2641.37         | -40.15           | -25         |

Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2545        | 2550       | 1000      | 2549.625        | -40.96           | -25         |
| 2     | 2550        | 2565       | 1000      | 2563.2          | -36.65           | -13         |
| 3     | 2565        | 2569       | 1000      | 2568.884        | -28.15           | -10         |
| 4     | 2569        | 2570       | 430       | 2569.975        | -25.74           | -10         |

Band38 QPSK BW=15MHz Channel=37825 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2551.25     | 2555       | 1000      | 2552.98625      | -41.04           | -25         |
| 2     | 2555        | 2565       | 1000      | 2557.68         | -38.48           | -13         |
| 3     | 2565        | 2569       | 1000      | 2567.948        | -39.25           | -10         |
| 4     | 2569        | 2570       | 300       | 2569.919        | -43.51           | -10         |

Band38 QPSK BW=15MHz Channel=37825 RB Size=1 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2551.25     | 2555       | 1000      | 2553.11375      | -40.39           | -25         |
| 2     | 2555        | 2565       | 1000      | 2562.98         | -37.1            | -13         |
| 3     | 2565        | 2569       | 1000      | 2568.904        | -25.29           | -10         |
| 4     | 2569        | 2570       | 300       | 2569.995        | -26.47           | -10         |

Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2620        | 2621       | 200       | 2620.129        | -37.92           | -10         |
| 2     | 2621        | 2625       | 1000      | 2621.44         | -32.44           | -10         |
| 3     | 2625        | 2630       | 1000      | 2625.81         | -35.88           | -13         |
| 4     | 2630        | 2632.5     | 1000      | 2631.66         | -39.43           | -25         |

Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0