

Appendix L –NR 5G RF Output Power

Test Information:

Sample No.:	306X-1	Test Date:	2025/05/04~2025/06/06
Test Site:	RF	Test Mode:	Transmitting
Tester:	Leo Lin	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.4-25.7	Relative Humidity: (%)	32-55	ATM Pressure: (kPa)	100.2-100.8
----------------------	-----------	---------------------------	-------	------------------------	-------------

RF Output Power

FCC Part 22H

n5

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.62	14.42	0.028	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.57	14.37	0.027	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.65	14.45	0.028	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.64	14.44	0.028	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB1@1	17.63	14.43	0.028	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB1@23	17.47	14.27	0.027	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB12@6	17.64	14.44	0.028	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB25@0	17.67	14.47	0.028	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 16 QAM_RB25@0	17.54	14.34	0.027	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 64 QAM_RB25@0	17.66	14.46	0.028	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.33	13.13	0.021	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@1	17.54	14.34	0.027	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@23	17.49	14.29	0.027	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB13@6	17.49	14.29	0.027	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB25@0	17.52	14.32	0.027	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM 16 QAM_RB25@0	17.45	14.25	0.027	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM 64 QAM_RB25@0	17.12	13.92	0.025	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_5MHz_15kHz_826.5MHz_CP-OFDM 256 QAM_RB25@0	14.36	11.16	0.013	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.61	14.41	0.028	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.51	14.31	0.027	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.64	14.44	0.028	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.57	14.37	0.027	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	17.60	14.40	0.028	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@23	17.61	14.41	0.028	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB12@6	17.64	14.44	0.028	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	17.58	14.38	0.027	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB25@0	17.54	14.34	0.027	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB25@0	17.53	14.33	0.027	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.16	12.96	0.020	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	17.61	14.41	0.028	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@23	17.53	14.33	0.027	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB13@6	17.48	14.28	0.027	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB25@0	17.50	14.30	0.027	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB25@0	17.43	14.23	0.026	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB25@0	17.05	13.85	0.024	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB25@0	14.23	11.03	0.013	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.64	14.44	0.028	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.49	14.29	0.027	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.62	14.42	0.028	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.48	14.28	0.027	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@1	17.57	14.37	0.027	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@23	17.51	14.31	0.027	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB12@6	17.57	14.37	0.027	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB25@0	17.49	14.29	0.027	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 16 QAM_RB25@0	17.46	14.26	0.027	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 64 QAM_RB25@0	17.45	14.25	0.027	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.02	12.82	0.019	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@1	17.47	14.27	0.027	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@23	17.41	14.21	0.026	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB13@6	17.48	14.28	0.027	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB25@0	17.38	14.18	0.026	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 16 QAM_RB25@0	17.30	14.10	0.026	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 64 QAM_RB25@0	17.01	13.81	0.024	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 256 QAM_RB25@0	14.25	11.05	0.013	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.62	14.42	0.028	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.47	14.27	0.027	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.51	14.31	0.027	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.59	14.39	0.027	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@1	17.52	14.32	0.027	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@50	17.49	14.29	0.027	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB25@12	17.51	14.31	0.027	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB50@0	17.59	14.39	0.027	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 16 QAM_RB50@0	17.53	14.33	0.027	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 64 QAM_RB50@0	17.48	14.28	0.027	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 256 QAM_RB50@0	16.09	12.89	0.019	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@1	17.49	14.29	0.027	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@50	17.38	14.18	0.026	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB26@13	17.42	14.22	0.026	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB52@0	17.41	14.21	0.026	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 16 QAM_RB52@0	17.43	14.23	0.026	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 64 QAM_RB52@0	17.02	13.82	0.024	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 256 QAM_RB52@0	14.28	11.08	0.013	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.59	14.39	0.027	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.48	14.28	0.027	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.46	14.26	0.027	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.26	14.06	0.025	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	17.50	14.30	0.027	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@50	17.45	14.25	0.027	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@12	17.48	14.28	0.027	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	17.28	14.08	0.026	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB50@0	17.35	14.15	0.026	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB50@0	17.30	14.10	0.026	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB50@0	15.74	12.54	0.018	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	17.50	14.30	0.027	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@50	17.41	14.21	0.026	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB26@13	17.35	14.15	0.026	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB52@0	17.17	13.97	0.025	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB52@0	17.20	14.00	0.025	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB52@0	16.77	13.57	0.023	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB52@0	13.98	10.78	0.012	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.46	14.26	0.027	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.35	14.15	0.026	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.40	14.20	0.026	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.53	14.33	0.027	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@1	17.41	14.21	0.026	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@50	17.31	14.11	0.026	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB25@12	17.35	14.15	0.026	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB50@0	17.53	14.33	0.027	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 16 QAM_RB50@0	17.53	14.33	0.027	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 64 QAM_RB50@0	17.53	14.33	0.027	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 256 QAM_RB50@0	16.09	12.89	0.019	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@1	17.31	14.11	0.026	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@50	17.33	14.13	0.026	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB26@13	17.29	14.09	0.026	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB52@0	17.36	14.16	0.026	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 16 QAM_RB52@0	17.38	14.18	0.026	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 64 QAM_RB52@0	16.91	13.71	0.023	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 256 QAM_RB52@0	14.23	11.03	0.013	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.60	14.40	0.028	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.38	14.18	0.026	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.56	14.36	0.027	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.65	14.45	0.028	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@1	17.55	14.35	0.027	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@77	17.38	14.18	0.026	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB36@18	17.64	14.44	0.028	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB75@0	17.67	14.47	0.028	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 16 QAM_RB75@0	17.64	14.44	0.028	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 64 QAM_RB75@0	17.62	14.42	0.028	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 256 QAM_RB75@0	16.19	12.99	0.020	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@1	17.52	14.32	0.027	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@77	17.26	14.06	0.025	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB39@19	17.50	14.30	0.027	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB79@0	17.51	14.31	0.027	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 16 QAM_RB79@0	17.53	14.33	0.027	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 64 QAM_RB79@0	17.12	13.92	0.025	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 256 QAM_RB79@0	14.33	11.13	0.013	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.55	14.35	0.027	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.47	14.27	0.027	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.54	14.34	0.027	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.46	14.26	0.027	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	17.53	14.33	0.027	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@77	17.41	14.21	0.026	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB36@18	17.58	14.38	0.027	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	17.42	14.22	0.026	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB75@0	17.43	14.23	0.026	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB75@0	17.42	14.22	0.026	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB75@0	16.02	12.82	0.019	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	17.48	14.28	0.027	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@77	17.39	14.19	0.026	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB39@19	17.48	14.28	0.027	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB79@0	17.35	14.15	0.026	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB79@0	17.38	14.18	0.026	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB79@0	16.90	13.70	0.023	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB79@0	14.17	10.97	0.013	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.50	14.30	0.027	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.27	14.07	0.026	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.54	14.34	0.027	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.60	14.40	0.028	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@1	17.47	14.27	0.027	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@77	17.30	14.10	0.026	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB36@18	17.51	14.31	0.027	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB75@0	17.66	14.46	0.028	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 16 QAM_RB75@0	17.55	14.35	0.027	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 64 QAM_RB75@0	17.55	14.35	0.027	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 256 QAM_RB75@0	16.18	12.98	0.020	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@1	17.42	14.22	0.026	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@77	17.30	14.10	0.026	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB39@19	17.47	14.27	0.027	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB79@0	17.51	14.31	0.027	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 16 QAM_RB79@0	17.53	14.33	0.027	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 64 QAM_RB79@0	16.97	13.77	0.024	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 256 QAM_RB79@0	14.30	11.10	0.013	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.58	14.38	0.027	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.44	14.24	0.027	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.53	14.33	0.027	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	17.45	14.25	0.027	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@1	17.53	14.33	0.027	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@104	17.27	14.07	0.026	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB50@25	17.52	14.32	0.027	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB100@0	17.41	14.21	0.026	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 16 QAM_RB100@0	17.45	14.25	0.027	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 64 QAM_RB100@0	17.45	14.25	0.027	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 256 QAM_RB100@0	16.07	12.87	0.019	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@1	17.40	14.20	0.026	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@104	17.24	14.04	0.025	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB53@26	17.42	14.22	0.026	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB106@0	17.27	14.07	0.026	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_20MHz_15kHz_834MHz_CP-OFDM 16 QAM_RB106@0	17.26	14.06	0.025	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM 64 QAM_RB106@0	16.88	13.68	0.023	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM 256 QAM_RB106@0	14.15	10.95	0.012	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.65	14.45	0.028	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.48	14.28	0.027	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.58	14.38	0.027	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	17.37	14.17	0.026	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	17.72	14.52	0.028	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@104	17.51	14.31	0.027	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@25	17.58	14.38	0.027	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	17.36	14.16	0.026	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB100@0	17.36	14.16	0.026	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB100@0	17.42	14.22	0.026	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB100@0	15.95	12.75	0.019	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	17.53	14.33	0.027	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@104	17.39	14.19	0.026	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB53@26	17.46	14.26	0.027	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB106@0	17.25	14.05	0.025	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB106@0	17.16	13.96	0.025	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB106@0	16.79	13.59	0.023	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_20MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB106@0	14.10	10.90	0.012	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.60	14.40	0.028	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.39	14.19	0.026	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.63	14.43	0.028	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	17.40	14.20	0.026	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@1	17.55	14.35	0.027	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@104	17.30	14.10	0.026	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB50@25	17.65	14.45	0.028	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB100@0	17.47	14.27	0.027	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 16 QAM_RB100@0	17.44	14.24	0.027	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 64 QAM_RB100@0	17.46	14.26	0.027	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 256 QAM_RB100@0	15.94	12.74	0.019	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@1	17.43	14.23	0.026	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@104	17.29	14.09	0.026	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB53@26	17.49	14.29	0.027	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB106@0	17.31	14.11	0.026	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 16 QAM_RB106@0	17.30	14.10	0.026	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 64 QAM_RB106@0	16.88	13.68	0.023	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 256 QAM_RB106@0	14.17	10.97	0.013	7	Pass

Note:

$$\text{ERP} = \text{Conducted Power(dBm)} - L_C(\text{dB}) + G_T(\text{dBd})$$

$$G_T(\text{dBd}) = G_T(\text{dBi}) - 2.15$$

n5:

1.Ant Gain = -0.55dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB

FCC Part 24E

n2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.73	20.81	0.121	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.66	20.74	0.119	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.68	20.76	0.119	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.66	20.74	0.119	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB1@1	20.58	20.66	0.116	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB1@23	20.65	20.73	0.118	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB12@6	20.70	20.78	0.120	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM QPSK_RB25@0	20.71	20.79	0.120	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.71	20.79	0.120	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.66	20.74	0.119	2	Pass
n2_5MHz_15kHz_1852.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.18	19.26	0.084	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB1@1	20.57	20.65	0.116	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB1@23	20.63	20.71	0.118	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB13@6	20.66	20.74	0.119	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM QPSK_RB25@0	20.73	20.81	0.121	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM 16 QAM_RB25@0	20.67	20.75	0.119	2	Pass
n2_5MHz_15kHz_1852.5MHz_CP-OFDM 64 QAM_RB25@0	20.21	20.29	0.107	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n2_5MHz_15kHz_1852.5MHz_CP-OFDM 256 QAM_RB25@0	17.13	17.21	0.053	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.79	20.87	0.122	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.45	20.53	0.113	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.88	20.96	0.125	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.85	20.93	0.124	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@1	20.68	20.76	0.119	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@23	20.67	20.75	0.119	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB12@6	20.85	20.93	0.124	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB25@0	20.78	20.86	0.122	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB25@0	20.77	20.85	0.122	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB25@0	20.77	20.85	0.122	2	Pass
n2_5MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB25@0	19.31	19.39	0.087	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@1	20.76	20.84	0.121	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@23	20.78	20.86	0.122	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM QPSK_RB13@6	20.69	20.77	0.119	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM QPSK_RB25@0	20.79	20.87	0.122	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB25@0	20.77	20.85	0.122	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB25@0	20.27	20.35	0.108	2	Pass
n2_5MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB25@0	17.24	17.32	0.054	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.74	20.82	0.121	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.78	20.86	0.122	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.75	20.83	0.121	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.72	20.80	0.120	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB1@1	20.71	20.79	0.120	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB1@23	20.77	20.85	0.122	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB12@6	20.76	20.84	0.121	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM QPSK_RB25@0	20.82	20.90	0.123	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.75	20.83	0.121	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.72	20.80	0.120	2	Pass
n2_5MHz_15kHz_1907.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.24	19.32	0.086	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB1@1	20.73	20.81	0.121	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB1@23	20.77	20.85	0.122	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB13@6	20.73	20.81	0.121	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM QPSK_RB25@0	20.73	20.81	0.121	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM 16 QAM_RB25@0	20.77	20.85	0.122	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM 64 QAM_RB25@0	20.26	20.34	0.108	2	Pass
n2_5MHz_15kHz_1907.5MHz_CP-OFDM 256 QAM_RB25@0	17.16	17.24	0.053	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.47	20.55	0.114	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.55	20.63	0.116	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.59	20.67	0.117	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.48	20.56	0.114	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB1@1	20.38	20.46	0.111	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB1@50	20.54	20.62	0.115	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB25@12	20.57	20.65	0.116	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM QPSK_RB50@0	20.52	20.60	0.115	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM 16 QAM_RB50@0	20.53	20.61	0.115	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM 64 QAM_RB50@0	20.49	20.57	0.114	2	Pass
n2_10MHz_15kHz_1855MHz_DFT-s-OFDM 256 QAM_RB50@0	19	19.08	0.081	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB1@1	20.62	20.70	0.117	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB1@50	20.67	20.75	0.119	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB26@13	20.55	20.63	0.116	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM QPSK_RB52@0	20.44	20.52	0.113	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM 16 QAM_RB52@0	20.52	20.60	0.115	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM 64 QAM_RB52@0	19.96	20.04	0.101	2	Pass
n2_10MHz_15kHz_1855MHz_CP-OFDM 256 QAM_RB52@0	16.88	16.96	0.050	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.60	20.68	0.117	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.60	20.68	0.117	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.25	20.33	0.108	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.54	20.62	0.115	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@1	20.60	20.68	0.117	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@50	20.57	20.65	0.116	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB25@12	20.65	20.73	0.118	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB50@0	20.55	20.63	0.116	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB50@0	20.58	20.66	0.116	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB50@0	20.56	20.64	0.116	2	Pass
n2_10MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB50@0	19.07	19.15	0.082	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@1	20.82	20.90	0.123	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@50	20.57	20.65	0.116	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM QPSK_RB26@13	20.62	20.70	0.117	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM QPSK_RB52@0	20.52	20.60	0.115	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB52@0	20.55	20.63	0.116	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB52@0	19.97	20.05	0.101	2	Pass
n2_10MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB52@0	16.84	16.92	0.049	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.63	20.71	0.118	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.55	20.63	0.116	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.54	20.62	0.115	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.43	20.51	0.112	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB1@1	20.52	20.60	0.115	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB1@50	20.43	20.51	0.112	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB25@12	20.57	20.65	0.116	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM QPSK_RB50@0	20.47	20.55	0.114	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM 16 QAM_RB50@0	20.55	20.63	0.116	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM 64 QAM_RB50@0	20.49	20.57	0.114	2	Pass
n2_10MHz_15kHz_1905MHz_DFT-s-OFDM 256 QAM_RB50@0	18.98	19.06	0.081	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM QPSK_RB1@1	20.59	20.67	0.117	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM QPSK_RB1@50	20.65	20.73	0.118	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM QPSK_RB26@13	20.55	20.63	0.116	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM QPSK_RB52@0	20.40	20.48	0.112	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM 16 QAM_RB52@0	20.49	20.57	0.114	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM 64 QAM_RB52@0	19.96	20.04	0.101	2	Pass
n2_10MHz_15kHz_1905MHz_CP-OFDM 256 QAM_RB52@0	16.89	16.97	0.050	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.07	20.15	0.104	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.70	20.78	0.120	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.65	20.73	0.118	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.74	20.82	0.121	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB1@1	20.46	20.54	0.113	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB1@77	20.61	20.69	0.117	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB36@18	20.70	20.78	0.120	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM QPSK_RB75@0	20.73	20.81	0.121	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.77	20.85	0.122	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.77	20.85	0.122	2	Pass
n2_15MHz_15kHz_1857.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.25	19.33	0.086	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB1@1	20.69	20.77	0.119	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB1@77	20.87	20.95	0.124	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB39@19	20.77	20.85	0.122	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM QPSK_RB79@0	20.75	20.83	0.121	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM 16 QAM_RB79@0	20.80	20.88	0.122	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM 64 QAM_RB79@0	20.21	20.29	0.107	2	Pass
n2_15MHz_15kHz_1857.5MHz_CP-OFDM 256 QAM_RB79@0	17.14	17.22	0.053	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.67	20.75	0.119	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.69	20.77	0.119	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.87	20.95	0.124	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.68	20.76	0.119	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@1	20.61	20.69	0.117	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@77	20.58	20.66	0.116	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB36@18	20.78	20.86	0.122	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB75@0	20.72	20.80	0.120	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB75@0	20.66	20.74	0.119	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB75@0	20.75	20.83	0.121	2	Pass
n2_15MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB75@0	19.27	19.35	0.086	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n2_15MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@1	20.65	20.73	0.118	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@77	20.73	20.81	0.121	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM QPSK_RB39@19	20.80	20.88	0.122	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM QPSK_RB79@0	20.69	20.77	0.119	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB79@0	20.76	20.84	0.121	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB79@0	20.29	20.37	0.109	2	Pass
n2_15MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB79@0	17.13	17.21	0.053	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.67	20.75	0.119	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.66	20.74	0.119	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.76	20.84	0.121	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.68	20.76	0.119	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM QPSK_RB1@1	20.68	20.76	0.119	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM QPSK_RB1@77	20.60	20.68	0.117	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM QPSK_RB36@18	20.76	20.84	0.121	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM QPSK_RB75@0	20.77	20.85	0.122	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.78	20.86	0.122	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.77	20.85	0.122	2	Pass
n2_15MHz_15kHz_1902.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.24	19.32	0.086	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM QPSK_RB1@1	20.69	20.77	0.119	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM QPSK_RB1@77	20.71	20.79	0.120	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n2_15MHz_15kHz_1902.5MHz_CP-OFDM QPSK_RB39@19	20.81	20.89	0.123	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM QPSK_RB79@0	20.75	20.83	0.121	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM 16 QAM_RB79@0	20.79	20.87	0.122	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM 64 QAM_RB79@0	20.30	20.38	0.109	2	Pass
n2_15MHz_15kHz_1902.5MHz_CP-OFDM 256 QAM_RB79@0	17.17	17.25	0.053	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.71	20.79	0.120	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.75	20.83	0.121	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.81	20.89	0.123	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	20.83	20.91	0.123	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB1@1	20.44	20.52	0.113	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB1@104	20.65	20.73	0.118	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB50@25	20.75	20.83	0.121	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM QPSK_RB100@0	20.86	20.94	0.124	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM 16 QAM_RB100@0	20.85	20.93	0.124	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM 64 QAM_RB100@0	20.85	20.93	0.124	2	Pass
n2_20MHz_15kHz_1860MHz_DFT-s-OFDM 256 QAM_RB100@0	19.34	19.42	0.087	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB1@1	20.52	20.60	0.115	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB1@104	20.83	20.91	0.123	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB53@26	20.80	20.88	0.122	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM QPSK_RB106@0	20.79	20.87	0.122	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n2_20MHz_15kHz_1860MHz_CP-OFDM 16 QAM_RB106@0	20.87	20.95	0.124	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM 64 QAM_RB106@0	20.31	20.39	0.109	2	Pass
n2_20MHz_15kHz_1860MHz_CP-OFDM 256 QAM_RB106@0	17.27	17.35	0.054	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.72	20.80	0.120	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.71	20.79	0.120	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.85	20.93	0.124	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	20.59	20.67	0.117	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@1	20.65	20.73	0.118	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB1@104	20.61	20.69	0.117	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB50@25	20.78	20.86	0.122	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM QPSK_RB100@0	20.62	20.70	0.117	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 16 QAM_RB100@0	20.67	20.75	0.119	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 64 QAM_RB100@0	20.66	20.74	0.119	2	Pass
n2_20MHz_15kHz_1880MHz_DFT-s-OFDM 256 QAM_RB100@0	19.14	19.22	0.084	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@1	20.91	20.99	0.126	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM QPSK_RB1@104	20.71	20.79	0.120	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM QPSK_RB53@26	20.83	20.91	0.123	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM QPSK_RB106@0	20.57	20.65	0.116	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM 16 QAM_RB106@0	20.64	20.72	0.118	2	Pass
n2_20MHz_15kHz_1880MHz_CP-OFDM 64 QAM_RB106@0	20.07	20.15	0.104	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n2_20MHz_15kHz_1880MHz_CP-OFDM 256 QAM_RB106@0	17.01	17.09	0.051	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.70	20.78	0.120	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.68	20.76	0.119	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.74	20.82	0.121	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	20.84	20.92	0.124	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM QPSK_RB1@1	20.61	20.69	0.117	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM QPSK_RB1@104	20.58	20.66	0.116	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM QPSK_RB50@25	20.78	20.86	0.122	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM QPSK_RB100@0	20.88	20.96	0.125	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM 16 QAM_RB100@0	20.85	20.93	0.124	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM 64 QAM_RB100@0	20.90	20.98	0.125	2	Pass
n2_20MHz_15kHz_1900MHz_DFT-s-OFDM 256 QAM_RB100@0	19.40	19.48	0.089	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM QPSK_RB1@1	20.65	20.73	0.118	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM QPSK_RB1@104	20.63	20.71	0.118	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM QPSK_RB53@26	20.86	20.94	0.124	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM QPSK_RB106@0	20.84	20.92	0.124	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM 16 QAM_RB106@0	20.86	20.94	0.124	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM 64 QAM_RB106@0	20.27	20.35	0.108	2	Pass
n2_20MHz_15kHz_1900MHz_CP-OFDM 256 QAM_RB106@0	17.25	17.33	0.054	2	Pass

Note:

$EIRP = \text{Conducted Power(dBm)} - L_C(\text{dB}) + G_T(\text{dBi})$

n2:

1.Ant Gain = 0.08dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

FCC Part 27

n41

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.97	26.16	0.413	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.10	26.29	0.426	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.11	26.30	0.427	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.47	25.66	0.368	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	22.92	26.11	0.408	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	23.28	26.47	0.444	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	23.08	26.27	0.424	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	22.11	25.30	0.339	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	21.33	24.52	0.283	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	20.66	23.85	0.243	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	18.74	21.93	0.156	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	21.68	24.87	0.307	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@22	21.67	24.86	0.306	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB12@6	21.57	24.76	0.299	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	20.18	23.37	0.217	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 16 QAM_RB24@0	20.09	23.28	0.213	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 64 QAM_RB24@0	19.61	22.80	0.191	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 256 QAM_RB24@0	16.74	19.93	0.098	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.97	26.16	0.413	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.06	26.25	0.422	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.92	26.11	0.408	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.42	25.61	0.364	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.97	26.16	0.413	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	22.81	26.00	0.398	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	22.93	26.12	0.409	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	22.02	25.21	0.332	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	21.01	24.20	0.263	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	20.61	23.80	0.240	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	18.74	21.93	0.156	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.47	24.66	0.292	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	21.71	24.90	0.309	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	21.54	24.73	0.297	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	20.18	23.37	0.217	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	20.18	23.37	0.217	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	19.63	22.82	0.191	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	16.78	19.97	0.099	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.57	25.76	0.377	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.67	25.86	0.385	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.83	26.02	0.400	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.26	25.45	0.351	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	22.84	26.03	0.401	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	22.82	26.01	0.399	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	22.89	26.08	0.406	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	21.82	25.01	0.317	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	21.05	24.24	0.265	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	20.53	23.72	0.236	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	18.40	21.59	0.144	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	21.25	24.44	0.278	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	21.35	24.54	0.284	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	21.29	24.48	0.281	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	20.02	23.21	0.209	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	19.99	23.18	0.208	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	19.42	22.61	0.182	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	16.45	19.64	0.092	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.10	26.29	0.426	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.85	26.04	0.402	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.98	26.17	0.414	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.45	25.64	0.366	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	22.87	26.06	0.404	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	22.83	26.02	0.400	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	22.97	26.16	0.413	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	22.15	25.34	0.342	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.25	24.44	0.278	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.58	23.77	0.238	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.66	21.85	0.153	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	21.58	24.77	0.300	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	21.62	24.81	0.303	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	21.65	24.84	0.305	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	20.21	23.40	0.219	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	20.08	23.27	0.212	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	19.65	22.84	0.192	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	16.71	19.90	0.098	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.66	25.85	0.385	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.05	26.24	0.421	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.80	25.99	0.397	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.38	25.57	0.361	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.83	26.02	0.400	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	22.91	26.10	0.407	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	22.95	26.14	0.411	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	21.98	25.17	0.329	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	21.08	24.27	0.267	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	20.52	23.71	0.235	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	18.67	21.86	0.153	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.61	24.80	0.302	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	21.58	24.77	0.300	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	21.57	24.76	0.299	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	20.19	23.38	0.218	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	20.09	23.28	0.213	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	19.62	22.81	0.191	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	16.79	19.98	0.100	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.49	25.68	0.370	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.44	25.63	0.366	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.78	25.97	0.395	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.22	25.41	0.348	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	22.55	25.74	0.375	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	22.54	25.73	0.374	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	22.89	26.08	0.406	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	21.73	24.92	0.310	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	20.93	24.12	0.258	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	20.44	23.63	0.231	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	18.47	21.66	0.147	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	21.67	24.86	0.306	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	21.53	24.72	0.296	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	21.14	24.33	0.271	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	19.88	23.07	0.203	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	19.98	23.17	0.207	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	19.42	22.61	0.182	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	16.53	19.72	0.094	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.96	20.15	0.104	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.78	25.97	0.395	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.88	26.07	0.405	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.39	25.58	0.361	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	22.96	26.15	0.412	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	22.85	26.04	0.402	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	22.85	26.04	0.402	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	22.08	25.27	0.337	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	21.08	24.27	0.267	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	20.65	23.84	0.242	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	18.62	21.81	0.152	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	21.91	25.10	0.324	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	21.64	24.83	0.304	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	21.63	24.82	0.303	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	20.10	23.29	0.213	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	20.13	23.32	0.215	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	19.54	22.73	0.187	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	16.62	19.81	0.096	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.82	26.01	0.399	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.33	26.52	0.449	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.01	26.20	0.417	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.54	25.73	0.374	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.67	25.86	0.385	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	22.87	26.06	0.404	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	22.90	26.09	0.406	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	21.92	25.11	0.324	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	21.08	24.27	0.267	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	20.57	23.76	0.238	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	18.73	21.92	0.156	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.53	24.72	0.296	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	21.69	24.88	0.308	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	21.60	24.79	0.301	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	20.15	23.34	0.216	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	20.26	23.45	0.221	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	19.59	22.78	0.190	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	16.74	19.93	0.098	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.59	25.78	0.378	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.67	25.86	0.385	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.72	25.91	0.390	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.34	25.53	0.357	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	22.79	25.98	0.396	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	22.64	25.83	0.383	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	22.83	26.02	0.400	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	21.72	24.91	0.310	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	20.94	24.13	0.259	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	20.35	23.54	0.226	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	18.50	21.69	0.148	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	21.36	24.55	0.285	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	21.48	24.67	0.293	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	21.18	24.37	0.274	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	19.91	23.10	0.204	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	20.03	23.22	0.210	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	19.40	22.59	0.182	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	16.43	19.62	0.092	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.63	25.82	0.382	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.53	25.72	0.373	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.94	26.13	0.410	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.31	25.50	0.355	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@1	22.64	25.83	0.383	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@76	22.54	25.73	0.374	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB36@18	23	26.19	0.416	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB75@0	21.99	25.18	0.330	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 16 QAM_RB75@0	20.99	24.18	0.262	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 64 QAM_RB75@0	20.46	23.65	0.232	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 256 QAM_RB75@0	18.55	21.74	0.149	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@1	21.61	24.80	0.302	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@76	21.36	24.55	0.285	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB39@19	21.68	24.87	0.307	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB78@0	20.01	23.20	0.209	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2511MHz_CP-OFDM 16 QAM_RB78@0	20.01	23.20	0.209	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 64 QAM_RB78@0	19.49	22.68	0.185	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 256 QAM_RB78@0	16.44	19.63	0.092	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.68	25.87	0.386	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.88	26.07	0.405	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.75	25.94	0.393	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.31	25.50	0.355	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.62	25.81	0.381	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@76	22.85	26.04	0.402	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@18	22.86	26.05	0.403	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB75@0	21.83	25.02	0.318	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB75@0	21.04	24.23	0.265	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB75@0	20.64	23.83	0.242	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB75@0	18.63	21.82	0.152	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.35	24.54	0.284	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@76	21.40	24.59	0.288	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB39@19	21.57	24.76	0.299	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB78@0	20.09	23.28	0.213	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB78@0	20.12	23.31	0.214	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB78@0	19.56	22.75	0.188	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB78@0	16.63	19.82	0.096	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.56	25.75	0.376	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.34	25.53	0.357	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.76	25.95	0.394	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.21	25.40	0.347	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@1	22.54	25.73	0.374	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@76	22.41	25.60	0.363	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB36@18	22.79	25.98	0.396	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB75@0	21.72	24.91	0.310	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 16 QAM_RB75@0	20.83	24.02	0.252	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 64 QAM_RB75@0	20.36	23.55	0.226	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 256 QAM_RB75@0	18.42	21.61	0.145	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@1	21.11	24.30	0.269	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@76	21.11	24.30	0.269	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB39@19	21.33	24.52	0.283	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB78@0	19.88	23.07	0.203	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 16 QAM_RB78@0	19.89	23.08	0.203	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 64 QAM_RB78@0	19.33	22.52	0.179	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 256 QAM_RB78@0	16.41	19.60	0.091	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.58	25.77	0.378	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.40	25.59	0.362	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.85	26.04	0.402	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.22	25.41	0.348	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	22.61	25.80	0.380	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	22.40	25.59	0.362	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	22.86	26.05	0.403	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	21.82	25.01	0.317	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	20.91	24.10	0.257	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	20.41	23.60	0.229	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	18.44	21.63	0.146	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	21.30	24.49	0.281	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	21.28	24.47	0.280	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	21.56	24.75	0.299	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	19.80	22.99	0.199	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	19.90	23.09	0.204	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	19.41	22.60	0.182	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	16.37	19.56	0.090	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.57	25.76	0.377	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.84	26.03	0.401	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.91	26.10	0.407	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.45	25.64	0.366	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.36	25.55	0.359	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	22.60	25.79	0.379	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	22.90	26.09	0.406	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	21.95	25.14	0.327	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	21.02	24.21	0.264	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	20.55	23.74	0.237	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	18.67	21.86	0.153	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.07	24.26	0.267	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	21.28	24.47	0.280	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB53@26	21.57	24.76	0.299	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	20.05	23.24	0.211	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	20.17	23.36	0.217	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	19.59	22.78	0.190	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	16.76	19.95	0.099	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.47	25.66	0.368	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.09	25.28	0.337	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.80	25.99	0.397	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.19	25.38	0.345	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	22.31	25.50	0.355	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	22.23	25.42	0.348	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	22.88	26.07	0.405	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	21.71	24.90	0.309	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	20.92	24.11	0.258	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	20.41	23.60	0.229	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	18.41	21.60	0.145	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	21.11	24.30	0.269	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	20.95	24.14	0.259	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	21.32	24.51	0.282	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	19.84	23.03	0.201	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	19.88	23.07	0.203	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	19.40	22.59	0.182	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	16.45	19.64	0.092	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.76	19.95	0.099	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.62	25.81	0.381	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.89	26.08	0.406	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.22	25.41	0.348	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	22.81	26.00	0.398	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	22.52	25.71	0.372	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	22.92	26.11	0.408	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	21.94	25.13	0.326	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	20.90	24.09	0.256	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	20.43	23.62	0.230	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	18.42	21.61	0.145	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	21.15	24.34	0.272	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	21.39	24.58	0.287	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	21.57	24.76	0.299	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	19.91	23.10	0.204	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	19.91	23.10	0.204	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	19.45	22.64	0.184	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	16.57	19.76	0.095	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.71	25.90	0.389	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.91	26.10	0.407	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.77	25.96	0.394	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.39	25.58	0.361	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.67	25.86	0.385	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	22.84	26.03	0.401	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	22.93	26.12	0.409	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	22.04	25.23	0.333	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	21.14	24.33	0.271	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	20.75	23.94	0.248	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	18.72	21.91	0.155	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.44	24.63	0.290	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	21.50	24.69	0.294	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	21.61	24.80	0.302	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	20.21	23.40	0.219	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	20.17	23.36	0.217	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	19.67	22.86	0.193	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	16.74	19.93	0.098	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.84	26.03	0.401	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.38	25.57	0.361	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.91	26.10	0.407	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.28	25.47	0.352	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	22.88	26.07	0.405	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	22.41	25.60	0.363	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	22.95	26.14	0.411	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	21.83	25.02	0.318	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	21.02	24.21	0.264	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	20.48	23.67	0.233	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	18.48	21.67	0.147	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	21.36	24.55	0.285	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	20.99	24.18	0.262	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	21.35	24.54	0.284	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	20.01	23.20	0.209	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	19.95	23.14	0.206	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	19.53	22.72	0.187	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	16.54	19.73	0.094	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.50	25.69	0.371	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.65	25.84	0.384	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.81	26.00	0.398	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.17	25.36	0.344	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	22.56	25.75	0.376	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	22.49	25.68	0.370	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	22.83	26.02	0.400	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	21.76	24.95	0.313	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	20.80	23.99	0.251	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	20.29	23.48	0.223	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	18.32	21.51	0.142	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	21.55	24.74	0.298	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	21.20	24.39	0.275	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	21.49	24.68	0.294	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	19.76	22.95	0.197	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	19.74	22.93	0.196	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	19.25	22.44	0.175	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	16.27	19.46	0.088	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.53	25.72	0.373	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.80	25.99	0.397	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.90	26.09	0.406	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.44	25.63	0.366	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.56	25.75	0.376	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	22.62	25.81	0.381	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	22.97	26.16	0.413	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	22	25.19	0.330	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	21.20	24.39	0.275	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	20.68	23.87	0.244	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	18.72	21.91	0.155	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.28	24.47	0.280	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	21.64	24.83	0.304	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	21.56	24.75	0.299	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	20.18	23.37	0.217	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	20.14	23.33	0.215	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	19.77	22.96	0.198	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	16.77	19.96	0.099	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.53	25.72	0.373	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.28	25.47	0.352	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.92	26.11	0.408	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.37	25.56	0.360	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	22.75	25.94	0.393	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	22.14	25.33	0.341	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	22.96	26.15	0.412	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	21.86	25.05	0.320	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	21.07	24.26	0.267	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	20.54	23.73	0.236	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	18.57	21.76	0.150	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	21.37	24.56	0.286	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	20.87	24.06	0.255	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	21.41	24.60	0.288	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	20.02	23.21	0.209	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	19.99	23.18	0.208	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	19.52	22.71	0.187	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	16.60	19.79	0.095	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.08	24.27	0.267	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	20.89	24.08	0.256	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	21.31	24.50	0.282	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	20.69	23.88	0.244	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM QPSK_RB1@1	21.10	24.29	0.269	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM QPSK_RB1@187	21.01	24.20	0.263	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM QPSK_RB90@45	21.37	24.56	0.286	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM QPSK_RB180@0	20.48	23.67	0.233	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM 16 QAM_RB180@0	19.53	22.72	0.187	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM 64 QAM_RB180@0	19.02	22.21	0.166	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM 256 QAM_RB180@0	17	20.19	0.104	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM QPSK_RB1@1	19.76	22.95	0.197	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM QPSK_RB1@187	19.98	23.17	0.207	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM QPSK_RB95@47	20.02	23.21	0.209	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM QPSK_RB189@0	18.51	21.70	0.148	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM 16 QAM_RB189@0	18.53	21.72	0.149	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM 64 QAM_RB189@0	17.91	21.10	0.129	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM 256 QAM_RB189@0	14.90	18.09	0.064	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.81	24.00	0.251	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	20.85	24.04	0.254	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	21.37	24.56	0.286	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	20.81	24.00	0.251	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	20.90	24.09	0.256	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@187	20.97	24.16	0.261	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB90@45	21.34	24.53	0.284	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB180@0	20.40	23.59	0.229	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB180@0	19.59	22.78	0.190	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB180@0	19.07	22.26	0.168	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB180@0	17.12	20.31	0.107	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	19.73	22.92	0.196	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@187	19.60	22.79	0.190	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB95@47	20.05	23.24	0.211	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB189@0	18.56	21.75	0.150	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB189@0	18.55	21.74	0.149	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB189@0	18.03	21.22	0.132	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB189@0	15.11	18.30	0.068	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.81	24.00	0.251	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	20.75	23.94	0.248	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	21.26	24.45	0.279	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	20.73	23.92	0.247	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM QPSK_RB1@1	20.83	24.02	0.252	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM QPSK_RB1@187	20.75	23.94	0.248	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM QPSK_RB90@45	21.29	24.48	0.281	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM QPSK_RB180@0	20.18	23.37	0.217	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM 16 QAM_RB180@0	19.41	22.60	0.182	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM 64 QAM_RB180@0	18.94	22.13	0.163	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM 256 QAM_RB180@0	16.97	20.16	0.104	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM QPSK_RB1@1	19.34	22.53	0.179	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM QPSK_RB1@187	19.51	22.70	0.186	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM QPSK_RB95@47	19.63	22.82	0.191	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM QPSK_RB189@0	18.41	21.60	0.145	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM 16 QAM_RB189@0	18.43	21.62	0.145	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM 64 QAM_RB189@0	17.87	21.06	0.128	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM 256 QAM_RB189@0	14.90	18.09	0.064	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.31	25.50	0.355	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.42	25.61	0.364	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.82	26.01	0.399	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.14	25.33	0.341	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	22.42	25.61	0.364	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	22.42	25.61	0.364	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	22.87	26.06	0.404	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	21.87	25.06	0.321	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	20.91	24.10	0.257	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	20.37	23.56	0.227	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	18.40	21.59	0.144	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	21.37	24.56	0.286	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	21.30	24.49	0.281	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	21.52	24.71	0.296	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	19.90	23.09	0.204	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	19.93	23.12	0.205	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	19.43	22.62	0.183	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	16.38	19.57	0.091	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.27	25.46	0.352	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.62	25.81	0.381	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.94	26.13	0.410	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.45	25.64	0.366	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22.18	25.37	0.344	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	22.51	25.70	0.372	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	22.94	26.13	0.410	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	21.91	25.10	0.324	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	21.20	24.39	0.275	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	20.66	23.85	0.243	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	18.77	21.96	0.157	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	21.14	24.33	0.271	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	21.26	24.45	0.279	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	21.67	24.86	0.306	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	20.15	23.34	0.216	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	20.17	23.36	0.217	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	19.72	22.91	0.195	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	16.70	19.89	0.097	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.57	25.76	0.377	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.12	25.31	0.340	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.06	26.25	0.422	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.33	25.52	0.356	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	22.45	25.64	0.366	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	22.23	25.42	0.348	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	23.08	26.27	0.424	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	21.87	25.06	0.321	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM_RB216@0	21.07	24.26	0.267	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM_RB216@0	20.59	23.78	0.239	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM_RB216@0	18.59	21.78	0.151	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	20.96	24.15	0.260	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	20.65	23.84	0.242	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	21.55	24.74	0.298	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB217@0	20.08	23.27	0.212	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	20.07	23.26	0.212	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	19.45	22.64	0.184	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	16.61	19.80	0.095	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.36	25.55	0.359	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.23	25.42	0.348	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.79	25.98	0.396	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.05	25.24	0.334	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	22.26	25.45	0.351	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	22.30	25.49	0.354	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	22.81	26.00	0.398	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	21.84	25.03	0.318	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	20.85	24.04	0.254	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	20.37	23.56	0.227	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	18.35	21.54	0.143	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	21.12	24.31	0.270	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	21.11	24.30	0.269	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	21.48	24.67	0.293	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	19.87	23.06	0.202	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	19.85	23.04	0.201	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	19.29	22.48	0.177	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	16.32	19.51	0.089	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.09	25.28	0.337	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.38	25.57	0.361	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.92	26.11	0.408	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.49	25.68	0.370	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	22	25.19	0.330	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	22.39	25.58	0.361	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	22.92	26.11	0.408	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	21.93	25.12	0.325	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	21.10	24.29	0.269	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	20.68	23.87	0.244	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	18.73	21.92	0.156	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.98	24.17	0.261	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	20.96	24.15	0.260	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	21.63	24.82	0.303	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	20.16	23.35	0.216	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	20.23	23.42	0.220	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	19.66	22.85	0.193	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	16.75	19.94	0.099	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.34	25.53	0.357	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	21.95	25.14	0.327	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.03	26.22	0.419	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.38	25.57	0.361	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	22.15	25.34	0.342	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	22.07	25.26	0.336	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	23.05	26.24	0.421	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	21.84	25.03	0.318	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	21.09	24.28	0.268	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	20.64	23.83	0.242	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	18.64	21.83	0.152	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	20.99	24.18	0.262	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	20.66	23.85	0.243	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	21.50	24.69	0.294	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	20.14	23.33	0.215	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	20.12	23.31	0.214	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	19.60	22.79	0.190	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	16.65	19.84	0.096	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.33	25.52	0.356	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.09	25.28	0.337	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.80	25.99	0.397	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.02	25.21	0.332	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	22.10	25.29	0.338	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	22.15	25.34	0.342	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	22.87	26.06	0.404	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	21.80	24.99	0.316	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	20.78	23.97	0.249	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	20.35	23.54	0.226	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	18.31	21.50	0.141	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	20.89	24.08	0.256	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	20.86	24.05	0.254	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	21.53	24.72	0.296	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	19.72	22.91	0.195	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	19.75	22.94	0.197	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	19.25	22.44	0.175	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	16.29	19.48	0.089	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.85	25.04	0.319	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.34	25.53	0.357	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.88	26.07	0.405	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.42	25.61	0.364	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	21.71	24.90	0.309	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	22.21	25.40	0.347	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	22.99	26.18	0.415	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	21.89	25.08	0.322	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	21.17	24.36	0.273	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	20.73	23.92	0.247	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	18.73	21.92	0.156	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	20.93	24.12	0.258	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	20.97	24.16	0.261	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	21.66	24.85	0.305	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	20.22	23.41	0.219	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	20.14	23.33	0.215	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	19.73	22.92	0.196	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	16.83	20.02	0.100	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.95	25.14	0.327	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	21.80	24.99	0.316	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	23.02	26.21	0.418	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.35	25.54	0.358	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	21.86	25.05	0.320	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	21.64	24.83	0.304	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	23.06	26.25	0.422	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	21.86	25.05	0.320	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	21.10	24.29	0.269	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	20.60	23.79	0.239	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	18.62	21.81	0.152	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	20.85	24.04	0.254	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	20.42	23.61	0.230	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	21.53	24.72	0.296	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	20.12	23.31	0.214	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	20.07	23.26	0.212	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	19.63	22.82	0.191	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	16.64	19.83	0.096	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

n41:

1.Ant Gain = 3.19dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.41	23.13	0.206	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	22.39	23.11	0.205	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.51	23.23	0.210	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	22.48	23.20	0.209	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	22.49	23.21	0.209	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	22.42	23.14	0.206	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	22.53	23.25	0.211	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	22.49	23.21	0.209	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.56	23.28	0.213	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	22.46	23.18	0.208	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	21.40	22.12	0.163	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	22.61	23.33	0.215	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	22.69	23.41	0.219	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	22.49	23.21	0.209	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	22.57	23.29	0.213	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	22.53	23.25	0.211	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	21.96	22.68	0.185	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	19.53	20.25	0.106	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.43	23.15	0.207	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	22.60	23.32	0.215	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.85	23.57	0.228	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	22.91	23.63	0.231	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.51	23.23	0.210	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	22.54	23.26	0.212	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	22.52	23.24	0.211	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	22.58	23.30	0.214	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	22.69	23.41	0.219	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	22.53	23.25	0.211	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	21.07	21.79	0.151	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.43	23.15	0.207	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	22.56	23.28	0.213	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	22.51	23.23	0.210	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	22.61	23.33	0.215	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	22.57	23.29	0.213	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	22.10	22.82	0.191	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	19.17	19.89	0.097	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.55	23.27	0.212	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	22.52	23.24	0.211	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.47	23.19	0.208	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	22.58	23.30	0.214	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	22.40	23.12	0.205	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	22.38	23.10	0.204	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	22.54	23.26	0.212	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	22.61	23.33	0.215	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.64	23.36	0.217	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	22.54	23.26	0.212	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	21.04	21.76	0.150	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	22.45	23.17	0.207	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	22.62	23.34	0.216	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	22.48	23.20	0.209	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	22.55	23.27	0.212	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	22.56	23.28	0.213	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	22.05	22.77	0.189	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	19.14	19.86	0.097	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.22	22.94	0.197	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	22.34	23.06	0.202	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.40	23.12	0.205	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.02	22.74	0.188	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	22.13	22.85	0.193	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	22.36	23.08	0.203	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	22.34	23.06	0.202	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	22.32	23.04	0.201	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	22.37	23.09	0.204	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	22.27	22.99	0.199	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	20.92	21.64	0.146	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	22.37	23.09	0.204	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	22.50	23.22	0.210	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	22.38	23.10	0.204	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	22.20	22.92	0.196	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	22.29	23.01	0.200	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	21.73	22.45	0.176	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	19.08	19.80	0.095	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.30	23.02	0.200	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	22.37	23.09	0.204	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.12	22.84	0.192	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.70	23.42	0.220	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.25	22.97	0.198	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	22.27	22.99	0.199	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	22.45	23.17	0.207	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	22.33	23.05	0.202	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	22.39	23.11	0.205	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	22.36	23.08	0.203	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	20.80	21.52	0.142	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.66	23.38	0.218	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	22.47	23.19	0.208	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	22.37	23.09	0.204	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	22.30	23.02	0.200	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	22.30	23.02	0.200	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	21.85	22.57	0.181	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	18.92	19.64	0.092	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.74	23.46	0.222	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	22.35	23.07	0.203	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.40	23.12	0.205	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.32	23.04	0.201	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	22.18	22.90	0.195	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	22.26	22.98	0.199	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	22.32	23.04	0.201	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	22.37	23.09	0.204	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	22.44	23.16	0.207	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	22.31	23.03	0.201	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	20.79	21.51	0.142	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	22.37	23.09	0.204	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	22.46	23.18	0.208	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	22.36	23.08	0.203	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	22.27	22.99	0.199	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	22.35	23.07	0.203	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	21.80	22.52	0.179	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	18.95	19.67	0.093	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.21	22.93	0.196	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	22.35	23.07	0.203	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.95	23.67	0.233	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.87	23.59	0.229	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	22.54	23.26	0.212	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	22.33	23.05	0.202	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	22.51	23.23	0.210	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	22.52	23.24	0.211	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.59	23.31	0.214	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	22.52	23.24	0.211	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	21.06	21.78	0.151	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	22.34	23.06	0.202	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	22.43	23.15	0.207	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	22.56	23.28	0.213	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	22.56	23.28	0.213	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	22.56	23.28	0.213	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	22.01	22.73	0.187	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	19.12	19.84	0.096	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.41	23.13	0.206	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	22.30	23.02	0.200	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.37	23.09	0.204	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23	23.72	0.236	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.76	23.48	0.223	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	22.20	22.92	0.196	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	22.50	23.22	0.210	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	22.50	23.22	0.210	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	22.49	23.21	0.209	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	22.56	23.28	0.213	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	21.16	21.88	0.154	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.54	23.26	0.212	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	22.38	23.10	0.204	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	22.58	23.30	0.214	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	22.50	23.22	0.210	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	22.54	23.26	0.212	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	22.01	22.73	0.187	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	19.19	19.91	0.098	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.80	22.52	0.179	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	22.35	23.07	0.203	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.11	22.83	0.192	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.58	23.30	0.214	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	22.23	22.95	0.197	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	22.23	22.95	0.197	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	22.49	23.21	0.209	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	22.45	23.17	0.207	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.46	23.18	0.208	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	22.47	23.19	0.208	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	20.95	21.67	0.147	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	22.37	23.09	0.204	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	22.53	23.25	0.211	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	22.56	23.28	0.213	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	22.46	23.18	0.208	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	22.48	23.20	0.209	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	21.92	22.64	0.184	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	19.03	19.75	0.094	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.22	22.94	0.197	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.38	23.10	0.204	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.67	23.39	0.218	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.67	23.39	0.218	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	22.43	23.15	0.207	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	22.35	23.07	0.203	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	22.53	23.25	0.211	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	22.61	23.33	0.215	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	22.58	23.30	0.214	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	22.58	23.30	0.214	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	21.13	21.85	0.153	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	22.41	23.13	0.206	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	22.55	23.27	0.212	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	22.54	23.26	0.212	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	22.59	23.31	0.214	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	22.53	23.25	0.211	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	22.04	22.76	0.189	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	19.16	19.88	0.097	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.39	23.11	0.205	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.37	23.09	0.204	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.40	23.12	0.205	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.17	22.89	0.195	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.52	23.24	0.211	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	22.36	23.08	0.203	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	22.58	23.30	0.214	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	22.47	23.19	0.208	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	22.48	23.20	0.209	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	22.46	23.18	0.208	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	21.05	21.77	0.150	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.35	23.07	0.203	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	22.49	23.21	0.209	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	22.55	23.27	0.212	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	22.45	23.17	0.207	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	22.48	23.20	0.209	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	21.96	22.68	0.185	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	19.09	19.81	0.096	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.37	23.09	0.204	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.35	23.07	0.203	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.06	22.78	0.190	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	21.80	22.52	0.179	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	22.27	22.99	0.199	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	22.36	23.08	0.203	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	22.52	23.24	0.211	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	22.30	23.02	0.200	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	22.38	23.10	0.204	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	22.29	23.01	0.200	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	20.85	21.57	0.144	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	22.38	23.10	0.204	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	22.47	23.19	0.208	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	22.52	23.24	0.211	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	22.31	23.03	0.201	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	22.27	22.99	0.199	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	21.76	22.48	0.177	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	18.77	19.49	0.089	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.20	22.92	0.196	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.14	22.86	0.193	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.56	23.28	0.213	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.51	23.23	0.210	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	21.79	22.51	0.178	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	22.30	23.02	0.200	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	22.61	23.33	0.215	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	22.53	23.25	0.211	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	22.60	23.32	0.215	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	22.61	23.33	0.215	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	20.99	21.71	0.148	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	22.34	23.06	0.202	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	22.49	23.21	0.209	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	22.60	23.32	0.215	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	22.55	23.27	0.212	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	22.60	23.32	0.215	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	22.06	22.78	0.190	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	19.12	19.84	0.096	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.20	22.92	0.196	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.19	22.91	0.195	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.27	22.99	0.199	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.05	22.77	0.189	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.17	22.89	0.195	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	22.18	22.90	0.195	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	22.52	23.24	0.211	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	22.40	23.12	0.205	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	22.47	23.19	0.208	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	22.43	23.15	0.207	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	20.91	21.63	0.146	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.26	22.98	0.199	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	22.27	22.99	0.199	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	22.53	23.25	0.211	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	22.45	23.17	0.207	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	22.40	23.12	0.205	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	21.90	22.62	0.183	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	18.99	19.71	0.094	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.20	22.92	0.196	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.25	22.97	0.198	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.57	23.29	0.213	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.29	23.01	0.200	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	22.16	22.88	0.194	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	22.22	22.94	0.197	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	22.43	23.15	0.207	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	22.38	23.10	0.204	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	22.38	23.10	0.204	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	22.36	23.08	0.203	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	20.79	21.51	0.142	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	22.35	23.07	0.203	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	22.23	22.95	0.197	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	22.48	23.20	0.209	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	22.33	23.05	0.202	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	22.35	23.07	0.203	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	21.87	22.59	0.182	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	18.94	19.66	0.092	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.16	22.88	0.194	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	22.16	22.88	0.194	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	22.50	23.22	0.210	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	22.62	23.34	0.216	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	21.68	22.40	0.174	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	22.12	22.84	0.192	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	22.51	23.23	0.210	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	22.59	23.31	0.214	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	22.63	23.35	0.216	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	22.59	23.31	0.214	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	21.13	21.85	0.153	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	22.29	23.01	0.200	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	22.29	23.01	0.200	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	22.55	23.27	0.212	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	22.60	23.32	0.215	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	22.63	23.35	0.216	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	22.12	22.84	0.192	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	19.19	19.91	0.098	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.81	22.53	0.179	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	21.99	22.71	0.187	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	22.82	23.54	0.226	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	22.56	23.28	0.213	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	21.99	22.71	0.187	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	21.91	22.63	0.183	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	22.56	23.28	0.213	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	22.34	23.06	0.202	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	22.31	23.03	0.201	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	22.34	23.06	0.202	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	20.96	21.68	0.147	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.18	22.90	0.195	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	22.08	22.80	0.191	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	22.44	23.16	0.207	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	22.33	23.05	0.202	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	22.35	23.07	0.203	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	21.76	22.48	0.177	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	18.97	19.69	0.093	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.11	22.83	0.192	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	22.12	22.84	0.192	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	22.41	23.13	0.206	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	22.27	22.99	0.199	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	22.04	22.76	0.189	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	22.07	22.79	0.190	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	22.40	23.12	0.205	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	22.23	22.95	0.197	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	22.34	23.06	0.202	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	22.30	23.02	0.200	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	20.84	21.56	0.143	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	22.13	22.85	0.193	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	22.18	22.90	0.195	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	22.47	23.19	0.208	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	22.31	23.03	0.201	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	22.32	23.04	0.201	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	21.78	22.50	0.178	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	18.89	19.61	0.091	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22	22.72	0.187	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	22.04	22.76	0.189	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.60	23.32	0.215	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.68	23.40	0.219	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	21.59	22.31	0.170	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	22.01	22.73	0.187	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	22.55	23.27	0.212	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	22.53	23.25	0.211	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	22.54	23.26	0.212	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	22.53	23.25	0.211	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	20.98	21.70	0.148	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	22	22.72	0.187	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	22.08	22.80	0.191	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	22.53	23.25	0.211	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	22.54	23.26	0.212	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	22.51	23.23	0.210	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	22.01	22.73	0.187	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	19.07	19.79	0.095	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.17	22.89	0.195	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	21.91	22.63	0.183	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.08	22.80	0.191	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.45	23.17	0.207	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	22.02	22.74	0.188	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	21.77	22.49	0.177	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	22.49	23.21	0.209	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	22.25	22.97	0.198	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	22.23	22.95	0.197	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	22.24	22.96	0.198	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	20.70	21.42	0.139	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	21.99	22.71	0.187	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	21.88	22.60	0.182	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	22.47	23.19	0.208	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	22.22	22.94	0.197	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	22.30	23.02	0.200	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	21.73	22.45	0.176	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	18.80	19.52	0.090	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.05	22.77	0.189	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	22.03	22.75	0.188	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.42	23.14	0.206	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.44	23.16	0.207	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	21.69	22.41	0.174	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	22	22.72	0.187	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	22.48	23.20	0.209	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	22.49	23.21	0.209	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	22.50	23.22	0.210	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	22.50	23.22	0.210	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	20.91	21.63	0.146	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	22.17	22.89	0.195	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	22.04	22.76	0.189	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	22.48	23.20	0.209	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	22.47	23.19	0.208	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	22.50	23.22	0.210	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	21.96	22.68	0.185	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	19.06	19.78	0.095	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n66:

1.Ant Gain = 0.72dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n71

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.76	15.43	0.035	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.67	15.34	0.034	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.73	15.40	0.035	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.66	15.33	0.034	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB1@1	20.56	15.23	0.033	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB1@23	20.65	15.32	0.034	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB12@6	20.63	15.30	0.034	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB25@0	20.71	15.38	0.035	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.49	15.16	0.033	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.52	15.19	0.033	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.30	13.97	0.025	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB1@1	20.42	15.09	0.032	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB1@23	20.43	15.10	0.032	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB13@6	20.34	15.01	0.032	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB25@0	20.26	14.93	0.031	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 16 QAM_RB25@0	20.25	14.92	0.031	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 64 QAM_RB25@0	19.91	14.58	0.029	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 256 QAM_RB25@0	17.58	12.25	0.017	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.74	15.41	0.035	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.72	15.39	0.035	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.75	15.42	0.035	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.82	15.49	0.035	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	20.72	15.39	0.035	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@23	20.73	15.40	0.035	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB12@6	20.73	15.40	0.035	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB25@0	20.78	15.45	0.035	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.70	15.37	0.034	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.68	15.35	0.034	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.50	14.17	0.026	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	20.52	15.19	0.033	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@23	20.48	15.15	0.033	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB13@6	20.48	15.15	0.033	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB25@0	20.46	15.13	0.033	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB25@0	20.41	15.08	0.032	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB25@0	20.12	14.79	0.030	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB25@0	17.54	12.21	0.017	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.82	15.49	0.035	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.73	15.40	0.035	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.83	15.50	0.035	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.85	15.52	0.036	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB1@1	20.78	15.45	0.035	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB1@23	20.72	15.39	0.035	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB12@6	20.80	15.47	0.035	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB25@0	20.83	15.50	0.035	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 16 QAM_RB25@0	20.73	15.40	0.035	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.77	15.44	0.035	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.44	14.11	0.026	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB1@1	20.53	15.20	0.033	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB1@23	20.45	15.12	0.033	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB13@6	20.55	15.22	0.033	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB25@0	20.54	15.21	0.033	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 16 QAM_RB25@0	20.50	15.17	0.033	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 64 QAM_RB25@0	20.11	14.78	0.030	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 256 QAM_RB25@0	17.55	12.22	0.017	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.62	15.29	0.034	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.63	15.30	0.034	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.54	15.21	0.033	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.31	14.98	0.031	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB1@1	20.68	15.35	0.034	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB1@50	20.61	15.28	0.034	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB25@12	20.46	15.13	0.033	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB50@0	20.41	15.08	0.032	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 16 QAM_RB50@0	20.34	15.01	0.032	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 64 QAM_RB50@0	20.31	14.98	0.031	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 256 QAM_RB50@0	18.96	13.63	0.023	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB1@1	20.38	15.05	0.032	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB1@50	20.35	15.02	0.032	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB26@13	20.26	14.93	0.031	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB52@0	19.95	14.62	0.029	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_10MHz_15kHz_668MHz_CP-OFDM 16 QAM_RB52@0	20.01	14.68	0.029	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM 64 QAM_RB52@0	19.59	14.26	0.027	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM 256 QAM_RB52@0	17.19	11.86	0.015	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.67	15.34	0.034	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.65	15.32	0.034	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.66	15.33	0.034	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.56	15.23	0.033	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	20.50	15.17	0.033	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@50	20.61	15.28	0.034	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB25@12	20.60	15.27	0.034	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB50@0	20.54	15.21	0.033	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB50@0	20.51	15.18	0.033	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB50@0	20.47	15.14	0.033	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB50@0	19.15	13.82	0.024	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	20.33	15.00	0.032	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@50	20.35	15.02	0.032	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB26@13	20.36	15.03	0.032	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB52@0	20.21	14.88	0.031	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB52@0	20.24	14.91	0.031	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB52@0	19.86	14.53	0.028	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_10MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB52@0	17.28	11.95	0.016	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.55	15.22	0.033	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.53	15.20	0.033	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.69	15.36	0.034	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.62	15.29	0.034	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB1@1	20.57	15.24	0.033	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB1@50	20.50	15.17	0.033	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB25@12	20.64	15.31	0.034	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB50@0	20.58	15.25	0.033	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 16 QAM_RB50@0	20.58	15.25	0.033	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 64 QAM_RB50@0	20.51	15.18	0.033	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 256 QAM_RB50@0	19.24	13.91	0.025	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB1@1	20.36	15.03	0.032	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB1@50	20.31	14.98	0.031	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB26@13	20.33	15.00	0.032	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB52@0	20.25	14.92	0.031	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 16 QAM_RB52@0	20.29	14.96	0.031	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 64 QAM_RB52@0	19.88	14.55	0.029	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 256 QAM_RB52@0	17.31	11.98	0.016	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.58	15.25	0.033	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.64	15.31	0.034	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.72	15.39	0.035	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.60	15.27	0.034	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB1@1	20.37	15.04	0.032	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB1@77	20.62	15.29	0.034	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB36@18	20.65	15.32	0.034	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB75@0	20.61	15.28	0.034	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.54	15.21	0.033	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.48	15.15	0.033	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.26	13.93	0.025	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB1@1	20.28	14.95	0.031	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB1@77	20.26	14.93	0.031	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB39@19	20.33	15.00	0.032	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB79@0	20.24	14.91	0.031	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM 16 QAM_RB79@0	20.29	14.96	0.031	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM 64 QAM_RB79@0	19.92	14.59	0.029	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM 256 QAM_RB79@0	17.46	12.13	0.016	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.60	15.27	0.034	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.65	15.32	0.034	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.75	15.42	0.035	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.72	15.39	0.035	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	20.61	15.28	0.034	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@77	20.67	15.34	0.034	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB36@18	20.76	15.43	0.035	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB75@0	20.64	15.31	0.034	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.59	15.26	0.034	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.59	15.26	0.034	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.34	14.01	0.025	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	20.47	15.14	0.033	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@77	20.48	15.15	0.033	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB39@19	20.43	15.10	0.032	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB79@0	20.33	15.00	0.032	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB79@0	20.37	15.04	0.032	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB79@0	19.95	14.62	0.029	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB79@0	17.41	12.08	0.016	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.61	15.28	0.034	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.59	15.26	0.034	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.78	15.45	0.035	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.79	15.46	0.035	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB1@1	20.67	15.34	0.034	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB1@77	20.59	15.26	0.034	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB36@18	20.75	15.42	0.035	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB75@0	20.78	15.45	0.035	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 16 QAM_RB75@0	20.68	15.35	0.034	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.67	15.34	0.034	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.48	14.15	0.026	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB1@1	20.47	15.14	0.033	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB1@77	20.36	15.03	0.032	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB39@19	20.47	15.14	0.033	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB79@0	20.45	15.12	0.033	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 16 QAM_RB79@0	20.46	15.13	0.033	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 64 QAM_RB79@0	20.11	14.78	0.030	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 256 QAM_RB79@0	17.44	12.11	0.016	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.67	15.34	0.034	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.68	15.35	0.034	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.76	15.43	0.035	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	20.64	15.31	0.034	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB1@1	20.42	15.09	0.032	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB1@104	20.65	15.32	0.034	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB50@25	20.72	15.39	0.035	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB100@0	20.59	15.26	0.034	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 16 QAM_RB100@0	20.53	15.20	0.033	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 64 QAM_RB100@0	20.50	15.17	0.033	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 256 QAM_RB100@0	19.25	13.92	0.025	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB1@1	20.29	14.96	0.031	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB1@104	20.36	15.03	0.032	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB53@26	20.38	15.05	0.032	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB106@0	20.27	14.94	0.031	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 16 QAM_RB106@0	20.30	14.97	0.031	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 64 QAM_RB106@0	19.90	14.57	0.029	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 256 QAM_RB106@0	17.54	12.21	0.017	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.64	15.31	0.034	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.73	15.40	0.035	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.76	15.43	0.035	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	20.68	15.35	0.034	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	20.72	15.39	0.035	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@104	20.71	15.38	0.035	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB50@25	20.73	15.40	0.035	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB100@0	20.63	15.30	0.034	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB100@0	20.58	15.25	0.033	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB100@0	20.57	15.24	0.033	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB100@0	19.20	13.87	0.024	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	20.39	15.06	0.032	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@104	20.37	15.04	0.032	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB53@26	20.41	15.08	0.032	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB106@0	20.29	14.96	0.031	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB106@0	20.31	14.98	0.031	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB106@0	19.92	14.59	0.029	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB106@0	17.45	12.12	0.016	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.69	15.36	0.034	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.71	15.38	0.035	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.90	15.57	0.036	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	20.78	15.45	0.035	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB1@1	20.72	15.39	0.035	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB1@104	20.70	15.37	0.034	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB50@25	20.79	15.46	0.035	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB100@0	20.77	15.44	0.035	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 16 QAM_RB100@0	20.68	15.35	0.034	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 64 QAM_RB100@0	20.76	15.43	0.035	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 256 QAM_RB100@0	19.44	14.11	0.026	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB1@1	20.08	14.75	0.030	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB1@104	20.11	14.78	0.030	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB53@26	20.55	15.22	0.033	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB106@0	20.47	15.14	0.033	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM 16 QAM_RB106@0	20.47	15.14	0.033	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM 64 QAM_RB106@0	20.14	14.81	0.030	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM 256 QAM_RB106@0	17.59	12.26	0.017	3	Pass

Note:

ERP = Conducted Power(dBm) - L_c(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

n71:

1.Ant Gain = -2.68dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB