

Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:165

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11650.000	45.76	10.24	56.00	74.00	-18.00	peak	
2 *		11650.000	36.04	10.24	46.28	54.00	-7.72	AVG	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree
1		5850.000	67.71	-2.07	65.64	122.20	-56.56	peak	
2		5855.000	63.68	-2.04	61.64	110.80	-49.16	peak	
3		5875.000	58.52	-1.91	56.61	105.20	-48.59	peak	
4 *		5925.000	57.21	-1.59	55.62	68.20	-12.58	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11650.000	44.55	10.24	54.79	74.00	-19.21	peak		
2 *		11650.000	34.77	10.24	45.01	54.00	-8.99	AVG		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5850.000	55.94	-2.07	53.87	122.20	-68.33	peak		
2		5855.000	54.73	-2.04	52.69	110.80	-58.11	peak		
3		5875.000	53.35	-1.91	51.44	105.20	-53.76	peak		
4 *		5925.000	53.35	-1.59	51.76	68.20	-16.44	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:38

VERTICAL




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	47.61	9.06	56.67	68.20	-11.53	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		4500.000	50.27	-3.51	46.76	68.20	-21.44	peak		
2	*	5150.000	51.90	-1.88	50.02	68.20	-18.18	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:54

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:62


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10620.000	47.72	9.48	57.20	74.00	-16.80	peak		
2 *		10620.000	37.37	9.48	46.85	54.00	-7.15	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1		5350.000	61.78	-2.78	59.00	68.20	-9.20	peak		
2 *		5350.000	51.43	-2.78	48.65	54.00	-5.35	AVG		
3		5460.000	50.24	-2.67	47.57	68.20	-20.63	peak		

HORIZONTALA



Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:102


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11020.000	46.40	10.25	56.65	74.00	-17.35	peak	
2 *		11020.000	35.96	10.25	46.21	54.00	-7.79	AVG	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree
1		5350.000	49.86	-2.78	47.08	68.20	-21.12	peak	
2		5460.000	62.12	-2.67	59.45	68.20	-8.75	peak	
3 *		5460.000	51.79	-2.67	49.12	54.00	-4.88	AVG	

HORIZONTALA




Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:110

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:134

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:151


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.000	45.73	9.83	55.56	74.00	-18.44	peak		
2 *		11510.000	35.25	9.83	45.08	54.00	-8.92	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1 *		5650.000	59.61	-2.09	57.52	68.20	-10.68	peak		
2		5700.000	59.92	-2.19	57.73	105.20	-47.47	peak		
3		5720.000	63.21	-2.23	60.98	110.80	-49.82	peak		
4		5725.000	66.15	-2.24	63.91	122.20	-58.29	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.000	44.88	9.83	54.71	74.00	-19.29	peak		
2 *		11510.000	34.74	9.83	44.57	54.00	-9.43	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1 *		5650.000	54.63	-2.09	52.54	68.20	-15.66	peak		
2		5700.000	54.23	-2.19	52.04	105.20	-53.16	peak		
3		5720.000	56.12	-2.23	53.89	110.80	-56.91	peak		
4		5725.000	59.58	-2.24	57.34	122.20	-64.86	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:159

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11590.000	46.58	10.06	56.64	74.00	-17.36	peak	
2 *		11590.000	36.38	10.06	46.44	54.00	-7.56	AVG	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree
1		5850.000	62.36	-2.07	60.29	122.20	-61.91	peak	
2		5855.000	60.31	-2.04	58.27	110.80	-52.53	peak	
3		5875.000	59.27	-1.91	57.36	105.20	-47.84	peak	
4 *		5925.000	58.49	-1.59	56.90	68.20	-11.30	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11590.000	46.43	10.06	56.49	74.00	-17.51	peak		
2 *		11590.000	36.17	10.06	46.23	54.00	-7.77	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5850.000	55.55	-2.07	53.48	122.20	-68.72	peak		
2		5855.000	54.57	-2.04	52.53	110.80	-58.27	peak		
3		5875.000	54.23	-1.91	52.32	105.20	-52.88	peak		
4 *		5925.000	54.24	-1.59	52.65	68.20	-15.55	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC80MIMO

Test Channel:42

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	46.77	9.12	55.89	68.20	-12.31	peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		4500.000	49.63	-3.51	46.12	68.20	-22.08	peak		
2		5150.000	63.52	-1.88	61.64	68.20	-6.56	peak		
3	*	5150.000	52.99	-1.88	51.11	54.00	-2.89	AVG		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10420.000	45.49	9.12	54.61	68.20	-13.59	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1		4500.000	50.49	-3.51	46.98	68.20	-21.22	peak		
2	*	5150.000	60.65	-1.88	58.77	68.20	-9.43	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:58


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.000	48.58	9.41	57.99	68.20	-10.21	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5350.000	62.66	-2.78	59.88	68.20	-8.32	peak		
2	*	5350.000	52.35	-2.78	49.57	54.00	-4.43	AVG		
3		5460.000	48.97	-2.67	46.30	68.20	-21.90	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.000	46.94	9.41	56.35	68.20	-11.85	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1	*	5350.000	55.90	-2.78	53.12	68.20	-15.08	peak		
2		5460.000	48.72	-2.67	46.05	68.20	-22.15	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:106


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11060.000	46.01	10.17	56.18	74.00	-17.82	peak		
2 *		11060.000	35.60	10.17	45.77	54.00	-8.23	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5350.000	48.90	-2.78	46.12	68.20	-22.08	peak		
2		5460.000	58.64	-2.67	55.97	68.20	-12.23	peak		
3 *		5460.000	47.92	-2.67	45.25	54.00	-8.75	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11060.000	45.00	10.17	55.17	74.00	-18.83	peak	
2 *		11060.000	34.68	10.17	44.85	54.00	-9.15	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree
1		5350.000	49.36	-2.78	46.58	68.20	-21.62	peak	
2 *		5460.000	51.86	-2.67	49.19	68.20	-19.01	peak	

Above 1G (1GHz~18GHz)


Test mode: 11AC80MIMO

Test Channel:122

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:155


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11550.000	45.90	9.94	55.84	74.00	-18.16	peak		
2 *		11550.000	35.45	9.94	45.39	54.00	-8.61	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1		5650.000	58.40	-2.09	56.31	68.20	-11.89	peak		
2		5700.000	58.84	-2.19	56.65	105.20	-48.55	peak		
3		5720.000	66.73	-2.23	64.50	110.80	-46.30	peak		
4		5725.000	72.52	-2.24	70.28	122.20	-51.92	peak		
5		5850.000	58.13	-2.07	56.06	122.20	-66.14	peak		
6		5855.000	58.48	-2.04	56.44	110.80	-54.36	peak		
7		5875.000	58.57	-1.91	56.66	105.20	-48.54	peak		
8 *		5925.000	58.74	-1.59	57.15	68.20	-11.05	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11550.000	45.45	9.94	55.39	74.00	-18.61	peak	
2 *		11550.000	35.08	9.94	45.02	54.00	-8.98	AVG	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree
1		5650.000	55.57	-2.09	53.48	68.20	-14.72	peak	
2		5700.000	56.38	-2.19	54.19	105.20	-51.01	peak	
3		5720.000	62.33	-2.23	60.10	110.80	-50.70	peak	
4		5725.000	65.80	-2.24	63.56	122.20	-58.64	peak	
5		5850.000	54.94	-2.07	52.87	122.20	-69.33	peak	
6		5855.000	55.77	-2.04	53.73	110.80	-57.07	peak	
7		5875.000	55.25	-1.91	53.34	105.20	-51.86	peak	
8 *		5925.000	55.22	-1.59	53.63	68.20	-14.57	peak	

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:36


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	47.58	9.03	56.61	68.20	-11.59	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		4500.000	50.50	-3.51	46.99	68.20	-21.21	peak		
2		5150.000	60.64	-1.88	58.76	68.20	-9.44	peak		
3	*	5150.000	50.04	-1.88	48.16	54.00	-5.84	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	46.20	9.03	55.23	68.20	-12.97	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		4500.000	48.99	-3.51	45.48	68.20	-22.72	peak		
2	*	5150.000	53.26	-1.88	51.38	68.20	-16.82	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:40

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:48

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:52

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:56

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:64


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10640.000	47.55	9.52	57.07	74.00	-16.93	peak		
2 *		10640.000	37.23	9.52	46.75	54.00	-7.25	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1		5350.000	60.47	-2.78	57.69	68.20	-10.51	peak		
2 *		5350.000	50.76	-2.78	47.98	54.00	-6.02	AVG		
3		5460.000	49.19	-2.67	46.52	68.20	-21.68	peak		

HORIZONTALA



Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:100


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11000.000	47.85	10.29	58.14	74.00	-15.86	peak		
2 *		11000.000	37.32	10.29	47.61	54.00	-6.39	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1		5350.000	49.93	-2.78	47.15	68.20	-21.05	peak		
2		5460.000	61.41	-2.67	58.74	68.20	-9.46	peak		
3 *		5460.000	51.52	-2.67	48.85	54.00	-5.15	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11000.000	46.30	10.29	56.59	74.00	-17.41	peak		
2 *		11000.000	36.01	10.29	46.30	54.00	-7.70	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1		5350.000	50.10	-2.78	47.32	68.20	-20.88	peak		
2 *		5460.000	51.03	-2.67	48.36	68.20	-19.84	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:116

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:140

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	46.27	9.78	56.05	74.00	-17.95	peak		
2 *		11490.000	36.10	9.78	45.88	54.00	-8.12	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1 *		5650.000	59.00	-2.09	56.91	68.20	-11.29	peak		
2		5700.000	58.69	-2.19	56.50	105.20	-48.70	peak		
3		5720.000	59.80	-2.23	57.57	110.80	-53.23	peak		
4		5725.000	64.50	-2.24	62.26	122.20	-59.94	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11490.000	45.10	9.78	54.88	74.00	-19.12	peak		
2 *		11490.000	35.25	9.78	45.03	54.00	-8.97	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1 *		5650.000	52.53	-2.09	50.44	68.20	-17.76	peak		
2		5700.000	53.43	-2.19	51.24	105.20	-53.96	peak		
3		5720.000	55.65	-2.23	53.42	110.80	-57.38	peak		
4		5725.000	59.58	-2.24	57.34	122.20	-64.86	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:157

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11570.000	47.29	10.01	57.30	74.00	-16.70	peak		
2 *		11570.000	36.99	10.01	47.00	54.00	-7.00	AVG		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11570.000	46.08	10.01	56.09	74.00	-17.91	peak		
2 *		11570.000	35.91	10.01	45.92	54.00	-8.08	AVG		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:165


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11650.000	48.55	10.24	58.79	74.00	-15.21	peak		
2 *		11650.000	38.41	10.24	48.65	54.00	-5.35	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5850.000	62.25	-2.07	60.18	122.20	-62.02	peak		
2		5855.000	59.12	-2.04	57.08	110.80	-53.72	peak		
3		5875.000	58.88	-1.91	56.97	105.20	-48.23	peak		
4 *		5925.000	57.99	-1.59	56.40	68.20	-11.80	peak		

HORIZONTALA



Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:38


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	47.93	9.06	56.99	68.20	-11.21	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		4500.000	50.45	-3.51	46.94	68.20	-21.26	peak		
2		5150.000	64.60	-1.88	62.72	68.20	-5.48	peak		
3	*	5150.000	53.10	-1.88	51.22	54.00	-2.78	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	47.17	9.06	56.23	68.20	-11.97	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		4500.000	50.67	-3.51	47.16	68.20	-21.04	peak		
2	*	5150.000	51.89	-1.88	50.01	68.20	-18.19	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:46

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:54

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:62


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		10620.000	47.31	9.48	56.79	74.00	-17.21	peak		
2 *		10620.000	36.41	9.48	45.89	54.00	-8.11	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1		5350.000	57.54	-2.78	54.76	68.20	-13.44	peak		
2 *		5350.000	47.29	-2.78	44.51	54.00	-9.49	AVG		
3		5460.000	49.48	-2.67	46.81	68.20	-21.39	peak		

HORIZONTALA



Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:102


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11020.000	46.66	10.25	56.91	74.00	-17.09	peak		
2 *		11020.000	36.03	10.25	46.28	54.00	-7.72	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5350.000	49.71	-2.78	46.93	68.20	-21.27	peak		
2		5460.000	61.25	-2.67	58.58	68.20	-9.62	peak		
3 *		5460.000	50.60	-2.67	47.93	54.00	-6.07	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11020.000	45.21	10.25	55.46	74.00	-18.54	peak		
2 *		11020.000	35.11	10.25	45.36	54.00	-8.64	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5350.000	49.37	-2.78	46.59	68.20	-21.61	peak		
2 *		5460.000	52.91	-2.67	50.24	68.20	-17.96	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:110

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:134

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11340.000	47.81	9.63	57.44	74.00	-16.56	peak		
2 *		11340.000	37.42	9.63	47.05	54.00	-6.95	AVG		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11340.000	47.18	9.63	56.81	74.00	-17.19	peak		
2 *		11340.000	36.59	9.63	46.22	54.00	-7.78	AVG		

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:151


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		11510.000	45.50	9.83	55.33	74.00	-18.67	peak	
2 *		11510.000	35.27	9.83	45.10	54.00	-8.90	AVG	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree
1 *		5650.000	59.03	-2.09	56.94	68.20	-11.26	peak	
2		5700.000	58.53	-2.19	56.34	105.20	-48.86	peak	
3		5720.000	61.35	-2.23	59.12	110.80	-51.68	peak	
4		5725.000	66.00	-2.24	63.76	122.20	-58.44	peak	

HORIZONTALA




Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:159

VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11590.000	48.83	10.06	58.89	74.00	-15.11	peak		
2 *		11590.000	38.16	10.06	48.22	54.00	-5.78	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1		5850.000	57.49	-2.07	55.42	122.20	-66.78	peak		
2		5855.000	54.16	-2.04	52.12	110.80	-58.68	peak		
3		5875.000	53.44	-1.91	51.53	105.20	-53.67	peak		
4 *		5925.000	53.29	-1.59	51.70	68.20	-16.50	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11590.000	47.73	10.06	57.79	74.00	-16.21	peak		
2 *		11590.000	36.46	10.06	46.52	54.00	-7.48	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5850.000	64.99	-2.07	62.92	122.20	-59.28	peak		
2		5855.000	61.17	-2.04	59.13	110.80	-51.67	peak		
3		5875.000	57.88	-1.91	55.97	105.20	-49.23	peak		
4 *		5925.000	57.85	-1.59	56.26	68.20	-11.94	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:42


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10420.000	47.86	9.12	56.98	68.20	-11.22	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree
1		4500.000	50.59	-3.51	47.08	68.20	-21.12	peak	
2		5150.000	62.90	-1.88	61.02	68.20	-7.18	peak	
3	*	5150.000	53.11	-1.88	51.23	54.00	-2.77	AVG	

HORIZONTALA



Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:58


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.000	48.40	9.41	57.81	68.20	-10.39	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5350.000	61.34	-2.78	58.56	68.20	-9.64	peak		
2	*	5350.000	50.88	-2.78	48.10	54.00	-5.90	AVG		
3		5460.000	49.76	-2.67	47.09	68.20	-21.11	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.000	47.28	9.41	56.69	68.20	-11.51	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1	*	5350.000	54.53	-2.78	51.75	68.20	-16.45	peak		
2		5460.000	49.73	-2.67	47.06	68.20	-21.14	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:106


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11060.000	47.15	10.17	57.32	74.00	-16.68	peak		
2 *		11060.000	36.82	10.17	46.99	54.00	-7.01	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5350.000	49.97	-2.78	47.19	68.20	-21.01	peak		
2		5460.000	59.19	-2.67	56.52	68.20	-11.68	peak		
3 *		5460.000	49.00	-2.67	46.33	54.00	-7.67	AVG		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11060.000	45.67	10.17	55.84	74.00	-18.16	peak		
2 *		11060.000	35.46	10.17	45.63	54.00	-8.37	AVG		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1		5350.000	49.58	-2.78	46.80	68.20	-21.40	peak		
2 *		5460.000	52.48	-2.67	49.81	68.20	-18.39	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX80MIMO

Test Channel:122

VERTICAL



HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:155


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.000	45.85	9.94	55.79	74.00	-18.21	peak		
2	*	11550.000	35.38	9.94	45.32	54.00	-8.68	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	cm	degree	Comment
1	*	5650.000	58.90	-2.09	56.81	68.20	-11.39	peak		
2		5700.000	59.24	-2.19	57.05	105.20	-48.15	peak		
3		5720.000	72.65	-2.23	70.42	110.80	-40.38	peak		
4		5725.000	78.36	-2.24	76.12	122.20	-46.08	peak		
5		5850.000	58.08	-2.07	56.01	122.20	-66.19	peak		
6		5855.000	58.54	-2.04	56.50	110.80	-54.30	peak		
7		5875.000	57.79	-1.91	55.88	105.20	-49.32	peak		
8		5925.000	57.54	-1.59	55.95	68.20	-12.25	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11550.000	44.55	9.94	54.49	74.00	-19.51	peak		
2 *		11550.000	34.11	9.94	44.05	54.00	-9.95	AVG		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1		5650.000	54.26	-2.09	52.17	68.20	-16.03	peak		
2		5700.000	55.57	-2.19	53.38	105.20	-51.82	peak		
3		5720.000	60.62	-2.23	58.39	110.80	-52.41	peak		
4		5725.000	65.66	-2.24	63.42	122.20	-58.78	peak		
5		5850.000	55.74	-2.07	53.67	122.20	-68.53	peak		
6		5855.000	55.13	-2.04	53.09	110.80	-57.71	peak		
7		5875.000	54.30	-1.91	52.39	105.20	-52.81	peak		
8 *		5925.000	54.82	-1.59	53.23	68.20	-14.97	peak		

For EUT3

We tested all modes and only the worst case was recorded, please see the following:

Above 1G (1GHz~18GHz)	Test mode: 11N40MIMO	Test Channel:62
-----------------------	----------------------	-----------------

VERTICAL





Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:62

HORIZONTAL



For EUT4


We tested all modes and only the worst case was recorded, please see the following:

Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:62

VERTICAL





Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:62

HORIZONTAL



For EUT5



We tested all modes and only the worst case was recorded, please see the following:

Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:62

VERTICAL





Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:62

HORIZONTAL



The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
	26 dB Bandwidth	-	5470-5725
15.407(e)	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Peripherals

Support Equipment				
No.	Equipment	Brand Name	Model Name	Remarks
1	Type-C Cable	AWM	E101344	0.9m, No Shielding
2	Record PC	Lenovo	M4500T	NA

3.3.3 Test Procedure

Test Method	
☒ Conducted Measurement	☐ Radiated Measurement
Test Channels	
☒ Lowest, Middle and Highest Channel	☐ Lowest and Highest Channel
Environmental conditions	
☒ Normal	☐ Normal and Extreme
Note: ● : Test ○ : No Test	

a) The EUT shall be connected to the spectrum analyser, and the spectrum analyser is set as follow:
For 26 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times \text{Nominal Channel Bandwidth}$
VBW	$\geq 3 \times \text{RBW}$
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple


For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak

Trace Mode	Max Hold
Sweep Time	Auto Couple

- b) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker on this peak.
- c) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.
- d) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.4 Test Setup



3.3.5 Test Result

3.3.5.1 26 dB Bandwidth

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	18.240	5170.920	5189.160	---	---
11A	Ant2	5180	18.160	5171.080	5189.240	---	---
11A	Ant1	5200	17.920	5191.080	5209.000	---	---
11A	Ant2	5200	18.160	5191.120	5209.280	---	---
11A	Ant1	5240	17.880	5231.040	5248.920	---	---
11A	Ant2	5240	17.840	5231.080	5248.920	---	---
11A	Ant1	5260	17.920	5251.200	5269.120	---	---
11A	Ant2	5260	17.920	5251.080	5269.000	---	---
11A	Ant1	5280	18.160	5270.880	5289.040	---	---
11A	Ant2	5280	18.120	5270.880	5289.000	---	---
11A	Ant1	5320	18.160	5310.880	5329.040	---	---
11A	Ant2	5320	18.000	5311.040	5329.040	---	---
11A	Ant1	5500	18.360	5490.640	5509.000	---	---
11A	Ant2	5500	17.840	5491.160	5509.000	---	---
11A	Ant1	5580	18.040	5571.000	5589.040	---	---
11A	Ant2	5580	17.960	5571.160	5589.120	---	---
11A	Ant1	5700	17.960	5691.080	5709.040	---	---
11A	Ant2	5700	17.960	5691.080	5709.040	---	---
11A	Ant1	5745	17.760	5736.200	5753.960	---	---
11A	Ant2	5745	17.840	5736.160	5754.000	---	---
11A	Ant1	5785	18.120	5776.000	5794.120	---	---
11A	Ant2	5785	17.920	5776.160	5794.080	---	---
11A	Ant1	5825	17.760	5816.160	5833.920	---	---
11A	Ant2	5825	17.920	5816.080	5834.000	---	---
11N20MIMO	Ant1	5180	18.880	5170.600	5189.480	---	---
11N20MIMO	Ant2	5180	19.240	5170.480	5189.720	---	---
11N20MIMO	Ant1	5200	19.160	5190.440	5209.600	---	---
11N20MIMO	Ant2	5200	19.040	5190.440	5209.480	---	---
11N20MIMO	Ant1	5240	19.400	5230.360	5249.760	---	---
11N20MIMO	Ant2	5240	18.960	5230.400	5249.360	---	---
11N20MIMO	Ant1	5260	19.280	5250.480	5269.760	---	---
11N20MIMO	Ant2	5260	19.240	5250.280	5269.520	---	---
11N20MIMO	Ant1	5280	18.960	5270.480	5289.440	---	---
11N20MIMO	Ant2	5280	19.400	5270.240	5289.640	---	---
11N20MIMO	Ant1	5320	18.960	5310.560	5329.520	---	---
11N20MIMO	Ant2	5320	19.040	5310.600	5329.640	---	---
11N20MIMO	Ant1	5500	18.880	5490.640	5509.520	---	---
11N20MIMO	Ant2	5500	19.160	5490.400	5509.560	---	---

11N20MIMO	Ant1	5580	18.960	5570.560	5589.520	---	---
11N20MIMO	Ant2	5580	19.200	5570.400	5589.600	---	---
11N20MIMO	Ant1	5700	19.080	5690.600	5709.680	---	---
11N20MIMO	Ant2	5700	18.840	5690.640	5709.480	---	---
11N20MIMO	Ant1	5745	19.040	5735.440	5754.480	---	---
11N20MIMO	Ant2	5745	19.000	5735.560	5754.560	---	---
11N20MIMO	Ant1	5785	18.920	5775.600	5794.520	---	---
11N20MIMO	Ant2	5785	19.120	5775.520	5794.640	---	---
11N20MIMO	Ant1	5825	19.160	5815.440	5834.600	---	---
11N20MIMO	Ant2	5825	19.080	5815.480	5834.560	---	---
11N40MIMO	Ant1	5190	38.320	5170.880	5209.200	---	---
11N40MIMO	Ant2	5190	38.480	5170.720	5209.200	---	---
11N40MIMO	Ant1	5230	38.400	5210.800	5249.200	---	---
11N40MIMO	Ant2	5230	38.640	5210.880	5249.520	---	---
11N40MIMO	Ant1	5270	38.400	5250.880	5289.280	---	---
11N40MIMO	Ant2	5270	38.400	5250.720	5289.120	---	---
11N40MIMO	Ant1	5310	38.240	5290.880	5329.120	---	---
11N40MIMO	Ant2	5310	38.000	5291.040	5329.040	---	---
11N40MIMO	Ant1	5510	38.400	5490.960	5529.360	---	---
11N40MIMO	Ant2	5510	38.240	5490.960	5529.200	---	---
11N40MIMO	Ant1	5550	38.160	5530.960	5569.120	---	---
11N40MIMO	Ant2	5550	38.320	5530.800	5569.120	---	---
11N40MIMO	Ant1	5670	38.000	5651.120	5689.120	---	---
11N40MIMO	Ant2	5670	38.240	5650.880	5689.120	---	---
11N40MIMO	Ant1	5755	37.920	5736.120	5774.040	---	---
11N40MIMO	Ant2	5755	38.240	5735.960	5774.200	---	---
11N40MIMO	Ant1	5795	38.240	5775.960	5814.200	---	---
11N40MIMO	Ant2	5795	38.400	5775.880	5814.280	---	---
11AC20MIMO	Ant1	5180	18.960	5170.560	5189.520	---	---
11AC20MIMO	Ant2	5180	19.000	5170.640	5189.640	---	---
11AC20MIMO	Ant1	5200	19.240	5190.320	5209.560	---	---
11AC20MIMO	Ant2	5200	18.920	5190.560	5209.480	---	---
11AC20MIMO	Ant1	5240	19.000	5230.520	5249.520	---	---
11AC20MIMO	Ant2	5240	19.160	5230.440	5249.600	---	---
11AC20MIMO	Ant1	5260	18.960	5250.560	5269.520	---	---
11AC20MIMO	Ant2	5260	18.840	5250.640	5269.480	---	---
11AC20MIMO	Ant1	5280	19.040	5270.520	5289.560	---	---
11AC20MIMO	Ant2	5280	19.000	5270.520	5289.520	---	---
11AC20MIMO	Ant1	5320	18.920	5310.560	5329.480	---	---
11AC20MIMO	Ant2	5320	19.040	5310.480	5329.520	---	---
11AC20MIMO	Ant1	5500	18.960	5490.520	5509.480	---	---

11AC20MIMO	Ant2	5500	18.880	5490.560	5509.440	---	---
11AC20MIMO	Ant1	5580	19.120	5570.520	5589.640	---	---
11AC20MIMO	Ant2	5580	19.040	5570.480	5589.520	---	---
11AC20MIMO	Ant1	5700	19.240	5690.440	5709.680	---	---
11AC20MIMO	Ant2	5700	19.320	5690.520	5709.840	---	---
11AC20MIMO	Ant1	5745	19.160	5735.440	5754.600	---	---
11AC20MIMO	Ant2	5745	19.120	5735.480	5754.600	---	---
11AC20MIMO	Ant1	5785	19.360	5775.400	5794.760	---	---
11AC20MIMO	Ant2	5785	19.120	5775.560	5794.680	---	---
11AC20MIMO	Ant1	5825	19.400	5815.440	5834.840	---	---
11AC20MIMO	Ant2	5825	18.960	5815.600	5834.560	---	---
11AC40MIMO	Ant1	5190	38.640	5170.560	5209.200	---	---
11AC40MIMO	Ant2	5190	38.320	5171.120	5209.440	---	---
11AC40MIMO	Ant1	5230	38.400	5210.880	5249.280	---	---
11AC40MIMO	Ant2	5230	38.400	5210.880	5249.280	---	---
11AC40MIMO	Ant1	5270	38.000	5250.800	5288.800	---	---
11AC40MIMO	Ant2	5270	37.840	5250.960	5288.800	---	---
11AC40MIMO	Ant1	5310	38.240	5290.960	5329.200	---	---
11AC40MIMO	Ant2	5310	38.320	5290.880	5329.200	---	---
11AC40MIMO	Ant1	5510	38.240	5490.960	5529.200	---	---
11AC40MIMO	Ant2	5510	38.640	5490.800	5529.440	---	---
11AC40MIMO	Ant1	5550	38.400	5530.880	5569.280	---	---
11AC40MIMO	Ant2	5550	38.880	5530.640	5569.520	---	---
11AC40MIMO	Ant1	5670	38.320	5650.880	5689.200	---	---
11AC40MIMO	Ant2	5670	38.080	5650.960	5689.040	---	---
11AC40MIMO	Ant1	5755	38.240	5735.960	5774.200	---	---
11AC40MIMO	Ant2	5755	38.240	5735.880	5774.120	---	---
11AC40MIMO	Ant1	5795	38.560	5775.720	5814.280	---	---
11AC40MIMO	Ant2	5795	38.080	5775.960	5814.040	---	---
11AC80MIMO	Ant1	5210	80.800	5169.040	5249.840	---	---
11AC80MIMO	Ant2	5210	81.440	5169.520	5250.960	---	---
11AC80MIMO	Ant1	5290	82.080	5249.520	5331.600	---	---
11AC80MIMO	Ant2	5290	82.080	5249.680	5331.760	---	---
11AC80MIMO	Ant1	5530	82.080	5488.880	5570.960	---	---
11AC80MIMO	Ant2	5530	81.760	5489.040	5570.800	---	---
11AC80MIMO	Ant1	5610	81.120	5568.720	5649.840	---	---
11AC80MIMO	Ant2	5610	82.240	5568.400	5650.640	---	---
11AC80MIMO	Ant1	5775	81.440	5734.520	5815.960	---	---
11AC80MIMO	Ant2	5775	80.800	5734.680	5815.480	---	---
11AX20MIMO	Ant1	5180	19.960	5170.000	5189.960	---	---
11AX20MIMO	Ant2	5180	19.960	5169.960	5189.920	---	---

11AX20MIMO	Ant1	5200	20.000	5190.040	5210.040	---	---
11AX20MIMO	Ant2	5200	19.800	5190.040	5209.840	---	---
11AX20MIMO	Ant1	5240	20.120	5230.000	5250.120	---	---
11AX20MIMO	Ant2	5240	20.000	5230.080	5250.080	---	---
11AX20MIMO	Ant1	5260	19.720	5250.200	5269.920	---	---
11AX20MIMO	Ant2	5260	19.800	5250.040	5269.840	---	---
11AX20MIMO	Ant1	5280	20.080	5270.000	5290.080	---	---
11AX20MIMO	Ant2	5280	19.800	5270.080	5289.880	---	---
11AX20MIMO	Ant1	5320	19.800	5310.120	5329.920	---	---
11AX20MIMO	Ant2	5320	19.960	5310.000	5329.960	---	---
11AX20MIMO	Ant1	5500	20.200	5489.920	5510.120	---	---
11AX20MIMO	Ant2	5500	20.080	5489.840	5509.920	---	---
11AX20MIMO	Ant1	5580	19.920	5570.080	5590.000	---	---
11AX20MIMO	Ant2	5580	19.880	5570.040	5589.920	---	---
11AX20MIMO	Ant1	5700	19.840	5690.120	5709.960	---	---
11AX20MIMO	Ant2	5700	19.880	5690.040	5709.920	---	---
11AX20MIMO	Ant1	5745	19.960	5735.080	5755.040	---	---
11AX20MIMO	Ant2	5745	19.920	5735.120	5755.040	---	---
11AX20MIMO	Ant1	5785	20.000	5775.000	5795.000	---	---
11AX20MIMO	Ant2	5785	20.160	5774.880	5795.040	---	---
11AX20MIMO	Ant1	5825	19.840	5815.120	5834.960	---	---
11AX20MIMO	Ant2	5825	19.720	5815.160	5834.880	---	---
11AX40MIMO	Ant1	5190	39.520	5170.240	5209.760	---	---
11AX40MIMO	Ant2	5190	39.440	5170.320	5209.760	---	---
11AX40MIMO	Ant1	5230	39.440	5210.400	5249.840	---	---
11AX40MIMO	Ant2	5230	39.280	5210.400	5249.680	---	---
11AX40MIMO	Ant1	5270	39.520	5250.160	5289.680	---	---
11AX40MIMO	Ant2	5270	39.440	5250.400	5289.840	---	---
11AX40MIMO	Ant1	5310	39.200	5290.400	5329.600	---	---
11AX40MIMO	Ant2	5310	39.520	5290.240	5329.760	---	---
11AX40MIMO	Ant1	5510	39.760	5490.160	5529.920	---	---
11AX40MIMO	Ant2	5510	39.360	5490.400	5529.760	---	---
11AX40MIMO	Ant1	5550	39.680	5530.080	5569.760	---	---
11AX40MIMO	Ant2	5550	39.600	5530.320	5569.920	---	---
11AX40MIMO	Ant1	5670	39.360	5650.320	5689.680	---	---
11AX40MIMO	Ant2	5670	39.360	5650.320	5689.680	---	---
11AX40MIMO	Ant1	5755	39.520	5735.320	5774.840	---	---
11AX40MIMO	Ant2	5755	39.360	5735.320	5774.680	---	---
11AX40MIMO	Ant1	5795	39.360	5775.400	5814.760	---	---
11AX40MIMO	Ant2	5795	39.520	5775.320	5814.840	---	---
11AX80MIMO	Ant1	5210	80.960	5169.360	5250.320	---	---

11AX80MIMO	Ant2	5210	80.320	5169.840	5250.160	---	---
11AX80MIMO	Ant1	5290	80.480	5249.520	5330.000	---	---
11AX80MIMO	Ant2	5290	79.840	5250.160	5330.000	---	---
11AX80MIMO	Ant1	5530	80.480	5490.000	5570.480	---	---
11AX80MIMO	Ant2	5530	80.160	5490.160	5570.320	---	---
11AX80MIMO	Ant1	5610	80.640	5569.680	5650.320	---	---
11AX80MIMO	Ant2	5610	79.680	5570.160	5649.840	---	---
11AX80MIMO	Ant1	5775	80.000	5735.000	5815.000	---	---
11AX80MIMO	Ant2	5775	79.840	5735.160	5815.000	---	---

11A-Ant1-5180



11A-Ant2-5180



11A-Ant1-5200



11A-Ant2-5200



11A-Ant1-5240



11A-Ant2-5240



11A-Ant1-5260



11A-Ant2-5260



11A-Ant1-5280



11A-Ant2-5280



11A-Ant1-5320



11A-Ant2-5320



11A-Ant1-5580



11A-Ant2-5580



11A-Ant1-5700



11A-Ant2-5700



11A-Ant1-5745



11A-Ant2-5745



11A-Ant1-5785



11A-Ant2-5785



11A-Ant1-5825



11A-Ant2-5825



11N20MIMO-Ant1-5180



11N20MIMO-Ant2-5180



11N20MIMO-Ant1-5200



11N20MIMO-Ant2-5200



11N20MIMO-Ant1-5240



11N20MIMO-Ant2-5240



11N20MIMO-Ant1-5260



11N20MIMO-Ant2-5260



11N20MIMO-Ant1-5280



11N20MIMO-Ant2-5280



11N20MIMO-Ant1-5320



11N20MIMO-Ant2-5320



11N20MIMO-Ant1-5500



11N20MIMO-Ant2-5500



11N20MIMO-Ant1-5580



11N20MIMO-Ant2-5580



11N20MIMO-Ant1-5700



11N20MIMO-Ant2-5700



11N20MIMO-Ant1-5745



11N20MIMO-Ant2-5745



11N20MIMO-Ant1-5785



11N20MIMO-Ant2-5785



11N20MIMO-Ant1-5825



11N20MIMO-Ant2-5825



11N40MIMO-Ant1-5190



11N40MIMO-Ant2-5190



11N40MIMO-Ant1-5230



11N40MIMO-Ant2-5230



11N40MIMO-Ant1-5270



11N40MIMO-Ant2-5270



11N40MIMO-Ant1-5310



11N40MIMO-Ant2-5310



11N40MIMO-Ant1-5510



11N40MIMO-Ant2-5510



11N40MIMO-Ant1-5550



11N40MIMO-Ant2-5550



11N40MIMO-Ant1-5670



11N40MIMO-Ant2-5670



11N40MIMO-Ant1-5755



11N40MIMO-Ant2-5755

