


Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:9


VERTICAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		4904.000	50.09	-1.42	48.67	74.00	-25.33	peak	
2		7356.000	48.93	4.06	52.99	74.00	-21.01	peak	
3		9808.000	49.37	7.39	56.76	74.00	-17.24	peak	
4 *		9808.000	41.03	7.39	48.42	54.00	-5.58	AVG	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		2483.500	70.05	-8.91	61.14	74.00	-12.86	peak	
2 *		2483.500	62.33	-8.91	53.42	54.00	-0.58	AVG	
3		2500.000	55.85	-8.78	47.07	74.00	-26.93	peak	

HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:1

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4824.000	51.45	-1.88	49.57	74.00	-24.43	peak		
2		7236.000	49.84	4.55	54.39	74.00	-19.61	peak		
3		7236.000	42.32	4.55	46.87	54.00	-7.13	AVG		
4		9648.000	49.38	7.84	57.22	74.00	-16.78	peak		
5 *		9648.000	41.49	7.84	49.33	54.00	-4.67	AVG		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2310.000	53.53	-9.81	43.72	74.00	-30.28	peak		
2		2390.000	71.64	-9.59	62.05	74.00	-11.95	peak		
3 *		2390.000	63.26	-9.59	53.67	54.00	-0.33	AVG		


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel: 6

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4874.000	49.21	-1.59	47.62	74.00	-26.38	peak		
2		7311.000	47.68	4.95	52.63	74.00	-21.37	peak		
3		9748.000	47.22	7.56	54.78	74.00	-19.22	peak		
4 *		9748.000	39.38	7.56	46.94	54.00	-7.06	AVG		

HORIZONTAL

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4874.000	51.52	-1.59	49.93	74.00	-24.07	peak		
2		7311.000	50.85	4.95	55.80	74.00	-18.20	peak		
3		7311.000	42.89	4.95	47.84	54.00	-6.16	AVG		
4		9748.000	49.14	7.56	56.70	74.00	-17.30	peak		
5 *		9748.000	41.02	7.56	48.58	54.00	-5.42	AVG		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:11

VERTICAL




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4924.000	50.11	-1.29	48.82	74.00	-25.18	peak	
2		7386.000	49.36	5.37	54.73	74.00	-19.27	peak	
3		7386.000	41.48	5.37	46.85	54.00	-7.15	AVG	
4		9848.000	48.21	7.74	55.95	74.00	-18.05	peak	
5 *		9848.000	40.58	7.74	48.32	54.00	-5.68	AVG	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		2483.500	67.02	-8.91	58.11	74.00	-15.89	peak	
2 *		2483.500	59.54	-8.91	50.63	54.00	-3.37	AVG	
3		2500.000	52.32	-8.78	43.54	74.00	-30.46	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:3


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4844.000	51.82	-1.77	50.05	74.00	-23.95	peak		
2		7266.000	49.38	4.70	54.08	74.00	-19.92	peak		
3		7266.000	41.68	4.70	46.38	54.00	-7.62	AVG		
4		9688.000	49.00	7.73	56.73	74.00	-17.27	peak		
5 *		9688.000	40.36	7.73	48.09	54.00	-5.91	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2310.000	54.34	-9.81	44.53	74.00	-29.47	peak		
2		2390.000	69.02	-9.59	59.43	74.00	-14.57	peak		
3 *		2390.000	62.08	-9.59	52.49	54.00	-1.51	AVG		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		4844.000	52.28	-1.77	50.51	74.00	-23.49	peak	
2		7266.000	49.84	4.70	54.54	74.00	-19.46	peak	
3		7266.000	42.06	4.70	46.76	54.00	-7.24	AVG	
4		9688.000	49.83	7.73	57.56	74.00	-16.44	peak	
5 *		9688.000	42.23	7.73	49.96	54.00	-4.04	AVG	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		2310.000	53.89	-9.81	44.08	74.00	-29.92	peak	
2		2390.000	68.43	-9.59	58.84	74.00	-15.16	peak	
3 *		2390.000	60.22	-9.59	50.63	54.00	-3.37	AVG	

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel: 6

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:9


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4904.000	50.02	-1.41	48.61	74.00	-25.39	peak		
2		7356.000	48.89	5.20	54.09	74.00	-19.91	peak		
3		7356.000	41.68	5.20	46.88	54.00	-7.12	AVG		
4		9808.000	48.25	7.47	55.72	74.00	-18.28	peak		
5 *		9808.000	40.80	7.47	48.27	54.00	-5.73	AVG		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2483.500	67.66	-8.91	58.75	74.00	-15.25	peak		
2 *		2483.500	59.49	-8.91	50.58	54.00	-3.42	AVG		
3		2500.000	54.11	-8.78	45.33	74.00	-28.67	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4904.000	52.12	-1.41	50.71	74.00	-23.29	peak		
2		7356.000	50.69	5.20	55.89	74.00	-18.11	peak		
3		7356.000	43.57	5.20	48.77	54.00	-5.23	AVG		
4		9808.000	49.67	7.47	57.14	74.00	-16.86	peak		
5 *		9808.000	41.81	7.47	49.28	54.00	-4.72	AVG		

Radiated Emission





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		2483.500	68.03	-8.91	59.12	74.00	-14.88	peak		
2 *		2483.500	60.24	-8.91	51.33	54.00	-2.67	AVG		
3		2500.000	53.13	-8.78	44.35	74.00	-29.65	peak		

EUT8


Above 1G (1GHz~18GHz)	Test mode:11B	Test Channel:1
-----------------------	---------------	----------------

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1G (1GHz~18GHz)


Test mode: 11B

Test Channel: 6

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)



Test mode: 11B

Test Channel:11

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode:11G


Test Channel:1

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1G (1GHz~18GHz)


Test mode: 11G

Test Channel: 6

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11G


Test Channel:11

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO


Test Channel:1

VERTICAL

Radiated Emission




Radiated Emission




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1G (1GHz~18GHz)


Test mode: 11N20MIMO

Test Channel: 6

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO


Test Channel:11

VERTICAL

Radiated Emission



Radiated Emission




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	4924.000	47.79	-1.29	46.50	74.00	-27.50	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	2483.500	60.03	-8.91	51.12	74.00	-22.88	peak	
2		2500.000	54.59	-8.78	45.81	74.00	-28.19	peak	

Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel:3

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)


Test mode: 11N40MIMO

Test Channel: 6

VERTICAL



HORIZONTAL





Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO


Test Channel:9

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission





Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:1

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel: 6

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:11

VERTICAL

Radiated Emission




Radiated Emission




HORIZONTAL

Radiated Emission



Radiated Emission





Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:3

VERTICAL




HORIZONTAL

Radiated Emission



Radiated Emission




Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel: 6

VERTICAL



HORIZONTAL




Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO


Test Channel:9

VERTICAL

Radiated Emission




Radiated Emission




HORIZONTAL

Radiated Emission



Radiated Emission



The high frequency, which started from 18GHz to 25GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spurious Emission at Antenna Port

3.3.1 Limit

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak Output Power limits. If the transmitter complies with the Output Power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).

3.3.2 Test Procedure

Test Method	
☒ Conducted Measurement	☐ Radiated Measurement
Test Channels	
☒ Lowest, Middle and Highest Channel	☐ Lowest and Highest Channel
Environmental conditions	
☒ Normal	☐ Normal and Extreme
Note: ☒ : Test ☐ : No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.


b) Spectrum Setting as below:

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

c) Allow trace to full stabilize.

d) Use the peak marker function to determine the maximum power level in any 100kHz band segment within the fundamental EBW.

3.3.3 Test Setup



3.3.4 The Result

3.3.5.1. Conducted Spurious Emission

Test Mode	Antenna	Frequency[MHz]	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	Reference	5.92	5.92	---	PASS
			30~1000	5.92	-59.1	≤-14.08	PASS
			1000~26500	5.92	-47.71	≤-14.08	PASS
	Ant2	2412	Reference	2.89	2.89	---	PASS
			30~1000	2.89	-61.37	≤-17.11	PASS
			1000~26500	2.89	-47.75	≤-17.11	PASS
	Ant1	2437	Reference	5.96	5.96	---	PASS
			30~1000	5.96	-60.46	≤-14.04	PASS
			1000~26500	5.96	-48.47	≤-14.04	PASS
	Ant2	2437	Reference	3.25	3.25	---	PASS
			30~1000	3.25	-60.61	≤-16.75	PASS
			1000~26500	3.25	-48.93	≤-16.75	PASS
	Ant1	2462	Reference	3.96	3.96	---	PASS
			30~1000	3.96	-60.69	≤-16.04	PASS
			1000~26500	3.96	-48.62	≤-16.04	PASS
	Ant2	2462	Reference	2.85	2.85	---	PASS
			30~1000	2.85	-60.86	≤-17.15	PASS
			1000~26500	2.85	-48.81	≤-17.15	PASS
11G	Ant1	2412	Reference	-1.33	-1.33	---	PASS
			30~1000	-1.33	-60.35	≤-21.33	PASS
			1000~26500	-1.33	-48.53	≤-21.33	PASS
	Ant2	2412	Reference	-3.35	-3.35	---	PASS
			30~1000	-3.35	-60.22	≤-23.35	PASS
			1000~26500	-3.35	-48.85	≤-23.35	PASS
	Ant1	2437	Reference	-3.34	-3.34	---	PASS
			30~1000	-3.34	-60.95	≤-23.34	PASS
			1000~26500	-3.34	-47.76	≤-23.34	PASS
	Ant2	2437	Reference	-4.82	-4.82	---	PASS
			30~1000	-4.82	-60.22	≤-24.82	PASS
			1000~26500	-4.82	-48.69	≤-24.82	PASS
	Ant1	2462	Reference	-3.06	-3.06	---	PASS
			30~1000	-3.06	-59.8	≤-23.06	PASS
			1000~26500	-3.06	-48.83	≤-23.06	PASS
	Ant2	2462	Reference	-4.58	-4.58	---	PASS
			30~1000	-4.58	-60.83	≤-24.58	PASS
			1000~26500	-4.58	-49.07	≤-24.58	PASS


11N20MIMO	Ant1	2412	Reference	-4.95	-4.95	---	PASS
			30~1000	-4.95	-59.7	≤ -24.95	PASS
			1000~26500	-4.95	-48.47	≤ -24.95	PASS
	Ant2	2412	Reference	-6.82	-6.82	---	PASS
			30~1000	-6.82	-60.71	≤ -26.82	PASS
			1000~26500	-6.82	-49.02	≤ -26.82	PASS
	Ant1	2437	Reference	-4.95	-4.95	---	PASS
			30~1000	-4.95	-61.2	≤ -24.95	PASS
			1000~26500	-4.95	-47.72	≤ -24.95	PASS
	Ant2	2437	Reference	-4.56	-4.56	---	PASS
			30~1000	-4.56	-60.37	≤ -24.56	PASS
			1000~26500	-4.56	-47.68	≤ -24.56	PASS
	Ant1	2462	Reference	-4.47	-4.47	---	PASS
			30~1000	-4.47	-60.52	≤ -24.47	PASS
			1000~26500	-4.47	-48.93	≤ -24.47	PASS
11N40MIMO	Ant1	2422	Reference	-4.38	-4.38	---	PASS
			30~1000	-4.38	-61.3	≤ -24.38	PASS
			1000~26500	-4.38	-49.13	≤ -24.38	PASS
	Ant2	2422	Reference	-4.10	-4.10	---	PASS
			30~1000	-4.10	-61.58	≤ -24.1	PASS
			1000~26500	-4.10	-48.75	≤ -24.1	PASS
	Ant1	2437	Reference	-3.36	-3.36	---	PASS
			30~1000	-3.36	-60.87	≤ -23.36	PASS
			1000~26500	-3.36	-48.49	≤ -23.36	PASS
	Ant2	2437	Reference	-9.76	-9.76	---	PASS
			30~1000	-9.76	-60.03	≤ -29.76	PASS
			1000~26500	-9.76	-47.89	≤ -29.76	PASS
	Ant1	2452	Reference	-5.55	-5.55	---	PASS
			30~1000	-5.55	-60.85	≤ -25.55	PASS
			1000~26500	-5.55	-49	≤ -25.55	PASS
11AX20MIMO	Ant1	2412	Reference	-4.33	-4.33	---	PASS
			30~1000	-4.33	-60.8	≤ -24.33	PASS
			1000~26500	-4.33	-48.52	≤ -24.33	PASS
	Ant2	2412	Reference	-6.25	-6.25	---	PASS
			30~1000	-6.25	-60.13	≤ -26.25	PASS

	Ant1	2437	1000~26500	-6.25	-47.72	≤ -26.25	PASS
			Reference	-5.73	-5.73	---	PASS
			30~1000	-5.73	-60.83	≤ -25.73	PASS
			1000~26500	-5.73	-48.26	≤ -25.73	PASS
	Ant2	2437	Reference	-4.55	-4.55	---	PASS
			30~1000	-4.55	-60.32	≤ -24.55	PASS
			1000~26500	-4.55	-49.03	≤ -24.55	PASS
	Ant1	2462	Reference	-5.64	-5.64	---	PASS
			30~1000	-5.64	-61.1	≤ -25.64	PASS
			1000~26500	-5.64	-49.17	≤ -25.64	PASS
	Ant2	2462	Reference	-7.00	-7.00	---	PASS
			30~1000	-7.00	-60.6	≤ -27	PASS
			1000~26500	-7.00	-48.46	≤ -27	PASS
11AX40MIMO	Ant1	2422	Reference	-2.58	-2.58	---	PASS
			30~1000	-2.58	-61.02	≤ -22.58	PASS
			1000~26500	-2.58	-49.12	≤ -22.58	PASS
	Ant2	2422	Reference	-9.10	-9.10	---	PASS
			30~1000	-9.10	-60.95	≤ -29.1	PASS
			1000~26500	-9.10	-49	≤ -29.1	PASS
	Ant1	2437	Reference	-4.21	-4.21	---	PASS
			30~1000	-4.21	-60.69	≤ -24.21	PASS
			1000~26500	-4.21	-47.95	≤ -24.21	PASS
	Ant2	2437	Reference	-6.35	-6.35	---	PASS
			30~1000	-6.35	-61.35	≤ -26.35	PASS
			1000~26500	-6.35	-48.59	≤ -26.35	PASS
	Ant1	2452	Reference	-4.15	-4.15	---	PASS
			30~1000	-4.15	-60.85	≤ -24.15	PASS
			1000~26500	-4.15	-48.62	≤ -24.15	PASS
	Ant2	2452	Reference	-10.16	-10.16	---	PASS
			30~1000	-10.16	-61.3	≤ -30.16	PASS
			1000~26500	-10.16	-49.25	≤ -30.16	PASS

11B_Ant1_2412_0~Reference




11B_Ant1_2412_30~1000




11B_Ant1_2412_1000~26500



11B_Ant2_2412_0~Reference




11B_Ant2_2412_30~1000




11B_Ant2_2412_1000~26500



11B_Ant1_2437_0~Reference




11B_Ant1_2437_30~1000




11B_Ant1_2437_1000~26500



11B_Ant2_2437_0~Reference




11B_Ant2_2437_30~1000




11B_Ant2_2437_1000~26500



11B_Ant1_2462_0~Reference



11B_Ant1_2462_30~1000




11B_Ant1_2462_1000~26500



11B_Ant2_2462_0~Reference




11B_Ant2_2462_30~1000




11B_Ant2_2462_1000~26500



11G_Ant1_2412_0~Reference




11G_Ant1_2412_30~1000




11G_Ant1_2412_1000~26500



11G_Ant2_2412_0~Reference




11G_Ant2_2412_30~1000




11G_Ant2_2412_1000~26500



11G_Ant1_2437_0~Reference



11G_Ant1_2437_30~1000



11G_Ant1_2437_1000~26500



11G_Ant2_2437_0~Reference

