



U.S. Agent Designation for Service of Process - Certification Attestation Letter

August 26, 2025

Nemko North America, Inc.
303 River Road
Ottawa ON K1V 1H2
Canada

ATTN.: Reviewing Engineer

FCC ID: 2A22O-JDRFAS
Applicant FRN: 0031324056

This letter serves as a formal designation, pursuant to [§2.911\(d\)\(7\)](#) of the FCC Rules, of the following U.S. Agent* for Service of Process for the equipment under application:

U.S. Agent for Service of Process:

- **Company Name:** +1 Compliance LLC
- **Physical U.S. Company Address:** 2113 Huron Circle, Denton, TX 76210, USA
- **Agent Name:** Ben Tidwell
- **Agent Email Address:** contact@1compliant.com
- **Agent FRN**:** 0033497389

The above listed designated agent hereby acknowledges and accepts the obligation for service of process on behalf of the applicant signed below.

The applicant further acknowledges and accepts its obligation to maintain a U.S. Agent for Service of Process for a minimum period of one year following either:


- Permanent termination of all marketing and importation activities within the U.S. for the applicable equipment by the grantee.
- The conclusion of any Commission-related administrative or judicial proceeding involving the equipment, whichever occurs later.

Applicant Signed:

Signed: 

Printed name: Elias Boukhers
Title: Chief Technology Officer
Company
Name: JDRF Electromag Engineering
Date: July 16, 2025

Designated Agent Signed:
(Required, if different to Applicant)

Signed: 

Printed name: Ben Tidwell
Title: President
Company
Name: +1 Compliance LLC
Date: July 16, 2025

* the applicant must designate a contact located in the United States for purposes of acting as the applicant's agent for service of process, regardless of whether the applicant is a domestic or foreign entity. An applicant located in the United States may designate itself as the agent for service of process.

** the agent does not have an FRN because they do no other business with the FCC except for acting as a US agent for service of process, and therefore are not required to have their own FRN.