







NTNV-11AC80MIMO-Ant1-5775




NTNV-11AC80MIMO-Ant2-5775




NTNV-11AX20MIMO-Ant1-5180




NTNV-11AX20MIMO-Ant2-5180




NTNV-11AX20MIMO-Ant1-5200




NTNV-11AX20MIMO-Ant2-5200




NTNV-11AX20MIMO-Ant1-5240




NTNV-11AX20MIMO-Ant2-5240




NTNV-11AX20MIMO-Ant1-5745




NTNV-11AX20MIMO-Ant2-5745




NTNV-11AX20MIMO-Ant1-5785




NTNV-11AX20MIMO-Ant2-5785




NTNV-11AX20MIMO-Ant1-5825




NTNV-11AX20MIMO-Ant2-5825




NTNV-11AX40MIMO-Ant1-5190




NTNV-11AX40MIMO-Ant2-5190




NTNV-11AX40MIMO-Ant1-5230




NTNV-11AX40MIMO-Ant2-5230




NTNV-11AX40MIMO-Ant1-5755




NTNV-11AX40MIMO-Ant2-5755




NTNV-11AX40MIMO-Ant1-5795




NTNV-11AX40MIMO-Ant2-5795




NTNV-11AX80MIMO-Ant1-5210



NTNV-11AX80MIMO-Ant2-5210



NTNV-11AX80MIMO-Ant1-5775



NTNV-11AX80MIMO-Ant2-5775

5: Maximum conducted output power

5.1 Test Result

TestMode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A-CDD	Ant1	5180	13.23	≤23.98	PASS
11A-CDD	Ant2	5180	13.92	≤23.98	PASS
11A-CDD	total	5180	16.60	≤23.98	PASS
11A-CDD	Ant1	5200	12.79	≤23.98	PASS
11A-CDD	Ant2	5200	13.91	≤23.98	PASS
11A-CDD	total	5200	16.40	≤23.98	PASS
11A-CDD	Ant1	5240	12.39	≤23.98	PASS
11A-CDD	Ant2	5240	13.58	≤23.98	PASS
11A-CDD	total	5240	16.04	≤23.98	PASS
11A-CDD	Ant1	5745	13.47	≤30.00	PASS
11A-CDD	Ant2	5745	15.01	≤30.00	PASS
11A-CDD	total	5745	17.32	≤29.35	PASS
11A-CDD	Ant1	5785	13.72	≤30.00	PASS
11A-CDD	Ant2	5785	15.23	≤30.00	PASS
11A-CDD	total	5785	17.55	≤29.35	PASS
11A-CDD	Ant1	5825	13.58	≤30.00	PASS
11A-CDD	Ant2	5825	14.89	≤30.00	PASS
11A-CDD	total	5825	17.29	≤29.35	PASS
11N20MIMO	Ant1	5180	12.34	≤23.98	PASS
11N20MIMO	Ant2	5180	13.98	≤23.98	PASS
11N20MIMO	total	5180	16.25	≤23.98	PASS
11N20MIMO	Ant1	5200	12.41	≤23.98	PASS
11N20MIMO	Ant2	5200	13.55	≤23.98	PASS
11N20MIMO	total	5200	16.03	≤23.98	PASS
11N20MIMO	Ant1	5240	11.99	≤23.98	PASS
11N20MIMO	Ant2	5240	13.20	≤23.98	PASS
11N20MIMO	total	5240	15.65	≤23.98	PASS
11N20MIMO	Ant1	5745	13.09	≤30.00	PASS
11N20MIMO	Ant2	5745	15.17	≤30.00	PASS
11N20MIMO	total	5745	17.26	≤29.35	PASS
11N20MIMO	Ant1	5785	13.62	≤30.00	PASS
11N20MIMO	Ant2	5785	14.66	≤30.00	PASS
11N20MIMO	total	5785	17.18	≤29.35	PASS
11N20MIMO	Ant1	5825	13.75	≤30.00	PASS
11N20MIMO	Ant2	5825	14.49	≤30.00	PASS
11N20MIMO	total	5825	17.15	≤29.35	PASS
11N40MIMO	Ant1	5190	9.94	≤23.98	PASS
11N40MIMO	Ant2	5190	11.20	≤23.98	PASS
11N40MIMO	total	5190	13.63	≤23.98	PASS
11N40MIMO	Ant1	5230	9.61	≤23.98	PASS
11N40MIMO	Ant2	5230	10.73	≤23.98	PASS

11N40MIMO	total	5230	13.22	≤23.98	PASS
11N40MIMO	Ant1	5755	13.90	≤30.00	PASS
11N40MIMO	Ant2	5755	15.42	≤30.00	PASS
11N40MIMO	total	5755	17.74	≤29.35	PASS
11N40MIMO	Ant1	5795	13.99	≤30.00	PASS
11N40MIMO	Ant2	5795	15.46	≤30.00	PASS
11N40MIMO	total	5795	17.80	≤29.35	PASS
11AC20MIMO	Ant1	5180	12.33	≤23.98	PASS
11AC20MIMO	Ant2	5180	14.19	≤23.98	PASS
11AC20MIMO	total	5180	16.37	≤23.98	PASS
11AC20MIMO	Ant1	5200	12.40	≤23.98	PASS
11AC20MIMO	Ant2	5200	13.69	≤23.98	PASS
11AC20MIMO	total	5200	16.10	≤23.98	PASS
11AC20MIMO	Ant1	5240	12.07	≤23.98	PASS
11AC20MIMO	Ant2	5240	13.34	≤23.98	PASS
11AC20MIMO	total	5240	15.76	≤23.98	PASS
11AC20MIMO	Ant1	5745	13.79	≤30.00	PASS
11AC20MIMO	Ant2	5745	14.70	≤30.00	PASS
11AC20MIMO	total	5745	17.28	≤29.35	PASS
11AC20MIMO	Ant1	5785	13.24	≤30.00	PASS
11AC20MIMO	Ant2	5785	15.19	≤30.00	PASS
11AC20MIMO	total	5785	17.33	≤29.35	PASS
11AC20MIMO	Ant1	5825	13.22	≤30.00	PASS
11AC20MIMO	Ant2	5825	14.52	≤30.00	PASS
11AC20MIMO	total	5825	16.93	≤29.35	PASS
11AC40MIMO	Ant1	5190	10.30	≤23.98	PASS
11AC40MIMO	Ant2	5190	11.07	≤23.98	PASS
11AC40MIMO	total	5190	13.71	≤23.98	PASS
11AC40MIMO	Ant1	5230	9.45	≤23.98	PASS
11AC40MIMO	Ant2	5230	11.29	≤23.98	PASS
11AC40MIMO	total	5230	13.48	≤23.98	PASS
11AC40MIMO	Ant1	5755	14.19	≤30.00	PASS
11AC40MIMO	Ant2	5755	15.24	≤30.00	PASS
11AC40MIMO	total	5755	17.76	≤29.35	PASS
11AC40MIMO	Ant1	5795	14.29	≤30.00	PASS
11AC40MIMO	Ant2	5795	15.90	≤30.00	PASS
11AC40MIMO	total	5795	18.18	≤29.35	PASS
11AC80MIMO	Ant1	5210	9.73	≤23.98	PASS
11AC80MIMO	Ant2	5210	11.07	≤23.98	PASS
11AC80MIMO	total	5210	13.46	≤23.98	PASS
11AC80MIMO	Ant1	5775	13.80	≤30.00	PASS
11AC80MIMO	Ant2	5775	15.09	≤30.00	PASS
11AC80MIMO	total	5775	17.50	≤29.35	PASS
11AX20MIMO	Ant1	5180	12.35	≤23.98	PASS
11AX20MIMO	Ant2	5180	13.67	≤23.98	PASS

11AX20MIMO	total	5180	16.07	≤23.98	PASS
11AX20MIMO	Ant1	5200	13.02	≤23.98	PASS
11AX20MIMO	Ant2	5200	13.81	≤23.98	PASS
11AX20MIMO	total	5200	16.44	≤23.98	PASS
11AX20MIMO	Ant1	5240	12.14	≤23.98	PASS
11AX20MIMO	Ant2	5240	14.03	≤23.98	PASS
11AX20MIMO	total	5240	16.20	≤23.98	PASS
11AX20MIMO	Ant1	5745	13.78	≤30.00	PASS
11AX20MIMO	Ant2	5745	15.28	≤30.00	PASS
11AX20MIMO	total	5745	17.60	≤29.35	PASS
11AX20MIMO	Ant1	5785	13.86	≤30.00	PASS
11AX20MIMO	Ant2	5785	14.75	≤30.00	PASS
11AX20MIMO	total	5785	17.34	≤29.35	PASS
11AX20MIMO	Ant1	5825	13.79	≤30.00	PASS
11AX20MIMO	Ant2	5825	15.13	≤30.00	PASS
11AX20MIMO	total	5825	17.52	≤29.35	PASS
11AX40MIMO	Ant1	5190	9.97	≤23.98	PASS
11AX40MIMO	Ant2	5190	11.20	≤23.98	PASS
11AX40MIMO	total	5190	13.64	≤23.98	PASS
11AX40MIMO	Ant1	5230	10.20	≤23.98	PASS
11AX40MIMO	Ant2	5230	10.85	≤23.98	PASS
11AX40MIMO	total	5230	13.55	≤23.98	PASS
11AX40MIMO	Ant1	5755	14.39	≤30.00	PASS
11AX40MIMO	Ant2	5755	15.37	≤30.00	PASS
11AX40MIMO	total	5755	17.92	≤29.35	PASS
11AX40MIMO	Ant1	5795	13.89	≤30.00	PASS
11AX40MIMO	Ant2	5795	15.49	≤30.00	PASS
11AX40MIMO	total	5795	17.77	≤29.35	PASS
11AX80MIMO	Ant1	5210	9.25	≤23.98	PASS
11AX80MIMO	Ant2	5210	10.39	≤23.98	PASS
11AX80MIMO	total	5210	12.87	≤23.98	PASS
11AX80MIMO	Ant1	5775	13.63	≤30.00	PASS
11AX80MIMO	Ant2	5775	15.44	≤30.00	PASS
11AX80MIMO	total	5775	17.64	≤29.35	PASS
Note: The EUT incorporates a MIMO function. Physically, the EUT provides two antennas for transmitting and receiving. When ANT.1 and ANT. 2 transmitting simultaneously, and the Directional Gain=6.65dBi>6dBi. (Ant.1: 3.89dBi; Ant.2: 3.39dBi) For U-NII-3: 5745MHz-5825MHz So Pout = [Plimit-(GTX-6)]=(30-0.65)dBm=29.35dBm For U-NII-3: 5745MHz-5825MHz Directional Gain=10 log $\left[\frac{10^{G1}}{20} + \frac{10^{G2}}{20} + \dots + \frac{10^{GN}}{20}\right]^2 / NANT$ The Duty Cycle Factor is compensated in the graph.					

6: Maximum power spectral density

6.1 Test Result

Test Mode	Ant.	Frequency [MHz]	Result [dBm/MHz] Result [dBm/500kHz]	Limit[dBm/MHz] Limit[dBm/500kHz]	Verdict
11A-CDD	Ant1	5180	2.80	≤11.00	PASS
11A-CDD	Ant2	5180	3.48	≤11.00	PASS
11A-CDD	total	5180	6.16	≤11.00	PASS
11A-CDD	Ant1	5200	2.16	≤11.00	PASS
11A-CDD	Ant2	5200	3.31	≤11.00	PASS
11A-CDD	total	5200	5.78	≤11.00	PASS
11A-CDD	Ant1	5240	1.90	≤11.00	PASS
11A-CDD	Ant2	5240	2.94	≤11.00	PASS
11A-CDD	total	5240	5.46	≤11.00	PASS
11A-CDD	Ant1	5745	0.36	≤30.00	PASS
11A-CDD	Ant2	5745	1.65	≤30.00	PASS
11A-CDD	total	5745	4.06	≤29.35	PASS
11A-CDD	Ant1	5785	0.10	≤30.00	PASS
11A-CDD	Ant2	5785	1.60	≤30.00	PASS
11A-CDD	total	5785	3.92	≤29.35	PASS
11A-CDD	Ant1	5825	0.28	≤30.00	PASS
11A-CDD	Ant2	5825	1.53	≤30.00	PASS
11A-CDD	total	5825	3.96	≤29.35	PASS
11N20MIMO	Ant1	5180	2.06	≤11.00	PASS
11N20MIMO	Ant2	5180	3.05	≤11.00	PASS
11N20MIMO	total	5180	5.59	≤11.00	PASS
11N20MIMO	Ant1	5200	1.84	≤11.00	PASS
11N20MIMO	Ant2	5200	3.11	≤11.00	PASS
11N20MIMO	total	5200	5.53	≤11.00	PASS
11N20MIMO	Ant1	5240	1.46	≤11.00	PASS
11N20MIMO	Ant2	5240	2.59	≤11.00	PASS
11N20MIMO	total	5240	5.07	≤11.00	PASS
11N20MIMO	Ant1	5745	-0.02	≤30.00	PASS
11N20MIMO	Ant2	5745	1.19	≤30.00	PASS
11N20MIMO	total	5745	3.64	≤29.35	PASS
11N20MIMO	Ant1	5785	-0.24	≤30.00	PASS
11N20MIMO	Ant2	5785	1.20	≤30.00	PASS
11N20MIMO	total	5785	3.55	≤29.35	PASS
11N20MIMO	Ant1	5825	-0.03	≤30.00	PASS
11N20MIMO	Ant2	5825	1.11	≤30.00	PASS
11N20MIMO	total	5825	3.59	≤29.35	PASS
11N40MIMO	Ant1	5190	-3.39	≤11.00	PASS
11N40MIMO	Ant2	5190	-2.35	≤11.00	PASS
11N40MIMO	total	5190	0.17	≤11.00	PASS
11N40MIMO	Ant1	5230	-3.66	≤11.00	PASS

11N40MIMO	Ant2	5230	-2.44	≤11.00	PASS
11N40MIMO	total	5230	0.00	≤11.00	PASS
11N40MIMO	Ant1	5755	-2.42	≤30.00	PASS
11N40MIMO	Ant2	5755	-1.12	≤30.00	PASS
11N40MIMO	total	5755	1.29	≤29.35	PASS
11N40MIMO	Ant1	5795	-2.45	≤30.00	PASS
11N40MIMO	Ant2	5795	-1.13	≤30.00	PASS
11N40MIMO	total	5795	1.27	≤29.35	PASS
11AC20MIMO	Ant1	5180	2.30	≤11.00	PASS
11AC20MIMO	Ant2	5180	3.60	≤11.00	PASS
11AC20MIMO	total	5180	6.01	≤11.00	PASS
11AC20MIMO	Ant1	5200	2.30	≤11.00	PASS
11AC20MIMO	Ant2	5200	3.56	≤11.00	PASS
11AC20MIMO	total	5200	5.99	≤11.00	PASS
11AC20MIMO	Ant1	5240	1.78	≤11.00	PASS
11AC20MIMO	Ant2	5240	3.01	≤11.00	PASS
11AC20MIMO	total	5240	5.45	≤11.00	PASS
11AC20MIMO	Ant1	5745	0.12	≤30.00	PASS
11AC20MIMO	Ant2	5745	1.29	≤30.00	PASS
11AC20MIMO	total	5745	3.75	≤29.35	PASS
11AC20MIMO	Ant1	5785	-0.26	≤30.00	PASS
11AC20MIMO	Ant2	5785	1.06	≤30.00	PASS
11AC20MIMO	total	5785	3.46	≤29.35	PASS
11AC20MIMO	Ant1	5825	-0.12	≤30.00	PASS
11AC20MIMO	Ant2	5825	1.05	≤30.00	PASS
11AC20MIMO	total	5825	3.51	≤29.35	PASS
11AC40MIMO	Ant1	5190	-3.18	≤11.00	PASS
11AC40MIMO	Ant2	5190	-1.87	≤11.00	PASS
11AC40MIMO	total	5190	0.53	≤11.00	PASS
11AC40MIMO	Ant1	5230	-3.37	≤11.00	PASS
11AC40MIMO	Ant2	5230	-1.98	≤11.00	PASS
11AC40MIMO	total	5230	0.39	≤11.00	PASS
11AC40MIMO	Ant1	5755	-2.45	≤30.00	PASS
11AC40MIMO	Ant2	5755	-1.16	≤30.00	PASS
11AC40MIMO	total	5755	1.25	≤29.35	PASS
11AC40MIMO	Ant1	5795	-2.71	≤30.00	PASS
11AC40MIMO	Ant2	5795	-1.10	≤30.00	PASS
11AC40MIMO	total	5795	1.18	≤29.35	PASS
11AC80MIMO	Ant1	5210	-5.80	≤11.00	PASS
11AC80MIMO	Ant2	5210	-4.81	≤11.00	PASS
11AC80MIMO	total	5210	-2.27	≤11.00	PASS
11AC80MIMO	Ant1	5775	-4.79	≤30.00	PASS
11AC80MIMO	Ant2	5775	-3.75	≤30.00	PASS
11AC80MIMO	total	5775	-1.23	≤29.35	PASS
11AX20MIMO	Ant1	5180	2.28	≤11.00	PASS

11AX20MIMO	Ant2	5180	3.42	≤11.00	PASS
11AX20MIMO	total	5180	5.90	≤11.00	PASS
11AX20MIMO	Ant1	5200	2.27	≤11.00	PASS
11AX20MIMO	Ant2	5200	3.39	≤11.00	PASS
11AX20MIMO	total	5200	5.88	≤11.00	PASS
11AX20MIMO	Ant1	5240	1.87	≤11.00	PASS
11AX20MIMO	Ant2	5240	2.99	≤11.00	PASS
11AX20MIMO	total	5240	5.48	≤11.00	PASS
11AX20MIMO	Ant1	5745	-0.26	≤30.00	PASS
11AX20MIMO	Ant2	5745	1.01	≤30.00	PASS
11AX20MIMO	total	5745	3.43	≤29.35	PASS
11AX20MIMO	Ant1	5785	-0.29	≤30.00	PASS
11AX20MIMO	Ant2	5785	1.01	≤30.00	PASS
11AX20MIMO	total	5785	3.42	≤29.35	PASS
11AX20MIMO	Ant1	5825	-0.40	≤30.00	PASS
11AX20MIMO	Ant2	5825	0.94	≤30.00	PASS
11AX20MIMO	total	5825	3.33	≤29.35	PASS
11AX40MIMO	Ant1	5190	-3.25	≤11.00	PASS
11AX40MIMO	Ant2	5190	-2.10	≤11.00	PASS
11AX40MIMO	total	5190	0.37	≤11.00	PASS
11AX40MIMO	Ant1	5230	-3.53	≤11.00	PASS
11AX40MIMO	Ant2	5230	-2.27	≤11.00	PASS
11AX40MIMO	total	5230	0.16	≤11.00	PASS
11AX40MIMO	Ant1	5755	-2.68	≤30.00	PASS
11AX40MIMO	Ant2	5755	-1.47	≤30.00	PASS
11AX40MIMO	total	5755	0.98	≤29.35	PASS
11AX40MIMO	Ant1	5795	-3.00	≤30.00	PASS
11AX40MIMO	Ant2	5795	-1.40	≤30.00	PASS
11AX40MIMO	total	5795	0.88	≤29.35	PASS
11AX80MIMO	Ant1	5210	-5.93	≤11.00	PASS
11AX80MIMO	Ant2	5210	-4.93	≤11.00	PASS
11AX80MIMO	total	5210	-2.39	≤11.00	PASS
11AX80MIMO	Ant1	5775	-4.87	≤30.00	PASS
11AX80MIMO	Ant2	5775	-3.68	≤30.00	PASS
11AX80MIMO	total	5775	-1.22	≤29.35	PASS


Note: The EUT incorporates a MIMO function. Physically, the EUT provides two antennas for transmitting and receiving.
 When ANT.1 and ANT. 2 transmitting simultaneously, and the Directional Gain=6.65dBi>6dBi. (Ant.1: 3.89dBi; Ant.2: 3.39dBi) For U-NII-3: 5745MHz-5825MHz
 So PSDout = [PSDlimit-(GTX-6)]=(30-0.65)dBm/500kHz=29.35dBm/500kHz For U-NII-3: 5745MHz-5825MHz

Directional Gain=10 log[(10^{G1}/20 + 10^{G2}/20 + ... + 10^{GN}/20)²/NANT]


The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

The Duty Cycle Factor and RBW Factor is compensated in the graph.


6.2 Test Graphs




11A-CDD-Ant1-5180-PASS




11A-CDD-Ant2-5180-PASS




11A-CDD-Ant1-5200-PASS




11A-CDD-Ant2-5200-PASS




11A-CDD-Ant1-5240-PASS




11A-CDD-Ant2-5240-PASS




11A-CDD-Ant1-5745-PASS




11A-CDD-Ant2-5745-PASS




11A-CDD-Ant1-5785-PASS




11A-CDD-Ant2-5785-PASS




11A-CDD-Ant1-5825-PASS




11A-CDD-Ant2-5825-PASS




11N20MIMO-Ant1-5180-PASS




11N20MIMO-Ant2-5180-PASS




11N20MIMO-Ant1-5200-PASS




11N20MIMO-Ant2-5200-PASS




11N20MIMO-Ant1-5240-PASS




11N20MIMO-Ant2-5240-PASS




11N20MIMO-Ant1-5745-PASS




11N20MIMO-Ant2-5745-PASS




11N20MIMO-Ant1-5785-PASS




11N20MIMO-Ant2-5785-PASS




11N20MIMO-Ant1-5825-PASS




11N20MIMO-Ant2-5825-PASS




11N40MIMO-Ant1-5190-PASS




11N40MIMO-Ant2-5190-PASS




11N40MIMO-Ant1-5230-PASS




11N40MIMO-Ant2-5230-PASS




11N40MIMO-Ant1-5755-PASS




11N40MIMO-Ant2-5755-PASS




11N40MIMO-Ant1-5795-PASS




11N40MIMO-Ant2-5795-PASS




11AC20MIMO-Ant1-5180-PASS




11AC20MIMO-Ant2-5180-PASS




11AC20MIMO-Ant1-5200-PASS




11AC20MIMO-Ant2-5200-PASS




11AC20MIMO-Ant1-5240-PASS




11AC20MIMO-Ant2-5240-PASS




11AC20MIMO-Ant1-5745-PASS




11AC20MIMO-Ant2-5745-PASS




11AC20MIMO-Ant1-5785-PASS




11AC20MIMO-Ant2-5785-PASS




11AC20MIMO-Ant1-5825-PASS




11AC20MIMO-Ant2-5825-PASS




11AC40MIMO-Ant1-5190-PASS




11AC40MIMO-Ant2-5190-PASS




11AC40MIMO-Ant1-5230-PASS




11AC40MIMO-Ant2-5230-PASS




11AC40MIMO-Ant1-5755-PASS




11AC40MIMO-Ant2-5755-PASS




11AC40MIMO-Ant1-5795-PASS




11AC40MIMO-Ant2-5795-PASS




11AC80MIMO-Ant1-5210-PASS




11AC80MIMO-Ant2-5210-PASS




11AC80MIMO-Ant1-5775-PASS




11AC80MIMO-Ant2-5775-PASS




11AX20MIMO-Ant1-5180-PASS




11AX20MIMO-Ant2-5180-PASS




11AX20MIMO-Ant1-5200-PASS



11AX20MIMO-Ant2-5200-PASS




11AX20MIMO-Ant1-5240-PASS




11AX20MIMO-Ant2-5240-PASS




11AX20MIMO-Ant1-5745-PASS




11AX20MIMO-Ant2-5745-PASS




11AX20MIMO-Ant1-5785-PASS




11AX20MIMO-Ant2-5785-PASS




11AX20MIMO-Ant1-5825-PASS




11AX20MIMO-Ant2-5825-PASS




11AX40MIMO-Ant1-5190-PASS




11AX40MIMO-Ant2-5190-PASS




11AX40MIMO-Ant1-5230-PASS




11AX40MIMO-Ant2-5230-PASS




11AX40MIMO-Ant1-5755-PASS




11AX40MIMO-Ant2-5755-PASS




11AX40MIMO-Ant1-5795-PASS




11AX40MIMO-Ant2-5795-PASS




11AX80MIMO-Ant1-5210-PASS



11AX80MIMO-Ant2-5210-PASS



11AX80MIMO-Ant1-5775-PASS





11AX80MIMO-Ant2-5775-PASS

7: Band edge measurements

7.1 Test Result B1



TestMode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A-CDD	Ant1	Low	5180	-36.23	≤-27	PASS
11A-CDD	Ant2	Low	5180	-35.46	≤-27	PASS
11A-CDD	Ant1	High	5240	-36.76	≤-27	PASS
11A-CDD	Ant2	High	5240	-36.97	≤-27	PASS
11N20MIMO	Ant1	Low	5180	-36.25	≤-27	PASS
11N20MIMO	Ant2	Low	5180	-34.83	≤-27	PASS
11N20MIMO	Ant1	High	5240	-37.57	≤-27	PASS
11N20MIMO	Ant2	High	5240	-37.22	≤-27	PASS
11N40MIMO	Ant1	Low	5190	-35.05	≤-27	PASS
11N40MIMO	Ant2	Low	5190	-35.44	≤-27	PASS
11N40MIMO	Ant1	High	5230	-36.58	≤-27	PASS
11N40MIMO	Ant2	High	5230	-36.94	≤-27	PASS
11AC20MIMO	Ant1	Low	5180	-36.89	≤-27	PASS
11AC20MIMO	Ant2	Low	5180	-35.72	≤-27	PASS
11AC20MIMO	Ant1	High	5240	-36.62	≤-27	PASS
11AC20MIMO	Ant2	High	5240	-36.27	≤-27	PASS
11AC40MIMO	Ant1	Low	5190	-36.75	≤-27	PASS
11AC40MIMO	Ant2	Low	5190	-35.55	≤-27	PASS
11AC40MIMO	Ant1	High	5230	-37.28	≤-27	PASS
11AC40MIMO	Ant2	High	5230	-36.1	≤-27	PASS
11AC80MIMO	Ant1	Low	5210	-36.34	≤-27	PASS
11AC80MIMO	Ant1	High	5210	-37.14	≤-27	PASS
11AC80MIMO	Ant2	Low	5210	-36.77	≤-27	PASS
11AC80MIMO	Ant2	High	5210	-36.98	≤-27	PASS
11AX20MIMO	Ant1	Low	5180	-35.76	≤-27	PASS
11AX20MIMO	Ant2	Low	5180	-33.83	≤-27	PASS
11AX20MIMO	Ant1	High	5240	-36.82	≤-27	PASS
11AX20MIMO	Ant2	High	5240	-36.19	≤-27	PASS
11AX40MIMO	Ant1	Low	5190	-35.17	≤-27	PASS
11AX40MIMO	Ant2	Low	5190	-34.59	≤-27	PASS
11AX40MIMO	Ant1	High	5230	-36.71	≤-27	PASS
11AX40MIMO	Ant2	High	5230	-36.97	≤-27	PASS
11AX80MIMO	Ant1	Low	5210	-37.22	≤-27	PASS
11AX80MIMO	Ant1	High	5210	-37.15	≤-27	PASS
11AX80MIMO	Ant2	Low	5210	-36.14	≤-27	PASS
11AX80MIMO	Ant2	High	5210	-36.59	≤-27	PASS

7.3 Test Graphs B1





11A-CDD-Ant1-5180-PASS

11A-CDD-Ant2-5180-PASS




11A-CDD-Ant1-5240-PASS

11A-CDD-Ant2-5240-PASS




11N20MIMO-Ant1-5180-PASS

11N20MIMO-Ant2-5180-PASS




Date: 25.DEC.2024 16:49:50

11N20MIMO-Ant1-5240-PASS




Date: 25.DEC.2024 16:53:10

11N20MIMO-Ant2-5240-PASS




Date: 25.DEC.2024 16:57:07

11N40MIMO-Ant1-5190-PASS




Date: 25.DEC.2024 17:04:33

11N40MIMO-Ant2-5190-PASS





Date: 27.DEC.2024 10:57:54

11N40MIMO-Ant1-5230-PASS





Date: 27.DEC.2024 11:00:43

11N40MIMO-Ant2-5230-PASS





11AC20MIMO-Ant1-5180-PASS

11AC20MIMO-Ant2-5180-PASS



11AC20MIMO-Ant1-5240-PASS

11AC20MIMO-Ant2-5240-PASS



11AC40MIMO-Ant1-5190-PASS

11AC40MIMO-Ant2-5190-PASS