




11AC20MIMO_Ant1_5745



11AC20MIMO_Ant0_5785



11AC20MIMO_Ant1_5785



11AC20MIMO_Ant0_5825




11AC20MIMO_Ant1_5825



11AC40MIMO_Ant0_5190




11AC40MIMO_Ant1_5190




11AC40MIMO_Ant0_5230




11AC40MIMO_Ant1_5230




11AC40MIMO_Ant0_5755




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant0_5795




11AC40MIMO_Ant1_5795




11AC80MIMO_Ant0_5210




11AC80MIMO_Ant1_5210




11AC80MIMO_Ant0_5775




11AC80MIMO_Ant1_5775



11AX20MIMO_Ant0_5180



11AX20MIMO_Ant1_5180




11AX20MIMO_Ant0_5200



11AX20MIMO_Ant1_5200



11AX20MIMO_Ant0_5240




11AX20MIMO_Ant1_5240




11AX20MIMO_Ant0_5745




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant0_5785



11AX20MIMO_Ant1_5785




11AX20MIMO_Ant0_5825




11AX20MIMO_Ant1_5825




11AX40MIMO_Ant0_5190



11AX40MIMO_Ant1_5190




11AX40MIMO_Ant0_5230



11AX40MIMO_Ant1_5230




11AX40MIMO_Ant0_5755




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant0_5795




11AX40MIMO_Ant1_5795




11AX80MIMO_Ant0_5210




11AX80MIMO_Ant1_5210



11AX80MIMO_Ant0_5775



11AX80MIMO_Ant1_5775



6. Band edge measurements

6.1. Test Result

TestMode	Antenna	ChName	Channel	Result[dBm]	Limit[dBm]	Verdict
11A-CDD	Ant0	Low	5180	-41.52	≤ -27	PASS
	Ant1	Low	5180	-41.22	≤ -27	PASS
	Ant0	High	5240	-41.32	≤ -27	PASS
	Ant1	High	5240	-41.1	≤ -27	PASS
11N20MIMO	Ant0	Low	5180	-41.22	≤ -27	PASS
	Ant1	Low	5180	-41.29	≤ -27	PASS
	Ant0	High	5240	-41.51	≤ -27	PASS
	Ant1	High	5240	-41.15	≤ -27	PASS
11N40MIMO	Ant0	Low	5190	-40.79	≤ -27	PASS
	Ant1	Low	5190	-40.79	≤ -27	PASS
	Ant0	High	5230	-41.06	≤ -27	PASS
	Ant1	High	5230	-41.32	≤ -27	PASS
11AC20MIMO	Ant0	Low	5180	-40.98	≤ -27	PASS
	Ant1	Low	5180	-41.74	≤ -27	PASS
	Ant0	High	5240	-40.4	≤ -27	PASS
	Ant1	High	5240	-40.71	≤ -27	PASS
11AC40MIMO	Ant0	Low	5190	-40.52	≤ -27	PASS
	Ant1	Low	5190	-40.6	≤ -27	PASS
	Ant0	High	5230	-41.61	≤ -27	PASS
	Ant1	High	5230	-41.39	≤ -27	PASS
11AC80MIMO	Ant0	Low	5210	-41.79	≤ -27	PASS
	Ant1	Low	5210	-41.56	≤ -27	PASS
	Ant0	High	5210	-41.37	≤ -27	PASS
	Ant1	High	5210	-40.81	≤ -27	PASS
11AX20MIMO	Ant0	Low	5180	-41.43	≤ -27	PASS
	Ant1	Low	5180	-40.33	≤ -27	PASS
	Ant0	High	5240	-41.24	≤ -27	PASS
	Ant1	High	5240	-41.35	≤ -27	PASS
11AX40MIMO	Ant0	Low	5190	-40.53	≤ -27	PASS
	Ant1	Low	5190	-40.65	≤ -27	PASS
	Ant0	High	5230	-41.63	≤ -27	PASS
	Ant1	High	5230	-40.89	≤ -27	PASS
11AX80MIMO	Ant0	Low	5210	-41.79	≤ -27	PASS
	Ant1	Low	5210	-41.43	≤ -27	PASS
	Ant0	High	5210	-42.22	≤ -27	PASS
	Ant1	High	5210	-41.45	≤ -27	PASS


TestMode	Antenna	ChName	Channel	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A-CDD	Ant0	Low	5745	5650~5700	-40.35	≤-5.29	PASS
				5700~5720	-41.95	≤13.27	PASS
				5720~5725	-42.35	≤22.82	PASS
				5760~5650	-42.53	≤-27	PASS
	Ant1	Low	5745	5650~5700	-40.9	≤7.78	PASS
				5700~5720	-40.71	≤14.99	PASS
				5720~5725	-41.91	≤21.30	PASS
				5760~5650	-41.27	≤-27	PASS
	Ant0	High	5825	5850~5855	-41.79	≤22.04	PASS
				5855~5875	-41.11	≤13.94	PASS
				5875~5925	-40.63	≤-6.49	PASS
				5925~5935	-42.03	≤-27	PASS
	Ant1	High	5825	5850~5855	-40.2	≤19.81	PASS
				5855~5875	-41.63	≤10.98	PASS
				5875~5925	-39.4	≤-4.46	PASS
				5925~5935	-41.3	≤-27	PASS
11N20MIM O	Ant0	Low	5745	5650~5700	-41.21	≤-16.39	PASS
				5700~5720	-41.5	≤15.09	PASS
				5720~5725	-41.88	≤16.74	PASS
				5760~5650	-42.46	≤-27	PASS
	Ant1	Low	5745	5650~5700	-38.96	≤-5.66	PASS
				5700~5720	-41.01	≤13.27	PASS
				5720~5725	-40.65	≤17.12	PASS
				5760~5650	-42.11	≤-27	PASS
	Ant0	High	5825	5850~5855	-40.4	≤22.93	PASS
				5855~5875	-40.08	≤14.43	PASS
				5875~5925	-41.12	≤-8.08	PASS
				5925~5935	-41.03	≤-27	PASS
	Ant1	High	5825	5850~5855	-41.31	≤21.60	PASS
				5855~5875	-40.57	≤11.64	PASS
				5875~5925	-40.79	≤3.07	PASS
				5925~5935	-41.27	≤-27	PASS
11N40MIM O	Ant0	Low	5755	5650~5700	-41.46	≤1.88	PASS
				5700~5720	-40.84	≤15.03	PASS
				5720~5725	-41.97	≤23.93	PASS
				5780~5650	-42.01	≤-27	PASS
	Ant1	Low	5755	5650~5700	-41.43	≤-15.64	PASS
				5700~5720	-41.86	≤14.60	PASS
				5720~5725	-41.86	≤17.23	PASS
				5780~5650	-41.35	≤-27	PASS
	Ant0	High	5795	5850~5855	-41.26	≤23.48	PASS
				5855~5875	-41.36	≤10.57	PASS
				5875~5925	-41.4	≤-17.81	PASS
				5925~5935	-41.71	≤-27	PASS

	Ant1	High	5795	5850~5855	-40.37	≤23.48	PASS
				5855~5875	-41.11	≤14.52	PASS
				5875~5925	-40.32	≤-21.18	PASS
				5925~5935	-41.73	≤-27	PASS
11AC20MI MO	Ant0	Low	5745	5650~5700	-41.05	≤-5.17	PASS
				5700~5720	-41.26	≤13.22	PASS
				5720~5725	-40.58	≤25.48	PASS
				5760~5650	-42.48	≤-27	PASS
	Ant1	Low	5745	5650~5700	-41.02	≤8.77	PASS
				5700~5720	-40.28	≤12.52	PASS
				5720~5725	-41.08	≤16.74	PASS
				5760~5650	-41.51	≤-27	PASS
	Ant0	High	5825	5850~5855	-41.38	≤24.72	PASS
				5855~5875	-41.29	≤13.77	PASS
				5875~5925	-40.9	≤-10.54	PASS
				5925~5935	-41.36	≤-27	PASS
	Ant1	High	5825	5850~5855	-41.45	≤26.95	PASS
				5855~5875	-40.51	≤11.42	PASS
				5875~5925	-40.2	≤6.11	PASS
				5925~5935	-41.75	≤-27	PASS
11AC40MI MO	Ant0	Low	5755	5650~5700	-41.82	≤-2.90	PASS
				5700~5720	-41.81	≤11.64	PASS
				5720~5725	-41.14	≤21.70	PASS
				5780~5650	-42.16	≤-27	PASS
	Ant1	Low	5755	5650~5700	-41.11	≤8.83	PASS
				5700~5720	-41.58	≤14.16	PASS
				5720~5725	-41.89	≤22.14	PASS
				5780~5650	-41.91	≤-27	PASS
	Ant0	High	5795	5850~5855	-41.78	≤24.57	PASS
				5855~5875	-41	≤14.39	PASS
				5875~5925	-40.5	≤-10.20	PASS
				5925~5935	-41.67	≤-27	PASS
	Ant1	High	5795	5850~5855	-41.17	≤25.12	PASS
				5855~5875	-40.93	≤12.51	PASS
				5875~5925	-39.56	≤-26.31	PASS
				5925~5935	-41.75	≤-27	PASS
11AC80MI MO	Ant0	Low	5775	5650~5700	-40.94	≤-11.25	PASS
				5700~5720	-39.74	≤15.29	PASS
				5720~5725	-41.36	≤25.91	PASS
				5800~5650	-42.31	≤-27	PASS
		High	5775	5850~5855	-41.87	≤19.28	PASS
				5855~5875	-41.02	≤14.08	PASS
				5875~5925	-41.29	≤-22.28	PASS
				5925~5935	-41.26	≤-27	PASS
	Ant1	Low	5775	5650~5700	-41.49	≤-4.27	PASS
				5700~5720	-40.75	≤14.29	PASS


		High	5775	5720~5725	-41.54	≤19.25	PASS
				5800~5650	-41.67	≤-27	PASS
				5850~5855	-41.13	≤24.79	PASS
				5855~5875	-40.29	≤12.88	PASS
				5875~5925	-40.86	≤-18.71	PASS
				5925~5935	-42.27	≤-27	PASS
11AX20MI MO	Ant0	Low	5745	5650~5700	-41.62	≤-5.42	PASS
				5700~5720	-40.35	≤12.15	PASS
				5720~5725	-42.76	≤20.92	PASS
				5760~5650	-41.85	≤-27	PASS
	Ant1	Low	5745	5650~5700	-40.7	≤3.09	PASS
				5700~5720	-40.15	≤13.50	PASS
				5720~5725	-40.43	≤22.06	PASS
				5760~5650	-42.35	≤-27	PASS
	Ant0	High	5825	5850~5855	-41.4	≤19.37	PASS
				5855~5875	-40.97	≤13.06	PASS
				5875~5925	-41.01	≤-10.98	PASS
				5925~5935	-42.19	≤-27	PASS
	Ant1	High	5825	5850~5855	-40.55	≤20.70	PASS
				5855~5875	-40.88	≤11.69	PASS
				5875~5925	-40.85	≤-6.78	PASS
				5925~5935	-40.93	≤-27	PASS
11AX40MI MO	Ant0	Low	5755	5650~5700	-41.32	≤-4.64	PASS
				5700~5720	-41.47	≤14.43	PASS
				5720~5725	-42.07	≤19.91	PASS
				5780~5650	-42.08	≤-27	PASS
	Ant1	Low	5755	5650~5700	-41.25	≤-16.22	PASS
				5700~5720	-41.86	≤14.71	PASS
				5720~5725	-42.04	≤26.16	PASS
				5780~5650	-42.43	≤-27	PASS
	Ant0	High	5795	5850~5855	-40.97	≤25.12	PASS
				5855~5875	-41.24	≤14.66	PASS
				5875~5925	-41.08	≤8.37	PASS
				5925~5935	-42.06	≤-27	PASS
	Ant1	High	5795	5850~5855	-41.83	≤25.66	PASS
				5855~5875	-41.26	≤14.12	PASS
				5875~5925	-40.51	≤-11.98	PASS
				5925~5935	-42.07	≤-27	PASS
11AX80MI MO	Ant0	Low	5775	5650~5700	-41.65	≤-4.44	PASS
				5700~5720	-41.33	≤13.41	PASS
				5720~5725	-41.16	≤19.25	PASS
				5800~5650	-42.28	≤-27	PASS
	Ant0	High	5775	5850~5855	-41.81	≤19.28	PASS
				5855~5875	-41.03	≤10.78	PASS
				5875~5925	-41.08	≤-5.42	PASS
				5925~5935	-42.36	≤-27	PASS

	Ant1	Low	5775	5650~5700	-41.82	≤6.37	PASS
				5700~5720	-41.52	≤14.54	PASS
				5720~5725	-42.4	≤24.37	PASS
				5800~5650	-42.06	≤-27	PASS
		High	5775	5850~5855	-41.38	≤23.56	PASS
				5855~5875	-41.06	≤11.98	PASS
				5875~5925	-40.46	≤6.49	PASS
				5925~5935	-42.37	≤-27	PASS


6.2. Test Graphs




11A-CDD_Ant1_High_5240




11N20MIMO_Ant0_Low_5180




11N20MIMO_Ant1_Low_5180




11N20MIMO_Ant0_High_5240




11N20MIMO_Ant1_High_5240




11N40MIMO_Ant0_Low_5190




11N40MIMO_Ant1_Low_5190




11N40MIMO_Ant0_High_5230




11N40MIMO_Ant1_High_5230




11AC20MIMO_Ant0_Low_5180




11AC20MIMO_Ant1_Low_5180




11AC20MIMO_Ant0_High_5240




11AC20MIMO_Ant1_High_5240




11AC40MIMO_Ant0_Low_5190



11AC40MIMO_Ant1_Low_5190




11AC40MIMO_Ant0_High_5230




11AC40MIMO_Ant1_High_5230




11AC80MIMO_Ant0_Low_5210




11AC80MIMO_Ant1_Low_5210




11AC80MIMO_Ant0_High_5210




11AC80MIMO_Ant1_High_5210




11AX20MIMO_Ant0_Low_5180




11AX20MIMO_Ant1_Low_5180




11AX20MIMO_Ant0_High_5240




11AX20MIMO_Ant1_High_5240




11AX40MIMO_Ant0_Low_5190




11AX40MIMO_Ant1_Low_5190



11AX40MIMO_Ant0_High_5230



11AX40MIMO_Ant1_High_5230



11AX80MIMO_Ant0_Low_5210

